

DCS STARTAC - SUG 1043 - FULL PARTS LISTING

1 SHN6319A	HSNG DCS UNIQUE 17KEY BLK	1 1 1 M Y Y
2 0109212D01	ASSY HSNG XCVR FRNT BLK	1 1 1 B Y N
2 0109284S01	ASSY REAR AUX	1 1 1 B Y N
3 0109470S01	ASSY GSM AUX FLEX	1 2 1 B Y N
4 4209389S01	CLIP BOTTOM FLEX	1 2 1 B Y N
4 8409390S01	PCB AUX FLEX INTERCONNECT	1 2 1 B Y N
3 1509283S01	HSNG REAR AUX	1 2 1 B Y N
3 3609217D01	KNOB EJECT	1 2 1 B Y N
3 4209218D01	CLIP EJECT/CARD COMPRESSION	1 2 1 B Y N
3 4309134E01	BUSHING THREADED REAR HSNG	1 2 1 B Y N
3 6109219D01	LIGHTGUIDE ALERT	1 2 1 B Y N
2 0109322D01	ASSY LENS RAE	1 1 1 B Y N
2 0109485D01	ASSY HSNG MAIN FLIP BLK	1 1 1 B Y N
3 0109207D01	ASSEMBLY FLIP	1 2 1 B Y N
4 1109210D01	ADHESIVE RTC BATTERY	1 2 1 B Y N
4 1109410R01	ADHESIVE SPEAKER	1 2 1 B Y N
4 3909492B01	CONTACT BLOCK BATTERY	2 2 1 B Y N
4 5009076E01	SPKR DYN EARPC 20X50 MM	1 2 1 B Y N
4 5909127D03	MOTOR VIBRATOR 0.7V 10K RPM	1 2 1 B Y N
4 6009519L03	BATT LI COIN CELL	1 2 1 B Y N
4 8409420D01	PCB FLEX BD	1 2 1 B Y N
3 0109486D01	ASSY MAIN FLIP GSM	1 2 1 B Y N
4 1509222D01	HSNG SPEAKER FRNT	1 2 1 B Y N
4 1509223D01	HSNG MAIN FLIP BLK	1 2 1 B Y N
4 3209208D01	GASKET SPEAKER	1 2 1 B Y N
4 5983583N18	MAGNET GSM RAE	1 2 1 B Y N
3 1509210E01	HSNG FLEX BARREL BLK	1 2 1 B Y N
3 1509224D01	HSNG SPEAKER REAR	1 2 1 B Y N
3 3509120R01	FELT REAR SPKR	1 2 1 B Y N
3 7509532K12	PAD SHOCK	1 2 1 B Y N
1 SUG1044A	XCVR CORE DCS CLAM RAE	1 1 1 M Y Y
2 SHN6227A	HSNG & HDW DCS RAE COMMON	1 1 1 M Y Y
3 0309333C01	SCREW TRILOBE W/CAP WASHER	2 1 1 B Y N
3 0509220D01	GROMMET MIC	1 1 1 B Y N
3 0509221D01	GROMMET ALERT	1 1 1 B Y N
3 1109155J01	ADHESIVE DCA COVER	1 1 1 B Y N
3 1109387L01	ALERT GROMMET ADHESIVE	1 1 1 B Y N
3 1509136D01	HSNG FLEX COVER	1 1 1 B Y N
3 2609231D01	SHIELD LOGIC	1 1 1 B Y N
3 3509001R01	SCREEN ALERT	1 1 1 B Y N
3 3709013J01	TUBE ANTENNA S.S.	1 1 1 B Y N
3 3809170E01	ACTR KYPD GSM RAE	1 1 1 B Y N
3 4709050R01	SHAFT GSM RIGHT	1 1 1 B Y N
3 5009536H15	MIC LEADED W/PINS	1 1 1 B Y N
3 5409150R01	LABEL FLEX	1 1 1 B Y N

3	5509242E01	HINGE GSM	1 1 1 B Y N
3	7509165R01	PAD SHOCK	1 1 1 B Y N
3	8509173J01	ANT DIRECT CNTCT 1.8GHZ DCS	1 1 1 B Y N
2	SLG1003A	BD SET DCS CLAM RAE	1 1 1 M Y Y
3	SLG4014A	XCVR BD DCS 1800 RAE	1 1 1 M Y Y
4	0109026A08	XCVR BD RAE DCS TOP SIDE	1 1 1 M Y Y
5	0609118R01	VARISTOR CHIP 0805 SMD	2 1 1 B Y N
5	0609591M39	RES CHIP DUAL 15K 5% 0.63W	4 1 1 B Y N
5	0609591M45	RES CHIP DUAL 47K 5% 0.63W	6 1 1 B Y N
5	0660076N01	RES CHIP 10 5 1/16 0603	2 1 1 B Y N
5	0662057M01	RES. CHIP 0 5% 20X40	4 1 1 B Y N
5	0662057M26	RES. CHIP 10 5% 20X40	5 1 1 B Y N
5	0662057M50	RES. CHIP 100 5% 20X40	8 1 1 B Y N
5	0662057M58	RES. CHIP 220 5% 20X40	1 1 1 B Y N
5	0662057M61	RES CHIP 300 5% 20X40	1 1 1 B Y N
5	0662057M68	RES. CHIP 560 5% 20X40	3 1 1 B Y N
5	0662057M74	RES. CHIP 1000 5% 20X40	7 1 1 B Y N
5	0662057M78	RES. CHIP 1500 5% 20X40	1 1 1 B Y N
5	0662057M80	RES. CHIP 1800 5% 20X40	1 1 1 B Y N
5	0662057M90	RES. CHIP 4700 5% 20X40	6 1 1 B Y N
5	0662057M92	RES. CHIP 5600 5% 20X40	1 1 1 B Y N
5	0662057M98	RES. CHIP 10K 5% 20X40	13 1 1 B Y N
5	0662057N03	RES. CHIP 15K 5% 20X40	16 1 1 B Y N
5	0662057N05	RES. CHIP 18K 5% 20X40	4 1 1 B Y N
5	0662057N06	RES. CHIP 20K 5% 20X40	2 1 1 B Y N
5	0662057N07	RES. CHIP 22K 5% 20X40	1 1 1 B Y N
5	0662057N09	RES. CHIP 27K 5% 20X40	2 1 1 B Y N
5	0662057N15	RES. CHIP 47K 5% 20X40	11 1 1 B Y N
5	0662057N19	RES. CHIP 68K 5% 20X40	1 1 1 B Y N
5	0662057N23	RES. CHIP 100K 5% 20X40	8 1 1 B Y N
5	0662057N29	RES. CHIP 180K 5% 20X40	3 1 1 B Y N
5	0662057N33	RES. CHIP 270K 5% 20X40	1 1 1 B Y N
5	0662057N39	RES CHIP 470K 5% 20X40	4 1 1 B Y N
5	0680195M64	RES 0.24 OHM 1/2W	1 1 1 B Y N
5	0909449B04	RECEPT MOD 15PIN INSMLD	1 1 1 B Y N
5	2109622N06	CAP CER CHIP NPO CLASS I	1 1 1 B Y N
5	2113740F20	CAP CHIP REEL CL1 +/-30 5.1	1 1 1 B Y N
5	2113740F35	CAP CHIP REEL CL1 +/-30 22.0	1 1 1 B Y N
5	2113741F25	CAP CHIP CL2 X7R REEL 1000	1 1 1 B Y N
5	2113741F49	CAP CHIP CL2 X7R REEL .01UF	2 1 1 B Y N
5	2113743A27	CAP CHIP .470 UF 10% 16V	2 1 1 B Y N
5	2113743E07	CER CHIP CAP .022UF	1 1 1 B Y N
5	2113743E11	CAP CHIP .039 UF 10% X7R	1 1 1 B Y N
5	2113743E12	CAP CHIP .047 UF 10% X7R	12 1 1 B Y N
5	2113743E20	CAP CHIP .10 UF 10%	15 1 1 B Y N
5	2113743H14	CAP CHIP 10.0 UF 16V +80-20%	3 1 1 B Y N
5	2113743L05	CAP CHIP 330 PF 10% X7R	1 1 1 B Y N
5	2113743L17	CAP CHIP 1000 PF 10% X7R	1 1 1 B Y N
5	2113743L21	CAP CHIP 1500 PF 10% X7R	2 1 1 B Y N
5	2113743L41	CAP CHIP 10000 PF 10% X7R	3 1 1 B Y N

5	2113743M08	CAP CHIP 22000 PF +80-20% Y5V	2 1 1 B Y N
5	2113743M24	CAP CHIP 100000 PF +80-20% Y5V	3 1 1 B Y N
5	2113743N12	CAP CHIP 2.7 PF +-.25PF COG	1 1 1 B Y N
5	2113743N14	CAP CHIP 3.3 PF +-.25PF COG	1 1 1 B Y N
5	2113743N26	CAP CHIP 10.0 PF 5% COG	28 1 1 B Y N
5	2113743N50	CAP CHIP 100 PF 5% COG	1 1 1 B Y N
5	2113743N54	CAP CHIP 150 PF 5% COG	1 1 1 B Y N
5	2113928J06	CAP CER CHIP 4.7 UF 10% 10V	5 1 1 B Y N
5	2309121D19	CAP CHIP TANT 10 UF 10% 10 V	2 1 1 B Y N
5	2309121D23	CAP CHIP TANT 68 UF 10% 10 V	1 1 1 B Y N
5	2311049A54	CAP TAN CHIP A/P 3.3 20 16	4 1 1 B Y N
5	2311049A56	CAP TAN CHIP A/P 4.7 20 10	2 1 1 B Y N
5	2462587V24	CHIP IND 15 NH 5% 0805	1 1 1 B Y N
5	2509306J01	CHOKE 15 UH SMD	1 1 1 B Y N
5	2609827G03	SHIELD SPACER	1 1 1 B Y N
5	2809454C02	PLUG LO PROFILE SMD 32 POS	1 1 1 B Y N
5	3909578M01	CONTACT BATT SMT	4 1 1 B Y N
5	4009060E01	SW TACTILE SMD	3 1 1 B Y N
5	4209189E01	CLIP LOGIC SHIELD #1	3 1 1 B Y N
5	4209190E01	CLIP LOGIC SHIELD #2	3 1 1 B Y N
5	4209233D01	CLIP ANTENNA TUBE	1 1 1 B Y N
5	4209480E01	CLIP ANTENNA	2 1 1 B Y N
5	4809579E09	TSTR MOSFET P-CHAN 2SJ346	1 1 1 B Y N
5	4809579E11	TSTR MOSFET P-CHAN NDS0601	1 1 1 B Y N
5	4809579E16	TSTR MOSFET N-CHAN TN0200T	1 1 1 B Y N
5	4809579E17	TSTR MOSFET P-CHAN SI9424	1 1 1 B Y N
5	4809579E18	TSTR MOSFET P-CHAN TP0101T	1 1 1 B Y N
5	4809605E02	TSTR SIG NPN 2SC4617	2 1 1 B Y N
5	4809606E02	DIODE DUAL ARRAY DAN222	2 1 1 B Y N
5	4809606E03	DIODE DUAL ARRAY DAP222	4 1 1 B Y N
5	4809606E07	DIODE DUAL ARRAY DA221	4 1 1 B Y N
5	4809606E08	DIODE DUAL SCHOTTKY RB715F	1 1 1 B Y N
5	4809607E02	TSTR SIG PNP 25A1774	2 1 1 B Y N
5	4809608E03	TSTR DIG PNP DTA114YE	2 1 1 B Y N
5	4809653F03	DIODE SCHOTTKY 1A 10BQ040 SMD	3 1 1 B Y N
5	4809788E06	DIODE ZENER 6.8V UDZ6.8B	5 1 1 B Y N
5	4809788E08	DIODE ZENER 8.2V UDZTE178.2B	3 1 1 B Y N
5	4809939C04	TSTR DUAL PNP/NPN UMC3	2 1 1 B Y N
5	4809939C05	TSTR DUAL NPN/PNP UMH 5	1 1 1 B Y N
5	4809940E02	TSTR DIG NPN DTC114YE	1 1 1 B Y N
5	4809940E03	TSTR DIG NPN DTC114TE	1 1 1 B Y N
5	4809995L05	XTAL QUARTZ 32.768KHZ CC4V-T1	1 1 1 B Y N
5	4813823A07	XSTR N-CH TMOS FET 2N7002LT1	1 1 1 B Y N
5	4813824A21	XSTR PNP 60V .6A GENP B=100	1 1 1 B Y N
5	5009473S01	ALERT EM 5V SMD	1 1 1 B Y N
5	5109522E10	IC 3-INV LMOS TC7W04FU	1 1 1 B Y N
5	5109522E13	IC BILAT SW TC7S66FU	4 1 1 B Y N
5	5109632D44	IC CUST DIG POT/ATTN DS1866	1 1 1 B Y N
5	5109632D54	IC CUST BICMOS GCAP 48QFP	1 1 1 B Y N
5	5109632D54	IC CUST BICMOS GCAP 48QFP	1 4 1 B Y N

5	5109688L09	IC SRAM 64KX16 M5M51016BVP	1 1 1 B Y N
5	5109743E12	IC ASIC BIC 4.01	1 4 1 B Y N
5	5109743E13	IC ASIC BIC 4.01 S38138EC10	1 1 1 B Y N
5	5109781E47	IC LIN CLCK DBLR W42C70	1 1 1 B Y N
5	5109781E50	IC LIN 5V REG LM2980 SOT23	1 1 1 B Y N
5	5109841C30	IC MCU SCSF416776	1 1 1 B Y N
5	5109920D12	IC DC-DC CONV INVDBLR 682EOA	1 1 1 B Y N
5	5109920D15	IC PCM CODEC MC14LC5480SDR2	1 1 1 B Y N
5	5199245A01	IC FLASH PROM 512KX16 28F800-B	1 1 1 B Y N
5	5199285C01	IC MASK DSP 1616-S31EEK 38IW	1 1 1 B Y N
5	5199295A01	IC ROM 64 BIT DS2401 FLIP CHIP	1 1 1 B Y N
5	5199301A01	IC EEPROM SPCL 8KX8 28BV64	1 1 1 B Y N
4	0109026A09	XCVR BD RAE DCS BOTTOM SIDE	1 1 1 M Y Y
5	0609591M37	RES CHIP DUAL 10K 5% 0.63W	3 1 1 B Y N
5	0660076N57	RES CHIP 2200 OHM 1/16 W	1 1 1 B Y N
5	0662057M01	RES. CHIP 0 5% 20X40	3 1 1 B Y N
5	0662057M26	RES. CHIP 10 5% 20X40	4 1 1 B Y N
5	0662057M30	RES. CHIP 15 5% 20X40	2 1 1 B Y N
5	0662057M34	RES. CHIP 22 5% 20X40	1 1 1 B Y N
5	0662057M36	RES. CHIP 27 5% 20X40	1 1 1 B Y N
5	0662057M38	RES CHIP 33 5% 20X40	3 1 1 B Y N
5	0662057M43	RES. CHIP 51 5% 20X40	1 1 1 B Y N
5	0662057M44	RES CHIP 180K 5% 20X40	1 1 1 B Y N
5	0662057M48	RES. CHIP 82 5% 20X40	1 1 1 B Y N
5	0662057M50	RES. CHIP 100 5% 20X40	1 1 1 B Y N
5	0662057M52	RES. CHIP 120 5% 20X40	2 1 1 B Y N
5	0662057M54	RES. CHIP 150 5% 20X40	3 1 1 B Y N
5	0662057M56	RES. CHIP 180 5% 20X40	1 1 1 B Y N
5	0662057M58	RES. CHIP 220 5% 20X40	4 1 1 B Y N
5	0662057M60	RES. CHIP 270 5% 20X40	1 1 1 B Y N
5	0662057M62	RES. CHIP 330 5% 20X40	3 1 1 B Y N
5	0662057M66	RES. CHIP 470 5% 20X40	1 1 1 B Y N
5	0662057M74	RES. CHIP 1000 5% 20X40	8 1 1 B Y N
5	0662057M76	RES. CHIP 1200 5% 20X40	1 1 1 B Y N
5	0662057M78	RES. CHIP 1500 5% 20X40	1 1 1 B Y N
5	0662057M80	RES. CHIP 1800 5% 20X40	1 1 1 B Y N
5	0662057M81	RES. CHIP 2000 5% 20X40	2 1 1 B Y N
5	0662057M82	RES. CHIP 2200 5% 20X40	4 1 1 B Y N
5	0662057M83	RES CHIP 2400 5% 20X40	1 1 1 B Y N
5	0662057M84	RES. CHIP 2700 5% 20X40	3 1 1 B Y N
5	0662057M85	RES. CHIP 3000 5% 20X40	1 1 1 B Y N
5	0662057M86	RES. CHIP 3300 5% 20X40	1 1 1 B Y N
5	0662057M90	RES. CHIP 4700 5% 20X40	4 1 1 B Y N
5	0662057M92	RES. CHIP 5600 5% 20X40	4 1 1 B Y N
5	0662057M98	RES. CHIP 10K 5% 20X40	5 1 1 B Y N
5	0662057N01	RES CHIP 12K 5% 20X40	2 1 1 B Y N
5	0662057N03	RES. CHIP 15K 5% 20X40	2 1 1 B Y N
5	0662057N06	RES. CHIP 20K 5% 20X40	1 1 1 B Y N
5	0662057N07	RES. CHIP 22K 5% 20X40	1 1 1 B Y N
5	0662057N11	RES. CHIP 33K 5% 20X40	1 1 1 B Y N

5	0662057N15	RES. CHIP 47K 5% 20X40	5 1 1 B Y N
5	0662057N19	RES. CHIP 68K 5% 20X40	1 1 1 B Y N
5	0662057N23	RES. CHIP 100K 5% 20X40	2 1 1 B Y N
5	0662057N29	RES. CHIP 180K 5% 20X40	2 1 1 B Y N
5	0662057N31	RES. CHIP 220K 5% 20X40	1 1 1 B Y N
5	0662057N33	RES. CHIP 270K 5% 20X40	3 1 1 B Y N
5	0662057N39	RES CHIP 470K 5% 20X40	2 1 1 B Y N
5	0909059E01	RECPT ZIF 16 POS SMD	1 1 1 B Y N
5	0909195E01	SKT BOT ENTRY 2 POS	1 1 1 B Y N
5	2109622N06	CAP CER CHIP NPO CLASS I	1 1 1 B Y N
5	2109622N14	CAP CER CHIP NPO CLASS I	1 1 1 B Y N
5	2109622N16	CAP CER CHIP NPO CLASS I	1 1 1 B Y N
5	2113740A01	CAP CHIP REEL CL1 +/-30 .5	1 1 1 B Y N
5	2113740A63	CAP CHIP REEL CL1 +/-30 220	1 1 1 B Y N
5	2113740A65	CAP CHIP REEL CL1 +/-30 270	4 1 1 B Y N
5	2113740A73	CAP CHIP REEL CL1 +/-30 560	1 1 1 B Y N
5	2113740B78	CAP CHIP REEL CL1 +/-30 1800	1 1 1 B Y N
5	2113740B81	CAP CHIP REEL CL1 +/-30 2400	1 1 1 B Y N
5	2113740F03	CAP CHIP REEL CL1 +/-30 1.0	4 1 1 B Y N
5	2113740F07	CAP CHIP REEL CL1 +/-30 1.5	5 1 1 B Y N
5	2113740F09	CAP CHIP REEL CL1 +/-30 1.8	1 1 1 B Y N
5	2113740F11	CAP CHIP REEL CL1 +/-30 2.2	3 1 1 B Y N
5	2113740F12	CAP CHIP REEL CL1 +/-30 2.4	1 1 1 B Y N
5	2113740F13	CAP CHIP REEL CL1 +/-30 2.7	2 1 1 B Y N
5	2113740F15	CAP CHIP REEL CL1 +/-30 3.3	4 1 1 B Y N
5	2113740F19	CAP CHIP REEL CL1 +/-30 4.7	3 1 1 B Y N
5	2113740F21	CAP CHIP REEL CL1 +/-30 5.6	1 1 1 B Y N
5	2113740F23	CAP CHIP REEL CL1 +/-30 6.8	2 1 1 B Y N
5	2113740F25	CAP CHIP REEL CL1 +/-30 8.2	1 1 1 B Y N
5	2113740F27	CAP CHIP REEL CL1 +/-30 10.0	19 1 1 B Y N
5	2113740F29	CAP CHIP REEL CL1 +/-30 12	1 1 1 B Y N
5	2113740F31	CAP CHIP REEL CL1 +/-30 15.0	2 1 1 B Y N
5	2113740F33	CAP CHIP REEL CL1 +/-30 18.0	2 1 1 B Y N
5	2113740F35	CAP CHIP REEL CL1 +/-30 22.0	4 1 1 B Y N
5	2113740F37	CAP CHIP REEL CL1 +/-30 27.0	2 1 1 B Y N
5	2113740F39	CAP CHIP REEL CL1 +/-30 33.0	1 1 1 B Y N
5	2113740F43	CAP CHIP REEL CL1 +/-30 47.0	1 1 1 B Y N
5	2113740F47	CAP CHIP REEL CL1 +/-30 68	1 1 1 B Y N
5	2113740F49	CAP CHIP REEL CL1 +/-30 82.0	1 1 1 B Y N
5	2113740F51	CAP CHIP REEL CL1 +/-30 100.0	3 1 1 B Y N
5	2113740F57	CAP CHIP REEL CL1 +/-30 180	1 1 1 B Y N
5	2113740F59	CAP CHIP REEL CL1 +/-30 220.0	1 1 1 B Y N
5	2113740F61	CAP CHIP REEL CL1 +/-130 270	1 1 1 B Y N
5	2113740G29	CAP CER CHIP 10PF 2%	1 1 1 B Y N
5	2113741B39	CAP CHIP CL2 X7R REEL 5600	1 1 1 B Y N
5	2113741F13	CAP CHIP CL2 X7R REEL 330	1 1 1 B Y N
5	2113741F25	CAP CHIP CL2 X7R REEL 1000	13 1 1 B Y N
5	2113741F41	CAP CHIP CL2 X7R REEL 4700	1 1 1 B Y N
5	2113741F49	CAP CHIP CL2 X7R REEL .01UF	9 1 1 B Y N
5	2113743A23	CAP CHIP .220 UF 10% X7R	1 1 1 B Y N

5	2113743L17	CAP CHIP 1000 PF 10% X7R	9 1 1 B Y N
5	2113743L41	CAP CHIP 10000 PF 10% X7R	5 1 1 B Y N
5	2113743M24	CAP CHIP 100000 PF +80-20% Y5V	13 1 1 B Y N
5	2113743N05	CAP CHIP 1.2 PF +-.25PF COG	1 1 1 B Y N
5	2113743N07	CAP CHIP 1.5 PF +-.25PF COG	1 1 1 B Y N
5	2113743N12	CAP CHIP 2.7 PF +-.25PF COG	3 1 1 B Y N
5	2113743N14	CAP CHIP 3.3 PF +-.25PF COG	1 1 1 B Y N
5	2113743N18	CAP CHIP 4.7 PF +-.25PF COG	5 1 1 B Y N
5	2113743N22	CAP CHIP 6.8 PF + -.5PF COG	1 1 1 B Y N
5	2113743N23	CAP CHIP 7.5 PF + -.5PF COG	1 1 1 B Y N
5	2113743N26	CAP CHIP 10.0 PF 5% COG	32 1 1 B Y N
5	2113743N30	CAP CHIP 15.0 PF 5% COG	1 1 1 B Y N
5	2113743N34	CAP CHIP 22.0 PF 5% COG	4 1 1 B Y N
5	2113743N36	CAP CHIP 27.0 PF 5% COG	1 1 1 B Y N
5	2113743N40	CAP CHIP 39.0 PF 5% COG	1 1 1 B Y N
5	2113743N46	CAP CHIP 68.0 PF 5% COG	1 1 1 B Y N
5	2113743N50	CAP CHIP 100 PF 5% COG	4 1 1 B Y N
5	2113743N54	CAP CHIP 150 PF 5% COG	4 1 1 B Y N
5	2113928J06	CAP CER CHIP 4.7 UF 10% 10V	1 1 1 B Y N
5	2311049A56	CAP TAN CHIP A/P 4.7 20 10	5 1 1 B Y N
5	2409350L15	IND CER LZRETCH 22 NH 2 1608	2 1 1 B Y N
5	2409646M02	IND CER MULTILYR 4.7NH 1608	2 1 1 B Y N
5	2409646M13	IND CER MULTILYR 39NH 1608	1 1 1 B Y N
5	2409646M68	IN CER MULTILYR 3.3NH 1608	1 1 1 B Y N
5	2409646M76	IN CER MULTILYR 3.9NH 1608	1 1 1 B Y N
5	2409646M77	IN CER MULTILYR 4.7NH 1608	1 1 1 B Y N
5	2409646M78	IN CER MULTILYR 5.6NH 1608	2 1 1 B Y N
5	2409646M85	IN CER MULTILYR 22 NH 1608	1 1 1 B Y N
5	2409646M92	IN CER MULTILYR 2.7NH 1608	1 1 1 B Y N
5	2409646M94	IND CER MULTILYR 47NH 1608	2 1 1 B Y N
5	2462587P36	CHIP IND 100000 NH	1 1 1 B Y N
5	2462587Q03	IND CHIP 82 NH 20%	2 1 1 B Y N
5	2462587Q38	IND CHIP 180 NH 10%	1 1 1 B Y N
5	2609225D01	SHIELD VCO 1	1 1 1 B Y N
5	2609226D01	SHIELD VCO 2	1 1 1 B Y N
5	2609227D01	SHIELD RCVR	1 1 1 B Y N
5	2609228D01	SHIELD GIFSYN	1 1 1 B Y N
5	2609229D01	SHIELD TIC	1 1 1 B Y N
5	2609230D01	SHIELD MODEM	1 1 1 B Y N
5	4009169E01	SW ASSY DET/SMART CARD BLOCK	1 1 1 B Y N
5	4209388S01	CLIP TOP FLEX	4 1 1 B Y N
5	4809118D01	LED BICOLOR LNJ107W5PRA1	1 1 1 B Y N
5	4809277D02	XTAL OSC 13MHZ SMD	1 1 1 B Y N
5	4809527E18	TSTR NPN RF BFP420	1 1 1 B Y N
5	4809527E19	TSTR NPN RF BFG540 SOT-143	1 1 1 B Y N
5	4809527E20	TSTR NPN RF 2SC4784 SC70	2 1 1 B Y N
5	4809579E02	TSTR MOSFET N-CHAN 25K1830	1 1 1 B Y N
5	4809579E07	TSTR MOSFET P-CHAN IRF7004	4 1 1 B Y N
5	4809579E16	TSTR MOSFET N-CHAN TN0200T	1 1 1 B Y N
5	4809579E17	TSTR MOSFET P-CHAN SI9424	4 1 1 B Y N

5	4809579E18	TSTR MOSFET P-CHAN TP0101T	3 1 1 B Y N
5	4809605E02	TSTR SIG NPN 2SC4617	5 1 1 B Y N
5	4809605E06	TSTR SIG NPN AT32011	1 1 1 B Y N
5	4809606E02	DIODE DUAL ARRAY DAN222	1 1 1 B Y N
5	4809606E08	DIODE DUAL SCHOTTKKEY RB715F	1 1 1 B Y N
5	4809607E02	TSTR SIG PNP 25A1774	2 1 1 B Y N
5	4809607E04	TSTR SIG PNP 2SB1132 SOT89	1 1 1 B Y N
5	4809607E05	TSTR PNP DTA143EE	2 1 1 B Y N
5	4809608E03	TSTR DIG PNP DTA114YE	1 1 1 B Y N
5	4809612F03	DIODE VCTR SMV1204-14 SOT23	1 1 1 B Y N
5	4809641F02	DIODE VCTR ABRUPT SMD SOD232	1 1 1 B Y N
5	4809641F03	DIODE VCTR ABRUPT SMD SOD323	2 1 1 B Y N
5	4809641F04	DIODE VCTR SMV1204-70 SOT23	1 1 1 B Y N
5	4809788E06	DIODE ZENER 6.8V UDZ6.8B	5 1 1 B Y N
5	4809939C08	TSTR DUAL PNP/PNP UMA6NTL	2 1 1 B Y N
5	4809940E01	TSTR NPN MRF947 A/P	2 1 1 B Y N
5	4809940E04	TSTR NPN RF NE68030 SOT323	2 1 1 B Y N
5	4809948D06	DIODE	1 1 1 B Y N
5	4809948D10	DIODE PIN BAR63-03	1 1 1 B Y N
5	5109522E23	IC SNGL INV GATE TC7SH04FU	1 1 1 B Y N
5	5109522E25	IC SNGL NOR GATE TC7SH02FU	3 1 1 B Y N
5	5109572E04	IC GAAS RF SW DPDT MS098	1 1 1 B Y N
5	5109632D08	IC CUSTOM IMPROVED PAC	1 1 1 B Y N
5	5109632D51	IC CUST BIPOLAR TIC 14SOIC	1 1 1 B Y N
5	5109632D73	IC CUST GIFSYN SILXC7786FB	1 1 1 B Y N
5	5109781E41	IC 2.7V REG TC55RP2702EMB	1 1 1 B Y N
5	5109781E57	IC LIN VOLT DECT 3V PST995MNR	1 1 1 B Y N
5	5109908K06	IC RF PA GAAS 1.5W CLASS 1	1 1 1 B Y N
5	5199281C01	IC MASK DSP MODEM SC390220PBI	1 4 1 B Y N
5	5199281C02	IC MASK DSP MODEM 2.7V 80TQFP	1 1 1 B Y N
5	8409336E01	PCB DCS RAE	1 1 1 B Y N
5	9109068E01	FLTR CER LC BP 1600MHZ SMD	1 1 1 B Y N
5	9109068E02	FLTR CER LC BP 1800MHZ SMD	1 1 1 B Y N
5	9109155K01	FLTR CER RX 1800-1900MHZ SMD	1 1 1 B Y N
5	9109179E01	FLTR SAW PB 215MHZ 150KHZ BW	1 1 1 B Y N
4	5409884J35	BAR CODE LABEL WHITE/BLACK	1 1 1 B Y N