# Spotlights ...



On these pages, we feature a selection of the excellent work that has recently been published in our sister journals. If you are reading these pages on a computer, click on any of the items to read the full article. Otherwise please see the DOIs for easy online access through Wiley InterScience.




### **Dendritic Molecules**

S. Schlundt, G. Kuzmanich, F. Spänig, G. de Miguel Rojas, C. Kovacs, M. A. Garcia-Garibay,\* D. M. Guldi,\* A. Hirsch\*


Dendritic Porphyrin–Fullerene Conjugates: Efficient Light-Harvesting and Charge-Transfer Events

**Artificial photosynthesis at work**: A dendritic porphyrin–fullerene hybrid capable of light harvesting and photoinduced electron transfer was synthesized and photophysically probed (see scheme). Highly viscous environments were applied and a charge-separated state with lifetimes of up to 460 ns was observed.



Chem. Eur. J.

DOI: 10.1002/chem.200902161




### Hydride Abstraction

D. Richter, Y. Tan, A. Antipova, X.-Q. Zhu,\* H. Mayr\*

Kinetics of Hydride Abstractions from 2-Arylbenzimidazolines

**Strong neutral hydride donors**: The kinetics of hydride abstractions from 2-arylbenzimidazolines by benzhydrylium ions were determined and analyzed according to the linear free energy relationship  $\log k = s - (N+E)$ . The nucleophilicity parameters N show that 2-arylbenzimidazolines are among the most reactive neutral hydride donors which have so far been parameterized, comparable to dihydropyridines.



Chem. Asian J.

DOI: 10.1002/asia.200900322




### **Protein Aggregation**

P. Faller\*

Copper and Zinc Binding to Amyloid- $\beta$ : Coordination, Dynamics, Aggregation, Reactivity and Metal-Ion Transfer

The metal side of Alzheimer's disease: Cu and Zn ions have been shown to be involved in two key steps of Alzheimer's disease (AD): aggregation of the peptide amyloid- $\beta$  (A $\beta$ ) and production of reactive oxygen species. Cu/Zn–A $\beta$  complexes are observed in AD, but not under healthy conditions. Thus, the understanding of how these metal ions interact with A $\beta$  has become an important issue for AD.



ChemBioChem

DOI: 10.1002/cbic.200900321

## ... on our Sister Journals

# Bipotentiostat Electrodes PC tip tip substrate Breadboard

ChemPhysChem
DOI: 10.1002/cphc.200900506


### Electrochemistry

M. Keddam, N. Portail, D. Trinh, V. Vivier\*

Progress in Scanning Electrochemical Microscopy by Coupling with Electrochemical Impedance and Quartz Crystal Microbalance

Powerful electrochemical couplings: The combination of scanning electrochemical microscopy (see picture) with electrochemical impedance spectroscopy and electrochemical quartz crystal microbalance studies provides interesting insights into various systems. The basic aspects and potential applications of such combined studies are described, and the unique advantages—with additional information being obtained from each coupling—are discussed.






ChemMedChem
DOI: 10.1002/cmdc.200900386


### Drug Design

A. D. Scott,\* C. Phillips, A. Alex, M. Flocco, A. Bent, A. Randall, R. O'Brien, L. Damian, L. H. Jones

Thermodynamic Optimisation in Drug Discovery: A Case Study using Carbonic Anhydrase Inhibitors

A systematic thermodynamic analysis of benzene sulfonamide derivatives binding to carbonic anhydrase revealed a unique change in enthalpy for one of the compounds investigated. Subsequent X-ray analysis showed a different binding mode for this compound and further optimization led to a high-affinity, enthalpy-driven compound, emphasizing the importance of thermodynamic profiling.





ChemSusChem

DOI: 10.1002/cssc.200900106

### Lithium-Ion Batteries

S. Yang, G. Cui, S. Pang, Q. Cao, U. Kolb, X. Feng,\* J. Maier, K. Müllen\*

Fabrication of Cobalt and Cobalt Oxide/Graphene Composites:
Towards High-Performance Anode Materials for Lithium Ion Batteries

Pave a way to high-performance anode materials: Organic metal/graphene composites are fabricated through an in situ assembly of disc-shaped phthalocyanine molecules with graphene sheets during the chemical reduction of graphite oxide, which enables a homogenous dispersion of Co and Co<sub>3</sub>O<sub>4</sub> nanoparticles in the sheets after simple pyrolysis and oxidation. The resulting Co<sub>3</sub>O<sub>4</sub>/graphene composites exhibit remarkable lithium storage performance.




Catalytic Hydrogenation

L. Lu,\* Z. Rong, W. Du, S. Ma, S. Hu

Selective Hydrogenation of Single Benzene Ring in Biphenyl Catalyzed by Skeletal Ni

The nickel lining on a Raney day: Highly selective catalytic hydrogenation of biphenyl (BP) to cyclohexylbenzene (CHB) was achieved by using skeletal Ni prepared from rapidly quenched Ni–Al alloys ribbons, affording 100% conversion and 99.4% selectivity in a one-pot reaction.





ChemCatChem

DOI: 10.1002/cctc.200900141

# Spotlights ...



### Carbon-Fluorine Bond Activation

R. P. Hughes\*

Conversion of Carbon–Fluorine Bonds  $\alpha$  to Transition Metal Centers to Carbon–Hydrogen, Carbon–Carbon, and Carbon–Heteroatom Bonds

The stereoselectivity of activation of the carbon–fluorine bond  $\alpha$  to iridium by external protic acids has been studied in pseudo-tetrahedral primary fluoroalkyl complexes of iridium. Migration of internal nucleophiles leads to diastereoselective formation of new carbon–oxygen, carbon–sulfur, carbon–hydrogen, and carbon–carbon bonds.



Eur. J. Inorg. Chem.

DOI: 10.1002/ejic.200900816




### Porphyrin Jaws

M. Fathalla, J. Jayawickramarajah\*

Configurational Isomers of a Stilbene-Linked Bis(porphyrin) Tweezer: Synthesis and Fullerene-Binding Studies

A new stilbene-tethered bis(porphyrin) tweezer has been synthesized that exists as two configurational isomers. UV/Vis, fluorescence, and MALDI-TOF studies have demonstrated that the Z isomer exhibits a significantly larger affinity towards fullerenes. The photoisomerization of the high-affinity (Z) isomer to the low-affinity (E) configuration is also discussed.



Eur. J. Org. Chem.

DOI: 10.1002/ejoc.200901002

