

PII: S0960-894X(96)00535-5

SOLID PHASE SYNTHESIS OF POLYLACTOSAMINE OLIGOSACCHARIDE

Hiroki Shimizu, Yukishige Ito*, Osamu Kanie, and Tomoya Ogawa*

The Institute of Physical and Chemical Research (RIKEN)
Wako-shi, Saitama 351-01 Japan

Abstract: Solid phase synthesis of polylactosamine oligosaccharide was performed starting from resin supported lactose 1a,b. Glycosylation of 1a with the lactosamine unit 6 followed by delevulinoylation afforded tetrasaccharides, which were further converted into hexa- and octasaccharide and was cleaved from resin by TrBF4 in CH2Cl2 to afford 7. Ester linked 1b was converted in a similar manner into hexasaccharide that was liberated under basic conditions to give 8. Subsequent deprotection into 9 was performed in three steps. Copyright © 1996 Elsevier Science Ltd

In order to delineate the numerous functions of structurally diverse glycoconjugates precisely, a convenient method for a facile supply of oligosaccharide with rigorously defined structure is highly desired. With this respect, use of chemically synthesized oligosaccharide is of obvious advantage over that of material isolated from natural source. In principle, one can make substantial amounts of homogeneous materials, including non-natural structures, by chemical means. Quite intense effort has been devoted in this area to develop novel methodologies useful for regio- and stereoselective glycoside bond formation². As a result, it is now possible to synthesize quite complex oligosaccharide containing up to 25 sugar residues³. However, synthesis of oligosaccharide, in general, requires a large number of operations, including repeated protection-deprotection of hydroxy groups and glycoside bond forming transformations, and chromatographic purification is usually required after each step. Therefore, the overall sequence inevitably becomes highly time- and labour-consuming. On the other hand, the utility of solid phase synthesis technology has been convincingly demonstrated in the fields of oligopetide⁴ and oligonucleotide⁵, and very routine preparations of these biomolecules are now possible using fully automated synthesizers. Based on such a background, several intriguing approaches have been reported on polymer-support oligosaccharide synthesis⁶. Herein, we would like to report some results of our own effort to explore the methodology for solid phase synthesis of biologically relevant oligosaccharide.

Our basic strategy depicted in **Scheme 1** utilises the *p*-alkyloxybenzyl type functionality as a linker⁷, based on the expectation that assembled oligosaccharide can be cleaved from solid support either under acidic, basic, or oxidative conditions. Polylactosamine type oligosaccharide was chosen as a synthetic target, because glycan chains classified in this group 1) occur both in glycoproteins and glycolipids and are related to a variety of biological events⁸, 2) consist of repeating lactosamine

2842 H. SHIMIZU et al.

 $(\rightarrow 3\beta Gal1 \rightarrow 4\beta GlcNAc1)$ units and suitable for the initial demonstration of the strategy, and 3) have been a subject of extensive synthetic studies in solution phase³. The synthesis was started from the resin-bound lactose unit 1 as the "primer", so that the final product has structural similarity with neolacto-type glycosphingolipid.

Scheme 1

The disaccharide-resin conjugates 1a, b were prepared as shown in Scheme 2. Thus p-allyloxybenzyl alcohol prepared from p-hydroxybenzaldehyde (1. allyl bromide, K_2CO_3 / acetone, reflux; 2. LiAlH₄ / ether) was coupled (AgOTf-SnCl₂⁹, sym-collidine / ClCH₂CH₂Cl, 55°C, 86%) with the fluoride 2, which was prepared from lactose (1. BzCl / pyridine, 90°C, 1d, 95%; 2. HBr-AcOH / ClCH₂CH₂Cl-Ac₂O, r.t. 3h, 99%; 3. ZnF₂-2,2-bipyridine¹⁰ / MeCN, reflux., used without purification). Resultant β -glycoside 3^{11} was deacylated and subjected to dibutyltin oxide mediated regioselective allylation¹² followed by benzylation to afford 4, which was further transformed into diol $5a^{11}$. Subsequent coupling with Merrifield resin was performed in the presence of Cs₂CO₃ (DMF, 50°C, $18 h^{13}$) to afford 1a. On the other hand, preparation of ester-linked 1b was achieved in three steps $[1. Br(CH_2)_5COOEt, Cs₂CO₃ / DMF, 92%; 2. NaOH / aq. THF, quantitative; 3. Merrifield resin, Cs₂CO₃ / DMF¹³] via ethyl ester <math>5b$.

Extension of the glycan chain was performed using previously reported trichloroacetimidate 6^{14} as a glycosyl donor. Thus, the lactose-resin conjugate 1a was subjected to glycosylation (1.5 equiv. 6, 0.2 equiv. TMSOTf / CH₂Cl₂, -78°C, 2h, repeated twice)-delevulinoylation¹⁵ (NH₂NH₂·AcOH¹⁴ / EtOH, r.t., 1d) cycle twice to afford what assumed to be resin-bound hexasaccharide. This material was subjected to additional glycosylation step with 6 and then cleaved off from the solid support with excess TrBF₄¹⁶ in CH₂Cl₂ (r.t., 30min). Subsequent chromatographic purification afforded the octasaccharide 7 (42% overall yield from 5a)¹⁷.

1) p-AllOC₆H₄CH₂OH, AgOTf, SnCl₂ s-collidine / ClCH₂CH₂Cl, 4A MS (86%). 2) NaOMe / MeOH. 3) n-Bu₂SnO / toluene, reflux, then AllBr, n-Bu₄NBr (63%). 4) BnBr, NaH / DMF (96%). 5) i) Ir{(COD)[PCH₃Ph₂]₂)PF₆ / THF. ii) HgCl₂, HgO / aq. acetone (88%). 6) Br(CH₂)₅COOEt, Cs₂CO₃ / DMF (92%). 7) aq. NaOH / THF-EtOH.

Scheme 2

Scheme 3

2844 H. SHIMIZU et al.

Above-mentioned experiments revealed that extension of polylactosamine-type glycan chain can be performed in a practically acceptable efficiency. However, starting from ether-linked primer 1a, the immediate oligosaccharide product after cleavage from the resin ought to be the reducing sugar (i.e. 7). Therefore, further deprotection of phthaloyl groups should be preceded by the reprotection of thus liberated anomeric hydroxy group. On the other hand, the use of ester-carrying 1b as a primer should give us an additional option for the cleavage step, by which the oligosaccharide product can be liberated as a *p*-substituted benzyl glycoside. Thus, 1b was subjected to the chain elongation process in a similar manner as described for 1a. First cycle glycosylation ¹⁸-delevulinoylation was followed by the second glycosylation to give hexasaccharide ¹⁹. The product was cleaved under basic conditions (NaOMe / MeOH, 45°C, 7h) to afford corresponding methyl ester 8 which was isolated in 56% overall yield. Complete deprotection into 9 was achieved in three steps (56%) (Scheme 4).

$$\begin{array}{c} \text{BnO} \quad \text{OAc} \\ \text{OBn} \quad \text{OBn} \quad \text{OBn} \\ \text{OBn} \quad \text{OBn} \quad \text{OCCH}_2)_5 \text{COOMe} \\ \text{OBn} \quad \text{OBn} \quad \text{OBn} \quad \text{OCCH}_2)_5 \text{COOMe} \\ \text{OBn} \quad \text{OBn} \quad \text{OBn} \quad \text{OCCH}_2)_5 \text{COOMe} \\ \text{OBn} \quad \text{OBn} \quad \text{OBn} \quad \text{OCCH}_2)_5 \text{COOMe} \\ \text{OCCH}_$$

Our results demonstrated the ability of existing methodology established in solution-phase synthetic studies of polylactosamine-type glycans to be extended to solid-phase synthesis. There certainly exist a number of problems in oligosaccharide synthesis yet to be solved, and it is premature to say that solid phase synthesis can be applied to all types of glycoside. However, it may well be expected that continuous improvement in solution phase oligosaccharide synthesis with respect to selectivity and efficiency, coordinated with the progress in solid phase technology, will bear fruit into the development of a widely applicable method of solid phase oligosaccharide synthesis.

Acknowledgements

A part of this work was financially supported by a Grant-in-Aid for Scientific Research from the Ministry of Education, Science, and Culture and also by the Special Coordination Funds of the Science and Technology Agency of the Japanese Government. We thank Ms. M. Yoshida and her staff for elemental analyses, and Ms. A. Takahashi for technical assistance.

References and Notes

- 1. A. Varki, Glycobiology 1993, 3, 97.
- 2. K. Toshima and K. Tatsuta, Chem. Rev. 1993, 93, 1503.
- 3. Y. Matsuzaki, Y. Ito, Y. Nakahara, and T. Ogawa, Tetrahedron Lett. 1993, 34, 1061.
- 4. M. Bodanszky, "Principles of Peptide Synthesis 2nd ed." Springer-Verlag, Berlin, 1993; P. Lloyd-Williams, F. Albericio, and E. Giralt, *Tetrahedron* 1993, 48, 11065.
- 5. M. J. Gait, "Oligonucleotide Synthesis, a Practical Approach" I R L Press, Oxford, Washington DC, 1984.
- For recent examples, see; M. Adinolfi, G. Barone, L. De Napoli, A. Iadonisi and G. Piccialli, Tetrahedron Lett. 1996, 37, 5007; J. Rademann and R. R. Schmidt, Tetrahedron Lett. 1996, 37, 3989; J. T. Randolph, K. F. McClure, S. J. Danishefsky, J. Am. Chem. Soc. 1995, 117, 5712; S. P. Douglas, D. Whitfield, J. J. Krepinsky, J. Am. Chem. Soc. 1995, 117, 2116; L. Yan, C. M. Taylor, R. Goodnow, Jr., D. Kahne, J. Am. Chem. Soc. 1994, 116, 6953; M. Schuster, P. Wang, J. C. Paulson, C.-H. Wong, J. Am. Chem. Soc. 1994, 116, 1135.
- 7. For the use of *p*-amidobenzyl-type linker for polymer-support enzymatic glycosylation, see; S.-I. Nishimura, K. Matsuoka, and Y. C. Lee, *Tetrahedron Lett.* **1994**, *35*, 5657.
- 8. M. Fukuda, J. Biol. Chem. 1991, 266, 21327.
- 9. T. Mukaiyama, Y. Murai, and S. Shoda, Chem. Lett. 1981, 431.
- 10. K. D. Goggin, J. F. Lambert and S. W. Walinsky, Synlett 1994, 162
- 11. Selected physical data are given for key compounds. 3: mp 105-107°C; $[\alpha]_D + 38.8^\circ$ (c 1.2, CHCl₃); $^1\text{H-NMR}$ (270 MHz, CDCl₃) δ 6.1-6.0 (1 H, m, CH₂=*CH*), 5.73 (dd, J 9.6 and 9.2 Hz, H-3^{*I*}), 5.72 (d, J 3.3 Hz, H-4²), 5.71 (dd, J 10.2 and 7.2 Hz, H-2²), 5.51 (dd, J 9.6 and 7.9 Hz, H-2^{*I*}), 5.37 (dd, J 10.2 and 3.3 Hz, H-3²), 4.86 (d, J 7.9 Hz, H-1²), 4.68 (d, J 7.9 Hz, H-1^{*I*}), 4.26 (dd, J 9.6 and 9.2 Hz, H-4^{*I*}), z3:88 (t, J 6.6 Hz, H-5²), 3.69 (m, H-6²); $^{13}\text{C-NMR}$ (67.5 MHz, CDCl₃) δ 100.95, 98.71, 76.01, 72.96, 72.89, 71.74, 71.65, 71.34, 70.17, 69.85, 68.68, 67.46, 62.39, 61.03. **5a**: $[\alpha]_D 15.9^\circ$ (c 0.7, CHCl₃); $^{11}\text{H-NMR}$ (270 MHz, CDCl₃) δ 5.16 (b, phenolic OH), 4.46 and 4.41 (d, J 7.3 Hz, H-1^{*I*} and -1²), 3.97 (dd, J 9.3 and 8.9 Hz, H-4^{*I*}), 3.83 (d, J 2.0 Hz, H-4²), 3.55 (t, J 8.9 Hz, H-3^{*I*}), 2.19 (d, J 5.6 Hz, OH); $^{13}\text{C-NMR}$ (67.5 MHz, CDCl₃) δ 102.64, 102.14, 82.82, 81.71, 80.58, 76.70, 75.92, 75.33, 75.08, 74.97, 74.05, 73.35, 73.17, 70.69, 68.29, 67.94. **5b**: $[\alpha]_D 12.5^\circ$ (c 1.1, CHCl₃); $^{11}\text{H-NMR}$ (CDCl₃) δ 4.46 and 4.42 (d, J 7.6 and 7.3 Hz, respectively, H-1^{*I*}, -1²), 4.13 (q, J 7.3 Hz, COOCH₂CH₃), 3.84 (d, J 2.1 Hz, H-4²), 2.33 (t, J 7.6 Hz, CH₂COO), 1.9-1.4 (m, OC₄H₈CH₂COO), 1.25 (t, J 7.3 Hz, COOCH₂CH₃); $^{13}\text{C-NMR}$ (CDCl₃) δ 102.61, 102.10, 82.84, 81.69, 80.56, 76.66, 75.87, 75.29, 75.10, 75.02, 74.88, 74.04, 73.30, 73.14, 73.10, 70.62, 68.25,

2846 H. SHIMIZU et al.

67.89, 67.57, 60.18, 34.18, 28.90, 25.59, 24.66, 14.20. 7: ¹H-NMR (400 MHz, CDCl₃) δ 5.41, 5.23 and 5.16 (d, J 8.4, 8.0 and 7.2 Hz, respectively, H-1³-1⁵, -1⁷), 2.16, 1.94, 1.81 and 1.79 (4s. COCH₃); 13 C-NMR (100 MHz, CDCl₃) δ : 103.13, 103.00, 102.83, and 102.45 (C-1², -1⁴, -1⁶, -1⁸), 99.82, 99.74, and 99.62 (C-1 3 , -1 5 , -1 7), 91.33 (C-1 1), 81.74, 78.28, 77.20, 75.60, 75.17, 74.81, 74.52, 74.04, 73.58, 73.17, 73.02, 71.65, 70.07, 68.49, 62.73, 61.81, 56.27, 37.71, 29.76, 27.87, 20.74, 20.64; FABMS (positive) m/z 3571.9 [M+Na]⁺. 8: [α]D -3.30° (c 1.15, CHCl₃); ¹H-NMR (270 MHz, CDCl₃) δ 5.40 and 5.21 (d, J 8.6 and 7.6 Hz, respectively, H-1³, -1⁵), 3.66 (s, COOCH₃), 2.34 (t, CH₂COOCH₃); ¹³C-NMR (67.5 MHz, CDCl₃) δ 103.22, 102.93, 102.32, 102.05, 99.93, and 99.55 (anomeric carbons), 82.88, 82.18, 81.83, 81.53, 80.32, 78.78, 78.64, 78.37, 77.93, 77.20, 75.94, 75.49, 75.29, 75.20, 75.02, 74.88, 74.81, 74.63, 74.54, 74.31, 73.89, 73.17, 73.12, 73.01, 72.89, 70.55, 68.36, 67.57, 62.09, 61.96, 56.28, 51.48, 33.95, 29.65, 28.90, 25.63, 24.64; FABMS (negative) m/z 2742.6 [M-H]⁻. 9: $[\alpha]_D$ +21.1° (c 0.7, H₂O); ¹H-NMR (400 MHz, D₂O) δ : 5.21 (d, J 3.9 Hz, H-1^I α -anomer), 4.69 (d, J 8.3 Hz, H-1³ and -1⁵), 4.65 (d, J 7.8 Hz, H-1^I β -anomer), 4.46, 4.45 and 4.42 (d, J 7.8 Hz, H-1², -1⁴ and -1⁶), ; ¹³C-NMR (125 MHz, D₂O) δ: 104.58 and 104.47 $(C-1^{2}-6)$, 97.44 $(C-1^{1}\beta)$, 93.52 $(C-1^{1}\alpha)$, 83.77, 79.95, 79.83, 77.06, 76.59, 76.51, 76.26, 76.05, 75.48, 74.20, 73.87, 73.10, 72.82, 72.67, 71.83, 71.68, 70.26, 70.05, 62.75, 62.67, 61.78, 61.55, 56.89, 23.88; FABMS (positive) m/z 1095.3 [M+Na]+, (negative) m/z 1071.0 [M-H]-.

- 12. S. David and S. Hanessian, Tetrahedron 1985, 41, 643.
- 13. Typical experimental procedure: To a stirred solution of **5a** (190 mg, 0.192 mmol) in DMF (7 ml) were added Merrifield resin (960 mg, 1% cross-linked, 100-200 mesh, PEPTIDE INSTITUTE. INC., 0.66 meq/g) and Cs₂CO₃ (116 mg, 0.356 mmol) at room temperature and the mixture was shaken for 2 d at 50°C. The resin was filtered, washed with DMF, MeOH, H₂O, MeOH and CH₂Cl₂ successively, and dried under vacuum to afford to **1a** (1.098 g, 96%, 0.132 mmol/g). Loading of **5b** on resin was performed in a nearly identical manner after converted into corresponding acid to afford **1b** (99% yield, 0.094 mmol/g). In this instance, the degree of substitution was confirmed to be >90% of the theoretical value based on the mass recovery of the cleavage experiment (NaOMe / MeOH, 45°C).
- 14. T. Nakano, Y. Ito, and T. Ogawa, Carbohydr. Res. 1993, 243, 43.
- 15. H. J. Koeners, J. Verhoeven, and J. H. van Boom, Recl. Trav. Chim. Pays-bas 1981, 100, 65.
- 16. H. Takaku and K. Kamaike, Chem. Lett. 1982, 189.
- 17. Corresponding hexasaccharide was also isolated in 15% yield.
- 18. In this instance, the glycosylation step was followed by capping (Ac₂O/pyridine, r.t. overnight) of unreacted acceptor.
- 19. This material was subjected to HPLC analysis (60% *n*-hexane/AcOEt, 1.8 ml/min, Hibar LiChro CART®, Lichrospher®, Si 60 (5μm), 254 nm), after cleavage by TrBF₄. Higher oligosaccharide portion of this material revealed to consist of ~93% hexa- and ~7% tetrasaccharide.
- 20. O. Kanie, S. C. Crawley, M. M. Palcic, O. Hindsgaul, Carbohydr. Res. 1993, 243, 139.