### Word Processing In The Home

# COMPUTES \$2.50 January 1984 Issue 7 Vol. 2, No. 1 02220 \$3.25 in Canada © CALLES SALES SAL

For Owners And Users Of Commodore VIC-20" And 64" Personal Computers

## **Computing For Families**

Reviews of some of the best educational games on the market for the whole family to enjoy. Evaluated by our crack review panel—columnist Fred D'Ignazio and his own family.



### SpeedScript Word Processor For ViĆ And 64



Turn your computer into a superior writing tool with SpeedScript, a ready-to-type program with all the major features of commercial word processors. Written entirely in machine language for the 64 and expanded VIC.



## Tetracrystals Of Veluria & Cave-In:

Two Unique Games For 64 And VIC

Create multicolored crystals which grow and evolve in Tetracrystals, an unusual nonviolent game for VIC and 64. Or rescue trapped miners in Cave-In, an exciting 3-D maze game for the VIC.

#### Also In This Issue

The Beginner's Corner

64 BASIC Aid

Graph Plotter For VIC And 64

HOTWARE:

**Best-Selling Programs** 

# 64 ELECTRONIC NOTEPAD

Ever lost the instructions for using a favorite program? Electronic Notepad keeps the information where it belongs—on the same disk with your programs.

## HARDHAT CLIMBER

Thrilling Action Game For VIC And 64



All you have to do is pick up the toolboxes scattered throughout the building. Seems easy enough. But watch out for the broken ladders, holes in the floor, and tumbling barrels....

# A million laughs

SPARE CHANGE<sup>TM</sup> You are the game-happy owner of the Spare Change Arcade. Two fun-loving, but overworked Zerks—the main characters in your most popular game—have broken loose and are trying to retire from the business. You try madly to stop them. If you can get a coin into the juke box, the Zerks get so caught up in the music, they drop everything and start dancing. You also try popping popcorn and making a pay phone ring—which immediately makes the Zerks stop, answer and start a wild con-

versation. If you "win" the game, there are rib tickling cartoons by the Zerks to reward your efforts. It's a game full of sight gags, surprises and comedy. From the best. Brøderbund! For the Apple® II/II + /IIe, Atari® Computers, and Commodore 64™ in disk format.



# and an endless challenge

LODE RUNNER<sup>TM</sup> Here's a game that will never stop challenging you. That's because Lode Runner is more than a spellbinding, fast-action game with its 150 different mind-boggling game screens. Lode Runner is also an easy-to-use Game Generator that lets you create your own games. Without any knowledge of programming, you can easily design unique Lode Runnner screens, then bring them to action-packed life. You will maneuver through scene after scene, running, jumping, drilling passages and outfoxing enemy guards in a secret underground hideaway as you pick up chests of gold

guards in a secret underground hideaway as you pick up chests of gold stolen from citizens of the Bungeling Empire. There's no end to the thrills, chills and challenge. Of course, it's from Brøderbund! For the Apple® II/II + /IIe; Atari® Computers; Commodore 64™ (disk and cartridge); VIC-20™ (cartridge); IBM® PC.

Ask your Brøderbund dealer for sneak previews.

# Broderbund Software Discover the Difference



First Star Has 4

Fernando Herrera, designer of ASTRO CHASE™ and our design team again define "State of the Art." Superior graphics, real-time animations,™ multiple


New Games.
screens, intermissions, arcade-quality sound, innovative gaming, challenge and excitement—

## THE BAD NEWS? You can't play them all at once.



#### BOING!"

Designed by Alex Leavens
& Shirley A. Russell
ATAR: Atari VCS 2600



#### BRISTLES"

Starring Peter the Painter
Designed by Journal Journal
Atari Home Computers
Commodore Computers



we deliver it all!

#### FLIP and FLOP™

Designed by Jim Nangano
Atari Home Computers
Commodore Computers



#### PANIC BUTTON \*\*

TRS-80 Color Computer
by Paul Kanevsky
Vic-20 Home Computer
by Wayne Lam

Agai, Vic 20 and TMS 60 Color are the registered trademarks of Atari, Inc. Commoders Business Machines. Inc. and Taudy Corporation respectively Actus Chase Bridges married Feet the Faunts. Fig. and Top. Pacid Studies Boings are trademarks of Free Bark Software. Inc. Printed in USA all return research C 2003 Foot San Software. Inc.



"Make note of that name, Electronic Arts. It may well set the standard for sophisticated entertainment software in the '80's."

-Creative Computing.

# ELECTRONIC ARTS COMES TO THE COMMODORE.



Matthew Alexander "An outstanding, state-of-theart game. Hard Hat Mack is the blue collar hero of this three screen climbing game and his tasks are far from simple."

Arcade Express

"If you put Hard Hat Mack in the ring with all other games on the market, it would win most bouts in the opening seconds of the first round. It's that good."



**ARCHON™** 


by Free Fall Associates "No review could possibly do more than hint at the manifold excellence of Archon. It is truly a landmark in the development of computerized -Video

... you're bound to fall for it. Imagine a chessgame in which you can cast spells."

-Creative Computing

... the offices of A.N.A.L.O.G. echo with the searing roar of dragon-fire and shouted obscenities from angry players. Archon turns friend against friend and inspires grudges that can last for days. What better compliment can you give to a computer program.

-A.N.A.L.O.G.



Ap, C64, At, signify availability for Apple II, II+, IIE, Commodore 64, or Atari home computers with disc drive. All screen shots represent Commodore 64. Apple is a registered trademark of Apple Computer, Inc. Commodore 64 is a registered trademark of Commodore Business Machines, Inc. Atari is a registered trademark of Atari, Inc., a Warner Communications Company



# If you're all thumbs at the keyboard, MasterType will make you a computer whiz.

MasterType #1 on everybody's list... the first step in computer literacy.


MasterType delivers. It is the one and only typing program that dares to be fun without being intimidating. It combines the fast action of video games with the best typing skills development techniques available. The result? Highly motivated and enjoyable learning.

After each of the 18 action-packed program segments, you'll see how you measure up. And you'll become so caught up in the action that before you know it, you'll become a master at the keyboard, calling all the shots:

On disks for Apple, Atari, Commodore 64\* \$39.95 IBM-PC\* \$49.95

MasterType is part of the growing Scarborough family, which includes Songwriter and Picture-Writer, as well as the forthcoming software for home management, science and business games.

New Atari\* and Commodore 64\* cartridges.



# The Scarborough System.

© Scarborough Systems, Inc., 25 N. Broadway, Tarrytown, N.Y. 10591

### **FEATURES**

FEATURES		
Word Processing In The Home Tom R. Halfhill  SpeedScript Word Processor For VIC And 64 Charles Brannon  The Inner World Of Computers, Part 3: How A Computer Remembers Tom Prendergast  Getting Started With A Disk Drive, Part 3: More Disk Commands Charles Brannon  Inside View: Marion Taylor, The Programmer Behind Touch Typing Tutor Kathy Yakal	38 60 66	V/64
GAMES		
Cave-In For VIC-20 Paul L. Bupp & Stephen P. Drop Hardhat Climber Chris Lesher Tetracrystals Of Veluria Todd Heimarck Canyon Cruiser Thomas Catsburg	82 86	V V/64 V/64 V/64
REVIEWS		
Children's Educational Games Tony Roberts	120 124	V/64 64
EDUCATION/HOME APPLICATIONS		
Computing For Families: New Family Learning Games Fred D'Ignazio  64 Electronic Notepad Dan Carmichael  Alpha-Shoot Neil T. Capaldi	112	* 64 V/64
PROGRAMMING		
The Beginner's Corner: Built-In Functions C. Regena Graph Plotter Ruth A. Hicks Machine Language For Beginners: Addressing Richard Mansfield 64 BASIC Aid Harold D. Vanderpool LIST Freezer Doug Ferguson Hints & Tips: Centering VIC Screens Mary Conlin	150 156 160	V/64 V/64 V/64 64 V/64 V
DEPARTMENTS		
The Editor's Notes Robert Lock Gazette Feedback Editors & Readers HOTWARE: This Month's Best Sellers Kathy Yakal Simple Answers To Common Questions Tom R. Halfhill Horizons: 64 Charles Brannon VICreations: Using The Dynamic Keyboard Dan Carmichael News & Products Tony Roberts	10 20 24 136 140	* * * 64 V
PROGRAM LISTINGS		
Bug-Swatter: Modifications & Corrections How To Type In COMPUTE!'s GAZETTE Programs A Beginner's Guide To Typing In Programs The Automatic Proofreader MLX: Machine Language Entry Program For Commodore 64 And VIC-20 Charles Brannon Program Listings	168 169 170 171	* * V/64 V/64 V/64
Product Mart	205 208	

<sup>\*=</sup> General, **V**=VIC-20, **64**= Commodore 64.

#### THE EDITOR'S

# notes

## An End And A Beginning

The Friday, October 28, announcement by Texas Instruments that they were withdrawing from the home computer industry was met with mixed emotions. While we can't speak directly for the hundreds of thousands of TI owners, we're certain there was disappointment and chagrin. As recently as 14-16 months ago, one highly regarded industry analyst was touting the TI product line as becoming the leader in the industry. Oh, well. We'll be curious to see what TI's promise of continued service and support turns into.

One thing that's noted below in "The Beginning" portion of this editorial regarding IBM's announcement of PCjr is that they've adopted a strategy of open architecture. Third-party developers will be assisted and encouraged in the access to information necessary to help them develop hardware, cartridges, software, etc. This was not the TI approach during product marketing; rather, they chose to make their marketing channels proprietary in many ways, to force vendors to work through them.

Given that many software vendors will probably turn from the TI in favor of other, more active markets, we wonder if TI will release vendors from this restriction. We anticipate that the strong and active TI user

groups will be able to maintain support for some time, even if the level from TI begins to decline. Given the merchandising routes used by TI, we expect that support products will be strong sellers through December, and then begin to disappear from many of the single product outlets. After all, no one can realistically expect the local drugstore that sells TI to continue to maintain and rotate TI software and new products from the thirdparty market after the machine is no longer for sale.

In closing, the news wasn't met negatively by Wall Street.... Within just two days of the announcement, TI's stock rose by almost 30 percent. We assume that TI will think long and hard about any future entries into the home computer market after their several abortive tries since 1980.

#### The Beginning

IBM's November 1st announcement of PCjr was long awaited, eagerly watched, and disappointing to some. As a home computer, the unit(s) are impressive, powerful, restrained as breakthroughs go, and expensive. All things considered, though, we can be quite confident that PCjr will make a major mark in next year's marketplace. Our editors are hard at work developing materials in support of PCjr (we'll be adding both PC and PCjr to our sister publication COMPUTE!), and hoping anxiously that some kind third-party


vendor will quickly develop a keyboard designed for touch typists. At a glance: bottom line PCjr with 64K and cassette BASIC: \$689.00 plus \$40 per joystick (?!), \$30 for a cassette cable, \$30 for RF modulator, etc. If you'd like the expanded PCjr with its one (and only one may be used) disk drive, you'll start at \$1259. But, as with all top-ofthe-line products and prices, you can expect full service, support, and a tremendous amount of sophisticated IBM and thirdparty software. And we project it's a reasonable bet that IBM won't pull out of the marketplace. Beyond the concern over the keyboard is the lack of extended sound and graphics capabilities on the bottom-line unit. Many of these capabilities can be added by going to the extended BASIC that is available on a \$75 plug-in cartridge. But apparently sprites don't exist, and color isn't as extensive as that on the 64 (although resolution is higher).

And in closing, one COMPUTE! pundit had this remark about the new PCjr: "If I could interface it with my 64 I could have great sound and graphics...."

Happy new year! from COMPUTE! Publications.

obert Jock

Editor In Chief



WordPro 3 Plus™/64 and SpellRight Plus™ provide a total word processing solution for the Commodore 64™ which gives you:

- \* Sophisticated Word Processing
- \* Built-in Mail Merging for Form Letters
- ★ Math Functions for Column Totals
- \* Fast and Complete Spell Checking via SpellRight Plus
- \* A Super Value (two programs) for Only \$99.95!

WordPro and SpellRight are both specifically designed for the novice user with no computer or word processing experience whatsoever. And with over 40,000 WordPro versions sold, you can be sure that WordPro is a very sophisticated word processor loaded with powerful features including: Transfer, Insert, Delete, and Rearrange Text, Auto Page Numbering, Math Functions, Headers, Footers, Global Search and Replace, the Ability to Create Multiple Personalized Letters and Documents, and much more. WordPro can create documents of virtually any length and will print up to 165 columns wide. You get all of this PLUS fast and complete spell checking using SpellRight Plus!

SpellRight Plus locates and highlights misspelled words and then allows you to quickly correct the misspellings — improving the quality of your letters and reports.

And, best of all, WordPro and SpellRight's powerful arsenal of features can be put to use almost immediately — by even the novice user. So whether you're a student, professional writer, in business, education or a hobbyist, you'll quickly become a WordPro Pro!

Both WordPro and SpellRight Plus are also available separately at popular computer outlets nationwide.

Invest in the best . . . WordPro Plus. In a class by itself.

### Professional Software Inc.

51 Fremont Street Needham, MA 02194 (617) 444-5224 Telex: 951579

Dealer and Distributor inquiries are invited.

WordPro 3 Plus\*\*/64 and SpellRight Plus\*\* are trademarks of Professional Software Inc.

The WordPro Plus Series was designed and written by Steve Punter of Pro-Micro Software Ltd.

SpellRight Plus was designed and written by Dwight Huff and Joe Spatafora of SpellMaster Systems, Inc.

Some printers may not support certain WordPro 3 Plus functions and/or require an interface. Please check with your dealer.

Commodore 64\*\* is a trademark of Commodore Electronics Ltd.

### COMPUTE!"Publications,Inc.

Publisher Gary R. Ingersoll Editor in Chief Robert C. Lock

**Director of Administration** Alice S. Wolfe

Senior Editor Richard Mansfield

Managing Editor Kathleen E. Martinek Art/Design Director Georgia Bikas Davis

Tom R. Halfhill, Gazette Editor; Stephen Levy, Editor, COMPUTE! Books Division; Gail Walker, Production Editor; Ottis R. Cowper, Technical Editor; Charles Brannon, Program Editor; Tony Roberts, Assistant Managing Editor

Lance Elko, Dan Carmichael (Submissions), Gregg Keizer (Books), John Krause (Technical), Kathy Yakal, Editorial Assistant (Features); Randall Fosner, Editorial Assistant (Books)

#### **Editorial Programmers**

Patrick Parrish (Supervisor), Gregg Peele (Assistant), Jeff Hamdani, Kevin Martin, Chris Poer

#### **Technical Assistant**

Dale McBane

#### **Programming Assistant**

Mark Tuttle

#### Copy Editing/Proofreading

Juanita Lewis (Assistant), Becky Hall, Linda Shaw, Martha Banks

#### **Administrative Staff**

Vicki Jennings, Laura MacFadden, Julia Fleming

#### **Associate Editors**

Jim Butterfield (Toronto), Harvey Herman (Greensboro), Fred D'Ignazio (Roanoke), David Thornburg (Los Altos), Bill Wilkinson (Cupertino)

#### Production

Irma Swain, Assistant Production Manager; De Potter, Mechanical Art Supervisor; Terry Cash, Debi Thomas, Typesetting

Leslie Jessup, Cindy Mitchell (Publications), Janice Fary, Debbie Bray (Books); Todd Heimarck, Promotions Assistant; Harry Blair, Illustrator

#### **Operations/Customer Service**

Carol Lock, Manager; Patty Jones, Customer Coordinator; Assistants: Chris Patty, Chris Gordon; Fran Lyons, Dealer Coordinator; Assistants: Gail Jones, Sharon Minor

#### **Customer Service Staff**

Dorothy Bogan, Supervisor; Rhonda Savage, Lisa Flaharty, Anita Roop, Sharon Sebastian, Debi Goforth, Jenna Nash; Operators: Cassandra Robinson, Mary Sprague Jim Coward (Warehouse Manager), Larry O'Connor, Chris Cain, Dai Rees, Jack McConnell

#### **Data Processing**

Leon Stokes, Manager; Joan Compton, Assistant

Paul J. Megliola, Manager; James M. Hurst, Comptroller; Assistants: Linda Miller, Doris Hall; Staff: Anna Harris, Emilie Covil, Anne Ferguson

#### **Advertising Sales**

Andy Meehan, National Sales Manager; Patti Williams, Production Coordinator; Bonnie Valentino, Accounting Coordinator; Rosemarie Davis, Sales Assistant

#### Sales Representatives

Jerry Thompson 415-348-8222 Phoebe Thompson 408-354-5553 JoAnn Sullivan 619-941-2313 Ed Winchell 213-378-8361 Harry Blair 919-275-9809

Jules E. Thompson, Inc. National and Canadian Sales Representatives 1290 Howard Avenue, Suite 303 Burlingame, CA 94010

Address all advertising materials to: Patti Williams, COMPUTE!'s GAZETTE, 505 Edwardia Drive, Greensboro, NC 27409

#### Sales Offices. The Thompson Company

	ile illelikeeti eelikeit
New England	617-720-1888
Mid-Atlantic	212-772-0933
Southeast	919-275-9809
Midwest	312-726-6047
Texas	713-731-2605
Northwest	408-354-5553
Northern CA	415-348-8222 or 408-354-5553
Southern CA	619-941-2313 or 213-378-8361
Nevada, Arizona	619-941-2313
New Mexico	213-378-8361
Colorado	303-595-9299

COMPUTE! Publications, Inc., publishes

COMPUTE! COMPUTE! Books COMPUTE!'s Gazette

#### Corporate Office:

505 Edwardia Drive, Greensboro, NC 27409

#### Mailing Address:

Post Office Box 5406, Greensboro, NC 27403

Telephone: 919-275-9809

Office Hours: 8:30 AM to 4:30 PM Monday-Friday

Chief Executive Officer Robert C. Lock President Gary R. Ingersoll Director, Finance & Planning Paul J. Megliola Comptroller James J. Hurst

**Executive Assistant Debi Nash Assistant** Carol Dickerson

#### Subscription Information

**COMPUTE!'s Gazette Circulation Dept.** P.O. Box 5406, Greensboro, NC 27403

#### **TOLL FREE Subscription Order Line** 800-334-0868 In NC 919-275-9809

#### **COMPUTE!'s Gazette** Subscription Rates

(12 Issue Year): US (one year) \$20. Canada, Mexico and Foreign Surface Mail \$25. Foreign Air Mail \$45.

The COMPUTE!'s Gazette subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTEI's Gazette, P.O. Box 961, Farmingdale, NY 11737. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTEI's Gazette are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTEI's Gazette, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of **COMPUTE!** Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1983, **COMPUTE!** Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication will be returned if author provides a self-addressed, stamped envelope. Where programs are included in an article submission, a tape or disk must accompany the submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper and lowercase, please) with double spacing. Each article page should bear the title of the article, date, and name of the author. **COMPUTE!** Publications, Inc., assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of **COMPUTE!** Publications, Inc.

PET, CBM, VIC-20, and Commodore 64 are trademarks of Commodore Business Machines, Inc., and/or Commodore Electronics Limited. Other than as an independent supplier of quality informa-tion and services to owners and users of Commodore products, **COMPUTE!** Publications, Inc., is in no way associated with Commodore Business Machines, Inc., or any of its subsidiaries.



# Spinnaker Aerobics. The more you do, the less you have to show for it.

Spinnaker's new computer fitness program makes shaping up fun to do. And makes you feel terrific.

AEROBICS gives you everything you need. Warmups, stretches, aerobics, cool-downs. It lets you work on overall fitness. Allows you to concentrate on conditioning specific parts of your body. Or both.

Best of all, you can exercise on your own schedule. In your own home. For as long or as little as you like. Whatever works for you

Whether you're a beginner or already in great

shape, you'll love working out with Spinnaker AEROBICS. Which means you'll do it more often. And have even less to show for it.

AEROBICS is compatible with Apple,® Atari,® and Commodore 64™ computers



### **GAZETTE FEEDBACK**

EDITORS AND READERS

Do you have a question or a problem? Have you discovered something that could help other VIC-20 and Commodore 64 users? Do you have a comment about something you've read in COMPUTEI'S GAZETTE? We want to hear from you. Write to Gazette Feedback, COMPUTEI'S GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

#### 1526 Printer Recall

I have recently purchased a Commodore 1526 printer for my Commodore 64 computer system. I have found that I cannot load programs from my 1541 disk drive while the 1526's power switch is on. If the power switch is on and I attempt to load the program, the system locks up after a short period of time and the only way I can reset the system is to turn off the computer. Also, programs I have purchased which require repeated accessing of sequential or relative files will lock up the system if the printer is on.

The dealer who sold me this equipment assured me that this was normal operation. However, I wrote to a software company complaining that their software was not working correctly with my printer and they advised me that the 1526 printer and the 1541 disk drive were incompatible. I have written to Commodore four different times and have received no reply.

Are you aware of any incompatibility problem between the 1526 printer and the 1541 disk drive? If so, could you please explain what the problem is? Do you have any idea what Commodore plans to do to resolve this problem?

Gary L. Martin

The recently introduced Commodore 1526 printer does indeed suffer from serious problems when used with the 1541 disk drive—or any device on the serial port. Commodore has recalled the 1526 from dealers and instructed them to accept returns from any customers experiencing problems.

The 1526 is an 80-column dot matrix printer, similar

to the 4023 printer that has been available for the Commodore PETs and CBMs. The 1526 appeared on the market briefly, then rapidly disappeared. According to a Commodore spokesperson, the 1526 suffers from a "firmware problem" that interferes with other devices plugged into the serial port (such as the 1541 disk drive). One Commodore dealer wrote to us saying that in some cases, the problem can be helped if the equipment is switched on in a certain order (in general, turn on the 64, the disk drive(s), and the 1526; see last month's "Gazette Feedback").

If this does not help, we recommend returning the printer to your dealer for a refund. It is not normal operation for any computer system to lock up when correctly interfaced peripherals are being used. At this writing, Commodore does not know when the 1526 will be fixed and remarketed. Perhaps it will be available again by the time you are reading this.

## Reruns For Automatic Proofreader?

Before I received the October 1983 issue of COM-PUTE!'s GAZETTE, I had many problems getting programs that I typed in from the magazine to come out right. When I read and used the "Automatic Proofreader" it did help me, but only with the programs with the REM statements [Proofreader checksum numbers]. If I used this program to check an earlier program listed in your magazine [without the checksum numbers], I could not understand how to check those lines.

Can you tell me how I could use this helpful checksum program with these other programs? How does it work, and how can I figure out the REM numbers of these other programs? Do you have future plans to relist the earlier programs listed without the checksum numbers?

Jeff Cherkis

In the September issue you asked for feedback on the GAZETTE. First I'd like to say that once in a while a magazine jumps out in front of the pack, sometimes by design and sometimes by doing something lucky. The GAZETTE did it with the program "Proof-



# Introducing Snooper Troops detective series. Educational games that turn ordinary homes into Sherlock homes.

Where can you find educational computer games that your kids will really enjoy playing?

Elementary, my dear Watson, from Spinnaker.

Our SNOOPER TROOPS detective games are fun, exciting and challenging. And best of all, they have real educational value. So while your kids are having fun, they're learning.

As a Snooper Trooper your child will have a great time solving the mysteries. But it will take some daring detective work. They'll have to question suspects, talk to mysterious agents, and even search dark houses to uncover clues.

Luckily, the program provides your kids with everything they need: like a SnoopMobile, a wrist radio, and a SnoopNet computer.

SNOOPER TROOPS detective games help your children learn to take notes, draw maps, organize and classify information and they help develop vocabulary and reasoning skills. All while your kids are having a good time.

So if you want to find educational games that are really fun, here's a clue: ask your local

computer games.\*

\*Available in disks for IBM,\* Atari,\* Apple,\* Commodore 64







is great and the people are pulling for you. So you pull on your gloves, adjust your goggles, check your bindings, take a deep OLIN MARK VI

breath and you're off. Now the clock is running, so you'd better concentrate on your technique. Get as close to the gates as you can, but not too close-contact with a slalom pole will cost

you precious penalty seconds. Turn too sharply and you'll come to a stop. And slalom poles


aren't the only obstacles in your path. This is a mountain, remember, so look out for

the rocks. You can ski around them. Or jump over them - your choice. Just don't waste too many tenths of a second trying to make up your mind!

Developed by Steven Sidley Available on diskette for your Commodore 64

SLALOM!





reader" by Charles Brannon in the October issue. What more can I say—fantastic—and now for a suggestion:

Print *just* the line number and checksum for *all* of the programs in your previous issues. Example:

120–147 130–121 etc.

Why bother? Your readers will love you and you'll get reader loyalty.

Stuart B. Wahlberg

We have received many letters from readers complimenting the Automatic Proofreader, including some letters from people who said they had never got a program to work correctly until they used the Proofreader. Almost every letter requested checksum numbers for programs previously published in COMPUTE!'s GAZETTE. Some people wanted to know how to compute their own checksum numbers for these earlier programs; they didn't understand why the checksums appear inconsistent (i.e., short program lines sometimes have large numbers while long lines sometimes have small numbers).

We also received a few letters from readers who said the Proofreader doesn't work and neither do the programs they enter with it. We'd like to take this opportunity to discuss possible problems that may be encountered when using the Proofreader to enter programs, and to address your other questions and comments about our program listings as well.

First of all, the Automatic Proofreader does work. Some VIC-20 tape users had problems reLOADing programs entered with the first version of the Proofreader (see November "Bug-Swatter" and November/December "Automatic Proofreader"). But even this problem never affected the typing or checking of the programs, and it was immediately corrected in the next version of the Proofreader. The Proofreader repeatedly passes all inhouse testing, and most readers we hear from have used it with success.

Readers experiencing problems with the Proofreader should carefully check their typing of the Proofreader program; as we noted in October, unfortunately it can't check itself (although the current version does check for errors in the DATA statements). If you make a subtle error when typing the Proofreader, it can cause incorrect results when using it to check other programs. A couple of readers who had trouble with the Proofreader saw no difference between the VIC-20 and Commodore 64 versions published in the October issue and concluded that we mistakenly published the same version twice. Both versions are very similar. However, they are not identical. The difference is the fifth DATA element in line 220. To reduce confusion, we rewrote the Proofreader so the same version now works on both computers.

Assuming the Proofreader program itself has been entered correctly, we have traced most of the problems

some readers are encountering to three main causes:

• Transposed keystrokes. Because of the way the Proofreader checksum numbers are computed (see below), the Proofreader cannot detect transposition errors. In other words, if you type PIRNT instead of PRINT, the Proofreader won't know the difference. Of course, this particular typo would result in a ?SYNTAX ERROR AT LINE xxx when the program is run, but other transpositions might not cause a syntax error. The most common example is numbers in DATA statements. If you type DATA 156 instead of DATA 165, the Proofreader still thinks everything is okay. So does the computer. You probably won't get an error message, but the program won't work right. Solution: Be extra alert for transposition errors.

 Long program lines. Normally, you can't enter a program line longer than 80 characters on the Commodore 64 or 88 characters on the VIC-20. However, many programmers abbreviate keywords when writing their programs to save typing and memory. When the programs are listed, the abbreviations automatically expand into the full keywords, and lines longer than 80 or 88 characters often result. The only way these lines can be typed from a listing is to use the same abbreviations (see "Simple Answers To Common Questions" elsewhere in this issue). Since the Proofreader cannot handle abbreviations, it cannot accurately check these lines. Solution: Use abbreviations to type long lines and carefully check the typing yourself. Because long lines cause so many problems for so many readers, we are trying to eliminate them wherever possible, and we urge programmers not to use abbreviations unless absolutely necessary.

• Mistakes in listings. Theoretically these should never happen. Theoretically. But sometimes they do. We receive letters from some readers who doubt that we test programs before publication, or who doubt that the programs work in the first place. However, we promise that all programs do work and are tested. (For those who still don't believe it, proof can be seen in the screen photos which accompany almost all programs in COMPUTE!'s GAZETTE—if the programs don't work, or if we don't try them, where do the screen photos come from?) After testing, the listings are made on a printer directly from disk and then photographed, not retypeset. In theory this should produce a perfect listing of the program.

But in practice there are about two dozen things that can go wrong, including some in the printing process which are effectively beyond our control (see this month's "Bug-Swatter"). However, most listing problems are within our control, and we are constantly striving to reduce them to a minimum. If you discover a subtle error in the operation of a program, chances are it escaped our testing. But if a program runs obviously wrong or crashes altogether at the outset, it is a sure sign of a typo—introduced either during the listing process (us) or the typing process (the user). These typos are extremely hard to track down. Upon receiving the first complaints, we immediately test the program




ATARI 5200



TI99/4A




ATARI 400/800/600XL




INTELLIVISION



**COMMODORE VIC 20** 



**ATARI 2600** 



**COMMODORE 64** 



COLECOVISION

# YOU CAN PLAY FROGGER\*\* AT YOUR PAD.

FROGGER is one of the all-time great award-winning home video games. And now Parker Brothers has programmed it into

all the most popular video and computer formats so you can keep things hopping in your own home.

Catch Frogger along with POPEYE,® Q\*bert,™ TUTANKHAM™ and SUPER





from our archive disks. So far, a program has never failed to run. Unfortunately, all this tells us is that the typo happened sometime after we tested the program, saved it on disk, and made the listing. Unless we can find a discrepancy between our working copy of the program and our published listing, we cannot assume an error. We are often guided in these cases by reader feedback. If we receive a large number of similar complaints about a certain program, we strongly suspect something went wrong at our end. But if some readers tell us a certain program works fine, while others say it does not, it is difficult for us to conclude the first group of readers somehow made a typo that just happened to correct the alleged typo we made. Solution: If a program does not work, and neither you nor a proven copy of the Proofreader can find an error, write or call us to describe the exact nature of the problem. Perhaps we will have a fix, or can report that other readers are having no trouble with the program.

Now to address your other questions. The Proofreader, of course, requires you to compare the number which appears at the top of the screen to the checksum number in the program listing. Since previously published programs lack these checksum numbers, you cannot check them with the Proofreader. Nor can you compute your own checksum numbers. The computer which makes our listings automatically generates the checksums by adding the ASCII values of all the characters in a line and storing the sum in a single byte. Since one byte holds the sum, the checksum never exceeds 255. If the sur. is greater than 255, the byte "rolls over" past zero. For example, 240 + 20 = 4 (a principle well known to machine language programmers). That explains why some short program lines have large checksum numbers and vice versa. (Incidentally, it also means that there's a tiny chance that two or more typos in a line could cancel each other out and yield a correct checksum match.)

Even if you manually computed your own checksums this way, they would be meaningless, since they would be thrown off by any errors in the line. The checksum must be computed from a working version of the program, as our listing computer does.

Several readers have asked us to republish line numbers of earlier programs with just the checksum numbers appended (there is not enough space to reprint the programs and articles in their entirety). That way, you could check for typos in programs you typed in months ago but never got to work. We are considering this and will do so if there is enough demand. Let us know how you feel.

#### Copyright Questions

I have a few questions about the programs listed in your magazine. Can I photocopy them? Photocopy machines are in libraries and about everywhere else. I once read a news clipping where the courts have ruled that it's okay to photocopy something for your own personal use and files. Is this

so? What is, and what is not public domain? Can I use the programs listed in COMPUTE!'s GAZETTE at my place of business as well as my home?

Clarence C. Hogan

Everything in COMPUTEI's GAZETTE is copyrighted, and nothing is in the public domain unless specifically stated. This is true of virtually all magazines and books, unless they specify otherwise. This means that programs you type in from a magazine or book which you have purchased are for your personal use. You may not sell the programs in any form, or give copies to people who have not purchased the same book or magazine issue. Both parties are liable if this federal law is broken. Photocopies are fine as long as they are for your personal use. You can use the programs at your place of business with the same restrictions.

#### From VIC To 64

I own a VIC-20, but have decided to purchase a Commodore 64. I would like to know if you could answer some questions. First, are all the cartridges made for the VIC-20 compatible with the 64? Secondly, can machine language be used directly on the 64? I heard that it can be used on the VIC-20, but you're better off buying some kind of software on cartridge. Does the Commodore 64 need any additional software to run machine language easily? Thirdly, do you know where I can write to Commodore to obtain information about software, hardware, maintenance, etc., pertaining to their products? Any information you can give me would be appreciated.

**Brian Cummings** 

No cartridges for the VIC-20 are compatible with the Commodore 64, or vice versa. The cartridge ports (where you plug in the cartridges) are different sizes on the 64 and the VIC. Even if you could make the cartridges fit the slot, the programs encoded in the cartridges would not be compatible.

Neither the VIC nor the 64 needs any additional software to run machine language programs. Machine language is the native language of all computers—the language with which they "think." BASIC, on the other hand, is a foreign language to computers (just as it is to people) and must be interpreted internally before the computer can understand the instructions. Machine language programs can be loaded and run directly from tape, disk, or cartridge with either the VIC or 64. A machine language program can even be loaded into memory by a BASIC program with the POKE statement. It can then be run with the SYS or USR commands.

However, to write machine language programs on a VIC or 64, you generally do need additional software. In theory, you could get by without it by laboriously converting the machine language instructions into decimal numbers by hand and then POKEing them into memory with BASIC. For short routines this might work out. But for more ambitious programs, most people



**ATARI 5200** 



TI99/4A



ATARI 400/800/600XL



INTELLIVISION




**COMMODORE VIC 20** 



**ATARI 2600** 



**COMMODORE 64** 



COLECOVISION

If you've been wanting to play Q\*bert, but haven't been able to find it available for your home system, your time has come. Because now you can keep

things hopping with any of these popular home video and computer formats. Get going to your nearest video store and get Q\*bert today. And while you're there, check out Parker Brothers' POPEYE, FROGGER, TUTANKHAM, S

and SUPER COBRA.™ All the great Arcade Action \* COBPAR games, now in all the great home formats.



who value their sanity prefer to use a monitor or an assembler to write machine language. Some computers (such as the earlier Commodore PETs and the Apple) have built-in monitors, but consumer computers aimed at the home market generally do not. Most people find that assemblers are the easiest way to write machine language, especially if their previous programming experience is with high-level languages such as BASIC. Monitors and assemblers are available on cartridge, tape, and disk for either the VIC or 64. To learn more about monitors, assemblers, and machine language, see "Machine Language For Beginners," a regular monthly column in COMPUTE!'s GAZETTE.

To write to Commodore for more information about its computers and other products, use this address:

Commodore Business Machines, Inc. 1200 Wilson Drive

West Chester, PA 19380

For maintenance information, you might try this address:

Commodore Service Center 950 Airport Road West Chester, PA 19380

An authorized Commodore dealer in your area may also be able to answer your inquiries. You can call 1-408-727-3754 for repair cost and full service information. Commodore also offers a customer assistance number, 1-215-436-4200. As of this writing, Commodore's toll-free customer assistance number is no longer active.

#### **Expanded VIC Memory**

I have a Commodore VIC-20 computer and would like to know what you mean when you say (before a long program) "for VIC-20 expanded to 8K." Does this mean total RAM or user RAM? With my Super Expander cartridge I have 8K total RAM (the VIC has 5K, and my expander adds an additional 3K of RAM). I would like to know if I can now run some of your programs which say this.

Steve Medendorp

All VICs have the built-in 5K of Random Access Memory (RAM), so when we say "for the 8K expanded VIC-20," we are referring to the 8K expansion memory only. In other words, you would need an 8K expansion cartridge. Similarly, "16K expanded VIC" means a VIC with two 8K cartridges plugged into a motherboard or one 16K memory expander, and "3K expanded VIC" means the Super Expander or another 3K expansion cartridge is required. Occasionally we publish a program that specifically requires the Super Expander because it adds special graphics commands to the VIC as well as 3K of RAM. We try to make most of the programs we publish run on unexpanded VICs so the greatest number of readers can use them.



#### **VIC Memory Expansion**

Is it possible to add more than 24K to the VIC-20? Charles Q. Berkey, Jr.

Yes and no. The VIC-20 has 4K of Random Access Memory (RAM) built in, at 4096 to 8191 (hex \$1000– 1FFF), plus 1K for overhead: pointers, the stack, and so on, for a total of 5K RAM. You can buy memory expanders which add 3K, 8K, 16K, or 24K from Commodore or third-party manufacturers.

If you program in BASIC, 24K is the most memory you can add to your 5K VIC. If you use machine language, you can add up to 35K, for a total of 40K.

The first thing you have to remember when you add memory is that a VIC has only one expansion port. That means if you own an 8K expander and want to add 8K more, you have two choices. You can buy memory chips and rewire your expansion cartridge (not recommended unless you know exactly what you are doing). Or you can buy a multiple cartridge board "motherboard" that allows you to plug more than one cartridge into the expansion port. It is similar to an electrical extension cord you might use in your home. Often these motherboards have switches so you can select one or more cartridges which are plugged in. (For example, you could "switch off" the memory expanders without physically unplugging them, in case you want to run a program that is designed exclusively for the unexpanded VIC.)

Memory can be added to the VIC in the following blocks:

3K 1024-4095 (\$0400-0FFF) 8K 8192-16383 (\$2000-3FFF) 8K 16384-24575 (\$4000-5FFF) 8K 24576-32767 (\$6000-7FFF) 8K 40960-49151 (\$A000-BFFF)

Adding expansion memory to the VIC can cause complications, however. If you plug in the 3K expander, screen memory (7680–8191 in the unexpanded VIC) remains in the same place (7680–8191). But if you add more than 3K, screen memory moves to 4096–4607. This can result in compatibility problems with some programs written for the unexpanded VIC.

Whether your VIC has 5K or 40K, it wants to put BASIC programs in a continuous section of memory. The BASIC program goes at the bottom, followed by free memory and variables (at the top of memory). When you add 8K or more, any memory below screen memory (4096) becomes invisible to BASIC. That's why only a maximum 24K can be added for BASIC programming.

Once you add memory to locations 8192–32767, the other memory expansion is available only in machine language (or PEEKs and POKEs).

#### What Is A Utility?

What is a utility program? Does this type of software make it easier to program?

Fred Soderlund

A utility is a program that programmers use for a specific purpose. Many utilities provide new BASIC commands or disk commands. For example, let's say you want to add a menu to a program you have written. If you already have a program that makes menus, you could add it to your program by typing it in line by line. But if you own a utility with an append command, you simply merge the two programs—which results in a lot of saved time.

If both programs use lines 900–1000, you could get around the problem with a RENUMBER utility which changes the line numbers (you would have to RENUMBER before you append). If both programs use the variable DN and R\$, you could use a utility which searches the programs and tells you which variables you used and where.

If you use certain routines in many programs (reading the joystick, figuring compound interest, etc.), a utility can save you time.

Some utilities contain certain commands that work only with disk drives or printers. Certain commands will be most useful to a machine language programmer (for example, copying one block of memory to another, or hex to decimal conversions). Other utilities are designed to help you write programs with graphics or sound routines.

Utilities are programming tools. Their usefulness depends on what they do and what you need. If you are just getting into programming, you probably don't need many programming tools. But as you start writing larger and more complex programs, you will find that a collection of the right utilities can save you lots of time and work. Utilities are sold commercially, and many public domain utilities are available for free through local user groups. Also, nearly every issue of COMPUTE's GAZETTE includes ready-to-type program listings for useful utilities.

#### **Subscriber Services**

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

#### **COMPUTE!'s Gazette**

P.O. Box 961

Farmingdale, NY 11737

or call the Toll Free number listed below.

Change of Address. Please allow us 6-8 weeks to effect the change; send your current mailing label along with your new address.

New Subscription. A one-year (12-month) U.S. subscription to COMPUTE!'s Gazette is \$20 (2 years, \$36; 3 years, \$54. For subscription rates outside the U.S., see staff page). Send us your name and address or call the Toll Free number listed below.

**Delivery Problems.** If you receive duplicate issues of *COMPUTEI's Gazette*, if you experience late delivery, or if you have problems with your subscription, please call the Toll Free number listed below.

COMPUTE!'s Gazette 800-334-0868 In NC 919-275-9809

# HOTWARE

## A Look At This Month's Best Sellers And The Software Industry

Kathy Yakal, Editorial Assistant

This Ionth		Last Month	This Mont		Last Month
C	ommodore 64 Entertainn	nent		VIC-20 Entertainment	
i	Fort Apocalypse (Synapse)	2	1	Gridrunner (HesWare)	
2	Jumpman (Epyx)	$\bar{i}$	2	Shamus (HesWare)	1
3	Temple of Apshai (Epyx)	3	3	Choplifter (Creative)	3
4	Frogger (Sierra On-Line)	4	4	Temple of Apshai (HesWare)	3 2 4
5	Planetfall (Infocom)	10	5	Crush, Crumble and Chomp (HesWare	
6	Choplifter (Creative)		6	Amok (UMI)	10
7	Gridrunner (HesWare)	7	7	Predator (HesWare)	9
8	Neutral Zone (Access)	5	8	Escape MCP (Comm*Data)	₩₩ <u>₽</u> ₩
9	Sword of Fargoal (Epyx)	6	9	Exterminator (Nüfekop)	7
10	Shamus (HesWare)				
	Commodore 64		777	C 20 Hama/Business/III	
	Home/Business/Utility			C-20 Home/Business/Ut	975339999 <del>-</del> 78599
			1	Quick Brown Fox (Quick Brown Fox)	
1	WordPro 3 Plus/64 With Spell Right		2	Turtle Graphics (HesWare)	2
	(Professional)	1	3	HES Writer (HesWare)	3 4
2	Quick Brown Fox (Quick Brown Fox)		4	HES Mon (HesWare)	
3	M File (M Soft)	11	5	Household Finance (Creative)	5
4 5	Money Manager (Timeworks)	5	6	Practicalc	
3	Practicalc (Computer Software Associates)	4		(Computer Software Associates)	
6	Calc Result (Handic)	*			
7	Data Manager (Timeworks)			VIC-20 Educational	
8	Electronic Checkbook (Timeworks)	6	1	Touch Typing Tutor (Taylormade)	1
9	PaperClip (Batteries Included)	8	2	Primary Math Tutor (Comm*Data)	
10	Oracle (Batteries Included)		2 3	Type Attack (Sirius)	2
	ommodore 64 Educatio	næl	4	Gotcha Math Games (Comm*Data)	- 2 5
		II.CII	5	Hangman/Hangmath (Creative)	4
1	Facemaker (Spinnaker)	4			
2 3	Fraction Fever (Spinnaker)				
	Up For Grabs (Spinnaker)	3			
4	Primary Math Tutor (Comm*Data)	5			
5	Dungeons of the Algebra Dragons				
	(Timeworks)	,			
6	Kindercomp (Spinnaker)	1			
7	Touch Typing Tutor (Taylormade)	2			

# Don't let price get in the way of owning a quality printer.

Adding a printer to your computer makes sense. But deciding which printer to add can be tricky. Do you settle for a printer with limited functions and an inexpensive price tag or buy a more versatile printer that costs more than your computer? Neither choice makes sense.

Here's a refreshing option—the new, compact STX-80 printer from Star Micronics. It's the under \$200 printer that's whisper-quiet, prints 60 cps and is ready to run with most popular personal computers.

The STX-80 has deluxe features you would

expect in higher priced models. It prints a full 80 columns of crisp, attractive characters with true descenders, foreign language characters and special symbols. It offers both finely detailed dotaddressable graphics and block graphics.

And, of course, the STX-80 comes with Star Micronics' 180 day warranty (90 days on the

print element).

The STX-80 thermal printer from Star Micronics. It combines high performance with a very low price. So now, there is nothing in the way of owning a quality printer.

\*Manufacturer's suggested retail price.




THE POWER BEHIND THE PRINTED WORD.

Computer Peripherals Division
P.O. Box 612186, Dallas/Ft. Worth Airport, TX 75261 (214) 456-0052



The new STX-80 printer for only \$199.\*





Now the excitement of original arcade graphics and sound effects comes home to your computer.

Introducing ATARISOFT.™ A new

source for computer software.

If you own a Commodore VIC 20 or 64, a Texas Instruments 99/4A, an IBM or an Apple II, you can play the original arcade hits.

DONKEY KONG by Nintendo, CENTIPEDE™ PAC-MAN, DEFENDER, ROBOTRON: 2084, STARGATE and DIG DUG. (On the TI 99/4A you can also play Protector II, Shamus, Picnic Paranoia and Super Storm.)

So, start playing the original hits

on your computer.

Only from ATARISOFT.

Some games also available on ColecoVision and Intellivision.

## **ATARISOFT**

Now your computer fits the arcade hits.

CINE AICAGE NILES.

DONKEY KONG, Mario and NINTENDO are trademarks and ♥ Nintendo 1981, 1983, PAC-MAN and characters are trademarks of Bally Midway Mfg. Co. sublicensed to Atan. Inc. by Namco-America, Inc. DEFENDER is a trademark of Williams Electronics, Inc., manufactured under license from Williams Electronics, Inc., manufactured under license from Williams Electronics, Inc. ROBOTRON: 2084 is a trademark and ♥ of Williams 1982, manufactured under license from Williams Electronics, Inc. STARGATE is a trademark and ♥ of Williams 1981, manufactured under license from Williams Electronics, Inc. DIG DUG is created and designed by Namco Ltd. manufactured under license by Atan. Inc. Trademarks and ♥ Namco 1982, PROTECTOR II is a trademark of Synapse Software Corporation, manufactured under license by Atan. Inc. Trademarks of Synapse Software Corporation, manufactured under license by Atan. Inc. PICNIC PARANOIA is a trademark of Synapse Software Corporation, manufactured by Atan. Inc. SUPER STORM is engineered and designed by Synapse Software Corporation, manufactured under license by Atan. Inc. ATARISOFT\* products are manufactured under license by Atan. Inc. Cover on the above referenced machines and are not made, licensed or approved by the manufacturers of these machines. COMMODORE 64, VIC 20, TEXAS INSTRUMENTS 99/4A, IBM, APPLE, COLECOVISION and INTELLIVISION are respectively trademarks of Commodore Electronics Limited, Texas Instruments, International Business Machines Corp., Apple Computer Inc., Coleco Industries, Inc. and Mattel, Inc. A © Warner Communications Company. ♥ 1983 Atan. Inc. All rights reserved.

Complete this coupon and we'll keep you up to date on the newest hits from ATARISOFT.™						
Name ,						
Address						
City	State	Zip				
Telephone  PRODUCT DWNET  1 TI-99/4A	D: (Check ane)	Commodore Vic 20				
2 IBMPC	6	Intellivision				
3 Commodo	re 64 7	Apple II				
4 ColecoVis Mail to: Atari, Inc., P.O. Bo So. San Francisco	ox 2943.					

#### SIMPLE ANSWERS TO COMMON QUESTIONS

TOM R. HALFHILL, EDITOR



Each month, COMPUTE!'s GAZETTE will tackle some questions commonly asked by new VIC-20/Commodore 64 users and by people shopping for their first home computer.

• I have a 1541 disk drive and a friend has one of the older 1540 disk drives. Is there any problem in trading disks back and forth?

A. Yes, there is a potential compatibility problem. If you're merely *reading* from each other's disks, you should be safe. But *writing* to them could be hazardous to the files stored on the disks.

The reason is that the 1541 disk drive runs slightly slower than the 1540. In our experience, the difference is insignificant when reading disks formatted on one drive or the other. But if you try to write, the speed difference could cause adjacent blocks of data to be overwritten.

The 1541 drive can be accelerated to the 1540's speed by entering this statement:

CLOSE15:OPEN15,8,15,"UI - "

This makes it safe to write to a 1540 disk on the 1541 drive. To restore the 1541's original speed, initialize the disk or enter:

CLOSE15:OPEN15,8,15,"UI+"

(Notice that "UI –" speeds up the drive and "UI +" slows it down. This syntax might be the opposite of what you'd expect, but it's straight from pages 8-9 of the VIC-1541 User's Manual.)

Unfortunately, you can't slow down a 1540 drive the same way, so it's risky to write to 1541 disks on the 1540. If you use both kinds of drives or frequently swap disks with someone who uses a different drive, you should mark all your disks "1541" or "1540" to avoid problems.

Some programs in your magazine I cannot get to run, and I've traced the problem to certain lines which are very long. I type the line exactly as printed in the listing, but when I press RETURN and re-LIST the line, only part of it is there—the rest was chopped off somehow. Even the "Automatic Proofreader" doesn't help. Are

these lines, indeed, the problem? If so, is there any way to type these lines and get these programs to work? Why didn't you test the programs first to make sure they worked?


You've zeroed in on a problem which seems to have troubled many other readers. Until a number of similar letters and phone calls came in, we had not realized how many readers are unfamiliar with BASIC line-length limits and with the use of keyword abbreviations to solve the problem. Nor had we realized how many programmers routinely use long lines in their programs.


The problem, as you deduced, is that certain lines are too long to type in—at least, too long to type in *normally*. But there is a way to enter them.

Normally, the Commodore 64 does not allow entry of BASIC lines which exceed 80 characters (two screen lines). The VIC-20's limit is 88 characters (four screen lines). If you type in more characters than these limits allow, the extra characters will be discarded when you press RETURN. Unfortunately, the computer does not warn you that the line has been truncated. If you re-LIST the line, you'll see the difference, but most people don't find out until they attempt to RUN the program for the first time. The program either fails to run properly or crashes altogether, often with a cryptic error message as the only clue. The problem can be hard to isolate, especially for nonprogrammers. Frustrated, many people blame a bug in the program or the listing and give up.

But the problem is easy to fix once discovered. The trick is to enter the long line as the programmer did when he or she wrote the program.

In an appendix of the user manual which came with your VIC or 64 is a table of keyword abbreviations (a summary of the most commonly used abbreviations appeared in last month's "Horizons: 64" column). Abbreviations allow you to enter BASIC keywords without typing all the characters. Usually an abbreviation consists of the





Help your child learn the basics with **Computer Tutor!™** 40 learning programs professional educators designed by and tested in actual classrooms.

This outstanding set of educational programs was developed by professional educators in the classroom to meet the highest teaching standards.

Your child will delight in learning with Computer Tutor! M Correct responses are reinforced with colorful graphics and sound. Programs include Language Arts, Math and

A-Kindergarten-Grade 3 Social Sciences.

B-Grade 2-Grade 4

C-Grade 3-Grade 5


D-Grade 4-Grade 6 E-Grade 5-Grade 7

Sugg. Retail per 8 program Album \$99.00. Sugg. Retail per 40 program set of 5 Albums \$449.00

Ronnie

The path to prosperity is a confusing maze paved with jellybeans and blocked by opposing donkeys. You're Ronnie's running mate as he seeks to stay the course and find his way against impossible SUGG. RETAIL \$19.95 odds! Runs on Unexpanded

VIC 20 (cassette)



INFOBASE DATE Home/Business computer filing system. Ideal for lists, reports and inventories.

Tell the computer what you want filed and how you want it arranged. See it on the monitor screen or print it. Design the format yourself. Store up to 1000 records on a single diskette. SUGG. RETAIL \$59.95 Runs on Commodore 64 (diskette)


SOFTWARE PRODUCED BY KOLOB MARKETING INC. Impact Marketing Inc. • P.O. Box 21445 • Salt Lake City, Utah 84121



#### HOME MANAGEMENT SOFTWARE FROM ELECTRONIC ARTS



# If you can learn to use this word processor in 90 seconds, can it really be any good?



CUT & PASTE™ displays its commands on a single line at the bottom of the screen. This makes working with it easier and also gives you more usable space on the screen.

f all word processors on the market today, Cut & Paste may well be the easiest to use. In fact, by the time you finish reading this section of the ad, you'll know how to work with Cut & Paste. So read on. START TYPING. Working with Cut & Paste is like working with a typewriter. If you know how to use a typewriter, you already know how to type in your draft with Cut & Paste. The only real difference is, with Cut & Paste it's easier to correct typos. MAKING CHANGES. Let's say you've decided to make a cut in your rough draft. To do this you put the cursor (the bright block) at the start

of the text you want to delete, and

stretch it through to the end of your cut. Then you send the cursor down to the "CUT" command on the bottom of the screen. Done.

If, on the other hand, you want to keep that line, but put it in a different part of your draft, you use the "PASTE" command. You mark the point of insert with the cursor. Then you put the cursor over "PASTE." That's all there is to it.

PRINTING IT OUT. When you like the way your work looks, you print it. Put the cursor on the "PRINT" command. Then set your margins, in inches. That's it.

You now know how to use Cut & Paste.

OKAY, IT'S SIMPLE. BUT HOW GOOD IS IT? Cut & Paste has all the features you'll ever need to use at home. Here are a few of them:

- 1. Scrolling dynamic menus
- 2. Automatic word wrap
- 3. Simple cut & paste editing
- 4. Block indenting
- 5. Set margins and paper size in inches
- 6. Tabs
- 7. Automatic page numbering
- 8. Controllable page breaks
- 9. Headings
- 10. Scrolling text windows
- 11. Automatic widow and orphan control
- 12. Clear and concise manual

In other words, Cut & Paste will do just about everything other word processors do. But Cut & Paste will do it more easily. Without complex commands and modes.

If you think about a word processor in terms of what it replaces (typewriters, pens and paper, files), Cut & Paste begins to look very good indeed.

And when you consider that all this power can be had for approximately \$50, we think you'll see why we believe Cut & Paste is something of an achievement.

#### A PHILOSOPHY OF DESIGN.

The people who designed, developed and programmed Cut & Paste have some fairly heavy credentials.

They are people who worked on the internationally-famous user interface designs that led to the Xerox Star\* and Apple's Lisa.\* They are also



THE CHANGING OF THE GUARD. Until quite recently we used pens and paper and typewriters to write with, mostly because we knew how to use them. They have been good tools, but limited. You tend to make messes when you work with them, and getting rid of those messes makes extra work. Cut & Paste is an inexpensive and practical alternative. Because it is as easy to use as a typewriter, you really will use it. Which may make it the first sensible word processor for the home. Thus an alleged labor-saving device has come to a position where it really can save a significant amount of labor, i.e., yours.



THE MEN WHO MADE CUT & PASTE. The Linotype machine pictured here was the 19th century's most important contribution to word processing technology. It let typesetters compose and rearrange text in the form of metal castings. The importance of Cut Paste, of course, must await the judgment of history. Nevertheless, the seven men who developed it look confident here. Standing left to right, they are: Norm Lane, Steve Shaw, David Maynard, Dan Silva, Steve Hayes and Jerry Morrison. Seated at the console is Tim Mott, whose idea this was in the first place.

people who have in common a very lucid philosophy of design.

Computers and the programs they run are tools, they believe. Tools are never noticed unless they are bad tools. When they're good, they become, in effect, invisible. And if you want to make a good tool—an invisible tool—

you'd best study the way people use the tools they already have.

As a result of this thinking, Cut & Paste was designed to work much in the same way that you already work with a typewriter or with pen and paper. The most complex and powerful parts of the program are hidden from view. The work they do takes place deep in the machine. All you get to see are the results.

But beyond that, there is something almost indefinable about a good design. Things about it just seem to work crisply. Little touches and features that you notice make you want to smile. If it's really good,

it feels good. Cut & Paste feels good.



THE PRODUCTS of Electronic Arts can be found in your favorite computer stores, software centers, and in leading department stores throughout the country. Both Cut & Paste and Financial Cookbook™ are now available at a suggested retail price of \$50 for the Apple IIe and the Commodore 64 and will soon be available for the IBM-PC and Atari.

### OUR COMMITMENT TO HOME MANAGEMENT.

Cut & Paste is just one of a growing number of products we're publishing within the category of "home management software." These products are all built around the same program architecture, making them all equally "friendly," as well as remarkably straightforward and practical. We believe that designs like these will soon make home computers as functional and efficient as today's basic appliances.

Our next product in this line is called Financial Cookbook. It's a realistic alternative to the complex, pre-programmed financial calculators we all wish we knew how to use. With a few simple keystrokes, Financial Cookbook lets you make more than 30 key time-value-of-money computations—just about all the ones you'd ever use for personal finances—

like calculating mortgages with changing interest rates, compounding the interest on IRA and savings accounts, and buyversus - lease comparisons for automobile purchases.



To find out more about these home management products and about what we have planned for the future, call or write: Electronic Arts, 2755 Campus Drive, San Mateo, CA 94403 (415) 571-7171.

first letter of the keyword and a SHIFTed second character. For instance, the abbreviation for POKE is P-SHIFT-O. (Note that the SHIFTed O appears on screen as a graphics character.)

You're still limited to typing 80 or 88 characters when using abbreviations. However, when you LIST a line with abbreviations, the abbreviations expand out to the full keywords, even if the resulting line exceeds the limit. The line appears illegal, but executes normally. Be aware that you cannot edit this line, however; if you want to make a change, you must retype the line from scratch.


Another problem with abbreviations is that they confuse the "Automatic Proofreader." The checksum program cannot be used to spot typos in long lines.


Programmers use abbreviations to save typing and memory. Not that the abbreviations themselves save memory—BASIC stores all keywords as one-byte tokens, whether abbreviated or not. But abbreviations allow programmers to pack more statements into each line, and reducing the number of lines in a program *does* save a little memory.

Since these long lines execute normally, the programs work fine when we test them prior to publication. We list the program directly from disk and don't hear of a line-length problem until letters begin arriving three months later.

To correct this problem, our lister program now warns us whenever it detects a line exceeding 80 characters. We then try to break up the long line into two shorter ones. Unfortunately, some programs—especially on the unexpanded VIC—require every available byte of memory. Breaking up a line can ruin a working program. In these cases, we'll at least try to warn you of the long lines.

Readers can help, too. If you submit a program to COMPUTE!'s GAZETTE, do not exceed the line limits *unless absolutely necessary to conserve memory*. Also, please do not number BASIC lines by ones, so that our programmers have room to break up long lines if necessary.





# The END of DINKETY-DINK-DINK-DINK.


Announcing the first computer music program that actually sounds like music.

LET'S FACE IT. Up till now, music programs for your home computer have all sounded, well, pretty lame. There were the ones that resembled little electronic music boxes, remember? And then there were those that sounded like so many burps.

Enter Music Construction Set. It's the first music program that really makes use of the power of that machine you've got. If you're a serious student, this means you'll be able to work with an intricacy and range of sound quality you've never heard before on a computer. And if you know nothing about music, you'll find something even more important. Namely, that this thing is simple enough to be a lot of fun.

Take a good look at this screen because it, you, and a joystick are the whole story here.

That's you at the right end of the staff of notes — the little hand. Move the joystick, and you move the hand. Use it to carry notes up to the staff. Lay in rests, signatures, clefs, then point



to the little piano in the lower right and listen, because you'll hear the whole thing played back.

Move those little scales in the middle up and down to vary the music's speed, sound quality, and volume. Use



the scissors to cut out whole measures, then use the glue pot to paste them in somewhere else. Got a printer? Great. Print the score out and show it off to your friends.

But what if you're not up to writing your own stuff yet? No problem. There are twelve pieces of music already in here, from rock 'n roll to baroque. They're fun to listen to, and even more fun to change. (Apologies to Mozart.)

The point is, the possibilities are endless. But if you're still skeptical, visit your nearest Electronic Arts dealer and do the one thing guaranteed to send you home with a Music Construction Set in tow.

Boot one up. Point to the piano. And listen.



# WORD PROCESSING In The Home

Tom R. Halfhill, Editor

Word processors are displacing typewriters in offices as rapidly as ballpoints replaced fountain pens a few decades ago. But there are good reasons why many of today's households could use a word processor, too.

ord processors are probably the most popular inventions to hit the business world since electric typewriters in the 1960s. Every day, in somebody's office somewhere, a hapless typewriter with its rubber roller platen, pile of typing paper, and bottle of white correction fluid gives way to a gleaming new computer-age word processor. Secretaries are signing up for word processing courses to keep from becoming as obsolete as their traded-in typewriters. The quiet hum of video monitors and the whir of disk drives is replacing the percussion of mechanical striking arms slapping against paper.

It's called the "electronic office" or the "paperless office." At first there was resistance, but by now it's taken for granted that word processing (and computerization in general) is having a significant impact on the function of American business. The business of staying in business and competing for profits is too important for any business person to long ignore a new tool or method for achieving greater productivity.

But in the last five years something even more amazing has happened. This chic new business tool, the computer word processor, has started to find its way into the American home, too. The invention of the inexpensive microcomputer (and its clever packaging as the home computer) has

made it possible for millions of people to afford a word processor as readily as most businesses. A \$50–\$100 word processing program running on a \$100–\$400 home computer with a printer can perform most of the major writing functions of a typical \$5000 or even \$10,000 dedicated business system.

However, just as many business users had to be sold on the advantages of word processing, so do many home users. After all, it's much easier to justify the expense of word processors in a business, where dozens or even hundreds of letters, memos, and reports are generated every day. But what good is word processing in the home? How much writing goes on in the average household?


The answer varies, of course, but it can be argued that nearly any home with an adult working in a professional occupation, or with a student of almost any age, can probably benefit from an inexpensive home computer-based word processor. The key is to recognize what a powerful application word processing really is.

First of all, consider the precedence set by other business inventions which have moved into the average household: the calculator and the typewriter.

Mechanical adding machines were used by businesses for decades without making significant inroads into the home. There were several reasons for this: Adding machines were expensive, bulky, and nonportable. Also there was little use for a computing device, however primitive, in the typical home of the early- to mid-20th century. Household finances were generally pretty simple before the proliferation of credit cards, widespread con-

# What if you could get small enough to crawl inside your computer and see

how all that stuff really works?



IT STARTS with an arcade-style game. You play it for a while and then something happens. The system goes down in a crash. And now your job is to find out why and make things right again.


Expert help is available in the form of a strange character named Charlie Fixit. He's got a way of making you small enough to get inside the machine. But being inside is yet another game. There are stray charges to duck, static to avoid, and all sorts of intriguing devices to explore before you can get everything back into working order.

The name of this unusual program is D-Bug, and it's a wonderful way to introduce your children (and maybe even yourself) to the terminology and basic workings of computers. But beyond this specific knowledge, you'll also learn some fairly subtle skills about how to link causes and effects, and how to develop creative strategies for solving problems.

D-Bug was designed, developed and programmed by ChildWarepioneers in the field of computer literacy for children. It is just one of an entire line of programs we're publishing that deliberately blur the traditional distinctions between

education and entertainment.

D-Bug is now available on diskette for Commodore 64 and Atari home computers and can be found at your favorite computer stores, software centers, and in fine department stores throughout the country.





sumer loans, checking accounts, modern investment alternatives such as money market funds, and increasingly complicated income tax returns.

Luckily, the electronic calculator arrived at just the right time. Soon after they began replacing adding machines in businesses, they started showing up in homes. A whole new market was created. During the 1970s, calculators grew cheap, small, and powerful. Today almost nobody balances their checkbook or figures a tax return by hand. The very idea is becoming unthinkable.

The spread of typewriters from the office to the home is even more to the point since, like word processors, they are writing machines. Typewriters started appearing in American offices soon after their invention late in the 19th century. At first, their move to the home was held back by many of the same factors which discouraged the home use of adding machines: Early typewriters were expensive, bulky, nonportable, and not all that useful in the average household.

But sometime around World War II things started to change. New typewriters appeared on the market designed for personal use—relatively inexpensive, small, and portable. Colleges began requiring students to hand in typed term papers. Many people started using typewriters for personal business correspondence, and those with office jobs were taking work home. Soon typewriters became a common appliance in millions of households.

For many of the same reasons, word processors are spreading from offices to homes, too. Almost anything a typewriter can do, a word processor can do better. A home computer-based word processor is still more expensive than a cheap portable typewriter, but on the other hand, even the most advanced electronic "memory typewriter" is not as flexible as the typical home computer word processor. College, high school, and even younger students are using word processors for term papers and reports. Their parents can use the same word processor for personal business letters, or for work taken home from the office.

Best of all, the expense of a home word processor is minimal if the household already owns a home computer. Maybe the computer was originally purchased for running education/home application programs, or playing videogames, or for learning how to program. It can be transformed into a powerful word processor with the addition of the appropriate program and maybe a printer and disk drive.

Thinking of a word processor as a substitute for a typewriter is enough to justify its purchase for many people. But there are other reasons which may be even more compelling. A word processor is much more than just an electronic,

computerized typewriter—it's a whole new way of writing.

In the beginning, typewriters were used simply to make neat copies of documents composed originally in longhand. Even today many people still use typewriters this way, preferring to write everything out before typing up the final draft.

But soon after their invention, typewriters were embraced by writers, especially journalists. For the first time since the clay tablet and stylus an entirely new writing implement had been invented. Newspapermen were among the first to make the transition from writing by hand to composing their thoughts directly on a keyboard. Pencils and pens—which in various forms had been the only writing instruments since writing itself was conceived—were relegated to note-taking and editing.

Why is this important? Because the transition to the keyboard is an important step in the development of many writers. The majority of professional writers do their writing on a keyboard,

not in longhand.

Some writers, including a few famous ones, still contend that writing in longhand with a pen is a more intimate way of committing thoughts to paper. We won't argue this point, because it's one of those philosophical questions that is rarely resolved. However, there is little doubt that writing in longhand is slow. When deadlines are not important, this may not matter. Indeed, many writers who always write in longhand are accustomed to pacing their thoughts accordingly, and argue convincingly that longhand doesn't slow them down.

But many writers who switch to typewriters notice something strange and wonderful: apparently because they can put their thoughts to paper so much faster, the words start coming faster. At first the switch from longhand to typewriters is not always easy. It is forced on those writers who must consistently produce on deadline—such as journalists—and the transition can be traumatic. Before long, however, the old pen-and-paper method seems agonizingly slow, and they dread being out of reach of a keyboard.

Unfortunately, efficient as they are, typewriters are far from the ultimate writing tools. Once a word is typed, for practical purposes it is committed as indelibly as a word penned in ink. It's possible to make minor corrections with erasable bond, correcting ribbons, chalk strikeover sheets, or white correction fluid. But major revisions mean extensive retyping. Longhand manuscripts aren't very flexible, either. Many drafts may be required before the final acceptable copy is ready.

32 COMPUTEI's Gazette January 1984

# What do you like best about COMPUTE!'s GAZETTE?

It teaches me more about my Commodore 64 than any other magazine. Explanatory articles on now programs work The Saze is the last magny me for Vic- 20 owners Good Writers! MM Dufum listings an outstanding The Gazette Feedback column. I rate it the Best magazine for my needs The intriviews with professional programmers IM NEW AT COMPUTING; THE GAZETTE IPFUL Olain language articles, - It helps me leave the essentials and ment of computing The articles on Machine Language Educational programs in tasic It's not too technical for the average person. The abranced programming techniques The ads and reviews ACTICLES ABOUT DISK DRIVES AND MODERIS The large number of programs programming tips and reviews Information on things manuals do not explain Your professional writing; you have very knowledgeable authors I like learning how computers work It tills me about current events in the computer industry

The above comments are from The Editor's Feedback Cards, a monthly part of our continuing dialogue with the readers of COMPUTE!'s GAZETTE.

Every month, readers of COMPUTE!'s GAZETTE get ready-to-type-in games and applications programs, tips on programming in BASIC and machine language, reviews of new hardware and software, feature articles

that explain and entertain, and much more.

If you would like to become a GAZETTE subscriber, return one of the subscription cards in this issue or call the number below. The basic subscription price of \$20/year saves you \$10 off the newsstand price. Why not subscribe today? Call Toll Free in the US 800-334-0868, 919-275-9809 in NC.

### COMPUTE'S GAZETTE

P.O. Box 961 Farmingdale, NY 11737



#### Synapse excitement!




#### Spell-binding

Only you can restore the forest with ancient spells. Then you must march your armies of enchanted trees into battle against the Troglodytes and the evil Necromancer. Who will emerge triumphant from the final conflict? Necromancer.

A whole new dimension in gam-


membership entitles you to an

ing from the leader in home computer excitement! Elite Club



#### Take the controls

Your helicopter mission—capture vital fuel and weapons, free the enslaved masses, and finally destroy the fortress itself. Will you triumph or be crushed by the fiendish Kraalthan lords? Fort Apocalypse.™



#### Ancient treasures

A fortune is yours for the taking. But can you avoid the ghost of Rama and the evil mummy? Are you nimble enough to leap the chasms and outsmart the deadly booby traps separating you from freedom? The Pharaoh's Curse."

#### Join the Elite today!

ID card, certificate, a Synapse hat, patch and quarterly newsletter, all for one low membership fee.



You'll also receive advance information on new Synapse games and be able to buy special T-shirts and posters. Join the Elite today,



synapse

or send for more information and receive a FREE Synapse patch!

Special Offer: The first 1000 members also receive an incredible Blue Max™ poster!

synapse synapse

- YES. Send me a FREE patch and more club information.
- ☐ YES, I want to join. I've enclosed \$10 for one membership or \$15 for my family. (\$12/\$17 in Canada). Cash, check, money order or VISA/MasterCard.

City\_\_\_\_Zip\_\_\_\_

Please allow six to eight weeks for membership processing.

That's where word processing comes in. You may have heard or read elsewhere about the advantages of word processing: Documents are typed not on paper, but on the video screen. Characters, words, phrases, sentences, paragraphs, or even large blocks of text can be modified, deleted, inserted, added to, moved, duplicated, and manipulated to your fingers' content. When everything is just right, you can print out as many perfect copies as you want. You can store the document on disk or tape for later use. You can merge documents saved on disk or tape to create a larger document, giving you the power to build anything from a form letter to a novel.

Most people these days are at least partly familiar with the advantages of word processors, even if they haven't actually used one themselves. But there's another bonus that is a bit more subtle—a word processor can make you a better writer.

This isn't just another outrageous claim of the "computers-will-save-the-world" ilk. This writer, and many others, is convinced that it's true.

Word processing makes writing so flexible, so fluid, that almost all the inhibitions are banished. Since anything you type can be changed

VIC20
37K

Now you can have the memory power of the 64, flexible memory control, expansion port and more.

\*\*MSTER\*\*32

\$129.95

\*\*INOSAIC\*\*
ELECTRONICS, INC.
Call for your nearest Mosaic Dealer 1-800-547-2807, In Oregon 653-7885
VIC20 is a registered trademark of Commodore Business Machines. Inc.

in virtually any way, there is no reason to agonize over every word and phrase. If it doesn't "read" right, just back up and try again. Experimentation is easy. Even radical changes to your text are only a few keystrokes away. No other writing tool offers anything near this level of flexibility.


Let's face it—everything you write that is seen by other people is a reflection of not only your writing skill, but also your intelligence, style, and personality. These things show up between the lines, if not actually within them. If you are writing for publication, or sending a memo to your boss, or compiling a report to be seen by coworkers, or mailing a complaint letter to a company or a congressman, can you afford not to have every sentence as perfect as you can make it? How many times have you let a typo or awkward sentence slip by because it would mean retyping or rewriting an entire page or more?

Even more important, word processing should not be limited to adults. Children should be encouraged to write on a word processor as soon as they can handle the keyboard and the equipment (which these days is a pretty early age, it seems). Many school systems are beginning to realize the educational value of word processing. Word processors are becoming standard equipment in hundreds of schools, even at the elementary level. In fact, one commercial word processor now on the market for home computers (Brøderbund's *Bank Street Writer*) was specifically designed with young people in mind.

For years, standardized college-entry exams have revealed that the writing skills of American students are sadly deteriorating. Perhaps more emphasis on composition and the careful revision of one's own work—assisted by word processing—can help reverse the trend. Early results from classrooms using word processors are encouraging.

It certainly wouldn't hurt if children were started in this direction at home, using their family's home computer. They could be urged to use the computer for writing book reports, letters to grandparents, keeping a personal diary, composing their own stories, collecting jokes they hear, or just fooling around. In short, anything that gives them writing practice, whether they realize it or not.

More than a few adults have improved their writing with a word processor, too—including this writer. When I hear the cliché that computers (particularly home computers) are "a solution in search of a problem," I argue that even if computers were good for nothing else but word processing, it would be enough to justify their existence. Although the world got along fine for years with pencils and typewriters, sometimes a problem doesn't become obvious until a better solution is invented.



#### The Commodore 64" Spreadsheet that puts you a million miles ahead

CALC RESULT. The one spreadsheet guaranteed to turn your Commodore into a powerful financial tool. Offering you every feature found on other more expensive programs for much less the cost.

Flexible...you can view four different areas at once

Versatile...customize your own print formats

Distinctive...display beautiful color graphics

CALC RESULT Advanced is a three-dimensional spreadsheet with built-in HELP function and 32 pages of memory. For the Commodore 64 \$149.95. For the CBM™ 8032 \$199.00. For first time users CALC RESULT Easy gives you a fast way to perform financial calculations—easily. For the Commodore 64 \$79.95. For a down to earth demonstration of either version visit your local dealer today.



-a company in the Datatronic group-



Distributed by:

DES—DATA EQUIPMENT SUPPLY 213-923-9361 SOFTEAM 800-421-0814 COMPUTER MARKETING SERVICES, INC. 800-222-0585 WAREHOUSE 1, INC. EASTERN U.S./800-253-5330 WESTERN U.S./800-255-0056 BLUE SKY SOFTWARE Ashland Office Center Evesham & Alpha Avenues Voorhees, NJ 08043 609/795-4025

## SpeedScript Word Processor For Commodore 64 And VIC-20

Charles Brannon, Program Editor

COMPUTE!'s GAZETTE is very pleased to present "SpeedScript," a word processing program written entirely in machine language. Fast, powerful, and easy to use, it includes almost all the major features found in professional word processor programs for personal computers. We believe it approaches commercial-quality programs costing \$50 or more. It runs on the Commodore 64 (leaving a huge 45K free for text) and the VIC-20 with 8K or greater memory expansion. Speed-Script will considerably amplify the utility of your computer.

```
SpeedScript Word Processort

GSpeedScript Word Processort

For Commodore 64 And VIC-20+

GCharles Brannont

GProgram Editort

Floater:

COMPUTE! 's Gazette is very pleased to present "SpeedScript," a word processing program written entirely in machine language. Fast, powerful, and
```

A current advertising campaign extols the virtues of a ballpoint pen that can erase like a pencil, dubbing it the."portable, personal word processor." It can even plot graphics. Like a word processor, the pen can edit, change, and erase. It can produce flawless hard copy. And, indeed, you can draw circles, squares, and bar graphs. But can the pen move paragraphs? Put a 100page book on a 51/4" disk? Turn a rough draft into final copy with only a few changes? Can it truly edit without a trace of correction, and produce formatted, doublespaced, automatically pagenumbered text?

Maybe we're not being fair to the erasable pen, but it should be made clear that word processing is more than just a computerized typewriter. Such a "word processor" would be a few lines long:

10 OPEN 1,4 20 INPUT A\$ 30 PRINT#1,A\$ 40 GOTO 20

When RUN, the program flashes the cursor and waits for a line to be typed. When you hit RETURN, the line is sent to the printer. You can move the cursor left and overstrike or use the DEL key to make changes to the line before you hit RETURN and print it out. But once it's on paper, it's committed. Too late to make any changes.

With a true word processor, you type everything in first, then print the whole thing out. Before you print, you can make as many changes as you want. A good word processor lets you change any line, swap paragraphs, and manipulate your text in numerous other ways. You can buy such a word processing program for your VIC or 64 for \$40 to more than \$100, depending on the features.

Or you can type in "SpeedScript." Even if you already own a commercial word processor for your VIC or 64, we think you'll be pleasantly sur-

prised. SpeedScript offers all the standard features, plus others you may not have seen before. And there are nearly identical versions for both the 64 and VIC (with 8K or more expansion memory).

#### **Entering SpeedScript**

First, you'll need to type in SpeedScript. Programs 1 and 2 look long, but they are only about 4.5K, shorter than most BASIC games. The mass of numbers are machine language. Only with machine language do you get such power, speed, and compactness. Unfortunately, machine language isn't as easy to enter as a BASIC program. To aid with all the typing, we've developed MLX, the machine language editor. Be sure to read and understand the MLX article before you begin typing in SpeedScript.

Type in and SAVE the MLX program. The VIC version will require the 8K expander, both for MLX and SpeedScript. When you are ready to enter Speed-Script, turn your machine off and on (to clear it out), then enter one of these two lines before you load MLX:

for the VIC:

POKE 44,37:POKE 9472,0:NEW

for the 64:

POKE 44,27:POKE 6912,0:NEW


You can then load MLX from tape or disk, and enter RUN. MLX will ask for the starting and ending addresses. The starting address is the first number in the listing: 2049 for the Commodore 64, and 4609 for the VIC-20. The ending address is the last number plus five: 6842 for the 64, and 9342 for the VIC-20. After you enter this, follow the instructions in the MLX article to enter the listing. We've entered it here, and it takes only a few hours (you can stop, save your work, and continue typing in several sessions). No matter what your typing speed is, rest assured that it will be well worth your effort.







#### Get more out of your Commodore.



#### PIPES\* For the VIC-20 and Commodore 64.

Arlo is a hard-working plumber, but a touch absent-minded. He's building a water supply system for the whole neighborhood, and he really has his hands full. Help Arlo decide what kind of pipe to buy and where to put it...his limited budget doesn't leave him much margin for error. Figure out the shortest, most economical way to get everyone hooked up...and just hope poor Arlo has remembered to open and close the right valves. A marvelously entertaining and challenging exercise in planning, economics and spatial relationships for all ages.




Look for complete promotional details inside each speciallymarked box of our year's biggest hits. Or talk to your Creative Software dealer. See how creative your Commodore really can be!

CREATIVE

#### **Get Creative!**

#### SAVE NEW YORK™ For the Commodore 64.

It was as peaceful a day as New York ever gets, when suddenly the sky went dark and a monstrous droning noise filled the air. Hordes of grotesque aliens were swooping down from all sides, biting into the Big Apple as if they hadn't eaten for days. They were laying eggs, too. Horrible slimy things that got down into the subway tunnels and began clawing their way up. If anyone was going to save the city, it would have to be me. I leapt into my rocket and began blasting away. I thought I stood a fighting chance, but fuel's running low...another wave of invaders on the horizon...signing off...



SOFTWARE

#### Award-Winning Hits for your Commodore



#### CHOPLIFTER\* For the Commodore VIC-20.

Those are our men they're holding hostage! We don't care how you do it, but you've got to shoot your way in there and bring 'em back alive. You've got three choppers, probably not enough but it's all we can spare. And the enemy camp is pretty heavily fortified. With tanks, jetfighters and truly nasty laser bombs. Okay, maybe it's a suicide mission, but somebody's got to do it. Dozens of innocent lives are at stake. We're counting on you... don't let them down!




Now you can play some of America's hottest computer games on your Commodore, and get a FREE introduction to Home Management Software. It's our way of showing you that action-packed gaming is only the beginning of your Commodore's capabilities.

C R E A T I V E

#### with a Free Software Bonus.

#### SERPENTINE\* For the Commodore VIC-20.

In the Kingdom of Serpents, the only rule is eat or be eaten. Three huge and evil red snakes are slithering through a complex series of mazes, closing in on your good blue serpent from all sides. Move fast and watch your tail! Try to survive long enough to let your eggs hatch into reinforcements. Swallow the magical frogs or your enemy's eggs and you can get the strength to go on ... but look out to your left ... and ahead of you! They've got you surrounded, and it looks like meal time.





It can teach you. Manage your family finances. Even help you buy a new car. And now, for a limited time only, when you buy one of our specially-marked games you'll receive a certificate good for one of our Home Management Programs absolutely free.

SOFTWARE

#### **Getting Started**

After you enter SpeedScript with MLX, you can just LOAD it like a BASIC program. As a matter of fact, you can make copies of it with the SAVE command, as usual (SAVE "SPEEDSCRIPT" or SAVE "SPEEDSCRIPT",8 for disk). After you LOAD, enter RUN.

The screen will be light gray or white with black (or dark gray) lettering. The top line of the screen is highlighted.

The blinking cursor shows you where text will appear when you begin typing. You cannot type on the top line of the screen. This is the command window, and is used by SpeedScript to ask questions and display messages. When a message is displayed, it will remain until you

begin typing again.

To get started, just begin typing. If a word you're typing won't fit on the screen line, the word and the cursor are moved to the next line. This is called word wrap, or parsing. It makes your text much easier to read on the screen, as words are never split across the margin. Another thing to notice is that a back-arrow appears if you press RETURN. This marks the end of a paragraph or line. It is not necessary to press RETURN at the end of each screen line, as you must do when reaching the end of a line on a typewriter.

Most of us, being human, are not infallible, so you may need to correct your typing mistakes. This is a big advantage of a word processor. You fix your errors before you print, so there's no messy fluids or special ribbons (Did you ever have to manually erase on a typewriter?—ugh!)

If you want to backspace, press the INST/DEL key in the unSHIFTed position. The cursor backs up and erases the last letter you typed. You can press it as many times as necessary to back up to the error, then retype the rest of the sentence. This is clearly not the best way to do

things. Instead, you can move the cursor nondestructively. The cursor control keys are in the lower-right corner of the keyboard (see Figure 1: Keyboard Map). The CRSR left/right key moves the cursor to the right, and when SHIFTed moves the cursor left. Before you can correct the error, you have to move the cursor to the word in question. For example, to correct this line:

#### Now is the rime for all good men

The cursor is moved to the "r" (cursor-left 21 times):

Now is the Mime for all good men

The letter "t" is typed:

#### Now is the t∏me for all good men

And the cursor is moved to the end:

Now is the time for all good men

Resume typing:

Now is the time for all good men to come to the aid of they're country.

Another error! We typed "they're" instead of "their." No problem.

In the above example, of course, you don't have to press the cursor-left key 21 times. You can just hold down the cursor-left key. It will repeat, and keep moving until you let go.

#### English Cursor Controls

You can also move the cursor in ways that make sense in plain English. For example, if you hold down SHIFT and press the f1 function key, (which is how you get f2), the cursor jumps back to the previous word. To correct the error in the example above, just press f2 five times. You can then press f1 five times to go back to the end of the sentence and resume typing. Here is a list of what the function keys do:

f1: Move cursor to next word.

**f2:** Move cursor to previous word.

f3: Move cursor to start of next sentence.

f4: Move cursor to start of previous sentence.

f5: Move cursor to start of next paragraph.

**f6:** Move cursor to start of previous paragraph.

SpeedScript recognizes a sentence by the ending punctuation (. or ? or !), or by a RETURN mark (back-arrow). A paragraph is any sequence of characters that ends in a RETURN mark (a RETURN mark by itself, which you can use to make blank lines, counts as a paragraph).

Since you're working with English, the cursor up-down keys do not move up or down exactly one screen line. Instead, they act like f3 and f4. Cursor-down moves to the next sentence, and cursor-up moves to the previous sentence. This is easier to understand for many people, but it takes some getting used to for others.

As you begin to move the cursor around, you'll notice that you cannot move the cursor past the end of text. There is an invisible marker, sometimes called End Of File (EOF) at the end of the document. You can add text to the end of your document, but you cannot move past it, since there's nothing there. In a very few cases, you may see some text past the end of file, but you can't move to it, so ignore it.

Many of the other keys behave predictably. The CLR/HOME key in the unSHIFTed position moves the cursor to the top of the screen. If you press it twice, it brings you to the top of your document (in case the document is longer than one screen). The insert key (SHIFT-INST/DEL) inserts a space at the cursor position. You can press it as many times as necessary to make space for inserting a word. You

44 COMPUTEI's Gazette January 1984

### Flight Simulator II

the Commodore of



Put yourself in the pilot's seat of a Piper 181 Cherokee Archer for an awe-inspiring flight over realistic scenery from New York to Los Angeles. High speed color-filled 3D graphics will give you a beautiful panoramic view as you practice takeoffs, landings, and aerobatics. Complete documentation will get you airborne quickly even if you've never flown before. When you think you're ready, you can play the World War I Ace aerial battle game. Flight Simulator II features include animated color 3D graphics day, dusk, and night flying modes over 80 airports in four scenery areas: New York, Chicago, Los Angeles, Seattle, with additional scenery areas available user-variable weather, from clear blue skies to grey cloudy conditions complete flight instrumentation VOR, ILS, ADF, and DME radio equipped navigation facilities and course plotting World War I Ace aerial battle game complete information manual and flight handbook.


#### See your dealer . . .

or write or call for more information. For direct orders please add \$1.50 for shipping and specify UPS or first class mail delivery. American Express, Diner's Club, MasterCard, and Visa accepted.

Order Line: 800/637-4983

SUDLOGIC Corporation 713 Edgebrook Drive

713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995





must do when reaching the end of each screen line, as you must do when reaching the end of a line on a typewriter.

Most of us.

Most of us.

Most of us.

infallible, so you may need to correct your typing mistakes.

This is a big advantage of a word gour error before a word gour error before so not messy this is a big advantage of a word gour error before so not messy this is a big advantage of a word gour error before so not messy this is a big advantage of a word gour error before so not messy this is a big advantage of a word manually error to do not not be to be a special ribbons (did wou ever have to manually error und:).

can also go into insert mode, where every letter you type is automatically inserted. In insert mode, it is not possible to overstrike. You enter or leave insert mode by pressing CTRL-I.

Normally when you type a key, that letter or symbol appears. Certain keys, such as CLR/HOME, however, perform a function. SpeedScript extends this idea and places all the command keys in an easy-to-remember order. For example, insert mode is turned on or off by pressing CTRL-I. (To use a control key, hold down CTRL while you type the other key.)

When you enter insert mode, the command window changes color to remind you. If you press CTRL-I again, you're back in normal overstrike mode, and the command window reverts to its usual color.

CTRL-Z moves you to the bottom of your document (end of file). It's useful for adding text to the end. If you want to check how much memory you have left for typing, press CTRL and the equals (=) key. You have about 45K of text memory on the 64, and about 5K on the VIC-20 with 8K expander. SpeedScript takes advantage of all the available RAM on the 64.

To accommodate personal taste and video clarity, you can change the screen and text colors to any combination you want. CTRL-B (think "background") changes the screen color. You can keep pressing it until a color you like comes up. CTRL-L ("letters") changes the text color. If you have a color monitor, you can get some really interesting combinations.

The RUN/STOP key is like a TAB key. It inserts five spaces at the cursor position. You can use it for indenting, or to add indentation to a paragraph previously typed.

If you want to change the case of a letter or word, position the cursor on the letter and press CTRL-A. It will switch from

lower- to uppercase or vice versa. CTRL-A moves the cursor to the right, so you can hold it down to change more than one letter. Another handy command is CTRL-X, or Transpose. It will switch two adjacent letters. My most common typing mistake is to wsitch (switch) two letters while I'm typing fast. With CTRL-X, it's easy to exchange the two letters without overstriking (which is useful in insert mode).

#### **Text Deletion**

With a typewriter, if you don't like what you've typed, you can tear the paper out, crumple it up, and dunk it into "file 13." With a word processor, this satisfying act is accomplished with but a few keystrokes.

With the DEL key, you can erase the last letter typed. If you're in the middle of text and press it, you'll notice that the character the cursor is sitting on is pulled on top of the previous character, and the rest of the text follows along. It sounds a little confusing, but it's easy:

#### The quick brown fox juunmped over ■

Cursor is moved to error:

#### The quick brown fox juun ped over


DEL is struck twice, deleting the erroneous characters:

#### The quick brown fox juumped over The quick brown fox jumped over

If you don't want the text to be pulled back, you can press the back-arrow key. It will just backspace and blank out the previous character without pulling the adjacent characters backward. Another way to delete is with CTRL-back-arrow. The cursor does not move, but the following text is "sucked into" the cursor. It is like a tiny black hole

If you want to strike out a whole word, sentence, or para-

TAKE A BREAK! Commodore of



## WITH NIGHT MISSION PINBALL

You deserve the best. You've earned it. Now reward yourself with a session of Night Mission PINBALL, the most realistic and challenging arcade simulation ever conceived! ■ Stunning graphics and dazzling



sound effects put Night Mission PINBALL in a class by itself. Game features: multiball and multi-player capabilities, ten different professionally designed levels of play, and an editor that lets you create *your own* custom modes. ■ So take a break with Night Mission PINBALL from SubLOGIC. Winner of *Electronic Games* magazine's 1983 Arcade Award for Best Computer Audio/Visual Effects.

#### See your dealer . . .

or write or call for more information. For direct orders please add \$1.50 for shipping and specify UPS or first class mail delivery. Illinois residents add 5% sales tax. American Express. Dine's Club. MasterCard. and Visa accepted.

Order Line: 800/637-4983

Sublogic

Corporation 713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995 graph, it's time for a more drastic command: CTRL-E. When you press CTRL-E, the command window turns red (to instill fear and awe). You see the message:

#### Erase (S,W,P):

Each time you press one of the three keys, a sentence, word, or paragraph is pulled toward the cursor and deleted. You can keep pressing S, W, or P until all the text you want to remove is gone. Then press RETURN to exit the Erase function and resume writing. Erase will remove text to the right of the cursor. If you are at the end of a sentence, word, or paragraph, you can use Delete (CTRL-D) to erase backward. CTRL-D displays:

#### Delete (5, W, P)

and immediately returns to the normal mode after its work is done. As an analogy, CTRL-Delete is like the DEL key, and CTRL-Erase is like CTRL-backarrow.

What if you pressed one key too many in the Erase command? What if you change your mind? Oh, no! What if you accidentally erased the wrong paragraph? On most word processors, you're out of luck. But with SpeedScript, you can retrieve the crumpled-up piece of paper and "uncrumple" it. Within certain limitations, SpeedScript remembers and stores the text you Erase or Delete. If you change your mind, just press CTRL-R.

Here's how it works. When you Erase text, the text is moved from the main screen into a fail-safe buffer, a reserved area of memory. The Commodore 64 version of SpeedScript reserves 12K for the failsafe buffer and the VIC-20 version has 1K.


There's another valuable use for the buffer, too. You can move text by putting it in the buffer and recalling it at the destination. Just Erase the paragraphs, words, or sentences you want to move, then place the cursor where you want to insert the text and press CTRL-R (think "Restore," "Retrieve," or "Recall"). In a flash, the text is inserted. If you want to copy (rather than move) a word, sentence, or paragraph, you can restore the deleted text with CTRL-R, then move the cursor and press CTRL-R to insert the deleted text again. You can retrieve the buffer contents as often as you like. For example, if you

use a long word or phrase often, just type it once, Erase it, then use CTRL-R to have the computer type it out for you.

You should be aware that CTRL-E and CTRL-D will clear the previous buffer contents. When you move one paragraph, then go back to move another, you don't want to have both paragraphs merged together the second time. Additionally, if CTRL-Delete added text to the buffer instead of replacing the buffer, CTRL-R would insert the text entries out of order, since CTRL-D deletes "backward."

If you want to move two paragraphs at the same time instead of separately, you can override the replacement and cause CTRL-Erase to add to the end of the buffer. Just hold down SHIFT with CTRL as you press E. If you want to force the buffer to be cleared, you can use CTRL-K (Kill) to clear the buffer. If you try to delete more than the length of the buffer (12K on the 64, 1K on the VIC), you'll see "Buffer Full". Stop and move the text, or use CTRL-K to clear the buffer to erase some more.

Finally, if you really want to wipe out all your text, there is a way. (Beware: You cannot re-





general tax form. Taxpack guides you easily through every aspect of the form with friendly prompts and a comprehensive instruction manual. This new software is available on cassette tape and will run on the standard 3.5k memory in your Commodore VIC 20 home computer.\*

Taxpack lets you tackle your income tax form at your own pace. A convenient save-and-restore function lets you record and review historical results. Professional editing features assure easy and accurate data entry. Taxpack puts the power of tax modelling and planning for subsequent years in your hands, today.

availability. So easy to order

To use your Visa or Mastercard, phone us toll free; or, send your cheque or money order with the handy mail-order form attached. We'll confirm your order by return mail. Your up-to-date Taxpack cassette and manual will be shipped within 15 days of the release of the

preview more tax scenarios with

dollars. Custom-tailored to the Canadian T1 general form, Taxpack

within days of the new T1's

patience or the time to do manually, this software can help you save tax

will be updated every year to reflect

changes in the government's income

tax regulations. Innovative program design allows us to update Taxpack

Taxpack than you'd have the

call us toll-free:

1-800-268-6364 (from B.C., call 112-800-268-6364)

us a note to say why, and return the product post paid to us within 10 days for a full refund of the purchase price.

		1000		650
TW	ant	Ta	wros.	cla.

\_Taxpacks @ \$29.95 Please send me . Nova Scotia residents only, add 10% Sales Tax Add \$2 per unit shipping and handling charges Total

\$	
+\$	
+\$	
4	

My Name

Address

City

Province

Postal Code

Telephone

Make Cheque or Money Order payable to: Cosmopolitan Software Services Limited 1983 T1 general form. and mail with this order form to: Box 953, Dartmouth, Nova Scotia B2Y 3Z6

Attn: Order Desk

<sup>\*</sup>The cassette also includes an expanded version of Taxpack with enhanced display features, for the Commodore VIC 20's with 8k+ memory expansion

cover from a total clear.) Press SHIFT-CLR/HOME. You will see:

#### ERASE ALL TEXT: Are you sure? (Y/N):

If you really want to erase all the text, press Y. Any other key, including N, will return you to your text unharmed. You should use this command only when you want to start a new document, as it is one of the few ways to lose text beyond recovery.

#### Search Feature

When you are lost in the middle of a big document and want to find a particular word or phrase, the Hunt command comes in handy. Press CTRL-H and you'll see:

#### Hunt for:

Enter the word or phrase you want to find, then press RETURN. SpeedScript will locate the word and place the cursor on it, scrolling if necessary. If the phrase is not found, you'll see a "Not Found" message in the command window.

The first time you use Hunt, SpeedScript will search for the phrase from the top of the document. Pressing CTRL-H again will find the next occurrence of the search phrase after the cursor position. You can search for a new phrase without waiting to get "Not Found" for the previous phrase by holding down SHIFT while you press CTRL-H.

There are some tricks to using Hunt. For example, if you search for the word "if," SpeedScript will match it with the embedded "if" in a word like "specific." Should you just want to find the word "if," search for "if" followed by a space. Also, searching for "if" will not match with the capitalized "If."

#### Saving And Loading

What makes a word processor truly great is that you can save your typing to tape or disk. Say you're writing a term paper. You type it in and save it to disk. Your teacher returns the rough draft with suggested corrections. Without retyping the entire paper, you just load the original, make some changes, and print it out. A 5½" disk can hold more writing than a briefcase! You can also write in stages: save your work as you go along, then come back to it at another time. Saving and loading alone elevates word processing far above any other means of writing.

To save your work, press f8 (SHIFT-f7). You will see:

#### Save:

Enter the name you want to use for the document. Follow the standard Commodore filename rules, such as keeping the name to 16 characters or less. Press RETURN, then press either T or D, answering the prompt TAPE OR DISK?.

After the Save is completed, you'll see NO ERRORS (hopefully). If there was an error during the save, such as no disk in the drive, or a disk full error, SpeedScript will read the error channel and display the error message. You'll get the error "file exists" if you try to save using a name that's already on the disk. If you want to replace the file, prefix the name with the characters "@:", such as "@:Document". This is called "Save with Replace." You can also press CTRL- (up arrow, explained below) and scratch the file before you save.

Press f7 to load a file. You may want to use SHIFT-CLR/HOME to erase the current text first. The Load feature will append text starting wherever the cursor is positioned. This lets you merge several files from tape or disk into memory. If the cursor is not at the top of the file, the command window will change color to warn you that you are performing an append. You should add text only to the end of the file, as the end-of-file

marker is put wherever the load stops. Also, beware that you can crash SpeedScript if you try to load a file and don't have enough room (a file longer than available memory).

You can use CTRL-V to Verify a saved file. Verify works like Load, but compares the file with what's in memory. It's most useful with tape, but you can use it with disk files, too.

SpeedScript files appear on the directory as PRG, program files. The documents certainly aren't programs, but since the operating system has convenient Save and Load routines, the text files are just dumped from memory. This is also more reliable for tape. You can load files created on some other word processors, such as WordPro or PaperClip, but you may have to do some reformatting. If the upper- and lowercase come out reversed, you can hold down CTRL-A to transform the entire file.

#### Other Disk Commands

Use CTRL-4 (think CTRL-\$, as in LOAD"\$",8 from BASIC) to look at the disk directory. You will not lose whatever text you have in memory. While the directory is being printed on the screen, you can press CTRL to slow down the printing, or the space bar to freeze the listing (press the space bar again to continue).

You can send any other disk command with CTRL- 1 (uparrow). It may not seem easy to remember, but I think of the arrow as pointing to the disk drive. The command window shows a greater-than sign (>). Type in the disk command and press RETURN. By referring to your disk drive manual, you can do anything the commands permit, such as Initialize, New, Copy, Rename, Scratch, etc. (also see "Getting Started With A Disk Drive," a continuing series in COMPUTE!'s GAZETTE). If you press RETURN without entering a disk command,

#### Separate Sep THE THE PARTY OF T S. Britanis Strange Strang C. Market Branch S manun S To Sale of the Sal To the state of th S COSTS REGISTER STATES OF THE THE PARTY OF THE P Control of the Property of the September 19 Septe A STATE OF THE PARTY OF THE PAR THE STREET STREET To the state of th THE STREET STREET THE STREET OF TH TO THE PARTY OF TH September of the septem Salar THE SECOND SECON Tide Scale of the State of the See of the E.W. S. H. S Secretary Secret THE SELLING THE SECTION OF THE SECTI Super Street of the Street of September 1 THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO PE Solin A Silvin A Solin Time of the second PH ORIGINAL PROPERTY OF THE PR S. Adario The complete information controls system for the Commodore 64. A STANDARD OF THE con State Constitution

The World Famous Commodore 64.

September 2

A ROTTING

No matter what your business or interest, with Superbase 64 you have a totally flexible record'system, as big as you want it, as fast as you need it.

TOTAL CONTROL Links to other programs and EASY SCRIPT for and EASY SCRIPT for personalised mailings, personalised mailings, high-quality letters, high-quality letters, except the state of the s

English like commands English like commands for easy conversational programming, plus built-in BASIC

Create your own formats, enter your records, change layouts and datafields.

Superbase gives you unrivalled control in home or office, business or YOUROWN professional practice, with RECORDS a range of features including:

DATABASE MANAGEMENT Easy to understand menus
Add or amend fields,
or alter length - lots
rebuilding needed
automatic batch processing

automatic batch processing

Option Calendar arithmetic for effective time management

enective time marray Display quantities enter them, as you

Formulae for on-screen calculation.

Precision Software

Precision Software (USA), Inc. New YORK N.Y. 10128 (212) 410 3418



FASTACCESS

ton for any

unitary into any

tegores though

on any criteria

( commodore

#### Table 1: Clip-Out Quick Reference Card—Editing Commands

CTRL-A: Change case CTRL-B: Change background color CTRL-D: Delete CTRL-E: Erase CTRL-H: Hunt CTRL-I: Insert Mode CTRL-K: Clear buffer CTRL-L: Change lettering color CTRL-P: Print CTRL-R: Recall buffer CTRL-V: Verify CTRL-X: Transpose characters CTRL-Z: End of document CTRL-4: Disk directory CTRL-†: Send DOS command CTRL-£: Enter format key f1: Next word f2: Previous word f3: Next sentence f4: Previous sentence f5: Next paragraph f6: Previous paragraph f7: Load f8: Save Cursor Up: Previous sentence Cursor Down: Next sentence Cursor Left/Right: As implied CLR/HOME: Erase All Back-arrow: Backspace CTRL-Back-arrow: Delete character **RUN/STOP:** Insert 5 spaces


#### Table 2: Clip-Out Quick Reference Card—Format Commands

\_\_\_\_\_\_

Format commands in column one are entered with CTRL-£.

Cmd	Description	Default
	left margin	5
r	right margin	75
t	top margin	5
b	bottom margin	58
h	define header	none
f	define footer	none
w	wait for next sheet	no wait
a	true ASCII	
u	underline toggle	
c	center line	
e	edge right	
#	page number	
1-9	see text	

#### Figure 2: Clip-Out Function Key Overlay



SpeedScript displays the disk error message (if any). It may be obvious by now that CTRL-†is much like the DOS wedge.

#### PRINT!

At last, we get to the whole point of word processing—the print-out. Actually, you can use SpeedScript without a printer. If you and a friend each have a copy of SpeedScript, you can exchange letters on tape or disk, ready to load and view. You can get a lot of text on one tape or disk. And if you have a friend with a printer and a VIC or 64, you can bring SpeedScript and your files.

Mell, State to the whole point on ice touch.


Well, State that and me power commands to learn me commands the text, but is printed to do things limited to the commands to learn me commands the text, but is printed to do things limited to the commands to learn me commands the text, but is printed to do things limited to the commands to learn me commands the text, but is printed to do things limited to the commands that and me power commands the text, but is printed to do things limited to the commands that and me power commands the text, but is printed to do things limited to the commands that and me power commands the text, but is printed to do things limited to the commands that and me power commands the text, but is printed to do things limited to the commands that and me power commands the text, but is printed to do things limited to the command to the command that and me power commands the text, but is printed to the command to the com

Before your text can be printed, it must be formatted. The text must be broken into lines with margins, and there has to be a way to divide the output into pages. For those with pinfeed paper, we also need to skip over the perforation. Of course, it would be nice to be able to automatically number all pages. And why not let the computer center lines for you, or

block them edge right? You should be able to change the left and right margin anytime, as well as line spacing. Headers and footers at the top and bottom of each page would add a really nice touch.

Well, SpeedScript does all that and more. But with that power comes the responsibility to learn more commands. These commands do not act directly on the text, but control how the text is printed out. Some commands do things like change the left margin, while others let you do things with the text like centering or underlining. Remember, the formatting commands will not change how the text on the screen looks. They affect only the hardcopy (what's on paper).

Thanks to several default settings, you can print right away without using any printer commands. If you press CTRL-P, SpeedScript will make several assumptions and begin to print. A few of these assumptions are: left margin of five spaces, right margin at 75 (meaning a line



#### Outsmart your computer.

Show your computer who's boss. Earn its respect. With a Datamost book.

No matter what age or ability level you're at, we have the right book that talks just to you. And your computer. Whether you own an Apple.\* An Atari.\* Or just about any brand.

All our books are incredibly easy to

understand.

Which will make it incredibly easy to understand your computer.

What If You're Scared Of Books About Computers?

Don't be.

Our books are written in friendly, familiar American English. Highlighted with cartoons. And illustrations. So they're fun to read. As well as educational.

And there's over 30 books to choose from. Basic computer learning books to programming books to coloring books.

You won't be bombarded with complicated programming routines until you're ready for

complicated programming routines. And no funny technical talk until you've reached

the level where you don't think it's funny.

We'll tell you what you need to know. And then, when that's understood, you can take the next step toward outsmarting your computer.

Before You Spend Big Bucks On A Computer, Spend Little Bucks.

Once you've decided, kind of, almost, nearly, what type of computer you think you'd like to buy, buy a Datamost book.

It'll help you understand the Atari or the Commodore\* or the Apple of your eye.

Before you spend a lot of money. Before you take your computer home.

You'll make a better purchase decision. Because you'll understand what you're doing. And what you and your computer can do together.

So there won't be any misunderstandings to ruin your new relationship.

How To Get The Most Out Of Your Computer. Get the most out of our minds.

Datamost books for every computer.

Everybody. Every level.
Pretty smart, huh?

The most out of our mind

Datamost, Inc., 8943 Fullbright Ave., Chatsworth, CA 91311, (213) 709-1202

\*Atari is a trademark of Atari Computer, Apple is a trademark of Apple Computer.

\*Apple Computer Apple Comput




## HOTWARE sale for grownups

LUXURY, FACILITY OR NECESSITY?



COMPUTER MECHANIC • Tune up your car with computer diagnosis • Teaches auto maintainance • Diagnostic guide • Data base for car records • Prevents car failure!
List \*49°°. Sale \*29°°. (Tape or Disk)



PROGRAMMERS TOOL KIT • Access hi-res graphics • Draws and fills in rectangles, ovals, circles for bar charts, pie charts, and line graphs • Creates single-multi color sprites easily moved • Double width characters • Load and save all memory blocks • Extends and enhances basic • A must for serious programmers!

List \*49°°, Sale \*29°°, (Tape or Disk)



PERSONAL ACCOUNTANT • Easy to use • Double entry accounting system • Home and business • 3 integrated programs • Simultaneously post entries • Compiles financial reports • Large data base • Breaks down expenses • Amortization and payment schedules!
List \$49°°. Sale \$29°°. (Tape or Disk)



MODEL DIET • Lose weight • Analyze your diet • Based on government research • Tracks calorie intake • Personalizes your diet • Keep fit and healthy!
List \*49°°. Sale \*29°°. (Tape or Disk)

• LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY
• BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS



PROTECTO
ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order





enter them with CTRL-English sound sign. 

to II Left marsin default 5. The left marsin is the number of spaces to indent for each line.

Erl Right marsin, default 75. The left marsin, default 75. The left marsin, default 75. The left marsin to get the right marsin.

Corresp in 112 (hifc)Page - 18)-+

The header used when this article
was written -+

Let begins footer. Just like
header, but appears at the hortow of
each sage. A centered page number
within parentheses.+

Catrip-in 132 (e)(c)(18)+

In! Next page. This command
forces the printer to skip to the next
page - 2 control of the position on the
University page. -
Other Commands -
Check commands do not change printer

length of 70 characters), and double spacing. If you want to change these settings, you'll need to use the formatting commands.

#### Entering Format Commands

The format commands are single letters or characters that appear on the screen in reverse video. To get a reverse video letter, press CTRL and the English pound sign (next to the CLR/ HOME key). The command window will prompt "Key:". Now press one of the format letters, such as "r" for right margin, or "c" for center. That letter will appear in reverse video (within a "box," with its colors switched). SpeedScript recognizes only lowercase letters and some symbols as commands.

#### Changing Printer Variables

The printer variables are values such as left margin, right margin, line spacing, top and bottom margins, etc. They are called variables because they can change. For example, to quote a passage within your text, you may indent it by increasing the left margin, and also change to single spacing to set it apart. You would then want to switch back to normal margins and double spacing for the rest of the paper.

To change a printer variable, just follow the reverse video letter with a number. Do not leave a space between a letter and a number. You can put the format commands anywhere in text, though I prefer to group them together on a line of their own. Here is an example setting:

#### 01006051010050+

To set off these format commands, I'll show here that they are in reverse video by enclosing them in brackets. You'll enter them with CTRL-English pound sign.

[1] Left margin, default 5.

The left margin is the number of spaces to indent for each line.

[r] Right margin, default 75. This must be a number less than 80, which is the number of characters that can fit on a line. Add the line length you want to the left margin to get the right margin.

[t] Top margin, default 5. How many blank lines to skip from the top of the page to the first line of printing. Should be at least 5.

[b] Bottom margin, default 58. A number less than 66, which is the number of lines on an 8½" × 11" sheet of paper or pinfeed paper. Do not use a bottom margin more than 58.

[h] Define header. The header is printed at the top of each page, if you specify one. To define the header, begin a line with [h], enter the header text, then press RETURN. Example:

#### Maccounting Procedures←

You can embed a format [c] after the [h] to center the header, a format [e] to block the header edge right, and a format [#] any place you want a page number to appear. Examples:

A centered page title with a dash on each side:

#### Mapage -M-+

The header used when this article was written:

#### M⊡Brannon/ "SpeedScript/∭€

[f] Define footer. Just like header, but appears at the bottom of each page. A centered page number within parentheses:

#### (II) (II) e

[n] Next page. This command forces the printer to skip to the next page, regardless of the position on the current page.

#### Other Commands

These commands do not change printer variables, so they are usually embedded within a line.

[u] Underline—place on each side of a word or phrase to under-

### G-64-V/G-220

# THE EVERYTHING BOOK For The COMMODORE C-64 VIC-20 HOME COMPUTER

- HOW-TO Information on expanding your system
- GAMES The newest, the best, the most
- GIANT Software Directory over 500 descriptions
- Peripherals and Accessories
   Hundreds of items: printers, joysticks, disk drives, plotters, modems, monitors & much more!
- DISCOUNTS! And Easy Order Info


GET IT FREE!

Just Call Us Toll-Free 1-800-348-2778

Or send your name and address to: TENEX, Box 6578, South Bend, IN 46660 (219) 277-7726







line. It works by backspacing and overstriking an underline symbol on top of each character. Some printers, including the VIC 1525, do not support the backspace command, so underlining will not work on these printers.

[c] Center—place this at the start of a line you wish to center. Remember to end the line with RETURN.

[e] Edge right—like center, but will block the line to the edge of the right margin.

[#] Page number—When SpeedScript encounters this symbol, it prints the current page number.

#### **User-Definable** Codes

Many printers use special socalled escape sequences to control printer functions such as automatic underlining, boldface, italics, super/subscripting, elongated, condensed, etc. These codes are either ASCII numbers less than 32 (control codes) or are triggered by an ESCape character, CHR\$(27), followed by a letter or symbol. For example, for the Epson MX-80 with Graftrax, italics is turned on with ESC 4. You should study your manuals to learn how to use these codes. Since most of the control codes and the escape character are not available from the keyboard, SpeedScript lets you define the format commands 1-9.

If you enter [1] = 65, then every time the reverse video [1] is encountered during printing, that character (65 is the letter A in ASCII) is sent to the printer. For example, SpeedScript uses the back-arrow for a carriage return mark, so you can't directly cause a back-arrow to print on the printer. Instead, you can look up the ASCII value of the back-arrow, which is 95. You would enter [1] = 95, say, at the top of your document. Then, any place you want to print a back-arrow, just embed a [1] in your text. The first four numbers are predefined so that you don't

have to set them, but you can change their definition:

[1] = 27 (escape), [2] = 14(elongated, most printers), [3] = 15 (elongated off), [4] = 18(condensed).

A fascinating possibility is to trigger the bit graphics capability of your printer. For example, you could define special characters. On the VIC 1525, you could send a graphic box (for a checklist perhaps) with:

#### N=82=150=2550=193 TRACE Toothpaste

This would appear on the printer as:

□ ToothPaste

#### **Printer Compatibility**

SpeedScript works best, of course, with a standard Commodore printer. However, we have used it with several other printers such as the Epson MX-80, an Okidata Microline 82A, and the Leading Edge Prowriter (NEC 8023), via an appropriate interface. The interfaces I've used are the Cardco Card/Print and the Tymac Connection. Any interface that works through the Commodore serial port should be fine. SpeedScript will probably not work with an RS-232 printer attached to the modem/ user port. SpeedScript may operate with some interfaces which emulate a Centronics port on the user port via software, as long as the software does not conflict with SpeedScript. If you can get your printer to work fine with CTRL-P, skip the next few paragraphs to avoid confusion.

The Commodore printers and most interfaces use a device number of 4. (Other device numbers are 1 for the tape drive and 8 for the disk drive). If you have more than one printer attached with different device numbers, you can enter this number by holding down SHIFT while you press CTRL-P. You'll be asked to enter the device number and the secondary address. Incidentally,

you can get a rough idea of page breaks before printing by using a device number of 3, which causes output to go to the screen.

The secondary address is a command number for the printer. For Commodore printers or interfaces which emulate the Commodore printer, the secondary address should be 7, which signifies lowercase mode. The default device number, 4, and the default secondary address, 7, are automatic when you press CTRL-P without holding down SHIFT.

If your interface cannot even partially emulate a Commodore printer, you will have a few problems. First of all, the numbers Commodore uses to describe characters, called PETASCII by some, do not correspond with standard ASCII, which most non-Commodore printers use. The result is usually that upperand lowercase come out switched. SpeedScript lets you get around

this if you place a format [a] at the top of your file.

You also need to use the [a] if you want to bypass the emulation offered by the interface. You may do this to be able to activate your printer's special function codes which are often intercepted and interpreted by the interface. You will also have to use a different secondary address. I'll have to bow out and suggest you scrutinize both your printer's manual and that of the interface.

#### **Pinfeed Versus** Single Sheet

The pinfeed or tractor feed is the cheapest and most common paper delivery system for printers. Some printers, however, have a platen like a typewriter and can accept single sheets of paper, such as stationery or company letterhead paper. Normally, SpeedScript prints continuously, skipping over the perforation

that divides continuous pinfeed paper.

If you are using single sheets of paper, you need SpeedScript to stop at the end of each page, tell you to insert a new sheet, then continue. If you place a reverse video [w] (for Wait) at the top of your file (again, use CTRL-English pound sign to do this), SpeedScript will do just that. When you get to the end of the page, insert a new sheet, then press RETURN to continue printing.

As you can tell, SpeedScript is a truly comprehensive word processor. I used it to write this article, and it is becoming popular here at COMPUTE! Publications, where writing is a main activity. Although SpeedScript is ultimately easy to use, it may take you a while to master all the features and variations. I hope your adventure will prove to be fascinating and fruitful.

See program listings on page 172. @

#### HARD WORKING APPLICATIONS SOFTWARE FOR VIC-20 and COMMODORE-64

OMNICOMM intelligent telecommunications program. Use your VIC or C-64 as a smart terminal. Capture text for storage or tape or disk or send it to your printer. Send pre-saved text files from tape or disk to other computers. VIC version only \$34.95, 64 version \$39.95.

OMNIFILE file manager. Our popular versatile data file manager for the VIC-20 is now available on the C-64. Use for inventories, collections, mailing lists, and a variety of other information handling applications. VIC version only \$15.95, 64 version \$19.95.

DRILLMASTER quiz and drill system, complete with state capitals and vocabulary quizzes, only \$13.95 for the VIC, \$17.95 for the 64.

OMNITEST educational system. Combines OMNIFILE and DRILLMASTER in one package to allow you to create your own quizzes and drills on any subject, at any level, VIC version only \$24.95, 64 version \$29.95.

The above programs are available on tape or disk, VIC versions require a minimum of 8K expansion memory, 16K recommended for OMNICOMM

NEW (For Commodore-64) **OMNIFILE REPORT GENERATOR To** update your existing OMNIFILE \$15.95, when ordered with OMNIFILE only \$12.95.

See your dealer or order direct from Software To Go 1948 Oak Ridge Turnpike Oak Ridge, TN 37830 615-482-9592 Add \$1.50 shipping and handling per direct order. Visa and Mastercard accepted. Dealer inquiries invited.









## The Inner World Of Computers

#### Part 3: How A Computer Remembers

Tom Prendergast

This month's installment examines how computers store information in memory, how you can manipulate that information with PEEK and POKE commands, and how a computer stores a BASIC program.

here have been lots of fan letters (at least two) wanting to learn more about the ELFS (ELectronic FingerS) that work the microswitches inside your computer.

Keep those letters coming, folks.

There's one thing we'd like to clear up at the beginning, though. Some people thought it was cruel to shrink programmers down to ELF-size so they could be squeezed into a computer. That's not what we said! We said some genius noticed that the ON/OFF pattern of the front-panel switches on the early mainframes looked like binary and began to program the switches in binary. Then, since hand-setting was no longer necessary, the switches were moved inside. So it was the program and not the programmer that was put inside the computer—there's a big difference.

The earliest computers, full of vacuum tubes and wires, were called "giant brains." They were as big as the side of a barn, but they weren't as brainy as an unexpanded VIC of today because they were four-bit computers, with *nybble*-sized 60 COMPUTEI's Gazette January 1984

(four-bit-wide) memory cells. You might call them the "four-fathers" (Ouch!) of the VIC and 64, which have eight-bit (*byte*-sized) memory cells.

Four bits limit you to 16 possible binary ON/OFF switch-patterns—0000, 0001, 0010, 0011, 0100, 0101, 0110, 0111, 1000, 1001, 1010, 1011, 1100, 1101, 1111—if you remember our "15-cent computer" of two months ago. You can crowd a heckuva lot more information into an eight-bit byte, because the powers of two double the possibilities with every bit you add.

Even so, you can do a lot with four-bit nybbles. Hexadecimal is read in nybbles, and the VIC-20

uses nybble chips in color memory.


ELF joke: How many ELFS does it take to change a light bulb? Eight if it's a light bulb, but only four if it's a color bulb.


computer's brain is a lot like ours, although it's a lot smaller, because it's divided into different sections that remember different things. There's a section that remembers what color it was using (color memory), a section that remembers where it put certain things (the *stack*), sections that remember how to do arithmetic and what the letters of the alphabet are.

A PEEK is like reading a computer's mind because it tells you the different kinds of informa-

tion stored in a memory cell.

### Be Amazed!





#### Telengard: How low can you go?

We've created a subterranean monster. Fifty stories low.

That's the number of levels in the TELENGARD dungeon.

Each labyrinthine level holds hundreds of dark chambers and tomb-like corridors for the mighty adventurer to explore. It goes without saying that a shifting collection of hideous monsters with unpredictable behavior patterns can make life in the TELENGARD maze quite interesting—and frequently quite short!

Using wits, magic and true grit, your character delves deeper and deeper into the depths of TELENGARD in this realtime fantasy role-playing game. Available on cassette for Commodore® 64, Atari® Home Computers (40K), TRS-80® Mods. I/III (32K) and PET® 2001 (32K) for a ghoulish \$23.00. 48K diskettes for Apple® II, Atari®, Commodore® 64 and TRS-80® available also, for \$28.00.

AND FOR THOSE WHO DON'T DIG UNDERGROUND GAMES... There's B-1 NUCLEAR BOMBER, a nail-biting solitaire simulation of a manned B-1 on a mission over the Soviet Union. Your plane is equipped with six Phoenix Missiles, a one megaton warhead and orders to retaliate! Cassette for Commodore 64, Atari Home Computers (32K), T199/4 & 4A (16K), VIC-20 (16K), Timex/Sinclair 1000 (16K), and TRS-80 Mods. I/III (16K) are available for an explosive \$16.00. Diskette versions for Apple (48K), TRS-80 (32K), Atari (24K) and IBM (48K) just \$21.00.

NUKEWAR: Defend your country by massive espionage efforts, or by building jet fighter bombers, missiles, submarines and ABM's. Your cold and calculating computer will choose its own strategy! Cassette for Commodore 64, VIC-20 (16K), TRS-80 Mods. I/III (16K) and Atari Home Computers just \$16.00.

FOOTBALL STRATEGY: Animated action on a scrolling field. A head-to-head challenge or solltaire as you select the best offensive or defensive plays in response to your opponent. Commodore 64, Atari Home Computers (32K) and TRS-80 Models I/III/IV (16K) cassette for \$16.00. Atari (32K), IBM (64K) and TRS-80 Models I/III/IV (32K) diskettes available at \$21.00.

T.G.I.F.: Thank Goodness It's Friday! Avalon Hill's new party game for one to four players recreating an often-not-so-typical week in the lives of the working class. Half the fun is just making it from Monday to Sunday. Commodore 64, Atari Home Computers (40K) cassette for a meager \$20.00. Atari diskette (48K) for \$25.00.

**AVAILABLE WHEREVER GOOD COMPUTER GAMES ARE SOLD** or call Toll-Free: 1 (800) 638-9292 for the name of a store near you. Ask for Operator C.

#### microcomputer games

a Division of the

#### **Avalon Hill Game Company**


4517 Harford Road, Baltimore, MD 21214 U.S.A. Earth

\* Trademarks of Tandy Corp., Apple Computers, Commodore Business Machines, Warner Communications and International Business Machines.











If you count the ASCII and CHR\$ codes (see the charts in the back of the VIC and 64 manuals), you'll find there are 256 of them. You have a code for every letter of the alphabet, the decimal numbers from 0 to 9, punctuation marks, graphics—plus codes that call up functions, such as CHR\$(147), which clears the screen.

A fully expanded VIC, PET, Apple, Atari, or Commodore 64 has 65536 memory cells, each of which can remember up to 256 different switching-patterns (thought patterns.) Some cells are "hardwired"—the Read Only Memory (ROM) cells—and can't be changed. But you can change anything in Random Access Memory (RAM) with a POKE.

You can POKE any number up to 255, but when you get to the limit of ON-bits a byte can hold—11111111 (255)—that's it! The next number would be 256 (100000000), and that's 9 bits—too many bits for an eight-bit byte. If you POKE 256 or higher, you'll get an ?ILLEGAL QUANTITY ERROR.

By the way, don't you just love those error messages? What's so illegal about asking for something that isn't there? And the question mark before ILLEGAL is a dead giveaway that they're not quite certain it is illegal. But that's not the ELFS' fault, it's a canned message in ROM memory. When you get a little deeper into machine language, you'll be able to change error messages to anything you want. Like, SORRY, SWEET-HEART—TRY AGAIN. You do this by changing the "pointer" (sort of like an ELF bird dog) to point to a different block of memory cells where your new message is stored.

Here's a short program to show you what we're talking about. It POKEs different characters into the RAM cells that are "mapped" to the screen:

- 10 SC=7680:PRINT CHR\$(147):POKE 36879,7
- 20 FOR CELLS=0 TO 505:POKE SC+CELLS, 79:NE
- 30 PRINT"[15 DOWN] [RVS] [4 SPACES] PRESS SP ACEBAR[4 SPACES]"
- 40 GET SPACEBAR\$: IF SP\$=""THEN 40
- 50 POKE SC+CH, CH:PRINT CHR\$(19);:PRINT"
  [14 DOWN] [RVS] CODE NUMBER"; CH"
- 60 CH=CH+1:GOTO 40

Note: For the Commodore 64, change lines 10 and 20 as below:

10 SC=1024:PRINT CHR\$(147):POKE 53281,7 20 FOR CELLS=0 TO 999:POKE SC+CELLS,79:NE

When you RUN the program, the screen divides itself into little cells. Now watch the top left HOME cell and press the space bar. @ appears in that memory position, with the CODE NUMBER 0 in reverse below.

Press the space bar again and the letter A appears in the second cell. The code number changes to 1 (its POKE value). Keep pressing the

space bar until you've filled up the first 256 screen cells with all of the characters and graphics in character ROM.

Don't press the space bar to POKE beyond code 255, though. You did? You overloaded the byte and got an ?ILLEGAL QUANTITY ERROR IN 50, right? Don't say we didn't warn you!

OK. So we've learned how to POKE things into RAM. Now let's take a PEEK to see how BASIC stored our program in memory. Clear the screen because we're going to see a lot of numbers and you don't want them scrolling off the screen.

Now list line 10 (type LIST 10 and RETURN), and directly below—with no line number—type

this:

FOR I=ØTO31:PRINT PEEK(4096+I);:NEXT

For the 64, use PEEK(2048+I)

Make sure you've included the semicolon after the second parenthesis, then type RETURN.

This is what you should see for the VIC (the 64 display will be slightly different):

READY.
LIST 10

10 SC = 7680:PRINT CHR\$(
147):POKE 36879,7

READY.
FOR I = 0TO31:PRINT PEEK
(4096 + I);:NEXT
0 32 16 10 0 83
67 178 55 54 56
48 58 153 32 199
40 49 52 55 41 58
151 32 51 54 56
55 57 44 55 0
READY.

What do all these numbers mean? Each one represents the byte stored in the 32 memory cells storing line 10. VIC program storage starts at 4096 (2048 is the starting address for the 64), so that accounts for the first zero. That zero is a "null byte"—sort of a place marker—and so is the zero at the very end marking the end of line 10 in memory.

The next two numbers are actually one twobyte number because it's a *pointer* pointing to the memory address where the NEXT program line is stored. (Line 20 has a pointer in front of it pointing to where line 30 is stored, and so on, for every line to the end of the program.) The VIC, 64, Apple, and Atari hitch two bytes together to form an address. This means you can have an address as high as 65535 (111111111111111111 in binary), but figuring out addresses gets really complicated because the bytes are hitched together backwards and the *high byte* follows the *low byte*.


#### SOFTWARE BREAKTHROUGH from SOFFRON, INC.

#### The Do It Yourself! Book™

For the Vic 20® Comprehensive tutorial with 26 programs ready to load and run!

- Game Design
- · Hi-Res & Multi-Color
- Smooth Animation
- Sound Effects
- · Character Editor
- BASIC Utilities
- Computer Art Computer Music
- Machine Language
- Full Explanations
- Complete Listing
- Exercises

Available soon for the Commodore 64®. \$27.95 Book and Cassette



## SOFTRON: INC

#### PIZZA TIME!™

For the VIC-208 20 levels of progressive, fast action maze game! All machine code, multi-color arcade action for the VIC-20. Two players, joystick, 8K expan., \$22.95 cassette

#### **Keyboard** Soft/Lay ™

For the VIC 20®, Commodore 64® No more endless paging through manuals and books! All you need is immediately at your fingertips! BASIC commands, memory locations, memory map, printer codes, music notes, and more... \$8.95

Ask for these Softron™ products at your favorite computer store. or directly from us: 150 Nassau St. Suite 2024 New York, N.Y. 10038 212-608-2922 Orders only 800-328-8029 Dealer inquiries invited.



#### Ez/Disk™

For the VIC 20,8 Commodore 648 Now even you can use a disk drive! No more lengthy BASIC commands...so easy to use...

#### Press one key for:

- · Disk directory · Load, save, verify
- Read errors
- Format new disk
- Compress files
- Delete
- · Load, save machine language files
- · Back-up files · Rename
  - More utilities

And enter only program name for:

EZ/Disk"

Call the menu anytime... All without losing your BASIC program in memory! EZ to understand—unnecessary manual included!

\$29.95

Fortunately, there's a little ELF in there that does all the figuring when a program is running, but if we want to figure it out, we have to multiply the high byte (16 for the VIC, 8 for the 64) by 256 and add the low byte (32) to it. Quick now, what's the starting address for line 20?

Hang in there—we're coming out of the dark-

ness into the light.

The number 10 looks familiar. What do you suppose it represents? It's the "10" of line 10! The zero following the 10 is the high byte of the line number. Like addresses, line numbers are kept in low byte/high byte form. The 83 and 67 are the ASCII coding for S (83) and C (67) of our SCreen variable SC.

Now we're going to throw you a curve. You might expect that the equal sign would be ASCII coded, too, but it's not. In this particular case, the equal sign is an *operator*, and the token code for = is 178. All BASIC operators are tokenized—squeezed into a byte. PRINT, for instance, which has five letters and would need a location for each letter in ASCII, when tokenized to 189 requires only a single cell. This saves a lot of memory space. You don't save any memory by tokenizing a one-character operator like = but CHR\$ and POKE are operators and use only one cell.

If you count the number of characters in the listed version of line 10, then count the numbers,



Now there's a printer that's worthy of your Commodore VIC/64. The Alphacom 81 Printer from E. Arthur Brown Company. Its super smooth mechanism gives you high speed (80 cps.) and high resolution (80 dpi.) in a package no bigger than a 3 ring binder. Measuring approximately 13" s 9" x 3 1/2" and weighing only 6 1/2 lbs., the Alphacom 81 takes very little desk space and fits inside a briefcase when traveling. Yes, it's small. But it gives you a full 80 column printout with clarity and resolution unmatched by printers costing hundreds of dollars more. The secret is in its advanced thermal printing mechanism. It provides quiet, efficient printing at an affordable price. The Alphacom 81 uses inexpensive 80 column white thermal paper (8 3/4" x 83") which you can choose in either blue or black printout It features continuous and bit mapped graphics with the full Commodore character set. Carriage return, line feed, and form feed are standard and it plugs directly into the serial bus connector.

**To Order:** Send \$199.95 plus \$6.95 for shipping and insurance along with your shipping address. Extra paper is \$10.95 for 2 rolls. Specify blue or black. Visa/Mastercard accepted. Include card number and expiration date. Phone orders: Call 612/762-8847. Foreign Customers: Call or write for foreign shipping charges.

Write For a Free Brochure of Our Other Products

E. Arthur Brown Company

1702-CGM Oak Knoll Drive, Alexandria, MN 56308

you'll find that tokenizing saves you eight bytes: 39 versus 31. There is another reason for tokenizing besides saving memory. The BASIC interpreter, which converts your BASIC programs into machine language (which can be executed by the computer), can only understand instructions in tokenized form. That is, when the interpreter sees the number 153 it knows you want to print, but it does not understand the letters PRINT.

We're going to leave the rest of the numbers up to you to figure out. One trick is to use the operator tokens as landmarks (see the list below for the tokens used in the program), so that any numbers in between must be ASCII. The ASCII code for the digit 0 is 48, for instance; 1 is 49, and so on, in sequence up to the 9, which is 57.... The left parenthesis "(" is 40 in ASCII, the right parenthesis ")" is 41, and a space is 32. You'll find the rest of the ASCII code on page 145 of the VIC manual and on page 136 of the 64 manual.

So that's how an ELF remembers. Some of this may have seemed complicated and roundabout—all the different codes, numbers that aren't numbers, binary, hex—but it's something that's been worked out over the years, and it works!

That's not to say that someone won't think of an easier and quicker way of doing things. A few years from now, we'll be heehawing at today's computers as hard as we heehaw at the big monsters of just a few years ago. You can bet that the computers of the future will be as different from today's machines as rockets from the highwheeled bike.

Next month we'll take you inside a computer for a guided tour of ELFland. And we'll also show you an easy way to convert decimal to binary that's so simple you can do it in your head. (Who said you need a computer to compute?) Until then, may the ELFs be with you.

OPERATOR	TOKEN NUMBER	
FOR	129	
NEXT	130	
GOTO	137	
IF	139	
POKE	151	
PRINT	153	
GET	161	
TO	164	
THEN	167	
PEEK	194	
CHR\$	199	



## Getting Started With A Disk Drive

Part 3: More Disk Commands

Charles Brannon, Program Editor

More on the disk commands, and simplifying them with the DOS wedge.

ast month, we covered many aspects of disk use, from formatting a disk to LOADing, SAVEing, and VERIFYing BASIC programs. I suggest you get that back issue if you haven't seen it yet.

The disk drive, like your computer, has its own microprocessor and memory, which makes it a computer in its own right. This intelligence lets it perform many of the tasks that the computer itself performs on other personal computer systems.

This saves computer memory, since no program is required for essential operations (called the Disk Operating System, DOS). Also, since the disk drive has some independence, it can execute the command you send it, then let the host computer go on to some other task. This is *multitasking*: two microprocessors working together to perform separate tasks simultaneously.

All your VIC or 64 has to do is send an "English-like" command to the drive. As discussed last month, you first have to open up the lines of communication (a channel). This line:

**OPEN 15,8,15** 

does that trick. The first number can be almost

anything. It is just a *code number* that subsequent commands will use to identify this particular channel. The second number, 8, signifies the disk drive. Here is a list of device numbers for Commodore devices:

1 = Cassette

 $2 = RS-232 \pmod{m}$ 

3 = Screen

4 = Printer

5–7 = Expansion (other printers)

8=Disk drive


9=Another optional disk drive

The last number, 15, is the secondary address, also known as the command number. In our case, this number tells the disk drive that all input/output through this channel will be communication with the drive's command channel, rather than data to be read or written. We'll cover other uses of the secondary address when we get into reading and writing our own data files.

After we've OPENed our channel, we can send commands in BASIC with PRINT# (say, PRINT-file), or request information from the drive with INPUT# (you got it, INPUT-file). Last month, we tried out the NEW command that formats a disk (prepares it for storage). The form of NEW is:

PRINT#15,"N:disk name,ID"

Remember that the PRINT#15 will not work



unless we've first OPENed file 15. If you don't OPEN a file, yet try to access it, you'll get the obvious:

#### ?FILE NOT OPEN ERROR

Another possible error is:

#### ?DEVICE NOT PRESENT ERROR

You'll usually get this if you don't have the device (disk drive, printer) turned on, attached, or "ready" (some printers have a "local" mode where you control it from its console rather than from the computer).

ere's another command that you'll use a lot. Everyone has files on his disk that he no longer needs. The files may be temporary files, obsolete, or even incorrect. You may also need to remove files from a disk to free up some room on the disk for a new file. The SCRATCH command allows this. Its format is:

#### PRINT#15,"S:filename"

Again, the command itself is inside the quotes. The PRINT#15 is just BASIC's way of sending a command. We'll cover another way to send commands with the DOS wedge a little later.

After you send the SCRATCH command, the drive goes to work and BASIC instantly comes back with READY, even though the disk is still spinning. This can be a little misleading. You cannot remove the disk yet—not while the red "busy light" shines and the disk motor is on. But you are free to use your computer for other tasks, such as LISTing a program on the screen.

If you try to send another disk command before the drive has finished SCRATCHing the file, the computer will "hang" while it waits for the drive to finish, then sends the command and returns READY. This process is known as "pipelining."

You can use the asterisk (\*) wildcard with SCRATCH, but do be careful. For example,

#### PRINT#15,"S:ENERG\*"

erases all files on the disk beginning with "ENERG" such as "ENERGY FILE", "ENERGY BASE", "ENERGIZE", etc. It will not remove a file called "SOLAR ENERGY". As you can tell, the asterisk is powerful but dangerous. If you sent:

#### PRINT#15,"S:\*"

every single file on your disk would be SCRATCHed, quite a catastrophe if done by mistake. I generally do not use the asterisk with SCRATCH, just to be safe. If you're not sure what a file's name is, you can always LIST the directory with LOAD "\$",8.

After you SCRATCH a file, it leaves a "hole" behind. If you had three files on a directory:

Ø	"DEMO DISK	"	QZ	2A
2	"TINSELTOES"			PRG
3	"SPACEFACE"			PRG
1	"SMELDGEOIDS"			PRG
65	8 BLOCKS FREE.			4

and SCRATCHed the middle one:

Ø	"DEMO	DIS	SK	11	QZ	2A
2	"T]	INSI	ELTOES"			PRG
1	"SN	MELI	OGEOIDS"			PRG
66	1 BLOC	CKS	FREE.			

then there is an invisible gap left between what is now the first and second files. This can be confirmed by writing another file to the disk. Let's say you write a program:

10 INPUT "AMOUNT";A 20 PRINT "4% SALES TAX:";A\*1.04

then SAVE it as "TAXCOMP". The directory would then look like this:

Ø	"DEMO DISK	11	QZ	2A
2	"TINSELTOES"			PRG
1	"TAXCOMP"			PRG
1	"SMELDGEOIDS"			PRG
66	Ø BLOCKS FREE.			

It's sometimes necessary to change the name of a file. Perhaps you've merely changed your mind, don't like the existing name, or want to use an existing filename for another file. The disk drive lets you RENAME a file.

#### PRINT#15,"R:new name = old name"

For example, to change the nondescript "GAME1" into "SPACE THIEF", use:

#### PRINT#15,"R:SPACE THIEF = GAME1"

This is one of the few commands that readily makes sense.

Another disk command is COPY. It lets you copy a file onto the same disk with a different filename. It can be used in this manner to make convenient backup copies of a file on the same disk. Another use is to move files. If you want to place another program at the top of the disk, for example, COPY the existing program to the disk with a different name, SCRATCH it (which leaves behind a "hole,") then RENAME it. Now you can SAVE the file you want at the top of the disk since it will fill the hole left by the SCRATCHed file.

COPY has a really strange syntax:

PRINT#15,"C0:new file = 0:other file"

I've found you can shorten it to:

PRINT#15,"C:new file = other file"

In fact, RENAME was also shortened from "R0:NEWNAME = 0:OLDNAME". The shorter

## Last Year Over 20,000 Americans Were Committed To Asylum.

nce people enter Asylum, they don't want to leave. And neither will you.

Inside this thrilling adventure game from Screenplay<sup>™</sup> challenges lie around every corner, behind every door. There are hundreds of doors, too!

You've gone crazy

from playing too many adventure games. You've been placed in the asylum to act out your delusions. To cure yourself, you must make good your escape.

There's no one you can turn to for help. Almost every turn leads to a dead end. Or worse, vigilant guards stand in your way. If you can't outmuscle them, can you outthink them? Inmates line hallways offering help.

Asylum runs in 48K on the Atari, Commodore 64 and IBM PC computers. See your local software dealer. \$29.95.

But can they be trusted?

While getting out of the asylum may take months, you'll get into our

game instantly.

Smooth scrolling three dimensional graphics give you a very eerie sense of reality. This feeling is also heightened by the use of

full sentence commands.

No wonder thousands of people bought Asylumlast year, and PC World recently named Asylum one of the top ten games for the IBM PC.

Play Asylum. All you have to be committed to is fun.

Box 3558, Chapel Hill NC 27514 800-334-5470

form, with the drive number (0) deleted, works just fine:

#### PRINT#15,"R:NEWNAME = OLDNAME".

COPY cannot copy a file to a different disk or disk drive. It does have another use. You can use COPY to "glue" several files together under a different name. This merge operation is useful for combining two or more data files into one. Again, all the files have to be on the same disk. You can combine up to four files. The syntax here is trickier than ever:

#### PRINT#15,"C0:newfile=0:file1,0:file2,0:file3,0:file4"

The filename "newfile" (or whatever you call it) will be a merge of file1, file2, file3, and file4. Fortunately, you can shorten this command, too:

#### PRINT#15,"C:newfile = file1,:file2,:file3,:file4"

The drive number, again, was left out, since there is only one drive in the 1541 (as opposed to the earlier dual-drive 2040 and 4040 for CBM computers). If you only want to chain two files together:

#### PRINT#15,"C:newfile = file1,:file2"

Notice that the last file in the command need not have ",0" or "," added to the end. Fortunately, few people will ever need to use this variant of the COPY command.

By the way, some of you may be thinking that COPY would be a convenient way of merging two programs, such as a main program and a subroutine. Indeed, Commodore Disk BASIC 4.0 uses COPY for its APPEND command. But since COPY just tacks the files together, it leaves the "end of program" marker between the two files. When you LOAD the combined program and LIST or RUN, the computer sees only the first program, even though the second one is there, using memory. It is possible to remove the end of program marker, but the technique is not brief enough to include here (cheer up, Disk BASIC 4.0 can't do it either).

There are many other disk commands, but most of the rest will be useful only to programmers. We'll cover two of the more arcane ones, though: Validate and Initialize. The form of both commands is simple:

PRINT#15,"V" for validate PRINT#15,"I" for initialize

What do these do? Initialize causes the disk light to shine, and the disk whirs, spins a bit, then quits. Validate will take quite awhile to finish, then will seemingly have done nothing when you look at the directory. To understand these two commands, we'll have to take a look at the BAM—the Bit Access Map (or Block Availability Map).

There are 683 blocks on one disk. Each block holds 256 bytes, giving you a potential 174,848 bytes of space.

(By the way, a sector size of 256 bytes would seem to indicate double density, since single-density drives use only 128 bytes per sector, so maybe you should buy double-density grade disks. On the other hand, the classification is usually reserved for drives with more than 35 tracks. Try several brands and grades of disks and see which works best for you.)

Somehow, the disk drive has to keep track of which blocks have been used for files, and which are available for future use. Were it not for this housekeeping, a new file could overwrite a previous one. The BAM is stored on the disk as a block of bits, where each bit (on/off, 1 or 0) specifies whether the sector in the corresponding position as the bit is allocated or not (the twelfth bit denotes sector 12). When a file is written, the sectors used are noted in the BAM. In fact, the last line of the directory: xxx BLOCKS FREE, is computed from the BAM.

DOS does not read the BAM every time it needs the information. Usually, DOS reads the BAM once, and stores it in its own memory. It will then update the BAM on the disk when it's done. If you change disks, however, the drive may get confused. It may try to write new files with the old BAM, then write the old BAM to the new disk. Scramble city! The old BAM may say that certain sectors are available, but they might not be on the new disk.


Fortunately, DOS checks the disk's ID before it tries to write a file, or change the BAM. The drive is helpless, however, if you have NEWed (formatted) both disks with the same ID. This is why it is vital that every disk have a unique ID number.

You can prevent this possible catastrophe with Initialize. Initialize forces the drive to read the BAM from the diskette. It also resets some other minor DOS variables. Some people revere Initialize with religious fanaticism, refusing to write to a disk without the ritual of OPEN 1,8,15,"I" (yes, you can send a command via the filename in OPEN).

In practice, it can't hurt. In fact, sometimes the disk head will find itself in an intermediate position between tracks, usually when jostled. The disk can't figure out where it is, since it can't read its signposts which were put on the disk during formatting. You can set the disk straight with an Initialize, which tells it to "go home." (Home is track 18, where the BAM and directory are stored.)

Validate is more useful. It reconstructs the entire BAM by tracing each file on the directory, noting which sectors are used. After it's traced

# BECOME AN INTREPID SPACE ADVENTURER...



by William Muk CoCo version by Roger Schrag Apple version by Gordon Eastman Atari and Commodore 64 version by John Anderson

Far beyond the known galaxies, you venture deep into the vast reaches of outer space. But you are not alone! In a flash, without so much as a how-do-ya-do, they're in hot pursuit and you're left to do before you're done unto. Can you elude your pursuers? Will you elude your pursuers? And who are these guys anyway? Find the answers to these and other compelling questions in AREX. See your dealer today!

AREX . . . Coin-op arcade realism at home for 1 to 2 players.

042-0172	\$34.95
160-0172	\$34.95
162-0172	\$34.95
060-0172	\$34.95
	\$34.95
	\$34.95
	\$34.95
	\$34.95
012-0172	\$34.95
	160-0172 162-0172 060-0172 160-0172 162-0172 132-0172

# .. OR FLY HIGH IN THE WORLD OF HIGH FINANCE

by George Schwenk TRS-80 version by Dave Simmons CoCo version by Roger Schrag

"Yas, after purchasing diamond mines in South Africa, oil wells in Saudi, and rare beer cans in Walla Walla, Washington, I had begun to wonder what other trendy commodities remained to be added to my swelling portfolio. Then a snip of a ticket girl dared to tell me (ME, Hartley J. Wormsflather III!) that my flight was overbooked. To avoid future misunderstandings, I bought the airline."


"I think I'm on to something profitable here." Hartley J. Wormsflather III

AIRLINE . . . A no-holds-barred strategy game for 1 to 4 players.

ATARI 400 & 800 / CoCo / Model 1 & 3 16K TAPE . . 140-0169 \$24.95



a subsidiary of Scott Adams, Inc. BOX 3435 • LONGWOOD, FL 32750 • (305) 862-6917 Prices Subject To Change Without Notice



To order, see your local dealer. If he does not have the program, then call 1-800-327-7172 (orders only please) or write for our free catalog. DEALER INQUIRIES ARE INVITED!

through all the files, it can then rewrite the newly created BAM to the disk. This can sometimes give

you more blocks free on the directory.

Some error or discrepancy in DOS occasionally causes it to misallocate sectors. It may fail to free up blocks, or, rarely, fail to allocate them. These accumulated bit errors can add up to a lot of wasted disk space over time, since the disk won't write to an allocated sector. Validate finds out the truth, so you can sometimes free up disk space unexpectedly.

It's worrisome when this happens, though, since it proves that DOS has made minor errors. If DOS failed to allocate a sector, then that sector could be used by another file, destroying the

original file.

Another bug seems to be related to BAM. When you load one program yet get another, the pointers on the disk which identify the starting sector of each file have become switched or garbled. This problem is also accompanied by sectors of the original file which have become overwritten, so there is no way to recover. This problem happens most often with frequently used disks or those which are full. It can also happen when you forget to use the "0:" prefix when SAVEing to disk (SAVE "0:program",8).

Validate can sometimes clear up these confused disks. It can also aggravate it, since the directory from which Validate computes the BAM

may be incorrect itself.

You may be tired of always having to OPEN 15,8,15 to send a command. And no one likes having to SAVE your program before you LOAD "\$",8 to LIST the directory. Well, Commodore hears you. It has thoughtfully provided a convenient shortcut for using the disk drive from BASIC. Just insert your TEST/DEMO disk and LOAD "C-64 WEDGE",8 or LOAD "VIC-20 WEDGE",8 and RUN. The program will then LOAD the actual wedge program (which is in machine language) and execute it.

The wedge adds a few single-key commands to BASIC. You can use these commands only in the immediate (READY) mode, not in a program. First, let's display the directory. Enter:

@\$

Magically, the directory scrolls by on the screen. You can hold down CTRL to slow it down, or press SPACE to freeze it. Press SPACE again to continue. And when it's finished, you still have your program in memory. Most useful.

You can also send any of the disk commands we've mentioned. Just replace the PRINT#15,

with @. For example:

PRINT#15,"R:newname = oldname"

would be:

### @R:newname = oldname

Remember the small one-line program from last month that will read the error message if the red light is blinking?

### 10 OPEN 15,8,15:INPUT#15,EN,EM\$:PRINT EN;EM\$:CLOSE15:END

Quite a lot just to read the error message. The wedge makes this trivial. Just enter the @ and hit RETURN, without sending a command. If there is no error, you'll see:

00, OK,00,00

Otherwise, you'll see something such as:

63, FILE EXISTS,00,00

For a complete list and description of DOS error messages, see Appendix B in your disk drive manual.

With the wedge, you should never have to remember to add ",8" to the end of a LOAD or SAVE. Instead, two single-key commands, / (divide-by, on? key) and the back-arrow (upper-left corner), give you single-key LOAD and SAVE. To LOAD a program, enter:

### /program

If you would like to LOAD and RUN in one step, use the up-arrow:

†program

SAVEing is easy with:

← 0:program

If the file exists on the disk already, you may want to SCRATCH it first, or use @0: in place of

0: (called Save with Replace).

There's another convenience, too: You don't have to enter the filename. Just list the directory with @\$, then stop it (RUN/STOP) when you see the name you want. Move the cursor up to the directory and just type the / or 1 in the first column, and hit RETURN. The wedge will ignore the quotes, spaces, and extraneous "PRG" business, and go to work.

One more wedge command: the % replaces LOAD "name",8,1. This is known as a nonrelocatable load. You would use the % key to LOAD

machine language programs:

### %UNNEW

It has an advantage over using BASIC's LOAD command. It will not change the end-of-variables pointer. What this means is that you won't get an ?OUT OF MEMORY ERROR after you use it. You can therefore use it to LOAD machine language without disturbing a BASIC program in memory.

Since the DOS wedge "wedges" into BASIC,

# and your Vic 20

with ARCADE - STYLE games from MICHODIGITAL!



Your mission, should you decide to accept it, is to capture tokens and keep a sharp eye peeled for the gremtins that are chasing you. A fast, action-packed maze and chase game with high-resolution graphics and excitment-building seund.


# EXCITING! JOYSTICK-CRUNCHING!

A new generation of grid game with super color graphics and areade - like sound. You are a lonely little painter who must completely paint increasingly complex grids before the nasty grid chasers catch you! There are 256 different grids to challenge you.



# THRILLING! FANTASTIC!

A space game filled with exciting graphics and life-like sound! You've got to land your galactic lighter craft beyond the defenses of a hostile enemy while lasering and bombing through tunnels, caverns, and a cily maze, and outmaneuvering rockets, wiggles, and meteor showers.



CHY REAL WARRANTS

SOON for Commodore 64



## JUST LIKE THE REAL THING!

An action-packed pinbat game featuring 1 or 2 players, realistic gravity, flippers, high-resolution graphics, and super pinball sounds. You pull the plunger flip the flippers, light the lights, and rack up the points. But watch out you can TILT!

FREE VIC 20/64 POCKET Reference Guide

FAST and SMOOTH! Programmed in machine language!




Commodore 64 17 and VIC 20 1 are registered trademarks of Commodore Business Machines In

See your local retailer today or call MICRODIGITAL toll free at 1-800-833-7384 or in NY 716-872-0518. TECH2 SOFTWARE, INC. • P.O. Box 1110 • Webster, NY 14580. Dealer inquiries invited.

# **ARE YOUA SMART BUYER?**

For \$89.95 this is a smart buy if you're looking for a place to store your computer, peripherals, and accessories without spending a fortune.





The CS 1632 computer storage cabinets compact yet functional design fits almost anywhere while housing your computer monitor, joysticks, software, books and peripherals all for only \$89.95. The slide out shelf puts the computer at the right height and position for easy comfortable operation.

The fold up locking door keeps unwanted fingers off the key board when not in use. To store joysticks just turn them upside down and slide them into the inverted storage rack. Twist tabs on the back of center panel allow for neat concealed grouping of wires, while power packs rest hidden behind center

The slide out software tray has room for 14 cartridges or cassettes and up to 30 diskettes. Most brands of software will fit between the adjustable partitions with a convenient hook for the spare key at rear. Stand fits Atari 400 & 800, Commodore 64 & VIC 20, Ti 99/4A and TRS-80.

panel on shelf.

Cabinet dimensions overall 36" high x 33-7/8" wide x 16" deep. Cabinet comes unassembled. Assembly requires only a screwdriver, hammer, and a few minutes of your time.

Choice in simulated woodgrain, of warm golden oak or rich natural walnut finish



To order CS1632, send \$89.95 to: P.O. Box 446 West Linn, OR 97068 For Fast Phone Orders Call Toll Free 1-800-547-3100 Inside Oregon Call (503) 635-6667

City	State Zip
☐ Golden oak fin	ish Natural walnut finish
My personal check, cas	hiers check or money order is enclosed
Bill my VISA #	Exp. Date

Immediate shipment if in stock. If personal check is sent, allow additional 2 weeks Prices subject to change. Shipment subject to availability. Cabinet shipped unassembled in 2 cartons. Ships UPS frt. collect FOB Portland, Oregon.

it can make some programs RUN more slowly. If you want the wedge out of your way, just enter @O (for Ouit).

It's not easy to make a copy of the 64 version of the wedge, since it is in machine language. You should first SAVE the boot program "C-64" WEDGE" found on the demo disk, then type in and RUN the program accompanying this article, "Wedgemaker." It will SAVE the wedge from memory, so be sure you've already LOADed in the wedge from your demo/utility disk.

We've covered just about all the essential information this month. Remember that you can use many of these commands from applications such as word processors, too. Next month, we'll further our exploration by reading and writing our own data files. Until then, try out all the commands with a scratch disk until you get the hang of them.

## Wedgemaker

1Ø	REM 64 WEDGEMAKER	:rem	139
20	OPEN1,8,1,"Ø:DOS 5.1"	:rem	218
30	POKE780, 253: POKE253, 0: POKE254,	192:F	OKE
	781,90:POKE782,207:SYS65496	:rem	214
40	CLOSE1: END	:rem	1 28
			THE SAME



# COMMODORE 64 \$ 19995 \*

COMMODORE 64 only	\$199.95 *
* with the purchase	of
ne 1541 Disk Drive at	\$299.95
ne 1525E Printer at	\$279.95
ALL FOR	\$779.85
COMMODORE 64 only	\$199.95 *
* with the purchase	of
one 1541 Disk Drive at	\$299.95
ne 14" color monitor 1701	\$299.95
ALL FOR	\$799.85

\$199.95\* COMMODORE 64 only \* with the purchase of one 1541 Disk Drive at \$299.95 one 1526 Printer(FAST!) at \$339.95 one 1541 Disk Drive at

SX-100 PORTABLE!

COMMODORE'S

Full 64K

Color Monitor built-in

Disk drive built-in

FREE software package Completely compatible with

the Commodore 64 LOTS OF SOFTWARE AVAILABLE!

CALL US NOW -PRICES MAY BE **EVEN LOWER!** 

299.95	(includes itc/cable dir. connect	
799.85	ALL FOR	\$839.85
	COMMODORE 64	\$259.95
1541	Disk Drive	279.95
1525E	Dot Matrix printer; inc. direct	
	connect int/cable	269.95
1526	Dot Matrix printer; inc. direct	100000000000000000000000000000000000000
	connect int/cable	339,95
1701	14" Color Monitor, good quality	
1530	Datasette program recorder	69.95
1600	Modem (for VIC-20 / Com. 64)	79.95
1650	NEW! Auto dial/Ans. modem	109.95
VI	C-20 in stock-call for best pr	ice!
Soft	ware avail, for VIC-20 & Com. 64	-Call us!

Accessories from DATA 20

Z-80 Card For Commodore 64 \$269.95 80 Column Card For Commodore 64 169.95 40 Column Card For VIC-20 99.95 40 Column Card w/8K mem built-in for VIC-20 139.95 Video Pack 64K For VIC-20 329.95

FREE WITH PURCHASE of each Z-80 card, 80 column, 40 column or Video Pack 64, you receive the following:

Word Master word processor software Mailing List software Telecommunications software

Due to the tremendous demand of these products, goods are subject to availability.

Telex: 67 34 77 Toll-Free Phone Orders:
Toll-free (in CA) 800-252-2153 800-421-8045 (out of CA)
Order Desks open 6 days a week! 7:00 AM to 6:00 PM Mon Sat P.O. Box 74545 216 So. Oxford Ave. Los Angeles, CA 90004 Phone: (213) 739-1130 Cable: "OLYRAV" LSA



231-E S. Whisman Road

Mountain View, California 94041

nicer to live with.

So, if we missed

which case call

(415) 965-1735.

# Marion Taylor The Programmer Behind Touch Typing Tutor

Kathy Yakal, Editorial Assistant

It's much harder to use a computer if you don't know how to type. Judging from the number of typing tutorials available these days, and the success of many of them, lots of people are learning to type for the first time on their home computer keyboards. Here's a look at the programmer behind one of the best-selling typing programs available for the Commodore 64 and VIC-20.

The programmer is a woman. And she's been gainfully employed as a computer programmer for 28 years.

Those two facts make this month's subject of "Inside View" by Humbarto Ramirez, Lincoln Journal-Star.) a bit unusual. "I'm old enough to be the mother of lots of these people who are programming best sellers, and the grandmother of some of the kids that are using the programs," says Marion Taylor of Taylormade Software, the programmer behind Touch Typing Tutor.

That's not the only thing that sets Taylor apart from the usual software author, who is typically a



Marion Taylor, of Taylormade Software, displays several of her programs. (Photo

male under 30 years old. She's also a one-woman show. She works out of her home in Lincoln, Nebraska, and runs all aspects of her company: product development, marketing, and, of course, programming all of the products herself. That's becoming very unique in these days of rapidly expanding software companies and increasingly divided labor in the software industry.



# Scientific Background

Taylor was graduated with a mathematics degree from Pomona College in California and started her programming career on the first-generation vacuum tube computers. "That was before the days of computer classes," she says. "The company that hired you also trained you.

"Those first computers were not able to perform both scientific and business functions. The next generation was able to, but that was still prior to the days of high-level languages [such as BASIC]. Basically, you could only perform one run a day of a given program."

Due to her husband's job with the military and her own changing career, Taylor moved around the country quite a bit, living and working in a total of six states. She worked for places like Westinghouse, the University of Wisconsin, and the Livermore Radiation Lab.

# **Shifting Gears**

Then came a move to Lincoln, Nebraska, a job at the University of Nebraska, and the introduction of microcomputers. Taylor bought an Apple in 1979 and started writing programs on it in her leisure time.

But what started as a leisure-time hobby turned into a full-time obsession. "I found I couldn't work eight or nine hours a day, raise a family, and do all the programming I wanted to do on micros," Taylor says. "I decided to devote my work time to micros. That's where all the fun and creativity is."

Taylor didn't start out by programming games, as many programmers do. "I wanted to write programs that had lasting value. That led me to educational programming."


When the VIC-20 was introduced in 1981, Taylor switched her focus from Apple to Commodore because she liked its features, and because its low price made it very accessible to people. Then came the Commodore 64 and even more programming capability.

# More Than Fun

So what makes a good educational program?

"First," says Taylor, "it has to be educationally sound. It has to have lasting value—it can't be so simple that it can be done in 15 minutes. The writer of the program has to be familiar enough with school methods so the children aren't confused." This, she says, can be something as simple as using an asterisk in place of the multiplication sign in a mathematical program. If children are not familiar with BASIC programming, they don't know what that means.

An educational program must also go beyond what a child can read in a book. "Micros have the



Marion Taylor's Touch Typing Tutor.

potential to teach concepts in a more concrete way than books," she says.

Realizing that her sons had learned fractions in grade school but still didn't really understand them was an eyeopener for Taylor, and it led her to write another of her many programs, Fun Fractions. "I try to achieve a good balance between drill and instruction in what I write. That way, children can better understand what they're learning."

The graphics and sound capabilities of micros greatly enhance the educational process, says Taylor. She cites turtle graphics as an example of good educational software. "Children enjoy moving the turtle around the screen to build things, but they're really learning about loops, arrays, and other higher-level programming tools.

"But the fun aspect of a program is only one element of educational programs. Some of the programs on the market today deal only with that aspect and slight the educational side."

# What's Next?

The volatile nature of the microcomputer industry today makes it difficult to do long-range planning, Taylor believes. "I'm always planning new programs, because that's what I like to do. But it's difficult to predict very far into the future as far as what specific programs I'll be doing."

And though she admits that right now she's a bit of a shock to people, being an old hand at programming and a woman, Taylor expects to see more of that in the future. "People have always said that boys are better at math and science than girls. They learn better hand-eye coordination from an early age because of the types of things that they are encouraged to do. Having computer training in the schools from an early age will change that."



# This Christmas, Atari and Commodore owners will go out of their minds.

It'll take about 30 seconds.

Because once you boot a Datamost game on your Atari home computer, or your Commodore 64, you'll come face to screen with the most mind-blasting games ever.

And what better time to go out of your

mind than Christmas?

Our Music Will Have You Hearing Things. Going out of your mind never sounded so good.

Because now our games have music. You heard right. Music. Original Music. Through-

out. And scored just for our newest releases. You'll go nuts over it.

Our Graphics Will Have You Seeing Things.

You and everybody else.

Because our games are so greathow great are they? – they're so great you'll want to play them again and

again and again. And then your friends will go bonkers over them.

And they'll want to play. And then your family will want to play. And then total strangers off the street will want to play and...

Mind-blowing arcade-quality action like this makes it one mad world, pal.

We'll Torment You Right From The Start.

No time to settle down and get comfy.

The tension begins building the moment you boot the game.

Terrific screen titles tease you with the game's objective, scenario, characters.

And while you wait, hand twitching over the Joystick, you'll find out what planet you're on.

What the fuss is all about.

Why you're involved. And perhaps of singular importance to you personally, how to keep from being obliterated. So get ready to get the

most out of your mind.
By getting the most
out of ours.

The most out of our minds.

THE TAIL OF BETA LYRAE. Changes as you play. Unpredictable. Impossible to master. (No one has!)

Datamost, Inc., 8943 Fullbright Ave., Chatsworth, CA 91311, (213) 709-1202

Atari is a trademark of Atari Computer. \*Commodore 64 is a trademark of Commodore Business Machines, Inc. TM Registered Trademark of Datamost




COSMIC TUNNELS.™ Four games in one. Four times the challenge! Incredible graphics.



MONSTER SMASH.<sup>TM</sup> Deathly strategy. Mash the monsters! Let the visitors live.



NIGHTRAIDERS.™ Strafe a city under siege with 3D angled selective firing!



ROUNDABOUT.™ Sharpens your shoot 'em up skills. 24 different game screens. Habit-forming!



COHEN'S TOWERS, TOWERS AND You're the mailboy in a big city skyscraper. Work your way to the top.



MR. ROBOT.™ Screens scream with color, action and sound! Design your own screens, too.

# Cave-In For VIC

Paul L. Bupp and Stephen P. Drop

"Cave-In" is an excellent three-dimensional maze game which uses a screen-flipping technique to swap screen displays. The game requires a joystick and runs on the unexpanded VIC-20.

When you play "Cave-In," you become the newly appointed foreman of a mining operation. After completing your initial inspection, you believe that a cave-in is imminent. You realize that you must explore every tunnel to find and rescue all of the miners.

Taking into consideration your unfamiliarity with the mine, you decide to make a map of the shafts as you travel.


To refer to your map, push the fire button on the joystick. Push it again and you return to the mine. The dark circle on the map is where you started and must return to escape the mine safely.

Just as you expected, no sooner do you find the last miner and warn him of the danger than the cave-in begins. Now you have to get out before the falling rock traps you. Aren't you glad you made the map? (In the advanced game, however, you lose the map after the cave-in starts, so you must rely on your memory to recall the maze-like passages.)

# Other Game Controls

You may view instructions at any time by pressing the f1 special function key. However, once you see the instructions, you face a fresh maze upon returning to the game. To travel through the tunnels, change directions by moving the joystick right or left, and then move forward by pushing the stick forward.

Observe some precautions when typing this program. First, it requires using the Commodore key at the lower left of the keyboard. Some of the



Peering down an underground corridor in "Cave-In."

graphics symbols must be typed while this key is held down (like the SHIFT key) to correctly print the characters needed to build the maze. Second, each line must be entered exactly as printed, without extra spaces to fit into memory. This program uses all but about 15 of the 3583 available memory locations. The program will *not* run correctly with any memory expansion boards. Third, you will probably need to abbreviate some keywords to enter a few of the lines in the program, such as line 52. See your manual for legal keyword abbreviations.

If you have difficulty entering the game successfully, or if you prefer not to type the program, just send a blank cassette, self-addressed stamped mailer, and \$3 to:

Paul L. Bupp 21724 124th Ave. SE Kent, WA 98031

See program listing on page 198. @

ZAP DIFUSE ATTACK

QUEST

RES Q

# HOTTEST NEW GAMES FOR YOUR VIC 20° ARE FROM TYMAC°

Light up your VIC 20 with these hot new games. Arcade style action right in your living room. Exciting, challenging ways to get more fun out of your computer. Buy these cartridges now from your favorite computer products retailer.

Limited Time Offer: Send proof-of-purchase of any two of these games and \$49.95 and receive TYMAC's EXPAND-O-RAM, a \$119.00 retail value. EXPAND-O-RAM gives you two switchable cartridge slots and 16K of additional memory. See details inside each package.




## TYMAC INCORPORATED

127 MAIN STREET FRANKLIN, NJ 07416 201 827-4050

TYMAC is a registered trademark of Tymac Controls Corporation
VIC 20 is a trademark of Commodore Electronics Ltd.

©1983 TYMAC INCORPORATED



"Hardhat Climber" is one of the best games we've seen for the unexpanded VIC-20 and is an excellent example of what can be accomplished with BASIC. We've included an adaptation for the Commodore 64.

You are standing at the bottom of four levels of girders, connected by ladders. At the top is a pile of 12 barrels and scattered along the girders are toolboxes. The object of "Hardhat Climber" is to walk around the girders and pick up every toolbox while avoiding the barrels that roll down at you. If you pick up all of the toolboxes you are rewarded bonus points, and you move on to a more difficult screen.

I wrote the VIC-20 version of Hardhat Climber almost entirely in BASIC, with only a short machine language routine to check the joystick. Using the stick, you can move the climber up, down, left, and right along the girders and ladders. Pressing the fire button makes your climber jump in the direction he was last moving. He can jump over barrels and holes in the girders.

# Scoring

You score 150 points for every toolbox you pick up, 1000 points for jumping over a barrel, and 100 points for each barrel remaining after you have picked up all the toolboxes. The score is displayed in the upper-left corner of the screen. The number of the screen is displayed in the upper-right corner. The number of climbers you have left is displayed between the score and screen number.


You begin the game with three climbers and earn an extra one every 10,000 points. A climber is lost if he is hit by a barrel, walks off a girder, or has not picked up all the toolboxes by the time all 12 barrels have rolled off the pile. The game ends when you lose your last climber.

Many program lines in the VIC version are longer than the maximum limit of 88 characters. They must be entered by abbreviating the keywords and omitting the space between the line number and first keyword. The abbreviations may be found in the manual that came with the computer. If there is an error in any of these lines, the entire line must be retyped using the abbreviations again. Also be sure to save the program

If you've ever dreamed of playing the pro-tour golf circuit on the world's finest courses...


PROFESSIONAL TOUR

Or fantasized about getting ringside seats to all the championship fights in history...









# We've just answered all your hopes and wishes!

And SSI's 14-day "satisfaction or your money back" guarantee makes sure our games will help make your dreams of sports glory come true. In fact, the only way they won't is if you don't hurry to your nearest computer/software or game store and get these fine strategy sports games today.

For the APPLE® and COMMODORE 64™:

These games (\$39.95 each) come on mini floppy disk for the APPLE® II with Applesoft ROM Card, Apple II Plus, Apple IIe, or Apple III.

Also on disk for the Commodore 64.™


Apple is a registered trademark of Apple Computer Inc.



Commodore 64 is a trademark of Commodore Electronics, Ltd.

STRATEGIC SIMULATIONS INC


If there are no convenient stores near you, VISA & Mastercard holders can order direct by calling 800-227-1617, ext. 335 (toll free). In California, call 800-772-3545, ext. 335. To order by mail, send your check to: Strategic Simulations Inc, 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043. (California residents, add 6.5% sales tax.) Please specify computer format.



Collecting toolboxes on the first floor in a VIC game of "Hardhat Climber."

before running it in case there is a mistake in the machine language in lines 106-108. If any of the numbers in these lines are mistyped, you could lose the program.

The VIC version lines, which are especially long, include lines 37, 56, 71, 73, 77, 81, 101, 102,



A falling barrel narrowly misses the player on the second floor (64 version).

106, 107, and 108. Remember when you enter these lines with abbreviations while using the "Automatic Proofreader," the checksum number will not match up. (See "Simple Answers To Common Questions" in this issue.)

See program listings on page 195. @



# edict the Weather

Your Vic 20<sup>™</sup> or Commodore 64<sup>™</sup> Computer

This exciting, new weather package allows you to learn, monitor, and predict the weather using the same equipment as the pros.

## Be Your Own Weatherman

The new HAWS (Home Automatic Weather Station) combines a quality weather sensor with software to let you track weather conditions inside or outside your home. HAWS monitors weather data including dew point, temperature, humidity, and atmospheric pressure; plots historical data and graphically displays weather trends; determines the comfort and chill factors to help you dress; HAWS even forecasts the weather and compares your predictions to the local weatherman's.

HAWS uses the same sensor employed by weather services in 60 countries worldwide. The HAWS package costs only \$199.95 and includes the sensor, cassette or floppy disc program, 15-foot cable with connector for the computer, and a complete user's manual.

Send today or call toll free to order your HAWS package.



Ordering Information

Send \$199.95 in check or money order payable to Vaisala, Inc. Include name, address, telephone number, your computer model (VIC 20 or Commodore 64), and program preference (tape cassette or floppy disc).

Or call toll free to place your order. Major credit cards accepted. Dealer inquiries invited.


1-800-227-3800 ext. H-A-W-S

VIC 20 and Commodore 64 are trademarks of Commodore Electronics Ltd.

### Learn/Teach Meteorology

More than a toy or game, HAWS provides the first opportunity to use your computer as a data sampler and data analysis system for meteorology, allowing the user to interact with incoming data to monitor and forecast weather conditions. HAWS includes an instructive software program and a complete user's manual that teaches meteorological terms and equations to allow anyone to quickly grasp weather concepts either at home or in the classroom. Simple plug-in components and easy hookup also means you can free up your computer at any time for other duties. HAWS is a great educational tool for anyone. Order today.





ZELIS

WITHOUT QUESTION, ABSOLUTELY -


The Fastest

**ARCADE STYLE GAME** 

AVAILABLE, THAT WE KNOW OF.


FAST AND FURIOUS. You become the wizard fighting off the thunderbolts of an angry Zeus. Multiple action. Are you good enough to keep up as the difficulty increases wave after wave. Hours of challenging fun. This is one game you may never completely master.

AVAILABLE ON: TRS-80C(16K), CMD 64, VIC 20(13K) STOCK #1007 TAPE:\$24.95 DISK: \$29.95



PYRAMID... Our toughest and most intrigueing adventure. Average time though the pyramid is 50-70 hours. Clues everywhere and some very ingenious problems. This one is popular

AVAILABLE ON: TRS-80C (16K) CMD 64 VIC 20 (13K) TIMEX/SINCLAIR TI/99-4A STOCK #5002 TAPE: \$19.95 DISK \$24.95



DUNGEONS OF DEATH. . . A serious D & D type game for you up to 6 players at a time. You get a choice of race and character, on screen mapping of the maze, a chance to grow from game to game, and a 15 page manual. Requires extended basic on TRS-80C.

AVAILABLE ON: TRS-80C(16K), CMD 64, VIC 20(13K), TRS-80C 32K DISC

STOCK #7001 TAPE: \$19.95 DISK: \$24.95

QUEST... A different kind of adventure. Played on a computer generated map of Alesia. You lead a small band of exployers on a mission to conquer the Citadel of Moorlock. Takes 2-5 hours to play and is completely different each time

AVAILABLE ON: TRS-80C(16K) CMD 64 VIC 20(13K) TIMEX/SINCLAIR T199/4A. **EXTENDED BASIC REQUIRED ON TI** STOCK # 7007 TAPE: \$19.95 DISK: \$24.95

Quest is also available on TRS-80C as a 32K extra memory, extra fun adventure. It's a little more difficult, and will test the most experienced explorer of the kingdom.

STOCK #7006 TAPE: \$24.95 DISK: \$29.95

HOURS OF FUN AND ENJOYMENT FROM THE "ADVENTURE PLACE"

TO ORDER: SEND AMOUNT INDICATED PLUS \$2.00 SHIPPING, PER ORDER. INCLUDE STOCK NUMBER, QUANTITY DESIRED AND YOUR PREFERENCE OF TAPE OR DISK. BE SURE TO INDICATE TYPE OF SYSTEM, AMOUNT OF MEMORY, ETC. WHEN USING CHARGE CARD TO ORDER BY MAIL, BE SURE TO INCLUDE EXPIRATION DATE.



CHARGE CARDS WELCOME



AARDVARK Action Software

IS AVAILABLE AT SOFTWARE RETAILERS EVERYWHERE. IF YOUR LOCAL COMPUTER OR SOFTWARE STORE DOES NOT CARRY IT - ASK THEM WHY NOT

SEND ONE DOLLAR FOR ILLUSTRATED CATALOG. DEALER INQUIRES INVITED.

1-800-624-4327


PHONE ORDERS ACCEPTED 8:00 A.M. TO 8:00 P.M. E.S.T. MON-FRI


AARDVARK Action Software

2352 S. COMMERCE RD. WALLED LAKE, MI 48088 313/669-3110

# Tetracrystals Of Veluria

Todd Heimarck





This nonviolent, noncompetitive game for the unexpanded VIC-20 and Commodore 64 produces fascinating patterns of colorful crystals. It also incorporates some advanced programming techniques, including page-flipping, a very smooth method of animation.

# The Story

The prospectors have failed. They searched every inch of the Velurian asteroid belt and discovered no minerals of commercial value, except for a strange type of ice crystal. These "tetracrystals" grow into large crystals when dropped in water and exposed to sunlight.

# **Crystal Growth**

There are two ways the tetracrystals can grow. First, each one goes through four stages of growth: seed, monad, tetrad, and shell. After the fourth 
86 COMPUTEI's Gazette January 1984

stage, the shell collapses and melts into plain water.


Second, a tetrad always tries to sprout four new seed-crystals at right angles to the tetrad. These seed-crystals draw energy from the tetrad (which is why it becomes a shell), and then go through the four stages of growth. When the seeds grow into tetrads, they sprout new seeds, and so on.

# **Limits To Growth**

The new seeds will grow only if they have space, sunlight, and water. That means there are three limits to growth. First, a seed needs space to grow, so it cannot be put into a space that is already occupied. If a tetrad is right next to another crystal (in any stage), it will not plant a seed in that space. The other three seeds can still grow, unless they are affected by the limits on growth.

Second, a seed needs energy (sunlight) to grow. Tetrads and shells cast shadows that block






The opening screen in "Tetracrystals" lets you choose your own screen/border color combination (Commodore 64 version; VIC similar).

sunlight from new seeds. A seed will not grow in a space right next to a tetrad or shell. This rule takes care of the problem of two tetrads trying to put seeds into the same space.

Third, a seed will grow only in water. A tetrad on the edge of the  $16 \times 16$  grid cannot put seeds outside of the border (because there is no water there).

# **How A Crystal Grows**




The seed-crystal in stage 1 becomes a monad in stage 2 and a tetrad in stage 3. In stage 3 it sprouts four new seeds, which then go through the stages. Note that in stage 5, the shell has disappeared and only four new seeds were generated by the four tetrads. That is because of the limits on growth. They are not allowed to put seeds in a space that is next to another tetrad or shell. All four of the tetrads tried to put a new seed in the center and all failed.

Tetracrystals is simple enough to play with paper and pencil, but you would have to erase and draw over and over again. Using the computer is quicker and easier.

# How To Play

When the game first starts, you see eight color bars. You can change the screen color with the function keys:

f1 changes the color of the border.



After selecting the speed and character set, you plant different kinds of crystals on a grid (VIC version; 64 similar).

f3 changes the color of the screen.

f5 switches "reverse" (inverse video) on and off.

f7 starts the game, after you have chosen the colors.

Before you press f7, notice which colors show up on the screen you pick. If you plant crystals that are the same color as the screen, they will grow, but they will be invisible.

Next you pick the speed. Zero, the lowest number, yields the fastest game. Then choose a character set (1, 2, 3, or 4); I prefer number 1.

Finally, you plant the crystals. In the upperleft corner of the screen you will see a prompt (X, Y, P, or C). Choose an X-coordinate (A through P), a Y-coordinate (A through P), plant the crystal (1 for a seed, 2 for a monad), and choose the color (type a number between 1 and 8; the color is the same as the color printed on the key).

Up until the point when you choose the color, you can cancel your choices by pressing f1. When you are ready to start the game, press f7.

# Options During The Game

Seven of the function keys allow you to control growth during the game. The f1, f3, f5, and f7 keys (unSHIFTed) control the amount of sunlight that reaches the crystals. Press f7 twice to reduce the light (all growth will stop). After you freeze the picture (with f7), you can watch the growth step by step by pressing f7. If you want to go back to continuous growth, f1 restores the game to normal. The f3 key slows the growth and f5 speeds it up. If the growth is very fast, press f3 and a number from 1 to 9. The higher the number, the slower the growth. Press f5 (plus a number) to speed up the growth.

The f2 and f4 keys throw more seeds onto the field. The f2 key gives you a random-colored seed

\*OFFER SUBJECT TO AVAILABILITY

# QUAPLANE

COMMODORE 64 SOFTWARE

Ski thru' Marine Maniacs, G&Ts, Regattas but beware the Great White Hungry!! AQUAPLANE is an unbelievable original Arcade Game.

COMMODORE 64 SOFTWARE

Part Man, Part Superman the QUINTIC WARRIOR stands along against the sinister Crabmen and a Domed City gone mad in the distant future. Are you warrior enough to stand by his side in this MEGA- Arcade Game.

COMMODORE 64 SOFTWARE

The Colorful King has lost his mind and along with it the Crown Jewels! Now whosoever can find the Jewels shall be proclaimed King.
Can you?
RING OF POWER is a sophisticated adventure with a GRAPHICS or TEXT option.

Send for Advanced Information on our new Timex-Sinclair and Electron Range.



# SKYHAWK

VIC20 SOFTWARE

Attacking raiders scream Attacking raiders scream out of the sky at you, you check your radar as an explosion blossoms at your side, you return their fire sending one of the attackers plummetting. the fuel gauge flashes a low fuel warning... SKYHAWK runs in 3K or 8K with a Joystick.

COMMODORE 64 SOFTWARE

A fully animated arcade

A fully animated arcade game with Loveable Turtles, Cuddly Graphics and more Cuteness than you'll find in any other Commodore 64 game! A game for the young at heart and people who have tired of alien bashing.

TORNADO VIC20 SOFTWARE

Suddenly attacking Colony Fighters leap at me, I dive into their midst firing and still bombing the ground installations below the sound of explaining symbles areas explosions rumbles away over the landscape ... TORNADO runs on an unexpanded VIC2O + Joystick

### QUICKSILVA INC.

426 West Nakoma San Antonio, TX 78216 Tel: (512) 340 3684



Please send me a free color catalog I currently own or plan to buy a ......com I enclose a stamped, self-addressd envelope Name No/Street

City ..... State ..... Zip .....

at a random location. Press f4 (and a number from 1 to 8) and you will get a seed the same color as what is printed on the number key, planted randomly on the screen.

The f6 key stops the game and returns you to the beginning. "Tetracrystals of Veluria" uses part of memory for machine language routines, so if you want to stop playing altogether, it is a good idea to turn your computer off and then on again before you load another program.

To recap:

f1 continues the game (after f7 step by step).

f3 slows the growth (type 1–9 to continue).

f5 speeds up growth (type 1–9 to continue). f7 allows step-by-step growth.

f2 plants a random-colored seed at a random location.

f4 plants a seed at a random location (choose the color with 1–8).

f6 starts a new game.

# Strategies

Tetracrystals is a simple game. You can plant two types of crystals, up to eight different colors. There are two rules for growth and three limits on growth. Most children will understand how it works.

But like Reversi (also known as Othello), simple rules hide the many subtleties of play. The more you play it, the more interesting variations you discover.

There are no rules for winning or losing. I originally wrote Tetracrystals as a nonviolent, noncompetitive game.

If you don't like games without competition or winners and losers, you can make up variations. You and a friend can choose two different colors and plant crystals around the screen. If one color takes over the screen, that player wins. In some

cases—if you start with symmetrical positions, for example—neither color will take over the screen and you would have to call it a tie game.

If you plant just one seed, it will spread to take over about half the screen, and then (because of the limits on growth) it will disappear. It is a good idea to start with at least two crystals.

In the reverse video option, the crystals leave behind traces of where they have been.

For some reason, crystals that start near the edges have a slightly better chance of surviving (remember this if you decide to play competitively). And usually, if you plant seeds and monads, one or the other will take over the screen; they don't coexist very well. Imagine the  $16\times16$  grid as a chessboard, with alternating black and white squares, because it will make a difference if your starting positions are all on the same color squares or on opposite colors.


You can also try the sandwich maneuver. If you plant a seed somewhere on the grid and then plant seeds of different colors, one right above and one right below, I think you'll be surprised at the results. The crystal in the middle will usually crowd out the other two crystals.

# **Special Typing Instructions**


The VIC version of Tetracrystals needs two programs to run, and you must enter them in the correct order. Program 2 (the one with all the DATA statements) contains the machine language routines. Program 1 will not run without them.

Follow this procedure for the VIC version (note the minor program changes for disk below):


1. Type in Program 1 first, but do not RUN. Instead, SAVE it on tape or disk. If you're using tape, I recommend saving Program 1 as the first program on a fresh cassette. For tape, use the filename "CRYSTALS T1/JAN". For disk, use the



Crystals of various colors begin growing and interacting, as seen in these Commodore 64 screens...



...sometimes overlapping and crowding out other crystals.





# INTERNATIONAL TRI MICRO Software Designed to be Your Partner in Exploration


Tri Micro Software is your gateway to the new realms opened by personal computers. As the gate opens, experience a quantum leap in mind power:

- where you navigate through new channels of communication
- where you experience art through graphics
- where you can increase your daily productivity through financial management tools, list processing, and text editing
- where your thoughts integrate with the computer's speed in fast moving games and strategy solving.


Encounter a host of other strange landscapes only dimly understood before.

# TAKE THE INITIAL STEP . . THE TRI MICRO CHALLENGE

904 West Cypress Drive Arlington Heights, IL 60005 (312) 394-2322 4122 E. Chapman, Suite 30 Orange, CA 92669 (714) 771-4038 901 Summit Hill Dr. Knoxville, TN 37915 (615) 522-4824



Crystals divide and multiply in these VIC screens...



...forming larger crystals, and occasionally dominating all the space around them.

filename "CRYSTALS D1/JAN". Do not rewind the tape after saving.

2. Type NEW and press RETURN.

3. Type in Program 2. Do not SAVE it yet. Contrary to standard procedures, Program 2 should be RUN before it is SAVEd. When you type RUN, Program 2 first checks itself for typing errors and warns you of any mistyped DATA statements. If the DATA statements are entered correctly, the program waits for you to press a key to continue. Before continuing, make sure the tape or disk with Program 1 is in the cassette recorder or disk drive. With cassette, make sure the tape is positioned just past Program 1 (which is where it will be if you left it alone after SAVEing Program 1). Now, when you press a key to continue, Program 2 will begin creating a data file on your tape or disk. Program 2 automatically names the data file "CRYSTALS T3/JAN" for tape or "CRYSTALS D3/JAN" for disk. If you're using cassette, you will notice the tape stopping and starting by itself as the data file is created. This is normal. Do not press the STOP button on the recorder until the data file is finished and the screen says READY.

4. When the screen says READY, the data file is created. Now is the time to SAVE Program 2. Use the filename "CRYSTALS T2/JAN" for tape or "CRYSTALS D2/JAN" for disk. You won't need Program 2 again unless you want to create another data file, perhaps for backup.

5. Finally the game is prepared. To play, LOAD and RUN Program 1 (filename "CRYSTALS T1/JAN" or "CRYSTALS D1/JAN"). When you type RUN and press RETURN, Program 1 automatically begins reading the data file created by Program 2. (That's why it's so important to make sure the data file immediately follows Program 1 if you're using tape.) As the data file loads, you'll

see numbers appearing on the screen. This is normal. When all the data is read by Program 1, the game begins.

If you press the RUN/STOP key while playing and want to restart the game, don't type RUN, because the program will look for the data file again. Instead, type RUN 13 (which starts running the program at line 13).

One more caution: Tetracrystals takes up almost all of the available memory in the VIC; there will be only a few bytes left. It is vital to type in the programs exactly as listed. Don't add any extra spaces. If your VIC gives you an ?OUT OF MEMORY error after the data file is read by Program 1, you can safely delete line 10 and lines 5000–5100 to play the game. Once these lines put the machine language into memory, you don't need them anymore (but don't SAVE the program after doing this).

# **Modifications For Disk**

The 64 version works on either tape or disk. But the VIC programs, as listed, are designed for tape. A few minor changes need to be made for disk.

In Program 1, change line 5000 to:

5000 OPEN1,8,0,"CRYSTALS D3/JAN"

(This change tells the computer to read the data file from disk instead of tape.)

In Program 2, change these lines:

35 PRINT"GET DATA DISK READY[3 SPACES]HIT A KEY TO CONTINUE 40 OPEN1,8,1,"0:CRYSTALS D3/JAN"

(Line 35 alters the prompt to read "DATA DISK" instead of "DATA TAPE". Notice there is no closing quote on the PRINT statement; closing quotes are optional in Commodore BASIC, and leaving it off saves one byte of memory. Line 40 tells the computer to create a data file on disk



instead of tape, with the appropriate filename expected by line 5000 in Program 1.)

# Page-Flipping

The animation here is not the usual erase-and-draw method.

In most games, when you want a character to move, you tell the computer where the character currently is and where it should be next. The computer erases the old character and then draws it at the new location. If the screen is full, you can see the changes being made, from the top-left corner to the bottom right.

Page-flipping is a much smoother method of

animation.

I got the idea from "Alternate Screens" by Jim Butterfield in COMPUTE!'s First Book Of VIC.

Normally an unexpanded VIC uses two pages of memory (7680 to 8191) for screen memory. Memory location 648 is a pointer that tells the VIC where to find the screen. By POKEing 648 with a different number, you can change the location of screen memory.

In Tetracrystals, one screen is visible, the other hidden. While you are watching one screen, the computer is drawing the next picture on the hidden screen. When the new picture is ready, a couple of POKEs (lines 1100 and 1120) make the new picture visible. Then, while that screen is up, the next one is being drawn on the hidden screen.

# How The Program Works— VIC Version

Line 10 protects the memory for the second screen and the machine language instructions. It jumps to subroutine 5000, which reads the ML instructions from tape.

Lines 13–20 set variables.

Line 60 jumps to subroutine 1100, which restores the screen to the normal location (beginning at 7680).

Line 100 jumps to subroutine 8200 (which sets the screen to the usual colors and restores it to a 22 × 23 size), then subroutine 6000 (which sets up the new screen color).

Lines 160–197 set up the speed and character set.

Lines 255–395 plant the crystals on the screen. Lines 510–795 are the heart of the program—where the crystals grow. First there are three SYSes to ML routines. Since the visible screen has been cut down to 16 × 16 (256 bytes) and there are 512 available for each screen, that means there are 256 bytes below each screen. This is what I call the "shadow screen." The first SYS clears the shadow screen of the hidden screen. The second SYS controls the direct growth (seed to monad, monad to tetrad, and so on). The third SYS grows the brandnew seeds. Then BASIC takes over. The program

goes through a delay loop (with the counter HF, for "How Fast") and checks for keyboard input. If one of the function keys has been pressed, it takes care of what needs to be done. Then, if the CP flag has been set, it stops until it gets the "step-by-step" instruction. Subroutine 1000 changes the random (but melodic) music. The last two SYSes translate from the shadow screen to the not-now-visible screen and to color memory. Finally, subroutine 1100 flips the screen memory to the other screen.

See program listings on page 191. @

# VIC 20 / COMMODORE 64 INCOME TAX PROGRAM

- -1983 Forms 1040, 2441, Schedules A, B, D, G
- —Menu Driven
- -Saves Tax Data on Disk/Tape
- -Optional Printer Output
- -Quick Last Minute Changes
- -Answers "What If" Questions
- -Cassette \$49.95/Diskette \$51.95
- —Postage/Handling Included
- -VIC 20 Requires 24K Expander
- —Dealer Inquiries Invited

SEND ORDERS OR INQUIRIES TO:
UC SOFTWARE • P.O. BOX 2036 • UNIVERSAL CITY, TX 78148

# VIC® 20 OWNERS



Fulfill the expansion needs of your computer with the

RAM-SLOT MACHINE

This versatile memory and slot expansion peripheral for the Commodore Vic-20 Computer consists of a plug-in cartridge with up to 24KBytes of low power CMOS RAM and 3 additional expansion slots for ROM, RAM and I/O. The cartridge also includes a reset button (eliminates using the power-on switch) and an auto start ROM selection switch.

#RSM-8K, 8K RAM + 3 slots..... \$ 84.50 #RSM-16K, 16K RAM + 3 slots .... \$ 99.50 #RSM-24K, 24K RAM + 3 slots .... \$119.50

We accept checks, money order, Visa/Mastercard. Add \$2.50 for shipping, an additional \$2.50 for COD. Michigan residents add 4% sales tax. Personal checks—allow 10 days to clear.

\* Trademark of Commodore.

ELECTRONICS DESIGN CORPORATION
3990 Varsity Drive • Ann Arbor, MI 48104 • (313) 973-6266

# Look at these **Features**

- Fully screen-oriented
- Horizontal and vertical scrolling
- Terminal mode never seen before on a wordprocessor
- Supports Commodore disk and cassette handling
- Imbedded commands



# Wordprocessor

**BLIZTEXT** is a trademark of ELCOMP PUBLISHING, INC.

Commodore-64 and VIC-20 are trademarks Commodore **Business Machines.** 

# mmodore

Dealer and Distributor

### BLIZTEXT - SUPER WORDPROCESSOR for the Commodore-64

- ON SALE NOW! -

- Fully screen-oriented, up/down, left and right scrolling - Upper and lower case
- More than 70 commands
- Full I/O compatibility with Commodore peripherals Upper and lower case
- Works with practically every printer on the market, user definable printer control commands
- INCLUDE command allows handling large files on up to 4 diskettes or on cassette.
- Build in terminal software for electronic mail and networking. Telecommunications mode, upload and download, save on disk or cassette.
- Dynamic formatting, Imbedded commands
- Single keystroke for disk directory and error channel
- Program comes on disk or cassette
- Double line spacing, left and right margin justification, centering, page numbering, and practically everything one expects from a good wordprocessor.

**AVAILABLE NOW!** Order # 4965

Manual only (62 pages)

\$89.00 \$29.95

MACROFIRE -

Editor/Assembler for the Commodore-64 ON SALE NOW AVAILABLE IMMEDIATELY

One outstanding tool, consisting of 3 powerful elements

- combined into one efficient program! 1.) Fully screen-oriented Editor (more than 70 commands)
  - Very fast assembler with macro capability

3.) Machine Language Monitor
Assembly can be started from the editor. Translates in 3 passes. More than 1,000 lables, screen oriented/no line numbers, scrolling, includes disk files.

Practically everything the serious machine language programmer needs everyday!

Manual only \$19.95 THE GREAT BOOK OF GAMES, VOL.I,

by Franz Ende

46 programs for the Commodore 64

Introduction to graphics and sound. How to program your own games. Walking pictures, animation, high resolution graphics, programming tips and tricks, hints and useful subroutines for the beginner and advanced programmer. This book is a MUST for every C-64 owner.

Come and get it - It's yours for only Order # 182

128 pages Programs from the book on disk.

\$ 9.95 \$9.95

Order #4988

\$19.95

MORE ON THE SIXTYFOUR, by H.-C. Wagner How to get the most out of your powerful Commodore 64. Very important subroutines, tricks and hints in machine language for your C-64. How to modify DOS. How to connect a parallel and serial printer. How to design your own terminal program for communication and networking. Dig into I/O for cassette and disk.

Order # 183 \$9.95

Programs from the book on disk

Order #4989

\$19.95

**NEW PRODUCTS** Watch out for our new books, software and add-ons to

come soon. ON SALE NOW! -- ORDER TODAY!

How to program in 6502 Machine Language on your C-64 , by S. Roberts (Introduction)

Order-# 184

Commodore-64 Tune-up, Vol. I, by S. Roberts How to expand and customize your C-64. Order # 185

\$12.95 Small Business Programs for the Commodore-64

How to make money using your C-64. Mailing list, invoice writing, inventory, simple wordprocessing and

Order # 186 \$12.95

inquiries are invited.

### Hardware Add-Ons:

Parallel printer interface KIT Direct Connect Modem KIT Universal Experimenter Board

Order #4990 \$ 19.95 Order #4991 Ask f.price Order #4970 \$ 9.95

Expansion Board, space for four experimenter boards(board only) Order #4992 \$ 29.95

For your VIC-20

Tricks for VICs Universal Experimenter board \$ 9.95



# 

PAYMENT: check, money order, VISA, MASTER CARD, Eurocheck, ACCESS, Interbank Prepaid orders add \$3.50 for shipping (USA) \$5.00 handling for C.O.D. All orders outside USA: add 15 % shipping, California residents add 6.5 % sales tax.

ELCOMP Computer (S) Pte. Ltd. 89 Short Street Unit 03-07, Golden Wall Auto Centre SINGAPORE 0718 Phone: 3382623, 3388228 Telex: 56516

ELCOMP PUBLISHING, INC 53 Redrock Lane Pomona, CA 91766 Phone: (714) 623 8314 Telex: 29 81 91

> Ing.W. Hofacker GmbH Tegernseerstr. 18 D-8150 Holzkirchen West-Germany Phone: 08024 / 73 31 Tolov : 52 60

ELCOMP PUBLISHING, INC. 53 Redrock Lane Pomona, CA 91766 Phone: (714) 623-8314 Telex: 29 81 91

# Canyon Cruiser

Thomas Catsburg

Originally written for the Commodore 64, "Canyon Cruiser" has been adapted for the unexpanded VIC-20 as well. The game works with either keyboard controls or a joystick.


Commodore 64 owners are usually hungry for games. For a long time there was not much software to choose from, although the situation has improved considerably in recent months.

There are, of course, hundreds of games written for the older Commodore PET computers available. Using one of the PET emulators on the market, many of these games will run with little or no modification on the Commodore 64.

Unfortunately, these games do not take advantage of the Commodore 64's advanced features—such as sprites, custom characters, and synthesized sound. These features just weren't available on the PETs.

# **Updating An Old Favorite**

"Canyon Cruiser" is an updated version of an old favorite on the PET. The idea is to guide your



A multicolored asteroid approaches the player's spaceship in "Canyon Cruiser" (64 version).

spaceship through a narrow canyon. The walls keep getting closer, naturally, so the game keeps getting harder.

Starting with this basic concept, I improved the Commodore 64 adaptation by making the spaceship a multicolored sprite and by adding a new twist—wandering asteroids. The asteroids, also sprites, cannot destroy your ship. But they do add to the visual confusion while passing by. In that sense they can be

considered an additional hazard.

The VIC-20 lacks sprites, so all the shapes in the VIC version are created with custom characters.


# Cruisin' For A Bruisin'

Canyon Cruiser transforms you into the pilot of a new spaceship. Your goal is to test the craft to its limits by flying it down the funnel-shaped canyon without crashing into the unyielding walls.

To control the spaceship from the keyboard, steer it left or right with the colon (:) and semicolon (;) keys. You can also use a joystick if you prefer (on the Commodore 64, plug the stick into port 2).

96 COMPUTEI's Gazette January 1984

# BREATHE LIFE INTO YOUR C64



Now that you have it, put it to work, C64 TUTOR puts you in charge with a Commodore 64 tutorial, screen display editor, sprite editor, music synthesizer & programmer's calculator.

Use the tutorial to learn what your Commodore 64 can do. And how to do it. Create edit & save one page of letters and/or pictures with the screen display editor. Enter sprites from the Commodore Manual. Or make up your own. Then edit and save them using the sprite editor. Sprite creation is quick, and easy. Play music with the music synthesizer. Use the programmer's calculator to add, subtract, multiply & divide in decimal, hexadecimal and binary, Includes AND, OR, XOR, Shift and 1's complement functions.

Great for new users. C64 TUTOR cures computerphobia and promotes computer literacy.

Take it from me, with a little power, the possibilities are endless.

Available for \$29.95 at your computer dealer.

### Comprehensive Software Support,

2316 Arresio Bl. Suite B. Redondo Beach, CA 90278 213, 318-2561





# It's time for your outer to grow up.

# VIC-20 EXPANDER SALE!

8K RAM MEMORY EXPANDER	\$ 69.95	\$39.00
(Free \$16.95 Game)		
16K RAM MEMORY EXPANDER "CARDCO"	\$ 99.00	\$55.00
(Free \$29.95 Adventure Game)		
24K RAM MEMORY EXPANDER	\$159.00	\$79.00
(Free \$29.95 Adventure Game)		
32K RAM MEMORY EXPANDER	\$199.00	\$95.00
(Expands to total memory to 57K (57,000 bytes)		
3 SLOT "CARDCO" SWITCHABLE EXPANDER BOARD	\$ 39.95	\$29.00
6 SLOT "CARDCO" SWITCHABLE EXPANDER BOARD		
RIBBON CABLE EXPANDER BOARD	\$ 99.00	\$49.00
(Lifetime warranty)		
40-80 COLUMN BOARD	\$129.00	\$69.00

**VIC 20** 

# 40-80 COLUMN BOARD



only \$6900





Now you can get 40 or 80 Columns on your T.V. or monitor at one time! No more running out of line space for programming and making columns. Just plug in this board and you immediately convert your VIC-20 computer to 40 or 80 columns! Comes in an attractive molded case with instructions! List \$129.00 Sale \$69.00

FOR ONLY \$19.95 you can get a 40-80 Column Board "WORD PROCESSOR" with mail merge and terminal emulator PLUS! AN ELECTRONIC SPREAD SHEET (like Visicalc) the word processor requires 8K-mail merge 16K! List \$49.90. Sale \$39.90. \*If purchased with board only \$19.95. (Tape or Disk.)

Add \$3.00 for postage. Add \$6.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NOT EXPORT TO OTHER COUNTRIES

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. We accept Visa and Master-Card. We ship C.O.D.

ERPRIZES (WE LOVE OUR CUSTOMERS)

**BOX 550, BARRINGTON, ILLINOIS 60010** Phone 312/382-5244 to order

# SANYO MONITOR SALE!!



9" Data Monitor

- 80 Columns × 24 lines
- Green text display
- · East to read no eye strain
- Up front brightness control
- High resolution graphics
- Quick start no preheating
- Regulated power supply
- Attractive metal cabinet
- UL and FCC approved

# 15 Day Free Trial - 90 Day Immediate Replacement Warranty

9" Screen - Green Text Display

79.00

12" Screen - Green Text Display (anti-reflective screen)

\$ 99.00

12" Screen - Amber Text Display (anti-reflective screen)

\$119.00

14" Screen - Color Monitor (national brand)

\$249.00

# Display Monitors From Sanyo

With the need for computing power growing every day, Sanyo has stepped in to meet the demand with a whole new line of low cost, high quality data monitors. Designed for commercial and personal computer use. All models come with an array of features, including upfront brightness and contrast controls. The capacity 5 x 7 dot characters as the input is 24 lines of characters with up to 80 characters per line.

Equally important, all are built with Sanyo's commitment to technological excellence. In the world of Audio/Video, Sanyo is synonymous with reliability and performance. And Sanyo quality is reflected in our reputation. Unlike some suppliers, Sanyo designs, manufactures and tests virtually all the parts that go into our products, from cameras to stereos. That's an assurance not everybody can give you!



 LOWEST PRICES
 15 DAY FREE TRIAL
 90 DAY FREE REPLACEMENT WARRANTY • BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS


Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. Visa - MasterCard - C.O.D.



**BOX 550, BARRINGTON, ILLINOIS 60010** 

Phone 312/382-5244 to order



Leaving the base at the beginning of a game of "Canyon Cruiser" (VIC version).

The spaceship changes color to warn you that the canyon is narrowing.

At the end of the flight you will be ranked according to your skill. There are 11 ranks ranging from "Starter" to "Han Solo." If you want, you can change these ranks to anything you want by locating these lines in the program and modifying them. (But be sure to get the program working as published before tinkering with it.)

See program listings on page 188. @

# 64K MEMORY



ANNOUNCES
THE ULTIMATE \*VIC 20 MEMORY!



• THE 64KV MEMORY EXPANSION MODULE W/24K OF NORMAL EXPANSION + 40K ADD'L FOR PROGRAM OR DATA STORAGE, BOOSTS MEMORY TO ALMOST 70,000 BYTES, ALMOST TWICE THE USABLE MEMORY OF THE \*C-84. ALL 8K BLOCKS ARE SWITCH SELECTABLE AND WRITE PROTECTABLE THE ENTIRE UNIT DRAWS ONLY 250 MA. THE 64 KV HAS A GOLD PLATED EDGE CONNECTOR AND IS HOUSED IN A DISTINCTIVE BLACK CASE. ALL THIS AT A PRICE YOU CAN AFFORD.

ALSO NEWLY RELEASED FROM LETCO:

ROM ACCESSORY FOR OUR 64KV TO MAKE IT EASY TO PROGRAM BASIC TO USE ALL MEMORY AVAILABLE. INSTALLED NEW OR ADDED TO THE LETCO 64KV.

\$29.95

DELUXE 4-SLOT EXPANSION CHASSIS WITH EXPERIMENTERS
SLOT FOR BLOCK ADDRESS CHANGES. SEPARATE POWER SWITCHES,
FUSE, AND A RESET BUTTON FOR THE \*VIC. \$39.95

 CUSTOM PLASTIC CASE TO FIT \*VIC'S EXPANSION SLOT. GREAT FOR YOUR CREATIVE HOME PROJECTS. HAS HOLE FOR DIP SWITCH. 7¼" x 5½" x 1½6" (NO BOARD).

\$9.95

WRITE

LETCO, DEPT. GA LEADER ELECTRONIC TECHNOLOGY CO. 7310 WELLS RD. PLAIN CITY, OHIO 43064

OR CALL: 1-614-873-4410

WE ACCEPT VISA, MASTERCARD, CHECK OR MONEY ORDER. FOR CHARGE ORDERS PLEASE INCLUDE ACCT. NO., EXP. DATE, AND SIGN.

90 DAY LIMITED WARRANTY ON ALL PRODUCTS OHIO RESIDENTS ADD 5% SALES TAX

· REG. TM. OF C.B.M. INC.



Powerful enough for the professional friendly enough for everyone

An integrated Assembler Editor Loader Decoder Debugger which comes complete with

Inside the Commodore 64



This step-by-step guide to machine language and assembly language programming will teach you what you don't already know and assist you to use what you do. Combined with the integrated set of software tools of Develop-64, it makes the ideal development system.

A total reference work on the Commodore 64, Inside the Commodore 64 gives you inside information on the inside of the machine: its graphics, its music synthesizer, its built-in software and the techniques for taking advantage of the many powerful features of this computer. A complete memory map is provided with information on how to call the internal programs from your own. Written as a programmer's guide with a machine language programmer's perspective, it will become your primary reference guide. If you are still learning you will find it your best teacher.

Priced at \$19.95, Inside the Commodore 64 comes free with Develop-64 (\$49.95).

Ask for them at your favorite software outlet.

Software for Commodore Personal Computers.

PO Box 207, Cannon Falls, MN 55009 (507) 263-4821

# VICTORY SOFTWARE INTRODUCES

TH WARRIOR SERIES

# **METAMORPHOSIS** \$19.95

You stumbled into the nest of the Cyglorx and find yourself fighting off robot tanks guarding the Cyglorx eggs. You think you have everything under control and then the eggs start hatching. Commodore 64 version features 4 different screens. Available for COMMODORE 64 and VIC-20. Played with JOYSTICK



# CREATOR'S REVENGE

The creator assembled a massive army of robots and insects to take revenge on the earth. Destroy insects, get treasures, and get the neutron bomb deactivator. Battle robots and destroy the neutron bomb before it annihalites your city. Miss and you must face the mutants. Features 4 different screens. Available for COMMODORE 64. Played with JOYSTICK

# LABYRINTH OF THE GREATOR \$19.95

Journey into the most complex and dangerous fortress ever build by the creator. You will encounter deadly robots, skulls, lakes, avalanches, false creators, and a creature who roams 256 rooms relentlessly pursuing you. Available for COMMODORE 64. Played with JOYSTICK

# Programs for the VIC-20 and the COMMODORE 64.

All games available on TAPE or DISK.

All Arcade-Style games are packed full of MACHINE CODE.

# **KONGO KONG**

Climb ladders, avoid the barrels the cra-

zy ape is rolling at you, and rescue the damsel. Commodore 64 version features 4 different screens! Available for COMMODORE 64 and VIC-20. Played with JOYSTICK OF KEYBOARD.




# **GRAVE ROBBERS**

Introducing the first GRAPHIC ADVEN-TURE ever available for the VIC-20 or COM-MODORE 64! With realistic audio-visual effects, you explore an old deserted graveyard and actually see the perils that lie beyond. Available for COMMODORE 64 and VIC-20. Played with KEYBOARD.

\$19.95

An adventure in the Old West. Journey back with us into the days of Jessie James and Billy the Kid where the only form of justice was a loaded revolver and a hangman's noose.



30 hours. If you love adventures, this Available for COMMODORE 64 and VIC-20 (with 8K or 16K expander). Played with Key-

# CHOMPER MAN

\$19.95

Don't let the bullies catch you as you gobble the goodles! This program has 8 screens and still fits in the

standard memory. Available for COMMODORE 64 and VIC-20. Played with JOY-STICK or KEYBOARD.



Illustrations: Elizabeth Hauck

# CAVE KOOKS

\$14.95

Earth's surface is threatened by collapse from a strange group of creatures who bore out the earth's crust to make their dens. Your objective is to enter the creature's habitat and spin the invaders to death.

Available for COMMODORE 64. Played with JOYSTICK

Check your LOCAL DEALER or order directly.

ORDERING: We accept personal checks, money orders, VISA, and MASTERCHARGE. Charge orders please include number and expiration date. Overseas orders please use charge or have check payable through a U.S. bank. Add \$1.50 postage and handling per order. PA residents please add 6% sales tax.





VICTORY SOFTWARE INC. 7 Valley Brook Road, Paoli, PA 19301 (215) 296-3787


VISA

# for families

# New Family Learning Games

Fred D'Ignazio, Associate Editor

This month COMPUTE's GAZETTE is consolidating two previous columns—the monthly "Computing For Kids" and the bimonthly "Computing For Grown-Ups"—into one new monthly column, "Computing For Families." Each month, Computing For Families will cover topics of interest to all members of home-computing families, both young and old. And as before, the column will be written by Fred D'Ignazio, himself the head of a home-computing household.




These colorful designs and the ones on following pages were created with Spinnaker Software's Delta Drawing.

102 COMPUTEI's Gazette January 1984

# **Ambushing The Mailman**

When I was a kid I used to belong to all sorts of mail-order book clubs. When I knew a book was coming I would rush home from school or spend an entire Saturday prowling around my front yard waiting for the mailman to pull up our driveway. It was a great feeling when he brought a big box addressed to me. I knew that a new book was inside the box. It didn't matter that I could never remember what book I had ordered. That was part of the fun.

Now I have two children (Catie, 8, and Eric, 4) who have followed in my footsteps. Catie and Eric get as excited as I did about receiving packages in the mail, and they are as good as I was at ambushing the mailman. On Saturday mornings, they lie in wait behind two big pine trees just outside the porch door. When the mailman arrives they spring out and grab all his packages and run into the house. They reach the living room, and



they start ripping the packages apart.

But do you think they are looking for books? Nope. They are looking for new computer learning games arriving in the mail. And they act like wild things until they unwrap the games, load them into the computer, and begin playing them.

# **Champions And Cheerleaders**

Here, below, is a group of seven games that captivated me and my family. They are remarkably diverse and quite varied in the thinking and skill they demand from the human player. But they are similar in four key traits. First, they are just as much fun for adults as they are for kids. Second, they can be played at many different levels, so, with help from an adult, even a toddler can benefit from them. Third, the games are constructive and nonviolent. They let families build things rather than train them in creative destruction. Fourth, the games are much more fun when people play them together.

All these games encourage interaction among family members, schoolmates, and friends. At our house we almost always play the games together. The approach we use is to have one person step forward as the stalwart champion and have the other family members be coaches, cheerleaders, and the peanut gallery. At the end of each game we rotate all the roles.

# Playground Or Swamp?

It was interesting to see Eric and Catie approach these new games. They never want to read any directions before starting. They equate direction-reading with "adult," "slow," "dense," and "boring." On their own, they never read directions—unless they appear on the screen. They just boot up a disk or plug in a cartridge. Then they start madly pressing buttons or swiveling a joystick or game paddle. Pretty quickly something begins happening. Then it's "play it by ear" all the way.

This sort of approach makes me very nervous. Nevertheless, I usually climb aboard for the ride, just to see where we'll all end up.

Most of the time, the kids wander through a program—at a gallop—and usually figure out what's going on. Then they begin playing with a passion.

But sometimes their approach is akin to turning down a blind alley and running, full-speed, into a brick wall. Then, with their noses out of joint, the kids turn around to me and announce, "Daddy, this is a dumb game!"

And, that's that. When the computer doesn't respond, when my kids feel powerless and out of control, they abandon the game. It's like watching their playground turn into a yucky swamp. While it's still a playground they love to race around







and use the equipment. But when suddenly the ground turns into sticky glue, the kids feel paralyzed.

I used to think they had reached a real dead end. Now I look at it as an opportunity to start doling out some game rules and special "power" buttons that get the game moving again and put the kids back in control.

# **Pipes**

Pipes is available on cartridge for the VIC-20 (\$29.95) or the Commodore 64 (\$34.95). It won the 1983 CES (Consumer Electronics Show) Software Showcase Award for Home Education. It is made by:

Creative Software 201 San Antonio Circle Mountain View, CA 94040 (408) 745-1655

Pipes is a game that never turns into a swamp. When the program begins there is a plumber, a house, and a water supply tank on the display screen. On the far right is a pipe factory with bins full of pipes of all shapes.

My kids were puzzled by *Pipes* at first. But that didn't stop them from leaning on the joystick and racing the little plumber around the screen. They learned how to use the "radar" display—a little window in the corner of the screen that lets you see the plumber, the house, the water tank, and the pipe factory, all at the same time. And, by randomly pressing the joystick buttons, they discovered they could buy pipes from the factory and hook them up to the house and the water tank.

The first couple of times we played the game the kids created some pretty weird plumbing. Pipes squirreled out of the house, then corkscrewed, pirouetted, and pretzeled themselves into oblivion. We found out how to turn on the water supply (by pressing the V key on the computer) and squirted water all over the ground with ecological abandon.

Eventually we ended up with some pretty decent plumbing. The pipes went in efficient right angles out of the water tank and into the house. When we turned on the water, it flowed in a direct route from the tank to the house.

After hooking up the plumbing to one house had become a snap, we graduated to a whole

neighborhood with up to five houses. We even figured out how to do the plumbing with the cheapest pipe and save the most money.

Now the kids mostly play *Pipes* alone. The other day I went into the dining room and found Eric busy building a circular pipe network out of the water tank. I frowned and screwed up my face. "Why would you want to do that?" I asked him.

"Because," he said, not looking up, "this way the water never goes away."

# **Delta Drawing**

My daughter Catie and I reviewed the Apple version of *Delta Drawing* in the June 1983 issue of COMPUTE! Magazine. Now Spinnaker Software has released *Delta Drawing* on cartridge for the Commodore 64 (\$39.95). You can reach Spinnaker at:

Spinnaker Software Corporation 215 First Street Cambridge, MA 02142 (617) 868-4700

The Commodore 64 version of *Delta Drawing* is significantly more powerful than the earlier Apple version. And the Apple version was a knockout.

Catie and I found *Delta Drawing* to be a lot like Logo—only upside down! To make the Logo turtle do something you have to define a procedure (or program) and type in lots of one- or two-letter commands. Then, when you're all done, you have to type the procedure name to make the turtle do its tricks.

This kind of programming is called delayed gratification. It requires a lot of patience—especially when you are only four years old.

Delta Drawing is just the opposite. The payoff comes at the beginning and at the end. Here's a typical session with Eric:

Eric plugs the *Delta Drawing* cartridge into the Commodore 64, and, a moment later, a triangle and a blinking dot appear in the center of an empty screen. The triangle is "DeeDee" the turtle. The dot is DeeDee's tail. DeeDee uses her tail to draw.

Eric starts DeeDee on a trip across the screen by pushing the D key (for Draw). DeeDee moves about a quarter of an inch up the screen, then stops. Behind her is a white line.

Eric pushes the D key again, then the R key (for turn right 30 degrees) three times. Then he

# COMPUTERS ARE CREATING JOBS FOR NRI-TRAINED PEOPLE.

### IF YOU'RE SERIOUS ABOUT **MAKING MONEY IN** MICROCOMPUTERS. NRI IS SERIOUS ABOUT SHOWING YOU HOW.

The U.S. Department of Labor projects job openings for qualified computer technicians will soon double. International Resource Development, Inc. estimates a 600% increase in these jobs in a decade. And most of these will be new jobs, created by the expanding role of computers.

### **NEVER HAS THERE BEEN A FASTER-GROWING FIELD** OF TECHNOLOGY.

Many people are afraid of losing their jobs to computers. but thousands of jobs will be created for those who are prepared to meet the challenge.

With NRI training, you'll be prepared. You can have a profitable, exciting future as an expert

the operational, programming and tech-

Your NRI course will include the new TRS-80 Model 4 with Disk Drive or the TRS-80 Color Computer with NRI Computer Access Card...plus a professional LCD multimeter, NRI Discovery Lab and hundreds of demonstrations and experiments. It's all yours to keep.

nical aspects of all kinds of microcomputers and microprocessors.

## LEARN IN YOUR SPARE TIME.

NRI trains you in your own home, at your convenience...no classroom schedules to meet, no need to guit your job. As a class who can handle of one with complete course materials and the backing of a staff of professional electronics instructors, you'll get extraordinary hands-on training on the latest, most popular microcomputer: the new TRS-80™ Model 4 with Disk Drive. Designed to perform diverse personal and business functions and accept more software, the TRS-80 is yours to keep.

> **LEARN HOW** TO USE PROGRAM AND SERVICE STATE-OF-THE-ART MICRO-COMPUTERS.

Through your carefully designed NRI course, you'll get a wealth of practical

TRS-80 is a trademark of the Radio Shack division of Tandy Corp.

experience. You'll build circuits... from the simplest to the most advanced...with your NRI Discov-

ery Lab. You'll use a professional 4-function LCD digital multimeter for analysis and troubleshooting. With NRI training you'll explore your computer's registers, memory and input-output ports. You'll even write programs to control the circuits you've designed and built. You'll perform hundreds of challenging experiments, always backed by a full-time faculty ready to help you personally.

When your NRI training is complete, you'll be a computer technician, ready for your first job - servicing, testing or programming all types of microcomputers - in a rewarding and chal-

lenging new career.

### THE CATALOG IS FREE. THE TRAINING IS PRICELESS.

Send the coupon today for your FREE 104-page catalog, It's a valuable guide to opportunities and training in the high-tech revolution. You'll see how easily you become part of the growing hightech world of microcomputers. If the coupon has been removed, write: NRI, 3939 Wisconsin Ave... Washington, DC 20016.



**NRI School of Electronics** McGraw-Hill Continuing **Education Center** 3939 Wisconsin Avenue Washington, D.C. 20016

### We'll give you tomorrow. The catalog is free.

The training is priceless.

- Please check for one free catalog only.

  Industrial Electronics

  Computer Electronics including Microcomputers

  Color TV, Audio, and Video System
- Servicing

  Electronics Design Technology


All career courses ap proved under GI bill. Check for details.

- Digital Electronics
  Communications Electronics
  FCC Licenses Mobile CB
  Aircraft Marine
  Basic Electronics
  Small Engine Servicing
  Appliance Servicing
  Automotive Servicing

☐ Auto Air Conditioning
☐ Air Conditioning, Heating,
Refrigeration & Solar Technology
☐ Building Construction Name Age

Street City/State/Zip

Accredited by the Accrediting Commission of the National Home Study Council







pushes the S key.

Eric has made DeeDee do something significant by pushing just five buttons. First, he has made DeeDee move and draw a line—as soon as he presses the button. (This is called immediate gratification.)

Second, he has just created a *program*. The program is extremely simple, but it will act as a building block for the shapes that Eric is planning to make DeeDee draw next.

Eric saves his program by pressing the S key. (At this point Eric's daddy likes to press the T—Text—key to see the actual commands Eric has given DeeDee. This reassures Eric's daddy that Eric is, in fact, creating a real program. Eric, however, is confident that he is programming even without seeing the list of commands. He can see that his programs are working by watching DeeDee whiz around the screen drawing the shapes he has dreamed up.)

When Eric presses the S key the screen goes blank and DeeDee reappears in the home position. With only a moment's hesitation, Eric presses the X and the 1 buttons to run Program 1. DeeDee spurts forward two paces and turns right. Behind her is the straight line.

Eric presses the X and 1 buttons three more times. When he is done DeeDee is back in her home position. She has just drawn a square. Eric types the R button to turn DeeDee 30 degrees to the right. Then he types an S to save his second program.

Next Eric presses the X and the 2 keys seven times to run Program 2 seven times. When he is finished he smiles. DeeDee has just created a flower made up of little boxes rotated around a central axis.

Is Eric done? Not yet. He likes flowers so much he wants them all over the screen, and he wants them in different colors. He presses a couple more keys and colors the flower petals orange and blue and green. Then he presses the M button and holds it down. DeeDee scoots up the screen. Eric presses the S button to save his third program.

Now he's finally ready to do his picture. To make the picture he uses the building block Programs 1–3 that he has just created. To fill the screen with colorful flowers, he has to press only two keys: the X and the 3. Each time he runs his third

program, DeeDee draws a flower, colors it in, then zips to a new part of the screen.

Pretty soon Eric and DeeDee have filled the entire screen with flowers. Eric is done. He gets up from the computer and goes looking for his family to show off his latest creation.

# The Tip Of The Iceberg

Delta Drawing is a spectacular learning game. I have described only a tiny bit of what kids can do with it. But the neatest thing about Delta Drawing is that children can explore all its powerful features, or they can spend hours on a single part of Delta Drawing and still not exhaust it. The program is made for children to explore. And if my children are any guide, they love doing it.

# Kids On Keys

Kids on Keys is available from Spinnaker Software. The Commodore 64 disk costs \$29.95; the Commodore 64 cartridge costs \$34.95.

Kids on Keys is one of those programs that my family ought to like. It teaches all sorts of good things like the alphabet, shapes and colors, problem-solving, and, last but not least, the computer (or typewriter) keyboard.

It turns out that my family really does love *Kids on Keys*, but not because it teaches all that sound educational stuff. We love it for lots of little intangible reasons, like the neat music it plays. Or like the little person who whimsically floats up and down in a balloon. Or the way the letters we correctly identify make a loud *BURP!* and crumble like cookies. Or the funny way the cats, rabbits, boots, and faces fly off the screen after we correctly identify them.

Somehow, subtly, and disarmingly, *Kids on Keys* is charming. So we all love to play it. (Even though some of us are 34 years old, and we're supposed to already know our alphabet.)

And for those adults out there who are snickering in their sleeves, I dare you to try *Kids on Keys*, Game 3, Level 4. Just try to guess all those fragmented shapes, especially after they have changed color and scrambled their positions. Let me tell you, it is no laughing matter. Especially since the key word is quickly fading away.

How well-developed is *your* skill of pattern recognition? Play *Kids on Keys*, and you'll find out.



# NEW! For the Commodore 64™ ANNOUNCING

# CodePro-64™

# A new concept in interactive visual learning . . .

Now you can learn to code in BASIC and develop advanced programming skills with graphics, sprites and music—visually. You learn by interacting with CodePro-64, a new concept in interactive visual learning.


#### SEE PROGRAM EXECUTION

Imagine actually seeing BASIC statements execute. CodePro-64 guides you through structured examples of BASIC program segments. You enter the requested data or let CodePro-64 do the typing for you. (It will not let you make a mistake.)

After entering an example you invoke our exclusive BasicView<sup>™</sup> which shows you how the BASIC program example executes.

You step through and actually see the execution of sample program statements by simply pressing the space bar. CodePro-64 does the rest.

You see statements with corresponding flow chart graphics and variable value displays. You learn by visual examples.



#### **EXTENSIVE TUTORIAL**

CodePro-64's extensive tutorial guides you through each BASIC command, program statement, and function. You get clear explanations. Then you enter program statements as interactive examples. Where appropriate, you invoke BasicView to see examples execute and watch their flow charts and variables change.


By seeing graphic displays of program segment execution you learn by visual example. You learn faster and grasp programming concepts easier with CodePro-64 because you immediately see the results of your input.

You control your learning. You can go through the tutorial sequentially, or return to the main menu and select different topics, or **use keywords** to select language elements to study. You can page back and forth between screens within a topic at the touch of a function key.

CodePro-64 lets you follow your interests and practice with interactive examples. But you can never get "lost", F1 will always return you to the main menu. Once you have practiced and mastered the BASIC language elements you move on to more advanced concepts. You learn about sprite and music programming.

#### **SPRITE GENERATOR & DEMONSTRATOR**

CodePro-64's sprite generator lets you define your own sprites on the screen. You learn how to define sprites and what data values correspond to your sprite definitions. (You can then use these values to write your own programs.) You can easily experiment with different definitions and make changes to immediately see the effects.




We also help you learn to program with sprites by giving you a sprite demonstrator so you can see the effect of changing register values. You can experiment by moving your sprite around in a screen segment, change its color or priority, and see the effects of your changes. You learn by visual examples.

#### MUSIC GENERATOR & DEMONSTRATOR

To teach you music programming CodePro-64 gives you an interactive music generator and demonstrator. First we help you set all your SID parameters (attack/decay, sustain/release, waveform, etc.). Then you enter notes to play and we show your tune graphically as it plays, note by note, on the scale. You learn by seeing and hearing the results of your input.

#### **OUR GUARANTEE**

We guarantee your satisfaction. You must be satisfied with CodePro-64 for the Commodore-64. Try it for 10 days and if for any reason you are not satisfied return it to us (undamaged) for a full refund. No risk.



Our music demonstrator lets you experiment with various combinations of music programming parameters and hear the results. You can quickly modify any of the SID register values to hear the effects of the change. For example, you could easily change waveform and attack/decay values while holding all other SID values constant. By seeing your input and hearing the result you quickly learn how to create new musical sounds and special sound effects.

### AND MORE ...


We don't have enough space to tell you everything CodePro-64 offers. You need to see for yourself. BASIC tutorials, graphics, sprites, music, keyboard review, sample programs—the main menu shown above gives you just a summary of the contents of this powerful educational product.

Whether you're a beginning programmer or an experienced professional, CodePro-64 will help you improve your Commodore 64 programming skills. We're sure because CodePro-64 was developed by a team of two professionals with **over 25 years** of software development experience.

CodePro-64 is a professional quality educational program for the serious student of personal computing. And it's **fully guaranteed.** Order yours today.

#### HOW TO ORDER


Order your copy of CodePro-64 today by mail or phone. Send only \$59.95 plus \$3.00 shipping and handling to:




Available on **diskette only.** MasterCard/VISA accepted. For faster service on credit card orders call (919) 787-7703.

Commodore 64 is a trademark of Commodore Business Machines, Inc.

Ad no. 733, Copyright 1983, SMA Dealer inquiries invited.







# Alphabet Zoo

Alphabet Zoo is also available from Spinnaker Software. The Commodore 64 disk costs \$29.95; the Commodore 64 cartridge costs \$34.95.

Alphabet Zoo is a trip—a trip into a dark maze filled with colorful glowing letters. At the heart of the maze is a fox or a vase or a bottle of ink or a pair of socks (or dozens of other objects). Your goal is to guess the first letter in the object's name (like "f" for fox or "s" for socks). Then you run through the maze and chase down that letter. The letter skulks around the maze trying to elude you, but you can enter special doorways and take shortcuts through the maze. When you capture the letter, the computer plays a musical tune, you win points, and you get plopped down in a new maze with new letters and a new object.

Alphabet Zoo is very flexible. You and your child can play alone or together. You can choose to chase down capital letters, lowercase letters, or a mixture of both. Also, you can graduate to game 2 where you have to chase down entire words that match the picture in the maze's center.

There are six levels in each game. This lets your child work on different types of letters and words: easy and difficult consonants, vowels, etc., and words of anywhere from two to nine letters.

Alphabet Zoo is a valuable game for you and a child to play. It teaches all sorts of reading readiness skills, including letter recognition, letter sequence, and letter sounds. And having to chase the letters around the maze helps children develop fine motor skills that they will need when they begin writing.

All these things are terrific, but I've saved the best part for last. When you start each new trip into the alphabet maze, you get to choose your own player-creature. And the creatures are hilarious. One is a plump, pumpkin-like happy face. Another is a little, excited monster who keeps

jumping up and down.

All the player-creatures are very lovable. Making them hop and bump their way around the maze hunting letters is a big part of the game's charm. And that's the secret of a good game. The game has worthwhile goals and desirable rewards. But it's also fun just playing. You and the child will still enjoy yourselves even if you never do track down one of those tricky letters.

# Cosmic Life

Cosmic Life is available from Spinnaker Software. The cartridge for the Commodore 64 costs \$34.95.

Cosmic Life originated long, long ago, in the mists of time, before the Apple, before the PET, and before the TRS-80.

In that long-ago time there was a math wizard named John Conway. Conway created a game called *Life*. In Conway's little world, creatures lived according to three very simple rules:

### Survival

Every creature with two or three neighbors was happy and survived until the next generation.

#### Death

When a creature was surrounded by four or more neighbors the creature felt overcrowded, became sad, and died. If the creature had only one neighbor or no neighbors at all, the creature became lonely and died.

#### Birth

Whenever three creatures got together and shared an empty space, they produced a new creature for the next generation.

Conway published his game of *Life* in *Scientific American* over ten years ago. But it wasn't until recently that Ken Madell, the author of *Cosmic Life*, showed Spinnaker that he could convert Conway's intellectual parlor game into a fun computer learning game for kids and adults.

The creatures in *Cosmic Life* are known as Digi-Bugs, cute little *Pac-Man*-like creatures. They are born, they live, and they die according to Conway's original rules.


When you play *Cosmic Life* you begin with a barren, uninhabited planet. You pilot a joystick-controlled spaceship down to the planet and begin seeding it with Digi-Bugs.

Then prepare to be entranced. Digi-Bug colonies start popping up all over the screen. The little creatures grow, multiply, dwindle, and disappear, right before your eyes.

You can set everything in motion, then retreat to a cloud to watch the action, or you can dive your spaceship back down and continue to seed the planet's surface with new Digi-Bugs.

Pretty soon you will develop a real affection

# The Most Practical Software — Now Has Graphics




The **Graphics Assistant**, the latest addition to the ASSISTANT SERIES, lets you and your 64 produce charts and graphs in three formats. You can display them on screen or print them out. On screen display is 30 columns by 14 rows — about 60% of the screen. Print-out can be two sizes: a compact 4" x 4" or a full page, 7" x 9", display.


Bar chart format accepts up to 30 bars per chart; line chart allows 200 points per chart; pie chart can be sliced as thin as you desire. Vertical and horizontal labels are clearly displayed. On the pie chart a label with pointer is displayed outside the graph and indicates percentage or raw numeric data, i.e. Rainbow (73) or Graphics (141). You can assign range, limits, and values to create charts. Most importantly, however, you can retrieve data from files created by the **Spreadsheet Assistant**. The ASSISTANT SERIES is now better than ever! You can now attach graphs to documents created by the **Writer's Assistant**. And produce comparison charts from data that has been calculated and replicated on the **Spreadsheet Assistant**.


The Graphics Assistant .....


\$79.95











RAINBOW Emputer Erporation

490 Lancaster Pike

for the little creatures. You will learn what patterns help them grow and which patterns make them sad and vanish.

Something happens each Digi-Bug day. Each day lasts about four seconds. You can create a game of anywhere from 10 to 250 Digi-Bug days. At the end of each day the computer scores points based on how many Digi-Bugs are currently living on the planet. Your goal is to create settlement patterns for the Digi-Bugs that make them happy, fruitful, and fertile. But you have to keep a balance. If your Digi-Bug planet gets too crowded, the Digi-Bugs will start disappearing again.

# Up For Grabs

Up for Grabs is also available from Spinnaker Software. The program costs \$39.95 and comes on a cartridge for the Commodore 64.

*Up for Grabs* is supposedly for kids eight and up. But it is an instant swamp for kids, and maybe for adults, too. This is not to say that the program is not fun, because it is fun. But *Up for Grabs* is not an intuitively charming game like the other games above. It takes lots of practice and you'd better read the instruction book if you want to know what's going on.

*Up for Grabs* is an electronic *Scrabble* game. A cube spins around in the center of the screen. On each of the cube's faces is a letter. The letter rotates around, in view, then disappears. When the cube face comes around the next time, a new letter has replaced the old letter.

You pick a letter by pushing the button on your joystick. An arrow appears and points, in turn, at each of the letters on the cube that are visible. When the arrow points at the letter you want, you press the joystick button again.

There are four letter boards for up to four *Up* for Grabs players. Once you have chosen a letter, you can place it on one of the squares on your board by manipulating a row pointer and a column pointer.

When Catie and I first tried playing Up for Grabs without reading the directions, we got nowhere.

Later, my wife Janet and I played. Janet spent most of the first couple of games fuming and fussing at the computer. She claimed it was stealing her letters, putting them on the wrong squares on the board, and substituting other letters for the ones she'd chosen.

I had the same problem.

But then things started improving. We got better at manipulating the letters and the game boards. All of a sudden, we were hooked. We played game after game.

We kept playing. I looked at my watch. It was ten o'clock, it was a school night, and the kids were upstairs noisily dismantling their bedrooms. But Janet and I played on.

If you like *Scrabble* and you are a patient

learner, you'll like *Up for Grabs*.

Tonight I'm going to talk to Catie. I'm going to try to persuade her to give the game a second chance. I think it's worth it.

## Fraction Fever

Fraction Fever is available from Spinnaker Software. It costs \$34.95 and comes on a cartridge for the Commodore 64.

This is one of the most frustrating yet most addictive games I have ever played. (Spinnaker recommends Fraction Fever for people eight and up. Fraction Fever, Up for Grabs, and Cosmic Life are the first three games in Spinnaker's Family Learning Game series.)

The game is not a swamp, it's just so darned

tough!

When you enter the world of this game you become a little person on a pogo stick. You start bouncing the pogo stick around on the bottom floor of a crazy, 20-floor building.

As you bounce the pogo stick, using your joystick, you discover boxes beneath the floor at intervals. The boxes, some filled and some empty, represent fractional quantities. Your goal is to find a group of boxes that matches the fraction hovering in the top-center part of your screen. For example, let's say the fraction is ½. You would bounce your pogo stick until you found, say, four boxes together where two boxes were full and two were empty. When you bounce onto the square with these boxes you press the joystick button.


A neat thing happens. A fraction elevator springs out of the floor, picks you and your pogo stick up and carries you to the next floor. You bounce off the elevator and begin hunting boxes to match with a new fraction that is displayed at the top of the screen.

One of the best features of this game is the pogo radar. The little radar screen shows the floor you are on and the floor above and the floor below,


each in a different color.

The radar is important because you can use it to estimate where you will find the boxes to match the fraction. The boxes are like distance markers. The fraction they represent is equal to the portion of the whole floor you have traveled, measured from left to right. For example, if you are trying to find boxes representing 3/4, you can locate your little pogo-stick person on the radar, then bounce him three-quarters of the way along the floor to the right.

When you find the boxes—four of them, three full; or, perhaps, eight of them, six of them fullyou have three visual matches for a particular fraction. First, you have the fraction itself (3/4) in







Alphabet Zoo by Spinnaker Software.

Kids on Keys by Spinnaker Software.

Fraction Fever by Spinnaker Software.

the upper part of the screen. Second, you have the four boxes (three full out of a total of four). And, third, you can see the little pogo stick on the radar, and it is exactly three-quarters of the way along the floor (measured from left to right).

The radar is also important because it warns you that holes in the floor are close by. If your pogo-stick person drops through the hole, he falls to the next floor below. This doesn't hurt him, and he can summon the fraction elevator to go back up by matching a new fraction to new boxes. But he can only fall ten times. After that he runs out of pogo sticks.

Where did the holes come from? The only way to get points in this game is by punching holes in the floor with your pogo stick. You get points each time you punch a hole in the floor over a set of boxes that do *not* match the fraction that is appearing on the screen.

But watch out. You have to punch and run, or else you will drop through the hole you just created and fall down to the floor below.

And there's the rub. Those holes are a darned nuisance. The first few times I played *Fraction Fever* I deliberately punched lots of holes to score lots of points. But then my floors had holes everywhere, and I ended up falling down a hole before I could find the correct boxes and catch a ride upward on the fraction elevator.

So I changed my tactics. I tried to get to the topmost (20th) floor first. Then I planned to work my way backwards, punching holes and falling through the floor.

This tactic worked fine until the 16th floor. Then the boxes changed to partly filled beakers. I had to see if the current fraction matched the amount of liquid in the beakers, and then check to see if the partly filled beakers matched the portion of the floor I had traversed. By the time I went through all this estimating and guessing, my time would run out and I would have to hop off the current floor (or fall through a hole) and drop to the floor below. Then the timer would start again and I would try to match the fraction, the beaker, and the floor, and catch another ride upward on the fraction elevator.

Unfortunately, I kept timing out and falling

through holes faster than I could estimate fractions. Pretty soon I was back near the bottom of the building with no more pogo sticks to bounce on.

Now I'm a veteran of *Fraction Fever*. Even so, I've never made it past the sixteenth floor, and I've never scored over 16 points.

But I'm going to keep trying. And because I'm persisting, I'm becoming a better fraction-guesser and a better pogo stick bouncer.

I just wish that Tom Snyder, the designer of this game (along with other Spinnaker best sellers, such as *In Search of the Most Amazing Thing* and *Snooper Troops*), would have been more generous with his point allotment. After scoring thousands of points with videogames, I found it quite hard to be content with scores like 6, 11, or 3.

Also, I would have loved it if Snyder had awarded me points for guessing the correct fraction rather than for punching holes in the floor whenever I spotted an incorrect fraction (or group of boxes representing a fraction).

Last, I wish that Snyder had designed the game with several levels, including three or four below the level the game operates at now. I can live with the knowledge that I've only made it to the sixteenth floor (that's <sup>16</sup>/<sub>20</sub> of all the floors, or <sup>8</sup>/<sub>10</sub>, or <sup>4</sup>/<sub>5</sub>, or four full boxes out of a total of five). But it would have made it easier for me to get Catie and Eric past the first floor.

Presenting

An income tax program for everyone to use. TAX COMPUTATION has been approved for COMMODORE'S ENCYCLOPEDIA OF SOFTWARE as well as many other directories. Your taxes will be completed quickly, easily, and to your benefit.

TAX COMPUTATION Commodore 64 \$39.95 VIC 20, TI99/4A \$19.90

K. R. Rullman 4550 Murray # 81 Beaverton, OR 97005

The cost of the program is tax deductible along with part of the cost of your computer.

# 64 Electronic Notepad

Dan Carmichael, Assistant Editor

If you've ever collected so many games and programs on disk or tape that you lost track of how to use each one, then the "64 Electronic Notepad" is just what the doctor ordered.

Have you ever looked at a directory on a disk (or a list of programs on a tape) that was jam-packed with programs and realized that you had forgotten the instructions on how to run them? Or have you ever wanted a convenient way to store anything like notes on that program you're writing or a list of names and phone numbers? If so, then the "64 Electronic Notepad" is the program for you.

The Electronic Notepad contains the most basic functions of a word processor and the ability to store a screen full of information to either tape or disk. Don't leave yet; there's an added bonus: a built-in cipher that will, at the touch of a finger, scramble or unscramble your notes. It's a simple scrambler, but good enough to fool the average nosey person.

# **How To Use The Program**

First, type in the program and SAVE it to tape or disk before running. Be extra careful when typing in the DATA statements; they're for a machine language program, and as with all machine language subroutines, a mistake in just one DATA statement can freeze up your computer.

After the program has been typed in accurately, type RUN, press RETURN, and wait a few seconds while the BASIC program loads the machine language routines into memory.

The first user prompt you will see is ENTER 2 SECRET CODES (0–255):. This is for the cipher part of the program. The scrambling of your notepad pages (which, by the way, is optional) is done twice, using two different numbers. Two scrambles will make it that much harder for the curious or the nosey to decode your secret notes. When you enter these two numbers (between 0 and 255), separate them by a comma. Don't be alarmed when you type in the numbers and they aren't seen on the screen. This is intentional. If there are other people around, they won't be able to see your secret codes as you type them in. If you want to see the numbers as you type them, you can delete POKE 646, PEEK (53281) from line 17 (be sure to remove the colon, too). Remember to separate the two numbers by a comma. As an example, you might enter 100,200. If you won't be needing the cipher, enter two zeros.

The second user prompt that will be displayed is DISK OR TAPE?. Here you'll want to press either D or T. The program is written for one or the other, but not both at the same time. For example, if you're in the tape mode, you won't be able to get a disk directory with the program, even if you have a disk drive connected to the computer.

If you've typed in the program correctly, it should now be running, and you should see the options page. The options are:

View notepad page. Press the f1 key for this option. The program calls in a notepad page from either disk or tape and sends it directly to the screen for viewing.

*Create notepad page.* If you press f3, the program enters the basic word processor mode. Now



We had a problem. So we invented PC-DocuMate™ to solve it. The problem was how to quickly master the VIC-20 and CBM-64 keyboards and easily start programming in BASIC on our new personal computers. First we went through the manuals

#### **INCONVENIENT MANUALS**

The user's guide was a nuisance and the programmer's reference manual was just plain inconvenient to use. We found the control key combinations confusing and the introduction to BASIC to be too "basic" for our needs. We needed a simple solution to our documentation problems.

So we decided to surround the keyboard of each PC with the information we wanted. We decided to print whatever we needed on sturdy **plastic templates** which would fit the keyboard of either the VIC-20 or Commodore 64.

#### SIMPLE SOLUTION

This was the simple solution to our problem. Now we could have the essential information right at our fingertips.

On the left side and top of the templates we put **BASIC** functions, commands, and statements. On the lower left we used **key symbols** to remind us of how to use SHIFT, RUN/STOP, CTRL and the "Commodore" key. Over on the bottom right side we put some additional keys to help remember about CLR/HOME and RESTORE. But we were still a little confused.

#### STILL CONFUSED

We found we were confused about music programming, color graphics, and sprites. On both the VIC-20 and the CBM-64 templates we carefully organized and summarized the essential reference data for **music** programming and put it across the top—showing notes and the scale. All those values you must POKE and where to POKE them are listed.

Then to clarify **color graphics** we laid out screen memory maps showing character and color addresses in a screen matrix. (We got this idea from the manuals.)

For the VIC-20 we added a complete memory address map for documenting where everything is in an expanded or unexpanded VIC.

For the Commodore 64 we came up with a really clever summary table for showing almost everything you ever need to know for sprite graphics.

#### **GETTING EASIER**

Now we had organized the most essential information for our VIC and 64 in the most logical way. BASIC, music, color graphics, and sprites all seemed a lot easier. Our initial problem was solved by PC-Docu-Mate<sup>TM</sup>

But we have a confession to make.

#### WE CHEATED

We had solved this kind of problem before. In fact, many times before. You see, we at SMA developed the original PC-Docu-Mate for the IBM PC. We've made templates for IBM BASIC and DOS, for WORDSTAR™, VISICALC™ and other best-selling software packages for the IBM PC.

So we knew we could invent another PC-DocuMate™ to solve our problems with the VIC-20 and Commodore 64. Now our solution can be yours and you can join the thousands of satisfied users of our template products.

Take advantage of our experience and success with PC-DocuMate templates. Get one for your personal computer.

#### SOME SPECIFICS

Our templates for the VIC and 64 are made from the same high quality **non-glare** plastic as the more expensive IBM PC versions.

The templates are an attractive **gray** color and are imprinted with a special black ink which bonds permanently to the plastic. They are precision **die-cut** to fit your keyboard.

Unlike some other products we've seen in this category, PC-DocuMate templates are professionally and expertly designed. And they are fully guaranteed.

#### **OUR GUARANTEE**

We guarantee your satisfaction. You must be satisfied with your PC-DocuMate for your VIC-20 or CBM-64. Try it for 10 days and if for any reason you are not satisfied return it to us (undamaged) for a full retund. No risk.

# SOLVE YOUR PROGRAMMING PROBLEMS WITH PC-DocuMate\*

Order your PC-DocuMate today (by phone or mail) and solve your VIC-20 or CBM-64 programming problems. Send only \$12.95 and specify which computer you have. We pay for shipping and handling. Use the coupon below or call 919-787-7703 for faster service.

e VIC-20
CBM-64 tem
I have enclosed
r_MC/VISA
State Zip
Exp.
nada) add \$5.00 US
13
ement Associates Drive, Dept. J-1
Carolina 27619
d \$18.95 CDN fo
ement Associates
Dr., Dept. J-1

VIC-20 and Commodore 64 are trademarks of Commodore Business Machines, Inc.

Ad no. 731 Copyright 1983, SMA.

Dealer inquiries invited.

you can create a notepad page and save it to tape or disk with any filename you choose. While you're in this mode, pressing f1 performs the SAVE, and pressing f8 aborts the page and returns to the options page.

View disk directory. This option (called by pressing f5) displays the disk directory. The program will send it directly to the screen, and it will not affect the BASIC program in memory. While you're in the tape mode, you cannot get a disk directory.

Change program options. Pressing f6 restarts the program. This enables you to change your secret codes if you wish. You can also use this option to change to either disk or tape. Pressing f8 ends the program.

# **Using The Cipher Option**

The scramble option runs all the time and is controlled by the back-arrow key at the upper-left corner of the keyboard. Pressing it once (if you entered your secret codes) will scramble the screen; pressing it again will unscramble.

To use the cipher option to scramble a page before saving, create the page as you normally would using the f3 *create notepad page* option. When you're ready to save the page, press the backarrow (to scramble the page) and then press f1 to SAVE. The notepad page will then be saved to either tape or disk in the scrambled form.

To use the cipher to unscramble a notepad page, load the notepad page file as you normally would using the f1 *view notepad page* option. After the page has been loaded and is displayed on the screen, press the back-arrow to unscramble it. If you're using the same secret codes you did when you saved the page, the page will now be readable.

# **How The Program Works**

The key to the Electronic Notepad is screen memory page-flipping. This is a technique where you can create one or more extra screens in RAM memory. When you're in the *create notepad page* mode, you're actually writing to the screen (1024–2047); but as soon as you press f1 for the SAVE, you "flip" to another screen memory page that has been set up past the end of the program in BASIC memory. This way you can display the user prompts, such as ENTER NOTEPAD PAGE NAME, without disturbing the page you've written. We'll come back to this later.

For you machine language programmers, the program uses some Kernal routines. The load-apage option is done with the Kernal LOAD routine (\$FFD5), and the save uses the Kernal SAVE routine (\$FFD8). The display directory option can be found in the cassette buffer and is a machine language subroutine.

The cipher option can be found in an unused

area of the 64's memory between 679 and 752 (\$02A7 to \$02F0). The subroutine works by looking at screen memory itself and then flipping the bits (with the EOR command) of the characters that are displayed on the screen. It does this alternately (every other byte of screen memory) with the two secret codes you entered. The first secret code is used to cipher all the odd bytes (1,3,5...), and the second code is used for the even numbers (2,4,6,...).

# **Hints And Tips**

Remember your secret codes. If you use a different secret code when you save a notepad page than when you load it back in, the cipher will not correctly unscramble the page.

The word processor portion in the create mode is designed to be a very elementary word processor. You do not have full editing capabilities, and a few keys, like the CRSR left/right and the HOME/CLR, will not work. The inconveniences are minimal if you proofread the text as it is being created. If you make a mistake, use the DELETE key to backspace/erase and then make your corrections. To end a line, press RETURN. Don't use the last three positions (lower-right corner) on the screen. This can cause the screen to scroll, and you may lose the top one or two lines of your text.

Organization of the notepad page filenames can make things easier. For example, when saving to disk, you might want to end each filename with an EN, which stands for Electronic Notepad. That way, when you're looking at the disk directory, you'll automatically know that a filename like SPACE GAME.EN is the electronic notepad page of instructions on how to play "Space Game" on the same disk.

Don't scramble notepad pages unless absolutely necessary. The program was written using page-flipping for a specific reason. If you want to quickly load in a notepad page in the immediate mode, you can do it without running the Electronic Notepad program. First you have to fill color memory, then you can load in the notepad page. To do this, enter:

### FORA = 55296TO56319:POKEA,PEEK(646):NEXT: LOAD"filename",dn,1

then press RETURN. Filename is the name of the Electronic Notepad page. The device number, dn, is 1 for tape or 8 for disk. If the page was scrambled before it was saved, you'll have to run the Notepad program to unscramble it.

You'll probably find that keeping notes or instructions on the same disks or tapes that contain your programs is a lot easier than shuffling papers and trying to keep track of handwritten notes.

See program listings on page 186. @

# **HOW MUCH LONGER WILL YOU LAST?**

How long can you endure? When will it end?... We're not talking about a new shoot'em up game for the Commodore 64, but Commodore's own disk operating system! Commodore made a great computer in the 64 but left its disk operating system out in the cold. If you've been waiting for a true disk operating system, here it is!... If you've been waiting for a great BASIC language enhancement that will let you utilize the Commodore's many special features, here it is! What is it? It's grafDOS, the great new utility from Xylex Software that allows the user to actually become friendly with the Commodore 64! grafDOS includes commands like DELETE, RENAME, CATALOG, RUN, etc. The BASIC allows you to do high resolution and low resolution graphics, sound, sprite program, plus much, much more for a total of 40 commands! Plus included in every package is MINIMON, a powerful machine language monitor that includes another 20 commands for use in machine language. The disk also comes with sample programs and demos including a great music generator! And all this together is only \$49.95! How could you have lasted this long without it?

### DON'T WAIT ANY LONGER!

Make your programming easier! grafDOS is available now at your local dealer or:



Visa/MC/Check/Money Order Add \$2.00 shipping CA residents add 61/2% sales tax. Dealer inquiries invited.







'My only

copy

gone!"

If you own a disk drive then you'll need "The Clone Machine". Take control of your 1541 with this package that includes:

- 1.) Complete and thorough users manual
- 2.) Copy with one or two drives
- 3.) and back-up Investigate "PROTECTED" disks
- 4.) Copy all file types including relative types
- 5.) Edit and view track/block in Hex or ASCII
- 6.) Display full contents of directory and print 7.) Change program names, add, delete files
- with single keystroke 8.) Easy disk initialization
- 9.) Supports up to four drives



Inquiries Invited

Special intro \$39.95

Dealers & Distributors CALL (201) 838-9027



P.O. Box 113 Pompton Plains, N.J. 07444

# OMMODORE 64 COMPUTER AND SOFTWARE

SALF

\$99.50\*

170K DISK DRIVE \$159.00 \*

TRACTION FRICTION PRINTER \$109.00 ★

WF HAVE THE BEST SERVICE

Name

WE HAVE THE LOWEST PRICES

VIC-20

(a real computer at the price of a toy)

\$69 50

- 40-80 COLUMN BOARD \$69.00
- 32K RAM EXPANDER \$95.00

#### **★ COMMODORE 64 COMPUTER \$99.50**

You pay only \$199.50 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your computer that allows you to SAVE OVER \$100 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$99.50!!

#### SOFTWARE BONUS PACK \$29.95

When you buy the Commodore 64 Computer from Protecto Enterprizes you qualify to purchase ONE SOFTWARE BONUS PACK for a special price of \$29.95!! Normal price is \$49.95 (40 programs on disk or 24 programs on 5 tapes).

#### **★ 170K DISK DRIVE \$159.00**

You pay only \$259.00 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your disk drive that allows you to SAVE OVER \$100 off software sale prices!! With only \$100 of savings applied, your net disk drive cost is \$159.00.

#### \* TRACTION FRICTION PRINTER \$109.00

You pay only \$209.00 when you order the Comstar T/F deluxe line printer that prints 8 1/2 x 11 full size, single sheet, roll or fan fold paper, labels etc. 40, 66, 80, 132 columns. Impact dot matrix, bi-directional, 80 CPS. LESS the value of the SPECIAL SOFTWARE COUPON we pack with your printer that allows you to SAVE OVER \$100 off software sale prices!! With only \$100 of savings applied your net printer cost is only \$109.00

### 80 COLUMN BOARD \$119.00

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! List \$199 SALE \$119 PLUS-you also can get an 80 COLUMN BOARD WORD PROCESSOR with mail merge, terminal emulator, ELECTRONIC SPREAD SHEET. List \$49.00 SALE \$19.95 if purchased with 80 COLUMN BOARD!! (Tape or Disk)

#### 80 COLUMNS IN COLOR **EXECUTIVE WORD PROCESSOR \$69.00**

This EXECUTIVE WORD PROCESSOR is the finest available for the COMMODORE 64 computer! The ULTIMATE for PROFESSIONAL Wordprocessing application! DISPLAYS 40 OR 80 COLUMNS IN COLOR or Black and White! Simple to operate, powerful text editing with a 250 WORD DICTIONARY, complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin set-tings and output to all printers! Includes a powerful mail merge. List \$99.00 SALE \$69.00. 20,000 WORD DICTIONARY - List \$24.95 SALE \$19.95. EXECUTIVE DATA BASE - List \$89.00 SALE \$59.00. (Disk only)

### SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE COUPON with every COMMODORE 64 COMPUTER-DISK DRIVE-PRINTER-MONITOR we sell! This coupon allows you to SAVE OVER \$100 OFF SALE PRICES! \$200-\$300 savings are possible!!

#### (example)

#### PROFESSIONAL SOFTWARE COMMODORE 64 1100

Name	LIST	Sale	Coupon
Executive Word			
Processor	\$99.00	\$69.00	\$59 00
Executive Data Base	\$89 00	\$59.00	\$46.00
20,000 Word Dictionary	\$24.95	\$19.95	\$14.95
Electronic Spreadsheet	\$89.00	\$59.00	\$46.00
Accounting Pack	\$69.00	\$49.00	\$32.00
Total 5 2			
Word Processor			
Tape	\$69.00	\$56.00	\$37.00
Disk	\$79.95	\$63.00	\$42.00
Total Text 2 6			
Word Processor			
Tape	\$44.95	\$39.00	\$26.00
Disk	\$49 00	\$42.00	\$29 00
Total Label 2.6			
Tape	\$24.95	\$18.00	\$12.00
Disk	\$29 95	\$23 00	\$15.00
Programmers			
Helper (Disk)	\$59.00	\$39 00	\$29.95
Basic Tutor (Tape/Disk)	\$29.95	\$24.95	\$15.00
Typing Teacher			
(Tape/Disk)	\$29.95	\$24 95	\$15.00
Sprite Designer (Disk)	\$16.95	\$14.95	\$10.00
Medicinemen (Tape)	\$19.95	\$17.95	\$12.00
Weather War II (Tape)	\$19.95	\$17.95	\$12.00
Professional Joy Stick	\$24.95	\$15.95	\$11.00
Light Pen	\$39.95	\$19.95	\$16.95
Dust Cover	\$ 8.95	\$ 6.95	\$ 4.60

(See other items in our catalog!)
Write or call for

Sample SPECIAL SOFTWARE COUPON!

#### **EXECUTIVE QUALITY** PROFESSIONAL BUSINESS SOFTWARE

#### The Cadillac of business programs for Commodore 64 Computers

Item	List	'SALE
Inventory Management	\$99.00	\$59.00
Accounts Receivable	\$99.00	\$59.00
Accounts Payable	\$99.00	\$59.00
Payroll	\$99.00	\$59.00
General Ledger	\$99.00	\$59.00
(*COUPON PRICE \$49.00)		

#### VIC-20 COMPUTER \$69.50

This 25K VIC-20 computer includes a full size 66 key typewriter keyboard color and graphics keys, upper/lower case, full screen editor, 16K level II microsoft basic, sound and music, real time floating point decimal, self teaching book, connects to any T.V. or monitor!

#### 40-80 COLUMN BOARD \$69.00

Now you can get 40 OR 80 COLUMNS on your T.V. or monitor at one time! No more running out of line space for programming and making columns! Just plug in this Expansion Board and you immediately convert your VIC-20 computer to 40 OR 80 COLUMNS!! List \$129. SALE \$69.00. You can also get an 80 COLUMN BOARD WORD PROCESSOR with mail merge, terminal emulator, ELECTRONIC SPREAD SHEET!! List \$49.00. SALE \$19.95 if purchased with 80 COLUMN BOARD! (Tape or Disk).

#### 32K RAM EXPANDER \$95.00

This cartridge increases programming power over 8 times!! Expands total memory to 57K (57,000 bytes). Block switches are on outside of cover! Has expansion port!! Lists for \$199 (OUR BEST BUY!)

#### **60K MEMORY EXPANDER \$49.00**

Sixslot — Switch selectable — Reset button — Ribbon cable — CARDCO. A must to get the most out of your VIC-20 Computer!

#### 8K RAM CARTRIDGE \$39.00

Increases programming power 2 1/2 times. Expands total memory to 33K (33,000 bytes).
Memory block switches are on outside of cover! Includes FREE \$16.95 game.

### 16K RAM CARTRIDGE \$55.00

Increases programming power 4 times. Expands total memory to 41K (41,000 bytes), Memory block switches are an outside cover! CARDCO Includes FREE \$29.95 adventure game!!

### 12" GREEN SCREEN MONITOR \$99.00

Excellent quality GREEN PHOSPHOROUS VIDEO MONITOR with antiglare, 1920 characters (80 characters x 24 rows). Save your TV! a must for 80 column word processors. PLUS \$9.95 for VIC 20 or Commodore 64 Cable.

#### 12" AMBER SCREEN MONITOR \$119.00

Premium quality AMBER VIDEO MONITOR With antiglare, (80 characters x 24 rows), exceptionally clear screen, faster scanning. PLUS \$9.95 for VIC 20 or Commodore 64 Cable.

LOWEST PRICES
 15 DAY FREE TRIAL
 90 DAY FREE REPLACEMENT WARRANTY

• BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS


Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. VISA - MASTER CARD - C.O.D.

# PROTECT

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

**BOX 550, BARRINGTON, ILLINOIS 60010** Phone 312/382-5244 to order



# FANTASTIC PRINTER SALE

as \$14900 as

# • 15 Day Free Trial - 180 Day Immediate Replacement Warranty

80 COLUMN THERMAL PRINTER — 60 CPS Bi-directional, dot matrix, prints 8½" letter size paper, full 80 columns, high resolution graphics, dot bit addressable, special symbols and true decenders! (Centronics parallel interface)	<b>LIST</b> \$199	\$149
80 COLUMN TRACTOR-FRICTION PRINTER — 80 CPS Bi-directional, dot matrix, impact, prints single sheets, continuous feed paper, adjustable columns, 40 to 132 characters! Roll paper adapter \$32.95. (Serial or Centronics parallel interface)	\$399	\$209
PREMIUM QUALITY 10" CARRIAGE T/F PRINTER — 120 CPS Bi-directional, impact, 9 x 9 dot matrix with double strike for 18 x 18 dot matrix. High resolution bit image (120 x 144 dot matrix) underlining back spacing, left and right margin settings, true lower decenders, with super and sub scripts. Prints standard, italic, block graphics, special characters, plus 24 of user definable characters and much more!! Prints single sheets, continuous feed and roll paper! (Centronics parallel interface)	\$499	\$289
PREMIUM QUALITY 15½" CARRIAGE PRINTER — 120 CPS Has all the features of the Premium Quality 10" Carriage T/F Printer above plus a 15½" carriage and more powerful electronic components to handle large business forms! (Centronics parallel interface)	\$599	\$379
HIGH SPEED PREMIUM QUALITY T/F  10" PRINTER — 160 CPS  Save printing time with these plus features: 160 CPS speed, 100% duty cycle, 8K buffer diverse character fonts special symbols and true decenders, vertical and horizontal tabs. This is Red Hot Efficiency!!! (Serial or Centronics parallel interface)  HIGH SPEED PREMIUM QUALITY	\$699	\$499
T/F 15½" PRINTER — 160 CPS  Has all the features of the 10" Carriage high speed printer plus a 15½" carriage and more powerful electronics to handle larger business forms! (Serial or Centronics parallel interface)	\$799	\$599

### PARALLEL PRINTER INTERFACES: (IN STOCK)

(	
For VIC-20 and COMMODORE 64	\$49.00
For all APPLE COMPUTERS	\$69.00
For ATARI 400 and 800 COMPUTERS	\$79.00

NOTE: Other printer interfaces are available at computer stores!





WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. We accept Visa and MasterCard. We ship C.O.D.



BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

# Alpha-Shoot

Neil T. Capaldi

The author wrote this educational game for the unexpanded VIC-20; we've added a version for the Commodore 64. It works with either keyboard controls or a joystick.

"Alpha-Shoot" is a game I wrote for my son to help him learn and recognize the letters of the alphabet.

The object of the game is to line up the heart-shaped character at the bottom of the screen with the letter displayed above. The heart can be moved left or right with the C and B keys or with the joystick. (With the Commodore 64 version, plug the joystick into port 2.)

Pressing the space bar or joystick fire button shoots an arrow up the screen. As each letter is hit, it explodes and is placed in alphabetic order at the bottom of the screen. When all the letters in the alphabet have been "captured" this way, the game redisplays the alphabet to the familiar children's tune of "Twinkle Twinkle Little Star."

## Four Games In One


Alpha-Shoot has four possible variations. When you first run the program, it asks you to choose from these four options:

- 1. The letters of the alphabet are displayed randomly.
- 2. Letters are displayed in alphabetic order, A-Z.
- **3.** The letter to be displayed can be selected from the keyboard.
- 4. Letters are displayed randomly and move across the screen.

Parents should select the variation they want and have the child name each letter as it appears on the screen. Also, children can learn alphabetic order by singing along as it is played.



Taking aim at a Q in the VIC version of "Alpha-Shoot."



"Alpha-Shoot," 64 version.

See program listings on page 199.



# THE MICRO COMPUTER BUSINESS WILL GROW FROM \$10 TO \$100 BILLION IN THE NEXT EIGHT YEARS! ARE YOU READY TO CASH IN?

The micro computer business is predicted to grow from its present \$10 billion to \$100 billion before 1990! Imagine the possibilities this opens for you! No matter where you live, if you're starting up or presently in business, no other industry offers you more opportunities!

Now, finally, all the inside information you need to secure a prosperous future in this dynamic industry is available in one place - THE COMPUTER ENTREPRENEUR MANUAL! — An Immense information source, compiled by our inquisitive research team, aided by a panel of experts and business people from all areas of the computer industry!

We present the inside story of more than 100 lucrative computer businesses you can enter, where you'll find the real opportunities for the eighties: from one man operations like Programming Author, Word Processing Center or Consulting, to Systems House, Service Bureau, Computer Store etc! Many at little or no investment! All the invaluable facts and figures: How to start, Capital needs, Profit estimates and Margins, How to Sell and Market, How missing technical or business experience need not stand in your way, Source of Suppliers, etc! Details that could take years to find out on your own!

We'll show you inside tricks, like how to never again pay retail for computer products and consumer electronics, even for one item - right now, while you're starting your business! How to get free merchandise and trade show invitations, etc. This alone will more than pay for the manual! You'll read actual case histories of other computer entrepreneurs, so you can learn from their mistakes, and profit from their success stories! Where you'll be one year from now depends on your actions today! Let us show you how to take the first crucial steps!

Order now and take advantage of our limited introduction special, THE COMPUTER ENTREPRENEUR MANUAL, and a six month subscription to THE COMPUTER ENTREPRENEUR REPORT/NEWSLETTER (so you're always up-to-date with the industry), both for only \$29.95! You must be convinced on how easy you can strike it rich in the micro computer business - or you may return the manual for a full refund within thirty days! USE OUR TOLL FREE NUMBER TO ORDER!



# TO SUCCEED IN THE COMPUTER BUSINESS IS ALL IN THIS MANUAL!

THE COMPUTER ENTREPRENEUR MANUAL has the answers to all your questions about selecting, starting and succesfully running a computer business! There has never been such a comprehensive collection of know-how and information about this business in one place! All the facts you need to plan and acheive your goals in easy-to-follow, step-by-step instructions!

These are some of the 100-plus businesses covered in PART ONE of the manual, with the facts on How to start and run, Start-up Cost (Even how to operate on a shoestring), What profits to expect, Wholesale prices, Mark-ups, Suppliers, future outlook, case histories for each, etc:

Systems House, Software Author ( who to sell to and who to avoid ). Service Bureau, Software Publisher ( How to find programs that sell. Word Processing Service, Consulting and Consultant Broker [ use your skills or those of others, make \$150 - \$1000 a day!), The incredible Games Business, Computer Store ( Franchises: Pro and Contra, or a low inventory store in your home!), OEM, Hardware Mfg. Data base and Teletext Service ( big prospects!), Used Computers, Repairs, Rent-A-Computer, Promote Fests and Trade Shows, Turnkey Systems,

Bartering, Mail Order, Compile and rent mailing lists, Specialized Data Headhunting and Temp Help Service, Tech Writer Shop, Custom Engineering, The highly profitable Seminars and Training Business, and many more!

Many new ideas and ground floor opportunities! Interviews and success stories on companies of all sizes! Privy into on the profits made: How some computer store operators net \$100 - \$250,000! Little known outfits that made their owners millionaires, one of these low-key companies, making simple boards, went from nil to \$20,000,000 and 100 employees in four years! Programmers that make \$300,000, Thousands of micro millionaires in the making, etc!

Whatever your goal is - Silicon Valley Tycoon, or just a business at home - we guarantee you'll find a business to suit you - or your money back!

PART TWO of the manual is loaded with the know-how and "streetfighting" savvy you need, both as a novice or business veteran, to get started, to stay and to prosper in the micro computer business! A goldmine of information in clear and easy-to-use instructions: How to prepare your Business Plan, Outside financing, The mistakes you must avoid, How to hire and manage employees, Incorporation (when, and how to do it cheaply), Surviving bad times, Record Keeping, how to estimate your market before you start, Use multiple locations to maximize profits, how to promote and stay steps ahead of the competition! How to get free advertising, free merchandise, free advice, Power negotiating with suppliers to double your profit margins, etc! Even how to keep a present job while starting a business part time!

Don't miss this opportunity to be part of this great industry - the next success story could be your own! Order the manual today! Part one and two bound in a deluxe ring binder, where you can also collect our newsletter (free for six months with the manual - a \$32.50 value!) - all for only \$29.95!



### THE COMPUTER ENTREPRENEUR NEWSLETTER -ALL THE LATEST INSIDE BUSINESS NEWS! NOW! SIX MONTHS FREE WITH YOUR MANUAL!

You're always attuned to the industry, and your manual kept up-to-date, with our newsletter! Each issue has the latest business news, ideas, new suppliers, our indispensible "watchdog" column on profits, discounts (don't miss mfg's promos, like recently, when top video monitor sold at \$80 - that's half wholesale, one third of the retail price!), the competition, the big deals, etc! Feature stories with start-up info and case histories on new micro busi-

You'll get invitations to trade shows and conventions, the usage of our advisory service and our discount buying service for your purchases!

You'll find many items in our newsletter that will save you the cost of your manual many times over!



CALL TOLL FREE!
CHARGE IT!
Credit Card Orders
( MC, VISA only )
accepted 24 hours/day
1-800-227-3800
Ask for extension 1135



VISA

Order by phone (Credit cards only), or use the coupon:

1	
i	Mail to THE COMPUTER ENTREPRENEUR PUBLISHING CO. PO BOX 456, Grand Central Station, New York, N.Y. 10163
Ī	Please send me THE COMPUTER ENTREPRENEUR MANUAL, and the six month free subscription to
	THE COMPUTER ENTREPRENEUR REPORT/NEWSLETTER. All for only \$29.95, plus \$3 for postage/handling ( NY residents: add \$2.64 for sales tax ). If I decide not to keep the manual, I may return it within 30 days for a full refund.
Ī	NAME:
Ī	ADDRESS:
≣	CITY, STATE, ZIP:
Ī	☐ Check or M.O. enclosed Charge to ☐ VISA ☐ MC
Ī	CARD#
i	Exp. Date:
Ē	SIGNATURE: GA184
-	GA184

# REVIEWS

# Children's Educational Games

Tony Roberts, Assistant Managing Editor

The goal of Boston Educational Computing is to provide owners of the most elementary computer systems with educational software that can be used easily by those with little knowledge of computing.

In its Child Development Series, BECi (pronounced Becky) meets this goal. Among the software in the series are a counting program and an alphabet program aimed at preschool children and an addition-subtraction program targeted for the slightly older child.

All of the programs are on tape and are designed to work on an unexpanded VIC-20, but they perform just as well with a memory expander. NUMER-BECi and ADD/SUB are also available for the Commodore 64 and Atari computers.

# Introducing The Alphabet

ALPHA-BECi is intended to help preschool children learn the letters of the alphabet, both upperand lowercase, associate each letter with a word beginning with that letter, and see how each letter relates to the others in the alphabet.

For each letter, the program provides a screen which includes

the capital letter, the small letter, and a picture of an object. The screen is slowly drawn, giving a child the opportunity to call out the name of the letter or object as soon as he recognizes it.

First, the capital letter is drawn, then the associated small letter, then the object with its name below. The entire alphabet is then printed at the bottom of the screen with the target letter highlighted.

ALPHA-BECi can be run in one of three ways. From a menu you decide whether to run the program sequentially, randomly, or under keyboard control. That is, the program will either step through the alphabet from A to Z, will display random letters, or will show screens for the letters selected by the user. The mode can be changed at any time by pressing RUN/STOP, then rerunning the program.

For a child, watching the colorful objects appear on screen is like opening a present. The program's only sound effect is a boop-boop-boop that comes as the letters of the alphabet are being printed along the bottom of the screen. For an adult, it may become a little annoying, but it seems to be music to a child's ears.



ALPHA-BECi uses simple graphics to teach letters of the alphabet.

# Shapes And Colors

NUMER-BECi teaches the preschooler to identify the numbers from 1 to 12, to identify shapes, and to identify colors. And it is set up so the youngster can learn these new ideas at his own pace.

The menu offers the following options:

- COUNT LIKE THINGS
- 2. COUNT UNLIKE THINGS
- 3. COUNT COLORS
- 4. COUNT SHAPES
- 5. COUNT COLORS AND SHAPES

A second menu allows you to select a time limit for the answers. Your options here are to let the program run itself, filling in the answers after a specific time delay; have it wait until the child fills in an answer; or have it set a time limit.

When running the program with a time limit set, a correct answer will shorten the time allowed for the next problem. As long as the child continues providing correct answers, the time limit is shortened until he misses. Then the time limit is

VARG

We have

more

games

and

programs

than

you can

shake a

joystick at!

ARCADE PAK



(602) 855-3357



(602) 855-3357

VIC SOFTWARE CBM 64



CRICKET



PARATROOPER



MOW




ALIEN INVASION



**SNAKE OUT** 

Software from ComputerMat will turn your VIC or 64 into a home arcade.





POP TOP



SHOGUN 64-VIC



STOMPERS - 64



**PROGRAMMERS** 

Winners will receive royalties plus \$1,000 in prizes.

MUSIC MAKER

64

**CHRISTMAS** 

**SPECIALS** 

Buy 2

Programs and

Get 1 Free!

For every 2

VIC or 64

programs you

buy, we will

send you a

coupon for a third program free!



**BUG BLAST** 



TARGET COMMAND



COSMIC CRUZER



SPACE PAK




**HEAD ON** 



**SUPER PAK - 64** 

ComputerMat • Box 1664 M • Lake Havasu City, AZ 86403 Add \$1.00 For Shipping



NUMER-BECi teaches youngsters to recognize and count various colored shapes.



The top arrow in ADD/SUB reminds youngsters when to carry or borrow.

incremented slightly. This feature challenges a child to increase the speed at which he inputs his answers.

When the program is run in the wait-for-answer mode, the child is simply asked to count the number of shapes printed on the screen. If the answer is correct, he moves on to the next problem. If the answer is wrong, the word WHOOPS! is printed in red and the correct answer is displayed.

Under the Count Colors option, the program prints shapes of different colors on the screen and the child is shown a color block and asked to count the number of shapes that match the color block. Count Shapes is a similar exercise with shapes. Shapes and colors are mixed in the final exercise. The child must count the number of black squares, or red triangles, for example.

The child's answer to each problem is printed in large block letters. It takes a second or two to appear for the answer to be printed on the screen after it has

been typed in, and this can be a bit disconcerting if you're used to seeing what you type appear on the screen instantly.

# Putting 2 And 2 Together

ADD/SUB is BECi's program for older children. The program, which is available for the Commodore 64 as well as the VIC-20, offers choices of addition or subtraction, one to four digits, and decimal or whole numbers. In addition, the user can decide whether to include problems that require carrying or borrowing. For those just learning about carrying and borrowing, there is an option that provides a hint in the form of a large arrow pointing to the column from which a borrow has been made or to which a carry must go.

With ADD/SUB you also can select a pace for solving the problems. The standard pace gives the child about seven seconds to answer. When the time is up, the computer will fill in the answer. If the wait-for-answer option is selected, the computer

will wait until the numbers are filled in. The set pace option can be used to speed up or slow down the pace to meet a child's needs.

In ADD/SUB the problems are displayed in large black numbers with a green plus or minus sign. In multidigit problems, an arrow points to the first digits to be added or subtracted. The answers are filled in from right-to-left, just as they would be done on paper.

# **Using The Programs**

The programs are, as advertised, easy to use. Simply load them from tape and type RUN. Options for play are presented in simple menus. To change the mode of play, press the STOP key, type RUN, and select a new option.

Loading the programs takes a few minutes; a preschooler with a short attention span might spend less time using the program than it takes to load.

The programs are low key. No scores are kept, and the rewards for correct answers are understated. The adjustable nature of the programs and the pacing options, however, provide these programs with an extended life. They are entertaining to a child just beginning to grasp the concepts covered, and they can challenge the more advanced child to solve the problems more quickly.

ALPHA-BECi NUMER-BECi ADD/SUB Boston Educational Computing Inc. 78 Dartmouth Street Boston, MA 02116 (617) 536-5116 \$16.95 each

# **COMPUTE!'s Gazette Back Issues**

JULY 1983: Commodore 64 Video Update, Snake Escape, Alfabug, VIC Marquee, Word Hunt, VIC Timepiece, product reviews, Learning To Program In BASIC, Quickfind, 64 Paddle Reader, Machine Language For Beginners, Enlivening Programs With Sound, Using Joysticks On The 64, Simple Answers To Common Questions, VICreations — Speedy Variables, 64 Explorer.

AUGUST 1983: Your First Hour With A Computer, Should You Join A Users Group, Guide To Commodore Users Groups, The Viper, Cylon Zap, product reviews, VIC/64 Mailing List, Word Spell, Global Scan For VIC/64, Machine Language For Beginners, VIC Title Screens, 64 Hi-Res Graphics Made Easy, VIC/64 Four-Speed Brake, Disk Menu, Using A 1540 Disk Drive With The 64, Playing Computer Music, Simple Answers To Common Questions, HOTWARE, VICreations—Caring For Disk Drives/Cassettes, 64 Explorer, News & Products.

SEPTEMBER 1983: Telecomputing Today, Telecomputing Glossary, Commodore's Nationwide Party Line, Commodore Bulletin Boards, Demon Star For VIC/64, Potholes, product reviews, Checkbook Reporter, States & Capitals Tutor For VIC/64, MiniTerm-20, TeleTerm 64, POKEing Graphics, Machine Language For Beginners, 64 Searcher, Better Commodore Input, Using The Function Keys, Simple Answers To Common Questions, HOTWARE,

VICreations — Understanding Random Numbers.

OCTOBER 1983: The Anatomy of Computers, Telegaming Today And Tomorrow, Commodore's Public Domain Programs, Oil Tycoon, Re-Beep, product reviews, Aardvark Attack, Word Match, A SHIFTy Solution: The WAIT Command, Program Transfers, Machine Language For Beginners, Improved Paddle Reader Routine, How To Use Tape And Disk Files, Understanding 64 Sound — Part 1, Speeding Up The VIC, Simple Answers To Common Questions, HOTWARE, Horizons 64 — Improving 64 Video Quality, VICreations — Using The VIC's Clock, News & Products.

NOVEMBER 1983: Binary Numbers — Part 1, Getting Started With A Disk Drive — Part 1, Chicken Little, Martian Prisoner, product reviews, Munchmath, VIC Super Expander Graphics, 64 Aardvark Attack, 64 Timepiece, Connect The Dots, Custom Characters For VIC/64, Making Custom Characters On The 64, Making Custom Characters On The VIC, VIC/64 Program Lifesaver, Understanding 64 Sound — Part 2, Merging Programs On The 64, Tutorial On DATA, READ, RESTORE Statements, One-Touch Commands For The 64, VIC/64 Disk Defaulter, Machine Language For Beginners, Simple Answers To Common Questions, HOTWARE, VICreations -Animation With Custom Characters, Horizons 64 — Software And Hardware Reviews, News & Products, Automatic Proofreader.

Back issues of July, August, and September 1983 are \$2.50 each. Issues from October forward are \$3. Bulk rates are 6 issues for \$15 or 12 issues for \$30. All prices include freight in the U.S. Outside the U.S. add \$1 per magazine order for surface postage. \$4 per magazine for air mail postage. ALL BACK ISSUES ARE SUBJECT TO AVAILABILITY.

In the Continental U.S. call TOLL FREE 800-334-0868 (in North Carolina call 919-275-9809)

Or write to:

COMPUTE!'s Gazette for Commodore Back Issues P.O. Box 5406 Greensboro, North Carolina, 27403, USA

Prepayment required in U.S. funds. MasterCard, VISA, and American Express accepted. North Carolina residents please add 4% sales tax.

# Computer Baseball And Ringside Seat For Commodore 64

Gregg Keizer, Assistant Book Editor

Ever wanted to manage your own major league team? Most people who follow baseball closely just know that they could take their team to the World Series, if only they were manager. Computer Baseball can give you the feeling of the close game, a pennant race, even the final game of the Series. And it costs far less than buying the Minnesota Twins, the latest team up for sale. You won't even have to pay players' salaries.

This isn't an arcade baseball game like others you may have played. Although players move

played. Although players move and hits cross the field, the animation is minimal. Computer Baseball is a simulation of the strategy and tactics of a major league team. Using actual statistics, opposing managers can select lineups, choose starting and relief pitchers, set up defense for the bunt or double play, and signal runners to steal. When you put on the manager's cap, you make the decisions for your team, hoping to outwit the opposing manager's

The game includes 28 team rosters, World Series teams all, which you can use to play another opponent, or even the computer manager, Casey. You can even enter data for new teams yourself, or send for a disk containing the most recent

strategy.

American and National League teams, so you can replay an entire season if you want.

# How To Play

After you've booted the disk for Computer Baseball, you'll be offered several choices. Do you' want to play a two-player game, play against the computer, enter new player data, or watch a demonstration game? Playing against Casey, the computer manager, is a good way to learn the game. Choosing this option presents more decisions. Do you want Casey to manage the home team, the visiting team, or both? I let Casey have the visiting team. But which team?

You'll see 28 teams listed on the screen, ranging from the '06 White Sox to the '81 Dodgers. All 28 played in a World Series, so you can replay a complete seven-game Series, or you can play a What If. What if the '27 Yankees, with Babe Ruth, could have met the '81 Yankees? Who was the better team? Has baseball gotten better, or worse? Once you select Casey's team, as well as your own, the computer will display the team lineups.

Now the decisions become more important. You can choose the starting pitcher(s) and set the batting order for your team. If you want, you can set the order for Casey's team too, but I let

him do that. Although setting your batting order takes time, it adds to the game's realism. You have to fill each of the fielding positions, and you only have so many players. You could force a catcher to play outfield, but it's probably not a good idea. As you enter the order, take your time, for any errors you make means you'll have to go through it all again. Unfortunately, there's no option to change your mind in this section of the game.


The screen display appears once you've chosen your team and selected the batting order. The display shows a playing field, players, a scoreboard, and pitcher and batter status information. Once the game starts, you'll be able to tell if the batter is rightor left-handed, where the defense is playing, and the baserunning abilities of men on base.

Whether your team is on the field or up to bat, you have several decisions to make. I took the field first, being the home team, so I had to choose my defensive alignment. You can play your outfielders shallow, or in their normal positions. Your infielders you can place even more carefully, moving them in, guarding the lines or setting up for the double play. You can hold base runners, if there are any, tight or loosely, depending on the situation. You can even visit the mound and talk to your pitcher, check to see if he's tired, and perhaps bring in a reliever. Make sure that your reliever is warmed up, though, or he could easily be hit off of.

When your team is up to bat, you have fewer choices to make. You can hit away, hit and

# OMPUTER MAIL OR

# commodore **VIC=20**



**COMMODORE 64.** 

1520 Color Printer/Plotter	\$169.00
1525 80 Column Printer	\$219.00
1530 Datasette	\$69.00
1541 Single Disk Drive	\$249.00
1600 VIC Modem	\$59.00
1610 VIC Term 40	\$49.00
1650 AD/AA Modem	\$89.00
1702 14" Color Monitor	\$249.00
1311 Joysticks (each)	\$5.99
1312 Paddles	\$11.99
1110 VIC 8K	\$42.00
1111 VIC 16K	\$69.00
1011 RS-232 Interface	\$42.00
1211 Super Expander	\$53.00

### CARDCO. Light Pen.....\$32.00 Cassette Inferface ......\$29.00 Parallel Printer Interface ......\$69.00 3 Slot VIC Expansion Interface ......\$32.00 6 Slot VIC Expansion Interface ......\$79.00 SOFTWARE

Commidatio	
CBM 64 Reference Guide	\$18.00
C-64 DISKS	
EasyCalc	\$65.00
EasyFinance I. II, III, IV	\$19.00
EasyMail	\$19.00
EasyScript	\$39.00
Word/Name Machine	\$19.00
EasySpell	\$19.00
Accounts Receivable	\$39.00
Accounts Payable	\$39.00
General Ledger	\$39.00

.....\$39.00

VIC 20 CARTRIDGES & DISKS Gortek & the Micro Chips (D)...\$19.00 Radar Rat Race (R) .....

\$19.00

\$14.00

Pet Emulator .....

Pilot....

commodore

C-64 CASSETTE	S
Home Inventory	\$11.00
Household Finance	\$23.00
C-64 CARTRIDG	ES
Trashman	\$29.00
C-64 DISKS	
Home Inventory	\$11.00
Household Finance	\$29.00
VIC 20 CASSETT	ES
Home Inventory	\$12.00
Household Finance	\$14.00
VIC 20 CARTRIDO	GES
Astro Blitz	\$21.00
Black Hole	\$32.00
Trashman	\$21.00
Choplifter	\$21.00
DYNATEC	Н
C-64 DISK	
Codewriter	\$75.00
EPYX	
VIC 20 CASSETT	ES

CREATIVE SOFTWARE

VANL	
HES	
VIC 20 CASSETTES	
Torg	\$7.99
Skier	\$14.95
Tank Wars	\$14.95
Pak Bomber	\$12.95
Maze of Mikor	\$14.95
Laser Blitz	\$14.95
Tank Trap	\$14.95
VIC 20 CARTRIDGES	
VIC Forth	\$32.00
HES Mon	\$29.00
HES Writer	\$29.00
Aggressor	\$29.00
Synthesound	\$21.00
Shamus	\$29.00
Protector	\$29.00
Turtle Graphics	\$29.00
C-64 CARTRIDGES	
HES Mon	\$29.00
HES Writer	\$35.00
NUFEKOP	
VIC 20 CASSETTES	
THE EU CHOOLITES	The second

MICROSPEC	
VIC 20 CASSETTES	
Spelling Bee-	
Grades 2. 3. 4. 5. or 6 \$8.00	
Math Drill	
Portfolio Manager\$16.00	
Data Manager\$16.00	
VIC 20 DISKS	
General Ledger\$69.00	,
Mailing List Manager\$35.00	
Inventory Package\$69.00	
Payroll	
Data Base\$49.00	
C-64 CASSETTES	
Black Box\$12.00	)
Color Sketch\$20.00	)
Match Maker	)
C-64 DISKS	
Mailing List Manager \$45.00	)
Inventory Package\$79.00	)
General Ledger\$79.00	)
Payroll	5
Data Base\$69.00	5
CalcResult	5
Black Box\$16.00	)
Color Sketch	)
Match Maker	)
TRONIX	
VIC 20 CASSETTES	
Galactic Blitz	5
Galactic Blitz\$19.95 Swarm\$22.95	

VICTORY

Radar Rat Race (R)	514.00
Count Adventure (R)	\$21.00
Pinball Spectacular (R)	\$19.00
VIC Reference Guide	\$15.00
ARTWORX	
C-64/VIC 20 CASSET	TTES
Bridge 3.0	\$15.00
Teacher's Pet	\$12.00
BRODERBUN	VD.
VIC 20 CASSETTE	S
Martian Raid	\$16.00
Shark Trap	\$16.00
Multisound Synthesizer	\$16.00
COMMERCIAL	DATA
VIC 20 CASSETTE	S
Motor Mouse	\$23.00
Centipod	\$23.00
Frogee	\$23.00
C-64 CASSETTES	S
Road Toad	\$24.00
	The state of the s

nousemora i monece	0.00
VIC 20 CASSETTES	
Home Inventory	
Household FinanceS1	4.00
VIC 20 CARTRIDGES	
Astro Blitz	1.00
Black Hole	2.00
Trashman	1.00
Choplifter\$2	1.00
DYNATECH	
C-64 DISK	
Codewriter	5.00
EPYX	-
VIC 20 CASSETTES	
Ricochet	2 00
Sword of Fargoal\$2	
Rescue at Rigel	
QUICK BROWN FO	
C-64/VIC 20 CARTRIDGE	
Word Processor \$4	
	9.00
K-BYTE	
VIC 20 CARTRIDGES	
K-Razy Antics	
K-Star Patrol	9.00
UMI	
VIC 20 CARTRIDGES	
Amok	
Meteor Run	
Alien Blitz	0.00
VIC 20 CASSETTES	
Cloud Burst	
Video Verman	9.00

HES Writer	.\$29.00
Aggressor	.\$29.00
Synthesound	.\$21.00
Shamus	.\$29.00
Protector	\$29.00
Turtle Graphics	.\$29.00
C-64 CARTRIDGES	
HES Mon	.\$29.00
HES Writer	.\$35.00
NUFEKOP	
VIC 20 CASSETTES	
Alien Panic	
Race Fun-Drag Race	
The Catup	
Exterminator	\$19.00
C-64 CASSETTE	
3-D Man	.\$16.00
ROMOX	
Туро (20/64)	.\$29.00
RAINBOW	
C-64 DISKS	
Personal Finance	.\$48.00
Writers Assistant	.\$95.00
Spreadsheet Assistant	\$95.00
QUANTUM	
40/80 Column Video Board.	\$95.00
40/80 Col. Video Board (16K)	

VIC 20 CARTRIDGES	reisonal rinance	C-64/VIC 20 CASSETTES
Amok\$30.00	Writers Assistant\$95.00	Adventure Pak I(3 games)\$12.00
Meteor Run	Spreadsheet Assistant \$95.00	Adventure Pak II(3 games)\$12.00
Alien Blitz\$30.00	QUANTUM	Annihilation\$16.00
VIC 20 CASSETTES	40/80 Column Video Board\$95.00	Grave Robber
Cloud Burst	40/80 Col. Video Board (16K)\$179.00	Kongo Kong\$16.00
Video Verman\$19.00	SIRIUS	Trek
DUST COVERS	VIC 20 CARTRIDGES	PROFESSIONAL
C-64 Cover	Deadly Duck	SOFTWARE
VIC 20 Cover	Spider City\$29.00	Word Pro 64\$59.00

We carry a selection from the above manufacturers plus...

Synapse, Thorn, InfoCom, Onslow, Practicalc, Spinnaker

In NV call (702)588-5654, Dept. 0113 P.O. Box 6689, Stateline, NV 89449 Order Status #: 588-5654

O · 268 · 4559

n Toronto call (416)828-0866, Dept. 0113 2505 Dunwin Ct., Unit 1B, Mississauga, Ontario, Canada LSLITI Order Status #: 828-0866

In PA call (717)327-9575, Dept. 0113 7 E. Third St. Williamsport, PA 17701 Order Status #: 327-9576

Order Status #: 828-0866
No risk, no deposit on C.O.D. orders. Pre-paid orders receive free shipping within the UPS Continental United States with no waiting period for certified checks or money orders. Add 3% (minimum \$5.00) shipping and handling on all C.O.D. and credit card orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change. We stock manufacturer's and third party software for most all computers on the market. Call today for our new catalog.

CANADIAN ORDERS: All prices are subject to shipping, tax and currency exchange fluctuations. Call for exact pricing in Canada.

run, bunt, steal, or signal your runners to edge off the bag a bit more. If you want, you can send in a pinch runner or hitter.

Each pitcher-batter confrontation is displayed on the screen by a single pitch. There are no balls and strikes called, although batters can be struck out. A message appears at the bottom of the screen after each pitch, telling you what's happened. Pop flies, grounders, and base hits are shown to you this way. Runners advance, are thrown out, or score. Although only nine innings are displayed on the screen, extra innings are possible.

# Managing It All

Computer Baseball is not for the impatient. It's not a fast-moving, arcade-style game, but it's not meant to be. Instead, the game is for those who love baseball, who have always wanted to step into a manager's cleats. As a simulation, it gives you the feeling of managing a team. Just as in reality, once the basic decisions are made, the players run, hit, and throw in their own ways. A major league manager cannot hit for a player, and neither can you in this game. The statistics of each player determine that.

Some games are pitchers' battles, with low scores. Other games display hitters' powers, and the scores run up quickly. No two games are the same. Again, that reflects the simulation's excellence. As the innings pass, your decisions on pitching and running change, just as in a real game. Strategy is vital. Outguessing the opposing manager is just as important.

If you enjoy baseball, you'll


enjoy this game. The computer takes all the routine drudgery out of keeping track of statistics and lets you concentrate on decision-making. You'll think you've paced and worried in the dugout just like a major league manager.

# Ringside Seat


In many ways like Computer Baseball, Ringside Seat is a game of strategy and statistics. But instead of managing a major league baseball team, you play the part of a boxer's manager. You're not the fighter, but his manager, telling him how to fight when he's in the corner between rounds. Once the bell rings, he boxes in his own way, simply following your strategic suggestions.

When the game is loaded from disk, you have the option of managing either, both, or neither of the fighters. If you want, you can also act as the third judge in the fight, or let the computer handle it. Then you select the two boxers.

The game includes a variety of boxers available to you. Divided into weight classifications, from bantamweight to heavyweight, you simply enter the fighters' names and weight divisions. To see a complete list of the fighters on the game disk, you should press E the first time the computer asks you to enter a choice. After a short delay, you should press L to see the fighter lists, and then the weight classification. The screen will then show the fighter's identification number, his name, rating, style (slugger or boxer), and his weight division. The lists contain



The Yankees and Dodgers face off in a demo game of Computer Baseball.



The famous Dempsey-Tunney heavyweight title fight is reenacted with Ringside Seat.

# COMPUTE!'s Gazette

TOLL FREE
Subscription
Order Line

800-334-0868

In NC 919-275-9809

# **REVIEWS**

current fighters, as well as famous boxers from the past. If you wanted to see how Tunney would have matched up against Foster, for example, you can create this What If scenario.

Once you've chosen the fighters and started the game, you'll see a display on the screen. The boxing ring is shown, as well as representations of the fighters, each still in his corner. Other information, such as the fighters' names, the strategy picked by each manager, condition of the fighter, from cuts to stamina remaining, and even the cumulative judges' score will be displayed. At the top of the screen you'll see descriptions of the fighters' movements during a round. Near the bottom of the screen you'll see messages displayed for the color commentary and blow-by-blow descriptions of the fight.

As in a real fight, you decide how you want your fighter to box that round. The options range from fighting flatfooted, which lets him rest in a round, saving his strength, to going for the knockout. Your fighter's abilities in each of the strategies are listed at the bottom of the screen before the round starts. Some fighters are better at charging in, while others are more effective in the stick and move. Choosing your fighter's style for that round is the most important part of managing. You have to use your fighter wisely, not overworking him, for each strategy reduces the boxer's stamina level. A more aggressive style, such as charging in, or sticking and moving, uses up more stamina than a



# TAX GOMMAND

NOW YOUR COMMODORE OR VIC PUTS LINE-BY-LINE CONTROL OF TAX PREPARATION AT YOUR FINGER TIPS.



Calculations are automatic. All you do is enter your tax information. Tax Command does all mathematical calculations for you built-in tax tables eliminate guesswork. No more finding the right column down and right line across. Tax Command has the

1040 tax tables built right in. So it zeros in on your refund (or tax payment) amount automatically. Tax Command is fast, easy! It gives your computer more than

just the 1040 tax form. Tax Command tells you when to income average, and has the forms you need. Plus Schedule A (Itemized Deductions, including medical), capital gains and losses, and more. Anyone who can read can use Tax Command. And the

best feature of all...just s24.95 plus \$2.00 for shipping and handling. Wisconsin residents add 5% tax. Specify computer type, tape or disk.

P.O. Box 93104-K • Milwaukee, WI 53203 • (414) 278-0829

Available at fine computer stores everywhere, or by ordering direct.



# Are you buying the right program or game the first time all the time?

If you own a VIC 20 or COMM 64 you can make the right decision on software programs the first time - and every time. You can have Soft-Guide 20 or Soft-Guide 64 each month.

These software reviews can make your life a whole lot easier and a lot more fun. They allow you to select the right game, educational or home/business software. No more wondering. No more wrong buys. No more frustrations.

Sound good?

It's the perfect way to pre-select your software buys. And it's inexpensive. You get a full year (12 issues) for \$19.95. Soft-Guide 20 or 64 can save you software dollars.


Request either Soft-Guide 20 or Soft-Guide 64. To order you may call our Toll Free number 1-800-835-2246, Ext. 271 for Master Card and Visa orders only. (In Kansas 1-800-362-2421, Ext. 271)

If paying by check or money order mail to:

Soft-Guide

4974 N. Fresno Street, Suite 303

Fresno, CA 93726



Send \$65 or call toll free order desk
1-800-321-6927. 24-Hour Service

- Also -



Programs for VIC20<sup>TM</sup> and Commodore 54<sup>TM</sup> disk or tape. Write for listing. OR, try MOUSE TRAP MATH, for your VIC20<sup>TM</sup> (10.95 for tape) and we'll include listing.



# FREE

WRITE FOR FREE CSI CATALOG OF VIC 20 and C64 PRODUCTS

- SOFTWARE
- HARDWARE
- PROGRAMMING AIDS
- OPERATIONAL AIDS
- SUPPLIES
- MEDIA
- BOOKS

OMPATIBLE SYSTEMS INCORPORATED

P.O. Box 2070 • Dept. G Saratoga, CA 95070 (408) 255-2024

defensive posture, like staying away or protecting a cut.

Once the round begins, the fighter is on his own. You'll see a blow-by-blow description of the fight at the bottom of the screen, as well as see the animated figures move in the ring. The only thing you can do once the bell rings is to tell your fighter to cover up. This is helpful if he is getting badly beaten, or if he has a cut opened. Fighters jab, hook, and punch as their statistics allow. Sometimes they'll tie each other up, or back an opponent against the ropes. All you can do is chew at your fingernails, in the true manager tradition.

After each round, the judges' scores are displayed at the top of the screen, showing how each judge awarded points. Each fighter's stamina is changed to reflect how tired he is, and you can choose a different strategy for the next round. The fight continues as many rounds as you selected earlier, from a threeround preliminary bout, to a fifteen-round title fight. When the fight ends, the judges will tabulate their scores and announce a winner, unless a knockout or technical knockout has been called earlier in the fight. Whatever the decision, you can see the judges' scorecards after the fight, seeing how each awarded points and how many knockdowns each fighter had.

As with Computer Baseball, you have the option in Ringside Seat to enter new data for other fighters, or even to create a fictional boxer, giving him abilities of your own choice.

# **Fighting It Out**

This game is much faster moving than *Computer Baseball*. In a way, that's a disadvantage, for it moves quicker because there are fewer decisions for you to make. I didn't feel as involved in this game as in the baseball simulation for that reason.

The game still gives you the flavor of managing a fighter, and of a bout itself. Pacing is important in the game, for if you expend too much energy early in the fight by constantly choosing to go for the knockout, or to charge in, your fighter will be weak before the fight ends. As the fighter's stamina falls, so does his effectiveness in many of the strategies. When his effectiveness falls below 2, his punches come with less frequency, and land less often.

As in Computer Baseball, the animation in Ringside Seat is not up to arcade standards. The sound is weak as well. But these detract little from the game's attractions. No arcade-style boxing game gives you the strategic choices and actual fighters that Ringside Seat does. Learning how to direct a fighter takes time and practice. This game lets you experience the thrills and agonies of professional boxing, without ever stepping into a gymnasium. Maybe your fighter can be a contender.

Computer Baseball Ringside Seat Strategic Simulations, Inc. 883 Stierlin Road, Building A-200 Mountain View, CA 94043 \$39.95 each

# and The Alien said..."Let

Commodore Speak... and Sing!"

VOICEBOX

And Sing!"

Yes, the VOICE BOX<sup>TM</sup> from The Alien Group, the world's ONLY singing speech synthesizer, now grants the power of speech to the VIC 20<sup>TM</sup> and the Commodore 64<sup>TM</sup>. A commented, all-BASIC demo program gets the VOICE BOX talking right away, and, since

program gets the VOICE BOX talking right away, and, since it can be "taught" to say anything, the VOICE BOX has an unlimited vocabulary! The voice speaks with natural speech inflection controlled either from the program or from the precise, built-in Pitch control. No other speech synthesizer has this feature! Want to add speech to a new or existing BASIC program! The VOICE BOX has FOUR ways to do it on VIC 20's of any memory size and on any Commodore 64: entirely from BASIC, or using one of the three machine language programs readily added to other programs—English text-to-speech, the same with the lip-synch "Alien" face added, or use of the 64 basic phonemes as input. A challenging spelling quiz that accepts new words (expanded memory required with VIC 20) is provided on the cassette supplied.

The VOICE BOX plugs directly into the computers user port, comes with built-in speaker, Volume and Pitch controls and lots of instructions from The Alien Group, the people who got

Atari® and Apple® to speak!

Available at leading computer stores everywhere, or order direct by sending \$129. to: The Alien Group, 27 W. 23rd St., NY, NY 10010. Specify whether for VIC 20, Commodore 64 cassette or Commodore 64 disk. Programs for a high-res talking human face and a comprehensive music and singing system available on separate cassette for \$25.00 (expanded RAM necessary when used on VIC 20). Extra main cassette for either computer available for \$19.00.

Vic 20 and Commodore 64 are trademarks of Commodore Electronics Ltd. VOICE BOX is a trademark of The Alien Group

# CROWN COMPUTER

and Software Trainers Corner Shopping Center Rts. 309 & 663, Quakertown, Pa. 18951

# Christmas gift idea? We have something for everybody! Call us Toll Free.

FLIP N'FILE DISK STORAG	E
15 Disk Storage	4.95
25 Disk Storage	8.95
50 Disk Storage	26.95
DUST COVER FOR	
Vic-20 or C-64	8.95
SENTINEL DISKS Lifetime Guarantee Single Side Single Density	10.05
Box of 10	19.95
HES MODEM. Vic-20 + C-64	54.95
CARDRITER/1 LIGHT. PEN Vic-20 + C-64	54.95
CARDCO 5 SLOT EXP. BOA C-64	RD 57.95
QUIT SMOKING A Doctors Program To End The Smoking Habit	

ID NICH E DICK CTODACE

QUICK BROWN FOX V	ic-20 +	C-64
	LIST	OU

WORD PROCESSOR
Disk or Cass 64.95 53.95
SPINNAKER C-64 Educational Games

| Snooper Troops | 39.95 | 29.95 | Rhymes + Riddles (D) | 29.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.95 | 22.9

MICRO SPEC - C-64

Data Base Manager (D) 89.95 69.95

General Ledger (D) 99.95 79.95

Checkbook Manager (D) 69.95 55.95

Mailing List (D) 54.95 43.95

Data Manager (Tape) 49.95 39.95

LARGE SELECTION

C-64 Disk



39.95

In Pa. (215)538-1665 Out of Pa. (800)344-4499 SEND FOR FREE CATALOG

TERMS: Prices subject to change. VISA and MASTERCARD add 3%. Personal Checks allow 2 weeks to clear. C.O.D. on Certified Check. PA. Residents add 6% Sales Tax.

# THE BEGINNER'S CORNER

C. REGENA

# Built-In Functions

In my previous columns I've tried to show some fun things you could do with your computer. This month I'm going to discuss some built-in functions so you can see that your computer can perform technical tasks, and not just games, music, and graphics. Your microcomputer can do many things that the "mainframe" computers can.

The computer can be a very powerful tool in mathematical calculations. A computer can go beyond a calculator by putting procedures into a program for repetitious work or for logic-dependent answers. The slide rule generation was limited to three significant figures, and problems may have taken hours of work and pads of paper to solve. The calculators streamlined problem-solving and took the drudgery out of mathematics. Now the microcomputers can solve problems with even less time and effort—and to many decimal places of accuracy. The VIC-20 and Commodore 64 display numbers with nine significant figures (ten are stored internally).

The  $\pi$  key is handy in any calculations involving pi (the ratio of the circumference to the diameter of a circle).  $\pi$  has a built-in value on the VIC and 64 and is available directly from the keyboard. Use SHIFT and the up-arrow key to get the  $\pi$  symbol. Try the command PRINT  $\pi$  and you will get the decimal equivalent of pi. To use  $\pi$  in any calculations, just use the symbol. For example, try PRINT 3\*  $\pi$  and press RETURN. This short program, "Circles," illustrates the use of this key:

### Circles

100	PRINT	"{CLR} ** CIRCLES **" :rem 162
110	PRINT	"{DOWN}ENTER THE RADIUS. [DOWN]"
		:rem 218
120	INPUT	"R = ";R :rem 131
130	PRINT	"{DOWN}AREA = "; ** ** rem 254
140	PRINT	"{DOWN}CIRCUMFERENCE = "; *2*R
		:rem 129
150	PRINT	"[3 DOWN] ANOTHER CIRCLE? (Y/N)
	SPACE	

```
160 GET A$ :rem 220
170 IF A$="Y" THEN 100 :rem 38
180 IF A$<>"N" THEN 160 :rem 95
190 PRINT A$ :rem 140
200 END :rem 105
```

The square root function is available on our computers. SQR(X) will return the square root of a number with the variable name of X. Try PRINT SQR(16) to get the square root of 16, or 4. Some valid statements are:

10	X=SQR(T)	:rem 145
30	A=SQR(B)+3+Y	:rem 76
	Z=SQR(C*3+F)	:rem 86
40	ON SQR(R) GOTO 80,100,150	:rem 186


"Radius" is a sample program that illustrates the use of the square root function to calculate the radius of a circle if the area is given  $(A = \pi r^2)$ .

### Radius

	1443	
100		:rem 189
110	PRINT " [ DOWN ] ENTER AREA OF CI	RCLE."
		:rem 128
120	INPUT "A = "; A	:rem 97
130	IF A>Ø THEN 16Ø	:rem 152
140	PRINT "{DOWN}SORRY, MUST BE >	
140	TRINI (BONII) BONIII)	:rem 174
150	GOTO 110	:rem 97
	$R=SQR(A/\uparrow)$	:rem 220
170	PRINT "{DOWN}RADIUS = ";R	:rem 12
180	PRINT "{3 DOWN}ANOTHER CIRCLE	? (Y/N)
100	{SPACE}";	:rem 1
190	GET A\$	:rem 223
200	IF AŞ="Y" THEN 100	:rem 32
210	IF A\$<>"N" THEN 190	:rem 92
	PRINT A\$	:rem 134
	END	:rem 108

ABS(X) is a function that returns the absolute value of a number X. The absolute value of a number is the numeric value without regard for the sign. The absolute value of a negative number is the number without the minus sign. Some valid statements are:

10	A=ABS(Y)			:rem	95
20	IF ABS(SC)=100	THEN	350	:rem	67
	T=T+ABS(T1-T2)			:rem	210



# **CASSETTALOG!**

DID YOU HEAR IT? Imagine a cassette containing • Descriptions of all our games • Programming hints • Other products • FREE GAME • Much more! One side is programmed for the Commodore 64™. The other for the VIC 20™. Send just \$2.00 to cover costs and then DEDUCT \$3.00 FROM YOUR FIRST ORDER! Actually, the very fun of our cassettalog would make a nice Christmas present itself!

# **GAMES!**

Standard VIC 20™		Exterminator	\$19.95	Defender on Tri (+3K)	\$12.95
Cassette		Music Writer III	\$16.95		
		Kings Ransom	\$16.95	Commodore 64 ™	
Alien Panic	\$9.95	The second second second		Diskette	
Krazy Kong	\$9.95	Expanded Memory \	/IC 20 ™	3D-64 Man	\$19.95
Racefun	\$12.95	Cassette		Exterminator 64	\$19.95
The Catch	\$12.95	3-D Man (+3K)	\$12.95	Widows Revenge	\$19.95
Antimatter Splatter	\$16.95	Space Quest (+8K)	\$16.95	Quiz Pro	\$19.95

**BONUS!** 

The first 250 orders over \$20 placed from this advertisement will receive a Nufekop dust cover for the 64 or VIC 20 FREE OF CHARGE!

# MILIFERCIP

P.O. Box 156, 21255 Hwy. 62, Shady Cove, Oregon 97539 1-800-525-2529

INT(X) returns the integer value of a number X, or the whole number part of a number which contains a decimal. The integer function truncates the decimal portion of a number, but it does not round the number. The result is always the largest whole number smaller than the given number, or the whole number to the left of a given number on the number line. Thus, INT(4.56) will be 4, but for negative numbers, INT(-4.56) will be -5. Some valid statements are:

```
10 I=INT(X/Y) :rem 3
30 J=J+INT(A) :rem 220
50 ON INT(S) GOSUB 200,250,270 :rem 43
```

SGN(X) returns the sign of a number X. The value will be 1 for positive numbers, 0 for zero, and -1 for negative numbers. This function is useful in games where the position of an object may be positive, negative, or zero in relationship to another object. The score could also be tested with the SGN function. Valid statements are:

```
10 S=SGN(X-Y) :rem 8
20 ON SGN(SC-T) GOTO 150,370,370 :rem 170
40 IF SGN(R)=-1 THEN 430 :rem 223
```

The following program illustrates the absolute value function, integer function, and sign function for several numbers.

```
100 PRINT "[CLR] NUMBER[3 SPACES] ABS
    {2 SPACES}INT{2 SPACES}SGN"
                                   :rem 103
110 FOR I=1 TO 7
                                    :rem 10
                                   :rem 253
120 READ N
130 PRINT N; TAB(8); ABS(N); TAB(14); INT(N);
    TAB(19); SGN(N)
                                   :rem 214
140 NEXT I
                                    :rem 29
150 DATA 3.4,0,0.6,-2.1,-5,7.2,-5.3
                                   :rem 139
16Ø END
                                   :rem 110
```

The VIC-20 and Commodore 64 have several built-in trigonometric functions. Specify a number, numeric variable, or numeric expression within the parentheses (called the "argument" of the function).

SIN(X) returns the sine of an angle specified as X radians.

COS(X) returns the cosine of an angle specified as X radians.

TAN(X) returns the tangent of an angle specified as X radians.

ATN(X) returns the arctangent of a number X. Arctangent is the angle with the tangent of X. The angle will be expressed in radians.

When you are working with angles, remember that the computer uses angles expressed in radians. Since 180 degrees equals pi radians, you can convert D number of degrees to R radians with  $R = D^* \pi/180$ . The conversion from radians to degrees is  $D = R^*180/\pi$ .

If you need some of the other trigonometric functions, remember these conversions.

```
Cotangent (X) = cosine(X)/sine(X) or
1/tangent(X)
Secant(X) = 1/cosine(X)
Cosecant(X) = 1/sine(X)
```

Some functions are not defined for certain angles (such as the tangent of 90 degrees), and you need to be careful of overflow conditions or division by zero for the reciprocal functions.

The programs following this column illustrate the use of these trigonometric functions. Enter an angle expressed in degrees, D. Line 170 converts the degrees to radians. The sine, cosine, tangent, cotangent, secant, and cosecant of the angle are printed.

Two more technical functions are the exponential and logarithmic functions. EXP(X) returns e to the power of X, where X is a numeric expression that must be less than or equal to 88.02969191. LOG(X) returns the natural logarithm of X, and X must be a number greater than zero. No longer do you need a book of math tables, nor do you need to calculate interpolations—your computer can calculate logarithms and exponentials almost instantly. Sample valid statements are:

10	PRINT LOG(X/Y)	:rem 1
20	A=EXP(B)	:rem 96
50	G=LOG(H)-LOG(I)	:rem 13
	IF EXP(F)>=50 THEN 200	:rem 27

If the computer does not have a built-in function that you need, you can define your own function. The definition procedure is useful if you have a long mathematical formula that is used several places in the program. You can save computer memory and typing time by defining the function at the beginning of the program, then every time you need the function, it is called by the function name.

To define a function, use DEF FN with a variable name (one or two letters long) including a variable name within parentheses. For example,

#### 10 DEF FNG(X) = 3\*X\*X + 4\*X + 2

Here a function G(X) is defined with a formula. Later in the program you can use a statement such as

### 50 PRINT FNG(7)

and G(X) will be evaluated with X = 7.

The definition statement needs to be executed before the function is used in the program, so it is a good idea to put all definitions at the beginning of the program.

The above example used a function dependent upon a variable X. The defined formula does not have to contain a variable. For example, we could define a function R(Y) as follows.

10 DEF FNR(Y)=INT(8\*RND(1))+1 :rem 93

R(Y) is defined as a random number from 1 to 8.



# Telecommunications

with a difference!

Unexcelled communications power and compatibility, especially for professionals and serious computer users. Look us over; SuperTerm isn't just "another" terminal program. Like our famous Terminal-40, it's the one others will be

- EMULATION—Most popular terminal protocols: cursor addressing, clear, home, etc.
- · EDITING-Full-screen editing of Receive Buffer
- UP/DOWNLOAD FORMATS—CBM, Xon-Xoff, ACK-NAK, CompuServe, etc.
- FLEXIBILITY—Select baud, duplex, parity, stopbits, etc. Even work off-line, then upload to system!
- DISPLAY MODES—40 column; 80/132 with side-scrolling
- FUNCTION KEYS—8 standard, 52 user-defined
- · BUFFERS—Receive, Transmit, Program, and Screen
- PRINTING—Continuous printing with Smart ASCII interface and parallel printer; buffered printing
- DISK SUPPORT Directory, Copy, Rename, Scratch

Program options are selected by menus and function keys. For maximum convenience, an EXEC file sets all options on start-up. SuperTerm may be backed-up for safety. Software on disk with special cartridge module.

Write for the full story on SuperTerm; or, if you already want that difference, order today!

Requires: Commodore 64 or VIC-20, disk drive or Datasette, and compatible modem. VIC version requires 16K memory expansion. Please specify VIC or 64 when ordering.

# Smart ASCII Plus . . . \$59 95

The only interface which supports streaming - sending characters simultaneously to the screen and printer - with

Also great for use with your own programs or most application programs, i.e., word processors. Print modes: CBM Graphics, TRANSLATE, DaisyTRANSLATE, CBM/True ASCII, and PIPELINE

Complete with printer cable and manual. On disk or cassette.

VIC 20 and Commodore 64 are trademarks of Commodore Electronics, Ltd.

(816) 333-7200



Send for a free brochure.

MAIL ORDER: Add \$1.50 shipping and handling (\$3.50 for C.O.D.); VISA/Mastercard accepted (card# and exp. date). MO residents add 5.625% sales tax. Foreign orders payable U.S.\$. U.S. Bank ONLY; add \$5 shp/hndlg.

311 WEST 72nd ST. . KANSAS CITY . MO . 64114



WORD PROCESSING

MAILING LIST AND LABELS TOTL.LABEL

TIME MANAGEMENT TOTL TIME MANAGER

KEYWORD CROSS REFERENCE RESEARCH ASSISTANT

For Commodore 64TM and VIC 20TM

Announcing the newest members of the family...

BUSINESS ACCOUNTING \$ TOTL BUSINESS

SPELLING CHECKER TOTL.SPELLER (64 only)

DATABASE MANAGEMENT

TOTL.INFOBASE



Ask your dealer about TOTL Software or send in the coupon for further details and ordering information.

1555 Third Avenue, Walnut Creek, CA 94596 PLEASE SEND ME MORE INFORMATION ON TOTL SOFTWARE

Address:

Now, within the program every time we need a random number from 1 to 8, we can use R(Y):

50	C=R(Y)	:rem	225
80	A=R(Y)+R(Y)	:re	m 9
90	IF R(Y)>4 THEN X	=2 :ren	92

A defined function may combine other functions, such as

```
10 DEF FNF(X)=1-SIN(X) :rem 225
```

You can see that by using user-defined functions you can really customize your programs and make technical calculations less complicated.

I hope this discussion of the built-in numeric functions and the user-defined functions has shown you the powerful potential of your "home" computer. Technical applications which used to be possible only with large computers or with hours of calculation time are now possible with a combination of built-in functions on our home computers. In a later column I'll discuss the versatility of the string functions available on the VIC and 64.

### Angles (VIC Version)

	Annual Color and	Walter His Committee
100	PRINT "{CLR}** ANGLES **"	:rem 87
110	PRINT "{DOWN}ENTER ANGLE IN	DEGREES"
		:rem 239
120	INPUT "D = ";D	:rem 103
130	IF D>=Ø THEN 16Ø	:rem 216
140	IF D>=Ø THEN 16Ø PRINT "SORRY, Ø <d<360"< td=""><td>:rem 182</td></d<360"<>	:rem 182
	GOTO 110	:rem 97
160	IF D>360 THEN 140	:rem 97 :rem 5 :rem 92
170	R=D*†/18Ø	:rem 92
180	PRINT "EQUIVALENT RADIANS =	",R
		:rem 37
190	PRINT "SINE OF ANGLE =", SIN	(R)
		:rem 140
200	PRINT "COSINE OF ANGLE =", C	OS(R)
		:rem 17
210	IF D=90 THEN T\$="INFINITY":	GOTO 240
		:rem 167
220	IF D=270 THEN T\$="INFINITY"	:GOTO 240
		:rem 216
230	T\$=STR\$(TAN(R))	:rem 62
240	PRINT "TANGENT OF ANGLE = "	,T\$:rem 85

```
The 2nd Annual NO-SWEAT TAX - AID

Prepare your Federal Income Tax returns with your C-64. Program guides you in the preparation of IRS forms 1040.

Office Sched, "A", sched, "B" and the new sched, "W. Printer not required. Disk and Cassette formats available $29.95

NEW * THE CAPABLE DRAWING ARM Includes DIGITIZER kit with all materials and instructions.

Trace Maps, Routes - Compute Distances Menu Selected Features
Continuous Polar — X Y Conversion and X Y — Polar Conversion on X Y — Polar Conversion Disk Format Only

Determine Perimeter Distances
Disk Format Only

CUP HERE
Send Check or Money Order (include $3.00 P (6 H.) Name Color (Online Residents add 6%)

P.O. Box 396.

Capabilities


LTD, Doyton, OH 45420

Capabilities

Sprite Generation
Store. Zop.

Stor
```

```
250 IF T$="INFINITY" THEN C$="0":GOTO 280
                                  :rem 221
260 IF TAN(R)=0 THEN CS="INFINITY":GOTO 2
    80
                                  :rem 168
27Ø C$=STR$(1/TAN(R))
                                  :rem 145
280 PRINT "COTANGENT OF ANGLE = ",C$
                                  :rem 218
290 IF COS(R)=0 THEN S$="INFINITY":GOTO 3
                                  :rem 183
300 S$=STR$(1/COS(R))
                                  :rem 157
310 PRINT "SECANT OF ANGLE = ", S$:rem 255
320 IF D=0 OR D=180 OR D=360 THEN CS$="IN
    FINITY": GOTO 340
                                   :rem 41
33Ø CS$=STR$(1/SIN(R))
                                  :rem 232
340 PRINT "COSECANT OF ANGLE = ", CS$
                                  :rem 215
350 PRINT "{DOWN}ANOTHER ANGLE? (Y/N)"
                                   :rem 88
36Ø GET A$
                                  :rem 222
370 IF A$="Y" THEN 100
                                   :rem 40
380 IF AS<>"N" THEN 360
                                   :rem 99
                                  :rem 142
390 PRINT A$
                                  :rem 107
400 END
Angles (64 Version)
100 PRINT "{CLR}** ANGLES **"
                                   :rem 87
110 PRINT "{DOWN}ENTER ANGLE IN DEGREES"
                                  :rem 239
                                  :rem 103
120 INPUT "D = ";D
                                  :rem 216
130 IF D>=0 THEN 160
140 PRINT "SORRY, Ø<D<360"
                                  :rem 182
                                   :rem 97
15Ø GOTO 11Ø
160 IF D>360 THEN 140
                                    :rem 5
                                   :rem 92
17Ø R=D*1/18Ø
180 PRINT "{DOWN}EQUIVALENT RADIANS = "; R
                                    :rem 69
190 PRINT "{DOWN}SINE OF ANGLE =";SIN(R)
                                   :rem 172
200 PRINT "{DOWN}COSINE OF ANGLE ="; COS(R
                                    :rem 49
210 IF D=90 THEN T$="INFINITY":GOTO 240
                                   :rem 167
220 IF D=270 THEN T$="INFINITY":GOTO 240
                                   :rem 216
23Ø T$=STR$(TAN(R))
240 PRINT "{DOWN} TANGENT OF ANGLE = "; T$
                                   :rem 117
250 IF T$="INFINITY" THEN C$="0":GOTO 280
                                   :rem 221
260 IF TAN(R)=0 THEN C$="INFINITY":GOTO 2
                                   :rem 168
    80
                                   :rem 145
27Ø C$=STR$(1/TAN(R))
280 PRINT "{DOWN}COTANGENT OF ANGLE = ";C
                                   :rem 250
290 IF COS(R)=0 THEN S$="INFINITY":GOTO 3
                                   :rem 183
    10
300 S$=STR$(1/COS(R))
                                   :rem 157
310 PRINT "{DOWN} SECANT OF ANGLE = ";S$
                                    :rem 31
320 IF D=0 OR D=180 OR D=360 THEN CS$="IN
                                    :rem 41
    FINITY": GOTO 340
                                   :rem 232
33Ø CS$=STR$(1/SIN(R))
340 PRINT "{DOWN}COSECANT OF ANGLE = ";CS
                                   :rem 247
350 PRINT "{3 DOWN}ANOTHER ANGLE? (Y/N)"
                                   :rem 122
                                   :rem 222
 360 GET AS
370 IF A$="Y" THEN 100
                                   :rem 40
380 IF A$<>"N" THEN 360
                                    :rem 99
                                   :rem 142
390 PRINT A$
                                 :rem 107 @
 400 END
```



If you've been using other software with your Commodore 64<sup>TM</sup>, you have probably learned to compromise a lot! Maybe you have even considered investing in more expensive hardware. Hold everything...arm that Commodore 64<sup>TM</sup> with explosive firepower as well as Phi-Beta intellect! All you really need is a "Think Tank" working for you. Mirage Concepts software:

- · Ingeniously simple to operate
- Unrestrained user flexibility
- Awesomely powerful
  Mirage Concepts brings a new
  definition to the phrase "Think-

# Mirage Concepts' Power Packed Software & Your Commodore 64"!



Tank" with the introduction of their companion WORD PROCESSOR and DATABASE MANAGER programs. Together, they bulldoze your Commodore 64TM through any obstacle...with fingertip ease! User Confidence-once you've experienced the simplicity and raw-power of Mirage Concepts software, you will never again settle for less! Perfection is the only standard we tolerate at Mirage Concepts, Put a "Think-Tank" in your Commodore 64TM ... ask your dealer for Mirage Concepts' WORD PROCESSOR and DATABASE MANAGER today. Only \$99.95 each.

# **MIRAGE CONCEPTS, INC.**

2519 W. Shaw Ave., #106 • Fresno, CA 93711

FOR DEALER INFORMATION, CALL: (800) 641-1441 • IN CALIFORNIA (800) 641-1442

# Mailbag

Time to bounce back some of the ideas and suggestions you've sent me. In talking about Commodore 64 video, I mentioned that the new 8-pin 64s have improved video clarity, but said that there are no functions assigned to the additional pins (previous 64s had five-pin plugs for audio/video).

J. Robinson of Santa Monica, California, differs. He's rigged up a cable using an 8-pin DIN plug (sorry, Radio Shack doesn't carry them) with the chroma (color) signal coming from pin 8. Normally, chroma is slightly distorted by the luminance mixed with it, but the signal from pin 8 is pure, and the picture is better than ever, as evidenced by some color slides Mr. Robinson sent me. If you can find an 8-pin DIN plug, try it out. By the way, DIN stands for Deutsche Industre Norm (German Industrial Standard).

We've received some letters about the Automatic Proofreader, asking how the checksum is computed on each line. We send program listings to a disk, then run our Lister program, which reads the programs straight from the disk and formats the listings with cursor controls and graphics spelled out.

In addition, the Lister automatically generates the ":rem" checksums by adding together the ASCII values of all the characters in the line. The reason that the numbers are never larger than 255 is that the addition is done internally in only 8 bits, so it will wrap around from 255 to zero (like an odometer past 99999) if the sum is too large. That's why some numbers for long lines are smaller than other numbers for short lines. It all depends where the number wraps around.

# **Printer Interfaces**

A few issues back, columnist Larry Isaacs talked about a parallel printer interface by CardCo called Card/Print (also written as "Card/?"). We've used this interface here and have been generally pleased with its performance, although it will not translate certain 64 control codes in the listing mode. Another interface I've been using is the Tymac


Connection. Unlike the Card/Print, the Connection is set up specifically for your printer (ROM chips are available for several printers). The Card/Print will work with almost any Centronics parallel printer, but the Connection uses the graphics capabilities of your Epson, Prowriter, or other dot-matrix graphics printer.

The Connection offers "almost total emulation" of the VIC printers, such as the 1525. In the emulation mode, it will respond identically to the control codes the VIC printer uses, such as dot graphics, elongated/normal text, cursor-up mode, cursor-down mode, and more. You can therefore use all the special features of your printer (high-quality print, italics, double-strike, etc.) and still be able to run programs specific to the VIC printers, such as high-resolution screen dumps.

In addition, the Connection uses your printer's dot graphics capabilities to actually print the built-in graphics characters on the keyboard. Program listings with graphics symbols will appear as they do on the screen. Unfortunately, the graphics characters are formed rather strangely. Characters which should connect, such as Commodore Q and SHIFT-asterisk, do not. The cursor symbols are hard to read. The Connection also cannot reproduce reverse-video text, since your printer's normal character set is used for alphanumerics. But support for graphics is better than no graphics symbols at all.

The Connection has a listing mode, though it cannot interpret some characters. There is also a "transparent" mode, where it just sends the characters along without any interpretation. This is what you would do with some word processing programs. Unlike the Card/Print, there is no way to "lock" in any one mode.

Hardware-wise, the Connection has a 6502 microprocessor with RAM, ROM, and a printer port. How strange to buy another computer for your 64. It has enough RAM to serve as a 2K printer buffer. With a buffer, characters coming from the computer are stored until the printer can "catch up." If you sent something less than 2K long, it would be instantly printed from the computer's



# COMPUTE!'s First Book Of Commodore 64 \$12.95

The Commodore 64 is a powerful home computer. Its state-of-the-art features include sprite graphics and an advanced musical synthesizer chip. COMPUTEI's First Book of Commodore 64 is the definitive resource guide for owners and users of the 64. It includes some of the best articles and programs from COMPUTEI Magazine and COMPUTEI's GAZETTE, plus many more that have never before appeared in print.

First Book Of Commmodore 64 contains something for everyone: BASIC programming techniques; data storage programs; examples of sprite graphics and musical synthesis; information about writing games, using peripherals, and working with many utilities (including a machine language assembler and a monitor); a complete memory map; and advanced programming techniques. Also includes many ready-to-type-in programs and games.

If you are a Commodore 64 owner who wants to learn more about using your computer to its full potential, this is the book for you.

### Now Available From COMPUTE! Books

- COMPUTEI's First Book Of 64 Sound & Graphics \$12.95
   Clear explanations to help you use all the 64's powerful sound and video features. Plus great programs for music synthesis, hi-res art, and sprite and character design.
- COMPUTEI's First Book Of Commodore 64 Games \$12.95
   Packed full of games: Snake Escape, Oil Tycoon, Laser Gunner, Zuider Zee.
   Arcade-action machine language games for fast hands; strategy games for sharp minds.
- COMPUTEI's Reference Guide To 64 Graphics \$12.95
   A complete, step-by-step tutorial for programming graphics. You'll like the clear writing, the example programs, and the full-featured sprite, character, and screen editors.
- Creating Arcade Games On The 64 \$12.95
   The principles and techniques of fast-action game design, including custom characters, movement, animation, joysticks, sprites, and sound. With complete example game programs.
- Commodore 64 Games For Kids \$12.95
   Dozens of games for kids of all ages, making this an instant library of educational software. Learning, creativity, and excitement.


#### **How To Order**

**COMPUTE! Books** are available at bookstores, newsstands, and computer stores nationwide. If your local store has run out of **COMPUTE! Books** or does not carry them, you can order them directly:

**By Mail.** Send a check or money order in U.S. funds (no cash please) to: Order Department, COMPUTEI Books, P.O. Box 5406, Greensboro, NC 27403. Please include \$2 shipping/handling for each book you order. All orders must be prepaid. (C.O.D. orders are not accepted.) Allow 4–6 weeks for delivery.

**By Phone.** If you have VISA, MasterCard, or American Express, call our **toll-free number 800-334-0868** (919-275-9809 in NC) between 8:30 AM and 4:30 PM, EST. Your order will be processed promptly; we will bill your credit card (plus \$2 shipping/handling). Allow 4–6 weeks for delivery.

© 1983. Commodore 64 is a trademark of Commodore Electronics.



point of view. The buffer would meanwhile be feeding characters to the printer at the printer's speed. My printer has a 2K buffer, so the combination of the printer and the Connection gives me an effective 4K of buffer space.

The Connection (Tymac) Distributed by Microware 1342 B Rt. 23 Butler, NJ 07405 \$119

# Strange Lock-Up Bug

It may have happened to you. It's extremely frustrating, and totally unexpected. Fortunately, it's predictable, hence preventable. Go down to the bottom of the screen (the very bottom, the last line, scroll if you have to). Now start typing. Anything. You could just type a bunch of X's. Keep typing as you wrap around the right margin on the first line, then stop right after you type past the right margin of the second 40-column line (the screen will scroll). Now press the INST/DEL key (unSHIFTed) to erase the last character on the previous line.

Whoa! Suddenly, the command LOAD is printed, you get a ?SYNTAX ERROR, the word RUN appears, and if you had a program in memory, it starts. Who typed SHIFT-RUN/STOP?

This is not a trivial error. If you had a program running, you can't stop it. If not, the cursor appears

to be flashing merrily, and all seems well. Try typing. Worry begins to creep into your mind as no characters appear. You reach for the panacea of RUN/STOP-RESTORE. Panic sets in when this does nothing, and you press it over and over again, pounding and smashing at the keyboard in a frantic attempt to regain control. Too bad. You have to reach for the power switch and turn your computer off. RAM is wiped clean. Your program, if any, is gone.

I don't know what causes this error. One theory is that when the 64 tries to scroll color memory, it reaches one line too many past \$DBE7 (end of color memory) and mangles the registers of the CIA chip, which controls all interrupts. There is no way around it, other than the emergency reset I covered last month. Just keep it in mind.

Hope you enjoy the word processor in this issue. Since it is a complex software product, we'll use this column in the future as a forum for answering your questions about it, as well as tips for using it.

I'll leave you with something to play with: extended background color mode. Enter it with POKE 53265,PEEK(53265)OR64 and try typing the letter "A", SHIFT-A, then CTRL-9 (reverse on), and inverse video "A" and SHIFTED-A again. See what conclusions you come up with, and try changing memory locations 53282 and 53283.

# **GET THE BEST FOR YOUR COMMODORE 64**

#### BUSINESS FINANCE CALC 64 . Disk \$55.95 DATA BASE 64 . Disk 59.95 MANAGEMENT SYSTEM 64 . Disk 45.95 FAMILY PAC 64 (3 in 1) . Disk (CHECKBOOK, RECIPE, EDU-GAME) 45.95 CHECKBOOK EASE 64 . Disk 35.95 HESWRITER 64 . Cart 29.95 **HESMON 64 • Cart** 25.95 QUICK BROWN FOX (W.P.) . Cart. 45.95 WRITERS ASSISTANT (W.P.) . Disk 59.95 FILING ASSISTANT . Disk 67.95 INVENTORY PACKAGE . Disk 77.95 TOUCH TYPING TUTOR . Disk & Cass. 19.95 MINI JINI (DATA BASE) . Disk 71.95 DATA BASE MANAGER . Disk 67.95 GENERAL LEDGER . Disk 77.95 PAYROLL SYSTEM . Disk 68.95 PAPERCLIP (W.P.) . Disk 99.95 M'FILE . Disk 94.95 WORD PRO/3 (W.P.) . Disk 71.95 SPELL RIGHT PLUS (DICTIONARY) . Crt. 49.95 DELPHI'S ORACLE (DATA BASE) . Disk 125.95 TIME & MONEY MANAGER . Disk 55.95 OMNICALC (SPREADSHEET) . Disk 79.95 CARDCO PRINTER INTERFACE 54.95

#### POLICY

All orders are shipped U.P.S. Shipping charges are \$2.00 for prepaid orders and \$3.25 for C.O.D. For fast delivery send money order, certified check or credit card. Please allow approximately three weeks for clearance on

All items are subject to availability and price change. Thanks for ordering from House of Software! Call for free catalog!

# HUNDREDS MORE AVAILABLE

THE PROPERTY OF THE PARTY OF TH	TOLL
SNOOPER TROOPERS I, II . Disk	\$29.95
KINDERCOMP • Disk & Crt.	19.95
IN SEARCH OF MOST AMAZING THING	• Disk 26.95
PROGRAMMING KIT I • Disk	19.95
FACEMAKER . Disk	22.95
KIDS ON KEYS . Crt.	29.95
FRACTION FEVER • Crt.	29.95
PRIMARY MATH TUTOR . Disk & Cass.	21.95
ENGLISH INVADERS . Disk & Cass.	21.95
DUNGEONS ALGEBRA DRAGONS . Disk	& Cass. 19.95
UP FOR GRABS . Cart.	29.95
BENJI'S SPACE RESCUE . Disk	29.95



# HOUSE OF SOFTWARE

\*From EN-TECH Software

#### ENTERTAINMENT

*	STUDIO 64 (MUSIC MAKER) . Disk & Cass.	\$35.95
	BABIES OF THE DIRT . Disk	27.95
•	GAME DESIGNER • Disk & Cass.	25.95
	GRIDRUNNER • Cart.	21.95
	TEMPLE OF APSHAI . Disk	25.95
	UPPER REACHES OF APSHAI . Disk	14.95
	CURSE OF RA . Disk	14.95
		16.95
		24.95
	TELENGARD . Cass	16 95
	FROGGER • Disk & Cass.	22.95
	FORT APOCALYPSE . Disk & Cass.	22.95 22.95
		19.95
	SWORD OF FARGOAL . Disk & Cass.	25.95 25.95
	PAKACUDA • Disk & Cass.	11 95
	SURVIVOR • Disk & Cass.	11.95 22.95
	PEGASUS ODYSSEY . Disk & Cass	19.95
	SUPERCUDA • Disk & Cass	19 95
	NEITRAL ZONE . Disk & Cass	27 95
	SUPERCUDA • DISK & Cass. NEUTRAL ZONE • DISK & Cass. CENTROPODS • DISK & Cass. SPACE PATROL • Cass.	13 95
	SPACE PATROL • Cass.	19.95
	MOON PATROL • Cass.	19.95
	B-1 BOMBER • Cass.	11.95
	KONGO KONG (DONKEY KONG) • Disk & Cass.	
	COMPETITION PRO. JOYSTICK	17.95
	COMPETITION PRO. JUTSTICK	17.93

To Order Call: (213) 768-8866 Or





HOUSE OF SOFTWARE
9183 Mercedes Ave. • Arleta, CA 91331

SHOW US A BETTER PRICE AND WE'LL BEAT IT!

# **80 Column Smart Terminal** For Your C64 Without Any Hardware Change!

UIF Terminal reads

11:15:26

you're right. This VIP Terminal is the only terminal for the C 64 worth onling. That freebie software that case with my moder just didn't work, especially with my new swarthoder. The 80 column display alone was well worth the \$0.65 - much less the 40.64 and 100 character displays - and it doesn't need any handware changes. I wagine 100 characters on 25 lines. Heck, there's wore text on my screen than on my uncle's hople or my dad's I B M - P C!

I put auto-dial to work right way. I auto-dialed Compuserve, but coulch't get through, so I had VIP Terminal redial 'til it got through - it dialed five minutes straight! Then I auto-logged on with one of my 20 programmed less, and downloaded some graphics screens, and stock quotes for dad. I printed it and saved it to disk as it case on the screen. Mode And now I can send you my programs automatically. I got yours and they worked right off.

Those icons, - you know, like the Apple Lisa - are a lot of Ann. I also like the merus, function keys, highlights, help tables - great for a newcomer like me. And with the many options there isn't a computer I can't talk to.

What's really neat is that Softlaw has a whole VIP Library of interactive programs, including a wind processor, spreadsheet and database, which will be out soon. Sis provised me the whole set for my birthday.

I see by the built-in "old clock" on the screen that long-distance rates are down. Got to call that L.A. B B S. Sep, there goes the alarm. Later.

They're right! To start with the best you've got to have the VIP Terminal!


- Built-in 40, 64, 80 and 106 columns
- Word wrap for a formatted display
- Talk to any computer
- Use any modem and printer
- Written in fast machine code
- 15 entry phone directory
- 20 programmable keys
- Automatically dial, redial, upload, download and log-on
- Professional 96 character ASCII display
- 128 character ASCII keyboard
- Simultaneous on line printing and saving of files to tape and disk
- Use and save files as big as your disk!
- E Mail & E-COM Compatible

Get yours NOW! **\$49.95** 

# **Introducing The VIP Library**

# The Library Concept

The VIP Terminal is only the first in a whole series of elegant software for your Commodore 64 called the VIP Library. This complete collection of easy-to-use, serious, high quality, totally interactive productivity software includes VIP Writer, VIP Speller, VIP Calc, VIP Database, VIP Disk-ZAP, VIP Accountant and VIP Tax. All are equal in quality to much more expensive software for the IBM PC, and all are very affordable!



VIP Library programs are not limited by the size of your computer's memory. All programs use virtual memory techniques to allow creation and use of files larger than your computer's available work area. You're only limited by the space on your disk!

# Virtual Memory

# Icons Make Learning Easy

Hi-res technology and sprites allow VIP Library programs to bring you task Icons, made famous by the Apple Lisa™ and the Xerox Star™. With these advanced sprite representations of the task options open to the user, even the total novice can, at a glance, perform every task with ease. Just look at the icon and press a key! No programs are easier or more fun to learn and use!

# Total Compatibility

All VIP Library programs are compatible with each other and other computers for easy file transfer. Each uses ASCII, the universal language of computer communications so that files can be sent to and received from other computers without modification! The Library also gives you the benefit of a consistent icon and command structure. Once you have learned one program, the others will come easily.

For Orders ONLY - Call Toll Free -

Order Status and Software Support call (612) 881-2777

Available at Dealers everywhere. If your Dealer is out of stock ORDER DIRECT! MAIL ORDERS: \$3.00 U.S. Shipping (\$5.00 CANADA; \$10.00 OVERSEAS. Personal

checks allow 3 weeks.

## **Professional Displays**

The 40-characters-per-line display of the Commodore 64 is inadequate for serious computing. An 80-column display is the industry standard. VIP Library programs bring this standard to your Commodore 64 with state-of-theart graphics, without need for costly hardware modifications. With VIP Library programs you can freely choose from four displays: the standard 40 column display, plus a 64, 80 and even a 106 column by 25 line display. With these programs you can have more text on your screen than on an IBM PC or an Apple IIe with an 80-column board! Welcome to the professional world!

#### Who Is Softlaw?

Softlaw Corporation has years of soft-ware experience in micros. We currently offer the full-line VIP Library for other micros in the U.S. and in Europe. Now we are bringing this experience to the Commodore 64 so you get ultra-high quality software at very affordable prices.



9072 Lyndale Ave. So., Mpls., MN 55420

**AUTHOR'S SUBMISSIONS** ARE ENCOURAGED.

©1983 by Softlaw Corporation

# **VICreations**

DAN CARMICHAEL, ASSISTANT EDITOR

# Using The Dynamic Keyboard

The *dynamic keyboard* is a useful programming technique that can be used with both the VIC-20 and the 64. This technique enables you to POKE values into the *keyboard buffer* and "fool" the computer into thinking you typed the command from the keyboard. It can be used to do everything from simply running a program to chain-loading programs from tape or disk.

# The Keyboard Buffer

The keyboard buffer is a block of memory ten bytes (characters) long that runs from memory addresses 631 to 640. The buffer is a temporary holding area that is used to store data input from the keyboard. If you could type faster than the VIC could read the keyboard (it does this 60 times a second), you could fill up the keyboard buffer. Obviously you can't type this fast, but there are other times the computer's operating system does use the keyboard buffer to temporarily store data. If a BASIC program is running and is at a stage where it is not ready to accept data input from the keyboard (a FOR/NEXT time-delay loop, for example), the keys that are pressed will be temporarily stored in the buffer until the program is ready to process the data. To see how this happens, enter the following line in the direct mode, press RE-TURN, and while the FOR/NEXT loop is running type the following ten keys: 1234567890.

### FOR A = 1 TO 10000: NEXT

As you can see, while the time-delay loop is running, the keys you pressed are not displayed on the screen. As soon as the loop is finished, the computer reads what is stored in the keyboard buffer and processes the data accordingly and prints it on the screen. Now enter the above FOR/NEXT statement again, and while it is running type the following 12 keys: 1 2 3 4 5 6 7 8 9 0 1 2. When the loop is finished, you will see the same

ten keys displayed on the screen as before. But what happened to the two extra keys that were pressed, the 1 and 2? Those keys were lost because the keyboard buffer, which runs from 631 to 640, can hold a maximum of ten characters. Any keys that are pressed after the buffer is filled are lost.

# The Other Keyboard Buffer Byte

You may wonder how the operating system knows that there is data in the keyboard buffer waiting to be processed. Memory address 198 tells the computer how many characters are in the keyboard buffer ready to be processed. Each time you pressed a key while the computer was executing the above time-delay loop, memory location 198 was incremented by 1. After the loop finished running, the operating system took a look at location 198 (which had a value of ten) and knew that there were ten characters in the buffer waiting to be processed. Enter the following commands in the immediate mode, then while the FOR/NEXT loop is running, type 1 2 3 4 5 6 7 8 9 0.

#### FOR A = 1TO10000:NEXTA:POKE 198,0

After the loop is finished, you'll notice that our ten characters were not printed on the screen. The reason is that after we came out of the loop we POKEd 198 with a 0. Even though our ten characters were in the cassette buffer, the operating system didn't print them as it did before. When we POKEd a value of zero into 198, we told the computer no characters were waiting in the buffer.

# Using The Dynamic Keyboard

The keyboard buffer can be a very useful tool when properly used. For example, did you know that when you "chain-load" programs (the first program automatically loading and running the second, the second loading the third, and so on) the

140 COMPUTE!'s Gazette January 1984

# THE VIC LIBRARY FROM COMPUTE!

For over two years, COMPUTEI Magazine has been publishing articles and ready-to-type-in programs for VIC-20 owners. Many VIC programming techniques first appeared in the pages of COMPUTEI.

COMPUTEI's editors have gathered the best articles (revising and rewriting some) and added previously unpublished material. The result is a series of books for VIC-20 owners. Each contains articles and programs which educate, explain, and entertain.

Whether you're brand-new to computing or a seasoned programmer, you'll find fun and useful information, written in COMPUTEI'S easy-to-understand style, in all of these books. And if you know other VIC owners, computer books make wonderful Christmas gifts.

### COMPUTE!'s First Book of VIC \$12.95

COMPUTEI's First Book of VIC has been a number one best seller on the computer book lists. It has been called "useful for

both novice and experienced VIC users.

If you like computer games, you will enjoy "STARFIGHT3,"
"ZAPII," "Meteor Maze," and the other games included. Chapters on joysticks and paddles explain how to use them in programs you write.

First Book of VIC shows you a simple way to alphabetize lists. And there are advanced programming techniques for

The custom character program allows you to design your own alphabet (if you want your VIC to print Hebrew, Greek, or other special characters). Custom characters can be developed into spaceships, flowers, and other unique shapes.

You will discover how to automatically renumber BASIC programs, combine two programs, start and stop the screen

when it is LISTing, and dump the screen to a printer.

If you write programs, you will appreciate the discussion of VIC memory and how to create special effects with graphics and sound. The machine language monitor, TINYMON, is a

valuable aid to machine language programmers.

COMPUTEI's First Book of VIC was one of the first books published for VIC owners and it is still one of the best. VIC owners of all ages and abilities will find it an excellent

### COMPUTE!'s Second Book of VIC \$12.95

Your VIC library is not complete without COMPUTEI's Second Book of VIC.

Some of the outstanding programs include: a datassette filing system that lets you use your VIC as a filing cabinet; a mini word processor; a loan analyzer that figures out interest, monthly payments, and loan values; a machine language assembler (and a very fast machine language game); a program for printing poster-sized banners; and much more.

Second Book of VIC features a detailed memory map (including Kernal routines) that not only names the memory locations, but also gives you ideas for using them in your

Chapters on graphics and sound include a character editor that redefines character shapes, a sound effects program that does not slow down BASIC programs, and a utility for programming the eight function keys.

And, of course, there are ready-to-type-in games: "UXB," "A Day At The Races," and others. If you write your own games, you will benefit from the techniques and examples throughout

People who are curious about the many things you can do with a VIC need COMPUTEI's Second Book of VIC. The variety of programs will be a welcome source of new software. Why not order your copy today?

### COMPUTE!'s First Book of VIC Games \$12.95

Would you like a lot of games at a very low price? COMPUTEI's First Book of VIC Games contains two dozen (for only \$12.95). Each game has been tested and debugged, and is ready to type into your VIC-20.

You get fast-action, commercial quality, arcade-style games that require quick reflexes in addition to strategy games

which test your logical skills.

In "Time Bomb" you hear the ticking of a bomb about to blow up. You have to find and defuse it by making your way through the maze that extends beyond the borders of the

'Closeout" takes you to a department store. You try to snatch as many sale items as possible, while avoiding the horde of nasty bargain hunters.

'Cryptic Numbers" combines logic and luck. Thinking logically, you have to decode the pattern picked by the VIC. After each turn you learn how close you were.

"Deflector" requires quick reactions and a sense of strategy. You control the bouncing ball by placing deflectors that direct

You are captain of a small space fortress in "Outpost." You have lasers and torpedos, but your energy is running low and the computer is on the blink. Will the supply ship arrive in

time to save you?

First Book of VIC Games is more than just a book full of program listings. Each game is annotated. You can change the games if you like, or use the many programming techniques in games you write. And you can use the maze-drawing program in your own games.

Introductory-chapters explain how to develop ideas for game programs, with hints and tips about the VIC's sound,

color, and graphics capabilities.

No serious game player should be without COMPUTEI's First Book of VIC Games.

### NEW RELEASES

(Coming Soon from COMPUTEI Books)

Creating Arcade Games on the VIC VIC Games for Kids Things to Do in 4K or Less

#### **HOW TO ORDER**

COMPUTEI Books are available at bookstores, newsstands, and computer stores nationwide. If your local store has run out of COMPUTEI Books or does not carry them, you can order them directly:

#### - By Mail

Send a check or money order in U.S. funds (no cash please) to:

Order Department COMPUTEI BOOKS P.O. Box 5406 Greensboro, NC 27403

Please include \$2 shipping/handling for each book you order. All orders must be prepaid (C.O.D. orders are not accepted). Allow 4-6 weeks for delivery.

#### - By Phone

If you have VISA, MasterCard, or American Express, call our toll-free number 800-334-0868 (919-275-9809 in NC) between 8:30 AM and 4:30 PM, EST. Your order will be processed promptly; we will bill your credit card (plus \$2 shipping/ handling). Allow 4-6 weeks for delivery.

# COMPUTE! Publications, Inc.

© 1983. Commodore and VIC-20 are trademarks of Commodore Electronics.

first program has to be longer than the second? That's because of the variables. The start of BASIC variables always stays just past the end of your BASIC program. When you chain-load programs, any variables that are used in the first program are stored a few bytes past the end of BASIC. If the second program in the chain is longer, it will write over these variables, and all their values will be lost. To illustrate this, enter the following two short programs and save them to tape with the filenames specified below. Be sure to save the second program with the filename "TEST.LOAD.2" right after the first program (use the filename TEST.LOAD.1).

### TEST.LOAD. 1

```
10 A=10:B=20:C=30 :rem 120
20 PRINT"{CLR}{DOWN} THIS IS PROGRAM 1" :rem 244
30 FORT=1T0500:NEXT :rem 189
40 LOAD"TEST.LOAD.2" :rem 182
```

### TEST.LOAD.2

```
10 PRINT" THIS IS A DUMMY LINE"
                                  :rem 251
15 PRINT" THIS IS A DUMMY LINE"
                                   :rem Ø
20 PRINT" THIS IS A DUMMY LINE"
                                  :rem 252
25 PRINT" THIS IS A DUMMY LINE"
                                   :rem 1
30 PRINT" THIS IS A DUMMY LINE"
                                  :rem 253
35 PRINT" THIS IS A DUMMY LINE"
                                   :rem 2
40 PRINT" THIS IS A DUMMY LINE"
                                  :rem 254
50 PRINT" (CLR) (DOWN) THIS IS PROGRAM 2"
                                  :rem 248
```

:rem 41

As you can see, the first program sets three variables (A, B, and C), PRINTs a quick message to the screen, then LOADs in the second program, which prints a few messages to the screen (we made it longer here for our demonstration). It then prints the variables A, B, and C that were set during the first program. Note that the printed variable values are zeros, even though we initially set them at 10, 20, and 30, respectively.

What's the answer? The dynamic keyboard, of course. Change the last line (line 40) in the first program to read:

#### 40 POKE 631,131: POKE 198,1

60 PRINT"A=";A;"B=";B;"C=";C

Then reSAVE it using the same filename, and RUN it again. For our demonstration, this modification will work only with cassette. Save this modified version to tape, and be sure to save another copy of the second program right after it.

If you changed line 40 and saved both programs correctly, you'll notice that the first program successfully called in and ran the second, even though we removed the LOAD command in line 40.

This is accomplished by the two POKEs we used in line 40. POKE 631,131 places the token for SHIFT-RUN into the keyboard buffer. When you press SHIFT and RUN on the keyboard to LOAD and RUN a tape program, this character (131) is

placed in the buffer. Jot this down; you probably won't find it in your VIC-20 Programmer's Reference Guide. We POKEd the SHIFT-RUN into location 631, the first byte of the keyboard buffer, because the buffer is of the FIFO (first in—first out) type. That is, when you press a key on the keyboard, the operating system places it in the first byte of the buffer; when ready to be processed, this will be the first character pulled out.

The other POKE we made in line 40 was POKE 198,1. This tells the operating system that there is one character in the buffer waiting to be processed. As soon as the 1 was POKEd into 198, the operating system was fooled into thinking you had typed SHIFT-RUN from the keyboard, and the computer LOADed and ran the next program.

The obvious drawback here is that it will only LOAD and RUN the next program *on tape*. This is because the POKEs we used did not specify a filename. So when using this method of chainloading, be sure the programs are saved one after the other.

You'll notice that we still have a problem passing variables because of the longer length of the second program. There is another technique which can easily solve that.

# Using The Buffer And The Screen

Delete line 40 from the first program and add the following lines:


As before, SAVE it to tape and reSAVE the second program right after it. Now RUN the first program and see what happens. Be sure to leave the cassette PLAY button pressed down after the first program is loaded.

This time we've successfully passed our variable values from the first program to the second. Here's how we did it.

Line 32 clears the screen (which also moves the cursor to the HOME position). It then moves the cursor down two lines, and prints the word LOAD. Line 40 shows how we pass our variables from one program to another. It prints a line on the screen that looks like (and is) a BASIC statement: the number 5 (the BASIC line number) and the variables A = B = 0, and C = 0. It then prints the current value of these variables, in this case 10, 20, and 30, respectively. Line 45 prints the word RUN and starts our second program.

Line 50 is the key to it all. The first POKE (POKE 631,19) places the value 19 into the first byte of the keyboard buffer. In this case, the ASCII

# **Skyles Electric Works Presents**



# The VicTree™

- ...Leaves your new Commodore 64 (or Vic 20) with 42 additional commands.
- ... Branches out to most BASIC 4.0 programs.
- ...Roots into most printers.

New from Skyles: the VicTree, a coordinated hardware and software cartridge that allows your Commodore 64 to branch out in unbelievable directions and makes it easier than ever to do BASIC programming, debugging and to access your disk. And the new VicTree provides routines to interface the Commodore 64 to all Centronics Parallel printers with an inexpensive cable. 8kb of ROM—4kb for the BASIC commands, 4kb for disk commands. Perfect not only for the new Commodore 64 but also for the Vic 20. Unbelievably simple to use with a 100 + page manual with many many program examples. Easy to install, plugs into cartridge port, the VicTree gives you all the additional BASIC 4.0 commands to allow most BASIC 4.0 programs to work on your new Commodore 64 and Vic 20.

# And now with the BASIC command Commodore forgot!

Now only \$89.95 or \$109.95 complete with Centronics standard printer cable. (Cable alone \$29.95.) Available now from your local dealer or order through your Visa or MasterCard toll free:

(800) 227-9998 (California, Canada, Alaska, Hawaii: (415) 965-1735) or send check or money order directly to:

Skyles Electric Works

231E South Whisman Road Mountain View, CA 94041 (415) 965-1735

# COMMODORE 64E American Peripherals

NEW ARRIVALS (disk or tape)

1030 LANGUAGE TRANSLATOR English to German. \$10 84 PIANO-64 \$19.95 Change your 64 to a piano. 126 TRAFFIC SIGNALS \$14.95 Teach your child safety. 1240 POGO Like Q-Bert. 596 TELLING TIME Hi-res Round clock. \$24.95 Hi-res printing on 1525. Has conversation with you.

1016 ELECTRONIC GRADEBOOK Teacher special \$24.95 574 LOCATION OF COUNTRIES Geography \$14.95 575 CANCER \$1 \$15.95 Kids and smoking.
762 ELEMENTARY ELECTRICITY 5th-9th gr. \$24.95 1264 TRAVEL ABOUT AMERICA Series of 7 programs on Geog. and History \$150. 578 SOUND EFFECTS \$15.95 Demo and prog. aid. 139 STRATHCLYDE BASIC 12 lessons + test. \$34.95 1014 GEOMETRY SERIES 20 progs, with hi-res Disk \$300 Tape \$400 128 TEST MAKER \$24.95 Makes multi-choice tests. 1018 LARGE NUMBER ADDITION Great display \$24.95 1275 VIC-20 EMULATOR \$34.95 Run most VICs on 64. 1246 INTERRUPT MUSIC EDITOR Machine code. \$29.95 1017 MORTGAGE \$19.95 Does all loan calculations. 1015 ANIMAL-VEGETABLE 6yr.-10yr. \$14.95 1285 MAESTRO \$34.95 All conceivable music and sound functions in 1 program. 1280 WATTS and AMPS \$14.95 Household elec. calcs. 580 MATCHING SHAPES 1.Q. Builder \$14.95

EDUCATIONAL (disk or tape)

644 Type Tutor \$19.95 645 Assembly Language Tutor \$14.95 687 Fractional Parts \$14.95 902 Estimating Fractions \$14.95 695 Tutor Math \$14.95 870 Square Root Trainer \$14.95 699 Counting Shapes \$14.95 694 Money Addition \$14.95 689 Math Dice 14.95 678 Speed Read \$14.95 643 Maps and Capitals \$19.95 645 Sprite Editor \$19.95 904 Sound Synthesizer Tutor 19.95 696 Diagramming Sentences \$14.95 690 More/Less \$14.95 688 Batting Averages \$14.95 802 TicTac Math \$16.95 904 Balancing Equations \$14.95 905 Missing Letter \$14.95 864 Gradebook \$15.00 810 French 1-4 \$80.00 811 Spanish 1-4 \$80.00 807 English Invaders \$16.95 809 Munchword \$16,95 812 Puss in Boot \$20.00 813 Word Factory \$20.00 660 Hang-Spell \$14.95 905 Division Drill 14.95 906 Multiplic. Drill \$14.95 907 Addition Drill \$14.95 908 Subtraction Drill \$14.95 910 Simon Says 14.95 911 Adding Fractions \$14.95 912 Punctuation \$14.95

#### EDUCATIONAL

Series on disk

Computer Science (30 pr.) \$350 HS Biology (70 programs) \$500 HS Chemistry (40 programs) \$450 HS Physics (60 programs) \$475 HS SAT Drill (60 programs) \$99 Elem. Social Studies (18 pr.) \$225 Elem. Science (18 programs) \$225 Further French (12 pr.) \$95 Further Spanish (12 pr.) \$95 Statistics (12 programs) \$95

### ORDERING BLANK

To: American Peripherals 122 Bangor Street Lindenhurst, NY 11757

516-226-5849

Ship to: Name Street Town, State, ZIP

Please send your complete 64K catalog. Over 600 programs.

ITEM (	specify disk or tape)	PRICE
		:
		······
: 		: 
CI		
Charge to my credit card VISA MASTER	CARD COI	s 7.25% tax \$ D add \$2.00 \$
Account #		s add \$2.00 \$ Shipping \$1.75
Signature		otal Amount \$

Commodore 64 is a trademark of Commodore Business Machines, Inc.

value of 19 is the control character which stands for HOME CURSOR. The cursor, then, is simply moved to the home position (the upper-left corner) without clearing the screen. The next five POKEs we make to the keyboard buffer are the same (a value of 13), and are done with a FOR/NEXT loop. The ASCII value of 13 is the control character which represents the RETURN key. POKE 198,6 fools the operating system into thinking that six keys have been pressed on the keyboard. The computer starts processing these commands, and away we go. Here's what happens.

The value of 19 moves the cursor to the HOME position, and then the operating system automatically moves it down one more line. The cursor is now sitting on top of the word LOAD we printed on the screen. The next character in the keyboard buffer is a 13, which stands for RETURN. We've fooled the computer into thinking that we typed the word LOAD and then pressed RETURN. The system now loads in the next program on the tape. While the computer is loading the program, the processing of data in the keyboard buffer is temporarily suspended.

After the LOAD has been completed (we now have the second program in BASIC memory), the operating system continues reading data from the keyboard buffer. The next few bytes in the buffer stand for RETURN. The cursor is now sitting on the BASIC line we printed on the screen in the first program. When the computer reads the next value of 13 from the keyboard buffer, it is again fooled into thinking we have just typed in a new BASIC line for the second program. It then enters that line. The cursor has now moved to the next line on the screen, which reads RUN. Reading another 13 from the buffer, it thinks we typed RUN from the keyboard and pressed RETURN, and away it goes with the second program.

# Many Different Techniques

The above techniques could have been accomplished a number of different ways using the keyboard buffer and the screen. Just remember one important fact. In most cases, when the computer reads data from the buffer, it thinks it was entered directly from the keyboard. Almost anything you can do from the keyboard can be done from the keyboard buffer. As a matter of fact, you could probably create a computer program itself by POKEing various values into the buffer.

Experiment with this technique and I'm sure you'll find a useful application for it.

If you've got questions or ideas about subjects you'd like to see covered in this column, write to: VICreations, c/o COMPUTE!'s GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

# Graph Plotter

Ruth A. Hicks

Not only is "Graph Plotter" an interesting tool for drawing 3-D columnar charts, but the accompanying article takes you step by step through the program itself so you can learn how it was written. The program originally was designed for the Commodore 64, and we've added a version for the unexpanded VIC-20.


"Graph Plotter" is a good demonstration of what beginning programmers can accomplish in the way of graphics on the Commodore 64 and VIC-20. Different graphics techniques were used to create this program. By reading this article and following along with the program listing, you can increase your knowledge of graphics formatting. Of course, if you're not into learning programming, there's no reason why you can't just type in the program listing anyway.

Graph Plotter creates attractive bar graphs with three-dimensional columns. The graphs are particularly exciting in color. There are six columns, each a different color, to which you assign a value from 0 to 15 for the column height. You tell the computer what values each column has, and then you can interpret their meaning.


# **Modular Programming**

Graph Plotter was written with a technique known as *modular* or *block programming*. This means a section at a time was written on the computer and then checked for eye appeal, function, and (of course) that familiar message, "?SYNTAX ERROR." There are five main blocks to this program.

When typing the program, I suggest that you omit unnecessary spaces except in any INPUT or PRINT statements between quotation marks. All



3-D bar graphs are a snap with "Graph Plotter" (64 version).



The VIC-20 version of "Graph Plotter."

other spaces are not needed by the computer and only consume more memory. Since this is an article to learn from, let's start some good habits right away by not typing those useless spaces.

## **Block One**

Block one, lines 100-180, creates the graph, including the segments and the outlining border. Instead of using line after line of PRINT statements, we'll be POKEing the information directly into memory inside FOR/NEXT loops.

Line 100 clears the screen and sets the background color to black and the border blue. Line 110 starts the top border on the Commodore 64 at screen memory location 1230 and runs it across the screen to location 1261, drawing a continuous line (these addresses are 7726 to 7745 on the VIC). Refer to the manual which came with your computer for the "Screen and Color Memory Maps." Each time the FOR/NEXT loop is executed, it places the new value of I into the POKE statement with the symbol number 114 (refer to your manual, "Screen Display Codes"). The I value tells the computer where to put the symbol and the 114 tells what symbol to put in that spot.

The second POKE in line 110 colors the symbol green. Since the "Color Memory Map" (see manual) corresponds to the screen memory map, only with a different set of numbers, all we have to do is calculate the offset. The difference between 55296 and 1024 (the starting address of color and screen memory in the Commodore 64) is 54272, a simple subtraction problem. So, we POKE I+54272 with the color code for green (5) and presto, we have a green symbol at the correct location! The same thing works on the VIC-20, except the offset between screen and color memory is 30720 instead of 54272.

Line 120 draws the left border, beginning at screen memory location 1270 and ending at location 1790 on the Commodore 64 (7748 to 8034 on the VIC). The STEP 40 is used because a Commodore 64 has 40 characters per line across its screen (STEP 22 for the VIC). If you look at your manual and find screen location 1270, then add 40, you'll find that location 1310 is exactly one line below 1270. On the VIC, 7748 + 22 adds one screen line. The rest of line 120 and the next two lines are similar to lines 110 and 120, except for different screen symbol codes.

The last four lines (150-180) in this section were constructed in the same manner, using FOR-NEXT loops to POKE information directly into screen memory. These lines draw continuous lines on the graph, making it more readable.

# **Designations**

Block two of the program prints a series of numbers on the left side of the graph and letter desig-

nations for each of the six columns. Line 190 positions the following PRINT statement at the right spot horizontally so the numbers can be displayed along the left side of the graph. We want the numbers to start at the fourth space right of the border, so we place a SPC(4) after the PRINT, and then place the number to be printed inside quotation marks.

So, lines 190 through 220 label the Y-axis with a sequence of numbers from 15 to 0. Notice that between each colon is a complete PRINT statement, and even though they are all crunched together in only four program lines with *no spaces*, they result in 16 lines of vertical display. Also, notice that with one-digit numbers the SPC() statement is increased from four to five in the Commodore 64 version for proper placement.

The last line of this section (230) puts letter designations along the bottom of the graph beneath the columns. Notice there is only one PRINT since this line is displayed horizontally. In the Commodore 64 version, the first letter is positioned with TAB(9) and the following letters are all equally spread with SPC(4) statements. Again, because of the VIC's smaller screen size, a TAB(4) and SPC(2) statement are used to position the letters properly.

## **READ-DATA Block**

In the third block of the program (lines 240 to 300), DATA is READ that will be used in a later routine to position each vertical bar on the graph and decide its color. Line 240 prevents this DATA from being reREAD unnecessarily with any subsequent passes through the program.

The first statement that READs DATA in this section is in line 260. Here, a READ command is contained in a FOR-NEXT loop so it is executed six times. This causes six strings, representing the six column labels (A,B,C,D,E,F) to be READ and set equal to the string array variable, A\$(I).

In line 280, a second set of DATA is READ and assigned to D(I). This string array variable denotes the color code for each vertical bar on the graph.

The last group of DATA in this block is READ from line 300. The values taken from line 290 are the screen memory addresses necessary to properly locate each bar on the graph.

The use of arrays in this section significantly shortens the length of the program. Instead of requiring six separate blocks of code to locate and draw each vertical bar, we will now be able to perform this in one routine.

# Input Block

The fourth block of the program (lines 310-420) is the INPUT routine. Notice that that much of this routine is contained within a FOR/NEXT loop

146 COMPUTEI's Gazette January 1984

Fold over a corner of this page so you find it again.

Just send us a postcard or a letter with your name. address and zip, and we'll send you a FREE copy of our new Sunsoft<sup>TM</sup> Catalog of Fantastic Software

# FREE CATALOG

Box 99 Alturas, FL 33820



Makers of the Sunsoft<sup>TM</sup> 10<sup>4</sup> program that tests IQ

# VIC-20 Software Sale SAVE UP TO 30%

ESCAPE MCP 27.95 \$19.95 Cassette APE CRAZE \$19.95 2795 Cassette APPLE PANIC \$29.95 39.95 Cartridge **ADVENTURE MANOR 25.00** \$19.95 Cassette - req. 16K exp. PRIMARY MATH 27.95 \$19.95 Cassette TUTOR

> Include \$3.00 shipping & handling per order. N.Y. State residents add applicable sales tax. Send Check or Money Order to: Jay Sun Enterprizes, Incorporated 2 Linda Court, Albany, NY 12208

FREE COMMODORE-64 CATALOGUE

# COMSTAR AIR\* SHIPPING WITHIN 2 DAYS SEND \$1.00 FOR COMPLETE LIST COMMODORE

GX 100 PRINTER (80 COLUMN) (BANANA)19	9
CARDCO PRINTER INTERFACE (PARALLEL) 5	9
ALIEN GROUP VOICE BOX (D,T)	5
NEWPORT PROSTICK 2	3
ELEPHANT DISKS (BOX OF 10)	1
RABBIT (EASTERN HOUSE) (VÍC OR 64)	5
HES MODEM (WITH SOFTWARE) (VIC OR 64) 5	9
HES MON ASSEMBLER (C) (VIC OR 64)	9
DUST COVER	7
QUICK BROWN FOX (C) (VIC OR 64) 4	9

C	0	M	-(	64
nppn	2 1	D)		

WORDPRO 3 + (D)	59
VIDEOPAK 80 (80 COLUMN)	159
Z-80 VIDEOPAK (WITH CPM)	259
6502 PROF. DEV. SYSTEM [T]	23
ROBBERS OF LOST TOMB (D.T)	21
PROG. REF. GUIDE (BOOK)	18
ELEMENTARY 64 (BOOK)	14
64 FORTH (C)	46
JUMP MAN (D.T)	29
PRACTICALC (SPREAD SHEET) ITI	39
FORT APOCALYPSE [D.T]	26
GOTHMOG'S LAIR (D.T)	34
FROGGER (D.T)	26
ANNIHILATOR (T)	18
TEMPLE OF APSHAI (D.T)	29

# VIC-20

1	16K RAM	59
	CARDBOARD (3 SLOT EXP.)	33
ı	DISPLAY MANAGER (40/80 COL.)	89
1	HESWRITER (C)	29
ı	TURTLE GRAPHICS (C)	29
1	VIC FORTH (C)	46
ı	CHOPLIFTER (C)	29
ı	SHAMUS (C)	29
١	SCORPION (C)	29
ı	SPIDER CITY (C)	29
ı	SWORD OF FARGOAL (T) 21K	23
1	KIDS AND THE VIC (BOOK)	17
ı	VIC GRAPHICS (BOOK)	12
۱	SUBMARINE COMMANDER [C]	31
ı	TYPE ATTACK [C]	29
	T = CASSETTE * MOST ITEMS	

# COMSTAR

C = CARTRIDGE

ORDERS ONLY: 800-558-8803

or send check or money order. VISA, MC add P.O. BOX 1730 GOLETA, CA93116 3%. Shipping-\$2 for software [call for (805) 964-4660 hardware). Calif add 6% tax. COD add \$2.50.

D - DISK

VIC 20TH E 64TH

# Still the Best!

TYPING TUTOR

WORD INVADERS

Rated THE BEST educational program for the VIC 20TM by Creative Computing magazine.

Commodore 64 version: "This is the best typing tutor we have seen yet; it can get your children touch typing in short order and bring an old hand up to speed. Includes excellent training modules and an arcade type mode to liven things up and put some pressure on; \* \* \* \* +" INFO-64 Our customers continue to tell

us of their success... . delighted with my son's progress ... he is the only one in his second grade class who touch types at the computer."

(58 year old man writes) . . . "great, excellent. To me a source of great learning . . . I just can't express how much I have enjoyed it!

In daily use by schools across the USA.

"Computer aided instruction at its best" Commander magazine

# TYPING TUTOR + WORD INVADERS

The proven way to learn touch typing. COMMODORE 64 Tape \$21.95 COMMODORE 64 Disk \$24.95 VIC 20 (unexpanded) Tape \$21.95



NEW!

**IFR** (FLIGHT SIMULATOR)

CARTRIDGE FOR THE VIC 20

COMMODORE 64 DISK OR TAPE

> \$39.95 JOYSTICK REQUIRED

Put yourself in the pilot's seat! A very challenging realistic simulation of instrument flying in a light plane. Take off, navigate over difficult terrain, and land at one of the 4 airports. Artificial horizon, ILS, and other working instruments on screen. Full aircraft features. Realistic aircraft performance — stalls/spins, etc. Transport yourself to a real-time adventure in the sky. Flight tested by professional pilots and judged "terrific"!



Shipping and handling \$1.00 per order. CA residents add 6% tax.



# MOEM

P.O. Box 6277, San Rafael, CA 94903 (415) 499-0850

Programmers: Write to our New Program Manager concerning any exceptional VIC 20TM or Commodore 64TM game or other program you have developed.

(lines 310-370).

In this loop, you are asked what value you want for each column. The value that you INPUT determines the height of each vertical bar. Your response is checked in line 360 to make sure it is within the limits of 0 and 15.

After INPUTting the height of each column, the screen memory address (A) for the top of the column is determined by the first statement in line 370.

Here's how it works: A(J) was set as a starting screen location in the first line, then AA (the response) is multiplied by 40, because our screen is 40 characters across (22 for the VIC version). Then AA times 40 (or 22) is subtracted from A(J), because the columns are drawn upward. So, if the response is 10, the column rises 10 segments high. Then 80 (or 44 on the VIC) is added to A to bring it down two rows so we have room for our three-dimensional side. Program execution is then transferred to the subroutine at line 430, which actually draws each column on the graph.

In the process, the variables necessary to this subroutine are passed. The variable C defined in 310 is the offset between the screen memory map and the color memory map as explained above. The actual color of each column (variable D) and the starting screen location of each column, or variable X, are also transferred.

Once a column has been drawn, the user's previous INPUT is erased in line 320 by POKEing blank spaces into this area of screen memory. If you didn't do this, the prior answer, of course, would remain on the screen.

Line 320 enables you to position a PRINT statement exactly where you want vertically without disrupting any printing already on the screen. The cursor is first HOMEd, and then a blank PRINT statement is placed inside a FOR-NEXT loop. As the loop is executed, starting at the HOME position, it counts down vertically to the maximum number set by the FOR-NEXT loop.

The next line is the INPUT statement, now in the right position to be printed. At the end of the INPUT statement is the variable AA, which receives whatever value you enter between the limits of 0 and 15. If the response is less than 0 or greater than 15, the computer erases the answer and asks the same question again.

Once all six vertical bars have been drawn, you will be asked in line 390 if you wish to do another bar graph. If you do, the program will start again at line 100. Otherwise, it will END in line 420.

# The Subroutine

The heart of this program is the subroutine beginning at line 430. This is the block which draws the columns by POKEing symbols onto the screen.

Let's start explaining this section with lines 430 and 440. These two lines check to see if the value AA from the INPUT block is a 1 or 0. If AA = 1, the program branches to line 530, which draws the top of a column one segment high on the graph. When AA = 0, it is a null entry, and the program gets another INPUT.

Lines 470 and 480 begin to actually draw the columns, which are three characters wide. Reflecting back to the INPUT block, you'll recall that variables A and X were set for the starting point and top part of the column. So, by POKEing the screen memory locations with the desired character symbols in a FOR-NEXT loop, we can draw the columns to any height we've chosen. Notice there are three POKEs, I, I+1, I+2. Each addition to I moves its location over one spot to the right, yielding a three-character-wide column. The different screen display codes create a three-dimensional appearance with reversed characters. The program reverses the character codes by adding 128 to the symbol code (32 + 128 = 160), 101 + 128 = 229). Line 480 follows up line 470 with the color information by adding the color variables C and D to the same locations from line 470.

Lines 510-540 follow the same format as lines 470 and 480. They draw the three-dimensional top segments of the columns. Six character symbols and six color locations are POKEd into the appropriate locations with the variables A, C, and D. By adding or subtracting numbers from A, we can position the symbols on the row above or to the right.

Once this subroutine is completed, line 550 RETURNs to the INPUT block.

# Formatting

By now, you should have "Graph Plotter" typed in and SAVEd on tape or disk. The difference between this program and others you have typed is that you now know exactly how it was programmed. Remember the techniques of using PRINT statements for displaying characters vertically and horizontally; of blank PRINT statements and SPC() commands for positioning INPUT or PRINT statements exactly where you want them; of directly placing symbols and colors onto the screen with POKEs and variables. In planning your own programs, use these techniques for your screen displays and see how handy and timesaving they can be for you.


See program listings on page 202. @

COMPUTE!'s Gazette

Toll Free Subscription Order Line

800-334-0868 In NC 919-275-9809

# Happy Holiday Savings



# Commodore 64 \$219

Avalor Hill Game Company
B-1 Nuclear Bomber (C) \$ 12
Midway Campaign (C) \$ 12
North Atlantic Convoy Raider (C)\$ 12
Nukewar(C)\$ 12
Planet Miners (C)
Computer Stocks & Bonds (C) \$ 15
Andromeda Conquest (C) \$ 14
Computer Football Strategy (C) \$ 12
Telengard (C)

Automated Simulations	
Crunch, Crumble, Chomp \$	20
Temple of Apshai\$	27
Jumpman	
Broderbund	
David's Midnight Magic \$	23

Choplifter(CT).....\$ 34

S	erpentine(CT)	7
	Ba Fox (CT)\$ 2	
	ank Street Writer\$ 4	
	Creative Software	
۲	ome Inventory \$ 1	2
C	risis Mountain\$ 2	0
	Datamost	
S	washbuckler(D)\$ 2	3

# Paint Wizard .....\$ 34 **Human Engineered Software**

(HES)	
6502 Professional Dev. System (C) \$	2
Retro Ball (CRT)\$	2
Hesmon(CRT)\$	2
Turtle Graphics II (CRT)\$	4
Heswriter 64 (CRT)\$	3
Turtle Tutor\$	2
Paint Brush\$	2
Infocom	

iline (U).	*	,	*	*	*	*	,	٠	٠	,	٠		,	
cross(D)				×										
ess														

.\$ 27

	S	i	е	n	r	3	(	0	1	1	1	4	İr	1	e					
Frogger (D)																			\$	25
Crossfire																			s	15
Jaw Breake	r		4																\$	20
Threshold (	CI	7	T																s	27
Sammy Ligh																				

Siliu	o	4	J	٠	,	и	М	n	C	ч	J.	J					
Blade of Blackpoo	ol	0	(	D	)	,					,	,				.\$	27
Type Attack (CRT)										,	,			,		.\$	27
Repton (D)			,													.\$	27
Critical Mass (D) .																.\$	27
Snake Byte (D)									×				×			.\$	23
Bandits																.\$	27
Squish 'em (CRT)																.\$	23
FIIO-LILICOR																	-

# Spinnaker

Snooper Troops #1 (D)\$	30
Facemaker (D)\$	23
Kindercomp (D)	20
Hey Diddle Diddle	
In Search of the Most Amazing Thing .\$	27
Fraction Fever (CRT)\$	
Alphabet Zoo (CRT)\$	
Delta Drawing (CRT)	20

# Synapse Software

Ft. Apocalypse(D) \$	23, (C) \$ 23
Dreibs (D) \$	23, (C) \$ 23
Survivor (D) \$	23, (C) \$ -23
Pharoah's Curse (D) \$	23, (C) \$ 23

1525 Pm	inter.								\$2	229	)
1530 Da	taset	te.							\$	64	ļ
1541 Dis	sk Dri	ve							\$2	249	,
1600 Mo											
1701 Co											
VIC 1311											
VIC 1312											
1210 3K Memory											

VIC 1210 3K Memory Expander \$34	VT 106A Recreation Pack \$ 4	5
	VT 107A Home Calculation Pack \$ 4	5
	VIC 1600 Vicmodem	9
	VM Programmer's Reference Guide \$ 1	4
	Commodore Programmer's Ref. Guide\$ 1.	8

# ★★ Stocking Stuffers ★★

Koala Touch Tablet (Apple, IBM, Commodore, Atari)	\$85
Wico "BOSS" Joystick	\$15
Elephant Disk S/S	\$18
Flip & File Diskette Box	

## Educational

Number Chaser...

Kids and the VIC\$ 18	Number Gulper
Programmer's Reference Guide-VIC \$ 14	Trainbor Guipor
Programmer's Reference Guide-64\$ 18	Music
Reading & Language Arts	Fun with Music\$ VIC Music Composer (CT)\$
Super Hangman (C)	HES Synthesound (CT)\$
Simon/Hess (C)	Theo dynamosoum (dry Transmitter)
Concentration (C)\$ 13	Programming Techniques
Home Babysitter\$ 23	Intro to Basic Prog. I\$
Word Search	Intro to Basic Prog. II
Facemaker64-\$ 23 VIC-\$ 27	Programmer's Aid Cart\$
Kindercomp/64 \$ 20	
Spooper Troops 1/64 \$ 27	Turtle Graphics/Hess (CT)\$

Mathematics	
Sky Math (C)\$	1:
Space Division\$	
Bingo Speed Math (CT)\$	2
Number Crunch (CT)\$	2

**Books** 

	Kids on Keys/64\$ 23
12	Social Studies/Science
	Visible Solar System
23	Reagonomics (CT)\$ 27

\$ 22 .....\$ 22

# Commodore Software

Avenger\$ 23	Adventureland\$ 29
Super Alien	Pirate Cove
Jupiter Lander\$ 23	Mission Impossible\$ 25
Draw Poker	The Count\$ 25
Midnight Drive\$ 23	Voodoo Castle\$ 25
Radar Rat Race\$ 23	The Sky is Falling\$ 2
Raid on Fort Knox\$ 23	Mole Attack
Sargon II Chess	Bingo Speed Math\$ 2
Cosmic Cruncher \$ 23	Home Babysitter\$ 2
Gorf	Visible Solar System\$ 2
Omega Race	Personal Finance\$ 2
Sea Wolf\$ 23	Quick Brown Fox\$ 5

# 1-800-634-6766 Call Toll Free — Order Line Only — Ask for Operator CO64

Information & Order Inquiries (702) 369-5523

We Accept VISA & MasterCard



1095 E. Twain, Las Vegas, Nevada (702) 796-0296

# VIC 20 \$99

Avalon Hill

ank Arca	de																					\$	12
luke War		·															٠					\$	12
Aut	O	т	11	3	t	Ð	d	1	S	S	r	r	ı	,	le	3	ti	ic	0	n	5		
Rescue at	RI	9	91	(	C	)																\$	20
Ricochet (	C)			٠		į.																\$	15
Monster M	az	e	(	C	T	)																\$	27
Sword of E																							27

#### **Broderbund** Martian Raider ..... Multisound Synthesizer . . . . . . . . \$ 15 A.E.(CT).....

Black Hole (CRT)									.\$	36
Astroblitz(CRT)									.\$	36
Apple Panic (CRT).									.\$	36
Serpentine (CRT)									.5	36
Choplifter (CRT)				٠					.\$	36
Terraguard (CRT)	·								.5	36
Household Finance										

LES SOLLMAIA	
HES Mon(CT)\$	29
HESWriter (CT)\$	29
Synthesound Music Synthesizer (CT) .\$	49
Turtle Graphics (CT)\$	29
VIC Forth (CT)\$	45
Sierra On-Line	
Apple Cider Colder ICD	27

Sierra On-Line Apple Cider Spider (CT)	27
Sammy Lightfoot (CT)	27
Frogger\$	27
Sirius	

Snake Byte\$	
Thorn EMI	
River Rescue (CT)\$	27
Submarine Commander	27

	ı	n	0	I	1	)	(						
Galactic Blitz (C) .												.\$	17
Swarm (C)												.\$	20
Sidewinder(C)										¥		.\$	20
Gold Fever (CT)													
Deadly Skies (CT)													

United Microware

	Ullitou Miciowale	
	Spiders of Mars (CT)\$	34
	Meteor Run (CT)	34
	Amok (C)\$ 15 (CT)\$	23
	Alien Blitz (C)\$ 17 (CT)\$	27
	Super Hangman (C)	14
	The Alien (C)\$	17
	Kosmic Kamikaze (C)\$	17
	Sub Chase (C)	15
L	Renaissance\$	20
•	Cloud Burst (CT)\$	27
	Satellites & Meteorites (CT)\$	34
	Outworld(CT)\$	
	Wordcrafts	65

ORDERING INFORMATION AND TERMS: For Fast Delivery send cashier checks. money orders or direct bank wire transfers. Personal and company checks allow 3 weeks to clear. Charges for C.O.D. orders are \$3.00 minimum or 1% for orders over \$300. School purchase orders welcomed. Prices reflect a cash discount only and are subject to change without notice. Please enclose your phone number with any orders. SHIPPING — Software: \$2.50 minimum. SHIPPING — Hardware: (Please call) SHIPPING - Foreign Orders: APO & FPO orders: \$10 minimum and 15% of all orders over \$100. Nevada residents add 5 3/4% sales tax. All goods are new and include factory warranty. Due to our low prices, all sales are final. All returns must be accompanied by a return authorization number. Call 702-369-5523 to obtain one before returning goods for replacement.

# **MACHINE LANGUAGE FOR BEGINNERS**

RICHARD MANSFIELD, SENIOR EDITOR

# Addressing

You'll soon notice that most of your ML programming involves sending bytes around in the computer's memory. It's quite similar to PEEKing and POKEing, but you've got more options on how you *address* these bytes before you send them somewhere. Addressing bytes is like addressing a letter—you want it to get to its destination so you must write the destination on the letter. There are even ways to send the byte c/o another address, but we'll get to that in a minute. First, we need to review our all-ML game in terms of some addressing options we can use when writing an ML program.

# A Cumbersome List

So far, our ML game can be divided into three sections (like subroutines). Let's use the 64 version, Program 2, as our example this month; it's essentially the same as the VIC version. The first section (from address 49152 through 49169) puts the number 8 into all the addresses of Color RAM memory. We usually have a choice of which ML addressing mode we want to use. We could have used the simplest mode, absolute addressing, and just listed every address we wanted to POKE the 8 into. It would have looked like this:

STA 55296 STA 55297 STA 55298 STA 55299 and so on

but that's pretty inefficient. We would have had to list a thousand addresses. Instead, we chose to do our POKEing within a loop. The Y register is quite useful for addressing things because it can be used as an *offset*. That is, you can address something so that the actual address you give is *added* 

to whatever Y equals at the time. This is a special form of absolute addressing called absolute indexed (you can use the X register this way too).

How does it work? First we set Y to equal zero (at 49152). Then we load the A register with our color value, 8. Then we have four STAs lined up, using the absolute indexed addressing mode. The first time the computer comes across this list, it will put 8 into 55296, 55552, 55808, and 56064. It will add Y to these addresses, but Y equals 0 this first pass through the loop. Then, we INY (raise it by one). The three registers (A,X, and Y) can only count up to 255; after that, they reset themselves to 0. So, when Y = 1 after the INY, the BNE instruction will "fail" and we'll branch back to 49156 for the second pass through the loop. We can't get past BNE until Y resets itself to zero—BNE means Branch Not Equal (to 0). And Y isn't yet reset to 0.

But, notice what happens the second time through the loop. Since Y now equals 1, we'll be putting our 8 into 55297, 55553, and so on. This storage of 8's continues until all the locations between 55296 and 56319 have been filled.

# The Most Common ML Bug

The second section of our game (lines 49171 through 49184) is quite similar and makes use of the same addressing mode. But here we're drawing a horizontal line across the top and bottom of the screen. So, since the screen is only 40 bytes wide, we'll have to test Y (line 49182) to see if it's equal to 40. If not, we BNE back and continue the loop. There are several "B" instructions; all of them begin with the letter B and branch somewhere (if

150 COMPUTE!'s Gazette January 1984

# It's time for your computer to grow up

Meet PractiCalc." The world's most versatile spreadsheet at only \$40.

Games are fun when it's time to play. But at heart, your Commodore 64" or VIC-20" is a full-

grown computer straining to gallop at the touch of your fingers.

But the problem is, most software's been designed for toys. Not for real computers. Until now.



Commodore 64 and VIC-20. Not just for games ...

Now comes PractiCalc. And there's not much

in the world of grownup computing it won't do. It'll keep addresses (in alphabetical or numerical order). phone numbers (likewise), make budgets and menus, project profits, keep track of expenses,



Budgets, inventories, projections, you name it...

inventories, investments, what have you. For your home, your school, your business.

Spreadsheet analysis...

square roots, logarithms, exponential

PractiCalc gives you everything you'd expect from a spreadsheet, like adding and subtracting, multiplying and dividing,

calculating

numbers and even trig functions. And PractiCalc gives you a lot more.

Want to make a chart? Hit a key and the high or low resolution graphics of PractiCalc Plus or PractiCalc 64 will turn



High or low resolution graphics...

numbers into graphs. It'll even print out everything that shows on the screen.

Want a lot of facts and figures at your fingertips? PractiCalc stores more than 2,000 cells in up to 100 columns and 250 rows. It'll sort them, search them, or shuffle them for you.



High-speed and wild card search...

You can add entries, delete them, or move them around -numerically or alphabetically, and instantly, of course. And you'll find PractiCalc unusually friendly, flexible, and forgiving.

All of which is a far cry from just playing with

a joystick. Still, PractiCalc has one thing in common

with a computer game. The price. Only \$40.



Alpha or numeric sort...





Exclusively distributed by Micro Software International, Inc. The Silk Mill, 44 Oak Street, Newton Upper Falls, MA 02164 • (617) 527-7510

\*\$40 is suggested retail price for tape version of PractiCalc-20 (\$45 for disk version; PractiCalc Plus or PractiCalc 64 = \$50 for tape version, \$55 for disk).

conditions pass their test). BEQ means Branch if EQual to 0. We'll get to the others in the future. BEQ and BNE, though, are by far the most commonly used ones.

The other instructions here are also the most frequently used ML commands. STA (STore the A register), LDA (LoaD the A register), STY, LDY, CPY (ComPare Y), INY (raise Y register by 1; literally INcrement Y), DEY (reduce Y by 1, literally DEcrement Y), and their companion instructions (DEX, INX, LDX, STX, CPX) all operate according to the same rules (and set up flags for the "B" instructions to test and then decide whether or not to branch).

One other thing to notice here: The computer will always assume that you are loading from an address unless you specify otherwise. If you write LDA 15, the computer copies whatever is in address 15 into the A register. (Whatever was at address 15 remains there; only a copy of it is placed into the A register.) So, if you want to actually put the *number* 15 itself into the A register, you must put a number sign in front of it: LDA #15. As you can see, we do this frequently in our program. But beware—the single most common source of ML bugs is forgetting to put in that # when you mean a number as such, or putting it in when you mean to get a copy of a number from some memory location in the computer.

# Sending Something C/O

Now on to the new portion of our ML game (lines 49186 to the end). Here we are going to draw vertical lines down the sides of the screen, completing the frame for our game. To do this, we'll need to POKE the first address of screen RAM memory, then POKE the 39th (the top of the right-hand margin), then the 40th (the second space down on the left margin), then the 79th, and so on down. The easiest way to do this in ML is to send a character to the right side of the frame, add 1 to Y (INY)

#### INCOME TAX BY SOFTAX

DO YOUR 1983 INCOME TAX RETURN ON THE

# COMMODORE 64

PREPARE YOUR OWN RETURN QUICKLY AND EASILY. DO RETURNS FOR OTHERS FOR CASH! COMPARE INVESTMENT STRATEGIES. DISKETTE ONLY: \$69.50\* USER FRIENDLY

YOU GET: BONUS:

Form 1040, Schedules A, B, C, D, E, G, SE, W and Form 2441, Menu Driven, Print File and Input Storage Capability. Form 1040 with the 1984 Tax Rates. (See what that tax shelter may be worth on next year's return.)

DISCOUNT:

Coupon included for a discount on the 1984 version of

OPTION:

For \$5.00 more (\$74.50)\* you also get the Minnesota Individual Income Tax Return. (A bargain for the toughest return in the land.) SOFTAX, INC. P.O. BOX 332 ST. PAUL, MN 55102 (612) 224-7477

COMMODORE 64 is a Trademark of Commodore Electronics, LTD

\*Plus \$1.50 POSTAGE, MINNESOTA RESIDENTS, ADD 6% SALES TAX

and send the character again, this time to the left side of the screen. Then we must add 40 to our address (22 on the VIC) to get over to the right side again.

As before, we'll set up a loop, but we first have to prepare two bytes in zero page (the first 250 memory cells of the computer). These two bytes will hold our addresses in a special way. We'll change the contents of these bytes as we go along, adding 40 (or 22). You can visualize these special bytes in zero page as a Ping-Pong paddle and, by shifting its angle, you can send the balls low or high or anywhere in between.

# Working In The Real World

Our 6502 chip can send things to 65536 memory cells, but how can we store a number that large when each cell will only hold numbers up to 255? It's simple enough: We gang two bytes together to hold large numbers. Take a number like 1024, the start of the 64's screen memory RAM. Divide it by 256 and you get 4. So put that in one of the two bytes holding our number (call it the most significant byte, or MSB). Then put the remainder of the division (0 in this case) into the other byte, the least significant byte, or LSB. Line them up in memory as LSB/MSB (it's backwards to us, but the computer likes them put in this way). There you have it. Notice that the Assembler program performs this whole task for you automatically when you type in a large address (as in line 49156).

How does this work in the real world? We do need to set up just such a double-byte address for our routine which draws vertical lines. We're going to use the two bytes at 71–72 (space that's not being used by the computer during an ML program run). Notice that we must use zero page for setting up our special c/o addressing method. We start off (line 49186) by putting 39 into the LSB, address 71. Then we put a 4 into 72, the MSB. Since the real address (the target) is  $256 \times LSB + MSB$ , we'll get 1063 as the target when we land on these two bytes. 1063 is the first space on the right-hand side of our vertical screen line. We can start there because the first line is already filled in anyway with our horizontal line, built earlier in the program.

At this point we can formally introduce one of the most significant and useful of the ML addressing modes—Indirect Y. (It's usually called indirect indexed. Who can remember that? Let's call it Indirect Y.) It takes a minute to get it straight, but it's a minute well spent. You'll find many uses for this handy method of sending bytes anywhere in the computer. When you address something this way, it "bounces off" the number you prepare in zero page, it's indirect, it's like sending a letter c/o someone. In effect, it gets readdressed once the computer lands down in zero page.

## **TELSTAR 64**

12:30:00

Sophisticated Terminal Communications Cartridge for the 64.

\*PFO\* 10D 00D CP D1 D2 BELL (TELSTAR's Status Line) 10:14:36

Don't settle for less than the best!

- . Upload/Download to/from disk or tape.
- · Automatic File Translation.
- Communicates in Industry Standard ASCII.
- . Real-Time Clock plus Alarm Clock
- Line editing capability allows correcting and resending long command lines.
- . 9 Quick Read functions.
- · Menu-driven.
- Similar to our famous STCP Terminal package.
- . Works with Commodore Modems and supports auto-dialing

The best feature is the price - only \$49.95 (Cartridge and Manual)

# **Machine Language Monitor Cartridge** for the CBM 64

More than 20 commands allow you to access the CBM 64's Microprocessors Registers and Memory Contents. Commands include assemble, disassemble, registers, memory, transfer, compare, plus many more.

Someday every CBM 64 owner will need a monitor such as this.

Cartridge and Manual - \$24.95

# 8K in 30 Seconds for your VIC 20 or CBM 64

If you own a VIC 20 or a CBM 64 and have been concerned about the high cost of a disk to store your programs on worry yourself no longer. Now there's the RABBIT. The RABBIT comes in a cartridge, and at a much, much lower price than the average disk. And speed this is one fast RABBIT With the RABBIT you can load and store on your CBM datasette an 8K program in almost 30 seconds compared to the current 3 minutes of a VIC 20 or CBM 64, almost as fast as the 1541 disk drive.

The RABBIT is easy to install, allows one to Append Basic Programs, works with or without Expansion Memory, and provides two data file modes The RABBIT is not only fast but reliable

(The Rabbit for the VIC 20 contains an expansion con-nector so you can simultaneously use your memory board, etc.



\$59.95

### NOW THE BEST FOR LESS!

For CBM 64, PET, APPLE, and ATARI

Now, you can have the same professionally designed Macro Assembler Editor as used on Space Shuttle projects.

- Designed to improve Programmer Productivity Similar syntax and commands - No need to relearn peculic syntaxes and commands when you go from PET to APPLE to ATARI
- Coresident Assembler/Editor No need to load the Editor, then the Assembler, then the Editor, etc.

  Also includes Word Processor, Relocating Loader, and muci
- Powerful Editor, Macros, Conditional and Interactive Assembly, and Auto zero page addressing

Still not convinced, send for our free spec sheet

3239 Linda Dr. Winston-Salem, N.C. 27106 (919) 924-2889 (919) 748-8446 Send for free catalog!



# MAIL ORDER

# P.O. BOX 3354, CHERRY HILL, N.J. 08034 TOLL FREE (800) 992-3300

ONLY FOR INFORMATION & N.J. CALL (609) 424-7106



For the Vic 20 and CMD64, Fast high capacity storage and retrieval of data

CMD64 Computer ... \$229 VIC 20 Computer ..... \$99 1525 Printer ...... \$215 1526 Printer ...... \$319 1530 Datasette....... \$64 1600 Modem ...... \$59 1650 Modem ...... \$88

\$28

\$34

\$26

\$77

\$26

\$48

\$52 1110 8K Memory Expander \$68 1111 16K Memory Expander 1011 RS 232 Terminal Interface... \$42 1211 Super Expander \$39 1212 Programmer's Aid Cartridge. \$39 1213 Machine Language Monitor .. 1311 Joystick \$12 1312 Game Paddles



Color Monitor

FOR ORDER

1701 14" screen, outstanding resolution, special Commodore computer circuit.

					Personal Company of the Company of t
17-18	The state of	PRINT	ER	S	
EPS	ON	OKIDAT		C-IT	ОН
RX-80	CALL	82 A \$395 92 83 A \$634 93	\$495 \$809	PROWRITER	\$360
MX-80 FT	CALL K-100 Call	84-P. \$949		PROWRITER 2	\$645
SMITH		STAR GEMINI 10	¥314	STARWRITER PRINTMASTER	\$1199 \$1545
TP-1	\$525	GEMINI 15	1449	GORRILA	\$209
00	BARRODA	DE CA .	TOD	20 COLT	WADE

CARDCO Parallel Printer Interface. 16K Expander \$360 6 Slot Expander \$72 Interface. 1199 3 Slot Expansion \$31 Interface \$150 Video Pak 80.

FLOPPY DISK \$25 Elephant SS/DD[10] \$18 Elephant SS/SD[10] Surge Protector 4 OUTLET \$37.95 6 OUTLET ₩2.95 DATA 20 \$249 Z80 VIDEO & CPM .

MONITOR \$154.95 AMDEK [300] \$299.95 COLOR I \$589.95 COLOR II WICO The Boss \$15.95 Joystick \$22.50 \$25.95 Famous Red Ball \$49.95

CUMMODORE 64 TOP 20 SOFTWARE \$22 Hes Mon \$25 Motor Mania Frogger \$27 \$27 Zork 3 Heswriter Zork 1. \$29 \$27 Grid Runner Facemaker. Jumpman


\$22 \$29 Wordpro 64 Temple of Apshai. Jawbreaker \$26 \$28 Shamus... Starcross Fort Apocalypse \$35 \$35 Deadline Suspended Quick Brown Fox \$29 \$27 Repton .

\$26 Shamus \$29 Choplifter \$21 Gortek \$27 Grid Runner \$27 Gold Fever \$28 Spider City \$22 Side Winder

COMPUTER COVERS

\$6.99 \$1595 **CMD64** 46.99

We Carry a Large Selection of Commodore Software, call for FREE catalog with order...or send \$1 (refundable with order) UPS shipping 3% for hardware N.J. resident add 6% sales tax. Note Atan. Com. and \$3 for software.



#### Program 2: 64 Version 49152 LDY 49154 LDA # 8 , Y 49156 STA 55296 55552 ,Y 49159 STA 49162 558Ø8 ,Y STA 49165 STA 56064 ,Y 49168 INY 49169 BNE 49156 # Ø 49171 LDY 49173 # 224 LDA 49175 1024 STA 49178 STA 1984 ,Y 49181 INY CPY 49182 # 40 49184 49175 BNE # 39 49186 LDA 71 49188 STA 49190 LDA # 4 49192 STA 72 # 24 49194 LDX 49196 # Ø LDY 49198 LDA # 224 49200 STA (71),Y 49202 INY 49203 STA ( 71 ), Y 49205 DEX 49206 49224 BEQ 49208 CLC 49209 LDA 71 49211 # 40 ADC 71 49213 STA 49215 72 LDA 49217 ADC # Ø 49219 STA 72 49221 JMP 49196 49224 RTS

After we load Y (our offset) with 0 again and load A with the framing character (224), we can store the 224 into the address which the computer finds by looking at the double-byte number we put into addresses 71–72. When it sees STA (71),Y—the computer knows what to do. It first calculates the correct target formed by multiplying whatever it finds in cell  $72 \times 256$  and then adding whatever's in cell 71. Then, it also adds the value of the Y register.

So, we can manipulate the number in Y here the same way that we used it with Absolute Indexed above (line 49156), but have the added advantage of being able to manipulate the double-byte address at 71–72 as well. The first time through this loop, the framing character will be sent to 1063. Then we INY and send another framing character to 1064 (the second space down the left side of the screen). Then we DEX. X is counting down from 24 because there are 24 spaces down each side of the screen that we need to fill. If the DEX causes X to equal 0, then the BEQ takes

effect and sends us back to BASIC mode via the RTS (ReTurn from Subroutine) at line 49224. If X is not yet zero (and thus we want to continue the looping), we will add 40 to the double-byte number at 71–72.

The adding is done by first clearing the carry, CLC, and then putting the number from 71 into the A register, adding 40 (ADC means ADd with Carry) and then storing the result back into cell 71. Likewise, we get the number from 72, add it to 0, and put it back. Why add to 0? Because there might be a carry from the operation on the number in 71. If so, we need to reflect that in the overall number by adding it to the MSB (in cell 72). After we've added 40 to this special double-byte number, we just jump (JMP) back to the line where we start our loop that prints the framing characters to the screen.

We've covered a good bit of ground this month. You should try out these routines with your Assembler and run them after they've been placed into memory: SYS 12288 (VIC) or SYS 49152 (64). Then, change some of the numbers and see the effects. Try using a different character for the frame. Pay particular attention to the way that Indirect Y addressing accomplishes its effects—we'll be using it frequently from here on.

See program listings on page 201.



## COOL YOUR DISC DRIVE

with the "F2500" cooling fan for your Commodore 1540/1541 disc drive

Protect your valuable programs from excessive heat buildup

#### A must for every disc drive owner

Powerful fan cools critical components ● Helps prevent disc & drive problems due to excessive heat buildup ● Quiet operation
 High volume air output ● Low profile ● Easy installation-no tools required ● 90-day free replacement warranty ● only \$54.95 U.S. (\$69.95 Can).
 \*B.C. residents add 7% sales tax.

1540 and 1541 are registered trademarks of Commodore Business Machines Inc.

To order your F2500 disc drive cooling fan please send your cheque or money order for \$54.95 plus \$2 for shipping to:

Besco Products

203 - 8060 Granville Ave., Richmond, B.C. Canada V6Y 1P4
Telephone (604) 278-5115 DEALER INQUIRIES INVITED

# Enter the World of ADVENTURE

The Sorcerer's of the Amazons

Enter the jungle to defeat the sorcerers.

The Catacombs of the Pharachss
Pharachs have sealed you in a pyramid, try to escape.

The Eerie Mansions

Explore the mansion and find the treasures.

The Deathprobe of the Srulizons:

Free the earth of the threat of the Deathprobe!

Also: Monopoly 64 (special \$5 off) (64 only)

Diet Comp.(4-20 only) Budget Minimizer.(64 only)

\$19.95 T \$24.95 D.(incl.\$1.50 Post. CA res. 61 tax)

Mystic Software (619) 443-9776
P.O. Box 536 Lakeside, Calif. 92040

For VIC - 20

MEMORY EXPANSION

- ★ 14 Day Money Back Guarantee
- \* Boosts VIC to 21K RAM
- \* Top Quality, Fully Tested
- ★ 90 Day Warranty

EPYX 16K ADVENTURE GAM	ES
Temple of Apshai (T)	27.50
Sword of Fargoal (T)	
MICRODIGITAL ARACADE GAM	
Snakman (T) (Excellent PacMan Style)	10.75
Gridder (T) (fast chase game)	10.75
Skramble (T) (Thrilling Arcade Action)	10.75

for IMMEDIATE SHIPMENT on Credit Card Orders

Call: (303) 245-9012 10 AM - 9 PM MST Every Day ASSEMBLY TECHNOLOGY

2692 Hwy 50 Suite 210 Grand Junction, CO 81503



Personal checks allow 3 weeks Shipping & handling \$2,50 Colorado Residents add Sales Tax COD add \$2.00



# **HUNDREDS OF PROGRAMS AVAILABLE** FOR THE COMMODORE 64 & VIC 20

# Commodore 64



# All Prices up to 35% OFF RETAIL

VIC 20 WC-70

HOME/BUSINESS		GAMES	
	200,000		200.00
Practicalc (D)	41.50	Zork I, II, or III (D)	29.00
Bank St. Writer (D)	52.50	Deadline (D)	37.00
Smart 64 Terminal	31.95	Starcross (D)	29.00
Quick Brown Fox (CT) Paper Clip (D) WordPro SpellRight (D) CalcResult Advanced (D) Master Type (D)	42.95 96.25 72.95 135.00 29.95 49.95	Jumpman (D/CASS) Spritemaster (D/CASS) Neutral Zone (D/CASS) Temple of Apshai (D/CASS) HARDWARE AND ACCES: Cardco Printer Interface	62.95
Home Acct (Continental) (D)	49.95	Printer Utility (Cardco)	15.95
EDUCATIONAL		The Connection Parallel Int.	89.95
Facemaker (D/CT)	22.95	Cardco 3 Slot Exp. Board	31.95
Kindercomp (D/CT)	19.95	Cardco 5 Slot Exp. (C-64)	55.95
Delta Drawing (CT)	26.95	Data 20 Video Pak 80 (C-64)	143.95

The Most Amazing Thing (D) 26.95 Data 20 8K Display Mgr. (40/80 col. plus Word Proc.) 119.95 Early Games (D/CASS) 22 50 Electronic Party (VIC 20/CASS) 0 K Display Mgr. (40/80) 22.50 79.95 Square Pairs (VIC 20/CASS) 22.50 Zenith 12" Green Monitor 109.00 Turtle Trax (VIC 20/CASS) 22.50 Brother/Dynax DX-15 485.00 Hey Diddle Diddle (D) 19.95 (Letter Quality) C. Itoh Prowriter 8510AP Alphabet Zoo (CT) 22.95 375.00 23.00 Type Attack (D) 29.95 Control Data Diskettes (10)

Write or call for FREE CATALOG, TO ORDER: CALL 1-714-643-1056

8:00 A.M.-6:00 P.M. PST Mon.-Sat. or send check or

credit card number, signature and expiration date. Please include phone number.

## CENTURY MICRO PRODUCTS R.O. Box 2520, Mission Viejo, CA 92690

Visa/Mastercard add 3%. Personal checks allow 2 weeks to clear. CA residents add sales tax. Shipping and handling add \$3.00 (hardware extra). Prices subject to change

# 80 COLUMNS! 25 LINES

A FULL PROFESSIONAL DISPLAY FOR

# Commodore 64 Screenmaker™

Screenmaker is a video display generator module that plugs into the expansion connector of the Commodore 64.

- WORD PROCESSING
- CALCULATIONS
- BASIC PROGRAMS

Screenmaker provides a B & W video signal that connects to your video monitor to provide a full 80 characters on each line. With Screenmaker, Screen displays will appear the same as the printer output. Trial printouts can be eliminated. Word processing is easier. Forms and reports can be set up faster. Screenmaker features a bank switched memory, 40/80 video switch, and a full character set including graphics.

SCREENMAKER ..... \$159.95 Copy-Writer Word Processor... \$ 79.95 SCREENMAKER/

Copy-Writer Package ..... \$199.95

MICROTECH

P.O. Box 102 Langhorne, Pa. 19047

215-757-0284

TAX AID

TAXAID

TAX AID

FOR COMMODORE 64TM and VIC 20TM

USE AXAID TO PREPARE YOUR INCOME TAX RETURN

Developed by an experienced accounting firm, TaxAid is accurate, easy to use, and comes with a detailed manual. Your tax data is permanently stored on tape or disk. The cost is tax deductible and yearly updates are available.

TAX AID I

\$19.95

TAX AID II For Unexpanded Vic 20

For Vic 20 with 16K

TAX AID III

For Commodore 64 \$24.95

TAX AID

Prices above are for cassette; add \$5.00 for disk version.

# NORTHLAND ACCOUNTING, INC.

606-A Second Ave. Two Harbors, MN 55616 (218) 834-5012

MasterCord

TAX AID

VISA'

TAX AID

TAX AID

TAXALD IS A TRADEMARK OF NORTHLAND ACCOUNTING, INC. VIC 20 & COMMODORE 64 ARE TRADEMARKS OF COMMODORE ELECTROMICS, LID.

# 64 BASIC Aid

Harold D. Vanderpool

This extremely useful utility program adds four commands to BASIC and belongs in every programmer's toolbox. The utility itself is written in machine language. To type it in, use the MLX entry program found elsewhere in this issue.

No version of BASIC has everything. No matter what computer you look at, there are things that could be added to customize it for your particular needs. The VIC and 64 have an excellent version of BASIC, Microsoft, which has been popular for years on microcomputers. But if you do a bit of programming, you might find that "64 BASIC Aid" will be among the most valuable utility programs in your library—it adds four extremely useful commands to the 64's BASIC.

It uses up very little of your RAM memory (about 1000 bytes) and after you've typed in and saved a copy, you can use 64 BASIC Aid anytime you want those extra four commands. You LOAD it and RUN it as you would any other program, but it hides itself high up in memory and becomes invisible. You can then program as always, but you've got those four extra commands available to you.

Since these commands are useful for writing and debugging programs, they are available to you only in *direct* mode. (You can't include them in a program itself, but you'd never have reason to use them that way.)

# **Four Programming Aids**

NUMBER 100,10. With this command, you can

renumber any program that's in your computer. Just type the command and press RETURN. The new version of the program will start with line 100 and go up from there in steps of ten. You can use any numbers you want as the starting line number and any number from 1 to 255 as the step size. This can be useful in several ways. For example, you might have used up all the line numbers somewhere in your program: you've got lines 25, 26, 27, 28, 29, and so forth. No room for new numbers to insert a line? Just use NUMBER and they'll be spread apart instantly for you.

Within your program, there probably will be GOSUBs or GOTOs or other references to existing line numbers. 64 BASIC Aid takes care of that, adjusting the references automatically. However, if it finds a GOTO that's targeted to a line that doesn't exist in the program, it will print the number 65535 on the screen. This is helpful when you debug your programs. Also, all adjusted lines will be printed on the screen.

DELETE 100–200. When you type this, all the lines between 100 and 200 (inclusive) will disappear from your program. It works the same way that the LIST command works, using the same format. But be careful with this one. If you just type DELETE without any line numbers after it and then hit RETURN, it will delete the whole program.

FIND/GOTO/,500–900. This would print a list on screen of each line between 500 and 900 which contained a GOTO command. Again, you can indicate how you want the line numbers handled in the same way, using the same options, as with the ordinary LIST command. If you want a

# DI-SECTOR

''To The Rescue''

REPAIR - CUSTOMIZE - LEARN

# STERPOINT SOFTWARE

AT LAST!! DIRECT INTERACTION with SECTORS an absolute necessity for disk-based Commodore 64™\* users EXAMINE, MODIFY, and RESTORE by DIRECT SECTOR ACCESS

- \* dual cursor editing
- ★ modify in HEX, ASCII or DECIMAL
- \* restore scratched/deleted files
- ★ simultaneous HEX and ASCII display of sectors ★ repair lost, damaged, or "destroyed" files
  - \* complete operating instructions
  - \* many useful data recovery and modification tips
  - \* source code fully commented by author

Dealer Inquiries Invited

the metric conversions of linear, capacity and weight or mass measurements.

SEARCHER OF THE SOLAR SYSTEM—

Teaches meanings of astronomical terms, order of the inner and outer planets and

SUNGEM Educational Games
Dept. CG 84, 900 W. Los Vallecitos
San Marcos, CA 92069 (619) 744-2011

satellites, many planetary facts.

... WRITE OR PHONE ... STARPOINT SOFTWARE

Gazelle, CA 96034 (916) 435-2386

on 51/4" diskette

\$39.95

comes in either Diskette (\$18.95) or Cassette (\$15.95).

VISA and MASTERCARD welcome. Include \$1.50 post-

STATE

age & handling; CA Residents add 6% Sales Tax.

Send me your free Color Brochure.

NAME


**ADDRESS** 

VISA/MASTERCARD accepted

C.O.D. add \$2

Program by Bruce Q. Hammond Ad Art by Steven M. Hettema

\*Commodore 64 is a registered trademark of Commodore Business Machines



by shape & name, locates capitals, teaches state nicknames and important points of in-

☐ MATH MANIA—Designed with different levels of mastery for addition, subtraction, multiplication & division; many unique

multiplication & division; many uniquigames (drills).

All educational games Copyright
SUNGEM CORP. "COMMODORE 64" is a
registered trademark of COMMODORE
BUSINESS MACHINES, INC.

report on the whole program, just leave off the comma and the line numbers. You can search for anything: variables, strings, commands, numbers. One note, however, about looking for things in quotes. The computer won't know if you want the word "to" or the BASIC command TO unless you use quotation marks instead of the slashes when you're looking for words as literal words. So, to find the word "to" you'd type:

FIND"TO",500-900

CHANGE@PRINT@PRINT#4 @,300-400. Similar to FIND, CHANGE will both locate and replace all occurrences of something within your program. All the rules for FIND apply the same way to CHANGE. The example here could be very useful if you have a printer. As written, your program is designed to PRINT everything to the screen. But you can make everything go to the printer instead by adding a line at the start of the program, OPEN 4,4 which alerts the computer that a channel has been opened to the printer. Then this CHANGE will make all printing go to channel 4 (Commodore printers are always Device #4, by convention) instead of the screen.

Another use for CHANGE would become apparent if you'd written a large program and used an illegal variable name like TI (reserved for

the clock) or TO (a command name). Instead of hunting through the program, trying to find each illegal variable, just SAVE the program, LOAD and RUN 64 BASIC Aid, LOAD the program back in, and type: CHANGE/TI/TR/ and it's fixed in a flash. Like FIND, the whole program is changed if you leave off the line number information.

KILL turns off 64 BASIC Aid. If you want the computer to be returned to its original state, just type KILL and everything will be as if you'd just turned it on.

Here's the information you need to type in 64 BASIC Aid with the special MLX machine language entry program found elsewhere in this issue:

Start address = 39852 End address = 40961

To activate 64 BASIC Aid once it's loaded, enter SYS 39852.

If you don't want to type this program, send \$3, a blank cassette or 1541/4040 disk, and a selfaddressed, stamped mailer to:

Harold D. Vanderpool 3705 Enon Xenia Pike Enon, OH 45323

See program listing on page 203. @

#### Avalon HIII (C)16.75 (D)20.50 (C)11.66 (D)15.30 (C)11.66 (C)11.66 Oinn-Calc Synthesound 64 Multiplan Hes Writer 64 COMMODORE 64 SOFTWARE B-1 Bomber Midway Campaign (D)28.00 Epyx Temple of Aphsai (D) 27 00 Upper Reaches of Apsr.ai (D) 3.55 Curse of Ra (D) 23.55 Sword of Rargoal (D) 20.30 Gridrunner Benji Space Rescue Computer Home Inventory (C) 10.15 (D) 13.50 Loan Analyzer (C) 10.15 (D) 13.50 Moon Dust (CT) 23.65 Astroblitz (CT) 23.65 Trashman (CT) 23.65 (C)11.66 (D)15.30 (D) 29.50 (D) 29.50 Micro Prose Floyd of the Jungle Helicat Ace Sierra on Line Suspended Flying Ace Stocks and Bonds T.C.I.F. ( Broderbund Starcross Deadline Magic Desk Dragon's Den Star Ranger 29.50 (CT) 74.95 (CT) 24.95 (CT) 24.95 unipman (D.C) 27 00 Gateway to Apshai (D) 27 00 (D, CT) 27 00 Frogger New Jawbreaker Pitstop (I Exidy Arcade Classics Choplifter Sea Fox Save New York! (CT) 23.65 Sammy Lightfoot Threshold (CT) 27.00 (CT) 27.00 Continental Continental 50.72 The Home Accountant 76.64 Creative Software Decision Maker (C)10.15 (D) 13.50 Household Finance (C)13.50 (D) 16.90 Datasoft (CT) 27.00 (D, C)20.30 Moonshuttle David's Midnight Magic (D) 27 00 Lunar Leeper B.C. Qst. for Tires Poo Yan Genesis O'Riley's Mine Bruce Lee (C, D) 20 30 (D) 27 00 (D) 20 30 27 00 27.00 Commodore Assembler 64 Turtle Graphics 11 (CT) 40 60 Attack of Mutant Camels (CT) 25.45 Oil's Wel (D) 16.90 (D) 47.90 (D) 47.90 (D) 16.90 (D) 16.90 (D, C) 16.90 Learning W/Leeper Sirius Software Time Money Manager Turmoil Snake Byte Pet Emulator Diskettes Screen Editor Squish Em Screen Editor Bonus Pack CP/M 2 2 Operating System Super Expander VSP Easy Finance (1-5) Easy Caic 64 The Manager (\*commodore BASF 514" SSDD 2 pak 5.50 Repton Blade/Blackpoole BASF Soft Box (10) Blade Blackpoole Type Attack Spinnaker Face Maker Fiely Diddle Diddle Kindercomp Snooper Troops 1 Fraction Fever Amazing Thin (CT) 69 00 (CT) 16 90 (D) 19 35 (D) 73 75 (D) 43 00 23:80 Joysticks Commodore 64 219.95 10.95 Pointmaster 1541 Disk Drive 239 95 Pointmaster Pro 18.55 1530 Datasette 61.30 Easy Script Easy Mail 64 1525 Printer Fire Control 7.85 214.75 Easy Mail 64 Easy Spell 64 Word / Name Machine Intro to Basic 1 Gortek & The Microchips Easy Lesson / Easy Quiz Music Machine Amazing Thin Synapse F1 Apocalypse Wico Command Ctrl. 19.50 1650 Automodern 89.95 (D) 16 90 (C) 19 35 (C) 24 80 (C) 16 90 (C) 16 90 (D) 47 90 (D) 43 00 (D) 43 00 (D) 43 00 (D) 43 00 (D) 47 90 (D) 47 90 (D) 47 90 (D) 17 50 Wico "Boss" 1701 Color Monitor 239.95 Wico Red Ball 20.75 55.00 1600 Modem Bive Max Strategic Simulations **RS 232 Interface** 57.80 COLECO Codewriter Zork 1,2,3 Combat Leader Knights of the Desert 30.00 3 Port Expander Inventory Mgmt. Payrolli Checkwriting Accts Payable Accts Receivable General Ledger Nevada Cobol Simons Basic 6 Port Expander 75.00 Timeworks Dungeons of Algebra Dragons Horbers of the Lost Tomb Adam Computer System 595.00 64 Prog. Ref. Guide 17.00 Adam Computer Module 445.00 Terms and Ordering Information: To order call 1-800-527-8598 and send certified checks, money orders or personal checks (allow 2 weeks to clear), or use your VISA, Master Card or American Express. Inside Texas call 1-800-442-8717. Include \$2 for postage and handling. IC. O. D. orders add \$1.50 UPS Blue Label \$3, Canada \$6. Other countries include 10% for P&H. All products factory sealed with manufacturer's warranty. All returns require R.A. #. Prices subject to change without notice. Order desk Simons Basic Wizard of Wor

ATARI, APPLE, VIC 20, T.I.,SOFTWARE LISTS AVAILABLE

For additional information and to order, call Toll free: **Outside Texas Inside Texas** 

1-800-442-8717 1-800-527-8698



LONGVIEW, TX. 75606

P.O. BOX 2511

(D) 58.25 (D) 25.50 78.00 (CT) 30.45

(CT) 20.25 (D) 30.45

(D) 20.80

(D, C) 23.65 (D) 20.39 (D) 21.80

(D) 21.80 (D) 25.50

(D) 21.80 (D) 21.80

(D) 27.00

(D) 23.65 (D) 27.00

(D. C) 23.70

(D,C) 23.70 (D,C) 23.70


(D) 29.00 (D) 29.00

(D,C) 19 10









# COMPUTER DISCOUNT

**TOLL FREE 1-800-621-6131 FOR ORDERS** 4251 W. Sahara Ave., Suite E Las Vegas, Nevada 89126 MONDAY THROUGH SATURDAY ● 9 AM TO 6 PM

Comm 64 \$229
1541 Disk Drive 249
1525 Printer 229
1702 Color Mont 259
Hes Mon 29
Paper Clip w/p 115
Calc Result 140
Sysres-Utility90
Renaissance 30
Vic-20 90
Datasette 64
1600 Modem 85
Word Processor 95
1311 Joystick 8
1312 Paddles 16
1210 3k Expander 34

Comm 64.....\$785

SPECIAL


1541 Disk Drive

152EE Printer

	HARDWARE
	C. Itoh Prowriter\$379
	Nec. 8023A 429
	Banana Printer209
	Hayes 1200 Modem 489
	COMM. 64 DISK
	Temple Of Apshai \$33
	Upper Reaches Apshai 18
	Jump Man33
	Zork I
	Zork II
	Zork III
	Frogger
	Jawbreaker24
	Ft. Apocalyse
	Pharoh's Curse30
1	Starter Pack D/C\$22
١	Word Machine

Zork II	33
Zork III	33
Frogger	30
Jawbreaker	24
Ft. Apocalyse	30
Pharoh's Curse	30
Starter Pack D/C	\$2
Word Machine	1

Pet Emulator ..... 17 Gen Ledger . . . . . . . . . . . . 69 Mail List Mgr......43 Hes 6502 .....



**New Educational Programs** Purchases can be made by check, money order, C.O.D. Carte Blanche and Diners Club. 1-702-367-2215



# **Bug-Swatter:** Modifications And Corrections

 Two changes are necessary in the 64 version of "Oil Tycoon" (October). Add the following lines to pick a difficulty level or to press E to end the game:

23Ø PRINT" [DOWN] DIFFICULTY LEVEL? 123456 78E(END) [GRN]":T=1 :rem 76 235 POKE56194+T, Ø:T1=T:T=T+(PEEK(JS)AND4) /4-(PEEK(JS)AND8)/8:IF T>9 THEN T=1 :rem 157 :rem 229 237 IF T<1 THENT=9 263 IF T=9 THEN SYS2048 :rem 240

When converting the VIC version to the 64, we also neglected to include the feature which allows you to replace the oil rig by pressing the fire button. Add these lines:

435 Q=R-1:IF Q=Ø THEN 36Ø 437 J=Z:FORA=ØTO21:A%(A)=Ø:NEXT:B=Q\*4Ø+W+ X:A=PEEK(B):IF A<>7 THEN 480 :rem 255

 The text-adventure game "Martian Prisoner" (November) does not respond properly when you attempt to hit a Martian guard. This bug escaped our testing because we found it safer to fool the guards rather than provoke them (hint). Nevertheless, if you want to hit the guards, insert a GOSUB command in line 125:

125 IFV=14 THEN GOSUB 3900 :rem 154

 Many of you who typed in the VIC version of "Aardvark Attack" (October) encountered a syntax error in line 55. The reason is that the programmer used a keyword abbreviation when he wrote the line, and it works fine when typed in with the abbreviation. That's why our testing detected no errors. Unfortunately, listings do not show abbreviations. Here is the line:

55 M=(TANDFNM(J))/4 J....

The computer interprets T AND FNM(J) as TAN (tangent) without a value. There are four ways to fix it: (1) insert a space between T and AND; (2) abbreviate AND with A-SHIFT-N; (3) put the T in parentheses; (4) reverse the order— FNM(J)ANDT.

 The 64 version of "Munchmath" (November) does not accept answers beginning with 9. To fix this, remove ORAN\$>"9" from line 200.

 In November's "Machine Language For Beginners" column, the VIC version of "The Assembler" program requires an 8K memory expander. @

# LIST Freezer

Doug Ferguson

This very short routine will prove indispensable to BASIC programmers—it allows you to pause or freeze a LISTing of the program on the screen. The routine is a machine language program presented in the form of a BASIC loader, so you need to know nothing about machine language to use it. What's more, it works equally well on the Commodore 64 or VIC-20.

The VIC-20 and Commodore 64 cry out for a pause feature during a LIST. When you're writing or debugging a program, especially if you lack a printer, you can waste a lot of time typing LIST again and again just to get a look at your BASIC code.

"LIST Freezer" is an elegant solution to the problem. It patches directly into the LIST routine in ROM (Read Only Memory) without interfering with anything else. Once it's activated, there is never any need to turn it off. It also eliminates the screen ripple effect of some other LIST pause routines, including one I published in COMPUTE! Magazine in 1982.

# The LIST Freezer

The program below activates the pause feature for either the VIC or 64. Type it in exactly, SAVE it, RUN it, LOAD something in BASIC, and give it a try. (Because it destroys the BASIC loader part of itself in line 80, be sure to SAVE it before typing RUN for the first time.)

To use LIST Freezer, LIST any BASIC program and hold down the SHIFT key. The listing will pause. To freeze it entirely while freeing your hands, press SHIFT LOCK. You can restart the listing at any time by releasing SHIFT or SHIFT LOCK.

# **Technical Details**

For the curious, here's how it works. Line 20 sets the low-byte/high-byte address of a machine language "patch" at the top of RAM (Random Access Memory). The patch consumes 23 bytes of memory on either the VIC or 64.

Line 30 redefines the computer's memory size to protect the patch. It also moves the LIST vector at memory addresses 774–775 (hexadecimal \$0306–\$0307) to reroute the indirect jump to ROM (address \$A717 in the 64 or \$C717 in the VIC).

The remaining lines create the patch routine at the top of RAM. Line 50 adjusts the patch to work on either the VIC or 64.

Notice that the program assumes the normal LIST vector at power-up; line 20 thus prevents you from accidentally trying to activate the routine more than once while the power is on.

Also note that the routine clears out the keyboard buffer when activated. Actually this was necessary only for the VIC, but it causes no harm on the 64 and was left in to make the routine universal.

#### **LIST Freezer**

- 2Ø L=232:H=PEEK(56)-1:Q=PEEK(775):IF Q<16
  7 THEN 8Ø :rem 236
  3Ø POKE 55,L:POKE 51,L:POKE 56,H:POKE 52,
  H:POKE 774,L:POKE 775,H :rem 74
  4Ø FOR X=L+H\*256 TO X+21:READ D:POKE X,D:
  NEXT :rem 51
  5Ø POKE X,Q :rem 1Ø5
  6Ø DATA 72,152,72,32,159,255,169,1,44,141
  ,2,208,246 :rem 209
- 70 DATA 169,0,133,198,104,168,104,76,26 :rem 136 80 NEW :rem 82

# "\$u¢h-A-Deal!

# Others Claim The Lowest Prices We'll Prove It. By Beating Anyone's Price!\*

COMMODORE 64 SOFT	WARE	COMMODORE 64 SOFTWARE Cont'd.	COMMODORE VIC 20 SOFTWARE
List Price Bu	ut for You!	SPINNAKER	Cont'd.  List Price But For You!
EPYX	., ., ., ., .,	SPINIVAKEN	
DD 4 COMPREDE OF DEDAY		DELTA MUSIC (CT) \$40 \$26	SEGA
DRAGONRIDERS OF PERN (D&C)\$40	\$25	Alphabet Zoo (CT) \$35 \$23	BUCK ROGERS (CT) \$40 \$25
Jumpman D&C \$40	\$25	Cosmic Life (CT)	Congo Bongo (CT)
Temple of Apshai (D&C) \$40	\$25	Facemaker (CT) \$35 \$23	Star Trek (CT)
Upper Reaches Apshai (D&C) \$20	\$13	Fraction Fever (CT) \$35 \$23	The state of the s
Curse of Ra (D&C) \$20	\$13	Kids on Keys (CT) \$35 \$23	BRODERBUND
Starfire & Fire One (D&C) \$40	\$29 \$29	Kindercomp (CT) \$30 \$19	1.1.2
Jumpman Junior (CT) \$40 Lunar Outpost (D&CT) \$40	\$25	Story Machine (CT) \$40 \$26	Lode Runner (CT)
Gateway to Apshai (D&CT) \$40	\$25	Up For Grabs (CT) \$40 \$26	Seafox (CT)
Pitstop (D&CT) \$40	\$25		Mastertype (CT)
Crush, Crumble, Chomp (C&D) \$30	\$19	And Incredible Savings On:	A STANDARD OF THE STANDARD OF
Fun With Art (CT)	\$27	rina mercubic ouvings on:	EPYX
Facts (D&C)\$30	\$27 \$19	DATASOFT ZAXXON (D&C) Just \$25	TEMPLE OF ARCHAI
Swat Rescue (D&CT) \$40	\$25	Data 20 Word Manager (C) \$27	TEMPLE OF APSHAI (C&D)
Silicon Warrior (D&CT) \$40	\$25	Data 20 Business Manager (D)	(C&D) \$40 \$24 Sword of Fargoal (C) \$30 \$19
Swat Rescue (D&CT) \$40	\$25	Continental Home Accountant (D) \$49	Sword of Falgour (C) 1111111 450 415
		Lightning Mastertype (D)	SIERRA ON LINE
SEGA		Acess Neutral Zone (D&C)\$23	
SHUA		Practicalc (D&C)	CANNONBALL BLITZ (CT)
CONGO BONGO (CT)		Programmable Spreadsheet \$55	Lunar Leeper (CT)
CONGO BONGO (CT)	\$25	Datamost Kids & The 64 (book) \$14	Crossfire (CT)
Star Trek (CT)		Commodore 64 Ref. Guide (book) \$17	Threshhold (CT)
		Access Beachead (D&C)	
HESWARE		Datasoft Pooyan (D&C)	
III-SAMAIII-		Datamost Aztec (D)	
MULTIPLAN (D) \$100	\$79	Sierra OnLine Threshhold (CT) \$27	Rock Bottom Prices
Coco (CT) \$45	\$29	MicroProse Hellcat Ace (D)	
Maze Master (CT)\$40	\$25	MicroProse Spitfire Ace (D)	on Peripherals!
Turtle Tutor (CT) \$40	\$26	MicroProse Floyd of Jungle (D) \$19	
Turtle Trainer (CT) \$40 Paintbrush (CT) \$30	\$26	Sirius Wayout (D)	MONITORS
Home Manager (D) \$50	\$17 \$33	Sirius Bandits (D)	
Time & Money Manager (D) \$70	\$45	Sirius Type Attack (D)\$27	BMC 12" Green Just \$79
Hesman 64 (CT) \$40	\$26	Sirius Blade Blackpool (D) \$27	BMC 12" rliRes Green
Gridrunner (CT) \$40	\$26	Sirius Wavy Navy (D)	BMC 12" Amber \$89 BMC 12" HiRes Amber \$129
64 Forth (CT) \$60	\$39	Timeworks Data Manager (D&C) \$17	BMC 13 Composite Color \$249
Turtle Graphics II (CT) \$60 Omnicalc (D) \$50	\$40 \$37	Timeworks Money Manager (D&C) \$17	Monitor Cable with Above
Attack Mutant Camel (CT) \$30	\$19	Timeworks Programmer Kit (D&C) \$17 Timeworks Programmer Kit II (D&C) \$17	DATA 20
	4.7	Timeworks Star Battle (D&C)	
muzzawa.		Timeworks Programming Kit 3 (D&C) \$17	Vic 40-80 Display Manager
INFOCOM		Timeworks Robbers Lost Tomb (D&C) \$17	C64 Video Pak 80 \$139 includes Word Manager Free
ENCHANTER (D)		Timeworks Spellbound (D&C) \$17	Parallel Printer Interface \$45
Planet Fall (D)			CARDCO
Witness (D) \$50	\$33	"\$u¢h-A-Deal!	CANDEO
Infidel (D)	400	ψυψιι-Λ-Deal:	Vic 3 Slot Motherboard \$26
		\$oftware."	Vic 6 Slot Motherboard
SYNAPSE			Printer Utility Software
- Committee of the comm		903 S. Rural Rd. #102	C64 5 Slot \$45 Graphic Printer Interface \$69
BLUE MAX (D&C)		Tempe, AZ 85281	Graphic Printer Interface \$69
Protector (D&C)		CALL TOLL FREE:	Economy Printer Interface \$39
Shamus (D&C)		1-800-431-8697	WICO JOYSTICKS
Sentinel (D&C)		For Information Call (602) 968-9128	The Paris
Drelbs (D&C)	\$22	We sell mail order only!	The Boss \$14 Bat Stick \$19
Fort Apocalypse (D&C)	Ψ	Dealer Inquiries Invited	Red Ball \$21
Pharoah's Curse (D&C)		(CCA) - NOA (CCA) - CCA	Track Ball\$30
Protector II (D&C)		COMMODORELIES	KOALAPAD
Survivor (D&C)		COMMODORE VIC 20	
Shamus II (D&C)		SOFTWARE	Vic. C64. Atari \$79
			HESWARE
BRODERBUND		HESWARE	
CHORUSTER (CT.	200	THE DESCRIPTION OF THE PARTY OF	Hescard 5 Slot Vic
CHOPLIFTER (CT) \$45	\$29	ATTACK MUTANT	HesModem Vic & C64
Seafox (CT)\$40 Serpentine (CT)\$40	\$26 \$26	CAMEL (CT)	PRINTERS
David Midnight Magic (D) \$35	\$23	Predator (CT)	
Bank St. Writer (D) \$70	\$45	Lazer Zone (CT) \$30 \$19	Alphacom 40 Column \$119 Alphacom 80 Column \$179
Lode Runner (D) \$35	\$23	Necromancer (CT) \$30 \$19	includes Vic. C64. Atari Cable
Spare Change (D) \$35	\$23	Pharoah's Curse (CT) \$30 \$19	Cardeo DM1 Two Color Impact \$119
Drol (D)\$35	\$23	Kindercomp (CT) \$40 \$26	Gemini 10X\$295
		Facemaker (CT) \$40 \$26 Story Machine (CT) \$40 \$26	Okidata, Epson, Citoh call 968 9128
		Story Machine (C1) \$40 \$26	Vall 200 2150

<sup>\*</sup>TERMS OF GUARANTEE: If you find a price for any software or peripheral in this issue that is lower than our advertised price, we'll guarantee to beat it! Valid only on products appearing in our advantage on product in similar in-stock conditions. Valid only on prices appearing in print, in this issue.

ORDERING & TERMS: Send cashier check, money order, personal/company checks allow 3 weeks bank clearance. VISA/MasterCard accepted. Provide phone number with order. SHIPPING: Software add \$3.00. Hardware add \$3.00 or 3% whichever is greater. Arizona residents add 6% sales tax. Returns must have authorization number (call 602-968-9128) for authorization number). All returned merchandise subject to restocking fee and must come with all original packaging. No returns allowed after 30 days from shipping date. Prices are for cash; VISA and MasterCard add 3%. Prices subject to change without notice. All products subject to avaiability from manufacturers and/or suppliers.

# HINTS&TIPS

# **Centering VIC Screens**

Mary Conlin

If you've discovered a clever time-saving technique, or a brief but effective programming shortcut, send it in to "Hints & Tips," c/o COMPUTE!'s GAZETTE for Commodore. If we use it, we'll pay you \$35.

Some VIC-20s and TV sets don't match up perfectly — the screen image appears to be a little off-center. This is called *overscan*. If you can't compensate by fiddling with the TV controls — or if you prefer to leave the TV controls as they are for regular TV viewing — there's a way to adjust the screen from the computer.

Two memory locations inside the VIC control the horizontal and vertical positions of the screen image. By using simple POKE statements in direct mode or within a program, you can quickly adjust the screen for any TV. This method works on a VIC of any memory size. You can restore the screen to its normal position at any time by holding down the RUN/STOP key and pressing RESTORE.

(The Commodore 64 lacks these adjustments, but has much less need for them because its screen image is smaller than the VIC's and is less subject to overscan.)

# **Horizontal Adjustments**

The horizontal screen position is controlled by memory location 36880. Normally this location contains a 5. POKEing smaller numbers into this location moves the screen left, and POKEing larger numbers moves it right. For example, to move the screen one position left, type:


#### POKE 36880,4 [press RETURN]

Or, to adjust the screen one position right, type:

#### POKE 36880,6 [press RETURN]

If your screen is off-center by more than one position, try POKEing a 3 or a 7, etc. Once you

Centering VIC Screens On A TV



find the correct value for your particular computer/TV combination, you can include the statement at the beginning of all your BASIC programs so the adjustment is made automatically whenever you type RUN.

# **Vertical Adjustments**

The vertical screen position is controlled by memory location 36881. Normally this location contains a 25. POKEing smaller numbers into this location moves the screen up, and POKEing larger numbers moves it down. For example, to move the screen one position up, type:

### POKE 36881,24 [press RETURN]

Or, to move the screen one position down, type:

#### POKE 36881,26 [press RETURN]

Using numbers too high can move the screen completely out of view. If this happens, simply POKE back the 25 or press RUN/STOP-RESTORE. Again, once you find the best number, you can include this statement in all your BASIC programs.

162 COMPUTE!'s Gazette January 1984

# SJB DISTRIBUTORS. ONE STOP SHOPPING FOR COMMODORE SYSTEMS.

Geommodol	=
COMMODORE BUSINESS	5
SERIES	
SuperPet (5 languages,	
2 processors)	\$1059
CBM 8032 Computer, 80 Column	625
CBM Memory Expansion, 64K	259
CBM 8050, 1 mg. Dual Drive	995
CBM 8250, 2 mg. Dual Drive	1295
CBM D9060, 5 mg. Hard Disk	1995
CBM D9090, 7.5 mg. Hard Disk	2250
CBM 2031, 170K Single Drive (New)	295
DC Hayes Smart Modem	300
BUSINESS SOFTWARE-80	32
Word Pro 4+ or 5+	\$ 309
InfoPro	219
Administrator	489
VisiCalc (expanded)	199
BPI A/R, G/L, Job Cost, Inventory,	
Payroll	a.325
Commodore 64	Call
INTERFACES & ACCESSOR	IES
80 Column Expander	\$ 159
VIC 1600 Modem	95
VIC 1650 (auto answer, auto dial)	150
VIC 1525 Graphic Printer	225
VIC 1530 Datasette Recorder	65
VIC 1541 Disk Drive	249
VIC Switch (connect 8 64's or Vics	
to printer, dd)	149
PET-IEEE cable	33
IEEE-IEEE cable (2m)	49
5 Slot Expander for 64	65
Parallel Interface (Epson, Okidata,	
IDS, NEC)	70
Programmers Reference Guide	18
Verbatim Diskettes (10 per box)	26
Hes Modem	75
ADA 1450	149
ADA 1800 (New)	129
Numeric Keypad	35
NEW COMMODORE PRODU	
The Executive 64	
CBM B128-80	
CBM B256-80	1095
CBM BX700	2990
B Series Software	

CBM 1520 Plotter . . . . . . . . . . . . . 169

SOFTWARE FOR CBM 64

BUSINESS

WordPro 3+/64

Calc Result (Advanced)	125
Calc Result (Easy)	75
Busicalc II	95
Mirage Concepts	
(Powerful Data Base)	95
M File (merge with WordPro)	89
Home Utilities	49
64 Mailing List (Galactic)	28
The Manager	50
Home Accountant (continental)	75
Code Writer	
(Writes Basic Programs)	95
Stock (investment analysis)	80
Agricultural Management	Call
General Ledger, A/R, A/P, P/R, Inv	Call
RECREATION	
Assembler Package (cassette or disk,	
compiled, includes editor, loader,	
disassembler)	39
Sprite Master (access)	30
Neutral Zone (access)	35
Space Belt	19
Coco II (build your own games)	40
Vic Tree (programmers utilities)	75
Micro-Term (save to printer, disk)	39
Hesmon	35
Gothmogs Lair	30
Road Toad	15
Commodore Games	Call
MONITORS - GREAT	
RESOLUTION (64 OR VIC	)
CBM 1701 Color Monitor \$	
Amdek Color Plus	299
Panasonic TR-120 (w/speaker)	155
Panasonic CT-160	279
BMC (green screen)	95
Video/Audio Cable	15
PRINTERS - LETTER QUALI	TY
CBM 6400, 40 cps	
Diablo 620, 25 cps	949
Transtar 140 (serial)	1395
Transtar 130, 16 cps (auto load,	
wp features!)	769
NEC 3500 Series	1600
NEC 7700 Series	2350
Transfar 120, 14 cps	500
PRINTERS - DOT MATRIX	
CBM 8023, 150 cps/graphics \$	
CBM 4023 Printer	395
Epson FX Printer, 160 cps	549
Epson MX-80 FT w/graftrax	Call
Epson FX-100	859
Okidata 82A, 120 cps (serial	
and parallel)	429
NEC 8023A (parallel)	429

Okidata 92	559
Star Gemini, 10X	329
Star Gemini, 15	499
Transfar 315 (hi-res, color)	575

#### POLICY

#### VISA/MASTERCARD C.O.D. FOR CASH OR BANK CHECK

Minimum \$50.00 Order
Add 3% Surcharge for Credit Cards.
Exact freight calculated.
Prices subject to change without notice.
Products shipped with manufacturer's warranty.
F.O.B. Dallas, Texas

\*Customer's must call for return authorization before returning any product.

PRODUCT SELECTION ADVICE CUSTOMER SERVICE (214) 343-1328



#### SJB DISTRIBUTORS INC.

10520 Plano Road, Suite 206 Dallas, Texas 75238

TO ORDER CALL TOLL FREE 800-527-4893 800-442-1048

(Within Texas)

Business Hours Mon. - Fri. 8:30 to 5:30 Saturday 10 to 2

Write for free catalog.

NOTE: SJB HAS A FULL LINE OF COMPUTER MEDIA IN STOCK, CALL OR WRITE FOR MORE INFORMATION.

# NEWS& PRODUCTS

# VIC-20 Spreadsheet

Computer Software Associates has released a VIC-20 version of PractiCalc Plus, a combination spreadsheet-data base manager program.

The program, available on tape or disk, requires a 16K RAM

card expander.

PractiCalc Plus allows full use of mathematical and trigonometric function, incorporates search and sort routines, and has a single-key histogram function. The program, which sells for \$49.95 on tape and \$54.95 on disk, can be used for budget and business projections, expense tracking, investments, and inventory.

Micro Software International, Inc. The Silk Mill 44 Oak Street Newton Upper Falls, MA 02164 (617) 527-7510

# Space Game For VIC

Ridge Runner is a machinelanguage space game for the unexpanded VIC-20.

In the game, produced by Bytes and Bits, you maneuver your multicolor ship through a minefield and a volley from enemy ships. The game, which requires a joystick and sells for \$14.95, includes a horizontally scrolling playfield, multicolor graphics, sound, a high-score recorder, and a pause option.

Bytes and Bits 524 East Canterbury Lane Phoenix, AZ 85022 (602) 942-1475

# Commodore 64 Rescue, VIC-20 Educational Games

Zeppelin Rescue, a game of coordination and skill for the Commodore 64, and several educational games for the VIC-20 are available from Micro Software International.

In Zeppelin Rescue, you must overcome the forces of gravity and the slow, cumbersome controls of your airship to rescue the inhabitants of a threatened city. The game includes five cityscapes and four levels—daylight, dusk, night, and dawn.

The program is available on disk for \$24.95, or on cassette for \$19.95.

The VIC-20 programs are all available on cassette and require no memory expansion. They include *Math Duel*, a basic number skills program for students in grades 1 through 6; *Tiny Tutor*, a

simple math problem tutorial for children ages 2 through 7; VIC Sketch, a drawing program with SAVE and PRINT features; and Composer, which teaches the rudiments of music.

Math Duel and Tiny Tutor sell for \$19.95. VIC Sketch and Composer are \$14.95 each.

Micro Software International The Silk Mill 44 Oak Street Newton Upper Falls, MA 02164 (617) 527-7510

# One-Handed Bridge

Computer Management Corporation has released *BridgePro*, a program that will allow one person and a Commodore 64 to enjoy a game of bridge.

The program, which is written in machine language, takes care of the shuffling and dealing, and will bid and play three hands.

The program allows replaying hands, prevents illegal bids, and offers a help screen on bidding for bridge newcomers. A game for two players is among *BridgePro's* other options.

*BridgePro* is available on disk for \$35.

Computer Management Corporation Customer Service Center 2424 Exbourne Court Walnut Creek, CA 94596

# Help For Programmers

A collection of worksheets, programming aids, grid-sheets, and logs, designed to help simplify VIC-20 and Commodore 64 programming, is available from PM Products.

Programmer's Aids and Logs includes a guide to all keys, POKEs, CHR\$ codes, and characters; sound and music worksheets; a condensed BASIC dictionary; grids for screen layout, custom characters, and sprites; and documentation worksheets for variable, subroutine, and file use.

Also included are cutout function key templates and a BASIC-Aid reference card. The package, which sells for \$9.95, contains 95 color-coded pages and is punched for use in threering binders.

PM Products 4455 Torrance Blvd., #177 Torrance, CA 90503



Programmer's Aids and Logs is a collection of worksheets, reference cards, and programming aids for the VIC or 64.

# Tax Preparation Programs

Northland Accounting has produced three tax preparation programs for the Commodore 64 and VIC-20. The programs produce a line-by-line readout of

IRS Form 1040 and related schedules. Updates for new tax years will be published annually.

Taxaid I is for the unexpanded VIC-20. The program directs its output to the monitor. Taxaid II is for a VIC-20 with 16K. Output can be directed to the monitor or a printer. Taxaid III is for the Commodore 64, with output directed to the monitor

or printer.

Taxaid I is available on tape for \$19.95 or on disk for \$24.95. The other two versions are available on tape for \$24.95 or on disk for \$29.95.

Northland Accounting, Inc. Software Department 606 Second Ave. Two Harbors, MN 55616 (218) 834-5012

# Universal Serial Cable

Renaissance Technology has produced the Universal Serial Cable, which simplifies connections between RS-232 serial computers and peripheral devices.

Built into the cable connectors are sets of DIP switches that can be set according to the requirements of the devices being connected. A cross-reference chart of switch settings is included with the cable.

The Universal Serial Cable sells for \$62.


Renaissance Technology Corp. 1070 Shary Circle Concord, CA 94518 (415) 676-5757

# ActivityPlanning Software

SEI Enterprises has produced a series of programs designed to help groups of users plan their activities.

The programs, which cover vacation, menu, and spending plans, allow up to ten participants to enter their preferences into the computer. Each person is then given a chance to vote on the suggestions made, and the program tallies the results and generates a printout.

The initial series is \$24.95 and consists of four programs. They are *Acti-Trip*, for trip planning; *Acti-Spend*, for spending priorities; *Acti-Menu*, for



The Universal Serial Cable from Renaissance includes DIP switches in the connectors to eliminate the need for specially wired cables.

meal planning; and Acti-Play, designed for youngsters to determine how to spend their free time.

The programs are available for the Commodore 64 and the VIC-20 with 8K expansion.

SEI Enterprises 17 Serpi Road Highland Mills, NY 10930

# Word Processor For Commodore 64

Easy Script 64, a word processing program from Commodore Software, is available for the Commodore 64.

Features of the program include selectable display colors; hunt and find; search and replace; function key editing; superscripts and subscripts; vertical and horizontal tabs; and the ability to transfer words, phrases and

blocks within text. The program includes a form-letter command, and it offers optional sound effect prompts.

Easy Script 64, which sells for \$49.95, also is compatible with Easy Spell 64, Commodore's spelling checker.

Commodore Software 1200 Wilson Drive West Chester, PA 19380 (215) 431-9100

# VIC Memory Poster

Kevco has produced *Inside the VIC-20*, a 27 by 21-inch color poster that shows the important memory locations in the VIC.

The chart includes information on the BASIC memory map, video screens, sound and color, as well as data on paddles, joysticks and light pens.

The poster, which makes often-used information avail-

able at a glance, sells for \$6.95. A Commodore 64 version is forthcoming.

Kevco Electronic and Software Engineering 480 Georgia Court Claremont, CA 91711 (714) 626-4148

# Investment Manager

Portfolio Manager is an investment management program for the Commodore 64 or 16K VIC-20 computers.

The program, which is the first in a series of personal finance programs planned by Basic Byte, allows the user to easily record and compute stock transactions. *Portfolio Manager* sells for \$29.95.

Basic Byte, Inc. 13108 Ludlow Huntington Woods, MI 48070 (313) 545-6779

# Property Management System

MicroSpec has introduced its Rental Property Manager program for the Commodore 64.

With the program, a landlord can keep track of up to 200 rental units per diskette. The program maintains 18 fields per record, including information on the property owner, the tenant, the rent payment record, and the availability of the unit.

The system, which requires one disk drive, can produce a variety of reports including tenant lists, overdue rent lists, expired lease lists, vacancy lists, and income and expense reports.

Rental Property Manager sells for \$179.95.

MicroSpec, Inc. Box 836085 Plano, TX 75086 (214) 867-1333

# Educational Games For Commodore 64

Bertamax has reached agreement with Commodore Business Machines to convert 21 educational programs for use on the Commodore 64.

Among the programs being converted are several programs designed for children in kindergarten through third grade. The titles include Number Match It, Addition Match, Subtraction Match, Multiplication Match, Division Match, and six reading programs in the Story Mix series.

Other programs covered in the agreement are: *Spelling in Context*, a 308-lesson program available for grade levels one through eight; *Math Facts Games—Set 2*, a series of four two-player math games; and *Number Cruncher*, 30 lessons in math and problem-solving skills.

Bertamax, Inc. 3647 Stoneway North Seattle, WA 98103 (206) 547-4056

# Spreadsheet For VIC And 64

ESP>Calc is an electronic spreadsheet planning calculator for both the VIC and 64.

The same program runs on both computers, and the size of the spreadsheet is limited only by computer memory. The manual includes step-by-step instructions to help novice spreadsheet users become accustomed to the program.

ESP>Calc is designed to handle things like household budgets, heat and electric use, stock portfolios, and rental property analysis. The program also includes printer options.

The cassette version of *ESP>Calc* sells for \$43.50; the disk version is \$47.50.

New Leaf Inc. 120 Lynnhaven Belleville, IL 62223

COMPUTE!'s GAZETTE welcomes announcements of new products for VIC-20 and Commodore 64 computers, especially products aimed at beginning to intermediate users. Please send press releases and photos well in advance to: Tony Roberts, Assistant Managing Editor, COMPUTE!'s GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

New product releases are selected from submissions for reasons of timeliness, available space, and general interest to our readers. We regret that we are unable to select all new product submissions for publication. Readers should be aware that we present here some edited version of material submitted by vendors and are unable to vouch for its accuracy at time of publication.

# How To Type In COMPUTE!'s Gazette Programs

Many of the programs which are listed in COM-PUTE!'s Gazette contain special control characters (cursor control, color keys, inverse video, etc.). To make it easy to know exactly what to type when entering one of these programs into your computer, we have established the following listing conventions.

Generally, any VIC-20 or Commodore 64 program listings will contain bracketed words which spell out any special characters: {DOWN} would mean to press the cursor down key. {5 SPACES} would mean to press the space bar five times.

To indicate that a key should be *shifted* (hold down the SHIFT key while pressing the other key), the key would be underlined in our listings. For example,  $\underline{S}$  would mean to type the S key while holding the shift key. This would appear on your screen as a "heart" symbol. If you find an underlined key enclosed in braces (e.g.,  $\{10 \ \underline{N} \ \}$ ), you should type the key as many times as indicated (in our example, you would enter ten shifted N's).

If a key is enclosed in special brackets, [\*\*], you should hold down the *Commodore key* while pressing the key inside the special brackets. (The Commodore key is the key in the lower left corner of the keyboard.) Again, if the key is preceded by a number, you should press the key as many times as necessary.

Rarely, you'll see a solitary letter of the alphabet enclosed in braces. These characters can be entered on the Commodore 64 by holding down the CTRL key while typing the letter in the braces. For example, {A} would indicate that you should press CTRL-A. You should never have to enter such a character on the VIC-20, but if you do, you would have to leave the quote mode (press RE-TURN and cursor back up to the position where the control character should go), press CTRL-9 (RVS ON), the letter in braces, and then CTRL-0 (RVS OFF).

About the *quote mode*: you know that you can move the cursor around the screen with the CRSR keys. Sometimes a programmer will want to move the cursor under program control. That's why you see all the {LEFT}'s, {HOME}'s, and {BLU}'s in our programs. The only way the computer can tell the difference between direct and programmed cursor control is the quote mode.

Once you press the quote (the double quote, SHIFT-2), you are in the quote mode. If you type something and then try to change it by moving the cursor left, you'll only get a bunch of reverse-video lines. These are the symbols for cursor left. The only editing key that isn't programmable is the DEL key; you can still use DEL to back up and edit the line. Once you type another quote, you are out of quote mode.

You also go into quote mode when you IN-SerT spaces into a line. In any case, the easiest way to get out of quote mode is to just press RE-TURN. You'll then be out of quote mode and you can cursor up to the mistyped line and fix it.

Use the following table when entering cursor and color control keys:

When You R	lead: Pre	ess:	See:	When You Read	: Pre	ss:	See:	When You Read:	Press:	See:
[CLEAR]	SHIFT	CLR/HOME	1	{CYN}	CTRL	4		E73	17	
[HOME]		CLR/HOME		(PUR)	CTRL	5		E83	f8	
[UP]	SHIFT	CRSR		[GRN]	CTRL	6	1	{F1}	EED!	
[DOWN]		CRSR		{BLU}	CTRL	7	4	{F2}	TE .	Ti.
{LEFT}	SHIFT	CRSR -		{YEL}	CTRL	8	T	{F3}	GE	
(RIGHT)		CRSR -		E13	fi		4	{F4}		
[RVS]	CTRL	9	123	E23	f2		7	{F5}	THE .	
[OFF]	CTRL	0		E33	f3		<b>2</b>	[F6]	TEE .	2
[BLK]	CTRL	1		E43	f4			{F7}	TE.	
{WHT}	CTRL	2	Ē	858	f5		7	{F8}	TE:	
			-				-			

E63

[RED]

# A Beginner's Guide To Typing In Programs

# What Is A Program?

A computer cannot perform any task by itself. Like a car without gas, a computer has potential, but without a program, it isn't going anywhere. Most of the programs published in COMPUTE!'s Gazette for Commodore are written in a computer language called BASIC. BASIC is easy to learn and is built into all VIC-20s and Commodore 64s.

# **BASIC Programs**

Each month, COMPUTE!'s Gazette for Commodore publishes programs for both the VIC and 64. To start out, type in only programs written for your machine, e.g., "VIC Version" if you have a VIC-20. Later, when you gain experience with your computer's BASIC, you can try typing in and converting certain programs from another computer to yours.

Computers can be picky. Unlike the English language, which is full of ambiguities, BASIC usually has only one "right way" of stating something. Every letter, character, or number is significant. A common mistake is substituting a letter such as "O" for the numeral "0", a lowercase "l" for the numeral "1", or an uppercase "B" for the numeral "8". Also, you must enter all punctuation such as colons and commas just as they appear in the magazine. Spacing can be important. To be safe, type in the listings *exactly* as they appear.

# **Brackets And Special Characters**

The exception to this typing rule is when you see the curved bracket, such as "{DOWN}". Anything within a set of brackets is a special character or characters that cannot easily be listed on a printer. When you come across such a special statement, refer to "How To Type In COMPUTE!'s Gazette Programs."

# About DATA Statements

Some programs contain a section or sections of DATA statements. These lines provide information needed by the program. Some DATA statements contain actual programs (called machine language); others contain graphics codes. These lines are especially sensitive to errors.

If a single number in any one DATA statement is mistyped, your machine could "lock up," or "crash." The keyboard and STOP key may seem "dead," and the screen may go blank. Don't panic – no damage is done. To regain control, you have

to turn off your computer, then turn it back on. This will erase whatever program was in memory, so always SAVE a copy of your program before you RUN it. If your computer crashes, you can LOAD the program and look for your mistake.

Sometimes a mistyped DATA statement will cause an error message when the program is RUN. The error message may refer to the program line that READs the data. The error is still in the DATA statements, though.

# **Get To Know Your Machine**

You should familiarize yourself with your computer before attempting to type in a program. Learn the statements you use to store and retrieve programs from tape or disk. You'll want to save a copy of your program, so that you won't have to type it in every time you want to use it. Learn to use your machine's editing functions. How do you change a line if you made a mistake? You can always retype the line, but you at least need to know how to backspace. Do you know how to enter inverse video, lowercase, and control characters? It's all explained in your computer's manuals.

# **A Quick Review**

- 1) Type in the program a line at a time, in order. Press RETURN at the end of each line. Use backspace or the back arrow to correct mistakes.
- Check the line you've typed against the line in the magazine. You can check the entire program again if you get an error when you RUN the program.
- 3) Make sure you've entered statements in brackets as the appropriate control key (see "How To Type COMPUTE!'s Gazette Programs" elsewhere in the magazine.)

We regret that we are not able to respond to individual inquiries about programs, products, or services appearing in COMPUTE!'s Gazette for Commodore due to increasing publication activity. On those infrequent occasions when a published program contains a typo, the correction will appear in the magazine, usually within eight weeks. If you have specific questions about items or programs which you've seen in COMPUTE!'s Gazette for Commodore, please send them to Gazette Feedback, P.O. Box 5406, Greensboro, NC 27403.

# The Automatic Proofreader

"The Automatic Proofreader" will help you type in program listings from COMPUTE!'s Gazette without typing mistakes. It is a short error-checking program that hides itself in memory. When activated, it lets you know immediately after typing a line from a program listing if you have made a mistake. Please read these instructions carefully before typing any programs in COMPUTE!'s Gazette.

## Preparing The Proofreader

- Using the listing below, type in the Proofreader. The same program works on both the VIC-20 and Commodore 64. Be very careful when entering the DATA statements don't type an I instead of a 1, an O instead of a 0, extra commas, etc.
- 2. SAVE the Proofreader on tape or disk at least twice before running it for the first time. This is very important because the Proofreader erases this part of itself when you first type RUN
- 3. After the Proofreader is SAVEd, type RUN. It will check itself for typing errors in the DATA statements and warn you if there's a mistake. Correct any errors and SAVE the corrected version. Keep a copy in a safe place - you'll need it again and again, every time you enter a program from COMPUTE!'s Gazette.
- When a correct version of the Proofreader is RUN, it activates itself. You are now ready to enter a program listing. If you press RUN/STOP-RESTORE, the Proofreader is disabled. To reactivate it, just type the command SYS 886 and press RETURN.

## Using The Proofreader

All VIC and 64 listings in COMPUTE!'s Gazette now have a checksum number appended to the end of each line, for example ":rem 123". Don't enter this statement when typing in a program. It is just for your information. The rem makes the number harmless if someone does type it in. It will, however, use up memory if you enter it, and it will confuse the Proofreader, even if you entered the rest of the line correctly.

When you type in a line from a program listing and press RETURN, the Proofreader displays a number at the top of your screen. This checksum number must match the checksum number in the printed listing. If it doesn't, it means you typed the line differently than the way it is listed. Immediately recheck your typing. Remember, don't type the rem statement with the checksum number; it is published only so you can check it against the number which appears on your screen.

The Proofreader is not picky with spaces. It will not notice extra spaces or missing ones. This is for your convenience, since spacing is generally not important. But occasionally proper spacing is important, so be extra careful with spaces, since the Proofreader will catch practically everything else that can go wrong.

There's another thing to watch out for: if you enter the line by using abbreviations for commands, the checksum will not match up. But there is a way to make the Proofreader check it. After entering the line, LIST it. This eliminates the abbreviations. Then move the cursor up to the line and press RETURN. It should now match the checksum. You can check whole groups of lines this way.

## Special Tape SAVE Instructions

When you're done typing a listing, you must disable the Proofreader before SAVEing the program on tape. Disable the Proofreader by pressing RUN/STOP-RESTORE (hold down the RUN/STOP key and sharply hit the RESTORE key). This procedure is not necessary for disk SAVEs, but you must disable the Proofreader this way before a tape SAVE.

SAVE to tape erases the Proofreader from memory, so you'll have to LOAD and RUN it again if you want to type another listing. SAVE to disk does not erase the Proofreader.

## Replace Original Proofreader

If you typed in the original version of the Proofreader (October 1983 issue), you should replace it with the improved version below. We added a POKE to the original version to protect it from being erased when you LOAD another program from tape. The POKE does protect the Proofreader, and the Proofreader itself was not affected. However, a quirk in the VIC-20's operating system means that programs typed in with the Proofreader and SAVEd on tape cannot be LOADed properly later. If you LOAD a program SAVEd while the Proofreader was in memory, you see ?LOAD ERROR. This applies only to VIC tape SAVEs (disk SAVEs work OK, and the quirk was fixed in the Commodore 64).

If you have a program typed in with the original Proofreader and SAVEd on tape, follow this special LOAD procedure:

- Turn the power off, then on.
- LOAD the program from tape (disregard the ?LOAD ERROR).
  - 3. Enter: POKE 45, PEEK (174): POKE 46, PEEK (175): CLR
  - 4. ReSAVE the program to tape.

The program will LOAD fine in the future. We strongly recommend that you type in the new version of the Proofreader and discard the old one.

## Automatic Proofreader For VIC And 64

- 100 PRINT" [CLR] PLEASE WAIT...": FORI=886TO 1018: READA: CK=CK+A: POKEI, A: NEXT
- IF CK <> 17539 THEN PRINT" [DOWN] YOU MAD E AN ERROR": PRINT" IN DATA STATEMENTS.
- 120 SYS886:PRINT"[CLR][2 DOWN]PROOFREADER ACTIVATED. ": NEW
- 886 DATA 173,036,003,201,150,208
- 892 DATA 001,096,141,151,003,173
- 898 DATA 037,003,141,152,003,169
- 904 DATA 150,141,036,003,169,003
- 910 DATA 141,037,003,169,000,133
- 916 DATA 254,096,032,087,241,133
- 922 DATA 251,134,252,132,253,008
- 928 DATA 201,013,240,017,201,032
- 934 DATA 240,005,024,101,254,133
- 940 DATA 254,165,251,166,252,164
- 946 DATA 253,040,096,169,013,032
- 952 DATA 210,255,165,214,141,251
- 958 DATA 003,206,251,003,169,000
- 964 DATA 133,216,169,019,032,210
- 970 DATA 255,169,018,032,210,255
- 976 DATA 169,058,032,210,255,166
- 982 DATA 254,169,000,133,254,172
- 988 DATA 151,003,192,087,208,006
- 994 DATA 032,205,189,076,235,003 1000 DATA 032,205,221,169,032,032
- 1006 DATA 210,255,032,210,255,173
- 1012 DATA 251,003,133,214,076,173
- 1018 DATA 003

# Machine Language Entry Program

For Commodore 64 And VIC-20

Charles Brannon, Program Editor

MLX is a labor-saving utility that allows almost failsafe entry of machine language programs published in COMPUTEI'S GAZETTE. You need to know nothing about machine language to use MLX—it was designed for everyone. There are separate versions for the Commodore 64 and expanded VIC-20 (at least 8K). MLX was conceived and written by Program Editor Charles Brannon. Important: MLX is required to type in the machine language programs in this issue.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file. You can then use the LOAD command to read the program into the computer, as with any program:

LOAD "filename",1,1 (for tape) LOAD "filename",8,1 (for disk)

To start the program, you enter a SYS command that transfers control from BASIC to machine language. The starting SYS number always appears in the appropriate article.

# **Using MLX**

Type in and save the correct version of MLX for your computer (you'll want to use it in the future). When you're ready to type in an ML program, run MLX. MLX asks you for two numbers: the starting address and the ending address. These numbers are given in the article accompanying the ML program.

You'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a *checksum number*. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. It you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can

press either the comma, SPACE bar, or RETURN key to advance to the next number. The checksum automatically appears in inverse video for emphasis.

# **MLX** Commands

When you finish typing an ML listing (assuming you type it all in one session) you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you've made a typo when entering the MLX program itself.

You don't have to enter the whole ML program in one sitting. MLX lets you enter as much as you want, save it, and then reload the file from tape or disk later. MLX recognizes these commands:

SHIFT-S: Save SHIFT-N: New Address SHIFT-L: Load SHIFT-D: Display

When you enter a command, MLX jumps out of the line you've been typing, so we recommend you do it at a new prompt. Use the Save command to save what you've been working on. It will save on tape or disk as if you've finished, but the tape or disk won't work, of course, until you finish the typing. Remember what address you stop at. The next time you run MLX, answer all the prompts as you did before, then insert the disk or tape. When you get to the entry prompt, press SHIFT-L to reload the partly completed file into memory. Then use the New Address command to resume typing.

To use the New Address command, press SHIFT-N and enter the address where you previously stopped. The prompt will change, and you can then continue typing. Always enter a New Address that matches up with one of the line numbers in the special listing, or else the checksum won't work. The Display command lets you display a section of your typing. After you press SHIFT-D, enter two addresses within the line number range of the listing. You can abort the listing

by pressing any key.

The special MLX commands may seem a bit confusing, but as you work with MLX, they will become valuable. For example, what if you forgot where you stopped typing? Use the Display command to scan memory from the beginning to the end of the program. When you reach the end of your typing, the lines will contain a random pattern of numbers. When you see the end of your typing, press any key to stop the listing. Use the New Address command to continue typing from the proper location.

You can use the Save and Load commands to make copies of the completed program. Use Load to reload the tape or disk, then insert a new tape or disk

and use Save to make a new copy.

Be sure to save MLX; it will be used for future ML programs in COMPUTE!'s GAZETTE.

See program listings on page 184. @

# SpeedScript

(Article on page 38.)

#### BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

# Program 1: SpeedScript—Commodore 64 Version

```
2049 :011,008,010,000,158,050,238
2055 :048,054,049,000,000,000,158
2061 :032,103,009,076,193,009,179
2067 :165,251,141,051,008,165,032
2073 :252,141,052,008,165,253,128
2079 :141,054,008,165,254,141,026
2085 :055,008,166,181,240,032,207
2091 :169,000,141,186,026,160,213
2097 :000,185,000,000,153,000,131
2103 :000,200,204,186,026,208,111
2109 :244,238,052,008,238,055,128
2115 :008,224,000,240,007,202,236
2121 :208,224,165,180,208,222,000
     :096,165,181,170,005,180,108
2133 :208,001,096,024,138,101,141
2139 :252,141,123,008,165,251,007
2145 :141,122,008,024,138,101,119
2151 :254,141,126,008,165,253,026
2157 :141,125,008,232,164,180,191
2163 : 208, 004, 240, 013, 160, 255, 227
2169 :185,000,000,153,000,000,203
2175 :136,192,255,208,245,206,089
2181 :123,008,206,126,008,202,038
2187 :208, 234, 096, 169, 040, 133, 251
2193 :195,133,020,169,004,133,031
2199 :196,169,216,133,021,173,035
2205 :182,026,133,155,173,183,241
2211 :026,133,156,162,001,173,046
2217 :185,026,133,012,173,195,125
2223 :026,141,032,208,160,000,230
2229 :173,194,026,145,020,177,148
2235 :155,153,196,026,200,041,190
2241 :127,201,031,240,019,192,235
2247 :040,208,235,136,177,155,126
2253 :041,127,201,032,240,005,083
2259 :136,208,245,160,039,200,175
2265 :132,167,136,185,196,026,035
2271 :145,195,136,016,248,164,103
2277
    :167,024,152,101,155,133,193
2283 :155,165,156,105,000,133,181
2289 :156,152,157,060,003,192,193
2295 :040,240,008,169,032,145,113
2301 :195,200,076,246,008,024,234
2307 :165,195,105,040,133,195,068
2313 :133,020,144,004,230,196,224
2319 :230,021,232,224,025,240,219
2325 :003,076,179,008,165,155,095
2331 :141,192,026,165,156,141,080
    :193,026,096,169,000,133,138
    :155,141,182,026,141,188,104
    :026,133,038,169,028,133,060
2355 :156,141,183,026,141,189,119
2361 :026,133,039,169,032,162,106
```

```
2367 :179,160,255,198,156,145,132
2373 :155,200,230,156,145,155,086
2379 :200,208,251,230,156,202,042
2385 : 208, 246, 145, 155, 096, 133, 040
2391 :167,132,168,160,000,177,123
2397 :167,240,006,032,210,255,235
2403 : 200, 208, 246, 096, 169, 012, 006
2409 :141,195,026,169,038,133,039
2415 :001,169,011,141,194,026,141
2421 :032,036,009,169,000,141,248
2427
     :185,026,032,115,015,169,153
2433 :255,141,138,002,032,245,174
2439 :012,032,150,009,169,100,095
2445 :160,025,032,086,009,238,179
2451 :184,026,096,032,166,009,148
     :169,085,160,025,032,086,198
2457
2463 :009,169,000,141,184,026,176
2469 :096,162,039,169,032,157,052
2475 :000,004,202,016,250,169,044
2481 :019,076,210,255,072,041,082
2487
     :128,074,133,167,104,041,062
2493 : Ø63, ØØ5, 167, Ø96, 16Ø, ØØØ, 168
2499 :177,038,133,002,160,000,193
2505 :177,038,073,128,145,038,032
2511 :032,142,008,032,228,255,136
2517
     :208,013,165,162,041,016,050
2523
     :240,245,169,000,133,162,144
2529
     :076,199,009,170,160,000,071
     :165,002,145,038,224,095,132
     :208,012,032,160,011,169,061
     :032,160,000,145,038,076,182
     :193,009,173,184,026,240,050
2559 :007,138,072,032,150,009,151
2565 :104,170,138,201,013,208,071
2571 :002,162,095,138,041,127,064
2577 :201,032,144,070,224,160,080
2583 : 208,002,162,032,138,072,125
2589 :173,185,026,240,003,032,176
2595 :140,014,104,032,181,009,003
2601 :160,000,145,038,032,142,046
2607 :008,056,165,038,237,188,227
2613 :026,133,167,165,039,237,052
2619 :189,026,005,167,144,014,092
2625 :165,038,105,000,141,188,190
2631 :026,165,039,105,000,141,035
2637 :189,026,230,038,208,002,002
2643 :230,039,032,231,010,076,189
2649 :193,009,138,174,125,010,226
2655 :221,125,010,240,006,202,131
2661 :208,248,076,193,009,202,013
     :138,010,170,169,009,072,163
2667
2673
     :169,192,072,189,162,010,139
     :072,189,161,010,072,096,207
2685 :035,029,157,137,133,002,106
     :012,138,134,020,148,004,075
     :019,009,147,135,139,005,079
     :136,140,022,145,017,159,250
     :018,024,026,016,028,030,035
2715 :006,001,011,008,031,003,215
2721 :150,011,159,011,170,011,161
2727 :227,011,054,012,066,012,037
2733 :080,012,179,012,231,013,188
2739 :139,014,014,014,083,014,201
2745 :201,014,225,014,253,014,138
2751 :024,015,185,015,222,017,157
2757 :205,016,043,018,080,012,059
2763 :179,012,111,018,118,019,148
2769 :023,020,028,012,108,020,164
2775 :186,017,107,023,002,014,052
2781 :039,020,244,012,210,023,001
```

```
3189 : 201,046,240,026,201,033,096
2787 :052,025,122,014,032,071,031
                                           3195 : 240, 022, 201, 063, 240, 018, 139
2793 :011,056.165,038,237,182,154
                                           3201 :201,031,240,014,136,208,191
2799 : 026, 133, 167, 165, 039, 237, 238
                                                :235,198,156,165,156,201,222
2805 :183,026,005,167,176,030,064
                                           3207
2811 :056,173,182,026,233,000,153
                                           3213 :000,176,227,076,169,012,033
                                           3219:132,167,198,167,200,240,227
2817 :133,167,173,183,026,233,148
2823 :028,005,167,240,013,165,113
                                           3225 :010,177,155,201,032,240,200
                                           3231 :247,136,076,210,011,164,235
2829 :038,141,182,026,165,039,092
2835 :141,183,026,032,142,008,039
                                                :167,076,115,012,169,000,192
                                           3237
                                           3243 :133,038,169,028,133,039,199
2841 :056,173,192,026,229,038,227
                                                :076,231,010,160,000,177,063
2847 :133,155,173,193,026,229,172
                                           3249
                                           3255 :038,201,046,240,029,201,170
2853 :039,133,156,005,155,240,253
                                           3261 :033,240,025,201,063,240,223
    :002,176,024,024,173,182,112
2859
                                                :021,201,031,240,017,200,137
2865 : 026, 109, 061, 003, 141, 182, 059
                                           3267
                                           3273 : 208, 235, 230, 039, 165, 039, 093
2871 : 026,173,183,026,105,000,056
                                           3279 : 205, 189, 026, 240, 226, 144, 213
2877 :141,183,026,032,142,008,081
                                           3285 : 224,076,016,012,200,240,213
2883 : 076, 025, 011, 096, 056, 173, 248
                                           3291 :250,177,038,201,032,240,133
2889 :188,026,233,000,133,167,052
                                           3297 :247,201,046,240,243,201,123
2895 :173,189,026,233,207,005,144
                                           3303 :033,240,239,201,063,240,223
2901 :167,144,010,169,000,141,204
                                           3309 :235,201,031,240,231,076,227
    :188,026,169,207,141,189,243
                                           3315 :001,012,169,000,141,130,184
    :026,056,165,038,233,000,103
2913
                                           3321 :027,169,208,141,131,027,184
     :133,167,165,039,233,028,100
2919
                                           3327
                                                :032,166,009,169,120,160,143
    :005,167,176,009,169,000,123
2925
                                                 :025,032,086,009,169,001,071
                                           3333
2931 :133,038,169,028,133,039,143
                                                 :141,184,026,096,056,165,167
                                           3339
     :096,056,165,038,237,188,133
2937
                                           3345 :038,233,000,133,167,165,241
     :026,133,167,165,039,237,126
                                           3351 :039,233,028,005,167,208,191
2949
     :189,026,005,167,176,001,185
                                                 :003,104,104,096,165,038,027
                                           3357
     :096,173,188,026,133,038,025
2955
                                           3363 :133, 251, 165, Ø39, 133, 252, 24Ø
     :173,189,026,133,039,096,033
2961
                                           3369 :096,056,165,038,133,253,014
     :230,038,208,002,230,039,130
2967
                                           3375 : 073, 255, 101, 251, 141, 134, 234
     :076,231,010,165,038,208,117
2973
                                           3381 :027,165,039,133,254,073,232
2979
     :002,198,039,198,038,076,202
                                                :255,101,252,141,135,027,202
                                           3387
     :231,010,165,038,133,155,133
2985
                                           3393 :165,251,141,136,027,165,182
2991 :165,039,133,156,198,156,254
                                           3399 +252,141,137,027,165,253,022
     :160,255,177,155,201,032,137
2997
                                           3405 :141,138,027,133,251,165,164
3003 :240,004,201,031,208,003,106
                                           3411 :254,141,139,027,133,252,005
3009:136,208,243,177,155,201,033
                                                :024,173,135,027,109,131,176
3015 :032,240,008,201,031,240,183
                                           3417
3021 :004,136,208,243,096,132,000
                                                :027,201,255,144,020,032,006
3027 :167,056,165,155,101,167,254
                                                :166,009,169,135,160,025,253
                                           3435 :032,086,009,169,001,141,033
3033 :133,038,165,156,105,000,046
                                           3441 :184,026,169,000,133,198,055
3039 :133,039,076,231,010,160,104
                                           3447 :096,173,130,027,133,253,163
3045 :000,177,038,201,032,240,149
3051 :008,201,031,240,004,200,151
                                           3453 :173,131,027,133,254,173,248
                                           3459 :134,027,133,180,024,109,226
3057 : 208, 243, 096, 200, 240, 025, 229
                                           3465 :130,027,141,130,027,173,253
3063 :177,038,201,032,240,247,158
3069 : 201, 031, 240, 243, 024, 152, 120
                                           3471 :135,027,133,181,109,131,091
                                           3477 :027,141,131,027,169,000,132
3075 :101,038,133,038,165,039,005
3081 :105,000,133,039,076,231,081
                                           3483 :141,026,208,169,032,133,096
                                           3489 :001,032,019,008,169,038,172
3087 :010,173,188,026,133,038,071
3093 :173,189,026,133,039,076,145
                                           3495 :133,001,169,001,141,026,126
3099 :013,012,169,000,141,182,032
                                           3501 :208,173,136,027,133,251,077
3105 :026,173,189,026,056,233,224
                                           35Ø7
                                                :173,137,027,133,252,173,050
                                           3513 :138,027,133,253,173,139,024
3111 :004,201,028,176,002,169,107
                                                :027,133,254,056,173,188,254
3117 :028,141,183,026,032,142,085
                                           3519
                                           3525 : 026, 229, 253, 133, 180, 173, 167
3123 :008,076,016,012,238,195,084
                                           3531 :189,026,229,254,133,181,191
3129 : 026, 173, 195, 026, 041, 015, 021
3135 :141,195,026,096,238,194,185
                                           3537 :032,019,008,056,173,188,173
3141 :026,173,194,026,041,015,032
                                           3543 :026,237,134,027,141,188,200
3147 :141,194,026,076,142,008,150
                                           3549 : 026, 173, 189, 026, 237, 135, 239
3153 :165,038,133,155,165,039,008
                                           3555 : 027,141,189,026,096,032,226
3159:133,156,198,156,160,255,121
                                           3561 :015,013,032,160,011,032,240
                                                :042,013,056,173,130,027,168
3165 :177,155,201,046,240,012,156
                                           3573 :233,001,141,130,027,173,182
3171 :201,033,240,008,201,063,077
                                           3579 :131,027,233,000,141,131,146
3177 :240,004,201,031,208,004,025
3183 :136,208,235,096,177,155,094
                                           3585 : 027, 096, 032, 151, 011, 032, 094
```

3591 :015,013,032,160,011,076,058 3999 :026,140,033,208,141,018,213 3597 :042,013,032,245,012,169,014 4005 :208,201,001,240,008,169,224 3603 :002,133,012,032,166,009,117 4011 :001,141,025,208,076,188,042 4017 :254,169,001,141,025,208,207 3609 :169,147,160,025,032,086,132 3615 :009,032,228,255,240,251,022 4023 :076,049,234,173,141,002,090 3621 :072,032,150,009,104,041,189 4029 :041,001,208,003,032,245,207 3627 :191,201,023,208,009,032,195 4035 :012,032,166,009,169,200,015 3633 :015,013,032,171,011,076,111 4041 :160,025,032,086,009,160,161 3639 :042,013,201,019,208,009,035 4047 :000,177,038,073,128,145,000 3645 :032,015,013,032,081,012,246 4053 :038,032,142,008,160,000,081 3651 :076,042,013,201,016,208,111 4059 :177,038,073,128,145,038,050 3657 :009,032,015,013,032,025,199 4065 :169,002,133,012,032,228,033 3663 :015,076,042,013,096,056,121 4071 :255,240,251,009,064,201,227 3669 :165,038,237,182,026,133,098 4077 :087,208,009,032,022,016,099 3675 :167,165,039,237,183,026,140 4083 :032,228,011,076,037,016,131 3681 :005,167,240,011,173,182,107 4089 : 201,083,208,009,032,022,036 3687 :026,133,038,173,183,026,170 4095 :016,032,180,012,076,037,096 3693 :133,039,096,169,000,133,167 4101 :016,201,080,208,009,032,039 3699 :038,169,028,133,039,076,086 4107 : 022, 016, 032, 254, 014, 076, 169 3705 :231,010,160,005,140,156,055 4113 :037,016,076,150,009,165,214 3711 :027,032,140,014,172,156,156 4119 :038,133,253,141,045,027,148 3717 :027,136,208,244,076,228,028 4125 :165,039,133,254,141,046,039 3723 :011,024,165,038,133,251,249 4131 :027,096,056,165,038,133,038 3729 :105,001,133,253,165,039,073 4137 :251,237,045,027,141,134,108 3735 :133,252,105,000,133,254,004 4143 : 027, 165, 039, 133, 252, 237, 132 3741 :056,173,188,026,229,253,058 4149 :046,027,141,135,027,032,205 3747 :133,180,173,189,026,229,069 4155 : 065, 013, 173, 045, 027, 133, 003 3753 :254,133,181,201,255,208,121 4161 :038,173,046,027,133,039,009 3759 :006,169,001,133,180,230,126 4167 :032,142,008,076,206,015,038 3765 :181,032,080,008,160,000,130 4173 :169,038,229,211,141,190,031 3771 :169,032,145,038,238,188,229 4179 :026,169,000,141,158,027,092 3777 :026,208,003,238,189,026,115 4185 :160,000,169,156,032,210,048 3783 : 076, 013, 012, 173, 185, 026, 172 4191 :255,169,018,032,210,255,010 3789 : 073,014,141,185,026,096,228 4197 :169,032,032,210,255,169,200 3795 :169,162,160,025,032,086,077 4203 :157,032,210,255,140,191,068 3801 :009,032,228,255,240,251,208 4209 :026,032,228,255,240,251,121 3807 : 201, 089, 096, 169, 002, 133, 145 4215 :172,191,026,133,167,169,209 3813 :012,032,166,009,169,185,034 4221 :146,032,210,255,169,032,201 3819 :160,025,032,086,009,032,067 :032,210,255,169,157,032,218 3825 :211,014,240,003,076,150,167 4233 :210,255,169,155,032,210,144 3831 :009,162,255,154,076,013,148 4239 :255,165,167,201,013,240,160 3837 :008,160,000,177,038,201,069 4245 :046,201,020,208,015,136,007 3843 :031,240,015,200,208,247,176 4251 :016,004,200,076,091,016,046 3849 :230,039,165,039,205,189,108 :169,157,032,210,255,076,036 4257 3855 : 026,144,238,076,016,012,015 4263 :091,016,041,127,201,032,163 3861 :200,076,001,012,165,038,001 4269 :144,172,204,190,026,240,125 3867 :133,155,165,039,133,156,040 4275 :167,165,167,153,236,026,069 3873 :198,156,160,255,177,155,110 4281 :032,210,255,169,000,133,216 3879 :201,031,240,016,136,192,087 4287 :212,200,076,091,016,032,050 3885 :255,208,245,198,156,165,248 4293 :210,255,169,000,153,236,196 3891 :156,201,028,176,237,076,157 4299 : 026, 152, 096, 032, 166, 009, 172 3897 :169,012,056,152,101,155,190 4305 :169,237,160,025,032,086,150 3903 :133,155,169,000,101,156,009 4311 :009,032,051,017,176,031,019 3909 :133,156,056,165,155,229,195 4317 :169,000,133,155,169,028,107 3915 :038,133,167,165,156,229,195 4323 :133,156,174,188,026,172,052 3921 :039,005,167,208,018,132,138 4329 :189,026,169,155,032,216,252 :167,024,165,155,229,167,226 4335 :255,176,010,032,183,255,126 3933 :133,155,165,156,233,000,167 4341 :041,191,208,003,076,028,024 3939 :133,156,076,043,015,165,175 4347 :018,240,039,173,050,017,020 3945 :155,133,038,165,156,133,117 4353 :201,008,144,006,032,169,049 3951 :039,076,231,010,120,169,244 4359 : 023, 076, 028, 017, 173, 050, 118 :127,141,013,220,169,027,046 4365 :017,201,001,240,249,032,241 :141,017,208,169,146,141,177 4371 :166,009,169,243,160,025,023 3969 : 020, 003, 169, 015, 141, 021, 242 4377 :032,086,009,032,115,015,058 3975 :003,169,001,141,026,208,171 4383 :169,001,141,184,026,096,136 3981 :141,018,208,088,096,169,093 4389 :032,166,009,169,254,160,059 3987 : 058, 164, 012, 205, 018, 208, 044 4395 :025,032,086,009,076,028,043 3993 :208,005,169,001,172,195,135 4401 :017,000,032,077,016,240,175

```
4815 :032,207,255,240,197,032,146
4407 :024,169,029,160,026,032,239
                                          4821 : 204, 255, 032, 228, 255, 201, 108
4413 :086,009,032,228,255,240,143
                                          4827 :032,208,005,032,228,255,211
4419 :251,162,008,201,068,240,229
                                          4833 :240,251,162,001,032,198,085
4425 :012,162,001,201,084,240,005
                                          4839 :255,032,207,255,072,032,060
4431 :006,032,150,009,104,104,228
                                          4845 : 207, 255, 168, 104, 170, 152, 013
4437 :096,142,050,017,169,001,048
                                          4851 :160,055,132,001,032,205,060
4443 :160,000,032,186,255,160,116
                                               :189,160,054,132,001,169,186
                                          4857
4449 :000,224,001,240,042,185,021
                                          4863 :032,032,210,255,032,207,255
4455 :236,026,201,064,208,007,077
                                               :255,240,006,032,210,255,235
4461 :185,237,026,201,058,240,032
                                          4869
                                               :076,003,019,169,013,032,067
4467 :028,169,048,141,020,027,036
                                          4875
                                                :210,255,076,199,018,162,169
4473 :169,058,141,021,027,185,210
                                                :000,142,047,027,142,048,173
                                          4887
4479 :236,026,153,022,027,200,023
                                                :027,142,049,027,056,177,251
                                          4893
4485 : 204, 191, 026, 144, 244, 240, 158
                                                :155,233,048,144,042,201,090
                                          4899
4491 :242,200,076,156,017,185,247
                                          4905 :010,176,038,014,047,027,097
4497 :236,026,153,020,027,200,039
                                          4911 :046,048,027,014,047,027,000
4503 : 204, 191, 026, 208, 244, 140, 140
                                                :046,048,027,014,047,027,006
                                          4917
     :044,027,032,166,009,169,092
                                                :046,048,027,014,047,027,012
                                          4923
     :236,160,026,032,086,009,200
                                          4929
                                                :046,048,027,013,047,027,017
     :173,044,027,162,020,160,243
                                           4935 :141,047,027,200,208,212,138
     :027,032,189,255,169,013,092
4527
                                                :230,156,076,033,019,248,071
                                           4941
     :032,210,255,076,086,018,090
4533
                                                :173,047,027,013,048,027,162
                                           4947
4539 :032,166,009,169,232,160,187
                                           4953 :240,023,056,173,047,027,143
4545 :025,032,086,009,032,228,093
                                           4959 : 233, 001, 141, 047, 027, 173, 205
4551 :255,240,251,032,181,009,143
                                           4965 :048,027,233,000,141,048,086
     :009,128,072,173,185,026,030
4557
                                           4971 :027,238,049,027,076,083,095
4563 :240,003,032,140,014,032,160
                                                :019,173,049,027,216,096,181
     :150,009,104,076,041,010,095
                                           4977
4569
                                           4983 : 056, 173, 130, 027, 233, 000, 226
     :056,165,038,233,000,133,080
     :167,165,039,233,028,005,098
                                                :141,132,027,173,131,027,244
                                           4989
                                           4995 :233,208,141,133,027,013,118
     :167,240,004,169,005,133,185
                                           5001 :132,027,208,016,032,166,206
     :012,032,166,009,169,049,166
                                           5007 :009,169,088,160,026,032,115
     :160,026,032,086,009,032,080
                                                :086,009,169,001,141,184,227
4605 :051,017,165,012,201,005,192
                                           5013
                                           5019 :026,096,024,165,038,133,125
     :240,003,032,036,009,169,236
4611
                                           5025 :251,109,132,027,133,253,042
     :000,166,038,164,039,032,192
4617
                                           5031 :165,039,133,252,109,133,230
4623 :213,255,144,003,076,252,190
                                                :027,133,254,056,173,188,236
     :016,142,188,026,140,189,210
                                           5Ø37
                                           5043 :026,229,251,133,180,173,147
     :026,032,231,255,032,166,001
4635
     :009,169,019,160,026,032,192
                                                :189,026,229,252,133,181,171
                                           5055 :024,101,254,201,207,144,098
     :086,009,076,028,017,032,031
4647
                                           5061 :016,032,166,009,169,080,157
     :166,009,169,055,160,026,118
4653
                                                :160,026,032,086,009,169,173
4659
     :032,086,009,032,051,017,022
                                           5073 :001,141,184,026,096,032,177
4665
     :169,001,162,000,160,028,065
     :032,213,255,032,183,255,009
                                           5079 :080,008,024,173,132,027,147
4671
                                           5085 :133,180,109,188,026,141,230
     :041,191,240,211,032,166,182
4677
                                           5091 :188,026,173,133,027,133,139
4683 :009,169,006,160,026,032,221
                                                :181,109,189,026,141,189,044
                                           5097
4689 :086,009,076,028,017,120,161
                                           5103 :026,165,038,133,253,165,251
4695 :169,000,141,026,208,141,004
                                           5109 :039,133,254,169,000,133,205
4701 :033,208,169,049,141,020,201
                                           5115 :251,169,208,133,252,169,153
4707 :003,169,234,141,021,003,158
                                                :000,141,026,208,169,032,065
                                           5121
4713 :169,255,141,013,220,088,223
                                                :133,001,032,019,008,169,113
                                           5127
4719 :096,169,147,032,210,255,252
                                                :038,133,001,169,001,141,240
                                           5133
4725 :169,013,032,210,255,032,060
                                                :026,208,076,231,010,160,218
                                           5139
4731 :086,018,032,162,018,169,096
                                           5145 :000,177,038,170,200,177,019
4737 :013,032,210,255,169,063,103
                                           5151
                                                :038,136,145,038,200,138,214
4743 :160,026,032,086,009,032,224
                                           5157 :145,038,096,160,000,177,141
     :228,255,201,013,208,249,015
4749
                                           5163 :038,041,063,240,010,201,124
4755 :032,115,015,076,150,009,032
                                           5169 :027,176,006,177,038,073,034
4761 :032,204,255,169,001,032,078
                                           5175 :064,145,038,076,151,011,028
     :195,255,096,032,231,255,199
4767
                                           5181 :133,167,041,064,010,005,225
     :169,001,162,008,160,000,153
                                           5187 :167,041,191,133,167,041,039
4779 :032,186,255,169,002,162,209
4785 :078,160,026,032,189,255,149
                                           5193 :032,073,032,010,005,167,136
4791 :032,192,255,176,221,162,197
                                           5199 : 096, 005, 075, 066, 005, 058, 128
4797 :001,032,198,255,032,207,146
                                           5205 :002,001,027,014,015,018,162
4803 :255,032,207,255,032,207,159
                                           5211 :000,000,000,000,000,000,032,123
                                           5217 :166,009,169,132,160,026,247
4809 :255,032,183,255,208,202,056
```

5223	:076,086,009,076,129,021,244	5625 :141,186,026,173,142,027,176
5229	:169,004,141,159,027,160,001	5621 -122 160 172 142 707 122 776
5235	• 007 172 141 000 041 001 004	5631 :133,169,173,143,027,133,009
	:007,173,141,002,041,001,224	5637 :170,032,038,022,032,104,147
5241	:240,054,032,166,009,169,023	5643 : 024, 169, 013, 032, 210, 255, 202
5247	:107,160,026,032,086,009,035	5649 :172,149,027,140,155,027,175
5253	:032,228,255,240,251,056,171	5655 :136,136,240,010,048,008,089
5259	:233,048,201,003,144,217,217	
	.201,040,201,003,144,217,217	5661 :169,013,032,210,255,136,076
5265	:201,008,176,213,141,159,019	5667 :208,248,096,169,032,172,192
5271	:027,032,166,009,169,116,158	5673 :146,027,140,153,027,032,054
5277	:160,026,032,086,009,032,246	5679 : 210, 255, 136, 208, 250, 096, 178
E202		5685 :172,151,027,024,152,109,176
5283	: 228, 255, 240, 251, 056, 233, 146	
5289	:048,048,190,201,010,176,074	5691 :155,027,141,155,027,169,221
5295	:186,168,169,001,174,159,008	5697 :013,032,210,255,136,208,151
53Ø1	:027,032,186,255,169,000,082	5703 :250,096,141,157,027,041,015
53Ø7	:032,189,255,032,096,020,043	5709 :127,032,061,020,201,049,055
	.032,103,253,032,090,020,043	5715 :144,007,201,058,176,003,160
5313	:032,192,255,162,001,032,099	
5319	:201,255,144,003,076,129,239	
5325	:021,169,000,133,155,169,084	5727 :221,162,022,240,012,202,186
5331	:028,133,156,162,000,142,064	5733 :208,248,206,153,027,173,092
5337	:141,027,142,140,027,142,068	5739 :157,027,076,000,021,202,078
		5745 :138,010,170,140,156,027,242
5343	:160,027,142,161,027,142,114	5751 :169,022,072,169,134,072,245
5349	:154,027,189,080,020,157,088	
5355	:146,027,232,224,007,208,055	5757 :189,174,022,072,189,173,176
5361	:245,169,255,141,155,027,209	5763 :022,072,096,056,173,156,194
5367	:160,000,177,155,016,003,246	5769 :027,101,155,133,155,165,105
	. 100,000,177,133,010,003,240	5775 :156,105,000,133,156,076,001
5373	:076,073,022,201,031,240,128	5781 :247,020,177,155,201,031,212
5379	:034,153,050,027,200,238,193	그는 보고 있으면 하는 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은
5385	:153,027,173,153,027,205,235	
5391	:147,027,144,230,136,140,071	5793 :096,010,087,065,076,082,065
5397	:187,026,177,155,201,032,031	5799 :084,066,083,078,072,070,108
		5805 :192,022,201,022,210,022,074
5403	:240,009,206,153,027,136,030	
5409	:208,244,172,187,026,140,242	5811 :220,022,230,022,240,022,167
5415	:187,026,152,056,101,155,204	5817 :250,022,004,023,007,023,002
5421	:133,155,165,156,105,000,247	5823 :045,023,169,000,141,152,209
5427	:133,156,160,000,173,155,060	5829 :027,200,076,151,022,200,105
5433	:027,201,255,208,003,032,015	
		5835 :169,001,141,160,027,076,009
5439	:241,021,032,038,022,173,078	5841 :151,022,200,032,022,019,143
5445	:187,026,141,186,026,169,036	5847 :141,146,027,076,151,022,010
5451	:050,133,169,169,027,133,244	5853 :200,032,022,019,141,147,014
5457	:170,032,104,024,032,053,240	5859 :027,076,151,022,200,032,223
5463	:022,173,155,027,205,150,051	5865 :022,019,141,149,027,076,155
5469		
	:027,144,003,032,153,021,217	5871 :151,022,200,032,022,019,173
5475	:056,165,155,237,188,026,158	5877 :141,150,027,076,151,022,044
5481	:133,167,165,156,237,189,128	5883 : 200,032,022,019,141,151,048
5487	:026,005,167,240,034,144,215	5889 :027,076,151,022,076,153,250
5493	:032,169,000,141,140,027,114	5895 :021,056,152,101,155,141,121
5499	:141,149,027,032,153,021,134	5901 :142,027,165,156,105,000,096
5505	:032,225,255,240,251,169,021	5907 :141,143,027,032,037,023,166
5511	:013,032,210,255,032,204,113	5913 :056,152,237,156,027,141,026
5517	:255,169,001,032,195,255,024	5919 :140,027,200,076,151,022,135
5523	:076,150,009,076,247,020,213	5925 :200,177,155,201,031,208,241
5529	:056,173,148,027,237,155,181	5931 :249,136,096,056,152,101,065
5535	:027,168,136,136,240,010,108	5937 :155,141,144,027,165,156,069
5541	:048,008,169,013,032,210,133	5943 :105,000,141,145,027,032,249
5547	:255,136,208,248,173,141,052	5949 :037,023,056,152,237,156,210
5553	:027,240,019,141,186,026,048	5955 :027,141,141,027,200,076,167
5559	:173,144,027,133,169,173,234	5961 :151,022,200,177,155,201,211
5565		
	:145,027,133,170,032,038,222	5967 :061,240,004,136,076,106,190
5571	:022,032,104,024,169,013,047	5973 :022,200,032,022,019,072,196
5577	:032,210,255,032,210,255,171	5979 :173,157,027,041,015,170,162
5583	:032,210,255,173,152,027,032	5985 :202,104,157,087,020,032,187
5589	:208,026,032,204,255,032,202	5991 :151,022,076,134,022,032,028
5595	:166,009,169,141,160,026,122	
		5997 :231,255,169,000,032,189,217
5601	:032,086,009,032,228,255,099	6003 :255,169,015,162,008,160,116
5607	:240,251,032,096,020,162,008	6009 :015,032,186,255,032,192,065
5613	:001,032,201,255,238,154,094	6015 :255,144,001,096,032,166,053
5619	:027,173,140,027,240,019,101	6021 :009,169,062,032,210,255,102

	NAMES AND DESCRIPTION OF THE PARTY OF THE PA	
6027	:032,077,016,240,025,162,179	6429 :127,201,065,144,018,201,017
6033	:015,032,201,255,176,012,068	6435 :091,176,014,170,165,167,050
	:169,236,160,026,032,086,092	6441 :041,128,073,128,074,074,047
6039		
6045	:009,169,013,032,210,255,077	
6051	:032,231,255,076,150,009,148	6453 :032,166,009,056,169,000,229
6057	:032,231,255,169,000,032,120	6459 :237,188,026,170,169,207,032
The state of the s	:189,255,169,015,162,008,205	6465 :237,189,026,160,055,132,096
6063	169,233,109,013,102,003,203	6471 :001,032,205,189,160,054,200
6069	:160,015,032,186,255,032,093	
6075	:192,255,176,228,032,166,212	6477 :132,001,169,001,141,184,193
6081	:009,162,015,032,198,255,096	6483 :026,096,014,008,155,211,081
6Ø87	:032,077,016,032,231,255,074	6489 :080,069,069,068,211,067,141
Topic (1)		6495 :082,073,080,084,000,032,190
6093	:169,001,141,184,026,096,054	6501 :066,089,032,195,072,065,108
6099	:173,141,002,201,005,240,205	
6105	:005,173,158,027,208,037,057	6507 :082,076,069,083,032,194,131
6111	:032,166,009,169,162,160,153	6513:082,065,078,078,079,078,061
6117	:026,032,086,009,032,077,235	6519 :000,194,085,070,070,069,095
6123	:016,208,003,076,150,009,185	6525 :082,032,195,076,069,065,132
	그리는 경우에서 그림에서는 경우에 가장 되었다. 그는 일반에 되었다면 보다는 것이 되었다면 보다를 보다 보다 보다 보다 되었다.	6531 :082,069,068,000,194,085,117
6129	:169,001,141,158,027,141,110	
6135	:184,026,169,000,133,155,146	6537 :070,070,069,082,032,198,146
6141	:169,028,133,156,076,017,064	6543 :085,076,076,000,196,069,133
6147	:024,165,038,133,155,165,171	6549 :076,069,084,069,032,040,007
6153	:039,133,156,160,001,076,062	6555 : 211, 044, 215, 044, 208, 041, 150
		6561 :000,058,032,193,082,069,083
6159	:019,024,160,000,162,000,124	
6165	:189,236,026,032,181,009,182	6567 :032,089,079,085,032,083,055
6171	:209,155,240,002,162,255,026	6573 :085,082,069,063,032,040,032
6177	:200,208,011,230,156,165,235	6579 : 217, 047, 206, 041, 058, 000, 236
6183	:156,205,189,026,240,002,089	6585 :197,210,193,211,197,032,201
		6591 :193,204,204,032,212,197,209
6189	:176,035,232,236,191,026,173	
6195	:208,224,024,152,101,155,147	6597 :216,212,000,197,082,065,201
6201	:133,038,165,156,105,000,142	6603 :083,069,032,040,211,044,170
6207	:133,039,056,165,038,237,219	6609 :215,044,208,041,058,032,039
		6615 :018,210,197,212,213,210,251
6213	:191,026,133,038,165,039,149	
6219	:233,000,133,039,076,231,019	6621 :206,146,032,084,079,032,032
6225	:010,032,166,009,169,172,127	6627 :069,088,073,084,000,203,232
6231	:160,026,032,086,009,169,057	6633 :069,089,058,000,211,065,213
6237	:001,141,184,026,169,000,102	6639 :086,069,058,000,212,065,217
100 CO 100 CO		
6243	:141,158,027,096,096,160,009	6645 :080,069,032,197,210,210,019
6249	:000,204,186,026,240,248,241	6651 :207,210,000,211,084,079,018
6255	:177,169,048,038,032,061,124	6657 :080,080,069,068,000,214,000
6261	:020,032,021,025,032,210,201	6663 :069,082,073,070,089,032,166
6267	:255,173,161,027,240,010,221	6669 :197,082,082,079,082,000,023
6273	:169,008,032,210,255,169,204	
		6675 : 206,079,032,069,082,082,057
6279	:095,032,210,255,032,225,216	6681 :079,082,083,000,147,032,192
6285	:255,208,005,104,104,076,125	6687 :018,212,146,065,080,069,109
6291	:129,021,200,076,106,024,191	6693 :032,079,082,032,018,196,220
6297	:140,156,027,041,127,032,164	6699 :146,073,083,075,063,000,227
63Ø3		
6309	:061,020,201,049,144,017,139	
	:201,058,176,013,041,015,157	
6315	:170,202,189,087,020,032,103	6717 :058,000,208,082,069,083,049
6321	:210,255,076,149,024,201,068	6723 :083,032,018,210,197,212,051
6327	:067,208,026,056,169,080,021	6729 :213,210,206,146,000,036,116
6333	:237,186,026,074,056,237,237	6735 :048, 206, 079, 032, 210, 079, 221
6339	:146,027,168,169,032,032,001	
6345	:210,255,136,208,250,172,152	6747 :084,069,088,084,032,073,009
6351	:156,027,076,149,024,201,072	6753 :078,032,066,085,070,070,242
6357	ACO 000 017 AEC 170 147 115	
6363	:069,208,017,056,173,147,115	6759 : 069, 082, 046, 000, 196, 069, 053
6369	:027,237,186,026,056,237,220	6765 :086,073,067,069,032,035,215
6369	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107
6375	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084
6375 6381	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189 :173,161,027,073,001,141,045	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084 6783 :082,046,032,035,000,208,018
6375 6381 6387	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084 6783 :082,046,032,035,000,208,018
6375 6381	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189 :173,161,027,073,001,141,045	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084 6783 :082,046,032,035,000,208,018 6789 :082,073,078,084,073,078,089
6375 6381 6387	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189 :173,161,027,073,001,141,045 :161,027,201,035,240,003,142 :076,149,024,140,156,027,053	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084 6783 :082,046,032,035,000,208,018 6789 :082,073,078,084,073,078,089 6795 :071,000,206,069,088,084,145
6375 6381 6387 6393 6399	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189 :173,161,027,073,001,141,045 :161,027,201,035,240,003,142 :076,149,024,140,156,027,053 :174,154,027,169,000,160,171	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084 6783 :082,046,032,035,000,208,018 6789 :082,073,078,084,073,078,089 6795 :071,000,206,069,088,084,145 6801 :032,083,072,069,069,084,042
6375 6381 6387 6393 6399 64Ø5	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189 :173,161,027,073,001,141,045 :161,027,201,035,240,003,142 :076,149,024,140,156,027,053 :174,154,027,169,000,160,171 :055,132,001,032,205,189,107	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084 6783 :082,046,032,035,000,208,018 6789 :082,073,078,084,073,078,089 6795 :071,000,206,069,088,084,145 6801 :032,083,072,069,069,084,042 6807 :044,032,018,210,197,212,096
6375 6381 6387 6393 6399 6405 6411	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189 :173,161,027,073,001,141,045 :161,027,201,035,240,003,142 :076,149,024,140,156,027,053 :174,154,027,169,000,160,171 :055,132,001,032,205,189,107 :160,054,132,001,172,156,174	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084 6783 :082,046,032,035,000,208,018 6789 :082,073,078,084,073,078,089 6795 :071,000,206,069,088,084,145 6801 :032,083,072,069,069,084,042 6807 :044,032,018,210,197,212,096 6813 :213,210,206,146,000,200,108
6375 6381 6387 6393 6399 6405 6411 6417	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189 :173,161,027,073,001,141,045 :161,027,201,035,240,003,142 :076,149,024,140,156,027,053 :174,154,027,169,000,160,171 :055,132,001,032,205,189,107 :160,054,132,001,172,156,174 :027,076,149,024,174,160,115	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084 6783 :082,046,032,035,000,208,018 6789 :082,073,078,084,073,078,089 6795 :071,000,206,069,088,084,145 6801 :032,083,072,069,069,084,042 6807 :044,032,018,210,197,212,096 6813 :213,210,206,146,000,200,108 6819 :085,078,084,032,070,079,079
6375 6381 6387 6393 6399 6405 6411 6417	:027,237,186,026,056,237,220 :146,027,168,169,032,076,075 :200,024,201,085,208,008,189 :173,161,027,073,001,141,045 :161,027,201,035,240,003,142 :076,149,024,140,156,027,053 :174,154,027,169,000,160,171 :055,132,001,032,205,189,107 :160,054,132,001,172,156,174	6765 :086,073,067,069,032,035,215 6771 :000,211,069,067,079,078,107 6777 :068,046,032,193,068,068,084 6783 :082,046,032,035,000,208,018 6789 :082,073,078,084,073,078,089 6795 :071,000,206,069,088,084,145 6801 :032,083,072,069,069,084,042 6807 :044,032,018,210,197,212,096 6813 :213,210,206,146,000,200,108

6831 :032,198,079,085,078,068,203 4981 :138,036,032,174,022,169,176 6837 :000,000,000,000,000,000,181 :000,141,019,018,141,021,207 4987 :018,141,023,018,141,025,239 Program 2: 4999 :018,024,173,130,002,105,075 SpeedScript—VIC-20 Version 5005 :020,141,020,018,056,173,057 4609 :011,018,010,000,158,052,250 5011 :132,002,233,001,141,026,170 4615 :054,050,049,000,000,000,160 5017 :018,056,233,004,141,024,117 4621 :032,114,019,076,247,019,008 5023 :018,056,233,001,141,022,118 4627 :000,000,000,000,000,000,000,019 5029 :018,169,000,141,137,036,154 4633 :000,000,165,251,141,059,129 5035 :032,039,019,169,000,141,059 4639 :018,165,252,141,060,018,173 5041 :128,036,169,255,141,138,020 4645 :165,253,141,062,018,165,073 5047 :002,032,121,023,032,203,084 4651 :254,141,063,018,166,181,098 5053 :019,169,073,160,035,032,165 4657 :240,032,169,000,141,129,248 5059 :097,019,169,000,141,127,236 5065 :036,096,162,021,169,160,077 4663 :036,160,000,185,000,000,180 4669 :153,000,000,200,204,129,235 5071 :157,000,016,202,016,250,080 4675 :036,208,244,238,060,018,103 5077 :169,019,032,210,255,169,043 4681 :238,063,018,224,000,240,088 5083 :018,076,210,255,141,134,029 4687 :007,202,208,224,165,180,041 5089 :002,162,021,157,000,148,203 4693 :208,222,096,165,181,170,103 5095 : 202,016,250,096,072,041,140 4699 :005,180,208,001,096,024,093 5101 :128,074,133,167,104,041,116 5107 :063,005,167,096,160,000,222 4705 :138,101,252,141,131,018,110 5113 :177,038,133,002,160,000,247 4711 :165,251,141,130,018,024,064 5119:177,038,073,128,145,038,086 4717 :138,101,254,141,134,018,127 5125 :032,150,018,173,141,002,009 4723 :165,253,141,133,018,232,033 5131 :041,004,240,009,165,197,155 4729 :164,180,208,004,240,013,162 5137 :201,064,240,003,076,161,250 4735 :160,255,185,000,000,153,112 5143 :020,032,228,255,208,013,011 4741 :000,000,136,192,255,208,156 5149 :165,162,041,016,240,229,114 :245,206,131,018,206,134,055 5155 :169,000,133,162,076,253,060 4753 :018, 202, 208, 234, 096, 169, 048 4759 :022,133,195,133,020,169,055 5161 :019,170,160,000,165,002,045 5167 :145,038,224,095,208,012,001 4765 :016,133,196,169,148,133,184 5173 :032,007,022,169,032,160,219 4771 :021,173,125,036,133,155,038 5179 :000,145,038,076,247,019,072 4777 :173,126,036,133,156,173,198 4783 :128,036,032,223,019,162,007 5185 :173,127,036,240,007,138,018 5191 :072,032,187,019,104,170,143 4789 :001,160,000,173,137,036,176 5197 :138,201,013,208,002,162,033 4795 :145,020,177,155,153,139,208 5203 :095,138,041,127,201,032,205 4801 :036,200,041,127,201,031,061 5209 :144,092,224,160,208,002,151 4807 :240,019,192,022,208,235,091 5215 :162,032,138,072,173,128,032 4813 :136,177,155,041,127,201,018 :036,240,003,032,007,025,188 4819 :032,240,005,136,208,245,053 5221 4825 :160,021,200,132,167,136,009 :104,032,235,019,160,000,145 5227 :145,038,032,150,018,056,040 5233 4831 :185,139,036,145,195,136,035 4837 :016,248,164,167,024,152,232 5239 :165,038,237,131,036,133,091 5245 :167,165,039,237,132,036,133 4843 :101,155,133,155,165,156,076 4849 :105,000,133,156,152,157,176 5251 :005, 167, 144, 014, 165, 038, 152 5257 :105,000,141,131,036,165,203 4855 :060,003,192,022,240,008,004 4861 :169,032,145,195,200,076,046 5263 :039,105,000,141,132,036,084 5269 :230,038,208,002,230,039,128 4867 : 249, 018, 024, 165, 195, 105, 247 5275 :032,067,021,076,247,019,105 4873 :022,133,195,133,020,144,144 5281 :160,000,165,002,145,038,159 4879 :004,230,196,230,021,232,160 5287 : 024, 165, 197, 105, 064, 170, 124 4885 :224,023,240,003,076,182,001 5293 :132,162,165,162,201,006,233 4891 :018,165,155,141,135,036,165 5299 : 208, 250, 132, 198, 138, 174, 255 4897 :165,156,141,136,036,096,251 5305 :217,020,221,217,020,240,096 4903 :173,019,018,133,155,141,166 5311 :006, 202, 208, 248, 076, 247, 154 4909 :125,036,141,131,036,133,135 5317 :019,202,138,010,170,169,137 4915 :038,173,020,018,133,156,077

5323 :019,072,169,246,072,189,202

5329 :254,020,072,189,253,020,249

5335 :072,096,035,029,157,137,229

5341 :133,099,085,138,134,020,062

5347 :148,082,019,076,147,135,066

5353 :139,113,136,140,091,145,229

5359 :017,121,074,090,097,077,203

5365 :070,118,072,081,108,107,033

5371 :110,003,252,021,006,022,153

5377 :018,022,076,022,162,022,067

178 COMPUTEI's Gazette January 1984

4921 :141,126,036,141,132,036,157

4927 :133,039,056,173,022,018,248

4933 :237,020,018,170,169,032,203

4939 :160, 255, 198, 156, 145, 155, 120

4945 : 200, 230, 156, 145, 155, 200, 143

4951 : 208, 251, 230, 156, 202, 208, 062

4957 :246,145,155,096,133,167,011

4963 :132,168,160,000,177,167,135

4969 :240,006,032,210,255,200,024

4975 : 208, 246, 096, 169, 001, 141, 204

```
5779 :020,018,176,003,173,020,045
5383 :193,022,208,022,055,023,018
                                          5785
                                               :018,141,126,036,032,150,144
5389 :094,024,006,025,133,024,063
                                          5791 :018,076,122,022,238,138,005
5395 : 203,024,068,025,092,025,200
5401 :122,025,149,025,241,025,100
                                          5797
                                               :036,173,138,036,041,015,092
                                          5803 :141,138,036,010,010,010,004
5407 :255,027,242,026,083,028,180
                                          5809 :010,133,167,173,138,036,066
5413 :208,022,055,023,127,028,244
                                          5815 :041,007,024,105,008,101,213
    :120,029,013,030,134,022,135
5419
                                          5821 :167,141,015,144,096,238,222
5425 :098,030,219,027,105,033,049
                                               :137,036,173,137,036,041,243
5431 :121,024,029,030,120,023,146
                                          5827
                                          5833 :007,141,137,036,032,150,192
    :208,033,046,035,245,024,140
5437
                                          5839 :018,096,165,038,133,155,044
5443 :032,165,021,056,165,038,032
                                          5845 :165,039,133,156,198,156,036
5449 :237,125,036,133,167,165,168
                                               :160,255,177,155,201,046,189
5455 :039,237,126,036,005,167,177
                                          5851
                                               :240,012,201,033,240,008,191
                                          5857
5461 :176,032,056,173,125,036,171
                                          5863 : 201, 063, 240, 004, 201, 031, 203
5467 :237,019,018,133,167,173,070
                                               :208,004,136,208,235,096,100
                                          5869
5473 :126,036,237,020,018,005,027
                                          5875 :177,155,201,046,240,027,065
5479 :167,240,013,165,038,141,099
                                          5881 :201,033,240,023,201,063,242
5485 :125,036,165,039,141,126,229
                                               :240,019,201,031,240,015,233
                                          5887
5491 :036,032,150,018,056,173,068
                                               :136,208,235,198,156,165,079
                                          5893
5497 :135,036,229,038,133,155,079
                                          5899
                                               :156,205,019,018,176,226,043
5503 :173,136,036,229,039,133,105
                                               :076,042,023,132,167,198,143
                                          5905
5509 :156,005,155,240,002,176,099
                                          5911 :167,200,240,010,177,155,204
     :024,024,173,125,036,109,118
5515
                                               :201,032,240,247,136,076,193
                                          5917
     :061,003,141,125,036,173,172
5521
                                          5923 : 058, 022, 164, 167, 076, 243, 253
     :126,036,105,000,141,126,173
5527
                                          5929
                                               :022,173,019,018,133,038,188
5533
     :036,032,150,018,076,119,076
                                          5935 :173,020,018,133,039,032,206
    :021,096,056,173,131,036,164
5539
                                          5941 :067,021,096,160,000,177,062
5545 :237,021,018,133,167,173,150
                                          5947
                                               :038,201,046,240,029,201,046
5551 :132,036,237,022,018,005,113
                                          5953 :033,240,025,201,063,240,099
5557 :167,144,012,173,021,018,204
                                          5959 :021,201,031,240,017,200,013
5563 :141,131,036,173,022,018,196
                                          5965 :208,235,230,039,165,039,225
5569:141,132,036,056,165,038,249
                                          5971 : 205, 132, 036, 240, 226, 144, 042
5575 :237,019,018,133,167,165,170
                                          5977 :224,076,122,022,200,240,205
5581 :039,237,020,018,005,167,179
                                          5983 : 250,177,038,201,032,240,009
    :176,011,173,019,018,133,229
5587
                                          5989 : 247, 201, 046, 240, 243, 201, 255
5593
     :038,173,020,018,133,039,126
                                          5995 :033,240,239,201,063,240,099
    :096,056,165,038,237,131,178
                                          6001 :235,201,031,240,231,076,103
     :036,133,167,165,039,237,238
                                               :106,022,173,023,018,141,090
5611
     :132,036,005,167,176,001,240
                                          6013 :073,037,173,024,018,141,079
5617
     :096,173,131,036,133,038,080
                                          6019
                                               :074,037,032,203,019,169,153
    :173,132,036,133,039,096,088
5623
                                          6Ø25
                                               :088,160,035,032,097,019,056
    :230,038,208,002,230,039,232
5629
                                               :169,001,141,127,036,096,201
5635 :032,067,021,096,165,038,166
                                               :056,165,038,237,019,018,170
                                          6Ø37
5641 :208,002,198,039,198,038,180
                                          6043
                                               :133,167,165,039,237,020,148
5647 :032,067,021,096,165,038,178
                                               :018,005,167,208,003,104,154
                                          6049
5653 :133,155,165,039,133,156,034
                                          6055 :104,096,165,038,133,251,186
5659 :198,156,160,255,177,155,104
                                          6061 :165,039,133,252,096,056,146
5665 :201,032,240,004,201,031,230
                                               :165,038,133,253,073,255,072
                                          6067
5671 :208,003,136,208,243,177,246
                                          6073
                                               :101,251,141,077,037,165,189
    :155,201,032,240,008,201,114
                                          6079 :039,133,254,073,255,101,022
5683 :031,240,004,136,208,243,145
                                          6085 :252,141,078,037,165,251,097
    :096,132,167,056,165,155,060
                                          6091 :141,079,037,165,252,141,250
5695 :101,167,133,038,165,156,055
                                               :080,037,165,253,141,081,198
                                          6097
5701 :105,000,133,039,032,067,189
                                          6103 :037,133,251,165,254,141,172
5707 :021,096,160,000,177,038,055
                                               :082,037,133,252,056,173,186
                                          6115 :078,037,109,074,037,205,255
5713 :201,032,240,008,201,031,026
5719 : 240,004,200,208,243,096,054
                                          6121 :026,018,144,020,032,203,164
5725 :200,240,026,177,038,201,207
                                          6127 :019,169,103,160,035,032,245
5731 :032,240,247,201,031,240,066
                                          6133 :097,019,169,001,141,127,031
5737 :243,024,152,101,038,133,028
                                          6139 :036,169,000,133,198,096,115
5743 :038,165,039,105,000,133,079
                                          6145 :173,073,037,133,253,173,075
5749 :039,032,067,021,096,173,033
                                          6151 : 074, 037, 133, 254, 173, 077, 243
5755 :131,036,133,038,173,132,254
                                          6157 :037,133,180,024,109,073,057
5761 :036,133,039,076,118,022,041
                                          6163 :037,141,073,037,173,078,046
5767 :169,000,141,125,036,173,011
                                          6169 :037,133,181,109,074,037,084
5773 :132,036,056,233,004,205,039
                                          6175 :141,074,037,032,027,018,104
```

6101	.172 070 027 122 251 172 115	CEO2 . GA2 G22 GEC 152 1G1 155 2GG	50 101 155 00	
6181	:173,079,037,133,251,173,115	6583 :042,023,056,152,101,155,200		
6187	:080,037,133,252,173,081,031	6589 :133,155,169,000,101,156,135		
6193	:037,133,253,173,082,037,252	6595 :133,156,056,165,155,229,065	65,155,229,Ø6	5
6199	:133,254,056,173,131,036,070	6601 :038,133,167,165,156,229,065		
6205	:229,253,133,180,173,132,137	6607 :039,005,167,208,018,132,008		
6211	:036,229,254,133,181,032,164	6613 :167,024,165,155,229,167,096		
6217	:027,018,056,173,131,036,002	6619:133,155,165,156,233,000,037		
6223	:237,077,037,141,131,036,226	6625 :133,156,076,168,025,165,180	.68,025,165,18	Ø
6229	:173,132,036,237,078,037,010	6631 :155,133,038,165,156,133,243	65,156,133,24	.3
6235	:141,132,036,096,032,149,165	6637 :039,032,067,021,096,173,153	21,096,173,15	3
6241	:023,032,007,022,032,178,135	6643 :141,002,041,001,208,003,127		
6247	:023,056,173,073,037,233,186	6649 :032,121,023,032,203,019,167		
6253	:001,141,073,037,173,074,096	6655 :169,152,160,035,032,097,132		
6259	:037,233,000,141,074,037,125	6661 :019,160,000,177,038,073,216		
6265	:096,032,253,021,032,149,192	6667 :128,145,038,032,150,018,010		
6271	:023,032,007,022,076,178,209	6673 :160,000,177,038,073,128,081	38,073,128,08	1
6277	:023,032,121,023,169,002,247	6679:145,038,169,002,032,223,120	02,032,223,12	Ø
6283	:032,223,019,032,203,019,155	6685 :019,032,228,255,240,251,030		
		6691 :009,064,201,087,208,009,101		
6289	:169,115,160,035,032,097,241			
6295	:019,032,228,255,240,251,152	6697 :032,079,026,032,077,022,053		
63Ø1	:072,032,187,019,104,041,100	6703 :076,094,026,201,083,208,223		
6307	:191,201,023,208,009,032,059	6709 :009,032,079,026,032,056,031		
6313	:149,023,032,019,022,076,234	6715 :023,076,094,026,201,080,047	J26,2Ø1,Ø8Ø,Ø4	7
6319	:178,023,201,019,208,009,045	6721 :208,009,032,079,026,032,195		
		6727 :123,025,076,094,026,076,235		
6325	:032,149,023,032,209,022,136	6733 :187,019,165,038,133,253,104		
6331	:076,178,023,201,016,208,121			
6337	:009,032,149,023,032,150,076	6739 :141,244,036,165,039,133,073		
6343	:025,076,178,023,096,056,141	6745 :254,141,245,036,096,056,149		
6349	:165,038,237,125,036,133,171	6751 :165,038,133,251,237,244,139		
6355	:167,165,039,237,126,036,213	6757 :036,141,077,037,165,039,084	137, 165, 039, 08	14
6361	:005,167,240,011,173,125,170	6763 :133,252,237,245,036,141,127	245,036,141,12	27
6367	:036,133,038,173,126,036,253	6769 : 078, 037, 032, 201, 023, 173, 145	201,023,173,14	5
6373	:133,039,096,173,019,018,195	6775 :244,036,133,038,173,245,220		
6379	:133,038,173,020,018,133,238	6781 :036,133,039,032,150,018,021		
03/9	:133,036,173,020,010,133,230			
6385	:039,032,067,021,096,160,144	6787 : 076, 006, 026, 169, 022, 229, 147		
6391	:005,140,099,037,032,007,055	6793 :211,141,133,036,169,000,059	336,169,000,05	9
6397	:025,172,099,037,136,208,162	6799:141,101,037,160,000,169,239	160,000,169,23	39
	:244,076,077,022,024,165,099	6805 :166,032,210,255,169,157,114	255,169,157,13	.4
6403		6811 :032,210,255,140,134,036,194		2//2
6409	:038,133,251,105,001,133,158	6817 :032,228,255,240,251,172,059		27-23
6415	:253,165,039,133,252,105,194	6823 :134,036,133,167,169,032,070		
6421	:000,133,254,056,173,131,000	6829 :032,210,255,169,157,032,004		
6427	:036,229,253,133,180,173,007	2000 010 000 100 100 001 012 100		100
6433	:132,036,229,254,133,181,230	6835 : 210, 255, 165, 167, 201, 013, 166		
6439	:201,255,208,006,169,001,111	6841 :240,046,201,020,208,015,147	120, 208, 015, 14	1
6445	:133,180,230,181,032,088,121	6847 :136,016,004,200,076,148,003		
6451	:018,160,000,169,032,145,063	6853 :026,169,157,032,210,255,022	332,210,255,02	22
6457	:038,238,131,036,208,003,199	6859 : 076, 148, 026, 041, 127, 201, 054	341,127,201,05	54
TESTITOTE		6865 :032,144,192,204,133,036,182	204,133,036,18	32
6463	:238,132,036,076,118,022,173	6871 :240,187,165,167,153,179,026		
6469	:173,128,036,073,006,141,114	6877 :036,032,210,255,169,000,155		
6475	:128,036,096,169,130,160,026			
6481	:035,032,097,019,032,228,012	6883 :133,212,200,076,148,026,254		
6487	:255,240,251,201,089,096,195	6889 :032,210,255,169,000,153,028		
6493	:032,203,019,169,141,160,049	6895 :179,036,152,096,032,203,169		
6499	:035,032,097,019,169,002,197	6901 :019,169,180,160,035,032,072		
6505	:032,223,019,032,078,025,002	6907 :097,019,032,087,027,176,177	87,027,176,1	77
		6913 :033,173,019,018,133,155,020	018,133,155,00	2Ø
6511	:240,004,032,187,019,096,177	6919 :173,020,018,133,156,174,169		
6517	:162,255,154,076,013,018,027	6925 :131,036,172,132,036,169,177		
6523	:160,000,177,038,201,031,218	6021 .15E 022 216 25E 176 010 00E	255 176 010 0	25
6529	:240,015,200,208,247,230,245	6931 :155,032,216,255,176,010,095		
6535	:039,165,039,205,132,036,239	6937 :032,183,255,041,191,208,167		
6541	:144,238,076,122,022,200,175	6943 :003,076,068,028,240,036,226		
6547	:076,106,022,165,038,133,175	6949 :173,086,027,201,008,144,164		
6553	:155,165,039,133,156,198,231	6955 :006,032,167,033,076,067,168	333,076,067,16	8
6559	:156,160,255,177,155,201,239	6961 :027,173,086,027,201,001,052	827,201,001,0	52
6565	:031,240,017,136,192,255,012	6967 :240,249,032,203,019,169,199		
	:208,245,198,156,165,156,019	6973 :186,160,035,032,097,019,078		
6571	. 200, 243, 130, 130, 103, 130, 013	6979 :169,001,141,127,036,096,125		
6577	:205,020,018,176,236,076,140	0),) .10) 001 141 12  000 000 120	,,,,	

```
6985 :032,203,019,169,197,160,085
                                          7387 : 255, 240, 197, 032, 204, 255, 122
                                          7393 :032,228,255,201,032,208,157
6991 :035,032,097,019,076,067,149
                                          7399 :005,032,228,255,240,251,218
6997 :027,000,032,134,026,240,032
                                          7405 :162,001,032,198,255,032,149
7003 :024,169,228,160,035,032,227
                                          7411 :207, 255, 072, 032, 207, 255, 247
7009 :097,019,032,228,255,240,200
                                          7417 :168,104,170,152,032,205,056
7015 :251,162,008,201,068,240,009
                                          7423 :221,169,032,032,210,255,150
7021 :012,162,001,201,084,240,041
                                          7429 :032,207,255,240,006,032,009
7027 :006,032,187,019,104,104,055
                                          7435 :210,255,076,005,029,169,243
7033 :096,142,086,027,169,001,130
7039 :160,000,032,186,255,160,152
                                          7441 :013,032,210,255,076,209,044
7045 :000,224,001,240,042,185,057
                                          7447 : 028, 162, 000, 142, 246, 036, 125
                                          7453 :142,247,036,142,248,036,112
7051 :179,036,201,064,208,007,066
                                          7459 :056,177,155,233,048,144,080
7057 :185,180,036,201,058,240,021
                                          7465 :042,201,010,176,038,014,010
7063 :028,169,048,141,219,036,024
                                          7471 :246,036,046,247,036,014,160
7069 :169,058,141,220,036,185,198
                                          7477 :246,036,046,247,036,014,166
7075 :179,036,153,221,036,200,220
                                          7483 :246,036,046,247,036,014,172
7081 : 204, 134, 036, 144, 244, 240, 147
                                          7489 :246,036,046,247,036,013,177
7087 :242,200,076,192,027,185,073
                                          7495 :246,036,141,246,036,200,208
7093 :179,036,153,219,036,200,236
                                          7501 :208,212,230,156,076,035,226
7099 : 204, 134, 036, 208, 244, 140, 129
                                          7507 :029,248,173,246,036,013,060
7105 :243,036,032,203,019,169,127
                                          7513 :247,036,240,023,056,173,096
7111 :179,160,036,032,097,019,210
                                          7519:246,036,233,001,141,246,230
7117 :173,243,036,162,219,160,174
                                          7525 :036,173,247,036,233,000,058
7123 :036,032,189,255,169,013,137
                                          7531 :141,247,036,238,248,036,029
7129 :076,210,255,032,203,019,244
                                          7537 :076,085,029,173,248,036,248
7135 :169,175,160,035,032,097,123
                                          7543 :216,096,056,173,073,037,002
7141 :019,032,228,255,240,251,230
                                          7549 :237,023,018,141,075,037,144
7147
     :032,235,019,009,128,072,218
                                          7555 :173,074,037,237,024,018,182
7153 :173,128,036,240,003,032,085
                                          7561 :141,076,037,013,075,037,004
7159 :007,025,032,187,019,104,109
                                          7567 :208,016,032,203,019,169,022
7165 :076,111,020,056,165,038,207
                                          7573 :031,160,036,032,097,019,012
7171 :237,019,018,133,155,165,218
                                          7579 :169,001,141,127,036,096,213
7177 :039,237,020,018,005,155,227
                                          7585 :024,165,038,133,251,109,113
7183 :133,155,240,004,169,006,210
                                          7591 :075,037,133,253,165,039,101
7189 :133,155,032,203,019,169,220
                                          7597 :133,252,109,076,037,133,145
7195 :248,160,035,032,097,019,106
                                          7603 :254,056,173,131,036,229,034
7201 :165,155,032,223,019,032,147
                                          7609 :251,133,180,173,132,036,066
7207 :087,027,165,155,208,003,172
                                          7615 :229, 252, 133, 181, 024, 101, 087
7213 :032,039,019,169,000,166,214
                                          7621 :254,205,022,018,144,016,088
7219 :038,164,039,032,213,255,024
                                          7627 :032,203,019,169,023,160,041
7225 :144,003,076,035,027,142,228
                                          7633 :036,032,097,019,169,001,051
7231 :131,036,140,132,036,032,058
                                          7639 :141,127,036,096,032,088,223
7237 :231,255,032,203,019,169,210
                                          7645 :018,024,173,075,037,133,169
7243 :218,160,035,032,097,019,124
                                          7651 :180,109,131,036,141,131,187
7249 :076,067,027,032,203,019,249
                                          7657 :036,173,076,037,133,181,101
7255 :169, 254, 160, 035, 032, 097, 066
                                          7663 :109,132,036,141,132,036,057
7261 :019,032,087,027,169,001,172
                                          7669 :165,038,133,253,165,039,014
7267 :174,019,018,172,020,018,008
                                          7675 :133,254,173,023,018,133,217
7273 :032,213,255,032,183,255,051
                                          7681 :251,173,024,018,133,252,084
7279 :041,191,240,209,032,203,003
                                          7687 :032,027,018,032,067,021,204
7285 :019,169,205,160,035,032,225
                                          7693 :096,160,000,177,038,170,142
     :097,019,076,067,027,169,066
     :147,032,210,255,169,013,187
                                          7699 : 200, 177, 038, 136, 145, 038, 241
                                          7705 :200,138,145,038,096,160,034
     :032,210,255,032,172,028,096
73Ø3
                                          7711 :000,177,038,041,063,240,078
7309 :169,013,032,210,255,169,221
                                          7717 :010,201,027,176,006,177,122
7315 :006,160,036,032,097,019,241
                                          7723 :038,073,064,145,038,076,221
7321
     :032,228,255,201,013,208,066
                                          7729 :253,021,133,167,041,064,216
     :249,076,187,019,032,204,158
7327
                                          7735 :010,005,167,041,191,133,090
7333 :255,169,001,032,195,255,048
                                          7741 :167,041,032,073,032,010,160
7339 :096,032,231,255,169,001,187
                                          7747 :005,167,096,005,075,066,225
7345 :162,008,160,000,032,186,213
                                          7753 :005,058,002,001,027,014,180
7351 :255,169,002,162,021,160,184
                                               :015,018,000,000,000,000,112
7357 :036,032,189,255,032,192,157
                                          7759
                                               :000,032,203,019,169,075,071
7363 :255,176,221,162,001,032,018
                                          7765
                                               :160,036,076,097,019,076,043
                                          7771
7369 :198,255,032,207,255,032,156
7375 : 207, 255, 032, 207, 255, 032, 171
                                               :121,031,169,004,141,102,153
                                          7783 :037,160,007,173,141,002,111
7381 :183,255,208,202,032,207,020
```

			and the second s
7789	:041,001,240,054,032,203,168	8191	:032,036,032,032,105,034,014
7795	:019,169,050,160,036,032,069		:169,013,032,210,255,172,088
7801	:097,019,032,228,255,240,224	8203	:092,037,140,098,037,136,039
7807	:251,056,233,048,201,003,151	8209	:136,240,015,048,013,169,126
7813	:144,217,201,008,176,213,068	8215	:013,032,210,255,032,225,022
		0213	015,052,210,255,052,225,522
7819	:141,102,037,032,203,019,161	8221	:255,240,018,136,208,243,105
7825	:169,059,160,036,032,097,186	8227	:096,169,032,172,089,037,118
7831			:140,096,037,032,210,255,043
	:019,032,228,255,240,251,152		
7837	:056,233,048,048,190,201,165	8239	:136,208,250,096,172,094,235
7843	:010,176,186,168,169,001,105	8245	:037,024,152,109,098,037,254
			:141,098,037,169,013,032,037
7849	:174,102,037,032,186,255,187		
7855	:169,000,032,189,255,032,084	8257	:210,255,136,208,250,096,196
7861	:086,030,032,192,255,162,170	8263	:141,100,037,041,127,032,037
7867	:001,032,201,255,144,003,055		:051,030,201,049,144,007,047
7873	:076,121,031,173,019,018,119	8275	:201,058,176,003,076,073,158
7879	:133,155,173,020,018,133,063	8281	:033,174,160,032,221,160,101
7885	:156,162,000,142,084,037,018	8287	:032,240,012,202,208,248,013
7891	:142,083,037,142,103,037,243	8293	:206,096,037,173,100,037,238
7897	:142,104,037,142,097,037,008		
		8299	:076,248,030,202,138,010,043
7903	:189,070,030,157,089,037,027	83Ø5	:170,140,099,037,169,032,248
7909	:232,224,007,208,245,169,034	8311	:072,169,132,072,189,172,157
7915	:255,141,098,037,160,000,158	8317	:032,072,189,171,032,072,181
7921	:177,155,016,003,076,071,227	8323	:096,056,173,099,037,101,181
7927	:032,201,031,240,034,153,170	8329	:155,133,155,165,156,105,238
The second second			
7933	:249,036,200,238,096,037,085	8335	:000,133,156,076,239,030,009
7939	:173,096,037,205,090,037,129	8341	:177,155,201,031,240,001,186
7945	:144,230,136,140,130,036,057		:136,140,099,037,096,010,161
1000		8347	
7951	:177,155,201,032,240,009,061	8353	:087,065,076,082,084,066,109
7957	:206,096,037,136,208,244,180	8359	:083,078,072,070,190,032,180
7963	:172,130,036,140,130,036,159		
2010		8365	:199,032,208,032,218,032,126
7969	:152,056,101,155,133,155,017	8371	:228,032,238,032,248,032,221
7975	:165,156,105,000,133,156,242	8377	:002,033,005,033,043,033,078
7981	:160,000,173,098,037,201,202		
100000000000000000000000000000000000000		8383	:169,000,141,095,037,200,065
7987	:255,208,003,032,234,031,046	8389	:076,149,032,200,169,001,056
		0309	.0/0,145,052,200,105,001,050
7993	:032,036,032,173,130,036,240	8395	:141,103,037,076,149,032,229
	:032,036,032,173,130,036,240	8395	:141,103,037,076,149,032,229
7999	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152	8395 84Ø1	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212
	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010	8395 84Ø1 84Ø7	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229
7999	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152	8395 84Ø1	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212
7999 8ØØ5 8Ø11	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246	8395 84Ø1 84Ø7 8413	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106
7999 8ØØ5 8Ø11 8Ø17	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183	8395 84Ø1 84Ø7 8413 8419	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181
7999 8005 8011 8017 8023	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008	8395 84Ø1 84Ø7 8413 8419 8425	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248
7999 8ØØ5 8Ø11 8Ø17	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183	8395 84Ø1 84Ø7 8413 8419	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248
7999 8005 8011 8017 8023 8029	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184	8395 84Ø1 84Ø7 8413 8419 8425 8431	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246
7999 8005 8011 8017 8023 8029 8035	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003
7999 8005 8011 8017 8023 8029 8035 8041	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140
7999 8005 8011 8017 8023 8029 8035	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003
7999 8005 8011 8017 8023 8029 8035 8041 8047	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125 :000,141,083,037,141,092,093	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235
7999 8Ø05 8Ø11 8Ø17 8Ø23 8Ø29 8Ø35 8Ø41 8Ø47 8Ø53	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125 :000,141,083,037,141,092,093 :037,032,146,031,032,225,108	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125 :000,141,083,037,141,092,093 :037,032,146,031,032,225,108 :255,240,251,169,013,032,059	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154
7999 8Ø05 8Ø11 8Ø17 8Ø23 8Ø29 8Ø35 8Ø41 8Ø47 8Ø53	:032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125 :000,141,083,037,141,092,093 :037,032,146,031,032,225,108	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065	: 032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125 :000,141,083,037,141,092,093 :037,032,146,031,032,225,108 :255,240,251,169,013,032,059 :210,255,032,204,255,169,230	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071	: 032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125 :000,141,083,037,141,092,093 :037,032,146,031,032,225,108 :255,240,251,169,013,032,059 :210,255,032,204,255,169,230 :001,032,195,255,032,187,069	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077	: 032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125 :000,141,083,037,141,092,093 :037,032,146,031,032,225,108 :255,240,251,169,013,032,059 :210,255,032,204,255,169,230 :001,032,195,255,032,187,069 :019,096,076,239,030,056,145	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077	: 032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125 :000,141,083,037,141,092,093 :037,032,146,031,032,225,108 :255,240,251,169,013,032,059 :210,255,032,204,255,169,230 :001,032,195,255,032,187,069 :019,096,076,239,030,056,145	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077 8083	: 032,036,032,173,130,036,240 :141,129,036,169,249,133,152 :169,169,036,133,170,032,010 :105,034,032,051,032,173,246 :098,037,205,093,037,144,183 :003,032,146,031,056,165,008 :155,237,131,036,133,167,184 :165,156,237,132,036,005,062 :167,240,035,144,033,169,125 :000,141,083,037,141,092,093 :037,032,146,031,032,225,108 :255,240,251,169,013,032,059 :210,255,032,204,255,169,230 :001,032,195,255,032,187,069 :019,096,076,239,030,056,145 :173,091,037,237,098,037,052	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077 8083 8089	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077 8083 8089 8095	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077 8083 8089 8095	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077 8083 8089 8095 8101	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8087 8083 8089 8095 8101 8107	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077 8083 8089 8095 8101	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8087 8083 8089 8095 8101 8107 8113	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8077 8083 8089 8095 8101 8107 8113 8119	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515 8521	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8077 8083 8089 8095 8101 8107 8113 8119 8125	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515 8521 8527	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,200,177
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8077 8083 8089 8095 8101 8107 8113 8119	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515 8521	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,200,177 :084,037,200,076,149,032,333 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8077 8083 8089 8095 8101 8107 8113 8119 8125 8131	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515 8521 8527 8533	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,200,177 :084,037,200,076,149,032,333 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8077 8083 8089 8095 8101 8107 8113 8119 8125 8131	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165 : 210, 255, 173, 095, 037, 208, 155	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515 8521 8527 8533 8539	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,200,179 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8077 8083 8095 8101 8107 8113 8119 8125 8131 8137 8143	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515 8521 8527 8533 8539 8545	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8087 8089 8095 8101 8107 8113 8119 8125 8131 8137 8143 8149	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191 : 019, 169, 084, 160, 036, 032, 201	8395 84Ø1 84Ø7 8413 8419 8425 8431 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515 8521 8527 8533 8545 8551	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8077 8083 8095 8101 8107 8113 8119 8125 8131 8137 8143	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515 8521 8527 8533 8539 8545	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8087 8089 8095 8101 8107 8113 8119 8125 8131 8143 8149 8155	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191 : 019, 169, 084, 160, 036, 032, 201 : 097, 019, 032, 228, 255, 240, 066	8395 84Ø1 84Ø7 8413 8419 8425 8431 8437 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 85Ø9 8515 8521 8533 8545 8551 8557	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062 :076,132,032,032,231,255,093 :169,000,032,189,255,169,155
7999 8005 8011 8017 8023 8029 8035 8047 8053 8065 8071 8087 8089 8095 8101 8107 8113 8119 8125 8131 8143 8149 8155 8161	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191 : 019, 169, 084, 160, 036, 032, 201 : 097, 019, 032, 228, 255, 240, 066 : 251, 032, 086, 030, 162, 001, 019	8395 84Ø1 84Ø7 8413 8419 8425 8431 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 859 8515 8521 8533 8545 8557 8563	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062 :076,132,032,032,231,255,093 :169,000,032,189,255,169,155 :015,162,008,160,015,032,251
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8065 8071 8087 8089 8095 8101 8107 8113 8119 8125 8131 8143 8149 8155 8161 8167	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191 : 019, 169, 084, 160, 036, 032, 201 : 097, 019, 032, 228, 255, 240, 066 : 251, 032, 086, 030, 162, 001, 019 : 032, 201, 255, 238, 097, 037, 067	8395 84Ø1 84Ø7 8413 8419 8425 8431 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 859 8515 8521 8533 8545 8557 8563	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062 :076,132,032,032,231,255,093 :169,000,032,189,255,169,155 :015,162,008,160,015,032,251 :186,255,032,192,255,144,161
7999 8005 8011 8017 8023 8029 8035 8047 8053 8065 8071 8087 8089 8095 8101 8107 8113 8119 8125 8131 8143 8149 8155 8161	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191 : 019, 169, 084, 160, 036, 032, 201 : 097, 019, 032, 228, 255, 240, 066 : 251, 032, 086, 030, 162, 001, 019 : 032, 201, 255, 238, 097, 037, 067	8395 84Ø1 84Ø7 8413 8419 8425 8431 8443 8449 8455 8461 8467 8473 8479 8485 8491 8497 85Ø3 859 8515 8521 8533 8545 8557 8563	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062 :076,132,032,032,231,255,093 :169,000,032,189,255,169,155 :015,162,008,160,015,032,251 :186,255,032,192,255,144,161
7999 8005 8011 8017 8023 8029 8035 8047 8053 8047 8065 8071 8089 8095 8101 8107 8113 8119 8125 8131 8143 8149 8155 8161 8167 8173	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191 : 019, 169, 084, 160, 036, 032, 201 : 097, 019, 032, 228, 255, 240, 066 : 251, 032, 086, 030, 162, 001, 019 : 032, 201, 255, 238, 097, 037, 067 : 173, 083, 037, 240, 019, 141, 162	8395 84Ø1 84Ø7 8413 8419 8425 8431 8443 8449 8455 8461 8467 8473 8485 8491 8497 85Ø3 8599 8515 8521 8533 8545 8557 8563 8569 8575	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062 :076,132,032,032,231,255,093 :169,000,032,189,255,169,155 :015,162,008,160,015,032,251 :186,255,032,192,255,144,161 :001,096,032,203,019,169,135
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077 8083 8089 8095 8101 8107 8113 8119 8125 8131 8137 8143 8149 8155 8161 8167 8173	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191 : 019, 169, 084, 160, 036, 032, 201 : 097, 019, 032, 228, 255, 240, 066 : 251, 032, 086, 030, 162, 001, 019 : 032, 201, 255, 238, 097, 037, 067 : 173, 083, 037, 240, 019, 141, 162 : 129, 036, 173, 085, 037, 133, 068	8395 84Ø1 84Ø7 8413 8419 8425 8431 8443 8449 8455 8461 8467 8473 8479 8485 8491 8509 8515 8521 8527 8533 8545 8557 8563 8575 8581	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062 :076,132,032,032,231,255,093 :169,000,032,189,255,169,155 :015,162,008,160,015,032,251 :186,255,032,192,255,144,161 :001,096,032,203,019,169,135 :062,032,210,255,032,134,090
7999 8005 8011 8017 8023 8029 8035 8041 8047 8053 8059 8065 8071 8077 8083 8089 8095 8101 8107 8113 8119 8125 8131 8137 8143 8149 8155 8161 8167 8173	: 032, 036, 032, 173, 130, 036, 240 : 141, 129, 036, 169, 249, 133, 152 : 169, 169, 036, 133, 170, 032, 010 : 105, 034, 032, 051, 032, 173, 246 : 098, 037, 205, 093, 037, 144, 183 : 003, 032, 146, 031, 056, 165, 008 : 155, 237, 131, 036, 133, 167, 184 : 165, 156, 237, 132, 036, 005, 062 : 167, 240, 035, 144, 033, 169, 125 : 000, 141, 083, 037, 141, 092, 093 : 037, 032, 146, 031, 032, 225, 108 : 255, 240, 251, 169, 013, 032, 059 : 210, 255, 032, 204, 255, 169, 230 : 001, 032, 195, 255, 032, 187, 069 : 019, 096, 076, 239, 030, 056, 145 : 173, 091, 037, 237, 098, 037, 052 : 168, 136, 136, 240, 010, 048, 123 : 008, 169, 013, 032, 210, 255, 078 : 136, 208, 248, 173, 084, 037, 027 : 240, 019, 141, 129, 036, 173, 141 : 087, 037, 133, 169, 173, 088, 096 : 037, 133, 170, 032, 036, 032, 111 : 032, 105, 034, 169, 013, 032, 062 : 210, 255, 032, 210, 255, 032, 165 : 210, 255, 173, 095, 037, 208, 155 : 026, 032, 204, 255, 032, 203, 191 : 019, 169, 084, 160, 036, 032, 201 : 097, 019, 032, 228, 255, 240, 066 : 251, 032, 086, 030, 162, 001, 019 : 032, 201, 255, 238, 097, 037, 067 : 173, 083, 037, 240, 019, 141, 162	8395 84Ø1 84Ø7 8413 8419 8425 8431 8443 8449 8455 8461 8467 8473 8479 8485 8491 8509 8515 8521 8527 8533 8545 8557 8563 8575 8581	:141,103,037,076,149,032,229 :200,032,024,029,141,089,212 :037,076,149,032,200,032,229 :024,029,141,090,037,076,106 :149,032,200,032,024,029,181 :141,092,037,076,149,032,248 :200,032,024,029,141,093,246 :037,076,149,032,200,032,003 :024,029,141,094,037,076,140 :149,032,076,146,031,056,235 :152,101,155,141,085,037,166 :165,156,105,000,141,086,154 :037,032,035,033,056,152,108 :237,099,037,141,083,037,147 :200,076,149,032,200,177,097 :155,201,031,208,249,136,249 :096,056,152,101,155,141,232 :087,037,165,156,105,000,087 :141,088,037,032,035,033,165 :056,152,237,099,037,141,015 :084,037,200,076,149,032,133 :200,177,155,201,061,240,083 :004,136,076,104,032,200,119 :032,024,029,072,173,100,003 :037,041,015,170,202,104,148 :157,077,030,032,149,032,062 :076,132,032,032,231,255,093 :169,000,032,189,255,169,155 :015,162,008,160,015,032,251 :186,255,032,192,255,144,161 :001,096,032,203,019,169,135

8593 :201,255,176,012,169,179,113 8599 :160,036,032,097,019,169,152 8605 :013,032,210,255,032,231,162 8611 :255,076,187,019,032,231,195 8617 :255,169,000,032,189,255,045 8623 :169,015,162,008,160,015,192 8629 :032,186,255,032,192,255,109 8635 :176,228,032,203,019,162,239 8641 :015,032,198,255,032,134,091 8647 : 026, 032, 231, 255, 169, 001, 145 8653 :141,127,036,096,173,141,151 8659 :002,201,005,240,005,173,069 8665 :101,037,208,040,032,203,070 8671 :019,169,105,160,036,032,232 8677 : 097, 019, 032, 134, 026, 208, 233 8683 :004,032,187,019,096,169,230 8689 :001,141,101,037,141,127,021 8695 : 036, 173, 019, 018, 133, 155, 013 8701 :173,020,018,133,156,076,061 8707 :018,034,165,038,133,155,034 8713 :165,039,133,156,160,001,151 8719 :076,020,034,160,000,162,211 :000,189,179,036,032,235,180 :019,209,155,240,002,162,046 :255,200,208,011,230,156,069 :165,156,205,132,036,240,205 8743 :002,176,035,232,236,134,092 8749 :036,208,224,024,152,101,028 8755 8761 :155,133,038,165,156,105,041 8767 :000,133,039,056,165,038,238 8773 :237,134,036,133,038,165,044 8779 :039,233,000,133,039,076,083 8785 :067,021,032,203,019,169,080 8791 :115,160,036,032,097,019,034 8797 :169,001,141,127,036,169,224 8803 :000,141,101,037,096,096,058 8809 :160,000,204,129,036,240,106 8815 :248,177,169,048,038,032,055 8821 :051,030,032,015,035,032,056 8827 : 210, 255, 173, 104, 037, 240, 118 8833 :010,169,008,032,210,255,045 8839 :169,095,032,210,255,032,160 8845 :225,255,208,005,104,104,018 8851 :076,121,031,200,076,107,246 8857 :034,140,099,037,041,127,119 8863 : 032, 051, 030, 201, 049, 144, 154 8869 :017,201,058,176,013,041,159 8875 :015,170,202,189,077,030,086 8881 :032,210,255,076,150,034,166 8887 :201,067,208,026,056,169,142 8893 :080,237,129,036,074,056,033 8899 :237,089,037,168,169,032,159 :032,210,255,136,208,250,012 8905 8911 :172,099,037,076,150,034,007 :201,069,208,017,056,173,169 8923 : 090,037,237,129,036,056,036 8929 :237,089,037,168,169,032,189 8935 : 076, 201, 034, 201, 085, 208, 012 8941 :008,173,104,037,073,001,121 8947 :141,104,037,201,035,240,233 8953 :003,076,150,034,174,097,015 8959 :037,169,000,032,205,221,151 8965 :160,054,132,001,172,099,111 8971 : 037, 076, 150, 034, 174, 103, 073 8977 :037,240,026,133,167,041,149 8983 :127,201,065,144,018,201,011 8989 : 091, 176, 014, 170, 165, 167, 044

8995 : Ø41, 128, Ø73, 128, Ø74, Ø74, Ø41 9001 :133,167,138,005,167,096,235 9007 :032,203,019,056,173,021,039 9013 :018,237,131,036,170,173,050 9019 :022,018,237,132,036,032,024 9025 :205,221,169,001,141,127,161 9031 :036,096,014,008,144,211,068 9037 :080,069,069,068,211,067,129 9043 :082,073,080,084,000,194,084 9049 :085,070,070,069,082,032,241 9055 :195,076,069,065,082,069,139 9061 :068,000,194,085,070,070,076 :069,082,032,198,085,076,137 9Ø67 9073 :076,000,196,069,076,069,087 9079 :084,069,032,040,211,044,087 9085 :215,044,208,041,000,058,179 9091 :211,085,082,069,063,032,161 :217,047,206,000,197,210,246 9103 :193,211,197,032,212,197,161 :216,212,000,197,082,065,153 9115 :083,069,032,040,211,044,122 :215,044,208,041,058,060,019 :210,197,212,213,210,206,135 9127 :062,000,203,069,089,058,142 9133 9139 :000,211,065,086,069,058,156 :000,212,065,080,069,032,131 9145 9151 :197,210,210,207,210,000,201 :211,084,079,080,080,069,032 9157 :068,000,214,069,082,073,197 9163 9169 :070,089,032,197,082,082,249 9175 :079,082,000,206,079,032,181 9181 :069,082,082,079,082,083,186 9187 :000,147,032,018,212,146,014 9193 :065,080,069,032,079,082,128 9199 :032,018,196,146,073,083,019 9205 :075,063,000,204,079,065,219 9211 :068,058,000,214,069,082,230 9217 :073,070,089,058,000,208,243 9223 :082,069,083,083,032,018,118 9229 :210,197,212,213,210,206,237 9235 :146,000,036,048,206,079,022 9241 :032,210,079,079,077,000,246 :206,079,032,084,069,088,077 9253 :084,032,073,078,032,066,146 :085,070,070,069,082,046,209 9259 9265 :000,196,069,086,073,067,028 :069,032,035,000,211,069,215 :067,079,078,068,046,032,175 9283 :193,068,068,082,046,032,044 9289 :035,000,208,082,073,078,037 :084,073,078,071,000,206,079 9295 :069,088,084,032,083,072,001 9307 :069,069,084,044,032,146,023 9313 :210,197,212,213,210,206,065 9319 :018,000,200,085,078,084,056 9325 :032,070,079,082,058,000,174 9331 :206,079,084,032,198,079,025 9337 :085,078,068,000,000,000,096

## BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

MIVES VICE AND LA	510	PRINTCHR\$(18);:GOSUB57Ø:PRINTCHR\$(2Ø)
MLX For VIC And 64		•rom 234
(Article on page 171.)	515	IFN=CKSUMTHEN53Ø :rem 255
7.8	520	PRINT: PRINT"LINE ENTERED WRONG : RE-E
Program 1: MLX—64 Version	E 20	NTER":PRINT:GOSUBĪØØØ:GOTO31Ø:rem 176 GOSUB2ØØØ :rem 218
	540	FORI=1TO6:POKEAD+I-1,A(I):NEXT:POKE54
100 PRINT" [CLR] [CYN] "; CHR\$(142); CHR\$(8);:	340	272,Ø:POKE54273,Ø :rem 227
POKE53281,1:POKE53280,1 :rem 73	55Ø	272,0:POKE54273,0 :rem 227 AD=AD+6:IF AD <e 212<="" 310="" :rem="" td="" then=""></e>
101 POKE 788,52:REM DISABLE RUN/STOP	560	GOTO 710 :rem 108
110 PRINT" (RVS) (40 SPACES)"; :rem 119	57Ø	N=0:Z=0 :rem 88
120 PRINT" (RVS) (15 SPACES) (RIGHT) (OFF)	580	GOTO 710 :rem 108 N=0:Z=0 :rem 88 PRINT"[+]"; :rem 79 GETA\$:IFA\$=""THEN581 :rem 95
[*]£[RVS][RIGHT] [RIGHT][2 SPACES]	581	PRINTCHR\$(20);:A=ASC(A\$):IFA=13ORA=44
[*][OFF][*]£[RVS]£[RVS]		
{13 SPACES}*; :rem 250	590	ORA=32THEN670 :rem 229 IFA>128THENN=-A:RETURN :rem 137
130 PRINT" (RVS) (15 SPACES) (RIGHT) EG	600	IFA<>20 THEN 630 :rem 10
{RIGHT} {2 RIGHT} {OFF}£{RVS}£[*] {OFF}[*]{RVS}{13 SPACES}"; :rem 35	610	GOSUB690:IFI=1ANDT=44THENN=-1:PRINT"
140 PRINT" [RVS] [40 SPACES] " :rem 120	600	{LEFT} {LEFT}";:GOTO690 :rem 172 GOTO570 :rem 109
200 PRINT" (2 DOWN) [PUR] (BLK) (3 SPACES) A F	620	GOTO570 :rem 109
AILSAFE MACHINE LANGUAGE EDITOR	640	IFA<480RA>57THEN580 :rem 105 PRINTA\$;:N=N*10+A-48 :rem 106
[5 DOWN]" :rem 130	650	IFN>255 THEN A=20:GOSUB1000:GOTO600
210 PRINT"E53[2 UP]STARTING ADDRESS?		Z=Z+1:IFZ<3THEN58Ø :rem 71
[8 SPACES] [9 LEFT]"; :rem 143	660	Z=Z+1:IFZ<3THEN580 :rem 71
215 INPUTS:F=1-F:C\$=CHR\$(31+119*F:rem 125 220 IFS<256OR(S>40960ANDS<49152)ORS>53247	6/0	IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø :rem 114 PRINT",";:RETURN :rem 24Ø
THENGOSUB3000:GOTO210 :rem 235	690	S%=PEEK(209)+256*PEEK(210)+PEEK(211)
THENGOSUB3000:GOTO210 :rem 235 225 PRINT:PRINT:PRINT :rem 180	0,0	
230 PRINT"[5][2 UP]ENDING ADDRESS?	691	FORI=1TO3:T=PEEK(S%-I) :rem 67
[8 SPACES] [9 LEFT]";:INPUTE:F=1-F:C\$=		IFT<>44ANDT<>58THENPOKES%-I,32:NEXT
CHR\$(31+119*F) :rem 20		:rem 205
240 IFE<256OR(E>40960ANDE<49152)ORE>53247 THENGOSUB3000:GOTO230 :rem 183		PRINTLEFT\$("{3 LEFT}",I-1);:RETURN :rem 7
250 IFE <sthenprintcs; "{rvs}ending="" <="" start<="" td=""><td></td><td>PRINT" {CLR} {RVS}*** SAVE *** {3 DOWN}"</td></sthenprintcs;>		PRINT" {CLR} {RVS}*** SAVE *** {3 DOWN}"
[2 SPACES]":GOSUB1000:GOTO 230		:rem 236
176	720	INPUT"{DOWN} FILENAME";F\$ :rem 228
260 PRINT:PRINT:PRINT :rem 179		PRINT: PRINT" [ DOWN] [RVS] T [OFF] APE OR
300 PRINT" {CLR}"; CHR\$(14): AD=S: POKEV+21,0	740	[RVS]D[OFF]ISK: (T/D)" :rem 228
:rem 225 310 PRINTRIGHT\$("0000"+MID\$(STR\$(AD),2),5		GETA\$: TFA\$<>"T"ANDA\$<>"D"THEN740 :rem 36
);":";:FORJ=1T06 :rem 234		DV=1-7*(A\$="D"):IFDV=&THENF\$="Ø:"+F\$
320 GOSUB570:IFN=-1THENJ=J+N:GOTO320		:rem 158
		T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$
390 IFN=-211THEN 710 :rem 62		):POKE782,ZK/256 :rem 3
400 IFN=-204THEN 790 :rem 64 410 IFN=-206THENPRINT:INPUT"{DOWN}ENTER N		POKE781, ZK-PEEK(782)*256: POKE780, LEN( T\$): SYS65469 :rem 109
EW ADDRESS"; ZZ :rem 44	763	T\$):SYS65469 :rem 109 POKE780,1:POKE781,DV:POKE782,1:SYS654
415 IFN=-206THENIFZZ <sorzz>ETHENPRINT"</sorzz>		66 :rem 69
[RVS]OUT OF RANGE":GOSUB1000:GOTO410	765	POKE254, S/256: POKE253, S-PEEK(254)*256
:rem 225		:POKE780,253 :rem 12
417 IFN=-206THENAD=ZZ:PRINT:GOTO310		POKE782, E/256: POKE781, E-PEEK(782)*256
420 IF N<>-196 THEN 480 :rem 133		:SYS65496 :rem 124 IF(PEEK(783)AND1)OR(ST AND191)THEN780
430 PRINT: INPUT "DISPLAY: FROM"; F: PRINT, "TO		:rem 111
";:INPUTT :rem 234		PRINT" [DOWN] DONE.": END :rem 106
440 IFF SORF EORT SORT ETHENPRINT AT LEAS		PRINT" [DOWN] ERROR ON SAVE. [2 SPACES] T
T";S;"{LEFT}, NOT MORE THAN";E:GOTO43		RY AGAIN.":IFDV=1THEN720 :rem 171
Ø :rem 159		OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1\$ ;E2\$:CLOSE15:GOTO720 :rem 103
450 FORI=FTOTSTEP6:PRINT:PRINTRIGHT\$("000 0"+MID\$(STR\$(I),2),5);":"; :rem 30		PRINT"{CLR}{RVS}*** LOAD ***{2 DOWN}"
451 FORK=ØTO5:N=PEEK(I+K):PRINTRIGHT\$("Ø0		:rem 212
"+MID\$(STR\$(N),2),3);","; :rem 66	800	INPUT" [2 DOWN] FILENAME"; F\$ :rem 244
460 GETA\$:IFA\$>""THENPRINT:PRINT:GOTO310	810	PRINT: PRINT" {2 DOWN } {RVS }T {OFF }APE OR
:rem 25		{RVS}D{OFF}ISK: (T/D)" :rem 227
470 NEXTK:PRINTCHR\$(20);:NEXTI:PRINT:PRINT		GETA\$: TFA\$<>"T"ANDA\$<>"D"THEN820 :rem 34
T:GOTO310 :rem 50 480 IFN<0 THEN PRINT:GOTO310 :rem 168		DV=1-7*(A\$="D"):IFDV=8THENF\$="Ø:"+F\$
490 A(J)=N:NEXTJ :rem 199		:rem 157
500 CKSUM=AD-INT(AD/256)*256:FORI=1T06:CK	840	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$
SUM=(CKSUM+A(I))AND255:NEXT :rem 200		):POKE782,ZK/256 :rem 2
2001		

	POKE781, ZK-PEEK(782)*256: POKE780, LEN( T\$): SYS65469 :rem 107		{RVS}OUT OF RANGE":GOSUB1000:GOTO410 :rem 225
	POKE780,1:POKE781,DV:POKE782,1:SYS654 66 :rem 70 POKE780,0:SYS65493 :rem 11	417	IFN=-206THENAD=ZZ:PRINT:GOTO310
050	DOKE708 8.57565493 .rem 11		:rem 238
030	TO ( DDD W ( ZOO ) AND 1 ) OD ( CM AND 1 O1 ) MURNOZO	420	IF N<>-196 THEN 480 :rem 133
860	IF(PEEK(783)AND1)OR(ST AND191)THEN87Ø		PRINT: INPUT"DISPLAY: FROM"; F: PRINT, "TO
	:rem 111	450	";:INPUTT :rem 234
865	PRINT" [DOWN] DONE.":GOTO310 :rem 96		
870	PRINT" [DOWN] ERROR ON LOAD. [2 SPACES] T	440	IFF < SORF > EORT < SORT > ETHENPRINT "AT LEAS
	RY AGAIN. [DOWN] ": IFDV=1THEN800		T";S;"{LEFT}, NOT MORE THAN"; E:GOTO43
	:rem 172		Ø :rem 159
000	OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1\$	45Ø	FORI=FTOTSTEP6:PRINT:PRINTRIGHT\$("000
000	OPENIS, 6, 15: INPOI#15, E19, E29: PRINTEI9		0"+MID\$(STR\$(I),2),5);":"; :rem 30
	;E2\$:CLOSE15:GOTO800 :rem 102 REM BUZZER :rem 135	455	FORK=ØTO5:N=PEEK(I+K):IFK=3THENPRINTS
1000	REM BUZZER :rem 135		PC(10); :rem 34
1001	POKE54296, 15: POKE54277, 45: POKE54278,	457	PRINTRIGHT\$("ØØ"+MID\$(STR\$(N),2),3);"
	165 :rem 207	457	
1002	POKE54276,33:POKE 54273,6:POKE54272,		,"; :rem 157
	5 :rem 42	460	GETA\$:IFA\$>""THENPRINT:PRINT:GOTO310
1003	FORT=1TO200:NEXT:POKE54276,32:POKE54		:rem 25
	273, Ø: POKE54272, Ø: RETURN : rem 202	470	NEXTK: PRINTCHR\$ (20); : NEXTI: PRINT: PRIN
2000	REM BELL SOUND :rem 78		T:GOTO310 :rem 50
2001	POKE54296,15:POKE54277,0:POKE54278,2	480	IFN<Ø THEN PRINT:GOTO31Ø :rem 168
2001	47 :rem 152		A(J)=N:NEXTJ :rem 199
			CKSUM=AD-INT(AD/256)*256:FORI=1T06:CK
2002	POKE 54276,17:POKE54273,40:POKE54272	300	SUM=(CKSUM+A(I))AND255:NEXT :rem 200
	,Ø :rem 86	F10	
2003	FORT=1T0100:NEXT:POKE54276,16:RETURN	מוכ	PRINTCHR\$(18);:GOSUB57Ø:PRINTCHR\$(20)
7	:rem 57	-	:rem 234
3000	PRINTCS; " [RVS] NOT ZERO PAGE OR ROM":	515	IFN=CKSUMTHEN530 :rem 255
	GOTO1000 :rem 89	52Ø	PRINT: PRINT"LINE ENTERED WRONG": PRINT
			"RE-ENTER": PRINT: GOSUB1000: GOTO310
Dre	gram 2: MLX—VIC Version		GOSUB2000 :rem 129
210	gidili Z. MLA—VIC Version	53Ø	GOSUB2000 :rem 218
100	PRINT" {CLR} { PUR} "; CHR\$ (142); CHR\$ (8);	540	FORI=1T06:POKEAD+I-1,A(I):NEXT:rem 80
100		55Ø	AD=AD+6:IF AD <e 212<="" 310="" :rem="" td="" then=""></e>
	:rem 181	560	GOTO 710 :rem 108
101	POKE 788,194:REM DISABLE RUN/STOP	570	N=Ø:Z=Ø :rem 88
	:rem 174	580	GOTO 710 :rem 108 N=0:Z=0 :rem 88 PRINT"E+3"; :rem 79
110	PRINT" [RVS] [14 SPACES]" :rem 117	581	GETAS:IFAS=""THEN581 :rem 95
120	PRINT" (RVS) {RIGHT}? (OFF) [*] £ (RVS)		
	<pre>{RIGHT} {RIGHT}{2 SPACES}[*][OFF]</pre>	585	PRINTCHR\$(20);:A=ASC(A\$):IFA=13ORA=44
	[*]£[RVS]£[RVS] " :rem 191		ORA=32THEN670 :rem 229 IFA>128THENN=-A:RETURN :rem 137
130	PRINT" (RVS) (RIGHT) [G] (RIGHT)	59Ø	IFA>128THENN=-A:RETURN :rem 137
	[2 RIGHT] [OFF] £[RVS] £[*][OFF]	600	IFA<>20 THEN 630 :rem 10
	[2 RIGHT] [OFF]£[RVS]£[*][OFF] [*][RVS] " :rem 232 PRINT"[RVS][14 SPACES]" :rem 120	610	GOSUB690: IFI=1ANDT=44THENN=-1:PRINT"
140	PRINT" [RVS] [14 SPACES]" :rem 120		{LEFT} {LEFT}";:GOTO690 :rem 172
200	PRINT" [2 DOWN] [PUR] [BLK] A FAILSAFE MA	620	GOTO57Ø :rem 109
200	CHINE": PRINT"LANGUAGE EDITOR [5 DOWN]"		IFA<480RA>57THEN580 :rem 105
	:rem 141		
217			PRINTA\$;:N=N*10+A-48 :rem 106
210	PRINT" [BLK] [3 UP] STARTING ADDRESS": IN	650	IFN>255 THEN A=20:GOSUB1000:GOTO600
	PUTS:F=1-F:C\$=CHR\$(31+119*F) :rem 97		:rem 229
220	IFS<256ORS>32767THENGOSUB3000:GOTO210		Z=Z+1:IFZ<3THEN58Ø :rem 71
	:rem 2		IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø :rem 114
	PRINT: PRINT: PRINT: PRINT : rem 123		PRINT",";:RETURN :rem 240
230	PRINT" (BLK) [3 UP] ENDING ADDRESS": INPU		S%=PEEK(209)+256*PEEK(210)+PEEK(211)
	TE:F=1-F:C\$=CHR\$(31+119*F) :rem 158		:rem 149
240	IFE<256ORE>32767THENGOSUB3000:GOTO230	692	FORI=1TO3:T=PEEK(S%-I) :rem 68
	:rem 234		IFT<>44ANDT<>58THENPOKES%-I,32:NEXT
250	IFE < STHENPRINTC\$; " {RVS} ENDING < START	0,5	:rem 205
230	{2 SPACES}":GOSUB1000:GOTO 230	700	PRINTLEFTS("{3 LEFT}", I-1);:RETURN
	:rem 176	100	:rem 7
260	PRINT: PRINT: PRINT : rem 179	710	PRINT"{CLR}{RVS}*** SAVE ***{3 DOWN}"
200	PRINT:	110	:rem 236
300	PRINT (CLK) (CHK) (14) (ADD (ADD (ADD (ADD))	700	
310	PRINTRIGHT\$("ØØØØ"+MID\$(STR\$(AD),2),5		INPUT" [DOWN] FILENAME"; F\$ :rem 228
VOLUME DESCRIPTION	);":";:FORJ=1TO6 :rem 234	730	PRINT: PRINT" { DOWN } [RVS] T { OFF } APE OR
320	GOSUB570:IFN=-1THENJ=J+N:GOTO320		{RVS}D{OFF}ISK: (T/D)" :rem 228
	:rem 228	740	GETA\$: TFA\$<>"T"ANDA\$<>"D"THEN740
390	IFN=-211THEN 710 :rem 62		:rem 36
	IFN=-204THEN 790 :rem 64	75Ø	DV=1-7*(A\$="D"):IFDV=8THENF\$="Ø:"+F\$
410	IFN=-206THENPRINT: INPUT" { DOWN } ENTER N		:rem 158
	EW ADDRESS"; ZZ :rem 44	760	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$
415	IFN=-206THENIFZZ <sorzz>ETHENPRINT"</sorzz>		):POKE782,ZK/256 :rem 3

762	POKE781, ZK-PEEK (782) *256: POKE780, LEN (
	T\$):SYS65469 :rem 109
763	POKE780,1:POKE781,DV:POKE782,1:SYS654
	66 :rem 69
765	POKE254, S/256: POKE253, S-PEEK(254)*256
	:POKE780,253 :rem 12
766	POKE782, E/256: POKE781, E-PEEK(782) * 256
	:SYS65496 :rem 124
77Ø	IF(PEEK(783)AND1)OR(ST AND191)THEN780
	:rem 111
775	PRINT" [DOWN] DONE.": END : rem 106
78Ø	PRINT" {DOWN} ERROR ON SAVE. {2 SPACES} T
	RY AGAIN.":IFDV=1THEN720 :rem 171
781	OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1\$
	;E2\$:CLOSE15:GOTO720 :rem 103
782	GOTO720 :rem 115
79Ø	PRINT" [CLR] [RVS] *** LOAD *** [2 DOWN] "
	- :rem 212
800	INPUT"{2 DOWN} FILENAME"; F\$ :rem 244
81Ø	PRINT: PRINT" {2 DOWN } [RVS ] T {OFF } APE OR
	[RVS]D[OFF]ISK: (T/D)" :rem 227
820	GETA\$: IFA\$ <> "T" ANDA\$ <> "D" THEN820
	:rem 34
830	DV=1-7*(A\$="D"):IFDV=8THENF\$="Ø:"+F\$
	:rem 157
840	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$
	):POKE782,ZK/256 :rem 2
841	POKE781, ZK-PEEK (782) \$256: POKE780, LEN (
	T\$):SYS65469 :rem 107
845	POKE780, 1: POKE781, DV: POKE782, 1: SYS654
	66 :rem 70
850	POKE780,0:SYS65493 :rem 11
860	IF(PEEK(783)AND1)OR(ST AND191)THEN870
	:rem 111
865	PRINT" [DOWN] DONE.": GOTO310 :rem 96
870	PRINT" [DOWN] ERROR ON LOAD. [2 SPACES] T
	RY AGAIN. (DOWN)": IFDV=1THEN800
	:rem 172
880	OPEN15, 8, 15: INPUT#15, E1\$, E2\$: PRINTE1\$
	;E2\$:CLOSE15:GOTO800 :rem 102
1000	REM BUZZER :rem 135
1001	POKE36878,15:POKE36874,190 :rem 206
	2 FORW=1TO300:NEXTW :rem 117
1003	POKE36878, Ø: POKE36874, Ø: RETURN
	:rem 74
2000	
2001	
	76,240:NEXTW :rem 22
2002	POKE36876, Ø: RETURN :rem 119
3000	
	GOTO1000 :rem 89

## **64 Electronic Notepad**

(Article on page 112.)

## BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

1	BO=254:SC=246:CH=14	:rem 176
5	POKE53280, BO: POKE53281, SC: POKE	646,CH
		:rem 17
7	PRINT"{CLR}"; TAB(10); "{RVS} EL	
	{SPACE}NOTEPAD ", TAB(6)"{DOWN}	LOADING
	{SPACE}DATAPLEASE WAIT"	
16	B=885:C=998:FORA=BTOC:READD:P	OKEA, D: NI

THE PART OF THE PROPERTY OF TH	rem 221
12 B=49152:C=49407:FORA=BTOC:READD	: POKEA,
	rem 157
14 B=679:C=753:FORA=BTOC:READD:POK	EA, D:NE
XT :	rem 215
***	
16 PRINT" [CLR] [DOWN] ENTER 2 SECRE	r CODES
(Ø-255):":PRINT" (DOWN) (SEPERA	TE EACH
(N-233): :PRIMI (BOMM) (BELBIAL	100
	rem 100
17 PRINT" [DOWN] (ENTER Ø'S IF NO S	ECRET C
ODE) {2 DOWN}": POKE646, PEEK (5328	
	:rem 25
19 POKE646, CH: IFA < ØORA > 255 ORB < ØORB	>255THE
1) FOREGAO, CH. IFA DORA 2550KB DORB	106
	rem 196
20 POKE249, A: POKE250, B: A=0:B=0:SYS	679
as remains, miremanos, and stars	rem 187
22 PRINT" [CLR] [DOWN] [RVS]D[OFF] IS	K OR
[RVS]T[OFF]APE?"	:rem 86
	rem 237
24 IFA\$="D"THEN3Ø :	rem 177
	rem 202
26 GOTO22	:rem 5
29 POKE49303,1:POKE49305,1:POKE493	
27 FUNE 49303, 1: FUNE 493	
	rem 163
30 PRINT" [CLR]"; TAB(10); "[RVS] ELE	CTRONIC
NOTEPAD "	:rem 15
40 PRINT" [2 DOWN] [3 SPACES] FUNCTIO	N"; TAB(
	rem 143
45 PRINT" {3 SPACES} [8 T]"; TAB(30);	A. C.
E5 T3" :re	m 198
50 PRINT" (2 DOWN) VIEW NOTEPAD PAG	
31); "F1" :	rem 120
55 PRINT" [DOWN] CREATE NOTEPAD PAG	
33 PRINT (DOWN) CREATE NOTEPAD PAG	
	rem 231
60 PRINT" [DOWN] VIEW DISK DIRECTOR	Y" . TAB(
31);"F5"	:rem 36
65 PRINT" [DOWN] CHANGE PROGRAM OPT	IONS";T
	rem 249
70 PRINT" [DOWN] END PROGRAM"; TAB(3	1);"F8"
	rem 252
	rem 166
8Ø IFA\$="{F3}"THEN6ØØ	:rem 40
	:rem 44
OC TRAC "(PO) "PROTECTION (CO. ) "	
86 IFA\$="{F8}"THENPRINT"{CLR}":CLR	
9,0:POKE250,0:END :	rem 238
	rem 102
9Ø GOTO75	:rem 14
	rem 246
210 SYS49152 :	rem 246
	rem 151
	rem 151
215 GOSUB500 :	rem 151 rem 173
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="∢"THEN220 :	rem 151 rem 173 rem 49
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220 : 230 GOTO30	rem 151 rem 173 rem 49 :rem 49
215 GOSUB5ØØ : 22Ø GETA\$:IFA\$=""ORA\$="∢"THEN22Ø : 23Ø GOTO3Ø	rem 151 rem 173 rem 49 :rem 49
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220 : 230 GOTO30 400 PRINT"{CLR}" :	rem 151 rem 173 rem 49 :rem 49 rem 248
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220 : 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 :	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220 : 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 :	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220 : 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220 : 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)"
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220 : 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)"
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220 : 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K) : 430 GETA\$:IFA\$=""THEN430	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K) : 430 GETA\$:IFA\$=""THEN430 440 GOTO30	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K) : 430 GETA\$:IFA\$=""THEN430 440 GOTO30	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K : 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE":
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K : 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE
215 GOSUB500 : 220 GETA\$: IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7); "{RVS}(PRESS ANY K : 430 GETA\$: IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE"	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12
215 GOSUB500 : 220 GETA\$: IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7); "{RVS}(PRESS ANY K : 430 GETA\$: IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE"	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30  400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K : 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY)
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30  400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K : 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}"	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30  400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K : 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}"	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K : 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K : 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K : 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K  430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30 500 CLOSE15:OPEN15,8,15:INPUT#15,A	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56 ,B\$,C,D
215 GOSUB500 : 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K  430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30 500 CLOSE15:OPEN15,8,15:INPUT#15,A :IFA>21THEN510	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56 ,B\$,C,D rem 218
215 GOSUB500 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30 500 CLOSE15:OPEN15,8,15:INPUT#15,A :IFA>21THEN510 : 505 RETURN	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56 ,B\$,C,D rem 218 rem 122
215 GOSUB500 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" : 405 IFPEEK(49303)=1THEN450 : 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30 500 CLOSE15:OPEN15,8,15:INPUT#15,A :IFA>21THEN510 : 505 RETURN	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56 ,B\$,C,D rem 218 rem 122
215 GOSUB500 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" 405 IFPEEK(49303)=1THEN450: 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30 500 CLOSE15:OPEN15,8,15:INPUT#15,A :IFA>21THEN510: 505 RETURN 510 PRINT:PRINT"{DOWN}{3 SPACES}{R	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56 ,B\$,C,D rem 218 rem 122 VS} *DI
215 GOSUB500 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" 405 IFPEEK(49303)=1THEN450: 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30 500 CLOSE15:OPEN15,8,15:INPUT#15,A :IFA>21THEN510 505 RETURN 510 PRINT:PRINT"{DOWN}{3 SPACES}{RESS ERROR* ":PRINT"{DOWN}{3 SPACES}}	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56 ,B\$,C,D rem 218 rem 122 VS} *DI CES}
215 GOSUB500 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" 405 IFPEEK(49303)=1THEN450: 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30 500 CLOSE15:OPEN15,8,15:INPUT#15,A :IFA>21THEN510 505 RETURN 510 PRINT:PRINT"{DOWN}{3 SPACES}{RESS ERROR* ":PRINT"{DOWN}{3 SPACES}}	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56 ,B\$,C,D rem 218 rem 122 VS} *DI
215 GOSUB500 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" 405 IFPEEK(49303)=1THEN450: 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30 500 CLOSE15:OPEN15,8,15:INPUT#15,A :IFA>21THEN510: 505 RETURN 510 PRINT:PRINT"{DOWN}{3 SPACES}{R	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56 ,B\$,C,D rem 218 rem 122 VS} *DI CES}
215 GOSUB500 220 GETA\$:IFA\$=""ORA\$="4"THEN220: 230 GOTO30 400 PRINT"{CLR}" 405 IFPEEK(49303)=1THEN450: 410 SYS885 420 PRINTTAB(7);"{RVS}(PRESS ANY K 430 GETA\$:IFA\$=""THEN430 440 GOTO30 450 PRINT"{DOWN} NO DIRECTORY AVAI PRINT"{DOWN} PROGRAM IN {RVS}T {OFF} MODE" 460 PRINT"{2 DOWN} {RVS} (PRESS AN {SPACE}" 470 GETA\$:IFA\$=""THEN470 480 GOTO30 500 CLOSE15:OPEN15,8,15:INPUT#15,A :IFA>21THEN510 505 RETURN 510 PRINT:PRINT"{DOWN}{3 SPACES}{RESS ERROR* ":PRINT"{DOWN}{3 SPACES}}	rem 151 rem 173 rem 49 :rem 49 rem 248 rem 215 :rem 57 EY)" rem 194 :rem 81 :rem 52 LABLE": APE :rem 12 Y KEY) :rem 78 :rem 89 :rem 56 ,B\$,C,D rem 218 rem 122 VS} *DI CES}

:rem 221

```
515 RETURN
                                   :rem 123
                                              49208 DATA173,134,2,157,0,216,232, 208
600 PRINT"{CLR}"; TAB(9); "{RVS} CREATE NOT
    EPAD PAGE
                                      :rem 3
                                              49216 DATA250, 238, 61, 192, 172, 61, 192, 192
605 PRINT" [2 DOWN] PRESS [RVS] F1 [OFF] TO
                                                                                 :rem 196
    [SPACE] SAVE PAGE. "
                                     :rem 83
                                              49224 DATA220, 208, 235, 169, 216, 141, 61, 192
610 PRINT" [DOWN] PRESS [RVS]F8[OFF] TO AB
                                                                                 :rem 237
    ORT PAGE."
                                   :rem 142
                                              49232 DATA162,0,189,94,192,32,210, 255
615 PRINT" [2 DOWN] (PRESS ANY KEY)"
                                                                                   :rem 90
                                    :rem 62
                                              49240 DATA232, 224, 29, 208, 245, 96, 13, 17
620 GETA$: IFA$=""THEN620
                                    :rem 83
                                                                                   :rem 91
622 PRINT" [CLR]";
                                    :rem 57
                                              49248 DATA69, 78, 84, 69, 82, 32, 78, 79
   GETAS: IFAS=""THENPRINT" EP [2 LEFT]
                                                                                  :rem 192
                                   :rem 197
    "::GOTO625
                                              49256 DATA84,69,80, 65, 68, 32, 80, 65
63Ø IFA$="{LEFT}"THEN625
                                   :rem 119
                                                                                 :rem 172
635 IFA$="{RIGHT}"THEN625
                                   :rem 252
                                              49264 DATA71,69,32, 78, 65, 77, 69, 32
636 IFA$="{HOME}"THENGOTO625
                                    :rem 44
                                                                                 :rem 175
                                    :rem 86
637 IFA$=CHR$(34)THEN625
                                              49272 DATA32,32,13,234,234,234, 32, 187
638 IFA$="4"THENPRINT" {LEFT}";:GOTO625
                                                                                   :rem 84
                                    :rem 93
                                              4928Ø DATA192,160,0,162,0, 32, 207, 255
640 IFAS="{UP}"THENPRINT" {LEFT}{UP}";:GO
                                                                                   :rem 27
                                    :rem 25
    TO625
                                              49288 DATA201,13,240,8,157,240,194, 232
645 IFA$="{DOWN}"THENPRINT" {LEFT}{DOWN}"
                                                                                  :rem 138
    ;:GOTO625
                                     :rem 30
                                              49296 DATA200,76,133,192,152,72,169, 8
646 IFAS=CHR$(13) THENPRINT" "; CHR$(13); :G
                                                                                  :rem 103
                                   :rem 195
    OTO625
                                              49304 DATA162,8,160,0,32,186,255,104
650 IFA$="{F1}"THEN680
                                    :rem 98
                                                                                   :rem 31
655 IFA$="{F8}"THEN3Ø
                                    :rem 51
                                              49312 DATA162,240,160,194,32,189,255,169
675 PRINTA$;" [LEFT]";:GOTO625
                                   :rem 251
                                                                                  :rem 248
680 PRINT" ";:POKE648,60:POKE53272,245:SY
                                              49320 DATA0,133,251,169,4,133,252, 169
    S49278
                                   :rem 193
                                                                                   :rem 83
685 GOSUB500:IFA<21THENPOKE648,4:POKE5327
                                              49328 DATA251,162,255,160,7,32,216, 255
    2.21:GOTO3Ø
                                   :rem 146
                                                                                  :rem 141
690 PRINT" [DOWN] [RVS] (PRESS ANY KEY) "
                                              49336 DATA234,234,234,162,0,189,201,192
                                    :rem 66
                                                                                  :rem 188
695 GETAS: IFAS=""THEN695
                                   :rem 107
                                              49344 DATA32, 210, 255, 232, 224, 18, 208, 245
697 POKE648, 4: POKE53272, 21: SYS49374: GOTO6
                                                                                 :rem 183
                                    :rem 38
                                              49352 DATA96,147,13, 69, 78, 84,
                                                                                 69, 82
885 DATA 169,001,162,008,160,000
                                    :rem
                                         36
                                                                                 :rem 231
891
    DATA Ø32, 186, 255, 169, ØØ2, 162
                                    :rem
                                          51
                                              49360 DATA32, 70, 73, 76, 69, 32, 78, 65
897 DATA 224,160,003,032,189,255
                                         51
                                    :rem
                                                                                 :rem 165
                                    :rem 30
903 DATA 032,192,255,162,001,032
                                              49368 DATA77,69,13,234,234,0, 173, 134
909 DATA 198,255,032,207,255,032
                                    :rem 53
                                                                                  :rem 50
915 DATA 207,255,032,207,255,032
                                    :rem 41
                                              49376 DATA2, 162, Ø, 157, Ø, 216, 232, 208
    DATA 207,255,240,058,032,204
921
                                    :rem 37
                                                                                 :rem 237
927 DATA 255,032,228,255,201,032
                                    :rem 41
                                              49384 DATA250,172,229,192,192,219,240,7
933 DATA 208,005,032,228,255,240
                                    :rem 39
                                                                                 :rem 201
939 DATA 251,162,001,032,198,255
                                    :rem 48
                                              49392 DATA200,140,229,192,76,222,192,169
945 DATA 032,207,255,072,032,207
                                    :rem 41
                                                                                 :rem 248
951 DATA 255,168,104,170,152,032
                                    :rem 42
                                             49400 DATA216,141,229,192,96,234,234,0
957 DATA 205,189,169,032,032,210
                                    :rem 49
                                                                                 :rem 136
963 DATA 255,032,207,255,240,006
                                    :rem 42
                                             60679 DATA120,169,188,141,20, 3, 169, 2
969
    DATA 032,210,255,076,196,003
                                    :rem 50
                                                                                  :rem 43
    DATA 169,013,032,210,255,076
                                    :rem 48
                                              60687 DATA141,21,3,88,169, 0, 133, 253
    DATA 149,003,169,001,032,195
                                         46
                                    :rem
                                                                                 :rem 246
987
    DATA 255,032,204,255,096,036
                                    :rem 57
                                             60695 DATA169,4,133,254,96,165,197, 201
993 DATA Ø48,Ø13,Ø13,Ø13,Ø13,Ø13
                                    :rem 27
                                                                                 :rem 157
49152 DATA32,54,192, 160, Ø, 162, Ø, 32
                                             60703 DATA57,240,3,76,49,234, 160, 0
                                   :rem 178
                                                                                 :rem 189
49160 DATA207, 255, 201, 13, 240, 8, 157, 240
                                             60711 DATA177, 253, 69, 249, 145, 253, 200, 177
                                   :rem 127
                                                                                 :rem 249
49168 DATA193, 232, 200, 76, 7, 192, 152, 72
                                             60719 DATA253,69,250,145,253,200,234,208
                                    :rem 97
                                                                                 :rem 238
49176 DATA169,8,162,8, 160, 1, 32, 186
                                             60727 DATA239, 230, 254, 165, 254, 201, 8, 208
                                   :rem 206
49184 DATA255, 104, 162, 240, 160, 193, 32, 189
                                             60735 DATA229,169,4,133,254,160,
                                                                                Ø, 162
                                   :rem 243
                                                                                  :rem 86
49192 DATA255,169,0,162, 0, 160, 4, 32
                                             60743 DATA0,232,208,253,200,208,250, 76
                                   :rem 188
                                                                                 :rem 125
49200 DATA213, 255, 96, 234, 234, 234, 162, 0
                                             60751 DATA 49, 234, Ø, Ø, Ø, Ø, Ø
                                   :rem 130
                                                                                 :rem 119
```

# Canyon Cruiser (Article on page 96.)

Program 1: Canyon Cruiser—64 Version

100	RESTORE	:rem 181
110	GOTO15Ø	:rem 97
120		
120	WX=INT(255-W):IFWX<160THENWX=	
		:rem 216
130	POKE53250, WX: POKE53251, ABS (W-	25)
		:rem 68
-		:Tem 00
140	POKE53286,7:POKE53286,2:RETUR	N:rem 24
150	PRINT" {CLR}": POKE53280,6: POKE	53281.6
100	INITIAL (COM) ITOMESSEES (CITOME	
		:rem 149
160	FORW=ØTO1Ø:READR\$(W):NEXTW	:rem 138
170	DATA"STARTER"	:rem 27
180	DATA"BEGINNER"	:rem 65
190	DATA"LEARNER"	:rem 1
200	DATA"FLYER"	:rem 114
210	DATA"LEADER"	:rem 158
220	DATA"ACE"	:rem 187
230	DATA"LIEUTENANT"	:rem 236
240	DATA"GENERAL"	:rem 242
250	DATA"COMMODORE"	:rem 154
260	DATA"FLEET COMMANDER"	:rem 252
270	DATA"HAN SOLO ????????"	:rem 66
280	PRINT" [HOME] [5 DOWN] "; SPC(15)	
280		; (MUL10
	4-CANYON"	:rem 142
290	PRINT	:rem 40
10.1000	PRINT" [HOME] [9 DOWN] "; SPC(11)	
300		
	NSTRUCTIONS (Y/N)"	:rem 81
310	FORW=1TO200:NEXTW	:rem 69
320	PRINT" [HOME] [9 DOWN] "; SPC(11)	. "TNSTRII
320	CETALIC (NOME) (5 DOMM) , OTC(11)	, 11101110
	CTIONS (Y/N)"	:rem 65
330	FORW=1TO200:NEXTW	:rem 65
340		:rem 127
		:rem 237
35Ø	PORESSZ80, D: PORESSZ81, D	
360	IFZ\$="Y"THEN1540	:rem 121
370	PRINT" [HOME] [5 DOWN] "; SPC(15)	:" \$436
	4-CANYON"	:rem 32
380	PRINT	:rem 40
390	PRINT" [HOME] [9 DOWN]"; SPC(11)	2.11
		i
	[18 SPACES]"	
100	[18 SPACES]"	:rem 108
400	FORW=1T050: P=INT(RND(TI)*1000	:rem 108 0)+1024:I
400		:rem 108 0)+1024:I 0+54272,1
400	FORW=1T050: P=INT(RND(TI)*1000	:rem 108 0)+1024:I
	FORW=1TO50:P=INT(RND(TI)*1000 FPEEK(P)=32THENPOKEP,46:POKE	:rem 108 0)+1024:I 2+54272,1 :rem 180
410	FORW=1TO50:P=INT(RND(TI)*1000 FPEEK(P)=32THENPOKEP,46:POKED	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 43
41Ø 42Ø	FORW=1TO50: P=INT(RND(TI)*1000 FPEEK(P)=32THENPOKEP, 46: POKED NEXTW POKE53271, 0: POKE53277, 0	:rem 108 0)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240
410	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW
41Ø 42Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW	:rem 108 0)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240
41Ø 42Ø 43Ø	FORW=1T050:P=INT(RND(TI)*1000 FPEEK(P)=32THENPOKEP,46:POKED NEXTW POKE53271,0:POKE53277,0 FORW=12288T012350:READN:POKED	:rem 108 0)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99
41Ø 42Ø 43Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW	:rem 108 0)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW
410 420 430 440	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW	:rem 108 0)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240 N,N:NEXTW :rem 99 N,N:NEXTW :rem 93
410 420 430 440	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW	:rem 108 0)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE
410 420 430 440	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEF FORW=12352T012414:READN:POKEF POKE53276,PEEK(53276)OR2†Ø+2	:rem 108 0)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE
41Ø 42Ø 43Ø 44Ø 45Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+24	:rem 108 0)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254
410 420 430 440	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2 T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R
41Ø 42Ø 43Ø 44Ø 45Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF  NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEF  FORW=12352T012414:READN:POKEF  POKE53276,PEEK(53276)OR2†Ø+27 T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKE5 EM SET COLORS	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF  NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEF  FORW=12352T012414:READN:POKEF  POKE53276,PEEK(53276)OR2†Ø+27 T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKE5 EM SET COLORS	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEF NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+24 T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179 :rem 248
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2 T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179 :rem 248 -(2†0+2†1
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP  NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW  FORW=12352T012414:READN:POKEW  POKE53276,PEEK(53276)OR2†Ø+24  T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179 :rem 248 -(2†0+2†1 :rem 95
410 420 430 440 450 460 470 480 490	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP  NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW  FORW=12352T012414:READN:POKEW  POKE53276,PEEK(53276)OR2↑Ø+2↑  T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKE5 EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179 :rem 248 -(2\000000000000000000000000000000000000
410 420 430 440 450 460 470 480 490	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP  NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW  FORW=12352T012414:READN:POKEW  POKE53276,PEEK(53276)OR2↑Ø+2↑  T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKE5 EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179 :rem 248 -(2\000000000000000000000000000000000000
410 420 430 440 450 460 470 480 490	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP  NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW  FORW=12352T012414:READN:POKEW  POKE53276,PEEK(53276)OR2†Ø+24  T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179 :rem 248 -(2†0+2†1 :rem 95 :rem 83 2†1)
410 420 430 440 450 460 470 480 490 500	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2↑Ø+2↑ T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193 POKE53269,PEEK(53269)OR(2↑Ø+2)	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179 :rem 248 -(2†0+2†1 :rem 95 :rem 83 2†1) :rem 22
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 50Ø 51Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2* T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193 POKE53269,PEEK(53269)OR(2†Ø+2)	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 1248 -(2†0+2†1 :rem 24 :rem 83 2†1) :rem 22 :rem 39
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 50Ø 51Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2* T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193 POKE53269,PEEK(53269)OR(2†Ø+2)	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 43 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 1248 -(2†0+2†1 :rem 24 :rem 83 2†1) :rem 22 :rem 39
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 50Ø 51Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2↑Ø+2↑ T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKE5 EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193 POKE53269,PEEK(53269)OR(2↑Ø+20) POKE53275,Ø FORW=2ØT016ØSTEP2:POKE53248,V	:rem 108 8)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240 N,N:NEXTW :rem 99 N,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 1748 -(2†0+2†1 :rem 95 :rem 83 2†1) :rem 22 :rem 39 W:POKE532
410 420 430 440 450 460 470 480 490 500 510 520	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2† T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193 POKE53275,Ø FORW=2ØT016ØSTEP2:POKE53248,W 49.W:GOSUB12Ø:NEXTW	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179 :rem 248 -(2†0+2†1 :rem 83 2†1) :rem 22 :rem 39 W:POKE532 :rem 30
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 49Ø 50Ø 51Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2† T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53264,PEEK(53264)AND(255-1)) POKE53264,PEEK(53264)AND(255-1)) POKE53264,PEEK(53264)AND(255-1) POKE53264,PEEK(53264)AND(255-1) POKE53275,Ø FORW=2ØT016ØSTEP2:POKE53248,W 49,W:GOSUB12Ø:NEXTW FORW=16ØT018ØSTEP2:POKE53249	:rem 108 8)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240 N,N:NEXTW :rem 99 N,N:NEXTW :rem 93 1:REM SE :rem 254 53287,6:R :rem 179 :rem 248 -(2†0+2†1 :rem 95 :rem 83 2†1) :rem 22 :rem 39 N:POKE532 :rem 30 PEEK(532
410 420 430 440 450 460 470 480 490 500 510 520	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2† T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193 POKE53269,PEEK(53269)OR(2†Ø+2) POKE53275,Ø FORW=2ØT016ØSTEP2:POKE53248,W 49,W:GOSUB12Ø:NEXTW FORW=16ØT018ØSTEP2:POKE53249,W 49)+3:GOSUB12Ø:NEXTW	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 63287,6:R :rem 179 :rem 248 -(2†0+2†1 :rem 83 2†1) :rem 39 W:POKE532 :rem 30 PEEK(532 :rem 232
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 50Ø 51Ø 52Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2† T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193 POKE53269,PEEK(53269)OR(2†Ø+2) POKE53275,Ø FORW=2ØT016ØSTEP2:POKE53248,W 49,W:GOSUB12Ø:NEXTW FORW=16ØT018ØSTEP2:POKE53249,W 49)+3:GOSUB12Ø:NEXTW	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 63287,6:R :rem 179 :rem 248 -(2†0+2†1 :rem 83 2†1) :rem 39 W:POKE532 :rem 30 PEEK(532 :rem 232
410 420 430 440 450 460 470 480 490 500 510 520	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2† T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193 POKE53269,PEEK(53269)OR(2†Ø+2) POKE53275,Ø FORW=2ØT016ØSTEP2:POKE53248,W 49,W:GOSUB12Ø:NEXTW FORW=16ØT018ØSTEP2:POKE53249 49)+3:GOSUB12Ø:NEXTW PRINT"{HOME}{19 DOWN}{YEL}{RI	:rem 108 8)+1024:I P+54272,1 :rem 180 :rem 43 :rem 240 N,N:NEXTW :rem 99 N,N:NEXTW :rem 93 1:REM SE :rem 254 63287,6:R :rem 179 :rem 248 -(2\f0+2\f1 :rem 83 2\f1) :rem 22 :rem 39 N:POKE532 :rem 30 PEEK(532 :rem 232 VS}";SPC(
41Ø 42Ø 43Ø 44Ø 45Ø 46Ø 47Ø 48Ø 50Ø 51Ø 52Ø	FORW=1T05Ø:P=INT(RND(TI)*1ØØØ FPEEK(P)=32THENPOKEP,46:POKEP NEXTW POKE53271,Ø:POKE53277,Ø FORW=12288T01235Ø:READN:POKEW FORW=12352T012414:READN:POKEW POKE53276,PEEK(53276)OR2†Ø+2† T MULTI COLOR MODE POKE53285,8:POKE53286,2:POKES EM SET COLORS POKE53248,Ø:POKE53249,Ø POKE53264,PEEK(53264)AND(255-1)) POKE2Ø4Ø,192:POKE2Ø41,193 POKE53269,PEEK(53269)OR(2†Ø+2) POKE53275,Ø FORW=2ØT016ØSTEP2:POKE53248,W 49,W:GOSUB12Ø:NEXTW FORW=16ØT018ØSTEP2:POKE53249,W 49)+3:GOSUB12Ø:NEXTW	:rem 108 0)+1024:I 2+54272,1 :rem 180 :rem 240 V,N:NEXTW :rem 99 V,N:NEXTW :rem 93 1:REM SE :rem 254 63287,6:R :rem 179 :rem 248 -(2†0+2†1 :rem 83 2†1) :rem 39 W:POKE532 :rem 30 PEEK(532 :rem 232

	FORW= KE532												120	:NE	XT
56Ø	FORW=	235	5T(	02!	55:	PC	KE	532	251	, W	: G	osi		em 40:	NE
57Ø		AC											:re		
	GOTO7				-					_					
58Ø	REM *	~ 1	DA'	ľA	FC	R	TH	5	SHI	P			:re		
59Ø	DATA	3,	Ø	,	192		15	, ]	L95	,	24	Ø,	67	, Ø	,
	{SPAC	E ]	19	3									:re	n 2	36
600	DATA	170	7.	1	70.	1	70	. 1	171		85		234	. 4	2.
	150,													em	18
610	DATA				a	16	0	20		17	a	1	64,		
ото	DATA	42	' _	T 21		10	, 00	20	,	1/	0,		04,	24	24
	{SPAC	E)	1/1	0,	13	6			-		-		:re		
620	DATA	32	,	17	Ø,	8,	3	2,	40	,	8,		8,		
	2												:re		
63Ø	DATA	Ø,	4	Ø,	Ø,	2	5,	40	, 0	١,	Ø,	6	Ø,		
													:r	em	97
640	DATA	Ø.	2	ø.	Ø.	0	J .	40	. 0	١.	Ø.	Ø	, Ø		
0.0		~,	-	~ ,										em	42
CEA	DATA	a	a		a	a	a		×	a	a		Ø		-
000	DATA	0,	D	'	٠,	0,	D	′ '	,	~,	0	'	:re	m 1	97
	REM *		-	m =	***			17	A C.C.	177	007	D	**		,,,
660	REM *		DA	TA	F	)K	TH	E	451	Er	COL	D		. ,	a1
					20	POPERO!			447		-		:re	m 1	דמ.
67Ø	DATA	Ø,	Ø	,	Ø,	Ø,	Ø	, (	Ø,	1,	Ø		Ø	16.35	
													:re		
680	DATA	15	,	92	, :	208	3,	Ø,	25	53,	. 2	52	, 6	3,	20
	7, 25												:re		
690	DATA	63		22	3.	2	55.	1	2.	25	52.	2	52.	63	3.
030	{SPAC						, ,	-					:re	m 1	80
700		7	1	27	0	111	,	15		as	2	24	5.	12.	1
100	24,			21	,		.,	10	' '		,	~ .	:re	m 1	65
710	DATA	10		25	-	21	- 2	-	-	25		2	20	6	2
110	DATA	19	! .	20	2,	1 4	02,	3	٠,	4.	,,,	2	:re		230
	[SPAC	E	19	1.	2.	14					-		:16	111 4	233
720	DATA	13		63		204	+,	12		31,	, ,	0,	:re	- 61	221
	(SPAC	CE }	24	0										III 4	221
730	DATA	a.	3		193		ø.	Ø	. 0	7.	ø.	Ø			
73Ø	DATA	ø,	3	,	192	2,	ø,	Ø	, 0	ð,	ø,	Ø	, ø	em	51
													, Ø	em	51
740	GOTO	910	: R	EM	*1	. 1	RUN	T	HE	GI	AME	*	, Ø :r *:r	em em	
	GOTOS DATA	910	:R	EM RV	*: S}	· [	RUN	T	HE	GI	AME	* AC	, Ø :r *:r ES}	em em	36
74Ø 75Ø	GOTOS DATA'	91Ø 'E6	:R	EM RV {O	s) FF	\ { ( ) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	RUN	TI } E	HE K3	G <i>I</i>	AME SP	*AC	, Ø :r *:r ES} rem	em em	36
740	GOTOS DATA' {RVS}	10 186 186 185	:R	EM RV {O RV	s) FF S)	* [ ( ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	RUN	TI } E	HE K3	G <i>I</i>	AME SP	*AC	:r *:r ES} rem	em em	36
74Ø 75Ø 76Ø	GOTOS DATA' {RVS} DATA' {RVS}	10 186 185 185	:R	EM RV {O RV	s) FF S) FF	* [ ( ( ) )   ( )	RUN	} E	HE K3	G <i>I</i> [3	SP SP	*AC	.rem ES} rem	em em 29	36
74Ø 75Ø 76Ø	GOTOS DATA' {RVS} DATA' {RVS}	10 186 185 184	**************************************	EM RV {O RV {O RV	s) FF S) FF	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	RUN	} E	HE K3	G <i>I</i> [3	SP SP	*AC	:r *:r ES} rem ES} rem	em em 29	36
74Ø 75Ø 76Ø	GOTOS DATA' {RVS} DATA' {RVS}	10 186 185 185 184	**************************************	EM RV {O RV {O RV {O	s} FF S} FF S}	* [ ( )   (	RUN OFF OFF	} E::	HE KE	G# [3	SP SP	AC AC	:r *:r ES} rem ES} rem	em em 29	36
74Ø 75Ø 76Ø	GOTOS DATA' {RVS} DATA' {RVS} DATA' {RVS}	186 186 185 184 184 183	**************************************	EM RV {O RV {O RV {O	s} FF S} FF S} FF	* [ ( ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	RUN OFF OFF	} E::	HE KE	G# [3	SP SP	AC AC	:r *:r ES} rem ES} rem	em em 29	36
74Ø 75Ø 76Ø 77Ø	GOTOS DATA' {RVS} DATA' {RVS}	186 186 185 184 184 183	**************************************	EM RV {O RV {O RV {O	s} FF S} FF S}	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	RUN OFF OFF	} E: } E: } E: } E:	HE KE	G# [3 [4 [5	SP SP	AC AC AC	:r *:r ES} rem ES} rem	em em 29 29 29 29	36
74Ø 75Ø 76Ø 77Ø	GOTOS DATA' {RVS} DATA' {RVS} DATA' {RVS}	10 186 185 184 184 188 188	**************************************	EM RV (O RV (O RV (O	s} FF S} FF S} FF	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	RUN OFF OFF	} E: } E: } E: } E:	HE KE	G# [3 [4 [5	SP SP SP	AC AC AC	:r *:r *:r ES} rem ES} rem ES}	em em 29 29 29 29	36
74Ø 75Ø 76Ø 77Ø 78Ø	GOTOS DATA' {RVS} DATA' {RVS} DATA' {RVS} DATA' {RVS}	10 186 185 184 183 183 182	REEREE PER	EM RV (O RV (O RV (O RV	s) FF S) FF S) FF S)	* I { ( ( ) } " ( ) { ( ) } "	RUN OFF OFF	} E: } E: } E: } E:	HE KE	G# [3 [4 [5	SP SP SP	*ACC	:r *:r ES} rem ES} rem ES} rem	em em 29 29 29 29 29	36
74Ø 75Ø 76Ø 77Ø 78Ø 79Ø	GOTOS DATA' {RVS} DATA' {RVS} DATA' {RVS} DATA' {RVS}	EK SK4 EK SK4 EK SK2 EK SK2 EK SK2		EM RV {O RV {O RV {O RV {O RV {O	s} FF S} FF S} FF SF	* I	RUN OFF OFF OFF	) E: ) E: ) E: ) E: ) E:	HE KE	GI [3] [4] [5]	SP SP SP SP	*ACC	:r *:r *:r *:r *:s rem ES} rem ES} rem ES}	em em 29 29 29 29 29	36
74Ø 75Ø 76Ø 77Ø 78Ø	GOTOS DATA' [RVS] DATA' [RVS] DATA' [RVS] DATA' [RVS] DATA' [RVS] DATA'	10 186 185 185 184 183 182 181		EM RV {O RV	S} FF S} FF SFF SFF SFF SFF SFF SFF SFF	* 1	RUN OFF OFF OFF	) E: ) E: ) E: ) E: ) E:	HE KE	GI [3] [4] [5]	SP SP SP SP	*ACC	*:r *:r *:r *:s} rem ES} rem ES} rem ES}	em 29 29 29 29 29	36
74Ø 75Ø 76Ø 77Ø 78Ø 79Ø 8ØØ	GOTOS DATA' [RVS] DATA' [RVS] DATA' [RVS] DATA' [RVS] DATA' [RVS] DATA' [RVS]	106 186 185 184 184 188 188 188 188 188 188 188 188		EM RV (O RV))))))))))))))))))))))))))))))))))))	** SFFSFFSFFSFFSFFSFF	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	RUN OFF OFF OFF	T:   E:   E:   E:   E:   E:   E:   E:	HE K3 (K3 (K3 (K3 (K3 (K3 (K3 (K3 (K3 (K3	G# [3]	SP SP SP SP SP	*ACC	rem ES} rem ES} rem ES} rem ES} rem ES} rem	em 29 29 29 29 29 mm 1	36
74Ø 75Ø 76Ø 77Ø 78Ø 79Ø	GOTOS DATA [RVS] DATA [RVS] DATA [RVS] DATA [RVS] DATA [RVS] DATA [RVS] DATA	06 K 5 K 4 K 3 K 2 K 1 K 1	REAL STANDS OF THE STANDS OF T	EM RV { 0	** S} FF SF FF SF FF SF FF RV	* [	RUN OFF OFF OFF	T:   E:   E:   E:   E:   E:   E:   E:	HE K3 (K3 (K3 (K3 (K3 (K3 (K3 (K3 (K3 (K3	G# [3]	SP SP SP SP	ACC PACC PACC PACC PACC PACC PACC PACC	:rem :rem :es} rem :es} rem :es} rem :es} rem :es} :rem	em em 29 29 29 29 29 29 39 39 39 39 39 39 39 39 39 39 39 39 39	36
740 750 760 770 780 790 800 810	GOTOS DATA [RVS]	06K5K4K3K2K1KYK9K1KYKNKYK9K1KYKNTKAKTKAKTKAKTKAKTKAKTKAKTKAKTKAKTKAKTK	REAL SERVICE S	EM RV { 0	** S} FF SFF SFF SFF FF FF FF FF	* [	RUNNOFF OFF OFF OFF OFF	T	EX	GH [3 [3 [4 [5 [6 [7 [7]]]]]]	SP SP SP SP SP SP	ACC: ACC: ACC: ACC: ACC: ACC: ACC: ACC:	:remess] remess] ress] ress] ress] remess] remess] remess] remess] remess] remess]	em em 29 29 29 29 29 29 31 31 31 31 31 31 31 31 31 31 31 31 31	36
74Ø 75Ø 76Ø 77Ø 78Ø 79Ø 8ØØ	GOTOS DATA [RVS] DATA	066K5K4K3K2K1KYK6B	REAL STANDS OF THE STANDS OF T	EM RV { 0	S} FF S} FF S} FF SF FRV FF RV	* [	RUNNOFF OFF OFF OFF OFF	T	HE K3 (K3 (K3 (K3 (K3 (K3 (K3 (K3 (K3 (K3	GH [3 [3 [4 [5 [6 [7 [7]]]]]]	SP SP SP SP SP SP	ACC :	rem EES} rem EES} rem EES} rem EES} rem EES} rem EES} rem EES} rem EES}	em em 29 29 29 29 29 29 31 31 31 31 31 31 31	36
740 750 760 770 780 790 800 810 820	GOTOS DATA' {RVS	066K5K4K3K2K1KYK8BK2K1KYKBBK2K1KYKBBK2K1KYKBBK2K1KYKBBK2K1KYKBBK2K1KYKBBKA	STARRENE STA	EM RV { 0	S} FF SFF SFF FF FF FF FF FF FF	* [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [	RUN OFF OFF OFF OFF (O	T	EXX	G# [3 [3 [4 [5 [6 [7 [7 [7]]]]]]]	SP SP SP SP SP SP SP	*ACC: ACC: ACC: ACC: ACC: ACC: ACC: ACC:	rem ES} rem ES} rem ES} rem ES} rem ES} rem ES} rem ES} rem ES}	em 29 29 29 29 29 31 31 31 31 31 31 31 31 31 31 31 31 31	36
740 750 760 770 780 790 800 810	GOTOS DATA' [RVS] DATA'	06K5K4K3K2K1KYKBKK1K1K1K1K1K1K1K1K1K1K1K1K1K1K1K1K	REALEST SERVICES SERV	EM RV { 0	S} FF SFF SFF SFF RV FFF RV FFF SFF RV FFF RV FF RV FFF RV	* I	RUN OFF OFF OFF OFF (O	T	EXX	G# [3 [3 [4 [5 [6 [7 [7 [7]]]]]]]	SP SP SP SP SP SP SP	*ACC :: ACC :: A	, Ø :rr *:re *:re *:re *:re *:re *:re *:re *	29 29 29 29 39 31 31 31 31 31 31 31 31 31 31 31 31 31	36
740 750 760 770 780 790 800 810 820 830	GOTOS DATA' {RVS	06K5K4K3K2K1KYKBKK1K1K1K1K1K1K1K1K1K1K1K1K1K1K1K1K	REAL SERVICE STATES OF STA	EM RV [0 RV [0 RV [0 RV [0]]]	SFF	* 1	RUNDOFF OFF OFF OFF (O	TE SE	HE K3   K3   K3   K3   K3   K3   K3   K3	G# [3 [3 [4 [5 [6 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7	SP SP SP SP SP SP SP	ACC PACC PACC PACC PACC PACC PACC PACC	. Ø :rr *:r *:r *:r *:r *:r *:r *:r *:r *:r	29 29 29 29 39 31 31 31 31 31 31 31 31 31 31 31 31 31	36
740 750 760 770 780 790 800 810 820	GOTOS DATA' {RVS	0166K5K4K3K2K1KYKBK7KBK7KBK7KBK7KBK7KBK7KBK7KBK7KBK7KB	REAL SANGES SANG	EM RV { 0	SFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFF	* [0] [0] [0] [0] [0] [0] [0] [0] [0] [0]	RUN OFF OFF OFF OFF (O	TE SE	HE K3   K3   K3   K3   K3   K3   K3   K3	G# [3 [3 [4 [5 [6 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7	SP SP SP SP SP SP SP	ACC :	. Ø :rr *:r *:r *:r *:r *:r *:r *:r *:r *:r	em em 29 29 29 29 29 161 31 31 31 56	36
740 750 760 770 780 790 800 810 820 830 840	GOTOS DATA' {RVS	0166K5K4K3K2K1KYKBK7K5K5K1KYKBK7K5K5K1KYKBK7K5K5K1KYKBK7K5K		EM RV { 0	SFFSFFSFFSFFSFFSFFSFFSFFSFFSFF	* 1	RUNDOFF OFF OFF (O	TI	HE   K3   K3   K3   K3   K3   K3   K3   K	GI [3] [4] [5] [6] [7] [7] [3]	SP S	*ACC: ACC: ACC: ACC: ACC: ACC: ACC: ACC:	*:r* *:r* *:res} rem EES}	em em 29 29 29 29 29 161 31 31 31 56	36
740 750 760 770 780 790 800 810 820 830	GOTOS DATA' {RVS	0166K5K4K3K2K1KYK6KK7K5		EM RV (0 RV	SFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFF	* 1	RUNDOFF OFF OFF OFF (O	TI	HE   K3   K3   K3   K3   K3   K3   K3   K	GI [3] [4] [5] [6] [7] [7] [3]	SP S	*ACC: ACC: ACC: ACC: ACC: ACC: ACC: ACC:	*:r*:res} rem EES}	29 29 29 29 29 29 29 31 31 56 31 49	36
740 750 760 770 780 790 800 810 820 830 840 850	GOTOS DATA' {RVS	0166K5K4K3K2K1KYKBK7K5		EM RV ( 0	SFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFF	* [0]   [0]   [0]   [1]	RUNDOFF  OFF  OFF  (O  L3()	TE SE	HE   K3   K3   K3   K3   K3   K3   K3   K	GH [3 [3 [4 [5 [6 [7 [7 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4	SP S	*AC : AC :	*:rem *:rem EES} rem ACE rem ACE rem ACE rem ACE RES rem ACE RES RES RES RES RES RES RES RES RES RE	em em 29 29 29 29 29 31 31 31 31 49 49 49 49	36
740 750 760 770 780 790 800 810 820 830 840	GOTOS DATA' {RVS DATA'	016K5K4K3K2K1KYKBK5K5K4K3K2K1KYKBK5K5K4K3K2K1KYKBK5K5K5K4K5K5K5K5K5K5K5K5K5K5K5K5K5K5K5		EM (	SFFSFFSFSFSFSFSFSFSFSFSFSFSFSFSFSFSFSF	* {	RUNDOFF OFF OFF (O	TE SE	HE   K3   K3   K3   K3   K3   K3   K3   K	GH [3 [3 [4 [5 [6 [7 [7 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4	SP S	*AC : AC :	. Ø :rr *:res} rem EES}	em em 29 29 29 29 29 31 31 31 31 31 49 49 49 49 49 49 49 49 49 49 49 49 49	36 ) ) ) ) ) ) ) ) )
740 750 760 770 780 790 800 810 820 830 840 850	GOTOS DATA' {RVS	06K5K4K3K2K1KYKBK7K5K4K3K 186K5K4K3K2K1KYKBK7K5K4K3K 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1KYKBK7K5 186K5K4K3K2K1 186K5K4K3K2K1 186K5K4K3K2K1 186K5K4K3K2 186K5K4K3K2 186K5K4K3K2 186K5K4K3 186K5K4K3 186K5K4K3 186K5K4K3 186K5K4K3 186K5K4K3 186K5K4K3 186K5K4 186K5 1		EM (	S} FF SF		RUNDOFF OFF OFF (O (C) (L) (L) (L) (L) (L)	TE SE	HE   K3   K3   K3   K3   K3   K3   K3   K	GH [3 [3 [4 [5 [4 [4 [5 [4 [4 [5 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4	SP SP SP SP SP SP SP SP SP SP SP SP SP S	*ACC: ACC: ACC: ACC: ACC: ACC: ACC: ACC:	*:r*:res} rem EES}	em em 29 29 29 29 29 31 31 31 31 31 49 49 49 49 49 49 49 49 49 49 49 49 49	36 ) ) ) ) ) ) ) ) )
740 750 760 770 780 790 800 810 820 830 840 850	GOTOS DATA' {RVS DATA'	06K5K4K3K2K1KYKBK7K5K4K3K2 18EK5K4K3K2K1KYKBK7K5 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K2 18EK5K4K3K3 18EK5K4K3K3 18EK5K4 18EK5K4 18EK5		EM	SFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFF		RUNDOFF OFF OFF (O (C) (L) (L) (L) (L) (L)	TE SE	HE   K3   K3   K3   K3   K3   K3   K3   K	GH [3 [3 [4 [5 [4 [4 [5 [4 [4 [5 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4 [4	SP SP SP SP SP SP SP SP SP SP SP SP SP S	*ACC: ACC: ACC: ACC: ACC: ACC: ACC: ACC:	. Ø :rr *:res} rem EES}	em em 29 29 29 29 29 29 31 31 31 49 49 49 49	36 36 36 36 36 36 36 36 36 36 36 36 36 3
740 750 760 770 780 790 800 810 820 830 840 850 860	GOTOS DATA' {RVS	06K5K4K3K2K1KYKBK7K5K4K3K2K1KYKBK7K5K4K3K2K1KYKBK7K5K4K3K3K2K1KYKBK7K5K4K3K3K2K1KYKBK7K5K4K3K3K2K1		EM	SFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFF		RUNDOFF OFF OFF (O L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L	PER SECOND OF OF	HE   K3   K3   K3   K3   K3   K3   K3   K	G# [3 [3 [4 [5 [3 [3 [4 [5 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6	SP S	*ACC : ACC :	*:rem *:rem EES} rem EESS rem ACE REES} rem EESS rem EESS rem EESS rem EESS	em em 29 29 29 29 29 29 29 29 29 29 29 29 29	36 36 36 36 36 36 36 36 36 36 36 36 36 3
740 750 760 770 780 790 800 810 820 830 840 850 860	GOTOS DATA' {RVS	016K5K4K3K2K1KYKBK7K5K4K3 118ESK4K3K3 118ESK4K3K3 118ESK4K3K3 118ESK4K3K3 118ESK4 118ESK4 118E		EM RV [0 RV	SFFSFFSFSFSFSFSFSFSFSFSFSFSFSFSFSFSFSF		RUNNOPFF OFF OFF (O L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L	PER SECOND OF OF	HE   K3   K3   K3   K3   K3   K3   K3   K	G# [3 [3 [4 [5 [3 [3 [4 [5 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6	SP S	*ACC : ACC :	*:rem *:rem EES} rem EESS rem ACE REES} rem EESS rem EESS rem EESS rem EESS	em em 29 29 29 29 29 39 31 31 31 49 49 49 49 49 49 49 49 49 49 49 49 49	36 36 36 36 36 36 36 36 36 36 36 36 36 3
740 750 760 770 780 790 800 810 820 830 840 850 860 870	GOTOS DATA' {RVS DATA'	016K5K4K3K2K1KYKBK7K5K4K3 118ESK4K3K3 118ESK4K3K3 118ESK4K3K3 118ESK4K3K3 118ESK4 118ESK4 118E		EM RV [0 RV	SFFSFFSFSFSFSFSFSFSFSFSFSFSFSFSFSFSFSF		RUNNOPFF OFF OFF (O L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L3{L	PER SECOND OF OF	HE   K3   K3   K3   K3   K3   K3   K3   K	G# [3 [3 [4 [5 [3 [3 [4 [5 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6 [6	SP S	*ACC : ACC :	*:rem *:rem EES} rem EESS rem ACE REES} rem EESS rem EESS rem EESS rem EESS	em em 29 29 29 29 29 29 29 31 31 31 49 49 49 49 49 49 49 49 49 49 49 49 49	36 36 36 36 36 36 36 36 36 36 36 36 36 3
740 750 760 770 780 790 800 810 820 830 840 850 860 870	GOTOS DATA' {RVS	06K5K4K3K2K1KYKBK7K5K4K3K2K1H 18EK5K4K3K2K1KYKBK7K5K4K3K2K1H 18EK5K4K3K2K1KYKBK7K5K4K3K2K1H 18EK5K4K3K2K1KYKBK7K5K4K3K2K1H		EM	SFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFF	* [	RUNNOPFF OFF OFF (O L3(L3(L3(L3(L3(L3(L3(L3(L3(L3(L3(L3(L3(L	TILE SECOND OF OF OF OF OF	HE   K3   K3   K3   K3   K3   K3   F   F   F   F   F   F   F   F   K3   K3	G# [3 [3 [4 [5 [4 [5 [6 [7 [7 [5]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]	SP S	ACC :	. Ø :rr *:r *:r ES} rem ES} rem ESS rem ESS rem ESS :rem	em em 29 29 29 29 29 29 29 29 29 29 29 29 29	36 ) ) ) ) ) ) ) ) ) ) ) ) )
740 750 760 770 780 790 800 810 820 830 840 850 860 870 880	GOTOS DATA' {RVS	016K5K4K3K2K1KYKBK7K5K4K3K2K1HYKBK7K5K4K3K2K1HYKBK7K5K4K3K2K1HYKBK7K5K4K3K2K1HYKBK7K5K4K3K2K1HY		EMV { 0 V 0 V 0 V 0 V 0 V 0 V 0 V 0 V 0 V	SFFSFFSFSFSFSFSFSFSFSFSFSFSFSFSFSFSFSF	* [	RUNNOPFF OFF OFF (O L3(L3(L3(L3(L3(L3(L3(L3(L3(L3(L3(L3(L3(L	TILE SECOND OF OF OF OF OF	HE   K3   K3   K3   K3   K3   K3   F   F   F   F   F   F   F   F   K3   K3	G# [3 [3 [4 [5 [4 [5 [6 [7 [7 [5]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]	SP S	*ACC : PACC : PA	. Ø :rr *:re *:re *:re ES} rem ESS}	em em 29 29 29 29 29 29 29 29 29 29 29 29 29	36 ) ) ) ) ) ) ) ) ) ) ) ) )
740 750 760 770 780 790 800 810 820 830 840 850 860 870 880	GOTOS DATA' {RVS	06K5K4K3K2K1KYKBK7K5K4K3 18EK5K4K3K2K1KYKBK7K5K4K3 18EK5K4K3K2K1KYKBK7K5 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K2K1 18EK5K4K3K3K2K1 18EK5K4K3K3K2K1 18EK5K4K3K3K2K1 18EK5K4K3K3K2K1 18EK5K4K3K3K3K3K3 18EK5K4K3K3K3 18EK5K4K3K3 18EK5K4K3K3 18EK5K4K3K3 18EK5K4K3K3 18EK5K4K3K3 18EK5K4 18EK5K4 18E		EM	SFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFF	* ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	RUNNOPFF OFFF OFFF (OCCUPANT) (CCUPANT) (CCUPA	TILL SECTION OF OF OF OF OF OF	HE   K3   K3   K3   K3   K3   K3   K3   K	G7 [3 [4 [5 [6 [6 [7 [6 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7	SP S	*AC : PAC :	. Ø :rr *:re ES} rem EES}	em em 29 29 29 29 29 29 29 29 29 29 29 29 29	36 36 36 36 36 37 38 38 38 38
740 750 760 770 780 790 800 810 820 830 840 850 860 870 880 890	GOTOS DATA' {RVS	06K5K4K3K2K1KYKBK7K5K4K3K2K1HYKBK7K5K4K3K2K1HYKBK7K5K4K3K2K1HYKBK7K5K4K3K2K1HYKB		EMV { 0 V O V O { 0 C V C V C V C V C V C V C V C V C V C	SFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFFSFF		RUNNOPFF OFFF OFFF (OCCUPANT) (CCUPANT) (CCUPA	TILL SECTION OF OF OF OF OF OF	HE   K3   K3   K3   K3   K3   K3   K3   K	G7 [3 [4 [5 [6 [6 [7 [6 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7 [7	SP S	*AC : PAC :	. Ø :rr *:re *:re *:re ES} rem ESS}	em em 29 29 29 29 29 29 29 29 29 29 29 29 29	36 36 36 36 36 37 38 38 38 38

910 FORW=53248T053264:POKEW, 0:NEXTW	
	135Ø FORW=1TO1Ø:GETZ\$:NEXTW :rem 225
:rem 174	136Ø GETZ\$:IFZ\$=":"ORZ\$=";"ORZ\$=""THEN136
920 PRINT" {CLR} {2 DOWN}"; SPC(15); "{RED}	Ø :rem 158
{RVS} [A] ++++ [S] " :rem 75 930 POKE53271,2:POKE53277,2 :rem 250	137Ø POKE53251,Ø :rem 86
930 POKE53271,2:POKE53277,2 :rem 250	1380 POKE2040, 192: FORW=PEEK (53249) TO120ST
940 POKE53275, 253 :rem 152	EP-1:POKE53249,W:GOSUB140:NEXTW
950 FORW=1T010 :rem 78	:rem 157
960 PRINTSPC(15); "{RED}{RVS}-EQ}(OFF)	1390 POKE53248, ABS(PEEK(53248)-10): POKE53
[3 SPACES] [RVS] [W] [RED] [RVS]-[OFF]"	275,Ø :rem 42
:rem 242	1400 POKE53277,1:POKE53271,1:FORW=PEEK(53
970 NEXTW :rem 54	249)TOØSTEP-1:POKE53249,W:GOSUB140
980 PRINT" [RED] [RVS] [4 SPACES] [PUR] [OFF] T	:rem 2
IME: 5{RED}{RVS}{2 SPACES}&A}&R3+	1405 NEXT :rem 9
EXM(OFF)[3 SPACES][XVS]#ERM	1410 RUN :rem 187
ES3[16 SPACES]" :rem 32	1420 POKE53287, PEEK (53287)+1 :rem 6
990 PRINT" {UP}";:FORW=1T010:PRINTSPC(12);	1430 TI\$="000000":R=R+2:IFR>10THENR=10
"[RED][RVS] [Q][OFF][9 SPACES][RVS]	:rem 123
EWE (OFF)":NEXTW :rem 155	
[W] (OFF) :NEXTW : rem 155	
1000 POKE53248,160:POKE53249,74 :rem 192	1450 AS=1:POKE53250,ABS(PEEK(53248)-20):P
1010 PRINT" {HOME}" :rem 166 1020 TI\$="000005" :rem 42	OKE53251, 255: RETURN : rem 221
1020 TI\$="000005" :rem 42	1460 GOSUB1420:GOTO1210 :rem 73
1020 TIV- DDDDD 113 DOWN 10 DTGUM 12	
1030 PRINT" [HOME] [13 DOWN] [9 RIGHT] [PUR]"	147Ø POKE53251, PEEK(53251)-5 :rem 255
; :rem 97	1480 POKE53251, PEEK(53251)-5 :rem 0
1040 Al=INT(10-VAL(TI\$)):PRINTAl :rem 108	1490 POKE53251, PEEK(53251)-5 :rem 1
1050 IFA1<>0THEN1030 :rem 100	1500 POKE53251, PEEK(53251)-5 :rem 249
1060 LDP=53248 :rem 234	151Ø POKE5325Ø, PEEK(5325Ø)-(5-INT(RND(TI)
1070 FORSYP=74T0140:POKE53249,SYP:GOSUB14	*10)) :rem 15
Ø:NEXTSYP :rem 231	1520 IFPEEK(53251)<20THENPOKE53251,0:AS=0
1080 PRINT"[HOME][23 DOWN]"; :rem 111	:rem 96
	153Ø GOTO123Ø :rem 20Ø
1090 FORW=0T07:READC\$(W):NEXTW :rem 132	
1100 FORW=0T07:READBC\$(W):NEXTW :rem 190	1540 PRINT" [CLR] [DOWN] YOU ARE THE PILOT
1110 TL=12:C\$=C\$(7):BC\$=BC\$(7) :rem 33	[SPACE]OF A NEW SPACESHIP." :rem 11
1120 GOSUB1440:TI\$="000000" :rem 169	1550 PRINT" [DOWN] YOU MUST TEST THE CRAFT
	[SPACE]TO ITS LIMITS." :rem 23
1130 C\$=C\$(ABS(LEN(C\$)-11)) :rem 110	
1140 E=PEEK(53279)AND2 0: IFE=1THEN1290	1560 PRINT" [DOWN] YOU CAN FLY USING THE :
:rem 210	[SPACE] AND ; KEYS," :rem 127
	1570 PRINT" [DOWN] OR USE A JOYSTICK (PORT
1150 IFTI>800THENC\$=C\$((LEN(C\$)-12)):BC\$=	
1120 1111 OND 1 UENC 2=C2 ( [ FFN ( C2 ) -12 ] ) : BC2=	[SDACE]2] " *rem 228
	[SPACE]2)." :rem 228
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1)))	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1)))	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1))	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [55] (H
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [53] (H IT A KEY TO RESTART)" :rem 235
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81 1230 P=PEEK(203):IFP=45THEN1280 :rem 23	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198,1:GETZ\$:PRINT" [CLR]";:RUN
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81 1230 P=PEEK(203):IFP=45THEN1280 :rem 23 1240 IFP=50THEN1270 :rem 65	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [53] (H IT A KEY TO RESTART)" :rem 235
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81 1230 P=PEEK(203):IFP=45THEN1280 :rem 23 1240 IFP=50THEN1270 :rem 65 1250 P=PEEK(56320)AND12:IFP=8THEN1280	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198,1:GETZ\$:PRINT" [CLR]";:RUN :rem 160
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81 1230 P=PEEK(203):IFP=45THEN1280 :rem 23 1240 IFP=50THEN1270 :rem 65	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198,1:GETZ\$:PRINT" [CLR]";:RUN :rem 160
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81 1230 P=PEEK(203):IFP=45THEN1280 :rem 23 1240 IFP=50THEN1270 :rem 65 1250 P=PEEK(56320)AND12:IFP=8THEN1280 :rem 137	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [53] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2:
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81 1230 P=PEEK(203):IFP=45THEN1280 :rem 23 1240 IFP=50THEN1270 :rem 65 1250 P=PEEK(56320)AND12:IFP=8THEN1280 :rem 137 1260 IFP<>4THEN1290 :rem 81	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198,1:GETZ\$:PRINT" [CLR]";:RUN :rem 160
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81 1230 P=PEEK(203):IFP=45THEN1280 :rem 23 1240 IFP=50THEN1270 :rem 65 1250 P=PEEK(56320)AND12:IFP=8THEN1280 :rem 137 1260 IFP<>4THEN1290 :rem 81 1270 GOSUB140:POKELD, PEEK(LD)+2:POKELD, PE	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [53] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]"; RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$ :rem 58 1170 IFINT(RND(TI)*100)=4THENGOSUB1440 :rem 10 1180 TL=ABS(TL+((INT(RND(TI)*3)-1))) :rem 4 1190 TL=TL-(1*((TL<(40-LEN(C\$)))+1)) :rem 116 1200 TL=TL*((TL<0)+1) :rem 116 1210 PRINT:PRINTSPC(TL);C\$; :rem 204 1220 IFAS=1THEN1470 :rem 81 1230 P=PEEK(203):IFP=45THEN1280 :rem 23 1240 IFP=50THEN1270 :rem 65 1250 P=PEEK(56320)AND12:IFP=8THEN1280 :rem 137 1260 IFP<>4THEN1290 :rem 81 1270 GOSUB140:POKELD,PEEK(LD)+2:POKELD,PEEK(LD)+3:GOTO1130 :rem 40	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [53] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2:
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read:
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [53] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]"; RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG"
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155  1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168TO7679:POKEI, PEEK(25600+1):NE
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168TO7679:POKEI, PEEK(25600+1):NE XTI :rem 176
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155  1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168TO7679:POKEI, PEEK(25600+1):NE
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155  1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168TO7679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0TO19 :rem 27
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155  1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [53] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168TO7679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0TO19 :rem 27 21 READC :rem 194
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168T07679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0T019 :rem 27 21 READC :rem 194 22 FORD=0T07:READE:POKE7168+C*8+D, E:NEXTD
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [53] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168TO7679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0TO19 :rem 27 21 READC :rem 194 22 FORD=0TO7:READE:POKE7168+C*8+D, E:NEXTD :rem 29
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155 1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCKI [55] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT" LO"; CHR\$ (34); "VIC-CANYON.PRG"  10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168TO7679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0TO19 :rem 27 21 READC :rem 194 22 FORD=0TO7:READE:POKE7168+C*8+D, E:NEXTD :rem 29 23 NEXTX :rem 252
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155  1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCKI [55] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT" LO"; CHR\$ (34); "VIC-CANYON.PRG"  10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168TO7679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0TO19 :rem 27 21 READC :rem 194 22 FORD=0TO7:READE:POKE7168+C*8+D, E:NEXTD :rem 29 23 NEXTX :rem 252
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155  1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [55] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168T07679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0T019 :rem 27 21 READC :rem 194 22 FORD=0T07:READE:POKE7168+C*8+D, E:NEXTD :rem 29 23 NEXTX :rem 252 30 PRINT"LO";CHR\$(34); "VIC-CANYON.PRG"; CH
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155  1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2:  Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168T07679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0T019 :rem 27 21 READC :rem 194 22 FORD=0T07:READE:POKE7168+C*8+D, E:NEXTD :rem 252 30 PRINT"LO";CHR\$(34); "VIC-CANYON.PRG"; CH R\$(34);",8" :rem 135
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155  1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2: Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168T07679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0T019 :rem 27 21 READC :rem 194 22 FORD=0T07:READE:POKE7168+C*8+D, E:NEXTD :rem 29 23 NEXTX :rem 252 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG";CH R\$(34);",8" :rem 135 40 PRINT:PRINT:PRINT:PRINT:PRINT:PRINT"RU
BC\$((LEN(C\$)-11)):GOTO1460 :rem 155  1160 IFINT(RND(TI)*100)<20THENC\$=BC\$	1580 PRINT" [DOWN] THE SHIP WILL CHANGE CO LOR TO WARN OF" :rem 146 1590 PRINT" [DOWN] CHANGES IN THE CANYON SI ZE." :rem 83 1610 PRINT" [DOWN] AT THE END OF YOUR FLIG HT YOU WILL BE" :rem 85 1620 PRINT" [DOWN] RANKED. YOU MUST NOT HIT THE SIDES OF" :rem 152 1630 PRINT" [DOWN] THE CANYON, BUT ASTEROID S WILL FLY BY." :rem 6 1640 PRINT" [DOWN] [WHT] GOOD LUCK! [5] (H IT A KEY TO RESTART)" :rem 235 1650 WAIT198, 1:GETZ\$:PRINT" [CLR]";:RUN :rem 160  Program 2:  Canyon Cruiser—VIC Initialization If using tape rather than disk, line 30 should read: 30 PRINT"LO";CHR\$(34);"VIC-CANYON.PRG" 10 POKE52, 28:POKE56, 28:CLR :rem 18 15 FORI=7168T07679:POKEI, PEEK (25600+1):NE XTI :rem 176 20 FORX=0T019 :rem 27 21 READC :rem 194 22 FORD=0T07:READE:POKE7168+C*8+D, E:NEXTD :rem 252 30 PRINT"LO";CHR\$(34); "VIC-CANYON.PRG"; CH R\$(34);",8" :rem 135

50 PR	INT"{9 UP}";	:rem 138		PEEK(P)=32THENPOKEP, 46:POKEP+30720,1
6Ø EN		:rem 61		:rem 148
	DATA033,231,231,231,000,00	A STATE OF THE PARTY OF THE PAR	410	NEXTW :rem 43
שששנס				PRINT"[BLU][HOME][18 DOWN][RVS]";SPC(
	,231	:rem 173	540	
63001	DATA034,231,231,231,231,23	1,231,231		5); "GET READY" : rem 229
	,231	:rem 187	580	TI\$="000005" :rem 4
63002	DATA035,000,003,007,055,12	7.127.127	590	PRINT"[HOME][11 DOWN][RED][8 SPACES]
	,063	:rem 200		{RVS}TIME 5{2 LEFT}"; :rem 68
cagga	DATAØ36,ØØØ,192,248,248,25		600	Al=INT(10-VAL(TI\$)):PRINTA1;"{3 LEFT}
63003		2,124,230	000	": :rem 206
2/2/2/2/2/0	, 254	:rem 223		
63004	DATA037,123,127,063,061,06	3,015,003		IFAl<>ØTHEN6ØØ :rem 7
	,000	:rem 195	740	GOTO920:REM ** RUN THE GAME **:rem 37
63005	DATA038, 254, 238, 124, 252, 24	8,248,192	75Ø	DATA" [WHT], / [4 SPACES]9, [3 SPACES]"
(F) (F) (F) (F) (F)	,000	:rem 227		:rem 191
63006	DATAØ42,214,124,254,186,18		760	DATA"[CYN],/[4 SPACES]9,[3 SPACES]"
03000		:rem 223	700	:rem 90
	,016			DATA"[PUR],/[5 SPACES]9,[3 SPACES]"
63007	DATA043,000,000,000,000,00		110	
	,000	:rem 145		:rem 88
63008	DATAØ44,255,255,255,255,25	5,255,255	780	DATA" [GRN], / [6 SPACES] 9, [3 SPACES]"
	, 255	:rem 243		:rem 219
63000	DATAØ47,224,224,224,224,22	4.224.224	790	DATA" [BLU], / [7 SPACES]9, [3 SPACES]"
03003	,224	:rem 215	,,,,	:rem 221
			000	DATA" [YEL], /[8 SPACES]9, [3 SPACES]"
63010	DATA048, 240, 240, 240, 240, 24		800	
	,240	:rem 192		:rem 84
63011	DATA049,231,231,231,007,00		810	DATA" [RED], / [9 SPACES] 9, [3 SPACES]"
	,231	:rem 196		:rem 211
63012	DATA050,231,231,231,224,22	4,231,231	820	DATA" [WHT], / [10 SPACES]9, [3 SPACES]"
	,231	:rem 191		:rem 189
62012	DATAØ51,231,231,231,224,22		020	DATA" [WHT], / [4 SPACES]9, [3 SPACES]"
62013			030	:rem 190
New year or a market, or age of	, 255	:rem 211	-	
63014	DATA052,231,231,231,007,00		840	DATA" (CYN), / (4 SPACES) 9, [3 SPACES]"
	,255	:rem 211		:rem 89
63015	DATA053,255,255,255,000,00	0,231,231	850	DATA"[PUR],/[5 SPACES]9,[3 SPACES]"
	,231	:rem 199		:rem 87
63016	DATAØ54,255,255,255,255,25		860	DATA" [GRN], / [6 SPACES] 9, [3 SPACES]"
03010	,000	:rem 207	002	:rem 218
C2017	DATAØ55,255,255,255,224,22		070	DATA" [BLU], / [7 SPACES]9, [3 SPACES]"
63017			8/0	DATA (BLU),/(/ SPACES)9,(3 SPACES)
	,231	:rem 219		:rem 220
63018	DATA056,255,255,255,007,00	The state of the s	88Ø	DATA" [YEL], / [8 SPACES] 9, [3 SPACES]"
	,231	:rem 219		:rem 92
63019	DATA057,007,007,007,007,00	7,007,007	890	DATA" [RED], / [9 SPACES]9, [3 SPACES]"
	,007	:rem 209		:rem 219
			900	DATA" (WHT), / [10 SPACES]9, [3 SPACES]"
Drac	2.		200	:rem 188
PIOC	gram 3:		000	PRINT"{CLR}":PRINT"{UP}";:POKE36869,2
Canv	on Cruiser—VIC Main Prog	ram	920	
- The Control of the				55 :rem 23
1 nis pr	ogram should be SAVEd as VIC-CA	NYON.PRG	925	PRINTSPC(9);"{RED}71118" :rem 10
(see lin	e 30 of Program 2).			FORW=1T010 :rem 78
	KE36869,240	:rem 106	960	PRINTSPC(9); "{RED}"; CHR\$(34); "2 1"; CH
	RINT"{WHT}"		-	R\$(34) :rem 1
		:rem 103	070	.,,
	OTO150	:rem 97		
120 W	X=INT(255-W):IFWX<160THENWX	=160	980	PRINT" [RED],,,,,,7514 3158,,,,,";
		:rem 216		:rem 135
15Ø PI	RINT"{CLR}"	:rem 250	990	FORW=1TO10:PRINTSPC(6);"{RED},2
	ORW=ØTO1Ø:READR\$(W):NEXTW	:rem 138		[7 SPACES]1,":NEXTW :rem 172
	ATA"STARTER"	:rem 27	100	Ø POKE7713,42:POKE38433,4 :rem 34
	ATA "BEGINNER"	:rem 65		Ø TI\$="000005" :rem 42
				Ø FOR SYP=55T0297STEP22:POKE384ØØ+SYP-
	ATA"LEARNER"	:rem 1	10/	
	ATA"FLYER"	:rem 114	-	22,0:POKE7680+SYP-22,32 :rem 58
	ATA"LEADER"	:rem 158	107	5 POKE38400+SYP, 4: POKE7680+SYP, 42: NEXT
220 D	ATA"ACE"	:rem 187		SYP:SP=297:AB=32:CB=0 :rem 53
	ATA"LIEUTENANT"	:rem 236	108	Ø PRINT" [HOME] [20 DOWN]"; :rem 60
	ATA "GENERAL"	:rem 242		Ø FORW=ØTO7:READC\$(W):NEXTW :rem 132
	ATA "COMMODORE"	:rem 154		Ø FORW=ØTO7:READBC\$(W):NEXTW :rem 190
	ATA "FI.FFT COMMANDER"	:rem 252		Ø TL=6.CS=CS(7).BCS=BCS(7) .rem 244

:rem 66

:rem 60

:rem 153

:rem 40

:rem 252 1110 TL=6:C\$=C\$(7):BC\$=BC\$(7)

1120 GOSUB1440:TI\$="000000"

1130 C\$=C\$(ABS(LEN(C\$)-11))

1150 IFTI>800THENC\$=C\$((LEN(C\$)-12)):BC\$=

1160 IFINT(RND(TI)\*100)<20THENC\$=BC\$

BC\$((LEN(C\$)-11)):GOTO1460 :rem 155

:rem 244

:rem 169

:rem 110

:rem 58

350 POKE36879,8

YON"

380 PRINT

260 DATA "FLEET COMMANDER"

270 DATA"HAN SOLO ????????"

370 PRINT"[HOME][4 DOWN][6 SPACES]VIC-CAN

400 FORW=1T050:P=INT(RND(TI)\*506)+7680:IF

1170	IFINT(RND(TI)*100)=4THENGOSUB1440
1180	:rem 10 TL=ABS(TL+((INT(RND(TI)*3)-1)))
1100	:rem 4
1190	
	:rem 116
1200	
1205	POKESP+7680, AB: POKESP+38400, CB : rem 48
1210	
	TRIC-IMPRILATE OF
1220	
1230	
	IF P=45 THEN 1280 :rem 74
1240	
1260	
1270	
	ØØ :rem 93
1271	AB=PEEK(7680+SP):CB=PEEK(38400+SP)
	:rem 227
1272	POKESP+38400,4:POKESP+7680,42:GOTO 1
	130 :rem 254
1280	SP=SP-1:IF PEEK(768Ø+SP) <> 32 THEN 13
1200	ØØ :rem 96
1281	AB=PEEK(768Ø+SP):CB=PEEK(384ØØ+SP)
1201	:rem 228
1282	POKESP+38400,4:POKESP+7680,42:GOTO 1
1202	130 :rem 255
1205	IF PEEK(7680+SP) <> 32AND PEEK(7680+SP
1205	) <> 42THEN 1300 :rem 22
1286	AB=PEEK(768Ø+SP):CB=PEEK(384ØØ+SP)
1200	
1207	:rem 233
1287	POKESP+38400,4:POKESP+7680,42:GOTO 1 130 :rem 4
1000	
1300	POKE36869,240:PRINT"{CLR}":PRINTSPC(
1220	5);"{RVS}YOU CRASHED!" :rem 63
	POKE36879,8 :rem 107
1340	PRINTSPC(5);"{RVS}YOUR RATING:"
	:rem 160
1345	PRINTSPC(11-LEN(R\$(R))/2);"{RVS}";R\$
	(R) :rem 175
1350	
1360	
	Ø :rem 158
1410	RUN :rem 187
1430	TI\$="000000":R=R+1:IFR>10THENR=10
	:rem 122
	IFAS=1THEN1205 :rem 81
1450	AS=1:RETURN :rem 230
	GOSUB1430:GOTO1205 :rem 78
	AS=Ø :rem 205
	FORQ=1TOLEN(C\$)/2:PRINT"{LEFT}";:NEX
Eren (CS)	TQ :rem 191
1480	PRINT" {2 UP} #\$ { DOWN } {2 LEFT } % & "
	:rem 157
1530	GOTO1230 :rem 200
1000	. Lem 200

# Tetracrystals Of Veluria

(Article on page 86.)

### BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

## Program 1: Tetracrystals—VIC Version

```
10 POKE52, 25: POKE56, 25: CLR: GOSUB5000: CLR
13 S7$="{RVS}{3 SPACES}{OFF}{2 SPACES}":C
   7$="BWRCPGBY"
20 G1$=" -- Y VALUE -- {2 SPACES}":G2$="AB
   CDEFGHIJKLMNOP":G3$="+8+3+8+3+
   CJ$="XYPC"
                                  :rem 101
60 TG=1:GOSUB1100
                                  :rem 235
100 GOSUB8200:GOSUB6000:GOSUB8200:rem 223
160 PRINT" (CLR) SPEED": INPUTHF : rem 196
180 PRINT" [DOWN] CHR? [DOWN]"
                                  :rem 168
190 GOSUB8000
                                  :rem 226
195 IF(G$<"1")OR(G$>"4")THEN190
                                  :rem 119
197 G=VAL(G$)*4-1:POKE7167,G
                                   :rem 49
255 PRINT"{CLR}{3 SPACES}** X VALUE
    **":PRINT"{2 SPACES}";G2$:SYS6401
                                  :rem 188
260 H=0:FORG=1TO16:PRINTMID$(G1$,G,1);MID
    $(G2$,G,1);MID$(G3$,H+1,16):H=ABS(H-1
    ):NEXTG
28Ø FORG=ØTO3
                                   :rem 11
282 PRINT" [HOME] "MID$ (CJ$, G+1,1) :rem 172
285 GOSUB8000
                                  :rem 231
290 IFG$="{F1}"THEN280
                                  :rem 100
295 IFG$="{F7}"THEN51Ø
                                  :rem 104
300 H=ASC(G$)-49:ONG+1GOTO325,345,365,385
                                  :rem 240
3Ø1 GOTO285
                                  :rem 108
3Ø5 NEXTG
                                   :rem 30
325 H=H-16:IF((H<Ø)OR(H>15))THEN285
330 PRINT" [HOME] [DOWN] [2 RIGHT]"; G2$; : POK
    E7704+H,81:XV=7726+H:GOTO305 :rem 148
345 H=H-16:IF((H<Ø)OR(H>15))THEN285
                                  :rem 200
350 FORJ=1T016:POKE7703+J*22,J:NEXTJ:POKE
    7725+H*22,81:YV=H:GOTO3Ø5
365 IF((H<Ø)OR(H>1))THEN285
                                  :rem 250
37Ø PV=H+49:SB=2TH:GOTO3Ø5
                                  :rem 76
385 IF((H<Ø)OR(H>7))THEN285
390 POKEXV+YV*22+30720, H:POKEXV+YV*16+302
    Ø8, H: POKEXV+YV*22, PV: POKEXV+YV*16-558
    , PV
                                   :rem 14
395 POKEXV+YV*16-302, ((H*16)+SB):GOTO280
510 POKE36879, SS:TG=1:CP=0:GOTO750:rem 52
600 SYS6406:SYS6431
                                 :rem 108
65Ø SYS6577
                                 :rem 115
655 FORG=1TOHF:NEXTG
                                  :rem 45
656 GETG$:IFG$<>""THENGOSUB7000 :rem 84
657 IFCPTHENGOSUB7310
                                  :rem 62
660 SYS6475:SYS6542
                                 :rem 123
690 GOSUB1000:TG=1
                                  :rem 35
695 GOSUB1100
                                 :rem 230
700 SYS6401:SYS6424
                                 :rem 106
75Ø SYS6573
                                 :rem 112
   FORG=1TOHF: NEXTG
                                  :rem 46
756 GETG$:IFG$<>""THENGOSUB7000
                                 :rem 85
757 IFCPTHENGOSUB7310
                                  :rem 63
760 SYS6468:SYS6535
                                 :rem 128
79Ø GOSUB1ØØØ:TG=Ø
                                  :rem 35
795 GOSUB1100:GOTO600
                                 :rem 240
1000 J=INT(RND(1)*16):H=INT(RND(1)*3):POK
     E36874+H, PEEK(6993+J): POKE36878, (JOR
     8): RETURN
1100 POKE36866, 128*TG+16: POKE36867, 32: POK
     E36864, 10: POKE648, 2*TG+28: Z=TG*2+156
                                 :rem 119
```

1120	FORH-217MO229 - DOVER 7 - DOVER 12 MILLS	20 NEVET	040
1120	FORH=217TO228: POKEH, Z: POKEH+12, Z+1:N	28 NEXTJ	:rem 243
Faaa	EXTH:PRINT"[HOME]";:RETURN :rem 149	30 READL: IFL<>99999THENPRINT"IN	
	OPEN1,1,0,"CRYSTALS T3/JAN" :rem 85	DATA":STOP 32 PRINT" OK{2 DOWN}" 35 PRINT"GET DATA TAPE READY{3	:rem 152
	FORG=ØTO39:FORH=1TO16 :rem 82	32 PRINT" OK{2 DOWN}"	:rem 242
5030	INPUT#1,Y:X=G*16+H+6400:POKEX,Y:PRIN	35 PRINT"GET DATA TAPE READY{3	
	TY; :rem 225	A KEY TO CONTINUE	:rem 199
5060	NEXTH,G :rem 197	36 GETG\$:IFG\$=""THEN36	:rem 1
	INPUT#1,L:IFL<>99999THENSTOP :rem 78	37 PRINT: PRINT	:rem 190
	CLOSE1:RETURN :rem 142	38 CLR	:rem 76
	SS=PEEK(36879):PRINT"{CLR}"SPC(66)S7	40 OPEN1,1,1, "CRYSTALS T3/JAN"	:rem 245
0000	\$"F1 BDR":PRINTS7\$"F3 SCN :rem 166	43 FORJ=1TO4Ø:READL:NEXTJ	:rem 114
6010	PRINTS7\$"F5 REV":PRINTS7\$"F7 FIN	45 FORJ=1TO40	
ONTO			:rem 15
	{DOWN}" :rem 210	50 FORK=1TO16	:rem 15
6012	FORG=1T08:PRINTS7\$;G;MID\$(C7\$,G,1);S	53 READL: PRINT#1, L; CHR\$(13);	:rem 143
	7\$:NEXTG : rem 216	55 NEXTK	:rem 244
6020	FORG=ØTO7:FORH=ØTO7:POKE38583+G*22+H	58 NEXTJ	:rem 246
	,G:NEXTH:NEXTG :rem 200 POKE36879,SS :rem 219	60 READL: IFL <> 99999THENPRINT "CH	ECK DATA":
6030	POKE36879,SS :rem 219	GOTO65	:rem 208
6050	GOSUB8000: IFG\$="{F1}"THENG=(SS+1)AND	63 PRINT#1,L	:rem 194
	7:SS=(SSAND248)ORG :rem 202	65 CLOSE1	:rem 18
6052	IFG\$="{F3}"THENSS=(SS+16)AND255	99 END	:rem 73
	:rem 216	101 DATA2175, 2423, 2474, 1942, 218	
6054	IFG\$="{F5}"THENG=(SS+8)AND15:SS=(SSA	102 DATA2431,2113,1935,2660,256	
0034		103 DATA2317,1710,2352,2061,192	
carc	ND24Ø)ORG :rem 124		
	IFG\$="{F7}"THENRETURN :rem 227	104 DATA2461,2246,1533,2072,169	
	GOTO6030 :rem 206	105 DATA1626,1883,1556,1844,260	
7000	IF(G\$<"{F1}")OR(G\$>"{F6}")THENRETURN	106 DATA1715,2310,2659,1771,190	
	:rem 144	107 DATA2411,1971,2168,2142,177	
7010	G=ASC(G\$)-132:ONGGOTO7100,7200,7210,	108 DATA2510,1251,3302,0,0	:rem 28
	7300,7400,7450,7600 :rem 142	110 DATA169, 29, 208, 3, 234, 169, 31	
7100	CP=Ø:RETURN :rem 226	69,0,133,251,234,160,0	:rem 68
7200	7300,7400,7450,7600 :rem 142 CP=0:RETURN :rem 226 H=25:GOTO7220 :rem 243	120 DATA145, 251, 200, 208, 251, 96,	234,169,29
	H=-25 :rem 227	,162,31,208,5,234,169,31	:rem 179
	GOSUB8000:G=ASC(G\$)-48:IF(G<0)OR(G>9	130 DATA162, 29, 133, 252, 134, 254,	169,0,133,
		251,133,253,234,160,0,177	:rem 216
7240	)THEN7220 :rem 116 HF=HF+G*H:RETURN :rem 36	140 DATA253, 10, 9, 240, 133, 1, 177,	253,9,15,3
	CP=1 :rem 203	7,1,145,251,200,208	:rem 166
	GOSUB8000: IFG\$="{F7}"THENRETURN	150 DATA238,96,234,169,28,162,2	
1310	:rem 95	4,169,30,162,31,133,252	:rem 143
7000		160 DATA134,254,169,0,133,251,1	
	IFG\$="{F1}"THENCP=Ø:RETURN :rem 21	160 DATA134, 234, 169, 0, 133, 231, 1	:rem 182
	GOTO7000 :rem 205	,172,255,27,162,4,185,65	17 160 32 1
7400	PV=INT(RND(1)*8)*16+1:GOTO7500	170 DATA27,149,0,136,202,208,24	7,109,32,1
	:rem 222		:rem 75
7450	GOSUB8000:G=ASC(G\$)-49:IF(G<0)OR(G>7	180 DATA253, 162, 0, 9, 16, 24, 232, 1	100,170,3,1
	)THEN7450 :rem 125	44,250,234,181,0,145	:rem 220
	PV=G*16+1 :rem 232	190 DATA251, 200, 208, 235, 96, 234,	169,148,16
7500	XV=INT(RND(1)*16):YV=INT(RND(1)*16):	2,29,208,5,234,169,150,162	:rem 38
	QV=XV+YV*16+7424 :rem 118	200 DATA31, 133, 252, 134, 254, 169,	0,133,251,
751Ø	POKEQV, PV: POKEQV+512, PV: RETURN	133,253,234,160,0,177,253	:rem 208
	:rem 52	210 DATA74,74,74,74,145,251,200	0,208,245,9
7600	RUN13 :rem 38	6,234,234,169,29,208,2	:rem 94
	GETG\$:IFG\$=""THEN8000 :rem 191	220 DATA169, 31, 133, 2, 133, 252, 16	50,0,132,1,
	RETURN :rem 169	234.177.1.41.4.240	:rem 101
9200	POKE36866,150:POKE36867,46:POKE36864	230 DATA5, 32, 204, 25, 164, 254, 200	0,208,242,9
0200	,5:POKE36879,27:RETURN :rem 211	6,234,132,254,169,0,133	:rem 116
	, 5: PORE 508/5, 27: RETORM : 10. 211	240 DATA253,152,41,240,208,4,16	9.17.133.2
70		53,152,41,15,208,6,169	· rem 75
PIO	gram 2:	250 DATA34,5,253,133,253,200,15	2 41 15 20
Tetr	acrystals—VIC DATA Maker	8,6,169,68,5,253,133	2,41,15,20
	Salar - Carrotta Maria Carrotta Carrott	0,0,109,00,5,255,155	10 200 6 16
	M PREPARES[14 SPACES]DATAFILE FOR	26Ø DATA253,165,254,9,15,168,26	120, 200, 0, 10
	Ø SPACES}TETRACRYSTALS : rem 142	9,136,5,253,133,253,234	16W 139
5 DI	MCS(40) :rem 90	27Ø DATA76,11,26,5,253,133,253,	70,234,234
8 FO	RG=1TO40:READH:CS(G)=H:NEXTG :rem 38	,164,254,169,48,37,253	:rem 101
	RINT"{CLR} CHECKSUM"; :rem 83	280 DATA208, 19, 152, 56, 233, 17, 16	00,1//,1,41
	ORJ=1TO40 :rem 10	,12,240,5,169,3,32	:rem 137
15 T		290 DATA4, 26, 164, 254, 234, 169, 86	37,253,20
	ORK=1T016 :rem 19	8,19,152,56,233,15,168	:rem 100
	EADL:TL=TL+L :rem 248	300 DATA177,1,41,12,240,5,169,5	5,32,4,26,1
	EXTK :rem 239	64,254,234,169,160	:rem 128
	FTL<>CS(J)THENPRINT:PRINT"TYPO IN LIN	310 DATA37, 253, 208, 19, 152, 24, 10	05,15,168,1
	";100+J*10:STOP :rem 95	77,1,41,12,240,5,169	:rem 230
E	,100,0 10.010r		

320 DATA10, 32, 4, 26, 164, 254, 234, 169, 192, 37	28Ø FORG=ØTO3 :rem 11
,253,208,19,152,24,105 :rem 76	
	282 PRINT" [HOME] "MID\$(CJ\$, G*6+1,6):PRINT"
330 DATA17,168,177,1,41,12,240,5,169,12,3	*-F1 TO CANCEL-*-F7 TO BEGIN GAME-*"
2,4,26,164,254,234 :rem 129	:rem 173
340 DATA169,1,37,253,208,50,165,254,56,23	285 GETG\$:IFG\$=""THEN285 :rem 109
3,16,168,177,1,41,15 :rem 244	290 IFG\$="{F1}"THEN280 :rem 100
350 DATA234, 234, 234, 234, 208, 34, 165, 254, 56	295 IFG\$="{F7}"THEN510 :rem 104
,233,16,170,41,240,240,11 :rem 215	300 H=ASC(G\$)-49:ONG+1GOTO325,345,365,385
360 DATA138,56,233,16,168,177,1,41,12,208	:rem 240
,13,164,254,177,1,56 :rem 243	301 GOTO285 :rem 108
370 DATA233,3,134,251,164,251,145,1,169,2	3Ø5 NEXTG :rem 3Ø
,37,253,208,41,164,254 :rem 76	325 H=H-16:IF((H<Ø)OR(H>15))THEN285
380 DATA136,177,1,41,15,234,234,234,234,2	:rem 198
34,234,234,208,25,164,254 :rem 228	330 PRINT" [HOME] [5 DOWN] "SPC(12); G25; : POK
390 DATA136,152,41,15,240,7,136,177,1,41,	E1236+H,81:XV=1276+H:GOTO3Ø5 :rem 44
12,208,10,164,254,177 :rem 22	345 H=H-16:IF((H<Ø)OR(H>15))THEN285
	The state of the s
400 DATA1,56,233,3,136,145,1,169,4,37,253	:rem 200
,208,44,164,254,200 :rem 176	350 FORJ=1T016:POKE1235+J*40,J:NEXTJ:POKE
410 DATA177,1,41,15,234,234,234,234,234,2	1275+H*4Ø,81:YV=H:GOTO3Ø5 :rem 248
34,234,208,28,169,1,133 :rem 121	365 IF((H<Ø)OR(H>1))THEN285 :rem 250
420 DATA251,164,254,200,200,152,41,15,240	370 PV=H+49:SB=21H:GOTO305 :rem 76
,6,177,1,41,12,208,9 :rem 208	385 IF((H<Ø)OR(H>7))THEN285 :rem 2
430 DATA164, 254, 177, 1, 56, 233, 3, 145, 251, 16	39Ø POKEXV+YV*4Ø+54272, H: POKEXV+YV*4Ø, PV
9,8,37,253,208,44,165 :rem 45	:rem 213
440 DATA254, 24, 105, 16, 168, 177, 1, 41, 15, 234	395 POKEXV+YV*16+48132, ((H*16)+SB):GOTO28
,234,234,234,208,28,169 :rem 134	Ø :rem 138
450 DATA16, 133, 251, 165, 254, 24, 105, 32, 176,	510 POKEPS, RB: POKEPS+1, SC: CP=0 :rem 140
7,168,177,1,41,12,208 :rem 27	520 PRINT" [CLR] [DOWN] "SPC(7) . "T F T R A C
460 DATA10,164,254,177,1,56,233,3,145,251	R Y S T A L S":GOTO700 :rem 248
004 104 004 00 004	600 SYS49670:SYS49695 :rem 233
	650 SYS49841 :rem 164
470 DATA87,81,90,0,219,102,160,42,65,90,8	R Y S T A L S":GOTO700 :rem 248 600 SYS49670:SYS49695 :rem 233 650 SYS49841 :rem 164 655 FORG=lTOHF:NEXTG :rem 45
3,88,43,37,36,28 :rem 57	656 CEMCC. TECCA ""MUENCOCUEZAAA
480 DATA163,175,175,187,195,201,207,209,2	656 GETG\$:IFG\$<>""THENGOSUB7000 :rem 84
15,215,219,221,225,228,232,235	657 IFCPTHENGOSUB7310 :rem 62
:rem 235	660 SYS49806:SYS49739 :rem 239
490 DATA0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	690 GOSUB1000:REM MUSIC :rem 127
:rem 75	700 SYS49665:SYS49688 :rem 240
500 DATA0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	750 SYS49837 :rem 170
:rem 67	755 FORG=1TOHF:NEXTG :rem 46
50000 DATA99999 :rem 44	756 GETG\$:IFG\$<>""THENGOSUB7000 :rem 85
	757 IFCPTHENGOSUB7310 :rem 63
Program 3: Tetracrystals—64 version	760 SYS49799:SYS49732 :rem 244
	790 GOSUB1000:REM MUSIC :rem 128
10 GOTO9000: REM MACHINE LANGUAGE LOADER	795 GOTO600 :rem 116
:rem 113	1000 REM MUSIC :rem 38
13 S7\$="{RVS}{7 SPACES}{OFF}{4 SPACES}":C	1050 VM=(INT(RND(1)*3))*16:VM=VM+(INT(RND
7\$="BLKWHTREDCYNPURGBLUYEL":PS=5328Ø	(1)*16)) :rem 243
:RV=49760 :rem 17	1060 POKE50688,VM :rem 208
20 G1\$=" Y VALUE{2 SPACES}":G2\$="AB	1070 SYS50689 :rem 211
CDEFGHIJKLMNOP": $G3\$="+\xi+3+\xi+3+$	
"+E+3+E+3+E+3+E+3+E+3+E+3	그 선생님 생생님 아이들의 얼마나 있는데 그 아이들의 그리는데 그리는데 그리는데 그리는데 그리는데 그리는데 그리는데 그리는데
:rem 181	
3Ø CJ\$="XVALUEYVALUEPLANT#COLOR" :rem 97	1100 POKE53280, 254: POKE53281, 246: RETURN
6Ø GOSUB11ØØ:REM NORMAL COLORS :rem 97	:rem 8 6000 RB=PEEK(PS):SC=PEEK(PS+1):PRINT"
100 GOSUB6000: REM SET UP SCREEN/BORDER	[CIP] "CPC(121) C7C"PI POPPER"
	[CLR]"SPC(131)S7\$"F1 BORDER":rem 195
:rem 51	6005 PRINTSPC(11)S7\$"F3 SCREEN :rem 250
110 GOSUB1100 :rem 212	6008 PRINTSPC(11)S7\$"F5 REVERSE :rem 91
160 PRINT" (CLR) SPEED? (THE LOWER THE NUMB	6010 PRINTSPC(11)S7\$"F7 CONTINUE{DOWN}
ER THE FASTER)":INPUTHF :rem 14	:rem 176
180 PRINT" [DOWN] WHICH CHARACTER SET?	6012 FORG=1T08:PRINTSPC(11)S7\$;G;MID\$(C7\$
[SHIFT-SPACE](1-4)[DOWN]" :rem 58	,G*3-2,3):NEXTG :rem 70
190 GETG\$:IFG\$=""THEN190 :rem 99	6020 FORG=0TO7:FORH=0TO7:POKE55627+G*40+H
195 IF(G\$<"1")OR(G\$>"4")THEN19Ø :rem 119	,G:NEXTH:NEXTG :rem 198
197 G=VAL(G\$)*4-1:POKE49664,G :rem 105	6030 POKEPS, RB: POKEPS+1, SC :rem 133
255 PRINT" {CLR} "SPC(130)" [3 SPACES] ** X	6050 GETG\$:IFG\$=""THEN6050 :rem 197
VALUE **":PRINTSPC(52);G2\$:SYS4967	6051 IFG\$="{F1}"THENRB=(RB+1)AND15:rem 70
Ø :rem 100	6052 IFG\$="{F3}"THENSC=(SC+1)AND15:rem 76
260 H=0:FORG=1T016:PRINTSPC(9)MID\$(G1\$,G,	6054 IFG\$="{F5}"THENPOKERV, ((PEEK(RV)+128
1)" "MID\$(G2\$,G,1); :rem 90	)AND255) :rem 248
270 PRINTMID\$(G3\$, H+1, 16):H=ABS(H-1):NEXT	6055 IFG\$="{F5}"THENFORX=1344T01663:POKEX
	ODD IFGS (FS) THENFORK=1344TO1663: POKEX
G :rem 194	,((PEEK(X)+128)AND255):NEXTX :rem 31

6056	IFG\$="{F7}"THENRETURN	:rem 227	9276	DATA2461,2415,1534,2241,1863:rem 163
				DATA1627, 2052, 1726, 1845, 2604:rem 171
	GOTO6030	:rem 206		
7000	IF(G\$<"{F1}")OR(G\$>"{F6}")			DATA1717,2311,2660,1772,1910:rem 158
		:rem 144		DATA2412,1972,2169,2143,1771:rem 167
7010	G=ASC(G\$)-132:ONGGOTO7100,		9284	DATA2511,1251,2546,2115,1718:rem 158
,,,,,		:rem 142		DATA1762,2481,2247,1939,2497:rem 189
44.	7300,7400,7450,7600		9200	DATA1/02,2401,2247,1939,2497.1em 109
7100	CP=Ø:RETURN	:rem 226		DATA1436,546,282,778,929 :rem 248
7200	H=25:GOTO722Ø	:rem 243	9290	DATA1246,1495,1077,1002 :rem 164
	H=-25	:rem 227	9350	DATA169, 192, 208, 3, 234, 169, 193, 133, 25
			3330	2,169,Ø,133,251,234,16Ø,Ø :rem 237
7220	GOSUB8ØØØ:G=ASC(G\$)-48:IF(		Company of the Compan	
	)THEN7220	:rem 116	9360	DATA145, 251, 200, 208, 251, 96, 234, 169, 1
7240	HF=HF+G*H:RETURN	:rem 36		92,162,193,208,5,234,169,193:rem 149
	CP=1:RETURN	:rem 229	9370	DATA162, 192, 133, 252, 134, 254, 169, Ø, 13
			3370	3,251,133,253,234,160,0,177 :rem 72
7310	GOSUB8ØØØ: IFG\$="{F7}"THENR			3,251,133,253,234,160,0,177 :1em 72
		:rem 95	9380	DATA253, 10, 9, 240, 133, 2, 177, 253, 9, 15,
7320	IFG\$="{F1}"THENCP=Ø:RETURN	:rem 21		37,2,145,251,200,208 :rem 231
	GОТО7ØØØ	:rem 205	9398	DATA238, 96, 234, 169, 4, 32, 81, 196, 240, 5
			2220	
7400	PV=INT(RND(1)*8)*16+1:GOTO		CONTRACTOR OF STREET	
		:rem 222	9400	DATA172,0,194,162,4,185,65,196,149,1
7450	GOSUB8000:G=ASC(G\$)-49:IF(	G<Ø)OR(G>7		,136,202,208,247,169,32 :rem 146
, ,,,,,	)THEN7450	:rem 125	9410	DATA133,6,234,234,234,234,234,234,23
			2410	4.160.15.177,253,162,0,9 :rem 176
	PV=G*16+1	:rem 232	2000	
7500	XV=INT(RND(1)*16):YV=INT(R	ND(1)*16):	9420	DATA16, 24, 232, 106, 176, 3, 144, 250, 234,
	OV=XV+YV*16+49152	:rem 170		181,1,145,251,136,16,235 :rem 170
7530			9/20	DATA32,101,196,144,228,96,169,216,32
1210	POKEQV, PV: POKEQV+256, PV: RE		9430	
		:rem 57		,81,196,240,5,169,216,32 :rem 201
7600	RUN13	:rem 38	9440	DATA85, 196, 234, 160, 15, 177, 253, 74, 74,
				74,74,145,251,136,16,245 :rem 213
	GETG\$:IFG\$=""THEN8000	:rem 191	DAFA	
8010	RETURN	:rem 169	9450	DATA32,101,196,144,238,96,234,0,0,0,
gaga	DIMCS(54)	:rem 243		Ø, Ø, 169, 192, 208, 2 :rem 77
			0460	Dama 160 102 122 2 122 252 168 8 122
	FORG=1TO54:READCS(G):NEXTG		9460	DATA169, 193, 133, 3, 133, 252, 160, 0, 132,
9020	PRINT" [CLR] "SPC(6); "T E T	RACRY		2,234,177,2,41,4,240 :rem 224
	[SPACE]S T A L S[2 DOWN]":	PRINT" C	9470	DATA5, 32, 204, 194, 164, 254, 200, 208, 242
	HECKSUM: ";	:rem 95		,96,234,132,254,169,Ø,133 :rem 234
oasa	FORJ=1TO54	:rem 119		
	FORU=11034	.1em 119	9480	DATA253,152,41,240,208,4,169,17,133,
9040	HECKSUM:"; FORJ=1T054 TL=Ø FORK=1T016 READL:TL=TL+L NEXTK	:rem 218		253,152,41,15,208,6,169 :rem 138
9050	FORK=1TO16	:rem 120	9490	DATA34,5,253,133,253,200,152,41,15,2
9060	READL: TL=TL+L	:rem 101		Ø8,6,169,68,5,253,133 :rem 36
	MENTE	:rem 90		
			9500	DATA253,165,254,9,15,168,200,208,6,1
9080	IFTL <> CS (J) THENPRINT: PRINT			69,136,5,253,133,253,234 :rem 192
	INE";934Ø+J*1Ø:STOP	:rem 8	9510	DATA76,11,195,5,253,133,253,96,234,2
agag	NEXTJ	:rem 91	3310	
		:rem 83		
9100	READL: IFL <> 99999THENSTOP		9520	DATA208, 19, 152, 56, 233, 17, 168, 177, 2, 4
9110	PRINT" OK { DOWN } ": PRINT"	LOADING MA		1,12,240,5,169,3,32 :rem 192
	CHINE LANGUAGE."	:rem 17	9530	DATA4, 195, 164, 254, 234, 169, 80, 37, 253,
9120	CLR:M=49664	:rem 126	3300	208, 19, 152, 56, 233, 15, 168 :rem 209
		:rem 168	0=	200,13,132,30,233,13,100 :1em 203
	POKEM, 3		9540	DATA177, 2, 41, 12, 240, 5, 169, 5, 32, 4, 195
	FORJ=1TO54:READK:NEXTJ	:rem 222		,164,254,234,169,160 :rem 247
9155	FORJ=1TO4Ø	:rem 122	9550	DATA37, 253, 208, 19, 152, 24, 105, 15, 168,
	FORK=1TO16:M=M+1	:rem 231		177,2,41,12,240,5,169 :rem 38
		:rem 107	0555	Damaid 22 4 105 164 254 224 160 102
	READL: POKEM, L		9560	DATA10, 32, 4, 195, 164, 254, 234, 169, 192,
	NEXTK	:rem 91		37,253,208,19,152,24,105 :rem 194
9175	NEXTJ	:rem 95	9570	DATA17, 168, 177, 2, 41, 12, 240, 5, 169, 12,
		111		32,4,195,164,254,234 :rem 248
	M=5Ø688	:rem 111		32,4,133,104,234,234 :1em 240
9180				
9185	FORJ=41TO46	:rem 178	9580	DATA169,1,37,253,208,50,165,254,56,2
2103			9580	33.16.168.177.2.41.15 :rem 52
0100	FORK=1TO16:M=M+1	:rem 238		33,16,168,177,2,41,15 :rem 52
	FORK=1T016:M=M+1 READL:POKEM,L	:rem 238 :rem 105		33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5
	FORK=1TO16:M=M+1	:rem 238 :rem 105 :rem 98	9590	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22
9195	FORK=1T016:M=M+1 READL:POKEM,L	:rem 238 :rem 105	9590	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20
9195	FORK=1TO16:M=M+1 READL:POKEM,L NEXTK NEXTJ	:rem 238 :rem 105 :rem 98 :rem 84	9590	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20
9195 9200 9204	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94	959Ø 96ØØ	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43
9195 9200 9204 9205	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181	959Ø 96ØØ	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169,
9195 9200 9204 9205 9210	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227	959Ø 96ØØ 961Ø	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169, 2,37,253,208,41,164,254 :rem 131
9195 9200 9204 9205 9210	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227	959Ø 96ØØ 961Ø	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169, 2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234,
9195 9200 9204 9205 9210 9215	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1 READL:POKEM,L	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227	959Ø 96ØØ 961Ø 962Ø	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169, 2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234, 234,234,234,208,25,164,254 :rem 27
9195 9200 9204 9205 9210 9215 9220	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1 READL:POKEM,L NEXTK	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227 :rem 103 :rem 87	959Ø 96ØØ 961Ø 962Ø	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169, 2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234, 234,234,234,208,25,164,254 :rem 27
9195 9200 9204 9205 9210 9215 9220 9225	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227 :rem 103 :rem 87 :rem 91	959Ø 96ØØ 961Ø 962Ø	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169, 2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234,234,234,234,234,234,234
9195 9200 9204 9205 9210 9215 9220 9225 9230	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ READL:IFL<>99999THENSTOP	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227 :rem 103 :rem 87 :rem 91 :rem 87	9590 9600 9610 9620 9630	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169, 2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234,234,234,234,234,234,234
9195 9204 9204 9205 9210 9215 9220 9225 9230 9240	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ READL:IFL<>99999THENSTOP RUN13	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227 :rem 103 :rem 87 :rem 91 :rem 87 :rem 40	9590 9600 9610 9620 9630	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169,2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234,234,234,234,234,234,234
9195 9204 9204 9205 9210 9215 9220 9225 9230 9240	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ READL:IFL<>99999THENSTOP RUN13	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227 :rem 103 :rem 87 :rem 91 :rem 87 :rem 40	9590 9600 9610 9620 9630 9640	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169, 2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234,234,234,234,234,234,234
9195 9204 9205 9210 9215 9220 9225 9230 9240 9270	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ READL:IFL<>99999THENSTOP RUN13 DATA2500,2910,2637,1944,20	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227 :rem 103 :rem 87 :rem 91 :rem 87 :rem 40	9590 9600 9610 9620 9630 9640	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169, 2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234,234,234,234,234,234,234
9195 9200 9204 9205 9210 9215 9220 9225 9230 9240 9270	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ READL:IFL<>99999THENSTOP RUN13 DATA2500,2910,2637,1944,20 DATA2122,2553,2150,2153,22	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227 :rem 103 :rem 87 :rem 91 :rem 87 :rem 40 015:rem 155	9590 9600 9610 9620 9630 9640	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169,2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234,234,234,234,234,234,234
9195 9200 9204 9205 9210 9215 9220 9225 9230 9240 9270	FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ M=50943 FORJ=47T054 FORK=1T016:M=M+1 READL:POKEM,L NEXTK NEXTJ READL:IFL<>99999THENSTOP RUN13 DATA2500,2910,2637,1944,20	:rem 238 :rem 105 :rem 98 :rem 84 :rem 94 :rem 181 :rem 227 :rem 103 :rem 87 :rem 91 :rem 87 :rem 40 015:rem 155	9590 9600 9610 9620 9630 9640	33,16,168,177,2,41,15 :rem 52 DATA234,234,234,234,208,34,165,254,5 6,233,16,170,41,240,240,11 :rem 22 DATA138,56,233,16,168,177,2,41,12,20 8,13,164,254,177,2,56 :rem 43 DATA233,3,134,251,164,251,145,2,169, 2,37,253,208,41,164,254 :rem 131 DATA136,177,2,41,15,234,234,234,234,234,234,234,234,234,234

966Ø	DATA251,164,254,200,200,152,41,15,24 0,6,177,2,41,12,208,9 :rem 16
967Ø	
9680	
9690	
9700	DATA10,164,254,177,2,56,233,3,145,25
9710	DATA87,81,90,0,219,102,160,42,65,90,
9720	83,88,43,37,36,28 :rem 111 DATA162,192,208,2,162,193,133,252,13 4,254,169,132,133,251,169,0 :rem 79
9730	
9740	
9749	
9750	DATA173,0,198,10,170,74,41,240,74,72,74,74,74,133,251,104 :rem 40
9760	DATA56,229,251,168,189,32,199,153,0,199,232,200,189,32,199,153 :rem 69
9770	DATA Ø,199,136,132,252,162,7,185,Ø,1 99,153,Ø,212,2ØØ,2Ø2,2Ø8 :rem 128
978Ø	DATA246,169,1,141,3,212,169,10,141,2 4,212,164,252,169,1,25 :rem 79
979Ø	DATA4,199,153,4,212,162,5,160,0,234, 234,234,200,208,250,238 :rem 128
9800	DATA3,212,238,24,212,202,208,241,96, 0,0,0,0,0,0,0
98Ø9	REM MUSIC DATA STATEMENTS :rem 21
9810	DATAØ,Ø,Ø,5,64,14Ø,48,Ø,Ø,Ø,Ø,32,152,105,Ø,Ø :rem 99
9820	DATAØ,Ø,16,57,194,Ø,Ø,Ø,15,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø
9830	DATA134,3,180,4,71,5,71,6,12,7,12,7, 104,9,143,10 :rem 80
9840	DATA143,10,143,12,24,14,24,14,195,16 ,209,18,31,21,30,25 :rem 168
985Ø	DATA49,28,165,31,135,33,162,37,62,42,193,44,60,50,99,56 :rem 216
9860	DATA75,63,15,67,15,67,69,75,125,84,2 14,94,121,100,199,112 :rem 63
987Ø	DATA12,7,97,8,143,10,143,10,218,11,1 43,12,24,14,210,15 :rem 118
988Ø	DATA195,16,209,18,31,21,30,25,49,28, 49,28,162,37,62,42 :rem 161
1000	Ø DATA99999 :rem 40

## **Hardhat Climber**

(Article on page 82.)

## BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

## Program 1: Hardhat Climber—VIC Version

Ø POKE51,192:POKE52,29:POKE55,192:POKE56, 29: POKE36869, 255: POKE36878, 15: POKE36879 ,25 :rem 83 60 IFY>10THEN15
1 D=37154:P1=37151:P2=37152:DO(0)=-1:DO(1 61 IFS>8163THENPOKES,T:GOTO16

4		)=1:DI=DO(INT(RND(1)*2)) :rem 54
6	2	A\$=">>>>>>>>>>>
1		:DIMB(11):G=30720:E2=0 :rem 126
9	3	$SC=1:CH=2:E1=\emptyset:D(\emptyset)=4:D(1)=2:D(4)=7:Z=5$
3		7:E3=1:Q=10000:J=56 :rem 32
8	10	GOSUB100: POKE36869, 255: E4=0: E5=2
6	10000	:rem 246
1	15	GOSUB7Ø:H=Ø:Y=Ø :rem 6Ø
5	16	S=8143+INT(RND(1)*20):IFPEEK(S+22)=620
0		RPEEK(S)=59THEN16 :rem 145
'	17	
1	19	
9	20	:rem 7 SYS828:ONPEEK(1)GOTO35,26,28,31,33
3	20	
3	21	FORN=1TO23:NEXT:GOTO41 :rem 110
4		IFPEEK(S+22)=ZTHENPOKES, T: POKES+G, D(T-
ð		J):S=S+22:GOTO40 :rem 84
	27	GOTO41 :rem 7
7	28	DI=-1:IFPEEK(S+21)<62THENPOKES,T:POKES
2		+G,D(T-J):S=S-1:GOTO4Ø :rem 147 IFT<>ZTHENPOKES,T:POKES+G,D(T-J):S=S+D
3	29	IFT <> ZTHENPOKES, T: POKES+G, D(T-J): S=S+D
,		I:T=PEEK(S):GOTO55 :rem 83
9	30	
L	31	IFT=ZTHENPOKES, T:POKES+G, D(T-J):S=S-22
3		:GOTO40 :rem 78
2	32	GOTO41 :rem 3
,	33	DI=1:IFPEEK(S+23) <62THENPOKES, T:POKES+
3	24	G,D(T-J):S=S+1:GOTO40 :rem 98 GOTO29 :rem 11
,	34	
9	35	POKE36876,240:POKES,T:POKES+G,D(T-J):S =S-22+DI:T=PEEK(S):POKES,58:IFT=60THEN
		55 :rem 5
1	36	IFPEEK(S+22)=60THENSS=SS+1000:PRINT"
2	-	[HOME] (RVS) "TAB(8-LEN(STR\$(SS)))SS
9		:rem 62
ð	37	FORN=1TO5:NEXT:POKES,T:POKES+G,D(T-J):
2		S=S+22+DI:T=PEEK(S):POKES,58:IFPEEK(S+
3		22)>61THEN55
	38	POKES+G, Ø: POKE36876, Ø: GOTO41 :rem 102
5	40	POKE36876,200:POKE36876,0:T=PEEK(S):PO
3		KES,58:POKES+G,Ø :rem 165
2	41	IFT=61THENSS=SS+150:PRINT"{HOME}{RVS}"
2		TAB(8-LEN(STR\$(SS)))SS:H=H+1:T=62:IFH=
3	40	16THEN64 :rem 240
Ĺ	42	IFT=60THEN55 :rem 133 GOSUB98 :rem 88
3	45	GOSUB98 :rem 88 POKEV,W:POKEV+G,D(W-J):V=V+DO:W=PEEK(V
	45	):POKEV,60:POKEV+G,7 :rem 145
L	46	
3		ND(1)*2)):GOTO48 :rem 195
	47	IFW=63THENDO=22 :rem 90
	48	IFW=58THEN55 :rem 149
	49	IFV<8164THEN20 :rem 242
	5Ø	Y=Y+1:IFY=12THEN55 :rem 11
7	51	POKEV,62:GOTO19 :rem 92
	55	POKE36876, Ø:SO=250:IFT=60THENT=W
		:rem 138
	56	POKE36874, SO: IFPEEK(S+22) <> 56ANDS < 8164
		THENPOKES, T: POKES+G, D(T-J): S=S+22:T=PE
	57	EK(S):POKES,58:POKES+G,Ø :rem 185 FORN=1TO17:NEXT:SO=SO-5:IFSO>150THEN56
	31	FORN=ITO1/:NEXT:SO=SO-5:1FSO>150THEN56 :rem 137
	58	POKE36874, Ø:CH=CH-1:IFCH=-1THENPOKED, 2
,	50	55:POKE36869,240:PRINT"(CLR)(BLK)"SS:E
		ND :rem 104
	59	PRINT" [HOME] [RVS] "TAB(14)CH::POKEV, W:P
i i		OKEV+G, D(W-J):Y=Y+1:IFW=58THENPOKEV, T:
)		POKEV+G,D(T-J) :rem 248
3	60	
	61	IES>8163THENPOKES T. GOTO16 .rem 100

:rem 100

64	POKES, 58: POKES+G, Ø: GOTO19 : rem 234 IFY=11THEN67 : rem 141 FORN=Y+1TO11: POKE7712+B(N), 62: SS=SS+10	,145,169,128,44,32,145,208,4,169,5,13 3,1,96 :rem 102 109 FORN=0TO11:READB(N):NEXT:FORN=7616TO7
	Ø:PRINT"{HOME} {RVS} "TAB(8-LEN(STR\$(SS)))SS:GOSUB98 :rem 194 POKE36877,250:FORM=240TO250:POKE36876,	679:READM:POKEN,M:NEXT :rem 61 110 FORN=828T0899:READM:POKEN,M:NEXT:RETU RN :rem 89
00	M:NEXT:POKE36876,Ø:POKE36877,Ø:NEXT :rem 113	Program 2:
67	E2=E2+.05:SC=SC+1:E1=E1+1:IFE1>8THENE1 =8 :rem 227	Hardhat Climber—64 Version
	GOTO15 :rem 13 GOTO69 :rem 23	1 PRINT"{CLR}{7 DOWN}{12 RIGHT}HARDHAT CL IMBER":POKE53280,1:POKE53281,1:GOSUB780
	PRINT" {CLR} {PUR}";:FORN=1TO21:PRINTA\$: NEXT:PRINTA\$" {HOME}":B\$=">888888888888888888888888888888888888	2 POKE52,48:POKE56,48:CLR :rem 231
71	88888888" :rem 108 PRINT"{2 DOWN}"TAB(6)"?>>>>>> ?{RED}"	5 PRINT"{CLR}" :rem 153 6 PRINT"{7 DOWN}{12 RIGHT}HARDHAT CLIMBER
/1	:PRINTTAB(6)"9(PUR)88888888(RED)9":PRI	" :rem 212 10 POKE53280,1:POKE53281,1 :rem 184
	NTTAB(6)"9>>>>>9":PRINTTAB(6)"9>>>> >>>>9{PUR}" :rem 12	20 DO(0)=-1:DO(1)=1:DI=DO(INT(RND(1)*2)) :rem 180
	FORN=1TO3:PRINTB\$"{4 DOWN}":NEXT:PRINT B\$"{HOME}";:POKE8185,62 :rem 162	3Ø A\$=">>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
73	PRINT" [RVS] "TAB (8-LEN(STR\$(SS)))SS; TAB (14)CH; TAB (17)SC: POKE7697, 163: FORN=ØTO	2=Ø :rem 19 4Ø SC=1:CH=2:E1=Ø:D(Ø)=4:D(1)=2:D(4)=7:Z=
74	11:POKE7712+B(N),60 :rem 61 POKE7712+B(N)+G,7:NEXT:FORN=7834T08164	57:E3=1:Q=10000:J=56 :rem 81 44 FORI=GTOG+24:POKEI,0:NEXT :rem 30
	STEP110:IFN=8164THEN80 :rem 73 FORO=1TO3 :rem 230	45 POKEG+24,15:POKEG+5,17:POKEG+6,240:POK EG,100 :rem 230
	R=N+1+INT(RND(1)*20):IFPEEK(R)<>56THEN 76 :rem 17	5Ø GOSUB71Ø:E4=Ø:E5=2 :rem 192 6Ø GOSUB5ØØ:H=Ø:Y=Ø :rem 106
77	FORM=RTOR+88STEP22:POKEM, 57:POKEM+G, 2: NEXT:IFO>1ANDRND(1) <e2thenpoker+(int(r< td=""><td>7Ø S=19Ø5+INT(RND(1)*38):IFPEEK(S+4Ø)=620 RPEEK(S)=59THEN7Ø :rem 153</td></e2thenpoker+(int(r<>	7Ø S=19Ø5+INT(RND(1)*38):IFPEEK(S+4Ø)=620 RPEEK(S)=59THEN7Ø :rem 153
70	ND(1)*2)+2)*22,63 :rem 203	8Ø T=PEEK(S):POKES,58:POKES+G,Ø :rem 161 9Ø V=1123+B(Y):W=62:DO=DO(INT(RND(1)*2))
	IFRND(1)<.5ANDPEEK(R-22)=62THENPOKER-2 2,63 :rem 170	:rem 252 100 JV=255-PEEK(56321):GETQ\$ :rem 61
80	NEXT :rem 175 FORO=1TOE1 :rem 37	101 IFJV=1THENJV=4:GOTO109 :rem 124
81	R=N+3+INT(RND(1)*16):IFPEEK(R)<>560RPE EK(R-22)<>620RPEEK(R+1)=620RPEEK(R-1)=	102 IFJV=4THENJV=3:GOTO109 :rem 127 103 IFJV=8THENJV=5:GOTO109 :rem 134
84	62THEN85 :rem 198 POKER, 62:POKER-22, 63 :rem 98	104 IFJV=2THEN109 :rem 252 105 IFJVAND16=16THENJV=1:GOTO109 :rem 237
85	NEXT :rem 172 FORO=1TO4 :rem 233	108 JV=0 :rem 166 109 ONJVGOTO210,120,140,170,190 :rem 173
	R=N-21+INT(RND(1)*20):IFPEEK(R) <> 620RP	110 FORN=1TO23:NEXT:GOTO260 :rem 193 120 IFPEEK(S+40)=ZTHENPOKES,T:POKES+G,D(T
	EEK(R+22)=62THEN87 :rem 227 POKER,61:POKER+G,Ø:NEXT:NEXT :rem 255	-J):S=S+40:GOTO250 :rem 178 130 GOTO260 :rem 101
	POKE7710,63:POKE7715,63:POKE7731,63:PO KE7738,63 :rem 125	140 DI=-1:IFPEEK(S+39)<62THENPOKES, T:POKE S+G, D(T-J):S=S-1:GOTO250 :rem 250
90	FORN=7812TO8142STEP110:POKEN,63:NEXT:F ORN=7833TO8163STEP110:POKEN,63:NEXT:RE	150 IFT <> ZTHENPOKES, T: POKES+G, D(T-J): S=S+ DI: T=PEEK(S): GOTO360 :rem 173
98	TURN :rem 85 IFSS>=Q*E3THENCH=CH+1:E3=E3+1:PRINT"	160 GOTO260 :rem 104 170 IFT=ZTHENPOKES,T:POKES+G,D(T-J):S=S-4
99	{HOME} {RVS} "TAB(14) CH :rem 253 RETURN :rem 82	Ø:GOTO25Ø :rem 181
10	Ø DATA,1,21,22,23,24,42,43,44,45,46,47 :rem 197	190 DI=1:IFPEEK(S+41)<62THENPOKES,T:POKES
10	1 DATA255,255,153,102,102,153,255,255,1	+G,D(T-J):S=S+1:GOTO250 :rem 201 200 GOTO150 :rem 97
	95,255,255,195,195,255,255,195,60,60, 25,255,188 :rem 64	210 POKEG+1,17:POKEG+4,17 :rem 156 215 POKES,T:POKES+G,D(T-J):S=S-40+DI:T=PE
10	<pre>2 DATA6Ø,36,231,3,4,24,24,6Ø,126,126,6Ø ,6Ø,66,165,153,153,165,66,6Ø,,24,36,1</pre>	EK(S):POKES,58:IFT=60THEN360 :rem 43 220 IFPEEK(S+40)=60THENSS=SS+1000:PRINT"
10	26,126,126 :rem 11 3 DATA126,,,,,,,,,,,, :rem 51	[HOME] [RVS] "TAB(8-LEN(STR\$(SS)))SS :rem 105
10	6 DATA169,,133,1,169,255,141,34,145,169,32,44,31,145,208,5,169,1,133,1,96,16	230 FORN=1TO5:NEXT:POKES,T:POKES+G,D(T-J) :S=S+40+DI:T=PEEK(S):POKES,58:rem 204
10	9,8,44 :rem 98 7 DATA31,145,208,5,169,2,133,1,96,169,1	235 IFS>1943ORPEEK(S+40)>61THEN360 :rem 241
	6,44,31,145,208,5,169,3,133,1,96,169, 4,44,31 :rem 142	24Ø POKEG+4,16:POKES+G,Ø:GOTO26Ø:rem 147 25Ø POKEG+1,9:POKEG+4,17:POKEG+4,16:T=PEE
10	8 DATA145,208,3,133,1,96,169,127,141,34	K(S):POKES,58:POKES+G,Ø :rem 134

200	TDM 43 61 MURINO 7 0			
	IFT <> 61 THEN 270 :rem 36		IFRND(1)<.5ANDPEEK( $R-4\emptyset$ )=62T	
265	SS=SS+150:PRINT" {HOME} {RVS} "TAB(8-LEN		40,63 NEXT FORO=1TOE1	:rem 216
	(STR\$(SS)))SS:H=H+1:T=62:IFH=16THEN44	590	NEXT	:rem 221
Call and Call	Ø :rem 160	600	FORO=1TOE1	:rem 83
	IFT=60THEN360 :rem 231	610	R=N+3+INT(RND(1)*36)	:rem 50
	GOSUB690 :rem 185	615	IFPEEK(R) <> 560RPEEK(R-40) <> 6	20RPEEK (R
290	POKEV, W: POKEV+G, D(W-J): V=V+DO: W=PEEK(		+1)=620RPEEK(R-1)=62THEN630	
	V):POKEV, 60:POKEV+G, 7 :rem 195	620	DOKED 62 DOKED 48 62	:rem 142
200	IFDO=4ØANDPEEK(V+4Ø)=56THENDO=DO(INT(	630	NEXT	:rem 216
300	DND(1)+2)) - COMO 220	640	NEXT FORO=1TO4	:rem 21
210	RND(1)*2)):GOTO320 :rem 21	650	R=N-39+INT(RND(1)*38):IFPEEK	
	IFW=63THENDO=4Ø :rem 131		PEEK(R+40)=62THEN650	
	IFW=58THEN360 :rem 237	660	POKER, 61: POKER+G, Ø: NEXT: NEXT	
	RND(1)*2)):GOTO32Ø :rem 21 IFW=63THENDO=4Ø :rem 131 IFW=58THEN36Ø :rem 237 IFV<1944THEN10Ø :rem 73 Y=Y+1:IFY=12THEN6Ø :rem 57 POKEV,62:GOTO9Ø :rem 141		POKE1122,63:POKE1125,63:POKE	
	Y=Y+1:IFY=12THEN60 :rem 57	0.0	OKE1166,63	:rem 129
	POKEV, 62:GOTO90 :rem 141	680	FORN=1304T01904STEP200:POKEN	
360	POKEG+4, 16:SO=250:IFT=60THENT=W	000	FORN=1343T01943STEP200: POKEN	
	:rem 136		TORN-134310194331EP200:POREM	
	FORQQ=1TO3Ø:NEXT :rem 16	605	RETURN	:rem 90
	T1=T :rem 180		IFSS>=Q*E3THENCH=CH+1:E3=E3+	:rem 131
37Ø	POKEG+1, SO: POKEG+4, 33: IFPEEK(S+40) <> 5	090	(HOME) (DAG) HMAD (OS) GN	1:PRINT
	6ANDS<1944THEN375 :rem 227 GOTO 380 :rem 112	700	[HOME] [RVS] "TAB(25)CH RETURN	:rem 45
372	GOTO 380 :rem 112	All Control of the Control	RETURN	:rem 119
375	POKES, T: POKES+G, D(T-J): S=S+40: T=PEEK(	110	DATA, 1, 39, 40, 41, 42, 78, 79, 80,	
	S):POKES,58:POKES+G,Ø :rem 122			:rem 231
380	FORN=1T017:NEXT:SO=SO-5:IFSO>150THEN3	720	DATA255, 255, 153, 102, 102, 153,	
	70 :rem 231		95, 255, 255, 195, 195, 255, 255, 1	
390	POKEG+4,16:CH=CH-1:IFCH=-1THENPOKE532			:rem 31
	72,21:GOTO1000 :rem 2	725	DATA25, 255, 188	:rem 180
400	PRINT" [HOME] [RVS] "TAB(25) CH: POKEV, W: P	730	DATA60, 36, 231, 3, 4, 24, 24, 60, 1	
	OKEV+G, D(W-J):Y=Y+1 :rem 43		,60,66,165,153,153,165,66,60	,,24,36
405	IFW=58THENPOKEV, T1: POKEV+G, D(T1-J)			:rem 195
	:rem 124	735	DATA126,126,126	:rem 220
410	IFY>10THEN60 :rem 177	740	DATA126,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	:rem 58
	IFS>1943THENPOKES, T:GOTO70 :rem 146	750	DATA169,,133,1,169,255,141,3	4,145,169
430	POKES 58 POKES+G 0 COTO90 .rem 24		,32,44,31,145,208,5,169,1,13	3,1,96
440	POKES,58:POKES+G,0:GOTO90 :rem 24 IFY=11THEN470 :rem 233			:rem 163
	FORN=Y+1TO11: POKE1123+B(N), 62:SS=SS+1	755	DATA169, 8, 44	:rem 83
450	ØØ:PRINT"{HOME}{RVS}"TAB(8-LEN(STR\$(S		DATA31,145,208,5,169,2,133,1	
	S)))SS :rem 187		6,44,31,145,208,5,169,3,133,	
455	S)))SS :rem 187 GOSUB69Ø:NEXT :rem 54			
	POKEG+4,33:FORM=9TO176STEP2:POKEG+1,M	765	DATA4,44,31	:rem 20
400	:NEXT:POKEG+4,32 :rem 50	770	DATA145, 208, 3, 133, 1, 96, 169, 1	27.141.34
470	E2=E2+.05:SC=SC+1:E1=E1+1:IFE1>8THENE		,145,169,128,44,32,145,208,4	.169.5
4/0	1=8 :rem 17		,,,,,,,,,,,,,	:rem 176
190		775	DATA133,1,96	:rem 76
			FORN=ØTO11: READB(N): NEXT	:rem 251
	GOTO490 :rem 115 PRINT"{CLR}{PUR}";:FORN=1TO22:PRINTA\$		RETURN	:rem 133
200			FORI=ØTO11:READX:NEXT:PRINT"	10 DOMNI
FAE	:NEXT:PRINTA\$"{HOME}" :rem 220	,00	[9 RIGHT] REDEFINING CHARACTE	DC"
202	B\$=">888888888888888888888888888888888888		CHARACTE.	:rem 204
FIG	888888" :rem 15 PRINT"{3 DOWN}"TAB(15)"?>>>>>?	702	DOKE56334 DEEK/56334\3370354	
210			POKE56334, PEEK (56334) AND 254: F	
	[RED]":PRINTTAB(15)"9{PUR}88888888		K(1)AND251	:rem 194
	{RED}9" :rem 121		FORI=12288T012288+256*8: POKEI	
212	PRINTTAB(15)"9>>>>>9":PRINTTAB(15)		40960):NEXTI	:rem 115
F 2 0	"9>>>>>> 9{PUR}" :rem 243		POKE1, PEEK(1)OR4: POKE56334, PE	
520	FORN=1T03:PRINTB\$"{4 DOWN}":NEXT:PRIN		)OR1	:rem 146
	TB\$"[HOME]";:POKE1983,62 :rem 207		FORI=12288+56*8T012288+63*8+7	
530	PRINT" (RVS) "TAB(8-LEN(STR\$(SS)))SS;TA		OKEI, M: NEXTI	:rem 158
	B(25)CH; TAB(31)SC: POKE1Ø54, 163	786	POKE53272, (PEEK(53272) AND 240)	
	:rem 157	200		:rem 196
	FORN=ØTO11: POKE1123+B(N), 6Ø : rem 18		RETURN	:rem 120
540	POKE1123+B(N)+G,7:NEXT:FORN=1344T0194	1000	PRINT" {CLR} YOUR SCORE IS ";S	
	4STEP200:IFN=1944THEN600 :rem 143		and the state of t	:rem 109
	FORO=1TO3 :rem 20	1010	PRINT" [6 DOWN] DO YOU WISH TO	PLAY AG
560	R=N+1+INT(RND(1)*38):IFPEEK(R)<>56THE	1001120012100	AIN (Y/N) ?";	:rem 158
	N560 :rem 118			:rem 169
57Ø	FORM=RTOR+160STEP40:POKEM, 57:POKEM+G,	1030	IFA\$="Y"THENPOKE53272, (PEEK(	53272)AN
	2:NEXT :rem 3		D240)+12:GOTO2	:rem 133
575	IFO>lANDRND(1) <e2thenpoker+(int(rnd(1< td=""><td>1040</td><td>IFA\$&lt;&gt;"N"THEN1020</td><td>:rem 183</td></e2thenpoker+(int(rnd(1<>	1040	IFA\$<>"N"THEN1020	:rem 183
	)*2)+2)*4Ø,63 :rem 132	1050	SYS2048	:rem 147

## Cave-In For 64

(Article on page 80.)

	BEFORE TYPING	29 1
	Before typing in programs, please refer to "How	23
	To Type COMPUTE!'s Gazette Programs," "A	
	Beginner's Guide To Typing In Programs," and	30
	"The Automatic Proofreader" that appear before	
	the Program Listings.	31
	the Frogram Listings.	
× .		32
	POKE56,28:CLR:DEFFNW(X)=PEEK(37151)AND3	22
	2:B=36865:GOSUB6 :rem 186	33
2	PRINT" {CLR} {WHT} "SPC(73) "CAVE-IN" SPC(10	
	1)"{BLK}F1 FOR HELP":GOTO56 :rem 101	34
3 1	A\$="+Ø1-22-Ø1+22+Ø1":F=A+VAL(MID\$(A\$,D*	
	3+1,3))*V :rem 248	35
	X=VAL(MID\$(A\$,D*3+4,3)):L=F+X:R=F-X:RET	
	URN :rem 118	20
5	PRINTSPC(230)"V":RETURN :rem 194	36
6	Y=3Ø:POKEB+14, 42:POKEB+1,15Ø:GOTO8	27
-	:rem 112	37
1	Y=28:POKEB+14,107:POKEB+1,22:POKEB,25:P	38
(	OKEA, VAL(MID\$("235241243242", D*3+1, 3))	20
0	rem 146	39
	POKE648, Y: IFFNW(W) THENRETURN :rem 249	40
9 1	GOTO8 :rem 170 PRINTSPC(207)"M[DOWN][LEFT][M][DOWN]	41
10		42
	{LEFT}N":RETURN :rem 186	42
11	PRINTSPC(161) "M(DOWN)M(DOWN) (LEFT)	42
	TTELL [ (MWOD ) [ MB [ TTELL ] ( MWOD ) [ MB	43
	EM3{2 DOWN}{2 LEFT}N{UP}N":RETURN	44
	:rem 79	45
12		45
	{3 LEFT}N(UP)N(UP)N":RETURN :rem 81	40
13		47
	[2 DOWN] [3 LEFT] N [UP] N [UP] N": RETURN : rem 34	48
1 4		49
14		45
15	{LEFT}M":RETURN :rem 191	
		50
16	EG3(DOWN) (LEFT) EG3(DOWN) (LEFT)	
	EG3{DOWN}{LEFT}EG3{DOWN}{LEFT} EG3{DOWN}{LEFT}M{DOWN}M":RETURN	51
	:rem 87	
17		52
17	{3 LEFT} \(\bar{G}\)\(	
	:rem 55	
10	PRINTSPC(83)"N{UP}N{UP}N{3 DOWN}	53
18	[3 LEFT] [G] "MID\$ (Y\$, 22) W\$: RETURN	- 4
	:rem 8	54
10	PRINTSPC(20)"N"Y\$"M{HOME}":RETURN	
19	:rem 93	55
20		56
20		-7
21		57
21	[DOWN] [2 LEFT] [0] [0": RETURN : rem 141	
22		50
22	{3 LEFT} &3 T3":RETURN :rem 153	58
23		
23	{3 LEFT} &3 T3":RETURN :rem 109	59
24		60
24	RETURN :rem 225	61
25	DRINTSDC(231)"O(DOWN) (LEFT) RT3": RETU	01

:rem 63

:rem 157

7	FRINTSPC(168) "OK2 TH(DOWN) (3 LEFT)  EGH "MID\$(Y\$, 43)" E3 TH": RETURN
	:rem 88
0	PRINTSPC(105)"082 T3(DOWN) (3 LEFT)
8	EG3"MID\$(Y\$,25)"E3 T3":RETURN
_	:rem 80
9	PRINTSPC(42)"O"MID\$(Y\$,4)"ET3":RETUR N :rem 213
Ø	PRINTSPC(23Ø)"ET3(DOWN)(LEFT)ET3":
	RETURN :rem 14
1	PRINTSPC(207)" [3 T] [2 DOWN] [3 LEFT]
	k3 @%":RETURN :rem 237
12	PRINTSPC(161)MID\$(Z\$,13)SPC(147)MID\$(Z
	\$,13):RETURN :rem 104
33	PRINTSPC(92)MID\$(Z\$,7)"{DOWN}"SPC(251)
	MID\$(Z\$,7):RETURN :rem 51
34	PRINTSPC(23)Z\$SPC(154)SPC(245)Z\$"
	[HOME]":RETURN :rem 160
35	PRINT" [CLR] [WHT] ": FORV=ØTO5: GOSUB3: IFP
	EEK(F)=32THENPRINT" [HOME] ": ONVGOSUB34,
	33.32.31.30:GOTO41 :rem 226
36	PRINT" (HOME) " . I FPEEK (L) = 32THENONV+1GOS
	UB14,13,12,11,10,5:GOTO38 :rem 86
37	ONV+1GOSUB24,23,22,21,20,5 :rem 62
88	PRINT" {HOME}": IFPEEK(R)=32THENONV+1GOS
	UB19,18,17,16,15,5:GOTO40 :rem 112
39	ONV+1GOSUB29, 28, 27, 26, 25, 5 :rem 89
10	NEXT :rem 163
11	GOSUB77:W=PEEK(37151):IFY=30GOTO44
-	:rem 251
42	IF(WAND32)=ØTHENPOKEB, Z:GOSUB6:POKEA, X
	:rem 134
43	GOTO41 :rem 5
44	IFK=ØANDP <tithenx=peek(b)+1:pokeb, x:p="&lt;/td"></tithenx=peek(b)+1:pokeb,>
	TI+40:IFX=122THENRETURN :rem 167
45	IF(WAND4)GOTO51 :rem 70
46	V=1:GOSUB3:IFPEEK(F) <> 32THENA=F:POKE3Ø
40	72013 1.COMO35 .rem 123
47	IFA=7397ANDK=ØTHENRETURN :rem 236
48	IFPEEK(A)<>13GOTO51 :rem 47
49	K=K-1:PRINTSPC(116)"MAN FOUND"SPC(34)"
40	MEN LEFT="K:POKEA, 160 :rem 178
	ACCURATE A STATE OF THE STATE O
5Ø	
	O=1 :rem 43
51	IF(WAND16)=ØTHEND=VAL(MID\$(D\$,D+3,1)):
	GOTO35 :rem 229
52	POKE37154, 127: X=PEEK(37152) AND128: POKE
	37154,255:IFX=ØTHEND=VAL(MID\$(D\$,D+1,1
-	)):GOTO35 :rem 119
53	IF(WAND8)=ØTHEND=VAL(MID\$(D\$,D+4,1)):G
	OTO35 :rem 185
54	
	(A):GOSUB7 :rem 201
55	GOTO41 :rem 8
56	D=3:D\$="+02-44-02+44":PRINTSPC(91)"
	[WHT]MINE BEING DUG :rem 131
57	POKE648, 28:A=7397:X\$="[21 SPACES]":PRI
	NT" {CLR} {RVS} {CYN} "X\$;: FORW=1TO21
	:rem 142
58	PRINT" (OFF) (BLU) "X\$" (CYN) (RVS) ";:NEXT
	:PRINTX\$" [HOME] ":POKE7673,160:POKE3839
	3,3:PRINTSPC(141)"[WHT]E :rem 131
59	GOSUB77:X=INT(RND(1)*4):Y=X :rem 83
60	W=A+VAL(MID\$(D\$, X*3+1,3)) :rem 237
61	IFPEEK(W)=32THENZ=Ø:POKEW, X:POKEA+VAL(
	MID\$(D\$,X*3+1,3))/2,160:A=W:GOTO59
	:rem 15
62	X=(X+1)*-(X<3):IFX<>YGOTO60 :rem 4
63	X=PEEK(A): POKEA, 160: IFZ=0THENPOKEA, 13:
	Z=1:K=K+1 :rem 76

26 PRINTSPC(210)"OET3[DOWN][2 LEFT] EG3[DOWN][LEFT]LE@3":RETURN

64	TO59 :rem 131	8 D	IM $AB(26):FORX=1TO26:AB(X)=32:$	
6	5 W\$="M{DOWN}M{DOWN}M":X\$="{DOWN}{LEFT}	2 25		:rem 25
0.	[TTEL] [NWOD] [M] [TTEL] [NWOD] [M]			:rem 115
	[TT31][NWOD][M3[TT31][NWOD][M3		GOSUB4Ø	:rem 71
	EM3 [DOWN] [LEFT] EM3 [DOWN] [LEFT]	14	GOSUB215:FORX=8120TO8141:POKEX	,67: POKE
	[TEFT] [NWOD] [M3 [THET] [NWOD] [M3		X+30720,3:NEXTX	:rem 225
	[TT31][NWOD]EM3[TT31][NWOD]EM3	16	X+30720,3:NEXTX GOSUB250:GOSUB265 GOSUB435:GOTO16	:rem 213
	[TTEL] [NWOD] [ME [TTEL] [NWOD] [ME]	30	GOSUB435:GOTO16	:rem 89
	[TT31] [NWOD] [M3[TT31] [NWOD] [M3		PRINT"{CLR}":RESTORE:Y=7900	
	[TT31] [NWOD] [M3 [TT31] [NWOD] [M3			:rem 232
	[TT31] [NWOD] [M3 [TT31] [NWOD] [M3			:rem 103
	[M] [DOWN] :rem 101		POKEY, L: READ P: POKESS, P: READ D	
66	ED3 THE TOWN LEFT EG3 (DOWN) LEFT EG3		FORX=1TOD:NEXTX:POKESS,Ø	:rem 54
	[DOWN] [LEFT] [G] [DOWN] [LEFT] [G]	10	Y=Y+1:FORX=1TO10:NEXTX:IFL=32T	
	[DOWN] [LEFT] [GNOD] [ED] [NWOD]	00	T 70 70 70 70 70 70 70 70 70 70 70 70 70	:rem 161
	[DOWN] [LEFT] [OWN] [LEFT] [OWN]			:rem 253
	[DOWN] [LEFT] EG [DOWN] [LEFT] EG ]		GOTO 42	:rem 12
	[DOWN] [LEFT] EG [DOWN] [LEFT] EG ]	90		:rem 137
	[DOWN] [LEFT] [G] [DOWN] [LEFT] [G]			:rem 113
	[DOWN] [LEFT] [G] [DOWN] [LEFT] [G]		All the second of the second o	:rem 163
	[DOWN] [LEFT] [G] [DOWN] [LEFT] [G]	97	FORX=1TOD: NEXTX: POKESS, Ø: FORX=	
	[DOWN] [LEFT] [G] [DOWN] [LEFT] :rem 31			:rem 246
67	D\$="3012301":GOSUB6:Z\$="[19 T]":POKE		FORX=1T01500:NEXTX:RETURN	
	A, 209: GOSUB35 :rem 133	1/0	DATA 1,135,310,2,135,310,3,17	
68	GOSUB7:POKE217,156:POKE218,156:rem 188	172	175,310,5,183,310,6,183,310	
69	PRINT" [HOME] [RVS] [CYN] PRESS THE FIRE B	1/3	DATA 7,175,615,8,163,310,9,16	3,310,10
	UTTON {OFF } {RIGHT } {WHT } TWICE=PLAY - ONC	175	,159,310,11,159,310 DATA 12,147,120,13,147,120,14	:rem 131
NAME OF THE PARTY OF	E=END :rem 91	1/3	,15,147,120,16,135,602	,147,120
	FORW=37933TO38329STEP22:FORX=ØTO18:POK	177	DATA17,175,310,18,175,310,19,	163 601
71	EW+X,1:NEXT:NEXT :rem 187 GOSUB77:IFFNW(X)GOTO71 :rem 84		20,159,310	100,001,
71	GOSUB6:PRINT"[CLR] :rem 155	178	DATA21,159,310,22,147,601,23,	175,121
	GOSUB6:PRINT"(CLR) :rem 155 IFFNW(X)=ØGOTO73 :rem 157			:rem 221
	FORW=ØTO3Ø:IFFNW(X)=ØGOTO88 :rem 143	179	DATA 32,175,121,32,175,231,24	,163,601
	NEXT :rem 171		,25,159,310,32,159,310 DATA 26,147,605,0	:rem 26
	POKE56,30:CLR:END :rem 194	181		
	GETA\$:IFA\$<>CHR\$(133)THENRETURN:rem 83	183	DATA"NOW",135,310,"[4 RIGHT]I	",135,31
	POKEB, 25: GOSUB6: PRINT" {CLR} PICK ONE	104	Ø,"[6 RIGHT]KNOW",175,310 DATA"[11 RIGHT]MY",175,310	:rem 11
	[BLK]":PRINT"[DOWN] F1=NOVICE":PRINT"			
	[DOWN] F3=ADVANCED :rem 20	185	DATA" [DOWN] [4 RIGHT] A", 183, 31	Ø,"
79	PRINT" [DOWN] F5=OLD MAP": PRINT" [DOWN]		[DOWN] [5 RIGHT] B", 183, 310, "[D	
	{SPACE}F7=END":PRINT"{DOWN}{WHT}*CURRE	107	[6 RIGHT]C'S",175,610	:rem 158
	NT LEVEL :rem 56	107	DATA" {2 DOWN } NEXT", 163, 310, "{	2 DOWN;
80	PRINT" [3 DOWN] GOAL-{BLK}FIND THE MINER		[5 RIGHT]TIME",163,310,"[2 DO [10 RIGHT]WON'T",159,310	WN J
	S"SPC(7)"AND GET BACK :rem 112	189	DATA" (3 DOWN) YOU", 159, 310, "(3	
81	PRINT" [WHT] {2 DOWN JOYSTICK- [BLK] MOVE"	100	[4 RIGHT]SING",147,310,"[3 DO	
00	:PRINT"SEE MAP QT :rem 152			:rem 247
82	PRINT"SEE LEFT < W > SEE RIGHT "SPC(11) "V"S PC(18) "SEE BACK THOME } { WHT } ": IFGTHENPRI	190	DATA" [5 DOWN] [5 RIGHT] ME", 135	
	NT"{3 DOWN}*":GOTO84 :rem 88	100		rem 154
83	PRINT"{DOWN}* :rem 85	200	PRINTTAB(5):PRINT"ALPHA-SHOOT	
	GETA\$:IFA\$<>""THENW=ASC(A\$)-132:ONABS(	y u		:rem 167
	W)GOTO86,87,68,72 :rem 118	202	LE=-1:KR=Ø	:rem 4
85	GOTO84 :rem 18	204	PRINT"{2 DOWN}WHICH GAME- 1,2	,3,OR 4"
86	G=0:GOTO88 :rem 5			:rem 50
1	G=1 :rem 36			:rem 235
88	O=0:K=0:PRINT"{CLR}":GOTO56 :rem 154		IFA\$="1"THEN211	:rem 1
				:rem 116
7	Inha Chast			:rem 119
-	Alpha-Shoot		IFA\$="4"THENLE=2:GOTO 211 GOTO205	:rem 122
	rticle on page 118.)			:rem 99
(2)	There on page 1101/			
D	rogram 1: Alpha Sheet Wayseries	215	R\$="ABCDEFGHIJKLMNOPQRSTUVWXY	rem 110
-	rogram 1: Alpha-Shoot — VIC Version	225	PRINT"{CLR}":POKEH,83:POKE368	
5	PRINT"{CLR}":Y=7900:SV=36878:SS=36876:C	223	SUB228:POKE7703+V,R:RETURN	
	L=36879:POKECL,78:POKESV,14 :rem 225	228	R=INT(LEN(R\$)*RND(1)+1):P=ASC	
	H=8108:CL=30720:J=37137:POKE650,128:POK	1 Telephone	,R,1))-64	:rem 31
	E651,1 :rem 130	229		rem 241

230	R\$=LEFT\$(R\$,R-1)+RIGHT\$(R\$,LEN(R\$)-R)	5 PRINT" {CLR}": Y=1424: HF=54273: LF=54272: C
	:rem 31	L=54272:POKE54296,15:POKE54277,66 :rem 100
	R=P:V=INT(RND(1)*350+1) :rem 3 IFLE=0THENKR=KR+1:R=KR :rem 144	6 POKE54278,68:POKE54284,17:POKE54285,250
		:POKE54279,100:POKE54280,100 :rem 155
237	<pre>iFLE=1THENWAIT198,1:GETB\$:R=ASC(B\$)-6 4 :rem 251</pre>	7 H=1798:POKE650,128:POKE651,1 :rem 194
220	4 :rem 251 IFR>260RR<1THENR=1 :rem 115	8 DIM AB(26):FORX=1TO26:AB(X)=32:NEXTX
	RETURN :rem 126	:rem 25
	POKE37139, Ø:X=(PEEK(37137)AND6Ø)/4	10 GOSUB200 :rem 115
250	:rem 96	12 GOSUB40 :rem 71
252	POKE37154,127:J=PEEK(37152)AND128:POK	14 GOSUB215:FORX=1824TO1863:POKEX,67:POKE
	E37154,255 :rem 110	X+54272,3:NEXTX :rem 241 16 GOSUB250:GOSUB265 :rem 213
	IFX=11THEND=-1:GOSUB275 :rem 136	16 GOSUB250:GOSUB265 :rem 213 30 GOSUB435:GOTO16 :rem 89
	IFJ=Ø THEND= 1:GOSUB275 :rem 29	4Ø PRINT" (CLR)": RESTORE: POKE53281,1:Y=155
	IFX=7THENGOSUB300 :rem 61	1 :rem 139
	RETURN :rem 120 GETAS:IFAS=""THENGOTO270 :rem 146	42 READL: IFL=ØTHEN9Ø :rem 232
	GETA\$:IFA\$=""THENGOTO270 :rem 146 IFA\$="C"THEND=-1:GOSUB275 :rem 188	43 POKE Y,L:POKEY+CL,2 :rem 65
	IFA\$="B"THEND=+1:GOSUB275 :rem 186	50 READHP: POKEHF, HP: READ LP: POKELF, LP: REA
	IFAŞ=" "THENGOSUB300 :rem 87	DD:POKE54276,17 :rem 40
	RETURN :rem 121	60 FORX=1TOD:NEXTX:POKE54276,16 :rem 207
275	X=H+D:IFX<8098ORX>8119THENRETURN	70 Y=Y+1:FORX=1T010:NEXTX:IFL=32THENY=Y-1 :rem 161
	:rem 57	8Ø IFY=1464THENY=1517 :rem 239
276	POKESS, 130: POKEH, 32: POKEX, 83:H=X	85 GOTO 42 :rem 12
	:rem 229	9Ø READA\$:IFA\$="Ø"THEN1ØØ :rem 137
278	POKESS, Ø: RETURN :rem 236	92 READHP:READLP:READD :rem 171
300	G=H:FORU=1TO19:G=G-22:IFPEEK(G)<>32TH ENPOKEG,32:POKEG+22,32:GOTO350:rem 92	95 PRINT"[13 RIGHT]"A\$: POKE54276, 17: POKEH
205	POKESS, U+220: POKEG, 30: IFU>1THENPOKEG+	F, HP: POKELF, LP :rem 160
303	22,32 :rem 62	97 FORI=1TOD+7:NEXT:POKE54276,16:FORX=1TO
306	GOSUB435:NEXTU:POKESS,Ø:POKEG,32:RETU	10:NEXT:PRINT"(HOME)":GOTO90 :rem 50
1900	RN :rem 73	100 FORX=1T01500:NEXTX:RETURN :rem 146
350	POKESS, Ø: POKE36877, 220: FORL=13TOØSTEP	170 DATA 1,34,75,310,2,34,75,310,3,51,97, 310,4,51,97,310,5,57,172,310 :rem 49
	-1:POKE36878, L:POKE36879, 40:GOSUB375	
	:rem 208	171 DATA6,57,172,310 :rem 7
355	NEXTL:POKE36877, Ø:POKE36878, 14:GOSUB3	173 DATA 7,51,97,615,8,45,198,310,9,45,19
	90 :rem 92	8,310,10,43,52,310,11,43,52,310 :rem 216
35/	POKE36879,10:GOSUB228:POKE7703+V,R:RE TURN :rem 21	175 DATA 12,38,126,120,13,38,126,120,14,3
075		8,126,120,15,38,126,120,16,34,75,602
3/5	POKEG, 90: POKEG+22, 42: POKEG-22, 42: POKE G+1, 42: POKEG-1, 42 : rem 140	:rem 187
377	G+1,42:POKEG-1,42 :rem 140 POKEG+23,77:POKEG-23,77:POKEG-21,78:P	177 DATA17,51,97,310,18,51,97,310,19,45,1
5,,,	OKEG+21,78 :rem 209	98,601,20,43,52,310,21,43,52,310
379	POKEG, 32: POKEG+22, 32: POKEG-22, 32: POKE	:rem 55
	G-1,32:POKEG+1,32 :rem 136	178 DATA22,38,126,601,23,51,97,121
381	POKEG-23,32:POKEG+23,32:POKEG-21,32:P	:rem 188 179 DATA 32,51,97,121,32,51,97,231,24,45,
	OKEG+21,32:RETURN :rem 192	179 DATA 32,51,97,121,32,51,97,231,24,43, 198,601,25,43,52,310,32,43,52,310
390	AB(R)=R:FORX=1TO22:POKE8141+X,AB(X):P	:rem 55
202	OKE8141+X+30720,7 :rem 149 NEXTX:FORX=23T026:POKE8150+X,AB(X):PO	181 DATA 26,38,126,605,0 :rem 155
352	KE8150+X+30720,7:NEXT :rem 42	182 DATA"NOW" :rem 237
394	FORX=1TO26:IFAB(X)=32THENRETURN	183 DATA34,75,310,"{4 RIGHT}I",34,75,310,
	:rem 254	"[6 RIGHT]KNOW",51,97,310,"[11 RIGHT]
395	NEXTX:FORX=1TO26:AB(X)=32:NEXTX:POKE3	MY" :rem 45
	6879,78:FORW=1TO1000:NEXTW:GOSUB40:RU	184 DATA51,97,310 :rem 121
	N :rem 127	185 DATA"{DOWN}{4 RIGHT}A",57,172,310," {DOWN}{5 RIGHT}B",57,172,310,"{DOWN}
1000	IFLE<2THENRETURN :rem 57	[6 RIGHT]C'S",51,97,610 :rem 47
436	Q=V+7703:IFPEEK(162)<41 THEN RETURN :rem 5	187 DATA" {2 DOWN } NEXT", 45, 198, 310,"
440	IFQ>8074THENPOKEQ, 32:V=2:RETURN	{2 DOWN} {5 RIGHT}TIME", 45, 198, 310,"
	:rem 226	{2 DOWN} {10 RIGHT} WON'T" :rem 26
442	POKEQ, 32: POKEQ+1, R: V=V+1: POKE162, Ø	188 DATA43,52,310 :rem 117
-	:rem 28	189 DATA" [3 DOWN] YOU", 43,52,310," [3 DOWN]
445	RETURN : rem 125	[4 RIGHT]SING", 38,126,310,"[3 DOWN]
		{9 RIGHT}WITH" :rem 94 190 DATA38,126,310,"{5 DOWN}{5 RIGHT}ME",
Pre	ogram 2: Alpha-Shoot — 64 Version	34,75,630,"0" :rem 28
	3	200 PRINT" (HOME) (10 DOWN) (14 RIGHT) (RVS)
4 P	OKE53280,6:POKE53281,1:FORT=54272T0542	{BLU}ALPHA SHOOT" :rem 218
	6:POKET,O:NEXTT :rem 248	202 LE=-1:KR=0 :rem 4

204	PRINT" [HOME] [12 DOWN] [9 RIGHT] WHICH G
	AME-1,2,3,OR 4" :rem 244
205	POKE198, Ø: WAIT198, 1: GETA\$: :rem 235
206	
207	· LCM I
208	
209	
210	110 122
	120.11
211	
215	R\$="ABCDEFGHIJKLMNOPQRSTUVWXYZ"
	:rem 110
225	PRINT" {CLR}": POKEH, 83: POKE53281, Ø: POK
	E53280,2:GOSUB228:POKE1065+V,R:RETURN
	:rem 122
228	
	,R,1))-64 :rem 31
229	
230	R\$=LEFT\$(R\$,R-1)+RIGHT\$(R\$,LEN(R\$)-R)
	:R=P :rem 56
232	V=INT(RND(1)*35Ø+1) :rem 234
236	IFLE=ØTHENKR=KR+1:R=KR :rem 144
237	IFLE=1THENPOKE198,0:WAIT198,1:GETB\$:R
	=ASC(B\$)-64 :rem 98
239	
200	:rem 239
240	RETURN :rem 118
250	
252	XV=(PEEK(56320)AND15) :rem 130 JV=15-XV:KV=(PEEK(56320)AND16)
252	
255	:rem 208
255	IFJV=4THEND=-1:GOSUB274 :rem 161
257	IFJV=8THEND=1:GOSUB274 :rem 122
259	IFKV=ØTHENGOSUB3ØØ :rem 127
260	RETURN :rem 120
265	GETA\$:IFA\$=""THEN270 :rem 89
266	IFA\$="C"THEND=-1:GOSUB274 :rem 187
267	IFA\$="B"THEND=1:GOSUB274 :rem 142
268	IFPEEK(197)=6ØTHENPOKE198,Ø:POKE197,Ø
	:GOSUB300 :rem 248
270	RETURN :rem 121
274	H=H+D:IFH<1784THENH=1784 :rem 130
275	IFH>1823THENH=1823 :rem 3
276	POKEHF, 10: POKELF, 70: POKEH-D, 32: POKEH,
	83:POKEH+CL,1 :rem 58
277	POKE54276,33:POKE54276,32:RETURN
	:rem 133
300	G=H:FORU=1T019:G=G-40:IFPEEK(G) <> 32TH
	ENPOKEG, 32: POKEG+40, 32: GOTO350: rem 92
3Ø5	POKE54276, 17: POKEHF, U+60: POKELF, U+125
	:POKEG, 30:IFU>1THENPOKEG+40, 32:rem 60
3Ø7	GOSUB435:NEXTU:POKEG, 32:POKE54276, 16:
	RETURN :rem 227
350	POKE54283,129:GOSUB374:POKE53280,2:PO
000	KE53281,0 :rem 126
355	
357	POKE54283,128:GOSUB390 :rem 239 GOSUB228:POKE1065+V,R:RETURN :rem 9
374	
375	POKE53280,0:POKE53281,2 :rem 245 POKE54276,16:POKEG,90:POKEG+40,42:POK
3/3	
	EG-40,42:POKEG+1,42:POKEG-1,42
277	:rem 144
377	POKEG+41,77:POKEG-41,77:POKEG-39,78:P
	OKEG+39,78:FORL=0T0300:NEXT :rem 108
379	POKEG, 32: POKEG+4Ø, 32: POKEG-4Ø, 32: POKE
(2002)	G-1,32:POKEG+1,32 :rem 136
381	POKEG-41,32:POKEG+41,32:POKEG-39,32:P
	OKEG+39,32:RETURN :rem 210
390	AB(R)=R:FORX=1TO22:POKE1873+X,AB(X):P
	OKE1873+X+54272,7 :rem 167
392	NEXTX: FORX=23T026: POKE1938+X, AB(X): PO
	KE1938+X+54272,7:NEXT :rem 64
394	FORX=1TO26: IFAB(X)=32THENRETURN
	.rom 254

395	NEXTX:FORX=1TO26:AB(X)=32:NEXTX:FORW=	
	1TO1000:NEXTW:GOSUB40:RUN :rem 106	
435	IFLE<2THENRETURN :rem 57	
436	Q=V+1065:IFPEEK(162)<41 THEN RETURN	
	IFQ>1742THENPOKEQ, 32:V=2:RETURN	
	:rem 221	
442	POKEQ, 32: POKEQ+1, R: V=V+1: POKE162, Ø	
	:rem 28	
445	RETURN :rem 125	

# Machine Language For Beginners

(Article on page 150.)

#### BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

## Program 1: VIC Version

```
# Ø
12288
      LDY
12290 LDA
              # 8
12292 STA
              37888 ,Y
12295 STA
             38144 ,Y
12298 STA
             38656 ,Y
12301 INY
12302
       BNE
                   12292
12304
       LDY
              # Ø
12306
       LDA
             # 224
             4096 ,Y
12308
       STA
12311
       STA
             4580 ,Y
12314
       INY
12315
             # 22
       CPY
12317
       BNE
                   12308
12319 LDA
             # 21
12321 STA
             71
12323 LDA
             # 16
12325 STA
             72
             # 24
12327 LDX
12329 LDY
             # Ø
12331 LDA
             # 224
12333
      STA ( 71 ), Y
12335
      INY
12336
       STA ( 71 ), Y
12338
       DEX
12339
       BEQ
                   12357
12341
       CLC
12342
       LDA
             71
12344
             # 22
       ADC
12346
             71
       STA
12348 LDA
             72
12350
      ADC
             # 0
12352
       STA
             72
12354
      JMP
              --->
                     12329
12357
       RTS
```

## Program 3: VIC BASIC Loader

:rem 254

1000 FORI=12288T012359:READ DA:POKEI,DA:N EXT :rem 145 12288 DATA 160,000,169,008,153,000

12294 DATA 148,153,000,149,153,000	150	FORI=1351T01380:POKEI,67:POKEI+54272,
:rem 133	160	5:NEXT :rem 66 FORI=1471T01500:POKEI,67:POKEI+54272,
12300 DATA 151,200,208,244,160,000 :rem 112		5:NEXT :rem 64
12306 DATA 169,224,153,000,016,153	170	FORI=1591T01620:POKEI,67:POKEI+54272, 5:NEXT :rem 71
:rem 131 12312 DATA 228,017,200,192,022,208	180	5:NEXT :rem /1 FORI=1711T01740:POKEI,67:POKEI+54272,
:rem 127		5:NEXT:PRINT:PRINT:PRINT :rem 154
12318 DATA 245,169,021,133,071,169 :rem 146	190	PRINT: PRINTSPC(4)"15":PRINTSPC(4)"14 ":PRINTSPC(4)"13":PRINTSPC(4)"12"
12324 DATA Ø16,133,072,162,024,160	000	:rem 145 PRINTSPC(4)"11":PRINTSPC(4)"10":PRINT
:rem 127 12330 DATA 000,169,224,145,071,200		SPC(5)"9":PRINTSPC(5)"8" :rem 102
:rem 123	210	PRINTSPC(5)"7":PRINTSPC(5)"6":PRINTSPC(5)"5":PRINTSPC(5)"4":PRINTSPC(5)"3"
12336 DATA 145,071,202,240,016,024 :rem 126		:rem 181
12342 DATA 165,071,105,022,133,071	220	PRINTSPC(5)"2":PRINTSPC(5)"1":PRINTSPC(5)"0" :rem 82
:rem 127 12348 DATA 165,072,105,000,133,072	230	PRINTTAB(9) "A"SPC(4) "B"SPC(4) "C"SPC(4
:rem 131	240	)"D"SPC(4)"E"SPC(4)"F" :rem 199 IFZ\$="Y"THEN310 :rem 64
12354 DATA 076,041,048,096,013,013		DATAA, B, C, D, E, F :rem 34
.Tem 150	260	FORI=1TO6:READA\$(I):NEXTI :rem 38
Program 4: 64 BASIC Loader	270	DATA7,6,4,13,8,14 :rem 49 FORI=1TO6:READD(I):NEXTI :rem 7
1000 FORI=49152TO49229: READ DA: POKEI, DA:	290	DATA1792,1797,1802,1807,1812,1817
NEXT :rem 151		:rem 116
49152 DATA 160,000,169,008,153,000		FORI=1T06:READA(I):NEXTI :rem 253 C=54272:FORJ=1T06 :rem 202
:rem 131	320	FORK=1971T01975:POKEK, 32:NEXTK:PRINT"
49158 DATA 216,153,000,217,153,000 :rem 134		{HOME}":FORL=1TO22:PRINT:NEXTL :rem 228
49164 DATA 218,153,000,219,200,208 :rem 138	330	PRINT"VALUE FOR COLUMN "; A\$(J);" (Ø-1
49170 DATA 241,160,000,169,224,153		5) "; :rem 162 INPUTA\$:IFVAL(A\$)=ØTHEN32Ø :rem 31
:rem 138 49176 DATA ØØØ,ØØ4,153,192,ØØ7,2ØØ		AA=VAL(A\$):AA=INT(AA+.5):D=D(J):X=A(J
:rem 131 49182 DATA 192,040,208,245,169,039		; rem 122
:rem 159	36Ø 37Ø	IFAA<0ORAA>15THEN320 :rem 161 A=A(J)-(AA*40)+80:GOSUB430:NEXTJ
49188 DATA 133,071,169,004,133,072 :rem 151	300	:rem 41 PRINT"{HOME}":FORI=1TO22:PRINT:NEXT:F
49194 DATA 162,024,160,000,169,224		ORI=1971TO1983:POKEI,32:NEXT :rem 75
:rem 143 49200 DATA 145,071,200,145,071,202	390	PRINT"WISH TO DO IT AGAIN? (Y/N)" :rem 65
:rem 127		GETZ\$:IFZ\$=""THEN400 :rem 125
49206 DATA 240,016,024,165,071,105 :rem 136		IFZ\$="Y"THEN100 :rem 60
49212 DATA Ø4Ø,133,Ø71,165,Ø72,1Ø5	991 (Reposite)	END : rem 109 IFAA=1THEN530 : rem 221
:rem 134		IFAA=ØTHEN RETURN :rem 37
49218 DATA ØØØ,133,072,076,044,192 :rem 143	450	POKEX, 160: POKEX+1, 231: POKEX+2, 105
49224 DATA 096,013,013,013,013,013	460	:rem 162 POKEX+C,D:POKE(X+1)+C,D:POKE(X+2)+C,D
:rem 126		:IFAA=2THEN490 :rem 30
G b Dieller	470	FORI=X-40TOASTEP-40:POKEI,160:POKEI+1
Graph Plotter	480	POKEI+C, D: POKE(I+1)+C, D: POKE(I+2)+C, D
(Article on page 145.)	100	:NEXTI:GOTO510 :rem 56 POKEA,247:POKEA+1,208:POKEA+2,105
Drogram L. Comb Dieter 64 Version		:rem 107
Program 1: Graph Plotter—64 Version	500	POKEA+C, D: POKE(A+1)+C, D: POKE(A+2)+C, D :GOTO530 :rem 89
100 PRINT"{CLR}":POKE53281,0:POKE53280,6 :rem 138	510	POKEA, 247: POKEA+1, 208: POKEA+2, 224
110 FORI=1230TO1261:POKEI,114:POKEI+54272	520	:rem 102 POKEA+C,D:POKE(A+1)+C,D:POKE(A+2)+C,D
,5:NEXT:REM TOP :rem 114 120 FORI=1270TO1790STEP40:POKEI,107:POKEI		:rem 80
+54272,5:NEXT:REM LEFT :rem 88	530	POKEA-40,233:POKEA-39,160:POKEA-38,20 6 :rem 105
130 FORI=1301TO1821STEP40:POKEI,115:POKEI +54272,5:NEXT:REM RIGHT :rem 161	540	POKE(A-40)+C, D: POKE(A-39)+C, D: POKE(A-
140 FORI=1830T01861:POKEI,113:POKEI+54272		38)+C,D :rem 172
,5:NEXT:REM BOTTOM :rem 98	220	RETURN :rem 122
CIVI CCIMPLIFE Converte Innuary 1984		

## Program 2: Graph Plotter—VIC Version

100	
110	The state of the s
100	,5:NEXTI :rem 191
120	FORI=7748T08Ø34STEP22:POKEI,1Ø7:POKEI
130	+30720,5:NEXTI :rem 94 FORI=7767T08053STEP22:POKEI,115:POKEI
130	+30720,5:NEXTI :rem 96
140	FORI=8056T08075:POKEI,113:POKEI+30720
	,5:NEXTI :rem 187
150	FORI=7793TO7810:POKEI,64:POKEI+30720,
	5:NEXTI :rem 148
160	FORI=7859T07876:POKEI,64:POKEI+30720,
	5:NEXTI :rem 164
170	
180	5:NEXTI :rem 153
100	The state of the s
190	5:NEXTI:PRINT :rem 94 PRINTSPC(0)"15":PRINTSPC(0)"14":PRINT
1,00	SPC(Ø)"13":PRINTSPC(Ø)"12":PRINTSPC(Ø
	)"11" :rem 142
200	PRINTSPC(0)"10":PRINTSPC(1)"9":PRINTS
	PC(1)"8":PRINTSPC(1)"7" :rem 44
210	
220	
	C(1)"2":PRINTSPC(1)"1":PRINTSPC(1)"0"
220	:rem 147
230	
040	
240	IFZ\$="Y"THEN310 :rem 64
25Ø 26Ø	DATAA,B,C,D,E,F :rem 34 FORI=1TO6:READA\$(I):NEXTI :rem 38
270	FORI=1T06:READA\$(I):NEXTI :rem 38 DATA7,6,4,3,5,1 :rem 201
280	FORI=1TO6:READD(I):NEXTI :rem 7
290	DATA8035,8038,8041,8044,8047,8050
	:rem 113
300	FORI=1T06:READA(I):NEXTI :rem 253
310	C=30720:FORJ=1T06 :rem 194
320	FORK=8138T08141:POKEK, 32:NEXTK:PRINT"
224	[HOME] [19 DOWN]" :rem 179
330	PRINT"COLUMN ";A\$(J);" (Ø-15) ";
340	irem 62 INPUT Y\$:IFVAL(Y\$)=ØTHEN32Ø :rem 79
350	Y=VAL(Y\$):Y=INT(Y+.5):D=D(J):X=A(J)
	:rem 23
360	IFY<ØORY>15THEN32Ø :rem 79
37Ø	A=A(J)-(Y*22)+44:GOSUB430:NEXTJ
380	PRINT" {HOME} {20 DOWN}" :rem 211
	PRINT"DO IT AGAIN? (Y/N)" :rem 99
400	GETZ\$:IFZ\$=""THEN400 :rem 125
410	IFZ\$="Y"THEN100 :rem 60 END :rem 109
430	
	IFY=ØTHENRETURN :rem 252
	POKEX, 160: POKEX+1, 231: POKEX+2, 105
	:rem 162
460	POKEX+C, D: POKE(X+1)+C, D: POKE(X+2)+C, D
	:IFY=2THEN490 :rem 245
470	FORI=X-22TOASTEP-22:POKEI,160:POKEI+1
	,231:POKEI+2,160 :rem 185
480	POKEI+C, D: POKE(I+1)+C, D: POKE(I+2)+C, D
	POKEI+C,D:POKE(I+1)+C,D:POKE(I+2)+C,D :NEXTI:GOTO510 :rem 56
	POKEI+C,D:POKE(I+1)+C,D:POKE(I+2)+C,D :NEXTI:GOTO510 :rem 56 POKEA,227:POKEA+1,208:POKEA+2,105
490	POKEI+C,D:POKE(I+1)+C,D:POKE(I+2)+C,D :NEXTI:GOTO510 :rem 56 POKEA,227:POKEA+1,208:POKEA+2,105 :rem 105
490	POKEI+C,D:POKE(I+1)+C,D:POKE(I+2)+C,D :NEXTI:GOTO510 :rem 56 POKEA,227:POKEA+1,208:POKEA+2,105 :rem 105 POKEA+C,D:POKE(A+1)+C,D:POKE(A+2)+C,D
49Ø 5ØØ	POKEI+C,D:POKE(I+1)+C,D:POKE(I+2)+C,D :NEXTI:GOTO510 :rem 56 POKEA,227:POKEA+1,208:POKEA+2,105 :rem 105 POKEA+C,D:POKE(A+1)+C,D:POKE(A+2)+C,D

520	POKEA+C, D: POKE(A+1)+C, D: POKE(A+2)+C, D
	:rem 80
53Ø	POKEA-22, 233: POKEA-21, 160: POKEA-20, 20
	6 :rem 87
540	POKE(A-22)+C, D: POKE(A-21)+C, D: POKE(A-
	20)+C,D :rem 154
55Ø	RETURN :rem 122

## 64 BASIC Aid

(Article on page 156.)

#### BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

```
39852 :173,254,159,133,055,173,095
 39858 :255,159,133,056,169,076,002
 39864 :133,124,173,217,155,133,095
 39870 :125,173,218,155,133,126,096
 39876 :076,143,156,240,003,076,122
 39882 :008,175,169,201,133,124,244
 39888 :169,058,133,125,169,176,014
 39894 :133,126,096,219,155,133,052
39900 :139,134,151,186,189,001,252
39906 :001,201,140,240,016,208,008
39912 :002,164,140,166,151,165,252
39918 :139,201,058,176,003,076,123
39924 :128,000,096,189,002,001,148
39930 :201,164,208,237,165,139,084
39936 :016,002,230,122,132,140,130
39942 :162,000,134,165,202,232,133
39948 :164,122,185,000,002,056,029
39954 :253,217,159,240,019,201,083
39960 :128,240,019,230,165,232,014
39966 :189,216,159,016,250,189,025
39972 :217,159,208,228,240,191,255
39978 :232,200,208,224,132,122,136
39984 :165,165,010,170,189,245,224
39990 :159,072,189,244,159,072,181
39996 :032,233,155,076,115,000,159
40002 :032,178,157,165,095,166,091
40008 :096,133,036,134,037,032,028
40014 :019,166,165,095,166,096,017
40020 :144,010,160,001,177,095,159
40026 :240,004,170,136,177,095,144
40032 :133,122,134,123,165,036,041
40038 :056,229,122,170,165,037,113
40044 :229,123,168,176,030,138,204
40050 :024,101,045,133,045,152,102
40056 :101,046,133,046,160,000,094
40062 :177,122,145,036,200,208,246
40068 :249,230,123,230,037,165,142
40074 :046,197,037,176,239,032,097
40080 :051,165,165,034,166,035,248
40086 :024,105,002,133,045,144,091
40092 :001,232,134,046,032,089,178
40098 :166,076,131,164,032,124,087
40104 :165,032,115,000,133,139,240
40110 :162,000,134,073,032,140,203
40116 :157,165,165,201,000,208,052
40122 :007,162,002,134,073,032,084
40128 :140,157,032,115,000,240,108
```

```
40134 :003,032,253,174,032,178,102
40140 :157,165,095,166,096,133,248
40146 :122,134,123,032,215,170,238
40152 :208,011,200,152,024,101,144
40158 :122,133,122,144,002,230,207
40164 :123,032,202,159,240,005,221
40170 :032,220,157,176,003,076,130
40176 :143,156,132,085,230,085,047
40182 :164,085,166,049,165,050,157
40188 :133,139,177,122,240,216,255
40194 :221,000,002,208,237,232,134
40200 :200,198,139,208,241,136,106
40206 :132,011,132,151,165,073,166
40212 :240,091,032,240,157,165,177
40218 :052,056,229,050,133,167,201
40224 :240,040,200,240,202,177,107
40230 :122,208,249,024,152,101,126
40236 :167,201,002,144,064,201,055
40242 :075,176,060,165,167,016,197
40248 :002,198,139,024,101,011,019
40254 :133,151,176,005,032,036,083
40260 :158,240,003,032,012,158,159
40266 :165,151,056,229,052,168,127
40272 :200,165,052,240,015,133,117
40278 :140,166,051,189,000,002,122
40284 :145,122,232,200,198,140,105
40290 :208,245,024,165,045,101,118
40296 :167,133,045,165,046,101,249
40302 :139,133,046,165,122,166,113
                                           40716
40308 :123,133,095,134,096,166,095
                                           40722
     :067,165,068,032,061,158,161
                                           40728
40314
     :032,225,255,169,000,133,174
40320
     :198,164,151,076,242,156,097
                                           40740
     :164,122,200,148,049,169,224
     :000,149,050,185,000,002,020
40338
     :240,021,197,139,240,005,226
40344
40350 :246,050,200,208,242,132,212
40356 :122,096,201,171,240,004,230
40362 :201,045,208,001,096,076,029
40368 :008,175,144,005,240,003,239
40374 :032,166,157,032,107,169,077
40380 :032,019,166,032,121,000,046
40386 :240,011,032,166,157,032,064
40392 :115,000,032,107,169,208,063
40398 :224,165,020,005,021,208,081
40404 :006,169,255,133,020,133,160
40410 :021,096,032,202,159,133,093
40416 :067,032,202,159,133,068,117
40422 :056,165,020,229,067,165,164
40428 :021,229,068,096,165,122,169
40434 :133,034,165,123,133,035,097
40440 :165,045,133,036,165,046,070
40446 :133,037,096,165,034,197,148
40452 :036,208,004,165,035,197,137
      :037,096,164,011,200,177,183
40458
      :034,164,151,200,145,034,232
40464
40470 :032,001,158,208,001,096,006
      :230,034,208,236,230,035,233
40476
      :208,232,164,011,177,036,094
40482
      :164,151,145,036,032,001,057
40488
      :158,208,001,096,165,036,198
40494
      :208,002,198,037,198,036,219
      :076,036,158,160,000,132,108
40506
      :165,132,015,032,205,189,034
40512
40518 :169,032,164,165,041,127,000
40524 :032,210,255,201,034,208,248
40530 :006,165,015,073,255,133,217
40536 :015,200,177,095,240,025,072
40542 :016,236,201,255,240,232,250
```

40548 :036,015,048,228,132,165,212 40554 :032,124,158,200,177,174,203 40560 :048,214,032,210,255,208,055 40566 :246,032,215,170,056,096,165 40572 :160,157,132,174,160,160,043 40578 :132,175,056,233,127,170,255 40584 :160,000,202,240,238,230,182 40590 :174,208,002,230,175,177,084 40596 :174,016,246,048,241,032,137 40602 :107,169,165,020,133,053,033 40608 :165,021,133,054,032,253,050 40614 :174,032,107,169,165,020,065 40620 :133,051,165,021,133,052,215 40626 :032,142,166,032,202,159,143 40632 :032,202,159,208,033,032,082 40638 :172,159,032,202,159,032,178 40644 :202,159,208,003,076,143,219 40650 :156,032,202,159,165,099,247 40656 :145,122,032,202,159,165,009 40662 :098,145,122,032,183,159,185 40668 : 240, 226, 032, 202, 159, 032, 087 40674 : 202, 159, 032, 202, 159, 201, 157 40680 :034,208,011,032,202,159,110 40686 :240,197,201,034,208,247,085 40692 :240,238,170,240,188,016,056 40698 :233,162,004,221,212,159,217 40704 :240,005,202,208,248,240,119 40710 :221,165,122,133,059,165,103 :123,133,060,032,115,000,219 :176,211,032,107,169,032,233 :081,159,165,060,133,123,233 40734 :165,059,133,122,160,000,157 :162,000,189,000,001,201,077 40746 :048,144,017,072,032,115,214 40752 :000,144,003,032,130,159,004 40758 :104,160,000,145,122,232,049 40764 :208,232,032,115,000,176,055 40770 :008,032,145,159,032,121,051 40776 :000,144,248,201,044,240,181 40782 :184,208,150,032,172,159,215 40788 :032,202,159,032,202,159,102 40794 :208,008,169,255,133,099,194 40800 :133,098,048,014,032,202,111 40806 :159,197,020,208,015,032,221 40812 :202,159,197,021,208,011,138 40818 :032,209,189,169,032,076,053 40824 :210,255,032,202,159,032,242 40830 :183,159,240,210,032,162,088 40836 :159,230,151,032,036,158,130 40842 :230,045,208,002,230,046,131 40848 :096,032,162,159,198,151,174 40854 :032,012,158,165,045,208,002 40860 :002,198,046,198,045,096,229 40866 :032,240,157,160,000,132,115 40872 :011,132,151,096,165,053,008 40878 :133,099,165,054,133,098,088 40884 :076,142,166,165,099,024,084 40890 :101,051,133,099,165,098,065 40896 :101,052,133,098,032,202,042 40902 :159,208,251,096,160,000,048 40908 :230,122,208,002,230,123,095 40914 :177,122,096,137,138,141,253 40920 :167,067,072,065,078,071,224 40926 :197,068,069,076,069,084,017 40932 :197,070,073,078,196,075,149 40938 :073,076,204,078,085,077,059 40944 :066,069,210,000,165,156,138 40950 :065,156,165,156,198,155,117 40956 :152,158,172,013,013,013,005





### FREE CATALOG! HOME, EDUCATIONAL, AND **BUSINESS SOFTWARE** FOR THE VIC AND 64

New Items... Checkbook/64 (Disk) Handles all checking account data, \$16.00 Capitals/64 Teaches U.S. and Foreign capitals. Disk \$10.00 Tape \$8.00

Over 50 other titles! Low-Priced! Practical! Put your VIC or 64 to work with quality software from

> Farthest Fringe S.A. 101 Highway Blvd. N. Pekin, IL 61554

## VIC 20™/COMMODORE 64™

Ridge Runner - for the unexpanded VIC 20 on tape or disk for-Huge Hunner — or the unexpanded VIC 20 on tape or disk for-mat 100% machine language. Maneuver your multicolor U F O through a field of blinking mines while blasting spinning asteroids and various enemy ships with laser fire Features include a horizontally scrolling playfield, hi-resolution/multicolor graphics, excellent sound, high score, pause button, bonus ships, and ever increasing levels of difficulty. Joystick required. Price; \$14,95

Dungeons — for the VIC 20 with 16K expansion and tape or disk. Create characters to explore a twelve level dungeon which contains 1200 individual rooms. After you purchase your weapon and armor, you will find vast treasures and do battle with over fifty types of monsters which you must slay for experience points. Your character also has the ability to cast numerous spells and you are given the option of saving the game to tape or disk as your character gains strength and experience. Excellent sound and three dimensional graphics add to the excitement. Price: \$14.95


Pak Alien - for the unexpanded VIC 20 with tape or disk. 100% Pax Alien — for the unexpanded VIC 20 with tage or disk. 100% machine language arcade-style game. Custom graphic characters and 100 levels of increasing difficulty. Guide your alien through a maze of interplanetary space particles dodging the seven evil aliens and clear the board before the bonus timer runs out. Joystick or keyboard. Includes pause feature. Price: \$14.95

BYTES and BITS 524 E. Canterbury Ln. Phoenix, AZ 85022

(602) 942-1475 Please specify tape or disk Add \$2.00 for postage

VIC 20 and Commodore 64 are trademarks of Co

## for Commodore 64" and VIC 20" Creative and hilarious FUN HOUSE



- Great as a gift and for having fun at parties
- Has color graphics fun sounds & accepts words
- Find special keys for extra fun

Oncassette. Just 22. get 2 of with the word GAZETTE" in your order. Specify computer Send check or monayorder

CONTINENTAL CONCEPTS P.O.Box 7631 NEWPORT BEACH, CA 92660

CA add sales tax. Postage extra if fast delivery desired. VICZO Version uses 16K expansion. Order today!

#### 'PUBLIC DOMAIN™ - SOFTWARE -

Supporting all COMMODORE computers Written by users, for users
★ GAMES ★ UTILITIES ★ EDUCATIONAL ★

VIC 20™

collection #1 - collection #2 - collection #3 collection #4 - collection #5 - collection #6 70+ programs per collection - Tape/Disk - \$10.00

#### COMMODORE 64"

64 collection #1 - 64 collection #2 - 64 collection #3 64 collection #4 - 64 collection #5 25+ programs per collection - Tape/Disk - \$10.00

PET® / CBM®
5 Utility - Tapes/Disks - \$10.00 each
11 Game - Tapes/Disks - \$10.00 each
6 Educational - Tapes/Disks - \$10.00 each

DINSET\*: Reset Switch Works on Vic 20 or Commodore 64 - \$5. All prices include shipping and handling. CHECK, MONEY ORDERS, VISA and MASTERCARD accepted.

For A Free Catalog Write:


Public Domain, Inc. 5025 S. Rangeline Rd., W. Milton, OH 45383 10:00 a.m. - 5:00 p.m. EST – Mon. thru Fri.

(513) 698-5638 or (513) 339-1725

#### MULTIPLEXED DIGITAL VOLTMETER FOR THE VIC-20 AND C-64

INTRODUCTORY OFFER \$79





#### FEATURES

- 16 channel Analog to Digital converter (0-5V range)
- High accuracy (1/2% of full scale)
   Simply uses BASIC statements (one POKE and PEEK)
- Compatible with other I/O devices (switchable address)
   Can be used in both VIC-20 and C-64
- · Can be daisy chained together for up to 256 channels

Great for engineering experiments, Science fair projects, Household monitoring of temperatures, light switches, smoke detectors, alarm systems, or invent your own uses.

> Send check or m DRIVER ELECTRONICS 194-B Gladys Ave. Mountain View, CA 94043

California residents add 6.5% sales tax.
Send self-addressed envelope for free brochure

## 1983 TAX **RETURN HELPER**

Fast and easy income tax preparation.

- Form 1040 and Schedules A,B,C,D,E
- Enter and modify data on a screen copy of the
- Works like a spreadsheet all the lines affected by a change are instantly updated.
- Form 1040 and Schedule A are automatically corelated.
- Price is tax deductible. Cassette \$23 (+ \$1.50 shipping & handling). Specify VIC 20 (16K RAM) or C64.
- Check, MO or credit card.



KSOFT CO. 845 WELLNER RD NAPERVILLE, IL 60540 (312) 961-1250



Dealer inquiries welcome

### VIC-20 USERS Cartridge Back-Up

- SYSTEM IS AN EASY TO USE PROGRAM AND A HIGH QUALITY CARTRIDGE INTERFACE BOARD
- BACK-UP YOUR CARTRIDGES ONTO CASSETTE OR DISK
- 8K RAM REQUIRED **\$49.95** POST PAID
- Cassette Back-Up EASY TO USE PROGRAMS
- BACK-UP ANY CASSETTE TAPE ONTO TAPE OR DISK
- REQUIRES NO USER MEMORY \$19.95 POST PAID

VISA/MASTERCARD ORDERS: PHONE (215) 269-4803

MAIL CHECK OR MONEY ORDER TO: E-M TECHNOLOGIES P.O. BOX 185 DOWNINGTOWN, PA. 19335

PA. RESIDENTS ADD 6% 6 MONTH REPLACEMENT GUARANTEE

## LOW COST SOFTWARE

Are you tired of paying high prices for your software? Let John Henry Software save you money! We distribute iblic domain software for your Commodore 64\*\* VIC 20" We've tested and documented each program to guarantee you hours of fun and useful learning exper-iences. We specialize in prompt delivery of your software, even if you order tapes, and we guarantee our

You'll also receive our free program reference book when you place your order.

	COMMODORE	64	
26	Games for Everyone		S

Group CG		Games for Everyone 37.33
Group CP	30	Programming, Demo, Business and Home
Group CE	16	Educational Programs \$7.95
Group CA		Adventure Games\$7.95
		VIC 20
Group VG	62	Games for Everyone \$7.95
Group VP		Programming, Demo, Business
		and Home
Group VE	35	Educational Programs \$7.95

When ordering, specify group & tape or disk. Group CA is on disk only. Send check or money order to: John Henry Software P.O. Box 39021 Cincinnati, Ohio 45239

Don't wait! Order your software today! Or write for your free program reference book. You'll be glad you did! VIC 20 and Commodore 64 are trademarks of Commodore Electronics Limited.

#### MAKE YOUR OWN CARTRIDGES!

Complete System . Programs 8K Cartridge to "AUTO-RUN" (opt) YOUR BASIC or



- Prototype GAMES
- EDUCATIONAL use -NO Load Delay
- OS-3721 plugs into VIC-20
- Expansion socket on board
   Carts, Erasable & BLK Locatable

OS-3723 ZIF socket module Allows programming 2764, 2732A, 2732, 2716, 2564, 2532, 2516 EPROMS OS-37A System (Pgmr., 8K Cart)

OS-37B System (Pgmr., ZIF mod) (Software Tape incl. Disk add \$2) OS-3722 Blank 8K Carts.

Blank 2764 EPROMS

OTTO SYSTEMS 8135 ENGINEER ROAD SAN DIEGO, CA 92111 (619) 569-5665

Add \$4 Shipg. & Hndlg. - CA res. 6% tax

## FREE OFFER! COMPUTER CASSETTES

FREE

"World Capitals Game" with each order of 20 or more C-10's

Specify VIC-20 or Commodore 64

\$24.50

\$88.50

\$88.50

\$24.50

\$11.50

- C-10 Length 5 Screw Shell/Free Labels Lifetime money back guarantee
- Storage Box add 12¢ each
- \$2.00 shipping charge any quantity (Canadian orders \$4.00 shipping)
- NJ Residents add 6% sales tax Send check or money order to

## PARALLEL SYSTEMS

**Box 772** Blackwood, NJ 08012 609-227-9634

## OTOG USERS GROUP

Join One Of The Largest Active Users Groups. You Will Get. .

- Access To Hundreds of Public Domain Programs For Your Commodore 64, vic 20, and PET/CBM
- A Monthly News Letter \_ And A Lot More. . .

For more information send \$1.00 to:

OTOG USERS GROUP 321 Alma Street Kissimmee, Fl. 32741

Membership Fees for 12 months

USA-\$20.00 Canada-\$20.00 Over Seas-\$20.00

## TRADE SOFTWARE DIRECTLY WITH OTHER PEOPLE

SofTraders' Catalog **SAVES MONEY** 

- ★ Select Traders
- ★ List Your Software

Send \$1.00 for Catalog

· Deduct cost from next order

1610 Shomaker Drive Murphysboro, IL 62966

## VIC 20 COMMODORE 64

UMI / VIC 20

Spiders of Mars (C) \$29.95 Meteor Run (C) \$29.95 Amok [T] Sat & Met [C] \$16.95 \$29.95

UMI / New for C-64

Pennant Drive \$29.95 2 player baseball strategy Motor Mania \$29.95 hi-performance racing game Fuego \$29.95 fight fire-throwing drones to save the space crew

TOTL SOFTWARE

TOTL Text 2.6 [D] \$34.00 TOTL Label 2.6 [D] \$20.00

Send cash, check or money order to:

ARIES MARKETING CO. P.O. Box 4196 4200 Shannon Drive Baltimore, Maryland 21205

Md. residents add 5% state sales tax



ARK VIC 20" \$ 2.97 ARK INNOVATIONS, INC. 18133 SCHOOL ST. P. O. BOX 155 AMADOR CITY, CA. 95601

cassette uses joystick, 3.5 K

TAXI reading development: inquire

# FOR COMMODORE 64

Develop your children's math skills the fun and easy way. Perfect for kids preschool through 6th grade.

## MENU SELECTIONS INCLUDE:

- Addition
- Fractions

that you can select!

 Subtraction Division

Multiplication

Number Spelling

#### · A skill level setting for all the above OTHER FEATURES INCLUDE:

- · Music • Color Graphics Large Character Set •User Defined Pacing Values—lets you determine when to auto-advance to the next level. Keeps it challenging! · For added fun, play against the clock with a time value
- SCHOOL DISCOUNTS AVAILABLE Prices good thru 12/31/83 SEND CHECK OR MONEY ORDER FOR

\$2195 DISKETTE \$1995 CASSETTE Educational Software Products Littleton, Colorado 80123

# JOYSTICK

SPECIAL NEW PRICE REDUCED TO \$ 9.95



Kraft Commodore\* Compatible Joyaticks for Atari VCS, Atari 400/800/1200 XL, Atari 2000, Commodore VIC-20, Commodore 64, Sears Video Arcade, MIC 6001 and Panasonic JR200. \* All of the above are trademarks or registered trademarks.

The June/July 83 issue of Yidiot Magazine stated that this outstanding joystick was rated number 1 in actual game performance over 2nd place Spectravideo, 3rd place Wico, and 4th place Discvasher.

Now, you can purchase this game winning NRAFT COMMODORE COMPATIBLE JOTSTICK for only 59.95. Originally introduced and sold nationale or 116.95. If you are a "leftle", the "SwiTcHiTTER" has also been reduced to 312.95. Order several mount of the switch of

KRAFT COMMODORE STICK \$ 9.95 \$12.95 KRAFT SWITCHHITTER

include with your check or money order, \$2.00 per stick for handling and shipping charges. California residents add 65 sales tax. Please allow 3 weeks for delivery. Sorry, no CCCO's.

## C R CONCEPTS INC

104 CALLE CUERVO SAN CLEMENTE CA 92672

## **EXPAND YOUR** VIC 20<sup>®</sup> MEMORY!



Affordable Memory Expander lets you add 2K RAM Circuits as your needs increase (Up to 35K.)

Mother Board with Instructions	\$3995
Mother Board & Sockets with Instructions	\$5495
Complete Kit with Cabinet (35K)s	15995

Assembled & Tested Expander (35K) ..... \$189°5

Each Add'l 2K Chip (Up to 280K paged RAM) ... \$895

Send Check or Money Order to

#### PERIPHERAL DEVELOPMENT

P O Box 2824 St. Louis, MO 63132

(Add \$5 S. H. Missouri residence add 5 % % tax)
Prices subject to change without notice.

Vic 20 is a trademark of Commodore Electronics. Ltd

## Soft Cellars

GAMES AND UTILITIES FOR THE VIC 5-64 on cassette or disk

Digital Derby-Pari-mutuel betting with galloping Unex Vic Co4

High Risk-A possible mission fraught with audio visual & mental gymnastics. Joystick required Unex. Vic only \$19.95

Euper Cipher - Decipher color or symbol codes. Select length and time. Infinite levels of difficulty 1 or 2 players. Unex Vic C64

Program Cellar-Pixel-by-pixel movement techniques in BASIC Auto renumber delete. Easy entry BASIC program lines. Sub-routine library. ric Cost

Data Cellar—Over 6(R) records per disk. Random access Menu prompted. Alpha numeric sorts. Easily tailored to your needs. Ch1 only. Disk required

> SEND CHECK OR MONEY ORDER TO: SOFT CELLARS, INC. 828 RUE ROYAL SUITE 535 NEW ORLEANS, LA. 70116

> > ADD \$200 for disk yer



Advertise your program or product for the VIC-20 or 64 here and reach hundreds of thousands of readers.



#### The Banner Machine

For the Commodore 64 (4 extra fonts available). For the VIC-20 with 24K memory (3 extra fonts available). • Use on any Gemini or Epson MX with Graftrax or the FX and RX printers. Also Commodore 1525E and Banana with the C-64. • Menudriven program operates like a word processor. • Makes signs up to 13" fall by any length. • Makes borders of widths up to 4". • 8 sizes of letters from 3t" to 8" high. • Proportional spacing; Automatic centering; Right and left justifying. • \$49.95 Tape or Disk (Specify computer equipment)

## For the Commodore 64:

Space Raider An amazing arcade simulation. Your mission is to destroy the enemy ships. \$19.95 Super Roller Challenging dice game. Sprite graphics and sound. Yahtzee-style rules of play. \$14.95 Microbroker Exciting, realistic and educational stock market simulation. \$34.95 Tape or Disk

Preschool Educational Programs ABC Fun; 123 Fun; rescandi Educational Programs ABC Fun; 123 Fun; and Ginger the Cat with: Addition and Subtraction, Number Hunt, and Letter Hunt. All programs have bright color, music, and action. Each 514.95 Formulator. A scientific calculator for tasks which require repetitive arithmetic computations. Save formulas and numeric expressions. \$39.95

Sprite Editor The easy way to create, copy, alter, and save up to 224 sprite shapes. \$24.95

Cross Reference Generator for BASIC programs Locates lines with BASIC words or variable names and allows changes, and more. \$19.95

VIC-20 Programs Also Available. Ask for Catalog.



Cardinal Software

Virginia Micro Systems 13646 Jeff Davis Highway Woodbridge, Virginia 22191 Phone (703) 491-6502

#### **MEMORY FOR YOUR VIC-20** PLUS A LITTLE EXTRA

32K Dynamic Ram - Same type as Commodore 64 24K Used normally, for full expansion. Blocks 1, 2, & 3 "EXTRA" 8K maps into block 5, normally used for ROM cartridges (Games)

Accesses from BASIC for data storage, only through PEEK and POKE

Accesses in assembler for data, or write your own games, & boot into them normally

The 3K "Block 0" ram has been intentionally left free for the VIC Superexpander

Each 8K block can be switched in or out for compatability with games, or other peripherals. Powered by your VIC-20 (175 ma typ)

Plugs directly into VIC expansion slot, or motherboard Complete, assembled, and tested

90 day "No questions asked" money back return 5 year manufacturer's warranty

### \$109.95

### TEMPUS

Dept G101 832 Brown Thrush, Wichita, KS 67212 Handling charges, add \$3.00

Personal checks take 3 weeks to clear, before we ship. We carry the entire XETEC line for VIC-20 and C64. Write for literature

MasterCard & Visa - Send card number & expiration date. VIC-20 & Commodore 64 are Commodore trademarks

#### 2+1 EXPANDER

2 FULL SERVICE EXPANSION CONNECTORS RIGHT ANGLE CONNECTOR: DAISY CHAIN 2 + 1s TOGETHER 1 SPECIAL SWITCHED

SCREEN PROMPTS

NO MEMORY



\$24.95 (GOLD CONNECTORS)

CONNECTOR FOR BLOCK ASSIGNMENTS SEVERAL PROGRAMS ON SAME CARTRIDGE

**RAM BLOCK \*29.95** 8K MEMORY EXPANSION CARD, ASSEMBLED AND TESTED PLAY OVER THE PHONE OR LOCAL

VIC TO VIC OR CB4 NO CONNECT CHARGES RE-USABLE CARTRIDGES GAZETTE SPECIAL

### CARTRIDGE PROGRAMMER

\$79.95 USER FRIENDLY WORKS WITH PROGAID 6 V-MON

\$49.95

#### 7TH FLEET \*29.95 SEND MESSAGES

SINK FNFMY SHIPS SPY MODE SET MINES

## MIGHTY 5

5 FULL SERVICE EXPANSION CONNECTORS SOFTWARE CONTROL OF BLOCK ENABLE LINES

DUAL RESET SWITCHES: RESET VIC OR MIGHTY 5

(GOLD CONNECTORS) USES SEVERAL GAMES OR RAM CARDS AT ONCE

These and other fine products available from: QUEUE PRODUCTS BOX 1655 / DEARBORN, MI 48121 DEALER INQUIRY REQUESTED -

C-64

#### PCI'S COMPLETE PRACTICAL **GUIDE TO THE COMMODORE 64**

Where the C-64's owner's manual falls down or leaves off, PCI's Guide to the C-64 keeps you going. Over 200 pages of practical information to help you get the most out of your Commodore.

The Guide gives special attention to graphics and sound capabilities and provides practical, in-depth discussions of programs specifically developed for the Guide.

SPECIAL OFFER: To get your copy early and save \$2 off the retail price, send check or money order for \$12.95 before January 15 to:

> PERSONAL COMPUTERS, INC. 4533 BAILEY AVENUE AMHERST, NY 14226

Dealer inquiries call: (716) 832-8800

## **ADVERTISERS INDEX**

Reader Service Number/Advertiser Page	Reader Service Number/Advertiser Page
102 Aardvark Action Software 85	Micro Software International, Inc 151
103 Academy Software	Microtech
104 Adventure International	129 Micro Ware
The Alien Group	130 Micro Ware
American Peripherals 144	Micro World Electronix, Inc 159
Anierical religionalis	<b>131</b> Midwest Micro Inc
Aries Marketing	Mirage Concepts, Inc 135
Ark Innovations, Inc 206	MMG Micro Software
Assembly Technology	Mosaic Electronics
<b>105</b> Atari, Inc	
106 Avalon Hill Game Company 61	Mystic Software
Besco Products	Northland Accounting 155
<b>107</b> Blue Sky Software	NRI School of Electronics 105
<b>108</b> Blue Sky Software 67	Nüfekop 131
109 Brøderbund Software IFC	Olympic Sales Company 74
Bytes and Bits	132 Orion
Capabilities, Ltd	Otog Users Group
110 Cardco Inc	Otto Systems
<b>111</b> Cardinal Software	Parallel Systems 206
Century Micro Products 155	<b>133</b> Parker Brothers
112 Cheatsheet Products 205	Parker Brothers
Commodore BC	Peripheral Development 207
113 Compatible Systems Inc 128	Personal Computers, Inc 207
114 Comprehensive Software 97	<b>134</b> Practical Programs 127
115 Computer Discount 159	<b>135</b> Precision Software 51
The Computer Entrepreneur 119	136 Professional Software Inc 7
Computer Mail Order 125	137 Protecto Enterprizes 54,55
ComputerMat 121	138 Protecto Enterprizes 98,99
Computer Outlet 149	<b>139</b> Protecto Enterprizes 116,117
116 ComStar	<b>140</b> Public Domain, Inc 205
Continental Concepts 205	Queue Products 207
Cosmopolitan Software 49	Quicksilva
C R Concepts Inc 206	141 Rainbow Computer Corporation . 109
117 Creative Software 40,41	142 R.I.S.T. Inc
118 Creative Software	Rocky Software 128
119 Crown Computer and Software 129	Scarborough Systems 4
Datamost, Inc	Screenplay
Datamost, Inc	SJB Distributors Inc 163
Driver Electronics 205	143 Skyles Electric Works
120 E. Arthur Brown Company 64	144 Skyles Electric Works 143
<b>121</b> Eastern House 153	145 Softax, Inc
· Educational Software Products 206	Soft Cellars, Inc 207
Elcomp Publishing, Inc 95	146 Soft-Guide 128
Electronic Arts 2,3	SoftLaw 139
Electronic Arts 26,27	147 Softraders International 206
Electronic Arts	Softron, Inc
Electronic Arts 31	<b>148</b> Software Gallery 153
E-M Technologies 205	Software To Go 59
Farthest Fringe S.A 205	149 Software Warehouse Outlet 158
122 First Star Software Inc	Spinnaker 11
123 French Silk 100	Spinnaker 9
<b>124</b> House of Software	150 Star Micronics Inc
Hytec Systems 74	Starpoint Software 157
Impact Marketing Inc 25	Strategic Simulations 83
Interesting Software 115	151 subLOGIC Corporation 45
International Tri Micro 91	152 subLOGIC Corporation 47
International Tri Micro 93	
125 Jack Degnan Associates 127	<b>153</b> Sungem
126 Jay Sun Enterprizes, Incorporated . 147	Sunsoft
<b>127</b> John Henry Software 206	Synapse
K. R. Rullman	154 Systems Management Associates . 107
K-2 Electronics Design Corp 94	155 Systems Management Associates . 113
Ksoft Co	156 Tempus
Letco	157 Tenex Computer Marketing
100 Minus Dinital 75	Systems 57

Rea	der Service Number,	1	L	ı١	re	rl	ı	56	16	•	P	a	ge
158	Totl Software, Inc											1	33
	Tronix										1	2,	,13
	Tronix									,			77
	Tymac Incorporated					c+.							81
	U. C. Software												94
159	Vaisala Inc												84
	Varanger Computing										,		28
160	Victory Software Inc.				•							1	01
	York 10							*					28


COMPUTE!'s First Book of	
Commodore 64	137
COMPUTE!'s GAZETTE	33
COMPUTEI's VIC Library	141
GAZETTE Back Issues	123

## **Cardco Presents**



# 16 Key Keypad for the VIC-20™ and Commodore 64™

The CARDKEY/1 provides an additional programable 16 keys to either the VIC or 64. This is a separate pad that plugs into the joystick port of your computer. It comes with tape programs (transferable to disk) that allow the user to define the 16 keys as any number, letter or character string value. It additionally allows the keys to be defined as strings Another function available is the direct càlculator mode in which yoù use your computer as a calculator. For example you press 5 + 5 (enter) and the computer prints 10 on the screen.



Suggested retail: \$39.95



November 28-December 2, 1983 Las Vegas Convention Center Las Vegas, Nevada The CARDKEY features:

- 16 keys laid out in a calculator format
- All keys are user definable
- Keys can be defined as any character
- Keys can be defined as complete strings
- Optional calculator mode



See a complete line of American made Cardco Products at a computer store near you, today.

313 Mathewson • Wichita, Kansas 67214 • (316) 267-6525



# it writes, rates, creates, even telecommunicates. Costs less, does morethe Commodore 64.

When Commodore introduced the 64, the industry suddenly realized that there would be a computer in every home, school and business years before anyone

That's because Commodore 64 halved the price of high technology: while vou can compare

the 64's capabilities with those of any sophisticated business PC, you can compare its price with

ever dreamed.

that of an average television.


What can you do with it? Create with



its high resolution Sprite Graphics. Add a printer and type with it. Add a disk drive to use

spread sheets and other financial


programs. Learn and play music through your home sound system on the 64's



professional quality music synthesizer.

Add a modem, and hook up with the vast computer networks through your telephone. In short, the

Commodore 64 is the ultimate personal computer, at a price you can afford.



# COMMODORE 64E

GRN BLU