
New Mass Storage: Hard Disk Drives And RAM Expansion

COMPUTE \$3.00 May 1987 Issue 47, Vol. 5, No. 5 AZET


FOR COMMODORE PERSONAL COMPUTER USERS

SpeedScript 3.2
A complete word processor for the Commodore 64. The latest version of our most popular program ever. Plus three new support utilities: ScriptRead, SpeedSearch, and Date And Time Stamper



No-SYS Loader

The easy way to run, load, and save machine language programs on the 64.



The Digital

Dazzlers

Your text screen never looked like this. Fascinating animated graphics for

ch Recognition of Synthesis 78087 IM

products make your 64 an even more valuable tool.

Powerball

An outstanding—and addictive-multifeatured arcade-style game for the Commodore 64.

Also In This Issue:

A Guide To Commodore User Groups, Part 1

Fast Boot For The 128

Hints & Tips: Time Savers

And More


"The Bard is Back!"

From impossible dungeons and splitsecond snares, the Bard and his party emerge. The Sceptre, so long forgotten, gleams with power like an exploding sun. Even Phenglei Kai, the ancient archmage, bows his head in awe.

"I smell serpents!" Slipfinger squeals, stealing away like the thief he is. Two archdragons slither out of the ground, their eyes burning with the relentless fury of treasure lost.

Protected behind the flame lizards, beyond the reach of normal weapons, a cackling wizard begins the eerie chants of a death spell. A spell that can finish the Bard and his party.

The time has come to battle-test the magic of the Destiny Wand – and reveal the awesome powers of The Destiny Knight.™



- 50% bigger than Bard's Tale.
 - · An all-new story line.
 - Six cities and a huge overland wilderness to explore.
 - Dozens of new spells –
 79 spells in all.
 - New real-time dungeon puzzles. You have to get through them before the clock stops ticking.
 - Summon and name monsters to become a permanent part of your party.
 - More strategy in combat encounters – the weapons and spells you choose depend on the enemy's distance.
 - · A bank and casino.
 - A starter-dungeon for building up your low-level characters.
 - 6 guilds for easier game saving.
- Optional use of Bard's Tale characters. Bard's Tale experience not required.
- Cluebooks available for both Bard's Tale and Bard's Tale II.™



You get a new class of magic user – the Archmage. With 8 powerful spells like Heal All, Fanskar's Night Lance, and the awesome Mangar's Mallot.



There are over 100 monsters, like this Kner Drone. Many animated. All dangerous.



25 scrolling dungeon levels. All in color. All 3-D. Including 7 different Snares of Death, a new kind of real-time puzzle.

The Bard's Tale II

The Destiny Knight

from



ELECTRONIC ARTS"

HOW TO GET IT: Visit your retailer, or call 800-245-4525 (in CA call 800-562-1112) for VISA or Mastercard orders. To buy by mail, send a check, money order, or VISA or Mastercard information to Electronic Arts, P.O. Box 7530, San Mateo, CA 94403. The price is \$39.95 for the Commodore 64 version. Add \$5 for shipping and handling (\$7 Canadian). Allow 1-4 weeks for delivery. The Bard's Tale II and Electronic Arts are registered trademarks of Electronic Arts. Ultima is a registered trademark of Richard Garriott. Commodore is a trademark of Commodore Electronics Ltd. For a copy of our complete catalog, send 50c and a stamped, self-addressed envelope to Electronic Arts Catalog, 1820 Gateway Drive, San Mateo, CA 94404.

COMMODORE OWNERS.. YOU ARE ABOUT TO BEGIN A WONDERFUL NEV LOVE AFFAIR! TIMETUORKS

Since the beginning of the computer boom, folks have been saying what they would really love is a program anyone can use to perform everyday tasks.

PARTNER 64, a cartridge-based product with eight convenient, memory-resident desktop accessories, does just that.

Like Sidekick*, PARTNER automagically suspends the existing program in your computer while you are using the PARTNER accessories. When you are through, press a button and PARTNER returns you to the point in your program where you left off.

ACCESSORIES AT YOUR COMMAND:

- Appointment Calendar and Date Book: Keep track of appointments and deadlines. At the press of a key, you'll be able to review your appointments for a day, week, or month. Months may be viewed in their entirety in a traditional calendar format, and then printed out.
- Memo Pad: Write yourself important notes. Print them out on paper or save them onto disk.
- Name, Address and Phone Books: Keep track of important names, addresses, and phone numbers. Available instantly, any time you use your computer.
- Calculator: A multi-function calculator with an optional "paper tape" that prints out your calculations on your printer.
- Typewriter: Turns your computer and printer into a traditional typewriter.
- Envelope Addresser and Label Maker: Use this feature and your name and address list to address envelopes or create mailing labels - quickly, without leaving the software you are working with.



More power for your dollar

Timeworks, Inc. 444 Lake Cook Road, Deerfield, II. 60015 312-948-9200

- a trademark and Commodore 64 is a registered trademark of Commodore Electronics, Ltd
- "An auto-dial modem is required to use the phone dialer feature. @1985 Timeworks, Inc. All Rights Reserved.
- *Reg. trademarks of Borland Int.; Commodore 128 is

- Auto Dialer: At your command, the computer will search through your list for the number you want, and automatically dial the number for you.*
- · Screen Print: At the press of a key, the text (not graphics) of your computer display will be duplicated on your printer.

OTHER FEATURES:

- SwiftDOS: Allows you to access Commodore disk drive commands any time.
- SwiftLock: Enter your secret code before you leave your computer. The keyboard will be locked until you re-enter your code.
- Extended Printer Control: Allows you to send commands directly to your printer at any time.
- SwiftLoad: Allows your Commodore 1541 disk drive to load as fast as the Commodore 1571 disk drive.

Also available for the Commodore 128 computer!

Suggested Retail Prices:

- C64 (64K, 40 Column) . . \$59.95
- C128 (128K, 80 Column) \$69.95


Available at your favorite Dealer, or call Timeworks today!

TO ORDER CALL: 1-800-535-9497

PARTNER


NEW for

C64!



In a market full of helicopter simulations like Super Huey II, Gunship, and Infiltrator, it's nice to find a product like ThunderChopper that flies high above the rest!

Colonel Jack Rosenow USAF (Ret.), President of ActionSoft Corp., has the experience to provide all of the helicopter action and strategy you've been looking for! ThunderChopper incorporates the most advanced graphics, flight systems, and gameplaying factors to provide a sensational balance of strategy and fun:



- Action-packed animated graphics include real 3D scenery and airborne threats. The competition's graphics just don't compare.
- A sophisticated instrument panel lets you scan all vital information at a glance whether performing combat, exploration or rescue operations. ThunderChopper's advanced instrumentation includes Forward-Looking Infra red, CO2 laser radar, zoom television, and ECM. Armament includes TOW and Stinger missiles, a Hughes Chain Gun, and Zuni rockets.
- Better program and documentation design gets you up flying exciting combat missions in minutes.



As Colonel Jack says: "ThunderChopper is the ultimate in helicopter action and realism. Nothing else even comes close. No other simulation can boast this much fun!"




Simulation animation and 3D graphic technologies licensed from SubLOGIC

Up Periscope!

The new state of the art in submarine simulation. The superior strategic play action and 3D animated graphics of this simulation put it generations ahead of the pack.

See Your Dealer...

Or write or call us for more information. ThunderChopper and Up Periscope! are available on disk for the Commodore 64/128, Apple II, and IBM PC line of personal computers for the suggested retail price of \$29.95. For direct orders please specify which computer version you want. Include \$2.00 for shipping and specify UPS or first class mail delivery. Visa, Master-Card, American Express, and Diners Club cards accepted.



- \$29.95 -Better Engineering at a Better Price


⁵ 1986 ActionSoft Corporation 3D Graphics and special effects courtesy SubLOGIC Corp. Commodore 64 and Commodore 128 are trademarks of Commodore Electronics Ltd. Apple II is a trademark of Apple Computer, Inc. IBM is a registered trademark of International Business Machines Corp.

ACTIONSoft

GENERATIONS AHEAD IN STRATEGY ACTION SOFTWARE

122-4 S.RACE ST. URBANA . IL 61801 (217) 367-1024

WHICHEVER DOOR YOU CHOOSE, THE PRIZE IS FUN AND EXCITEMENT BEYOND YOUR WILDEST FANTASIES!



Your quest for the best fantasy game is over. You've found not one, but three ... from SSI. The play and feel of each game may differ; but in terms of fun, excitement and challenge, all three are equally exhilarating, intense, and absorbing.

WIZARD'S CROWN™

Guide eight valiant adventurers on a perilous quest to recover the precious Wizard's Crown that lies imprisoned behind spell-woven walls in the ruins of Arghan. Armed with different skills and weapons, your characters must search for clues among the maze of streets, buildings and dungeons. When your heroes clash with the vile denizens of Arghan, you can let the computer resolve each battle quickly, or you can personally direct the action with a multitude of combat options. On diskette for 64K Apple®, Atari®, C-64°, \$39.95.

GEMSTONE HEALER

This is the sequel to our best-selling Gemstone Warrior in which you braved the horrors of the Netherworld and successfully recovered the magical Gemstone. To your dismay, you discover that the Gemstone has been damaged. Hence, you must return to the Demons' lair, locate the Healing Tools and heal the Gemstone. Don't worry if you haven't played Gemstone Warrior because everyone will enjoy GEMSTONE HEALER's fast-paced, action-packed excitement. On diskette for 64KApple.

PHANTASIE II"

This role-playing game promises to duplicate the phenomenal success that the first *Phantasie* achieved. In PHANTASIE II, the Dark Lord fashioned an evil orb that has enslaved your people. Command a band of one to six travellers to brave the Dark Lord's wrath, locate the orb and find a way to destroy it. If you've played the original *Phantasie*, you can transfer those same characters to this sequel. If you haven't, simply create new characters and embark on a thrilling mission!

On diskette for 48K Apple®, C-64°,
Atari ST®, \$39.95.

Now that you've had a tantalizing peek at the fantastic adventures beyond, will it be Door #1, Door #2, or Door #3? The best answer: Why, all three, of course!

Pantasie II

To get started, you'll have to open another door, that of your local computer/software or game store.

If there are no convenient stores near you, VISA and MasterCard holders can order by calling toll-free 800-443-0100, x335. To order by mail, send your check to: Strategic Simulations, Inc., 1046
N. Rengstorff Ave., Mountain View, CA 94043. Be sure to specify the computer format of the game. California residents, please add applicable sales tax.

Add \$2.00 to your order for shipping and handling, Allow 4-6 weeks for delivery. In the Continental U.S., U.P.S. Blue service (faster shipping time) is available for \$4.00.

Apple, Atari / Atari ST and C-64 are trademarks of Apple Computer, Inc., Atari, Inc., and Commodore Electronics, Ltd., respectively.



features		
New Commodore Storage Devices Selby Bateman	. 16	*
The Digital Voice: Speech Recognition and Sound Synthesis Kathy Yakal	. 24	*
Making the 64 Talk Todd Heimarck	. 32	· Aller Aller and A
SpeedScript 3.2 for the Commodore 64 Charles Brannon	. 54	64
A Guide to Commodore User Groups, Part 1 Caroline Hanlon	. 72	
reviews		
Operation Terminal Scott Thomas	. 36	64
Thinking Cap Robin Minnick	. 38	64
Portal Neil Randall	. 39	64
Gunship George Miller	. 42	64
games		400/64/ 14/46
Unscramble Mark Tuttle		128/64/+4/16 64
education/home applications		
Cassette Sleeve Maker David Ito	. 52	128/64/+4/16
Computing for Families: Computers and Learning—		
Which Future for You? Fred D'Ignazio	. 78	A SERVICE OF THE SERV
SpeedScript Date and Time Stamper Bob Kodadek ScriptRead Buck Childress BASIC for Beginners: The Power of the ON Command Larry Cotton Machine Language for Beginners: Building Trampolines Richard Mansfield Power BASIC: Easy ML Line Drawing Paul Carlson Hints & Tips: Time Savers No-SYS Loader Walter L. Smith, Jr. Dazzlers Paul Carlson Fast Boot Jim Allen Gameports: Joystick, Paddle, and Mouse Jim Butterfield	. 76 . 77 . 80 . 82 . 83 . 86 . 87 . 88	64 64 64 128/64/+4/16/V 128/64 128 128/64/+4/16 64 64 128 128/64
departments		
The Editor's Notes Richard Mansfield	6	*
Gazette Feedback Editors and Readers	. 10	
Simple Answers to Common Questions Tom R. Halfhill	. 79	*
Horizons: Alphabetizing Todd Heimarck	. 84	128/64/+4/16/V
Bug-Swatter: Modifications and Corrections	. 32	
program listings		
	125	
COMPUTE!'s Gazette Author's Guide How to Type In COMPUTE!'s Gazette Programs	125	
The Automatic Proofreader,	127	128/64/+4/16/V
MLX: Machine Language Entry Program for Commodore 64	128	64
Advertisers Index	132	•
*=General, V=VIC-20, 64=Commodore 64, +4=Plus/4, 16=Commodore 16, 128=Commodore 128		

COMPUTE's GAZETTE is published monthly by COMPUTEI Publications, Inc., 825 7th Avenue, New York, NY 10019 USA. Phone: (212) 265-8360. Editorial offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, \$24 POSTMASTER: Send address changes to COMPUTE's GAZETTE, P.O. Box 10957, Des Moines, IA 50340. Second class application pending at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright ©1987 by COMPUTEI Publications, Inc. all rights reserved, ISSN 0737-3716.
COMPUTEI Publications, Inc. is part of ABC Consumer Magazines, Inc., One of the ABC Publishing Companies: ABC Publishing, President, Robert G. Burton; 1330 Avenue of the Americas; New York, New York, New York 10019.

editor's notes

In this issue you'll find the latest version of the most popular program we've ever published: *Speed-Script*, a fast, full-featured, yet easy-to-use word processor. *SpeedScript* 3.2 includes many of the improvements that you, the readers, have requested.

Elsewhere in this issue, you'll find three very helpful support utilities for *SpeedScript*, each of which is designed either to save you time or help better organize your *Speed-Script* text files.

If you enjoy games, we think you'll find "Powerball" irresistible. While it takes some time to become expert, this exciting game is novel, varied, and challenging enough for anyone to enjoy. Also, you'll want to take a look at "Dazzlers," a series of graphics programs for the 64 that animate the standard text screen, with some surprising results.

Readers who have been with us for some time are likely to agree that the quality of the articles and programs in this issue does not come as a surprise; rather it's part of a tradition established by Robert Lock, the founder of COMPUTE! Publications.

This past December Robert withdrew from the daily management of the company and accepted the position of Editorial Consultant. He will continue to provide the company with guidance and will assist, in particular, in the development of new products and services.

This change in editorial management gives us our first opportunity to publicly acknowledge his contributions to the growth and success of the company he founded and to the personal computing industry as a whole.

In all these years he has never given an interview or in any fashion moved his personality into public view. While some other industry leaders appeared more concerned at times with their personal image than with the health of their companies, Robert has always worked quietly behind the scenes. We can, however, with this editorial, recognize his contribution and thank him in a small way for his efforts.

He was in his early thirties when he had the idea of starting a magazine devoted to consumer computing. And in the past seven years COMPUTE!, under Robert's guidance, has grown into a highly successful publishing group—four magazines, over 150 books in print, and over 1,000,000 readers a month. COMPUTE! Publications has become a major contributor to the ongoing introduction of computing into the homes, schools, and businesses of America and elsewhere in the world.

He saw early on that computers would have an immense impact. Starting in a storefront in Greensboro, with a handful of employees, he began working on the early issues of COMPUTE!. At that point, he was personally involved in every aspect of his young magazine: He pasted up galleys, called advertisers, contacted authors, and edited copy.

As the years went by, he continued to directly supervise the growing company in both its editorial and business activities. He has an intuitive grasp of business and finance combined with strong editing and writing skills. This combination of talents is as rare as it is powerful. And perhaps even more rare: He is an extremely clear thinker. Those of us who work closely with Robert have always been aware that he is remarkably accurate in his assessments on a wide range of topics.

We at COMPUTE! were not concerned during the notorious industry shakeout of 1984–85. We knew we would be among the survivors. In fact, COMPUTE!'s Gazette was introduced in the face of the shakeout, and became one of the

strongest startups in magazine publishing history. We have gone on to publish a number of bestselling books and continue to feature some of the best programs, columns, and articles available on the subject of home and recreational computing.

It all began with a single idea, Robert's vision of how best to engage, entertain, and inform the reader about a powerful emerging technology that he saw would eventually affect every aspect of our lives. But a single idea, however accurate, rarely leads to the creation of a major publishing house. Thousands of others also began to see the importance of consumer computing by the end of the 1970s, and hundreds of publications were introduced. By 1983 there were 150 computer magazines competing for the attention of the reading public. Today there are only a few. That COMPUTE! Publications survived and flourished was largely due to Robert's strong leadership. The staff at COMPUTE!, and the readers who enjoy our efforts, are fortunate that he will continue to play a vital role, contributing to the direction of our publications as we grow.

In the coming years we will, with his help, preserve the traditions and values Robert established here. And we will expand, offering more comprehensive coverage as well as maintaining the quality of programs, tutorials, and features you've come to expect from COMPUTE! Publications.

Richard Manufield

Richard Mansfield Editorial Director

The following programs are brought to you by an incredible series of events.


OSPORT

ming, diving, gymnastics and skeet shooting,

just to name a few.

There's its equally acclaimed sequel, Sum-







the hot dog aerials. And beg for mercy in the Biathlon. And coming

Over 30 of them. to be specific.

They're the unforgettable events of our best-sell ing Games series.

First, World Games.™ Eight international events ranging from Sumo wres-

tling to cliff diving. Bull riding to weightlifting. Even skiing the Chamonix slalom.

There's our enormously popular Summer Games." Break records in track,

mer Games II.™ Go for the gold in rowing, cycling, equestrian, fencing, the high jump, the triple jump, kayaking,

and more. Finally, there's the icv of Winter

challenges Cliff Diving In Acapulco, energone falls for it. Games.™ Wait'll you careen the tube in a bob-

sled. Fly the ski jump. Or choreograph an entire figure skating routine. You'll flip out over

nextsummer,our newest Games program. (Better get ready to hit the



beach.)

Now, it may seem like a lot to handle.

But don't let world events get the best of you.



II & compatibles, I To 8 players ST, C64/128, IBM Apple II & compati-patibles, Coming bles, Atari, C64/128.



Publisher James A. Casella Founder/Editorial Consultant Robert C. Lock Editorial Director Richard Mansfield Managing Editor Kathleen Martinek Associate Publisher Selby Bateman **Editor** Lance Elko

Assistant Editor Rhett Anderson **Production Director Tony Roberts**

Tom R. Halfhill, Editor, COMPUTE!'s Atari ST Disk & Magazine; Stephen Levy, Editor, COMPUTE! Books Division; Ottis R. Cowper, Technical Editor

Assistant Editors

Gregg Keizer, John Shadle (Books); George Miller, Dale McBane (Technical); Philip I. Nelson (COMPUTE! Magazine); Todd Heimarck, (COMPUTE!'s Atari ST Disk & Magazine); Kathy Yakal, Assistant Features Editor; Tammie Taylor, Karen Uhlendorf, Karen Siepak, Copy Editors; Caroline Hanlon, Editorial Assistant; David Hensley, Submissions Reviewer

Editorial Programmers

Patrick Parrish (Supervisor), Tim Victor, Tim Midkiff, William Chin

Programming Assistants

David Florance, Troy Tucker

Administrative Staff

Executive Assistant, Debi Nash; Julia Fleming, Iris Brooks, Mary Hunt, Sybil Agee

Production

Irma Swain, Production Manager; Janice Fary, Art & Design Director; Lee Noel, Assistant Editor, Art & Design; De Potter, Mechanical Art Supervisor; Terry Cash, Carole Dunton, Typesetting

Artists

Robin Case, Kim Potts (Publications); Harry Blair, Illustrator

Associate Editors

Jim Butterfield (Toronto), Fred D'Ignazio (Alabama)

Customer Service

Diane Longo, Customer Service Manager; Jose Cruz, Dealer Sales Supervisor; Cassandra Green, Individual Order Supervisor

Receptionist, Anita Armfield

Warehouse Manager, John Williams

President James A. Casella

Vice President, Editorial Director Richard Mansfield Vice President, Advertising Richard J. Marino Vice President, Finance & Planning Christopher M. Savine

1987 Editorial Board

Richard Mansfield Kathleen Martinek Selby Bateman Lance Elko Tom R. Halfhill Stephen Levy Robert Lock, Founder and Editorial Consultant

Advertising Sales

Richard J. Marino, Vice President, Advertising Sales; Peter Johnsmeyer, Director of Advertising Sales; Bernard J. Theobald, Jr., Associate Advertising Director; Kathleen Hanlon, Production Coordinator

Sales Representatives

Jerry Thompson 415-348-8222 Lucille Dennis 415-348-8222 Tom Link 212-315-1665 Harry Blair 919-275-9809 Address all advertising materials to: Kathleen Hanlon, COMPUTE!'s GAZETTE 324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Sales Offices

Northeast 212-315-1665 Mid-Atlantic 212-315-1665 919-275-9809 Southeast

Sales Offices, Jules E. Thompson, Inc.

1290 Howard Avenue Suite 303 Burlingame, CA 94010

Midwest 312-726-6047 713-731-2605 Texas Pacific Northwest 415-348-8222 Northern CA 415-348-8222 Southern CA 415-348-8222 415-348-8222 Arizona New Mexico 415-348-8222 303-595-9299 Colorado

COMPUTEI Publications, Inc., publishes

COMPUTEI'S GAZETTE COMPUTEI **COMPUTEI Books** COMPUTEI'S GAZETTE DISK **Apple Applications** COMPUTEI's Atari ST Disk & Magazine

Editorial Office:

324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Corporate Offices:

825 7th Avenue, New York, NY 10019

Customer Service:

P.O. Box 5038, F.D.R. Station, New York, NY 10150

Telephone: (In NY) 212-887-8525; (In U.S.) Toll free 1-800-346-6767 Office Hours: 8:30 AM to 4:30 PM Monday-Friday

Subscription Orders and Inquiries

COMPUTE!'s GAZETTE P.O. Box 10957, Des Moines, IA 50340

> TOLL FREE **Subscription Order Line** 1-800-247-5470 In IA 1-800-532-1272

COMPUTE!'s GAZETTE Subscription Rates

(12 Issue Year): US (one year) \$24. Canada, Mexico and Foreign Surface Mail \$30. Foreign Air Mail \$65.

The COMPUTE's GAZETTE subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTEI'S GAZETTE, P.O. Box 10958, Des Moines, IA 50950. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTEI's GAZETTE are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTEI's GAZETTE, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of **COMPUTE**! Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1987 **COMPUTE**! Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication will be returned contract. Unsolicited materials not accepted for publication will be returned if author provides a self-addressed, stamped envelope. Where programs are included in an article submission, a tape or disk must accompany the submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper and lowercase, please) with double spacing. Each article page should bear the title of the article, date, and name of the author. COMPUTEI Publications, Inc., assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTEI Publications, Inc. COMPUTEI Publications assumes no responsibility for damages, delays, or failure of shipment in connection with responsibility for damages, delays, or failure of shipment in connection with authors' offer to make tape or disk copies of programs published herein. PET, CBM, VIC-20, Commodore 64, Plus/4, 16, and 128 are trademarks of Commodore Business Machines, Inc., and/or Commodore Electronics Limited. Other than as an independent supplier of quality information and services to owners and users of Commodore products, **COMPUTEI** Publications, Inc., is in no way associated with Commodore Business Machines, Inc., or any of its subsidiaries.

On the Road to Moscow.

As the German Wehrmacht approached the open steppes around Smolensk, the invasion of the Soviet Union was on schedule. At this rate, the army would capture Moscow and throw the Russians out of the European continent by the time the snows fell.


At the head of the Panzergruppe invading central Russia was General Heinz Guderian, the man who turned the potential of armor into the reality of Blitzkrieg warfare. Opposing him were masses of Soviet infantry and armor determined to defend their homeland, but untried in battle. With Guderian's armor and motorized infantry divisions approaching the ancient city, the stage was set for another encounter with the Nazi juggernaut.

Guderian simulates this critical campaign of World War II, using the acclaimed joystick-driven system from Gulf Strike. On the full-color scrolling map of central Russia, the German player must master Blitzkrieg tactics to encircle and overrun Soviet divisions and drive deep enough into Russia to make the capture of Moscow possible. At your command are infantry divisions, panzer regiments, motorized infantry, panzergrenadiers, even the 1st German Cavalry Division.

The Soviet player must work to counter the German threat, and make attacks capable of cutting off supply to the forward units. While your army is massive, it is also untrained. Soviet units begin play with a hidden strength revealed only at the moment of combat. Uncertainty is always present. The game becomes a tense contest as German units blunder into Soviet strongpoints, while Russian attacks can suddenly turn into a rout.

Guderian has a solitaire option allowing you to take command of either the German or Soviet armies, as well as overrun attacks, supply rules, Soviet leaders, rail movement and optional reinforcements. The rulebook introduces new players to historical gaming, explaining clearly concepts such as zones of control, supply, combat and movement. Planning map included.

The battle for Moscow was lost on the fields of Smolensk. Now is the time for you to re-create (and rewrite) history with Guderian.





German Panzers overrun Russian defenses west of Smolensk.

COMPLEXITY: Intermediate SOLITAIRE SUITABILITY: Very high TIME SCALE: 2 days per turn

MAP SCALE: 10.5 km.

UNIT SCALE: Regiments and divisions

PLAYERS: One or two PLAYING TIME: 11/2 to 3 hrs.

Guderian is ready to run on your Atari® 8-bit, Apple II family or Commodore® 64/128 home computer. \$30.00

Available at better computer, software and game stores or direct from



microcomputer games DIVISION The Avalon Hill Game Company

A MONARCH AVALON, INC. COMPANY

4517 HARFORD ROAD . BALTIMORE, MD 21214 1-800-638-9292

feedback

Do you have a question or a problem? Have you discovered something that could help other Commodore users? We want to hear from you. Write to Gazette Feedback, COMPUTE!'s Gazette, P.O. Box 5406, Greensboro, NC 27403. We regret that due to the volume of mail received, we cannot respond individually to programming questions.

Where, Why, And How?

I have a Commodore 128 and a 1571 disk drive. I'm fascinated by graphics and sound. First of all, where did sprites get their name? Why can only eight sprites appear on the screen at one time? Finally, how can voice synthesis be produced without extra hardware? I just got Epyx's Impossible Mission, which has voice synthesis, and I can't figure out where it's coming from.

Sean Raburn

If you look in the 64 Programmer's Reference Guide, you'll find that the section that gives the technical specs for the VIC-II chip calls sprites Movable Object Blocks (or MOBs for short). This term never really caught on. Commodore's own 64 documentation (user's manual and reference guide) uses the term sprites. Two computers that were available before the 64 had sprites. On the Texas Instruments TI-99/4, sprites are called sprites. On the Atari 400/800, they're called player/ missile graphics.

The VIC-II chip which handles graphics on the 64 is the reason for the eight-sprite limit. There could have been more if the chip had been designed to support more, but the designers chose to provide eight. There's a machine language technique which does permit more than eight sprites on the screen at the same time as long as no more than eight appear on the same raster line. (A raster line is one of the thin horizontal lines that make up a video display. A Commodore video display consists of 262 raster lines.) Using a raster interrupt, you can draw eight sprites at the top of the screen, then change their locations to the bottom of the screen before the raster arrives there, effectively producing 16 sprites.

The voice in Impossible Mission and other such games was digitized, not synthesized. It was recorded and then turned into a series of numbers that represent the sound. By reading through the numbers and carefully changing the frequency and volume of the three voices of the SID chip, the program creates a sound effect that sounds like a voice. For more about speech synthesis and digitization, see the feature articles elsewhere in this issue.

Talking And Listening

I don't seem to understand what download means. When you download a program, is it from your disk drive or from the other person's drive? I don't understand uploading either.

Also, can two computers upload or download to each other with a modem and a terminal program?

Frederick J. Carleton

If you're sending the program, you're uploading. If you're receiving it, you're downloading. The difference between uploading and downloading is like the difference between talking and listening. Whenever data is transferred between two computers, one computer is uploading and the other is downloading. A way to remember is to pretend the other computer floats above your TV or monitor. To send to the other machine, the program has to flow up (upload). To receive a program, it flows down (download).

If you have a modem and a terminal program, you can upload to and download from a bulletin board service (BBS), telecommunications service, or a friend who also has a modem. To transfer files with a friend, you should set one modem to originate and the other to answer. There may be an O/A switch on your modem or you may have to send a command from the terminal program. There are a number of transfer protocols-Xmodem or Punter, for example—that strive to eliminate errors in data transfers. However, you can use these protocols only when the computers on both ends of the connection have terminal software that supports the same protocol. One of you-whoever is sending-then uploads while the other person downloads. For more about this topic, see "The Fundamentals of Downloading" in our February issue.

New Commands, A Better BASIC

A recent issue contained an advertisement for a cartridge which supposedly adds 42 extra commands to 64 BASIC. What interested me was the PRINT USING command. As you know, this command is not available on the 64. Data formatting is such a chore.

What do you think of this program? Is similar software available through other manufacturers? Could "MetaBASIC" be modified to add such a command?

Gregory Skoutas

If you're a machine language programmer, there are many ways to modify BASIC to support a variety of new commands. BASIC programmers may find a number of commercial programs that add new commands such as PRINT USING.

Some add-on programs are cartridges, while others are programs you load and run from disk. Most specialize in one area of programming. There are enhancement packages that provide lots of commands for hi-res graphics, for example. Others add routines to speed up disk operations and give you new commands for reading directories and doing other things with a disk. Still others give you new commands for program flow and program control.

An unfortunate side effect of all this is that if you have a program that changes BASIC, the program you write won't run unless the enhancement is in memory. The PRINT USING command won't work in standard 64 BASIC, and if you write a program with PRINT USING, it won't work on a friend's computer if your friend doesn't also own the enhancement program.

The idea behind "MetaBASIC" is that it adds commands for debugging and testing, but it doesn't add commands that work while the program is running. While MetaBASIC is in memory, you can read a directory or renumber a program, but when you've finished the program, it will work on a 64 or 128 that doesn't have MetaBASIC in memory. Adding a PRINT USING command would be possible, but it would go against the concept of MetaBASIC.

Wanted: Pascal For The 64

In school I'm studying Turbo Pascal on the TRS-80. I was wondering if there was a Turbo Pascal operating system for the 64? If there isn't, who sells a Pascal operating system similar to Turbo?

Chuck Wheeler

An All Star Winning Team

With Unbeatable Prices and Quality
Be ahead of the game and don't let our low prices fool you,
our joysticks have been produced under strict quality control.



TURBO CHARGE

- Rugged handle grip 4 light touch fire buttons
- 8 directional control
- Full 90 day warranty

\$1499

TERMINATOR

- Arcade-type grip Steel shaft handle
- Extra long 5 ft. cord
- Full 90 day warranty

\$1999

MICRO MASTER

- Built-in micro switch
- Built in precision control
- Tomorrow's technology available today
- Full 90 day warranty

\$9/199

Looking for TOP QUALITY PERFORMANCE? Look no further, phone or fill out order coupon below

ATTENTION DEALERS & DISTRIBUTORS

INQUIRE ABOUT OUR GOLD & PLATINUM PLAN CALL TOLL FREE:

1-800-268-377 **OPERATOR 950**

Credit card customers can order by phone, 24 hours a day, 7 days a week.



OR SEND COUPON TO:

CAMERICA SALES & MARKETING CORPORATION 18325 VALLEY BOULEVARD, SUITE A LA PUENTE, CALIFORNIA 91744

QUANTITY	PLEASE PRINT CLEARLY		
Turks Character 44.00	NAME		

- Turbo Charge 14.99_ _ Terminator 19.99
- __ Micro Master 24.99 __
- TOTAL
- CHECK OR MONEY ORDER (SORRY NO C.O.D. ORDERS)
- AM. EXP.
- ☐ VISA ☐ MASTERCARD

ACCT. NO. EXP. DATE_

ADDRESS_

CITY_ STATE ZIP

PHONE (SIGN HERE

Turbo Pascal is an inexpensive and popular version of the Pascal language (it's not, strictly speaking, an operating system) made by a company called Borland International for computers that use the MS-DOS and CP/M operating systems. Turbo Pascal is not available for the 64. However, readers have reported that the 128 in CP/M mode can run the CP/M version of Turbo Pascal.

There's no shortage of Pascal packages for the 64. We know of at least six: Super Pascal (Abacus Software), Zoom Pascal (King Microware), Kyan Pascal (Kyan Software), Oxford Pascal (Systems Software / Oxford), WATCOM Pascal (WATCOM Publications), and KMMM Pascal (Wilserv Industries).

For more about Commodore programming languages, see next month's GAZETTE.

Cursoring Around The Screen

I used to use this routine to move the cursor to the proper line before printing:

10 PRINT CHR\$(19);:FOR P=1 TO N:PRINT:NEXT

The problem with this method is that I had to use trial and error to correctly position the cursor-there was no clear relationship between N and the line I wanted to print on.

I've switched to using

10 PRINT CHR\$(19);:FOR P=1 TO N:PRINT CHR\$(17);:NEXT

The cursor-down character works perfectly. Why the difference?

Robert M. Harvey

Type in this program and RUN it.

MG 10 PRINT"{CLR}"; BH 20 PRINT"012345678901234567

890123456789012345678"; GC 30 PRINT"[HOME][5 DOWN]CURS OR CONTROLS'

RR 40 PRINT" [HOME]"; :FOR P=1 T O 5:PRINT:NEXT P

BP 50 PRINT"PRINT STATEMENTS"

This program uses both strategies for positioning the cursor. First it uses PRINT statements to move down the screen, then cursor control characters. If you look carefully when the program runs, you'll see that both procedures work equally well in this case—both messages are printed on the same screen line.

To see why the first method is sometimes unpredictable, add another character to the long text string in line 10 of the program. RUN the program again. The routine that uses PRINTs puts a message down one line lower than the routine that uses cursor controls. This is because the PRINT uses all 40 columns of the screen.

When 40 or more characters are printed, two physical screen lines are joined to create one logical screen line. You can't tell the difference by looking at the screen, but the computer now considers the two lines as only one line. Any PRINT with 40 or more characters will change the "map" of the screen that holds the logical-line information. An empty PRINT statement always moves the cursor down by one logical line, whether that logical line is equivalent to one physical line or two.

Why does it happen? Consider what takes place when you type in a program line. A program line can occupy two screen lines on the 64. If the computer only could pay attention to one physical screen line at a time, full-screen editing would be impossible-you could change the part of the program line without the line number and press RETURN, but the computer wouldn't be able to recognize that line as a line of BASIC.

Since the PRINT and INPUT routines use the screen-editor routines, the difference between logical and physical lines applies when running BASIC programs as well as when entering them.

A Spritely 128

I know how to calculate sprite DATA statements, but I don't know how to display them with the 128's sprite commands. Could you please explain how to do this?

Roger Thinggaard

The 128 has an area of memory reserved for sprite definitions at 3584-4096 (\$0E00-\$0FFF). The 128's built-in sprite editor (which can be called by typing SPRDEF from immediate mode) stores sprites in this location, and BASIC 7.0's sprite commands assume that the sprites are defined in this area. There is enough room in this space for eight sprite definitions. If you use SPRDEF to create your sprites, you can begin using BASIC 7.0's special sprite commands without any problems. Unfortunately, your sprites will be lost when you turn off the computer's power. To save your sprites, use this line:

BSAVE "SPRITE", B0, P3584, P4096

Your program can load in the sprite definitions with a program line that looks like this:

10 BLOAD"SPRITE"

If you prefer to use a different sprite editor, or if you translate your sprites to DATA statements by hand, you can POKE your sprites into memory beginning at location 3584. Here's an example program:

XR 10 FOR T=3584 TO 3584+20:RE AD A: POKE T, A: NEXT T

RP 20 SPRCOLOR 2,9

CC 3Ø SPRITE 1,1,1,0,0,0,1

CR 40 MOVSPR 1,100,100

XX 50 MOVSPR 1,45#1

AQ 1000 DATA 85,85,85,106,128, 1,110,128,1,127,128,1, 110,128,1,106,128,1,65 ,Ø,65

Line 1000 holds the data for one

sprite. Line 10 POKEs it into memory. Line 20 sets the colors for multicolor sprites. Line 30 turns on the sprite. Line 40 puts the sprite at sprite position 100,100 on the screen. Line 50 starts the sprite moving.

More About The 1520

Several months ago, reader Anthony Wajda requested information about changing the device number of the 1520 printer/ plotter. At that time, we did not have the instructions for making the change. Now, thanks to several of our readers, we can an-

swer Mr. Wajda's question.

When it's shipped from the factory, the 1520 has a device number of 6. Commodore chose device 6 so it could be used with another printer which already had the standard printer device number, 4. Unfortunately, most programs expect the printer to be device number 4. To change the device number of the 1520, you must open the case (which will void your warranty, if it hasn't already expired). Be especially careful. Changing the device number involves soldering a trace on the circuit board. One slip with a soldering iron could ruin your 1520. If you are inexperienced in electronics, have a professional do the work for you.


First, unplug the printer from the wall socket. Then remove the four screws on the bottom of the printer case and remove the top of the case. Next, remove the four screws holding the circuit board in place and the two screws holding the heat sink. Separate the circuit board from the case and turn it over so that the green side is facing upward. Look for the largest IC chip on the board. It should be mounted on the lower left section of the board. Look at the bottom row of pins just to the right of center on the IC. You should see three "mushrooms" attached to three of the pins (pins 27, 28, and 29). You should also see two traces connecting the left and right mushrooms to a thick common trace. The 1520 is device number 6 because the trace between the middle mushroom and the common trace has been cut. If only the left trace were cut, the 1520 would be device 5 and if only the right trace were cut, it would be device 7.

To change the 1520 to device 4, you must connect the middle mushroom to the common trace. The first step is to scrape the green coating from the mushroom head and from the green area of the common bar (solder won't adhere to the coating). Finally, place a drop of solder on the two scraped areas and bridge the gap between the two. Caution! Do not leave solder traces anywhere else on the circuit board; this could damage your printer.

Put the printer back together and test your changes. You should now have a printer/plotter that responds to com-

mands sent to device 4.

YOU TOLD US WHAT THE BEST COMPUTER BASEBALL GAME WOULD HAVE...




CHAMPIONSHIP BASEBALL"

With 4 Divisions, 24 Teams, and the Championship Series

You've been asking for the best in computer baseball games, and you want it *all*—graphics *and* features. We've heard you, and Gamestar's *Championship Baseball* delivers. No other product gives you the complete sport of baseball like *Championship Baseball*:

- Player Draft, complete with reserves.
- · Setting your starting lineup.
- Batting Practice, Exhibition Game and League Play options.
- Each division is tougher than the last, so there's always a new challenge.



- You control all the action on the field—pitching (8 different pitches), hitting, catching, outfield relays, base running, even sliding under tags.
- Player substitutions can be made throughout the game.
- Division, playoff and championship series play.

All this and much more in the most complete baseball program available. When you're ready to step into the major leagues of computer baseball, Championship Baseball's your ticket. Nobody else gives you more.

Available now for IBM PC, Tandy 1000, Apple IIe, IIc, Commodore 64/128, Amiga, Atari ST and 100% compatible computers.



Select your players from the talent pool, based on their characteristics and skill ratings. Name them after today's stars, or anyone you want.



Determine the batting order that will have the best chance against your opponent.



Batting window disappears when the ball's in play, so you can see continuous action.



INPUT Doesn't Like Commas

Why is it that whenever you type a : or ; in an INPUT statement, the computer responds with ?EXTRA IGNORED, and then, when you print the data in the string variable, it cuts off everything past the colon or semicolon? Is there any way to prevent this?

Mark Jacobson

INPUT with semicolons works properly. You may have been thinking of the problem with commas. If you enter the oneline program 10 INPUT A\$: PRINT A\$ and run it, you'll see the following results. What you type is in the left column. The right column shows what prints out.

ABC, DEF ABC ABC;DEF ABC;DEF ABC:DEF ABC

The ?EXTRA IGNORED error message appears when you use a comma, but not when you use a semicolon or colon. This error is one of the rare ones that doesn't stop the program. After the message prints, the program continues to the next command.

There's a good reason why commas cut off input. Within INPUT statements and DATA statements, commas are used to separate individual items. Change the example program to 10 INPUT A\$,B\$: PRINT A\$: PRINT B\$ and then enter ABC, DEF. As you can see, a single typed line can assign strings to two different variables. Run the program a second time and type just ABC at the ? prompt. The program wants two variables, so it gives you a second prompt (two question marks).

What seems like a problem with commas is really a feature of the INPUT statement, one that's valuable when you need to input several variables at once. The comma doesn't act as a comma character, it's a separator.

Colons also separate members of a list. The one-line programs above used colons to put more than one command in a program line. There's a machine language routine called CHRGET built into the 64. It's an all-purpose subroutine which gets characters from direct-mode commands, from program lines, while a program is running, and during INPUT. The CHRGET routine flags colons, which mark the end of one part and the beginning of the next. Since colons indicate the end of a section of a line, they also terminate an input from the user.

You may find situations where you want to include a comma or a colon within a string. One solution is to use GET instead of INPUT. Another is to start your string with a quotation mark, typing "ABC,DEF instead of ABC,DEF. By putting the string inside quotation marks, you'll be able to include these two problem characters. The quotation marks won't appear when the program prints the string. The only character that will pre-

maturely terminate the string is a CTRL-@, because it's interpreted as a CHR\$(0)—one of the other terminating characters.

Starting the string with a quotation mark is easy enough to remember if you're the only person using the program. But if others might run your program, you can force the quotation mark to print-on the 64-by putting POKE 631,34: POKE 198,1 just before the INPUT statement.

Locating Custom Characters

I want to use custom characters for the 64 at locations 2048-6143 and I need to know what each address is used for. My memory map just says 2048-40959 are used for BASIC programs and variables. I know that locations 2048-2056 are the @ character, 2057-2065 are the letter A, 2066-2074 are B, and so on. I see the pattern, but could you list the rest of the addresses for me?

Tim Bankes

In the back of the manual that came with your 64 is an appendix that lists screen codes. When you copy characters from ROM to RAM, the characters appear in exactly the same order. Since each character uses eight bytes, multiply the number of the screen code by eight and add it to the address where you've put the custom characters. The letter T is screen code 20, so the data for its shape starts at an offset of 20 times 8, or 160, from the beginning of the character set. Add 2048 and 160—the result (2208) is where the letter T begins. The heart shape is screen code 83, so it would start 664 bytes past 2048.

Each character set contains 256 characters. The first 128 are listed in the appendix of screen codes. The final 128 are the reversed versions of the first 128 characters. Because there are 256 characters and each shape uses eight bytes, a complete character set takes up 2048 bytes.

A note about your math: Although a character takes eight bytes of memory, that doesn't mean that the first one runs from 2048-2056. It might look like eight numbers, but it's really nine. The first character uses the eight bytes from 2048-2055, the second runs from 2056-2063, and so forth.

There are two important facts about memory management that you should keep in mind if you plan to put the character set at 2048-4095. The first is that the VIC-II chip, which handles graphics on the 64, won't allow you to put characters between 4096-8191 or 36864-40959, because it sees the shadow of the ROM character set there. You can't store video information such as sprites or hi-res screens in these areas, either. If you keep the custom characters at 2048, you're safe. The second thing to watch for is that BASIC programs normally start at location 2049. To put characters at 2048,

you'll need to move the start of BASIC up out of the way. POKE 43,1: POKE44,16: POKE 4096,0:NEW will relocate the BASIC text area to 4097.

The Absent-Minded Professor

I'm having a problem accessing the RAM under Kernal ROM from within a machine language program on my 64. I've narrowed the problem down to the modification of memory location 1 from 55 (\$37) to 53 (\$35). Included is an example. Do you have any idea what is causing the lockup?

Kenneth Taran

Imagine an absent-minded professor who conducts brilliant research in his laboratory. He gets so wrapped up in the work, he forgets to eat meals. Three times a day, an alarm goes off in the kitchen downstairs and an assistant prepares some food to bring up to the professor.

Within the 64, the chip that does most of the work is called the 6510-and it's an absent-minded professor. Sixty times a second (50 on European 64s), a second chip, the Complex Interface Adapter, has to nudge the 6510 and tell it to do some things like checking to see if a key has been pressed and blinking the cursor. The CIA #1 alarm clock generates an interrupt request (IRQ) and the IRQ sends the 6510 to an IRQ-handler routine where the keyboard is scanned and other chores are taken care of.

When you POKE (or STA) a 53 to memory location 1, the ROM at \$E000-\$FFFF is turned off and the RAM underneath is enabled. There's nothing wrong with switching ROM to RAM, except that the vector to the IRO-handler routine (plus the handler itself) is located there. Within 1/60 second, an interrupt occurs and the 6510 tries to jump to the subroutine that does the housekeeping chores. But the subroutine is gone, because ROM has been replaced with RAM, which contains a series of random bytes. In an attempt to execute these instructions which aren't instructions, the computer locks up.

The solution is to disable IRQs with the machine language SEI (SEt Interrupt disable) instruction. You can reenable interrupts with CLI (CLear Interrupt disable). Place the SEI just before you store a 0 to bit 1 of location 1. When you're done accessing memory under ROM, store a 1 to bit 1 and then CLI. Note that SEI (Set) turns off the interrupt alarm clock and CLI (Clear) turns it on again.



Amiga screen

SO REAL IT HURTS

GFL Championship Football™


The way computer football should be.

Other football games put you in the grandstands, looking down on the action. Now see what it's like from the *player's* perspective—looking out of your helmet at an angry linebacker headed straight for you, and no blockers in sight.

With GFL Championship Football,™ you've got the first football simulation that actually takes you down on the field, taking the hits and making the plays. And it's more than just a pretty picture—you really get the feel of *playing* football.

No other football simulation gives you so many features:

· In-the-helmet perspective puts you at ground



level on the playing field.

- Scrolling-screen animation moves you up and down the playing field.
- Realistic sound effects let you hear everything from the quarterback calling the signals to the sound of your own footsteps.
- Team selection screens allow you to set the playing style of your team and that of your opponent.

Whether you're taking on bone-crunching action against a friend, or going up against any of the 27 computer-controlled teams in the GFL, this is the one that puts you where the action is!

Available now for the Commodore 64/128.

Coming Soon for the IBM PC/PCjr and Tandy 1000, Apple II, Amiga, Atari ST and 100% compatible computers.



Amiga screen



Commodore 64-128 screen




Commodore 64-128 screen



Commodore 64-128 screen





New Commodore Storage Devices

Selby Bateman, Features Editor

New data-storage devices for the Commodore 64 and 128 offer a variety of options beyond the 1541 and 1571 disk drives. Here's an overview of what's available, along with some considerations about how and why you may want to use them.

he Commodore 64 and 128 have already proven to be among the most popular and successful personal computers ever marketed.

The 64, five years old and going strong, has an installed base of several million. And the new 64C, with its GEOS operating system and applications, promises to continue that success. Sales of the 128, a machine first announced as recently as January 1985 and only widely available a few months later, already number more than a million.

One of the reasons for their continuing popularity is the relatively inexpensive and dependable disk drives that have helped to make the two computers more attractive.


Consider the 64's 1541. Despite criticisms about its lack of speed (512 bytes per second) and its limited memory capacity (160K), the 1541 was a remarkable bargain when introduced with the 64 in January 1982. Even at the original retail price of \$600, the 1541 offered 64 users a significant storage device that far surpassed the popular Datassette tape recorders used by many 64 and VIC-20 computer owners. Of course, the price quickly dropped to half that, and today 1541 drives can be bought in some places for as little as \$150.

The 128's 1571 drive is also a perfect fit, but for another reason: It's versatile enough to work in three different modes without the user having to make any physical modifications to the drive. To really get the most out of a 128 computer, you have to use the 1571.

The 1571 does its job at one of three different speeds: 1571 mode for the 128, 1541 mode for the 64 or 128, or CP/M mode. With the 128's ability to work in serial fast

GET UP TO 200 FUN-FILLED PROGRAMS EACH YEAR-

when you subscribe now to COMPUTE!'s Gazette







Subscribe to COMPUTE!'s Gazette today through this special introductory money-saving offer, and you'll be getting a lot more than just another computer magazine. That's because each issue of COMPUTE!'s Gazette comes complete with up to 20 all-new, action-packed programs.

Subscribe now and you can depend on a steady supply of high quality, fun-filled programs for your Commodore computer—programs like Disk Editor, Mini-Filer, Arcade Baseball, Budget Planner, Sound Designer, SpeedScript, and hundreds of other educational, home finance and game programs the entire family can use all year long.

The superb programs you'll find in each issue are worth much, much more than the low subscription price.

And there's more to COMPUTE!'s Gazette than just exciting new programs. Month after month, the superb articles in COMPUTE!'s Gazette deliver the latest inside word on everything from languages to interfaces...from programming to disk drives.

Whether you're a novice or an experienced user, COMPUTE!'s Gazette is the magazine for you. So subscribe today. Return the enclosed card or call 1-800-247-5470 (in lowa, 1-800-532-1272).

Do it now.











COMPUTE! Publications, Inc.

IF YOU STILL THINK CO PLAY AROUND





GEOS \$5925

The Graphic Environment Operating System that opens up a whole universe of new possibilities for Commodores. With geoWrite, geoPaint, fast-loading diskTurbo and support for all GEOScompatible applications.


FONTPACK 1 \$2929


A collection of 20 more fonts for use with GEOS applications, in various shapes and sizes for more expressive and creative documents.





Operating Expe	HONE		
A A	В	C	D
4 Operating Expense			
5	Amany	February	Associa
6 kaw Moterials	11860	///////////////////////////////////////	10750
7 Monufacturing	15960	14500	14350
8 Kent	4068	4008	4000
9 Nation	28899	86662	71800
8 Utilities	3808	3150	3100
11 Bransportation	8868	7868	
12 Oversens Shipping	4800	4500	4250
13			
4 lotal	65888	65788	65458





DESKPACK 1 \$3425

Four GEOS-compatible applications: Graphics Grabber for importing art from Print Shop,™ Newsroom[™] and Print Master™ graphics; Calendar; Icon Editor and Black Jack Dealer.


Customer Name : 3	Invaice
Address = 67 Ocean	
Job Description : 6	
. Job vescription : 2	
Renit total to:	Moterials (\$) : 10,76243
Terms	Labor (\$): 47,248.66
field 38 days.	Tax (6%) (\$) : 3.4%(6)
	(10tal (1) : 61,49166
	NOON CONTRACTOR
	GEOFILE
	FILE
(EO)	A CONTRACTOR OF THE PARTY OF TH
000	
CAPATIET	
CALL	
180	2.20
	THE REAL PROPERTY OF THE PARTY
	A DELINE OF THE PARTY OF THE PA
(NO.000.00)	C. Carrier
The same	Soldbels

GEOCALC \$4925

The GEOS-compatible, numbercrunching spreadsheet for tracking and analyzing numerical data. Create your own formulas, perform calculations for anything from simple geometry to "what if" cost projections.

The GEOS-compatible database manager that sorts, edits and prioritizes whatever data you feed it. You fill out the "input form," specify your command, and geoFile takes it from there.

MMODORES ARE TOYS, WITH THESE.




All the GEOS-compatible tools a writer needs, including geoWrite 2.0 with headers, footers and features to justify, center, search and replace text. Includes a Text Grabber (for converting text from programs like Paper Clip'"), geoMerge and LaserWriter printing capability.

WORKSHOP \$4925

GEODEX \$3925

The GEOS-compatible directory that allows you to create lists by name, address, phone number, etc. Includes geoMerge to customize form letters and invitations.





GEOPRINT CABLE \$3925

The six-foot cable that speeds up printing because it's parallel—not serial. Connects easily to Commodores with fewer wires and no interface box.



To order call 1-800-443-0100 ext. 234
(California residents add 7% sales tax.)
\$2.50 US/\$5.50 Foreign for shipping and handling. Allow six weeks for delivery.
Commodore and Commodore C64 are trademarks of Commodore Electronics. Ld. GEOS, geoWrite. geoFant, geoGale, geoBec, geoWerge, geoFlie, Ibeskpack I, Fontpack I, Witer's Workshop and Berkely Softworks are trademares of Berkely Softworks.
Print Shop, Newstrom, Print Master, and Paper Clip are trademanes of companies other than Berkeley Softworks.

Sooner or later, you're going to discover that there's more to Commodores than fun and games.

You're going to discover power.

Not the kind of power that blasts aliens out of the galaxy. But the kind that whips through boatloads of data in seconds. The kind that crunches numbers and drafts documents like child's play.

The kind you find in GEOS.

Every GEOS application can take your Commodore from "mastering the universe" to a university master's degree, with all kinds of advanced capabilities that function at hyper-speeds you never imagined possible.

So if you're tired of toying with technology, try playing around with GEOS. Once you feel its power, you'll know that for anyone

who still thinks Commodores are toys, the game's over.



The brightest minds are working at Berkeley.

mode as well as the slower 64 mode, its owners get three different computers working with data storage in three different manners.

Despite the successes of the 1541 and the 1571, Commodore recently introduced two new data storage and manipulation devices for the 64 and the 128. And a handful of third-party manufacturers continue to sell their disk drives and quick-load programs.

Expanding Memory

One of Commodore's two new devices is the 1764 RAM expander cartridge, which was announced at the Winter Consumer Electronics Show in January (see last month's issue). This long-awaited expansion module adds 256K of memory to the 64, plugging into the expansion port on the rear of the computer. Priced at about \$129, the RAM expander offers 64 users four times the available memory. The original designers of the 64 could scarcely have envisioned such an add-on back in 1981 when they were building the computer.

For 64 owners, the RAM expander offers several potential options, each of which holds its own attraction, depending on the buy-

er's preferences.

For example, programmers in BASIC or machine language now have a vastly expanded playground for their programs. Learning to use the extra RAM efficiently and creatively will be challenging and—in the long run—can result in even more sophisticated programs.

Commodore provides two disks with their system. The first sets up the extra memory as a RAM disk, an area of memory that serves as another disk drive as long as the computer is turned on. The second disk provides RAM disk capability for the GEOS environment, as noted below. Treating the RAM as a disk allows easy and quick access of data for both BASIC and machine language programmers. For example, adventure games that have to access the disk drive at every turn could be rewritten to get the data from the expansion memory instead.

But the added RAM can help programmers do more than just speed up current programs—whole new techniques are possible. Fullscreen realtime animation is one of the most exciting possibilities. Thirty-two 8K hi-res screens can be stored in the 1764 cartridge. Displaying these pictures sequentially allows 32 frames of high-quality animation.

Any data that uses a lot of memory—sound data, text, sprite and character definitions—can be stored in the expansion and moved into the main RAM when needed. For top performance, ML programmers may choose to bypass the RAM disk software and use the memory directly. BASIC programmers are likely to stick with the provided interface.

Easier, Faster GEOS

As mentioned above, the new RAM expander also brings a much faster, more efficient, and easier usage to Berkeley Softworks' *GEOS* operating system and applications. Commodore has named *GEOS* the official operating system for the 64. If you're a beginning 64 or 128 user who's not yet familiar with *GEOS*, you're likely to become aware of it very soon.

GEOS brings to the 64 the icons, windows, and drop-down menus that are a part of such graphics-oriented user interfaces as those on the Macintosh, the Atari ST, and the Amiga. Beyond that, Berkeley is making available a host of applications and utilities that transform the 64 into a very different machine.

The only drawback to the GEOS system so far has been that the 64's limited memory capacity required GEOS users to go through more disk access and manipulation than many people found comfortable. But with 256K of additional memory, GEOS users can now create a RAM disk—an area of memory within the computer that acts like an extremely fast disk drive. So, instead of having to load, save, and reload data from the 1541 drive, GEOS users can have near-instantaneous access through a RAM disk. Then, before turning off the computer, users can store the contents of the RAM disk in the 1541.

In the long run, if the 1764 RAM expander proves to be very popular among 64 users, it's possible that software companies will begin marketing some software packages that fully use the additional 256K. Imagine the kinds of

screen graphics that could be used in games, or the speed-up and power of some applications when used with a RAM disk. However, all of that depends on the percentage of 64 owners who buy the RAM expander.

Last year, Commodore introduced two RAM expander cartridges for the 128: the 1700, with 128K; and the 1750, with 512K. They're proving to be very popular, and the new expansion module for the 64 is also likely to attract a very positive reaction among users. (For more on the 128 RAM expanders, see "RAM Expansion for the 128" in the March issue.)

Is The Future 31/2?


Commodore also recently announced a 3½-inch disk drive for the 64 and 128. The 1581 drive, priced at under \$400, offers Commodore users not only more data storage capacity, but significantly faster disk access for 64 users.

For example, the 1541 disk drive is a single-sided, single-density device that can store up to 160K of information on one disk. The 1571 drive can be used in a double-sided mode that contains up to 320K of information on a disk.

But the new 3½-inch drives are double-density, double-sided media with a total capacity of 808K—five times the storage of a 1541 disk and 2½ times the storage of a 1571 double-sided disk. Obviously, a Commodore 64 with a RAM expansion module and a 1581 3½-inch disk drive becomes a much more powerful and versatile computer.

But will software manufacturers produce their programs for the 64 on a 3½-inch-disk format? In order for that to happen, the software developers must first see an installed base of 3½-inch disk drives that's large enough to allow them to make a profit. Building a base of 64 owners who use the new disk drive will take time, of course, so it's not likely that much 64 or 128 software will emerge on 3½-inch disks during the next few months.

In the long run, however, that could change. The new 3½-inch disks have become increasingly popular. They offer faster speeds, a more durable shell, and greater memory capacity. These small, rigid disks are used with the Amiga, the



BY THE TIME SHE GETS TO "PHOENIX," HE'LL BE SLEEPING.

Having thousands of facts is one thing. Finding the ones you need is another. Which is why you should consider buying geoFile. The easy-to-use database manager for GEOS-equipped Commodores.

Whether they're receivables or recipes, once you have geoFile, you can fly through facts in seconds, clicking and picking the ones you want, just the way you want them.

It's as simple as filling out a form.

The geoFile "form" organizes all kinds of information. Like names, numbers, rates of objects' acceleration when dropped from two-story buildings—you name it. As much as you can fit on a printed page.

Once your data is in, the real fun begins.

You want names of bus drivers? From Arizona? Under five foot six? Between the ages of 33 and 35? With incomes of \$22,396 or more? Who

sneezed in June?

Just click your mouse and watch geoFile go to work. Searching. Sorting. Comparing and listing the data alphabetically. Or numerically. Or in whatever priority your form specifies.

You can put the data into form letters and lists with geo-Merge. Or into math functions, with geoCalc. Or if you really want to get fancy, you can display your information graphically with geoChart.

And geoFile does it all in seconds.

Now, with all that in mind, what are you going to do—spend a few bucks on geoFile?

Or spend all night wishing that you had?

To order call 1-800-443-0100 ext. 234

geoFile \$49.95

(California residents add 6.5% sales tax.) \$2.50 US/\$5.50 Foreign for shipping and handling. Allow six weeks for delivery. Commodore and Commodore C64 are trademarks of Commodore Electricies, L GOOS. geoffic and Berkeley Softworks are trademarks of Berkeley Softwork



Berkeley Softworks

The brightest minds are working at Berkeley.

ST, the Macintosh, and with a host of portable computers. Apple Computer now offers a Unidisk 3½-inch drive for the Apple IIe, IIc, and IIGs computers. And IBM will reportedly be using the 3½-inch drives in its next generation of computers.

Quick-Loading The 1541

Long before Commodore introduced the latest data storage devices, other companies began providing alternative disk drives, including hard disks, as well as devices or software that speed up the access time between the 64 and the 1541.

Among the most popular and least expensive ways of speeding up the 1541 are the quick-load cartridges or programs available from several companies. These generally work by increasing the transfer rate of data between the 64 and the 1541.

Included in this list are the the 1541 Flash! hardware-based system (\$99.95) from Skyles Electric Works (231E South Whisman Rd., Mountain View, CA 94041), the MACH-5 disk and cartridge-based system (\$34.95) from Access Software (2561 South 1560 West, Woods Cross, UT 84087), and the Fast-Load cartridge (\$39.95) from Epyx (P.O. Box 8020, 600 Galveston Dr., Redwood City, CA 94063). In addition, the July 1985 issue of GAZETTE offered two quick-load programs for the 64, TurboTape and TurboDisk.

There are two recently released speed-up systems for the 64, both of which require hardware modifications to the 1541 drive, the 64, or both: Professional 1541 DOS and DigiDos.

Professional DOS is a hardware/software combination that causes the 1541 drive to read entire tracks at once rather than just one sector of a track. Distributed in West Germany by Mikrotronic System, the system should have a U.S. distributor by the time you read this. The manufacturer claims that, depending on the file, the system should load between 35 and 50 times faster than a normal 1541 drive. Saving is supposed to be 10 to 20 times faster, and there are reportedly speed improvements in scratch, verify, and fast formatting.

DigiDos (\$59.95, plus \$3.50 shipping and handling), from DigiTek (10415 N. Florida Ave.. Suite

410, Tampa, FL 33612), is an operating system enhancement that speeds up all disk functions. The manufacturer claims that the product will load 39 blocks per second, compared to the normal 2 blocks per second on a normal 1541 drive. The DigiDos system also includes a realtime monitor, a DOS wedge, a variety of new utilities, and single-keystroke commands.

It should be noted that both Professional DOS and DigiDos require hardware modifications that may be beyond the technical abilities of some readers. These changes also would likely invalidate any warranties that apply to your 1541 drive or your 64.

The Real Powerhouses

For those who consider themselves power computer users, the data storage device of choice is usually a hard disk drive. Capable of storing *megabytes* (one megabyte equals 1024K, or approximately one million bytes) of information, hard drives offer both power and flexibility. A ten-megabyte hard drive can hold the equivalent of 60 1541 floppy disks.

A hard disk functions somewhat like a floppy, but operates at much higher speeds. The hard disk itself is usually seated permanently within a case, spinning much faster than a floppy. Rather than having a read/write head that actually touches the disk, as in the 1541 or 1571 drives, a hard drive's recording head floats just above the surface of the disk. Hard drives are much more sensitive to movement and to dust, but improvements over the past several years have left them much less prone to "head crashes" that can destroy data.

There are several manufacturers offering hard drives for the Commodore 64 and 128 computers. And, in general, the prices of these units have dropped considerably in just the past two years.

InConTrol (103 Baughman's Lane, Suite 301, Frederick, MD 21701) offers three versions of its Data Chief hard drive: the HFD-5, a 5-megabyte hard disk selling for \$695; the HFD-10, a 10-meg system costing \$895; and the HFD-20, a 20-meg hard drive that's available for \$995. All three work with either the 64 or the 128, and support all of

the DOS commands and wedge commands for both machines. They're GEOS-compatible and also contain a built-in floppy drive. The metal housing can hold up to three half-height hard disks, and is expandable.

JCT (P.O. Box 286, Grants Pass, OR 97526) also has three hard disk drives available for the 64 or 128: the JCT-1000, a 3.7-meg system for \$595; the JCT-1005, a 5meg drive for \$695; and the JCT-1010, a 10-meg system for \$795. JCT is also planning to have a 20meg system available by midyear. The drives use standard Commodore commands, and include additional subdirectory commands. Data transfer is via the serial bus, and is reportedly 1.7 to 2 times faster than on a 1541. However, parallel transfer is also available with the drives for an additional \$50, reportedly speeding up the transfer rate from 10 to 20 times faster than that of a 1541 drive.

Xetec (2804 Arnold Rd., Salina, KS 67401) offers a 20-megabyte drive, the Lt. Kernal, that's available for the 64 for \$899 and for the 128 for approximately \$950. This drive was originally to be released well over a year ago by Cardco, but because of financial problems at Cardco during that period the system is now being marketed by Xetec. The Lt. Kernal has 42 additional or enhanced system commands, and a reported disk-access speed more than 100 times faster than that of the 1541. There are also built-in backup and restore facilities. Xetec also plans to offer an optional four-computer multiplexer that will allow a maximum of 15 computers to operate together at one time.

Just a year ago, the one or two hard drives available for the 64 had prices in the \$1,500 range. Now, with prices half that in some cases, 64 and 128 owners are likely to begin buying these systems in greater numbers.

It would have been difficult to imagine several years ago just how many data-storage options are now available for the 64 and 128. But as new and experienced Commodore owners continue to find out, their computers are among the most versatile and useful machines on the market.

WE'RE SELLING THE ONE THING WE COUNT ON EVERY DAY.


Running a software company is no picnic. We have to do major calculations every day. Things like payables and receivables. Taxes. Budgets. And lord only knows how many quarterly cost projections.

That's why we developed geoCalc. The spreadsheet program for GEOS-equipped

Commodores.
You see, we not only sell software for Commodores, we actually use them in our own offices. So when Lee needs to project inventory costs, or Brian wants to figure employee bonuses, the first thing they do is load up geoCalc.

The very same spreadsheet you can use at home for figuring finances, mastering math

	Operating Expe			
	A			0
1	Operating Expense			
5		ÁRDONNY	February	rásub
6	Row Materials	11868	11750	18758
7	Monufacturing	15888	14568	14356
8	Sent	4966	4666	4866
9	Linber	28898	26066	21 668
ĕ	Utilities	1888	3158	3186
Ī	Transportation	8668	7806	6663
ij	Overseas Shipping	4068	4580	4258
3				ALL CONTRACTORS
ij	Total	65888	65788	65458
5	District Contractions			
6	Grand Total		196158	



Softworks

mysteries or personal production predictions.

With geoCalc, you get 112 columns and 256 rows to fill with all kinds of text and numbers. And formulas that range from simple addition to arctangents and cosines that could knock any physicist cold.

Berkeley Softworks There are investment functions. Averages. Even a random number generator. And writing your own formulas is as easy as, umm...

one, two, three.
With mouse in hand, you can zip all over the huge spreadsheet, solving "what if" questions with a few quick clicks. Questions like, "If Sheila takes the waitress job, how much can we expect our taxes to increase?" Or "How much faster will the Chevy go if we rip out the muffler and the back seat?"

No matter what the problem, if it has to do with numbers, geoCalc can solve it. Fast.

So if you notice a need to decimate digits, consider crunching them with geoCalc. We rely on it for our business. In fact, we couldn't manage without it.

To order call 1-800-443-0100 ext. 234

geoCalc \$49.95

(California residents add 6.5% sales tax.) \$2.50 US/\$5.50 Foreign for shipping and handling. Allow six weeks for delivery. Commoder and Commoder C64 are trademarks of Commoder Electronics, LdG GROS, goo'da. and Betreley Schrowks are trademares of Betreley Softworks



The brightest minds are working at Berkeley.


THE DIGITAL VOICE

Speech Recognition And Sound Synthesis

Kathy Yakal, Assistant Features Editor

Talking to your Commodore 64 and getting it to talk back may be easier than you think. Over the past five years, a number of companies have marketed speech synthesis and voice recognition systems for the 64. And several of them are still very much involved with these products. Not only is this voice technology a fascinating step forward for computer users, it also has practical applications for people with special needs.

The concept of computers that can talk, listen, and respond has fascinated people for years. Hundreds of science fiction stories and books and dozens of movies and television programs have used the concept in many different ways: the monotones of Robbie the Robot in the classic *Forbidden Planet*, the soothing voice of the deadly HAL computer in 2001, the *That-does-not-compute* responses of the eccentric robot in TV's "Lost in Space," the verbal barrages between R2D2 and C3PO in *Star Wars*, and even the female computer voice on the U.S.S. Enterprise in "Star Trek."



But in practical applications, speech synthesis and voice recognition have only recently begun to come into their own. The earliest personal computers that could produce sound were incapable of delivering any noises more sophisticated than the blips, beeps, and whistles that made up many of the first computer games. These computer games were graphics-intensive but sound-poor because of their limited memory and weak sound chips.

The auditory portion of most home computer software then consisted primarily of little snippets of sound effects added for emphasis or of background music repeated over and over again. But during the past two or three years, a variety of new software programs for the 64 have emerged that include sections of speech quite remarkable in its clarity and complexity. For example, many Commodore users may be familiar with the bloodcurdling scream or the taunting "Stay awhile, stay forever!" from the Epyx game Impossible Mission and with the weird laughter in both the arcade game Gorf and Activision's Ghostbusters program.

Software designers and peripheral manufacturers realized early on that the Commodore 64 boasts one of the most impressive sound chips designed for any home computer, the SID (Sound Interface Device) chip. Consequently, they began developing tools to maximize the SID chip's contribution to the usefulness and entertainment value of the 64.


The power of sound has added tremendous emotional impact to many computer games on the Commodore 64. Further, it has made the 64 a more valuable educational tool and has helped meet the specialized needs of handicapped computer owners. Though there are only a handful of companies actively involved in the manufacture of speech synthesizers, digitizers, and voice recognition devices, they continue to upgrade their products to make them both easier to use and compatible with a wider range of software.

Three Different Categories

Let's use three different categories to divide the way the human voice is used in microcomputer programs. Speech can be created for



The Covox Voice Master (shown here in its new case) is a speech digitizer with many educational, productivity, and entertainment applications.



Speech Construction Set, when used in conjunction with the Covox Voice Master, is a powerful speech-editing tool.

use either in commercial programs or by individuals for their own use through one of two processes: digitizing or synthesizing. Though digitizing offers more realisticsounding speech, it also takes up more memory. Digitizing requires external hardware to actually encode the sound digitally, but can be played back in software without any hardware components. Speech synthesis usually requires external hardware and can produce an infinite number of words. (See "Making the 64 Talk," accompanying this article.)

A third area of speech technology is *voice recognition*, which is another form of digitizing. The user talks into a microphone, and the computer seems to understand the command spoken to it, performing some kind of preprogrammed function in response. It doesn't really understand the command. What it's doing is digitizing the words spoken

and matching up the digital pattern to previously digitized commands.

An Old Product With New Features

A number of companies have come and gone in the area of voice digitizing products for the 64. The Genesis Computer Corporation produced several products, including the ComVoice Voice System, now marketed through Votrax International. Tronix used to market a product called SAM (Software Automatic Mouth), a disk-based speech synthesizer. Commodore itself released the Magic Voice speech module, a voice synthesizer that added limited speech to the games Gorf and Wizard of Wor.

Covox, a company that has marketed voice recognition and speech digitizing systems for several years, continues to offer products in this field. What has been the secret to their longevity? "We have a good product at a fair price," says company vice president Brad Stewart. "And we continue to support customers and come out with enhancements. The hardware has everything people need, and the software just keeps getting better."

The Covox Voice Master is a speech-digitization and -recognition module that plugs into a joystick port on the Commodore 64 and sells for under \$90. The accompanying software gives it several capabilities. You can speak into the microphone, and the program will digitize and record your voice, saving it for later use. Up to 64 words or phrases can be recorded at once. Once recorded, words can be played back through software alone (without plugging in the module). The program's editor can alter the amplitude (breadth or range) of a word or phrase, which means you can actually improve on its original quality. The Voice Master system is also capable of word recognition; you can program it to understand what you say and respond in kind.

Voice Harp, included with the package, is a music composition program. Hum or whistle into the Voice Master's microphone, and musical notes matching the ones you're singing scroll by. Once you've composed a tune, you can go back and edit its harmony, tempo, and pitch, then print out the score.

MAIL ORDER RIGHT



Peter Satuly President TUSSEY COMPUTER PRODUCTS

GREAT PRICES

"We buy in volume and pass the savings onto you!!!"

FAST SERVICE

"Over 90% of all items ordered are in stock and shipped within 24 hours."

FEDERAL EXPRESS



"Software orders over \$50.00 will be shipped Federal Express. You only pay TCP's standard shipping charge of \$4.00 per order. This offer also valid on peripherals and accessories under 8 pounds. Orders arriving before 11:00 am our time will be shipped out same day."

BEST SELECTION

"We stock hundreds and hundreds of products for commodore computers! Every week we add even more. We're the first to get in all the hot new software releases. Just another reason why we should be your first call!!"

"I'm proud we deliver all of these. Response from tens of thousands of satisfied customers can only mean we're doing mail order right!"

EDUCATIONAL & CORPORATE ACCOUNTS:

We offer a full line of services catering to you. Including; quick turn-around, personal service, and the flexibility to serve your organizations needs. Credit Approval in 24 hrs for any organization with a good D&B rating.

To reach our Educational and Corporate Sales Department directly, Call 1-800-533-1131 or Inside PA Call 814-234-2236

OTHER CUSTOMERS
PLEASE CALL THE
NUMBER LISTED BELOW



As a thank you to our many valued customers we are giving away one of these Infocom Adventure Games (your choice), with every order over \$50. This offer is good on any of the items on the next 2 pages, when ordered before June 30, 1987. If you've never ordered from TCP before, this is a great opportunity to get acquainted.



TUSSEY COMPUTER PRODUCTS

CALL TOLL FREE 1-800-468-9044

P.O. BOX 1006 STATE COLLEGE. PA 16804 Inside PA Call 814-234-223

DES MAIL ORDER RIGHT

OPEN: 9am-8pm Mon-Fri, 10am-5pm Sat EAST COAST TIME NEW HRS STARTING MAR 01: 9am-9pm M-Thur, 9am-6pm Fri, 10am-6pm Sat, Noon-6pm Sun INFORMATION AND PA ORDERS 814-234-2236

Educational

BRODERBUND



Mag 611486	-
MISC GAMES	
Championship Boxing	\$17.95
Hobbitt	\$CALL
International Hockey Murder by the Dozen	\$18.95
Murder by the Dozen	\$24.95
Pole Position	
Sargon III	\$37.95 \$27.95
Sky Travel ACCESS	\$27.95
Beach Head, Beach Head 2	
Triple Pack	\$29.95
Leader Board	\$29.95
Leader Board Tourn, Disk	\$16.95
Tenth Frame	\$27.95
	HHALL IN
Ace of Aces	\$CALL
Dam Busters	\$22.95
Fight Night	\$22.95
Hard Ball	\$22.95
Killed Until Dead	\$CALL
Law of the West	\$22.95
PSI 5 trading co	\$22.95
Spy vs Spy	\$12.49
ACTIONSOFT	
Call for price on all Actions ACTIVISION	oft titles
ACTIVISION	44/4/00
Alcazar	\$19.95
Borrowed Time	\$19.95
Comp. Firewks Celebrat'n	\$19.95
Countdown to shutdown	\$19.95
Fast Tracks Slot Car Const	\$19.95
Gamemaker Scifi Library	\$15.95
Gamemaker Sports Library	\$15.95
Garry Kitchen's Gamemakr	\$24.95
GBA Basketball 2 on 2	
Ghostbusters	\$24.95
Great Amer RR	\$24.95
Hacker	
Hacker II	\$24.95
I am the 64	
I am the 128	\$24.95
Little Computer People	\$24.95
Master Of Lamps	\$19.95
Mindshadow	\$19.95
On Court Tennis	\$21.95
Pitfall II: Lost Caverns	\$19.95
Shanghai	\$26.95
Space Shuttle	\$19.95
Star Rank Boxing AVALON HILL	\$21.95
AVALON HILL	9.89107/A
Dr Ruth	\$21.95
Gulfstrike	
Spitfire 40	\$24.95
Superbowl Sunday	\$26.95
Team Disk for SS	\$16.95
	27000175

	BRODERBUND ************************************	
	Champshp Lode Runner	\$24.95
	Karateka	\$19.95
	Karateka Lode Runner	\$24.95
	Music Shop	\$29.95
	DAVIDSON & ASSOC	DESCRIPTION.
	Now in stock! Call for price	on titles
	DATA EAST	THE REAL PROPERTY.
	Commando	\$24.95
	Karate Champ	\$26.95
É	Kung Fu master	\$26.95
	Kung Fu master	\$15.95
	ELECTRONIC ARTS	THE REAL PROPERTY.
	Adventure Constr	\$27.95
	Age of Adventure	
	America's Cup	\$24.95
	Amnesia	\$29.95
	Archon	\$12.95
	Archon 2	\$12.95
	Artic Fox	\$24.95
	Autoduel	\$37.95
	Bard's Tale	\$32.95
	Bard's Tale II	\$29.95
	Bard's Tale Clue Book	\$10.95
	Battlefront	\$29.95
	Battlefront	\$37.95
	Carriers at War Chessmaster 2000 Cut and Paste	\$26.95
	Cut and Paste	\$12.95
	Dan Dare	\$16.95
	Europe Ablaze	\$37.95
	Golden Oldies	\$21.95
	Hard Hat Mack	\$13.95
	Heart of Africa	\$12.95
	LordS of Conquest	\$24.95
	Mail Order Monsters	\$12.95
	Marble Madness	\$23.95
	Moebius	\$29.95
	Movie Maker	\$12.95
	M.U.L.E. Murder Party Music Construction Set	\$12.95
	Murder Party	\$25.95
	Music Construction Set	\$12.95
	One on One PHM Pegasus Pinball Construction Set Quizam	\$12.95
	PHM Pegasus	\$27.95
	Pinball Construction Set	\$12.95
	Quizam	\$20.95
	Racing Destruction Set Reach for the Stars	\$12.95
	Pagin of Impossible	\$12.95
	Realm of Impossible	\$20.05
	Pohot Pascale	\$20.05
	Robot Rascals Russia Seven Cities of Gold Sky Fox Software Golden Oldies	\$20.05
	Savan Cities of Gold	\$12.05
	Sky Fox	\$12.95
	Software Golden Oldies	\$16.95
	Starfleet I	\$32.95
	Starfleet I	\$12.95
	Mind Mirror	\$12.95
	Mind Mirror	\$22.95
	Ultima I	\$29.95
	Ultima III	\$37.95
	Ultima IV	\$45.95
	Ultima IV	\$12.95
	World Tour Golf	\$27.95
	COUV	
		CALL STREET
	500 XJ Joystick	\$14.95
	500 XJ Joystick	COT OF
	Championship Wrestling Deystroyer	COT OF
	Championship Wrestling Deystroyer	COT OF
	Deystroyer	\$27.95 \$29.95 \$22.95 \$CALL
	Deystroyer	\$27.95 \$29.95 \$22.95 \$CALL \$CALL
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Summer Games II	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$26.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Summer Games II	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$26.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Summer Games II	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$26.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Sumer Games II Super Cycle Temple Trilogy	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$29.95 \$29.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Sumer Games II Super Cycle Temple Trilogy	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$29.95 \$29.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Sumer Games II Super Cycle Temple Trilogy	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$29.95 \$29.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Summer Games II Super Cycle Temple Trilogy World's Greatest Baseball World's Greatest Football	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$26.95 \$29.95 \$29.95 \$27.95 \$29.95 \$24.95 \$28.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Summer Games II	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$29.95 \$29.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Summer Games II Super Cycle Temple Trilogy World's Greatest Baseball World's Greatest Football	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$26.95 \$29.95 \$29.95 \$27.95 \$29.95 \$24.95 \$28.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Sumer Games II Super Cycle Temple Trilogy Winter Games World's Greatest Baseball World's Greatest Baseball World's Greatest Chall	\$27.95 \$29.95 \$22.95 \$CALL \$CALL \$26.95 \$26.95 \$29.95 \$29.95 \$27.95 \$29.95 \$24.95 \$28.95
	Deystroyer Movie Monster Street Sports Sub Battle Summer Games Sumer Games II Super Cycle Temple Trilogy Winter Games World's Greatest Baseball World's Greatest Football World Karate Cha FIREBIRD	\$27.95 \$29.95 \$22.95 \$CALL \$26.95 \$26.95 \$29.95 \$27.95 \$29.95 \$29.95 \$24.95 \$24.95 \$28.95 \$28.95

	s sto
INFOCOM	a Branch
Balley Hoo	. \$29.95
Cut Throats	\$22.95
Deadline	
Enchanter	\$25.95
Hitchhiker's Guide	\$22.95
Hollywood Hyjinx	. \$CALL
Infidel	\$29.95
Infidel	\$24.95
Moon Mist	\$24.95
Planetfall	
Sorcerer	
Spellbreaker	
Suspect	
Trinity	
Wishbringer	
Witness	
Zork I	
Zork II	
Zork III	
INVISICLUE BOOKS FOR	
ANY INFOCOM GAME \$6	
LANCE HAFNER	
3 in 1 Football	\$29.95
Basketball, the Pro Game.	\$29.95
Final Four Basketball	
MICROLEAGUE	- Q20.00
Microleague Baseball	\$27.95
Microleague Basebali	\$27.95
Microleague general mgr Microleague 1985 teams	\$15.95
MICROPROSE	313.93

Acrojet	\$24.95
Crusade in Europe	
Decision in the Desert	
F-15 Strike Eagle	
Gunship	\$CALL
Conflict in Vietnam	\$CALL
Helicat Ace	
Kennedy Approach	\$24.95
NATO Commander	
Silent Service	\$24.95
Solo Flight	
Solo Flight	\$21.95
Solo Flight Spitfire Ace Top Gunner	\$21.95
Solo Flight Spitfire Ace Top Gunner MINDSCAPE	\$21.95 \$CALL
Solo Flight Spitfire Ace Top Gunner MINDSCAPE Bank Street Music Writer	\$21.95 \$CALL \$27.95
Solo Flight Spitfire Ace Top Gunner. MINDSCAPE Bank Street Music Writer Bank Street Storybook	\$21.95 \$CALL \$27.95 \$27.95
Solo Flight Spitfire Ace Top Gunner MINDSCAPE Bank Street Music Writer	\$21.95 \$CALL \$27.95 \$27.95 . \$21.95


FOCOM WOOD	and the same	Fist	
ey Hoo		Halley Project	\$27.95
Throats		Indiana Jones	
dline		Indoor Sports	
hanter		Infiltrator	
hhiker's Guide		Parallax	
ywood Hyjinx		Perfect Score:SAT prep	
el		Quake minus one	\$17.95
ther Goddesses		Shadowfire	\$17.95
n Mist		Star Trek Promethian Adv	\$29.95
netfall		The Lords of Midnight	\$17.95
perer		Uchi Mata	\$CALL
		Urdium	SCALL
libreaker		Call for prices on	
pect		other MINDSCAPE product	ts!
ty		RADARSOFT ************************************	ON THE REAL PROPERTY.
hbringer		Floyd the Droid	\$19.95
ess		Maps USA	
(1		Maps Europe	
(II		World Maps	
(III	\$26.95	Championship Boxing	
ISICLUE BOOKS FOR		SIMON & SHUSTER	
INFOCOM GAME \$6.			
NCE HAFNER 📟	Section 2	Paper Airplane const	
1 Football	\$29.95	JK Lasser's Income Tax	
ketball, the Pro Game	\$29.95	Kermit's Story Maker	
I Four Basketball		NY Times Crossword Puzz	
CROLEAGUE MA	CONTRACTOR OF THE PARTY OF THE	Vol. 1 or 2	
oleague Baseball	\$27.95	Spy Hunter	
	\$27.95	Star Trek-Kobayashi alt	
oleague 1985 teams		Typing Tutor III	
CROPROSE		SPECTRUM HOLOB	
		Gato	SCALL
ejet	\$24.95	SPRINGBOARD ****	THE REAL PROPERTY.
sade in Europe		Early Games	\$26.95
ision in the Desert		Easy As	
Strike Eagle		Piece of Cake Math	\$26.95
ship		SUBLOGIC	45000
flict in Vietnam		Flight Simulator II	\$22.0E
cat Ace		Fagit Simulator II	\$32.93
nedy Approach		Football FS II Scenery disk	\$37.95
O Commander		rs it scenery disk	\$10.95
nt Service		Jet District Property	
Flight		Night Mission Pinball	\$CALL
fire Ace		Pure Stat Baseball	
Gunner		WEEKLY READER S	TICKY
NDSCAPE WWW	NECKETER.	BEAR SOFTWARE	DELETIKA EL
k Street Music Writer		now in stock! Call for price of	on titles!
k Street Storybook		Random House, Spinnaker	
-n-Wrestle		and SSI products in stock!!	
tle Clobber		Call for Price!	
	Ţ.0.00		

D PRODUCTIVITY

C-64 DATABASES	GOOD TO	Wordpro 64	\$36.95
Bank Street Filer	. \$34.95	Wordpro GTS	SCALL
Consultant		Word Writer 64 w/speller	\$34.95
Data Manager		FINANCIAL & ACCT	C. DESIGNATION
Fleet Filer	. \$29.95	Financial Cookbook	
Profile 64	\$36.95	Financial Time Machine	
C-64 INTEGRATED	PKGS	Softsync Pers. Acct.	
Homepak	\$39.95	Timeworks Electr. Checkbk	
Trio		Timeworks Money Mgr	
Vizastar 8k	. \$79.95	GRAPHICS	THE REAL PROPERTY.
Vizastar 64 4K	. \$39.95	Control of the Contro	***
Vizastar 64 8K		Clip Art I	
C-64 SPREADSHEE	TS	Clip Art II	\$CALL \$17.95
Calkit	\$39.95	Graphics Scrapbk 1 or 2 Newsroom	\$34.95
Swiftcalc 64 w/sideways		Picasso's Revenge w/pen	\$42.95
Sidways	. \$19.95		\$42.00
C-64 WORD PROCE	SSORS	MISC. HARDWARE	SSECTION
Bank Street Writer	SCALL	Estes pwr supply for C-64	\$54.95
Bank Street Speller		Naverone 3 Slot expander	\$27.95
Cut & Paste(EOA)		UTILITIES	District.
Fleet System II		GT4	\$22.95
Font Master II		Copy II 64/128	\$24.00
Kid Pro Quo	\$32.95	C Power	\$69.95
Paperclip	\$37.95	CSM 1541 align	\$34.95
Paperclip w/spellpack	\$49.95	Fast Load	\$24.95
Pocket Writer Dictionary		Mach 5	\$24.95
Spellpro 64		Merlin 64	\$34.95
Trio		Pal 64	\$32.95
Wordpro 3+/64	\$14.95	Vorpal fast loader	\$CALL

PRINTERS: NX-10 PRICE DROP TO \$199 \$174.95 NX-10C SCALL \$349.00 NL-10C SCALL POWERTYPE \$229.00 18cps, daisywheel

BROTHER 1509 \$379.00 180 cps, 15" carriage, NLQ Mode







JUKI	
5510P includes color kit	SCALL
Printer Interfaces MW-350 w/10k buffer	SCALL
XETEC SupergraphixXETEC Supergraphix Jr	\$CALL





TUSSEY COMPUTER PRODUCTS

P.O. BOX 1006 STATE COLLEGE, PA 16804



DOES MAIL ORDER RIGHT

CALL TOLL FREE

MONITORS

CALL FOR THIS MONTHS SPECIALS ON COLOR AND MONO-CHROME MONITORS!!

MODEMS W

SHAREDATA	\$36.95
VOLKS 6480 300/1200 baud	\$CALL
1660	\$CALL
COMPUSERVE STR KIT	\$19.95
PLAYNET STARTER KIT	\$14.95

General Acct System

includes: • General Ledger · Accts Receivable · Billing Statements • Accts Payable • Check Writing • Job Costing . Payroll

Pkg. Price for all Modules: C128 version C64 version \$119.95

TCP leads the way!!!

128 AND 64 HARD DRIVES FROM JCT

Plugs into the disk drive port just like the 1571 to maximize compatibility is year warranty on the mechanical portion of the Hard Dirive. I Year warranty on electronics. Immediate replacement within 1 year.

MODELS AVAILABLE:

JCTI	005,	5mb	\$CALL
JCT	010,	10mb	SCALL

PRINTER PACKAGES

ALL PRINTERS INTERFACE WITH C-64 or C128

sitair

NP-10 & XETEC Supergraphix Jr \$217.95 NX-10 & XETEC Supergraphix \$269.95 NX-10 & XETEC Supergraphix Jr \$249.95

PANASONIC

4000	1442463		
10801 and	Xetec	Supergraphix	\$259.95
TUOUI anu	Yerec	Supergraphix	17 . 5244 95

SEIKOSHA

Call for price on new SP-1200 packages

OKIDATA

Okimate 10 Color Printer and Plug 'n' Print Module\$159.95

LX-86 & INTERFACE., LOWEST PRICE

BROTHER

1509 & XETEC SUPERGRAPHIX.... \$419.00



SUPER GRAPHIX Interface w/8k buffer down loadable fonts \$\$\$LOWEST PRICE SUPER GRAPHIX JR printer interface \$46.95



Abacus

NOW IN STOCK!! Call for price on all books and software titles

Broderbund,

Broderbund Print Shop .:	
Print Shop Companion: Graphics Library	\$22.95
I, II, or III	16.95
120 sheet color paper refl	1
40 each red, blue, gold	\$8.95

120 sheet color paper refil		
40 each red, blue, gold	\$8.95	
Certificate Maker	\$32.95	
Thinking Cap	\$32.95	
Certificate Library	\$24.95	
Toy Shop	\$42.95	
Hollday Pack	\$16.95	
Toy Shop	\$42.95	

per box of 10 BONUS DISKS SS/DD \$6.45 DS/DD \$6.95 NASHUA DISKS SS/DD \$8.95 18/00 \$9.45 TUSSEY DISKS SS/DD\$8.45

DISKS

\$8.95 Call for Price on Maxell Disks!!

MODEM MANIA

1670 MODEM \$99.95 1200 Baud, w/Software 1660 MODEM \$42.95 300 Baud, w/Software



Solu Inc. Solutions

Pocket Writer 2	\$42.95
Pocket Filer 2	\$42.95
Pocket Planner 2	\$42.95
Digital Superpak	\$74.95
Dictionary	

Unison World

Printmaster \$29.95 Art Gallery \$CALL SOLUTION

UNLIMITED lcon Factory \$29.95 Billboard Maker

Software orders over \$50.00 will be shipped FEDERAL EXPRESS (yes, even with these prices)

You only pay TCP's standard shipping charge of \$4.00 per order. This offer also valid on peripherals and accessories under 8 pounds. Orders arriving before 11:00 AM our time will be shipped out same day.



Computerized order entry, processing and status allow TCP to serve you faster and better!

COMMODORE 1985 SOFTWARE

WORD PROCESSOR	THE PARTY OF THE P
FLEET SYSTEM II w/spell	. \$47.95
FLEET SYSTEM III	\$CALL
w/spell & thesaurus	
FLEET SYSTEM 4	\$56.95
Font Master 128	\$44.95
Ghost Writer 128	\$29.95
JANE	\$32.95
PAPERCLIP II	\$CALL
PERFECT WRITER	\$CALL
SUPERSCRIPT 128	\$59.95
TERM PAPER WRITER	\$34.95
VIZAWRITE 128	
WORDPRO 128	\$59.95
WDWRITER 128 w/spell	

SPREADSHEETS		
EPYX MULTIPLAN	\$39.95	
PERFECT CALC	\$CALL	
SWIFTCALC 128 w/sdways	\$49.95	

DATA BASES	CANADA CO
CONSULTANT	\$39.95
DATE MANAGER 128	SCALL
FLEET FILER	\$29.95
PERFECT FILER	\$CALL
PROFILE 128	\$59.95
SUPERBASE 128	\$CALL

MISC. 128 SOFTWARE

A Mind Forever Voyaging	\$26.95
ACCOUNTANT INC	\$69.95
BUDDY 128 assembler	\$42.95
C POWER from Proline	\$59.95
DESK MANAGER 128	\$34.95
I am the C128	\$24.95
VIZASTAR 128	SCALL
MACH 128	
MATRIX from Prog.Periph	\$47.95
PARTNER 128	\$54.95
PERSONAL ACCT.128	\$34.95
SYLVIA PORTER'S personal	
finance planner	\$54.95
Copy II 64/128	

ALL COMMODORE PRODUCTS ON SALE NOW!!

AMIGA PACKAGES	SCALL
AMIGA EXTERNAL FLOPPY	SCALL
1670 MODEM	\$99.95
1350 MOUSE	\$39.95
C128 COMPUTER	\$249.00
1571 DISK DRIVE	SCALL
1902A\$LOWEST PRI	CE EVER
1750 RAM EXPANSION	\$CALL
1802C	
1700 RAM EXPANSION	\$99.00



ONLY \$169.95

Includes GEOS & Quantum Link 1541C DISK DRIVE \$CALL 1802C MONITOR..... \$CALL

Berkeley Softworks

GEOS \$39.95 Deskpack ...\$22.95 Geo Calc ... SCALL Fontpack .. \$CALL Geo File \$CALL Writers Geodex \$27.95 Workshop . \$33.95

To order by mall: We accept money order, certified check, personal check. Allow 2 weeks for personal check to clear

plng: \$4.00 for software and accessories/ Shipping: 34.00 for software and accessories? \$10.00 for printers and color monitors? \$8.00 for disk drives and other monitors? Add \$3.00 per box shipped COD. Call for other shipping charges. Additional shipping required on APO, FPO, AK, HI, and foreign

Terms: ALL PRICES REFLECT CASH DISCOUNT, ADD 1.9% FOR MASTERCARD
OR VISA, All products include factory warranty.
ALL SALES ARE FINAL. Defective items

replaced or repaired at our discretion. Pennsylvania residents add 6% sales tax. Prices and terms subject to change without notice.

- If through some oversight we don't have the lowest price, we would appreciate the opportunity to beat it. If we can, you will get the benefit of our Federal Express shipping on software orders over \$50.00.
- Purchase orders are accepted from qualified corporations and institutions.

 No sales tax on orders outside of PA.
- We accept Mastercard, Visa, COD and mail orders.





CALL TOLL FREE 1-800-468-9044



Altering Your Prosody

Votrax, another company producing voice technology products for the 64, developed its early reputation primarily through high-end speech synthesizers manufactured for the professional market.

A couple of years ago, Votrax introduced its first consumer product, the Votalker cartridge for the Commodore 64. Selling for \$99.95, the Votalker speech synthesizer fits into the expansion port and uses 8K of the computer's memory. Since it's a voice synthesizer, you must type in the words you want it to say, sometimes altering the spelling to avoid a mispronunciation. You can choose from among nine volume settings and four pitches; you can also vary the speed. This ability to vary so many parameters makes it possible to alter the voice prosody, the personality of one's speech. (For a review of the Votalker, see the June 1986 issue of GAZETTE.)

At about the same time that the Votalker was introduced, a British company, Welwyn Currah, released a speech synthesizer for the Commodore 64 called the Voice Messenger. Realizing that there was a great deal of interest in programs that already incorporated speech, Currah teamed with another company, Research in Speech Technology, which developed software compatible with the voice system. For the last year, those products have been marketed under the name Hearsay, Inc., and the product line continues to expand.


Now called the Hearsay 1000, the voice hardware is a combination speech synthesis/voice recognition peripheral. The module plugs into the Commodore 64's expansion slot and comes packaged with software that allows user-programmed speech. Suggested retail price is \$79.95.

Steve Veltri, president of Hearsay, feels that voice synthesis and recognition is relatively new to the consumer marketplace in terms of real-life applications. Education, he believes, is one of the first and most important applications. After all, before a child can use the keyboard, he or she can talk and listen.

For this reason, Hearsay has developed a line of educational software to be used in tandem with the voice synthesizer. The first



The Hearsay 1000 combines speech synthesis and voice recognition in one unit. The Commodore version comes with SwiftLoad (for fast loading), and retails for \$79.95.



Aqua's Circus is one of the first titles in Hearsay's line of educational software developed to support the Hearsay 1000. Each program in the series retails for \$29.95.

three titles in this Software for Children line are Aqua's Circus, Rhyme and Reason, and Think Bank (\$29.95 each). Using colorful graphics and familiar characters, these programs help children learn verbal skills, coginitive development, vocabulary, and mathematical skills.

Beyond that, says Veltri, these voice-driven programs give children an early sense of accomplishment, one that normally isn't achieved until a child can actually read and write.

The Hearsay 1000 also works with many third-party programs from major software publishers like Infocom, Epyx, CBS Interactive Learning, and Batteries Included. In fact, any text-based programs should be compatible, allowing you to issue verbal commands instead of keyboard entry. For example, if you were playing the all-text ad-

wenture Zork, the Hearsay 1000 would read a line to you, and you would speak the command back rather than typing it in. Since no speaker is necessary on the Commodore 64 unit, you can just sit in your chair and issue commands.

Helping The Handicapped

A third use for voice recognition and synthesis is providing alternatives for handicapped individuals, says Veltri. Keyboard entry—including cursor control—can be done verbally instead of manually, making computer use feasible for visually and physically disabled persons.

For people with hearing disorders who want visual feedback about their voice pitch (where and when it goes up and down), Covox's new Speech Construction Set may be of help. This program does for voice what drawing and painting programs do for creating pictures. Using the software's split screens and high-resolution graphics, you can manipulate and track speech patterns in a variety of ways. The suggested retail price is \$39.95.

For more information about how microcomputer technology is being used to help the handicapped, contact Closing the Gap, P.O. Box 68, Henderson, MN 56044. This group offers a monthly newsletter, and the publishers also sponsor an annual conference.

Hey, You!

If you've walked through a computer game arcade recently, you've probably heard all kinds of machines challenging you to step up and play. Like pitchmen at a carnival, today's computer games often try to lure you into playing by verbally taunting and teasing you. Graphics and action may keep you interested in a game, but sound—especially the latest electronic verbal gymnastics—rope you in.

The current developments in the field of voice technology are indicative of what's happening in the microcomputer industry at large. Voice creation technology is constantly being refined as consumer need and acceptance are gauged, then incorporated into every level of consumer electronics technology. Applications extend from the home to the workplace, including our biggest industries. Talking

FLIGHT!

From the sophisticated realism, detail, and intellectual stimulation of Flight Simulator...



...to the brute-force fun, thrills and excitement of Jet...



...with new adventures in Scenery Disks...



...SubLOGIC. The State of the Art in Flight.

See Your Dealer. For additional product ordering information or the name of the dealer nearest you, call (800) 637-4983.



SubLOGIC

713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995

ORDER LINE: (800) 637-4983 (except in Illinois, Alaska and Hawaii) Open 7 AM to 9 PM Central Time

Making The 64 Talk

Todd Heimarck, Assistant Editor

There are two ways to make a computer speak: digitizing and synthesizing. Each approach has advantages and disadvantages.

A speech digitizer is like a tape recorder. It has a microphone and electronic circuits that transform the continuous (analog) sounds into discrete (digital) numbers. If you speak a word or phrase into the microphone, the digitizer converts your voice into a series of numbers that represent the frequencies and volume of your words.

The numbers are then stored in memory or saved to disk. To replay the digitized sounds, you use a driver program that reads through the numbers and feeds the appropriate values to the sound chip in your computer.

Speech synthesizers, on the other hand, string together a series of phonemes to form words. A phoneme is the smallest meaningful sound in a language. In English, for example, bat and pat are considered separate words, because the sounds represented by b and p are separate phonemes. There's a loose connection between spelling and sounds, but two letters such as th are pronounced as a single phoneme, and the single letter *x* is two phonemes (a k sound and an s). Speech synthesizers don't use a microphone. Instead, you usually type in the words to be spoken, and the program concatenates, or links together, the individual sounds. Some speech synthesizers require phonetic spellings; others understand

some of the quirks of English (tough and though are spelled similarly but pronounced in different ways, for example).

Stay Awhile, Stay Forever

When you hear a very realistic voice in a commercial game, what you're hearing has almost certainly been digitized by a service that specializes in creating sounds for software companies. They use sophisticated computer systems to record and dissect the phrases for a game. For Epyx's game Impossible Mission, someone sat down with a microphone and spoke the words Stay awhile, stay forever. The words were then analyzed down to a series of individual sounds that could be played back through the 64's SID chip.

The most attractive feature of digitizing is the high-quality speech. It sounds as if someone is really talking (or laughing or screaming) because it's essentially a recording of a real person's voice.

A second advantage is that once a sound has been digitized, it can be played back without external hardware (although you do need a 64 with a working SID chip). The voice can be generated entirely through software. If you're writing games to be sold or distributed, this means you can add digitized voices or sound effects to your product without requiring your customers to purchase any additional hardware. Of course, you need hardware to digitize the original sounds,

microwave ovens, dishwashers, cars, and telephones are bringing science fiction closer to science fact.

Home control is one area where voice technology will almost certainly be accepted, and many companies are developing products toward that end. Covox will introduce James, The Electronic Butler, a marriage of its own Voice Master module and the X-10 Home Control System which allows simple voice-activated control of home appliances.

Covox is also working in another area that is meeting with some acceptance: low-cost talking software. "The Commodore 64 is still the best machine going for that kind of program," says Covox's Stewart. Using colorful graphics within an interactive format, these Covox educational tools are expected to be available by summer of 1987.

Talking Teacher is the first educational product released by Firebird Licensees, a U.S. distributor for a line of British software that has met with strong approval in its first 18 months here. It also employs a graphics-intensive interactive environment enhanced by speech digitizing.

The speech for Talking Teacher was created for Firebird by Electronic Speech Systems, a company that's done a great deal of speech production work for many companies in the toy, automotive, and military fields. ESS has also been known for several years in the microcomputer game world. For example, it was ESS that put the digitized speech in Impossible Mission and the eerie laughter in Ghostbusters, among other game titles.

Just as you can create speech for your own computer programs using inexpensive tools at home, commercial software publishers have the resources to do the same. But the trend in software development these days is to give over specialized elements of program design to experts, like bringing in professional artists to draw graphics, musicians to compose music, and authorities in many fields to lend expertise on program content. ESS uses its own computers, recording studio, and audio engineers, resulting in better compressed, more finely-tuned speech for programs.

Make Any Computer Do Exactly What You Want With McGraw-Hill's

Budget Plan

Declining Interest

Loan

mentory

Contemporary Programming & Software Design Series Make no mistake. Almost all books and of

From Writing Your Own Programs to
Modifying Existing Software, Here's the New,
Easy, and Low Cost Way to Unlock the Secrets
of Your Computer

Whether you use computers for business, for personal applications, or for fun, off-the-shelf programs will never do everything you want them to do for you. That's because they were written by programmers to satisfy what they perceived as the needs of the greatest number of potential

users—often <u>missing</u> some or many of <u>your</u> <u>specific needs</u>.

That's why McGraw-Hill's new Contemporary Programming and Software Design Series teaches you how to create your own software...either

from scratch or by making key modifications to

existing programs.

There is nothing magical about it. You learn the process of building a computer program step-by-step with McGraw-Hill Concept Modules sent to you one at a time, once a month. Each of the ten modules in the Series takes you through an important step in the development of the structure and detailed logic of a program, including testing,

debugging, and documentation.


Unique Interactive Hands-On Instruction

Each module includes an easy-to-understand guide PLUS a 514" floppy disk containing typical programs and interactive instruction that you can run on Commodore 64 and 128 computers, IBM PCs and PC compatibles for hands-on experience.

In the first Module, for example, when your sample program (Declining Interest Loans) appears on your screen, you'll find errors on certain program lines. You'll also see that the program is only three-quarters completed.

Now comes the fun part. You'll discover how this program is built, and in the process you'll learn how to identify and correct errors. And by the end of Module 1, you'll actually have completed this program yourself.

But there's more. Special graphics on your screen work in conjunction with the accompanying guide to amplify, illustrate, and deepen your understanding of software design principles.



With the Series, however, you'll learn to create your own programs from scratch, even modify off-the-shelf programs. You'll learn enough BASIC and machine language to get you started on the remaining 5% of the programming process.

Build Your Own Personal Software Library

The sample programs you work with throughout the Series are excellent learning tools. But they're more than that. By combining the sample programs onto one master disk, you'll have the start of your own personal software library. In addition to the programs you've written and modified throughout the Series, you'll also receive dozens of the most popular public domain and user-supported programs, such as data base manager, word processor, calen-

dar generator, appointments reminder and much, much more.


15-Day No-Risk Trial

To order your first module without risk, send the postage-paid card today.

Examine the first module for 15 days and see how the Series will help you make your computer do exactly what you want it to do!







If someone has beaten you to the card, write to us for ordering information about the Contemporary Programming and Software Design Series.

The Crucial 95%—Learn the Foundation of Computer Programming

While the Series includes interactive disks that run on specific computers, everything you learn you can apply to any language or machine. Why is this possible? Because McGraw-Hill knows programming is far more than coding a program into the computer using a specific language. In the real world of computers, 95% of the programming process is carried out using design techniques that are independent of specific language or machine. It is this crucial 95% that you thoroughly understand and master in the Series.



McGraw-Hill Continuing Education Center

3939 Wisconsin Avenue Washington, DC 20016 but after they have been turned into numbers, the digitizing hardware is no longer needed.

A serious drawback of digitized speech is that you can play back only the sounds you recorded. Digitizing is like taping a song from the radio. You can't, for example, record a rock song and turn it into a bluegrass melody. The Commodore Magic Voice Module-which has been discontinued-used digitized speech. It had roughly 200 words in ROM-that was it. If you wanted to hear one of the built-in words, it would pronounce it. If you wanted to hear anything else, you were out of luck. It only knew the words that were digitized.

A second problem with digitizing is that it eats up memory. If you've been in a record store lately, you've probably seen one of the new compact discs (CDs). All of the music on the discs is recorded digitally, and each CD holds 550 megabytes, more than half a gigabyte. To put it another way, the amount of information that fits on one CD would require roughly 4000 disks formatted on a 1541. The memory of a 64 would hold less than a second's worth of music from a compact disc.

The music on a CD is originally sampled 44,000 times per second. Speech digitizers have a sampling rate that's much slower (which is one way to save memory). But as the sampling rate gets lower, the quality begins to suffer. At a minimal acceptable level, you might be able to fit ten seconds or so into the available memory of the 64. Unless you have large amounts of memory, digitized speech is a compromise between quality and quantity.

Speech Synthesizers

There are two examples of synthesized speech you may be familiar with. One is in the movie War Games, which included a brief role for a speech synthesizer which said "Shall. We. Play. A. Game?" The other you may have heard if you've visited a computer store recently, or know someone who owns an Amiga, which has a software speech synthesizer.

Here's how speech synthesizers are constructed: If you recorded

100 people pronouncing a variety of words containing the v sound, then analyzed the characteristics of v with an oscilloscope, you could separate the individual components of the average v sound and thus reproduce the v sound with oscillators or a computer's sound chip. Repeat this process for all the sounds of the language and you'll end up with a speech synthesizer. Each sound is put together (synthesized) as it is output. The phonemes act as building blocks that can be combined to make words and sentences.

Most synthesizers for the 64, including the ones made by Votrax and Currah, are sold as hardware cartridges that plug into the back of the 64. They may have a separate speaker on the cartridge or may include a cord that diverts the sound through the speaker of your TV or monitor. There once was a speech synthesizer for the 64 that worked in software (Software Automatic Mouth, or SAM), but it's no longer available.

The most attractive feature of speech synthesis is that it gives you an infinite number of words. With a limited number of phonemesusually 64-you can build any word in the English language. Digitizers can play back only what they've recorded, but synthesizers can say anything.

Speech synthesizers have a second advantage: They don't require a lot of memory. For a digitizer to record someone saying the word phone might require thousands of bytes. But all a speech synthesizer needs to know is that it should pronounce the f sound, the oh sound, and an n. Three soundsthree bytes of memory.

As you might have guessed, speech synthesizers have some shortcomings. For example, the quality of synthesized speech is not as good as that of digitized speech. Synthesizers often sound unexpressive and "computery" (think of the voice from War Games). Some synthesized speech has a sort of Scandinavian accent.

And finally, if the synthesizer is in hardware, you can add speech to your own programs, but other people can't use your program unless they also own a speech synthesizer.

A Combination Of Input Devices

Voice recognition is probably the most familiar existing method of getting information into a computer. We're all used to talking to other people, having them hear and process what we say, then having them respond.

But voice recognition may not be the most appropriate method in all settings. Using a Covox product in conjunction with a word processor like SpeedScript, it's possible to avoid entering all of the formatting commands, saving time and keystrokes. That's fine when you're sitting in your own private office or workroom at home. But imagine the chaos that it would create in an open office-five or six different people each trying to have their commands heard over the commands being issued by the others.

Covox's Brad Stewart believes that we're heading toward a combination of input devices, each of which-whether mouse, joystick, keyboard, or light pen—is used where most appropriate. And voice technology still has a long way to go. "Technology for speech recognition is not at a point where you can rattle off a sentence and have the computer figure it out," he says.

But voice technology has come a long way. "After all," says Stewart, "Who would have imagined that today we'd have GEOS or voice recognition or sophisticated speech synthesis on the Commodore 64?"

For more information on any of the products mentioned here, contact:

Covox 675-D Conger St. Eugene, OR 97402


Electronic Speech Systems 3216 Scott Blvd. Santa Clara, CA 95054 (For a telephone demonstration of the speech quality of ESS products, call 415-644-8127.)

Firebird Licensees P.O. Box 49 Ramsey, NJ 07446

Hearsay 1825 74th St. Brooklyn, NY 11204

Votrax International 1394 Rankin Troy, MI 48083

THE LEADING C64 WORD PROCESSOR JUST GOT BETTER!



No Brag. Just Fact. WORD WRITER 3 has more features, more power, and is easier-to-use than any other C64 word processor.

And now the facts! We've added:

- An 85,000-Word Spell Checker plus, unlimited sub-dictionaries.
- An Integrated Thesaurus with over 60,000 synonyms and alternatives.
- An Integrated Outline Processor that quickly organizes notes, facts, and ideas into a convenient outline format.
- An 80-Column Print Preview Mode
- Highlighting: Prints out your text incorporating underlining, boldface, italics, superscript, subscript, and more.
- Headers and Footers
- Automatic Program Set-Up: Configures WORD WRITER 3 to your choice of printer codes, screen colors, and more.
- SwiftKeys' access commands quickly, using a minimum of keystrokes.
- . . . and much, much more!

You Get Free, Ongoing Technical Support

Rest assured. When you show your support by buying Timeworks software, we never stop showing ours. That's why our twelve Customer Support Technicians have been giving our T.L.C. (Technical Loving Care) for over four years. And, all our programs have a Money Back Guarantee"



More power for your dollar

Timeworks, Inc. 444 Lake Cook Road Deerfield, Illinois 60015 312-948-9200

"Details on every Timeworks package.

Registered trademarks of Commodore Electronics, Ltd., Timeworks, Inc., Berkeley Softworks, Inc.

1983 Timeworks, Inc. All Rights Reserved.

Word Writer 3 interfaces with Timeworks' other C64 programs for a complete Productivity System:



DATA MANAGER 2 Report Writer

A highly flexible filing and recordkeeping system that stores, retrieves, sorts, evaluates, and updates large amounts of information. Includes: Report Writing, Graphics, Statistics, and Label Making capabilities.

SWIFTCALC With Sideways

A powerful, surprisingly easy-to-use electronic spreadsheet for home and business use. Plus, with Sideways, prints all your columns on one, continuous sheet – sideways!

PARTNER 64

A cartridge-based product with eight instantly accessible desktop accessories. PARTNER operates "concurrently" with your other C64 software programs.

Available for Commodore 64/128 Computers (64K, 40 Column)

Suggested Retail List Prices:

WORD WRITER 3	\$49.95
DATA MANAGER 2	\$39.95
SWIFTCALC	\$39.95
PARTNER 64	\$59.95

Now at your favorite dealer, or contact Timeworks today.

To Order Call 1-800-535-9497 9.95 9.95 Are 9.95 Are Original

reviews

Operation Terminal

Operation Terminal by Dreamrider Software is a breakthrough in personal computer software. It's advertised as-and, as far as I can tell, is-the first commercially available modem game with full graphics capabilities. While this Commodore 64 program can be played by one, it's designed to be played by two users at remote locations over their telephone lines. The program adds a new level of excitement to the booming world of home telecommunications.

The program casts its players as spies from competing countries on a secret mission to save the world. On an island in an unknown location lies a mysterious research facility known as the Antimatter Complex, built by an unidentified scientific genius. The research at the complex involves using antimatter as the ultimate energy source. However, antimatter is also the most destructive explosive material known to man. Obviously, your country is very concerned about who gets hold of this research and to what use it's applied.

That's where your character comes in. As one of the nation's top operatives, you must parachute onto the island, retrieve certain research documents and pieces of antimatter, and escape the island. All this must be accomplished within 30 minutes. The only means of escape from the island is a device called the Particle Degenerator, which will convert you into light waves and transmit you off the island.

Your mission has become even more imperative since the scientific genius who built the complex disappeared under mysterious circumstances just before turning over the results of the antimatter research to your country.

The complex is a series of rooms which form a matrix and are joined by hallways. Each room has a wall compartment that may contain a piece of antimatter or one of the documents you are looking for. You do not know which rooms contain the items and, therefore, must conduct a search of each room until you find the required amount of antimatter and documents. Beware, however, for there are booby-trapped rooms that set off bombs by an elec-


tronic signal triggered when a door is opened. If you guess wrong and enter a booby-trapped room, the bomb will explode and disable you for about 15 seconds, costing you valuable time and depleting your strength.

To counteract the bombs, you have been equipped with a device that jams the electronic signaling device. The device's power source is a battery that can be depleted, but is rechargeable in one of the complex's rooms known as the Battery Room. Conservation of that power is important to your success, however, since recharging takes time.

Operation Terminal...adds a new level of excitement to the booming world of home telecommunications.

The top half of the screen layout provides you with a view of the hallway or the room your character is presently in. When your character is in a hallway, the view is from the ceiling down, and when in a room, a more conventional side view is shown. The bottom half of the screen has a map of the complex's room matrix and shows you where your character is in the building. Several gauges showing time, battery level, strength, and the number of items collected also appear at the bottom of the screen. While movement of the character is by joystick (required for game play), several keys control actions, such as activating the jamming device.

To succeed at Operation Terminal, you'll have to use simple but effective strategy, as you must race against the clock to collect the needed items. You must guess which rooms are boobytrapped to conserve battery power in your jamming device, or you will use too much time recharging (or getting disabled by bombs). Your strength can be depleted by opening wall compart-



Operation Terminal is a one- or twoplayer modem game featuring color graphics.

ments in your search for the items you must collect and, of course, by triggering bombs. If your strength gets too low, you cannot open the wall compartments. Once strength is tapped, you must find the First Aid Room (another special room in the complex) and renew your strength before you can proceed with the mission. Again, having to divert your attention to matters other than collecting the required items will waste precious time. To compound the difficulty of your mission, an enemy agent (the other player) will be attempting the identical operation at the same time. You must complete your mission and at the same time prevent the enemy agent from succeeding with his or hers.

The real strategy comes into play with respect to your opponent. No matter how successful you are with your mission, the other player may be capable of beating you. Enough items exist in the rooms to allow both players to meet their requirements. Once one player has collected his or her items and has escaped the island through the Particle Degenerator, the other player's mission timer drops to one minute. The remaining player then has only one minute to both complete the mission and leave the island.

The program offers several tools to help you combat your opponent. One is radar mode, which allows you to spy on your opponent. While in radar mode, your screen shows the location and vital information about your opponent. Further, you are armed with several bombs (as is your opponent) that you can place in any of the rooms to slow your opponent down. The bombs also can be used to destroy the Battery Room and prevent the recharging of the jamming devices. However, destruction of the Battery Room can backfire on you, since neither player can recharge their jamming device once the Battery

Room is destroyed.

As noted earlier, one player can use Operation Terminal. In the one-player version, your only enemy is the clock, as you must complete your mission within 15 minutes. The one-player game doesn't require a modem. However, this version suffers from a lack of competitive strategy that the two-player version offers. This criticism is, of course, true of any game offering oneand two-player versions. Frankly, the main utility of the one-player version is that it provides practice for the twoplayer mode.

The program works with all the Commodore modems and with many other popular brands. The terminal program is incorporated within Operation Terminal and is extremely easy to use. In fact, all the instructions you need are displayed on the screen. Either player may initiate the modem connection. At any time during play, either player may send a message to the other and enter into a message mode until one of the players breaks it off. While in the message mode, the timer on the game stops running.


Operation Terminal is a good game, with a simple but interesting plot and enough strategy to keep you involved in the game. The reason to buy it, however, will probably stem from your interest in playing against someone else via the modem. If you have a modem and a friend with one, and you are not able to get together as often as you'd like to play computer games, Operation Terminal may just be what you're look-

ing for.

The manufacturer reportedly offers a bulletin board service that lists the names and players of Operation Terminal in your area. -Ed.]

Scott Thomas

Dreamrider Software 970 N. Main St. Crete, IL 60417 \$39.95



Thinking Cap

Late last year, I read an article about a new outline processor: computer software that can assist you in creating outlines for projects like school and work reports, books, and magazine articles. My own outlines tend to be informal, and I don't always use them. But the idea of being able to brainstorm and jot down notes at the computer tantalized me. Then I saw the price tag-\$450. So I put the article away and dreamed of the day some creative individual would come up with an affordable variation for the Commodore 64.

In December, I said to myself: I just have to get that book outlined! I'll never be able to submit it if I don't! The prospect was daunting. Outlining a 20chapter book is less than thrilling at best, and frightening when you know an editor's decision depends on how lucidly you describe your plot. Then, just before Christmas, I received a copy of Thinking Cap by Brøderbund.

Thinking Cap is described as an outline processor, or idea processor. You begin in a section of the program called Brainstorm, jotting down ideas as they come to you. You need only have a general idea of what topic areas belong together, because in Brainstorm you can change things around as you go along, making corrections and rearranging subtopics as the thoughts hit you.

You only need a title and your first idea. Through the use of highlighting and windows, you create an outline of up to 16 topics and to a depth of seven levels. The title is level 1; the first major topic is level 2; the first subtopic under a major topic is level 3, and so on. You can work in any order, because you can always open up a window to enter new items under a topic.

When you've gone as far as your creativity will carry you, it's time to review your work. This is done in the Overview section. Here, you view your outline in its entirety, to whatever depth you choose, so that you can see how you are progressing. This means you may view as little as the title, or all of what you've written, or anything in between.

The editing feature is available in Overview, too. This lets you modify your outline, fixing and rearranging text to meet your standards. There are screen prompts to help with some of the more complex moves. A pop-up window lists the editing functions. This window also keeps track of how much memory you have left.

Two editing devices, the Section Safe and Text Safe, are used to store portions of text that you cut away so you can paste them in elsewhere, either to move them or to make copies of a section or block of text. The Section Safe stores a topic, subtopic, or entire section of the outline. The Text Safe stores a block of text from a single topic or subtopic. Other features include Search-and-Replace and the ability to

delete entire phrases.

Outlines or sections can be saved to disk. Outlines saved separately can be merged onscreen and printed out together. Sections saved separately can be formed into one coherent outline and resaved as such. A utilities section contains options to format a disk, view the directory, and delete or rename files.

The printing capability of Thinking Cap is one of its best features. You can customize to your own preferences and design, whether you're a speech maker, scientist, scholar, or scribe. Two menus handle most of the customizing. An option called Print Enhancements has nine items which may be varied: such things as title and headline emphasis, type of outline (Roman, technical, prose, numbered), title positioning, and so on.

In Thinking Cap, you concentrate only on your ideas. The program takes care of the mechanics.

Page Layout has eight pagemanipulation variables to work with, similar to the choices offered by most word processor page layouts. A third factor influencing printout is what you display on the screen. When you're using the Hidden Text command, your screen display will show only the first line of each topic or subtopic, replacing the remaining text with an ellipsis. It would be nice if this capability were also a part of the printing function, so you could see where the missing text lay in your hardcopy. That, however, is my only criticism of the program.

You can modify your printout by selecting different depths, thus eliminating the detail of subtopics. You can also suppress any numbering in the outline. There are an impressive number of options offered in these variables, although most users will probably make two or three their favorites, depending on their needs.

What is all the excitement about? Why not just use a word processor and create your own outline? It's a little difficult to describe to someone who hasn't used it, but it's rather like the difference between typing and having a word processor. Think for a minute how long it

would take you to center a title on a page with an ordinary typewriter. You need to know your pitch, your paper width, your margins, and the number of letters in the title. You need to calculate where center is; what half the number of letters and spaces in the title is; and what the center point, minus the latter number, is. Then you have to position your paper there. (Or you can go to center, read off the letters and spaces in your title, and backspace for every two.) With a word processor, you merely turn on your centering option.

In Thinking Cap, you concentrate only on your ideas. The program takes care of the mechanics. In writing an outline by hand, I get caught up in thoughts about the outline itself, and I can't think clearly about my topic. I also find myself doodling in the margins.

But in the Brainstorm section of Thinking Cap, I worry only about my ideas. I know I can go back and edit and move topics around after I have recorded all my thoughts. In Overview I can scan the outline to catch what changes need to be made. For printing, much like a word processor, Thinking Cap allows me to format the output to my liking-only here it formats in outline form rather than manuscript. Basically, Thinking Cap leaves my mind clear to work on the topic, then worry about the niceties of presentation after the real work is all done.

There are more nice features in Thinking Cap. There is a clear and helpful manual. There is an option to customize various areas (type of printer, screen color combinations, and others), so that when you load the disk, the program defaults to certain choices. You can use a variety of printers, and adjust for an unusual printer and for different interfaces as well. Finally, Thinking Cap accomplishes all of its wizardry through the use of windows. This distinctive approach is a large part of what makes the program so impressive.

I haven't stopped using Thinking Cap since I got it. In two days I outlined the half of my book that was already written, plus the next quarter, which was not. I completed the first version of the outline for this article, too. The program is stimulating, versatile, easy to learn, and easy to use. And the price is reasonable-which means that Thinking Cap is a good value. It does everything described in the article I read (about the \$450 program) smoothly and satisfactorily. And although this is the first outline processor I've tried, I feel no need to look further.

-Robin Minnick

Brøderbund Software 17 Paul Dr. San Rafael, CA 94903-2101

Portal

This product, for the Commodore 64, is a computer novel different from any other computer novel on the market. Barely interactive and completely joystick-controlled, *Portal* is closer than any software yet produced to the experience of sitting back and reading a novel.

Portal places you in the twentysecond century. As the five-page printed prologue explains, you are returning to earth from a failed space mission, but things at home are not quite right. To be more specific, the planet has no people on it. But there's been no nuclear holocaust, and nowhere are there signs of widespread disease. Instead, the human race has simply disappeared.

Your only link to the past, and thus your only chance of discovering what happened, is a Worldnet computer terminal. Beside the terminal you have found a set of operating instructions (included in the package) with only minimally helpful information. That's it. Somehow, you must try to find out


where humanity has gone.

Portal's display is a series of 12 boxes, each with its own graphics design. The boxes represent databases within the Worldnet computer. These databases (or dataspaces, as they are called) contain whatever information Worldnet has on the events and characters within the game. For example, the Psychology, Life Support, Wasatch, and Edmod dataspaces contain data about each character that appears in the story, while the Military, SciTech, PsiLink, Geography, History, and Med10 dataspaces store scientific, technological, social, and historical knowledge. The most important of the dataspaces are Central Processing, which offers vital information not found in the other dataspaces, and Homer, the story's narrator.

Homer is Worldnet's "storytelling artificial intelligence." What this means, from your point of view, is that Homer is the dataspace that will recount the tale of what has happened to the human race. As the story progresses, Homer requires information from all the other dataspaces, in order to construct the story of the Portal. Your task in the game is to search through the other 11 dataspaces to retrieve the

information for him.

To get this data, all you do is move from dataspace to dataspace (via joystick), entering each dataspace, and reading what has been stored there. After doing so, you return to the Homer dataspace and read the files Homer has created as a result of your searching. These files reveal Homer's story and, just as importantly, his concerns as storyteller. Throughout the story, Homer interrupts the narration to reveal his



doubts about his storytelling abilities, his concerns about humanity, and the nature of truth in fiction.

Portal is, in fact, as much about Homer as it is about Peter Devore, the leader of humanity's Migration. Through a complex and often bizarre plot, one that begins with a simple technological error, Peter Devore enters the wrong dataspace and discovers things he should never be allowed to know. Among these is knowledge of the personality of Wanda Sixlove, a passenger aboard a space ship light years from earth. Through a series of mindlinks, Peter and Wanda fall in love with each other, and Peter spends the next several years trying to find a way to be with her. Somehow, in a way you must discover, that search is bound up with the disappearance of the human race.

The story itself is very good. Extremely well-written, with an intriguing plot, Portal offers some of the first truly excellent fictional passages seen on a computer to date. Reading Homer's narrative is a pleasure: The characters are fairly complex and highly believable, and the plots and sub-plots are well-managed. Homer does not tell us everything-what he leaves out we easily fill in for ourselves-but what he does tell is fascinating from start to finish. And the most interesting part of all, the feature that sets Portal aside from all other interactive fiction, is that we can see precisely how the story unfolds.

When done properly, interactive fiction makes us feel as if we are contributing to the story. Unlike books, which contain a story that we simply accept from one page to the next, interactive fiction demands that we participate in the creation of the plot. Also unlike books, we never know when the story will end. In interactive fiction, there is no last page.

Extremely well-written, with an intriguing plot, Portal offers some of the first truly excellent fictional passages seen on a computer to date.

To reach the conclusion of most adventure games, we must take the role of a character in the story and, by wandering around, talking to other characters, and solving puzzles, force the story towards its conclusion. In one way, such participation is satisfying, because we are allowed to directly influence the plot's outcome, but for those who like reading books, the sheer length of the adventure can be frustrating. Portal solves this problem in two ways. First, you are not part of the story of the Migration. Second, you don't really change the course of the plot.

In Portal, your only function is to get Homer the information he needs to tell the story. Then, for the most part at least, you sit back and read. As simple as this sounds, though, your actions in the game—going from dataspace to dataspace—are the game itself. You are not a character in the story, but instead you are watching the process of the telling of the story. Each piece of information you dig up is necessary to Homer's narrative; once you have found the information, you return to Homer and discover how he has put it into the story. In other words, you watch the story write itself.

Those expecting a graphics-andtext adventure along the lines of Tass Times in Tonetown will perhaps not appreciate the lack of direct participation in the plot, while those who want a graphics adventure such as Ultima IV will not enjoy the absence of role playing or the short duration of Portal. Portal can be completed in about the same length of time it takes to read a fairly long novel. Like all adventures, it is of limited usefulness after its completion, but unlike most, it can be reread with enjoyment.

Still, I recommend Portal with some reservation. If you want to see what can be done with a computer story, by all means pick it up. If you want a lengthy adventure with elements of role play, however, don't. Portal's strength is its realization that text adventures don't really take the place of a good novel. It bills itself as a computer novel, and that is precisely what it is. Perhaps a little expensive for a novel, Portal offers a reading experience that is unique in computerized fiction.

-Neil Randall

Activision 2350 Bayshore Frontage Rd. Mountain View, CA 94043 \$39.95

COPY II® 64/128

BACKUP PROTECTED SOFTWARE FAST.

From the team who brought you Copy II Plus (Apple), Copy II PC (IBM) and Copy II Mac (Macintosh) comes a revolutionary new copy program for the Commodore 64/128 computers.

- Copies many protected programs - automatically. (We update Copy II 64/128 regularly to handle new protections; you as a registered owner may update at any time for \$15 plus \$3 s/h.)
- Copies even protected disks in under 2 minutes (single drive).
- Copies even protected disks in under 1 minute (dual drive).
- Maximum of four disk swaps on a single drive.

 Includes fast loader, 12-second format.

Requires a Commodore 64 or 128 computer with one or two 1541 or 1571 drives.

Call 503/244-5782, M-F, 8-5 (West Coast time) with your 🌃 🌑 in hand. Or send a check for \$39.95 U.S. plus \$3 s/h, \$8 overseas.

\$39.95

Central Point Software, Inc. 9700 S.W. Capitol Hwy. #100 Portland, OR 97219



Backup utilities also available for the IBM, Apple II, Macintosh and Atari ST. This product is provided for the purpose of enabling you to make archival copies only.

TEST DIVE ONE FOR YOURSELF.

In their day, they ruled over three quarters of the earth's surface.

During WWII, they viciously brought Britain

to her knees. And Japan to the



mand one of six

These were the silent killers: Tench. Gato.

U-Boat.

And now, they return. In this, the most realistic, all-encompassing simulaTAKE OUR PREVIEW DISK FOR A SPIN. Drop this coupon in the mail with your check or money order, and we'll gladly send you to the South Pacific to have it out with an enemy fleet.

Mail to Sub Battle Preview, P.O. Box 8020, Redwood City, CA 94063.

	Quantity Total
Apple II & compat. (128K)	\$1.50 ea.
Commodore 64/128	\$1.50 ea.
IBM PC & compat.	\$1.50 ea.
Atari ST	\$2.75 ea.
Macintosh .	\$2.75 ea.
Apple II GS	\$2.75 ea.
Total Disks Ordered	Total Enclosed
Name	Phone ()
Address	Age
City/State/Zip	

Canadian orders please add 50¢ for additional postage.

Please allow 4 to 6 weeks for delivery. Offer expires 8/30/87 and is valid only in the continental U.S. and Canada. Void where prohibited.

60 missions. Or you'll ention ever created gage in the most difficult task of all: To make it for the personal computer. You will comthrough the entire war.

Each vessel is completely unique and

And the contents of a vital target book,


among other things. Your arsenal will include deck and antiaircraft guns. Torpedoes. And mines.

But even all that may not be enough.

Because besides the risk of bumping a depth charge or facing a killer Destroyer, you'll still have to contend with the gunfire of enemy aircraft.

No simulation has ever had the degree of authenticity, gut-wrenching action or historical accuracy of

this one. The first release of our new Masters Collection, And a challenge of unbelievable



Gunship

Helicopters are playing an increasingly important role in modern military tactics. The U.S. Army is beginning to fly what may prove to be the most technologically advanced aircraft to date—the Apache helicopter gunship, a flying arsenal. Equipped with laser-guided Hellfire missles, a 30mm cannon (which is controlled by helmet gunsights), clusters of unguided rockets, and even Sidewinder missiles for air-to-air combat, this awesome craft is more than a match for most situations.

With Gunship, MicroProse Software puts you at the controls of an AH-64A Apache, America's most advanced helicopter, and gives you the chance to fly any of a number of missions. Gunship, for the Commodore 64, is a very well-executed simulation, not just a game. Real pilots "fly" missions in sophisticated simulators which utilize extremely powerful computers with dazzling graphics and realistic sound. These simulators permit pilots to experience aerial emergencies and combat situations without real risk. Obviously, the graphics capabilities of your 64 are no match for these simulators, but you'll see much more than simple stick figures with Gunship. For example, the three-dimensional graphics increase the sense of motion as you fly. All in all, the graphics are among the best I've seen for any flight simulation on an eight-bit computer.

As in real life, you should not expect to jump into this Apache helicopter and fly off into combat without some preparation. Read the manual carefully, then start out by taking flight training. Become familiar with the controls by flying a number of practice missions. Then head into combat in Southeast Asia, Central America, the Middle East, or—the ultimate test for any pilot—the USSR and its Warsaw Pact allies.

Even flying training missions has some risk. You'll make a lot of mistakes as you work to master the use of your weapons systems and on-board avionics. Take your time and learn well. You'll need the training later. Soon you'll be skimming the treetops at 200 mph as you wait for your AGM-114A Hellfire missile to lock onto target. The effect of firing the 30mm cannon is so realistic that you'll notice a slight loss in speed as you fire, due to the recoil of the weapon.

Another realistic aspect of the simulation occurs when you trim the gunship to maintain a constant altitude as you fire. In fact, you'll have your hands full just controlling the helicopter at first, not to mention dodging the surface-to-air missiles (SAM) and the enemy choppers

in the area.

There are 29 optional settings for arming your weapons and flying the gunship, and it's tough to remember which keys control them all. Fortunately, *Gunship* makes it a lot easier by providing a keyboard overlay with labels for all the keyboard controls.

As the simulation begins, you'll need the manual, which is excellent and provides much information for the novice pilot. As an indirect form of copy protection, you're shown a drawing of a piece of military equipment on the screen and are asked to identify it from the manual. That's not difficult, but it does take a minute or so to look it up. Personally, I don't mind this form of copy protection. Just remember that you need the manual to run the program.

...MicroProse...puts you at the controls of...America's most advanced helicopter, and gives you the chance to fly any of a number of missions.

Gunship...is a very well-executed simulation, not just a game.

After the copy protection check, you're shown a summary of the last mission flown. Now is the time to change any statistics to make the upcoming flight easier or to increase its overall difficulty. The more dangerous the mission, the greater the score you can achieve. Flying difficult missions also leads to faster promotion and more honor, but it also increases your chances to be listed as KIA (Killed In Action) on the pilot roster.

You'll step through several screens, selecting a difficulty level then finally receiving your preflight briefing. You'll probably want to check the map while you're here. It's always a good idea to know where any friends might be located. After all, you don't want to hit them by mistake. And if you're hit, you might need a location near them for an emergency landing.

Finally, you're settled into your chopper, gazing at the control panel display. Glancing at the bottom of the screen, you see fuel levels, warning lights and gauges, a compass, and other pertinent items. It's best to become somewhat familiar with the locations of



A view from the cockpit in MicroProse's Gunship.

these gauges before firing up. Once airborne, things happen quickly. Check your weapons display and notice how many of each type of armament you're carrying. Take note of the location of the Threat display in the lower left corner of the screen.

The development of Gunship was a long and complex project for Micro-Prose. In fact, an earlier version of this helicopter simulation was reportedly sent back to the drawing boards when the finished product didn't measure up to the expectations of company president William Stealey and MicroProse designer Sid Meier. After almost a year, the present version was released.

Was the wait worth it? Very simply, yes. In the tradition of Solo Flight, F-15 Strike Eagle, AcroJet, and Silent Service, MicroProse has another winner.

-George Miller

Gunship: The Helicopter Flight Simulation MicroProse 120 Lakefront Dr. Hunt Valley, Md. 21030 \$34.95

All programs
listed in this
magazine are
available on the
GAZETTE Disk.
Details
elsewhere
in this issue.


The Great Communicator

THE Direct connect Hayes/Commodore® 1670 compatible 1200 Baud modem for ONLY \$119.95

Now that you're able to do all those stand alone applications with your Commodore, like word processing, spread sheet analysis, and many others, you are probably thinking "It would sure be nice if I could expand the amount of data I have access to." You are quite right, everything from Electronic Mail (E-mail) to stock quotes and huge databases of every imaginable type is now on line to the small computer owner. You can even send and receive telexes anywhere in the world. All you need is a telephone and a modern which allows your computer to communicate with others through these many services.

The next question is: "Which modem is best for me?" Let me first say that almost all modems (and services) are set up to communicate in one of two speeds; 300 and 1200 Baud. If you look around you will find that there is a flood of 300 baud modems on the market and sometimes at very low prices. The reason is simple, they are being dumped because most computer users prefer 1200 Baud. (1200 Baud. is about 4 times as fast which means you spend less time and money getting the data you want and more time enjoying it.) Virtually everyone who has a 300 would rather have a 1200. You will also notice a few very cheap 1200s on the market at "too good to be true prices". They are. The reason is that they are either not truly Haves and/or Commodore compatible therefore not usable in all situations and all services. The Aprotek-1200C is both Hayes and Commodore compatible and 1200 baud. Why not get a modem that will satisfy your present AND future needs by going directly to an inexpensive Aprotek-1200C especially when we have it on sale?

What do you get for \$119.95? Everything! You don't need to worry about cables, compatibility or anything else! We don't just sell hardware, we sell solutions. The Aprotek 1200C plugs directly into your Commodore Vic-20, C-64, C-64C or C-128 user port. It is unique in that it has two separate (switchable) emulation modes (Hayes and Commodore 1670) to make it compatible with all available software. The Aprotek 1200C is a full feature, 300 and 1200 Baud modern with Auto Answer, Auto Dial. Touch-Tone or rotary dialing, has the full complement of 8 status LEDs on the front panel and has a built in speaker with volume control. Just plug it into your computer and standard phone jack with the supplied cables. Also included is a free trial offer subscription to Quantum-Link, a very useful Commodore user database with local access numbers and about every feature imaginable.



Do you have more than one computer or do you plan to get another computer? You can have your cake and eat it too. Simply order our Universal RS-232 interface #5232 along with the standard Aprotek-1200 which you can use with any computer that has a RS-232 serial port as well as your Commodore. The Universal RS-232 interface can also be used to connect your Commodore to any other RS-232 device.

NO RISK POLICY

Try the Aprotek 1200 for two weeks and if you are not satisfied, send it back for a prompt refund.

The bottom line:

Aprotek	1200C (for Commodore)	
order	#1200C\$119.9	5
Aprotek	1200 (for RS-232 with DB-25)	

Aprotek USR-232 (Commodore-to-RS-232 Interface order #5232 \$ 39.95

Modern shipping - Cont. US \$5.00, UPS Blue \$10.00 USR-232 shipping - Cont. US \$3.00, UPS Blue \$6.00

ORDER INFORMATION California residents add 6% tax. All prices are cash prices—VISA and MC add 3% to total. We ship the next business day on money orders, cashier's checks, and charge cards. A 14-day clearing period is required for checks. Prices subject to change— CALL. Dealer inquiries invited.

For information and in Calif. call 805/987-2454 TO ORDER CALL TOLL FREE

1 (800) 962-5800 - USA

Or send order to:

(7-7 PST)



1071-A Avenida Acaso, Camarillo, CA 93010



Unscramble

Mark Tuttle

If you like word challenges, you'll like this two-player game where quick thinking and accurate guesses determine the winner. For the Commodore 128, 64, Plus/4, and 16.

Computers are traditionally known for their mathematical capabilities. Only recently, with the advent of word processors and spelling checkers, have computers affected the way we deal with words. With "Unscramble," you can use your Commodore to challenge a friend to a word game traditionally played as a board game or with pencil and paper.

Each player must guess five words which were entered by his opponent and scrambled by the computer. It sounds easy, but there is one obstacle—time. A timer runs while you think, and ten seconds are added to your score every time you guess a wrong letter. The winner is the player with the lowest score.

Typing It In

Unscramble is written entirely in BASIC. If you use a 64, type in the program as it is listed in the back of the magazine; 128 users must make the change indicated in line 10 of

the listing. Plus/4 and 16 users must substitute these lines for the corresponding lines of the 64 program:

GB 10 COLOR0,2,4:COLOR4,7,2:CO =-1024:SC=3072:NDX=239 XM 20 VOL7

BR 660 SOUND1,PA*15,UPS/10:RET URN

After typing the program, save it with a command of the form

SAVE"UNSCRAMBLE",8

(Tape users should substitute a ,1 for the ,8.)

After saving a copy, load it with the command

LOAD"UNSCRAMBLE",8

(Tape users should substitute a ,1 for the ,8.)

Now, type RUN. Unscramble asks for the names of the players. After you enter the names, player 1 types in five words while player 2 looks away. (For a fair game, be sure that each player turns his head while the other player types in the words.) Words can be no longer than 15 characters. When player 1



In "Unscramble," two players race the clock to decipher each other's words.

has finished entering his words, player 2 sits at the computer to unscramble the words. Each scrambled word is displayed at the top of the screen. Player 2 must guess each letter in the word from left to right. If he guesses a wrong letter, a penalty of ten seconds is added to his score.

When player 2 has finished unscrambling the words, he enters five words for player 1 to unscramble. When player 1 has successfully unscrambled the words entered by player 2, the winner is announced and the game ends.

See program listing on page 94.

COMPUTER

226 Lincoln Road Miami Beach, FL 3313

ARE	Miami Bea	ich, FL 33
Blue Max New York C Zaxxon Zepplin Zepplin	ity/Air Support	\$677
Musicalc 1 Musicalc 2 Musicalc 3 Template 1 Keyboard Christmas D		\$ 6 77
Super Expar Simons Basic Nevada Co Jupiter Land Kickman	c bol	

Kickman
Seawolf
Speed Bingo Math
Radar Rat Race
Visible Solar S.
Blue Print
Lazarian
Omega Race
Wizard of Wor
Le Mans
Gorf
Supermash
Strapost
Frogmaster
Star Ranger
Satans Hollow
Hulk

\$477

\$577

\$577

\$977

Avenger
Clowns
Fish Metic
Number Nabber
Pet Emulator
Pinball Spectacular
Solar Fox
Tooth Invaders

	English English English	IV	
(English	SAT	

nglish I

nglist	h SAT			
nglish	h SAT	11		
Noth	SATI		1	١

Songwriter	
Phi Beta Filer	
Mastertype Fig. & Formulas	\$7"

Triad	
Zork I	
Zork II	
Zork III	
Suspended	
Starcross	
Deadline	\$477

4
\$1277

Jyruss James Bond	
Star Wars-Arcade Game	е
Q Bert	
Popeye	
Frogger	6 / 77
Frogger II Threedeep .	. \$677

Comm Step By Step	
Comm Step By Step	
Picture Blocks	
Preschool One	
Reading What's Diff.	
Vocabulary Builder I	
Bocabulary Builder II	
Wordwise-Analogies	\$377
wordwise-Analogies	

64 Doctor Practifile (Database Manager)	\$14	
Castle Wolfenstein		

Practicale 64

Castle	Wolfenstein
Rescue	Squad
Beyond	d Castle Wolfenstein
Space	Taxi
Smart	Start (Utility)
New S	uper Text

Diamond Mine	
Castle Hastle	
Pack 'Fm IIn	

Basic Coach	
Computer Coach	
Keyboard Coach	
Speedreading Coach	
Typing Coach	

\$477

\$777

\$377

\$477

Totl Text 2.6
Totl Label 2.6
Time Manager 2.6
Research Assistant 2.0
Totl Speller 36
Totl Infomaster

COR AND RESIDENCE TO SERVICE AND ADDRESS OF THE PARTY OF	
Zortek Microchip	k
Easy Lesson/Quiz	
Number Nabber/Shap G	r
Chopper Math	
Type Write	
Music Machine	
Music Composer	
Gulp!!/Arrow Graphics	
Frenzy/Flip Flop	
Next Letter or Num	
Ltr Match More/Less	×

	1000
Benji Space Rescue	\$877
Gridrunner	6077
Turtle Graphics II	
6502 Prof. Dev. Sys.	
Hes Writer 64	
Hes Mon 64	
Kello ball	

Petro Rall

Codewriter	
Adventure writer	
File writer	
Dialogue	
Elf	
Home Integrator	
Thriller Series	A LONG
Adventure Writer .	\$1477

	S	P	E	C	I	A	L	
--	---	---	---	---	---	---	---	--

\$677

Jet	by	Sublogic	. \$1477	1986	Taxpayers Survival	\$777
		Tax	Planner		\$877	OM WEST

ORDERS ONLY

1-800-331-7054

CUSTOMER SERVICE OR IN FLORIDA (305) 538-1364
FREE FREIGHT ON ALL ORDERS WITHIN CONTINENTAL U.S. OVER \$100.00

Orders under \$100.00 add \$4.00 shipping and handling. C.O.D. orders add \$4.00.

Prices reflect a 3% cash discount. A.P.O., F.P.O. orders add 6% shipping & handling. Postal orders shipped surface Add 6% for air shipment. Add 3% for VISA/MC. Florida residents add 5% sales tax. Personal checks allow 2 weeks for processing.

Prices Subject to Change Without Notice.

ORDERS RECEIVED BEFORE 12:00 PM WILL BE SHIPPED SAME DAY.

CLOSEOUTS

Sales Edge Management Edge Negotiation Edge Communication Edge General Ledger

\$7905 NOW \$14⁷⁷EA

ALL 5 for \$5977

INFOCOM FOR ATARI ST

Cutthroats	
Zork I	
Zork II	Your Choice
Zork III	
Planetfall	2200 _{EA}
Spellbreaker	
Suspended	
Suspect	

MI Disks	(Koala Coaram
sony Disks SSDD \$1290	3900ne)
2)	- Infocom Hint
urge Protector	TI SA25 EA

5% Cleaner 777

Intro to Ba	sic I	. 1
Omni Calc Multiplan		\$127


	the Caribbean	
Heist	W.	
Boulder	Dash	\$97

Easy Finance
Word Name Machine
Accounts Receivable
Accounts Payable

Starcross Deadline Suspended

\$977

\$1277



This outstanding arcade-style game's moving obstacles, special features, and different game screens will keep you thinking and moving fast. For the Commodore 64. A joystick is required.

Not your ordinary version of *Break-out*, "Powerball" is an addictive, multifaceted arcade-style game with new features such as *capsules* and *slivers*—and ten different screens to master.

Each Powerball screen is populated by its own configuration of slivers, capsules, and bricks. After a few games you'll begin to develop strategies for each of the screens. As in Breakout, the object of the game is to destroy a series of walls brick by brick. In Powerball, this can be done in two ways-you may use your paddle to bounce balls against the wall, and you may shoot the wall down after catching a fire capsule. Unlike Breakout, you must quickly observe the characteristics of each type of screen object to earn high scores.

Typing It In

Powerball is written in machine language, so you'll need to use "MLX," the machine language entry program found elsewhere in this issue. When you run MLX, you'll be

asked for the starting and ending addresses of the data you'll be entering. For Powerball, respond with the following values:

Starting Address: C000 Ending Address: CD67


When you've finished typing in the data, save a copy to tape or disk before leaving MLX.

To play Powerball, enter LOAD"POWERBALL",8,1 (tape users should use LOAD"POWERBALL",1,1). Substitute the name you used to save the file. Start the game with SYS 49152.


When the game begins, you'll see a paddle in the center of the screen near the bottom. Below the paddle you'll see an indication of the number of paddles remaining, your current score, and the high score of the current series of games. You begin each game with four paddles available (only one paddle can be active at any given time, however). Use a joystick in port 2 to move the paddle left and right. Press the fire button to release the ball and begin play.

Blasting Bricks

Your main weapon against the bricks is the bouncing ball. Use your paddle to keep the ball in motion. You'll lose a paddle whenever a ball gets past you to the bottom of the screen. The game ends when all paddles have been lost. When all breakable bricks on the current level have been eliminated, you advance to the next level. When you lose all your paddles, you are not automatically dumped back to the first level. Instead, you can press the fire button to start a new game at the current level. You can press SHIFT at any time to pause the game. (Use SHIFT-LOCK for longer pauses.)



Here's a scene from early in the game. Only one brick has been knocked out of the first wall. The three slivers are visible just below the wall.



Here, the player is using two balls to chip away the wall. An L capsule is rolling down the screen. If the player can catch it, his paddle (the gray bar at the bottom) will double in width.

Bricks come in three varieties: soft, hard, and solid. Soft bricks are green and are destroyed by being shot or by being hit by a ball. Hard bricks start out gray and change color each time they are hit. They must be turned green before they can be destroyed. Solid bricks are white. They can be destroyed only by a power ball. However, it's not necessary to destroy all the white bricks to advance to the next round.

Slivers And Capsules

Slivers and capsules are the special features that distingush Powerball from most other games of its type. Slivers are small flashing objects that change color as they float around the screen. Balls bounce off the slivers. This can be helpful at times (to deflect a descending ball), but, in general, slivers do more damage than good. Touching a sliver with your paddle sends the sliver to the top of the screen where it is least dangerous. There is no way to permanently destroy a sliver.

Capsules are the same shape as your paddle. They appear at random times and at random locations

near the top of the screen, and then descend vertically down the screen. Touching a capsule with your paddle gives the paddle a special ability depending on the color of the capsule. (If you're using a monochrome display, each type of capsule also has a distinguishing label.) Below is a list of the capsule types and their corresponding powers:

Label	Color	Power
S	yellow	slows down all balls
C	green	paddle catches ball
L	blue	paddle becomes longer
F	red	paddle fires
P	purple	ball becomes power bal
3	lt. blue	ball splits into three bal
	gray	extra paddle
N	orange	go to next screen

A standard paddle with no special powers is white. When a capsule is touched, the paddle takes on the color of the capsule to indicate its current power. A paddle can have only one power at a time; the previous power is lost each time a new capsule is touched. The special power is also canceled when the paddle is lost.

A few notes about the powers: When you've caught the green C capsule, your paddle will capture the ball so that you can reposition the paddle for an accurate shot. Press fire to release the ball. If you wait too long (about three seconds), the ball will be released automatically. The purple P capsule turns the balls into power balls, which destroy all types of bricks. After you capture a red F capsule, your paddle has the power to fire darts at the bricks as well as to deflect the ball. Press the fire button to shoot the darts. The light blue 3 capsule splits the ball into three individual balls (but only once each time one of these capsules is touched-you'll never get more than three balls). The split balls behave the same as the original ball, except that you don't lose a paddle until all three of the split balls have slipped past to the bottom of the screen. The gray * capsule adds an extra paddle to your total when touched. Touching an orange N capsule takes you to the next level, regardless of how many bricks remain on the current level. The gray * and the orange N capsules are rare.

See program listing on page 93.

ULTRABYTE

DISK

10 MBYTE DRIVE Stores ou poles! * FAST * EXPANDABLE TRANSPARENT **OPERATION** MULTIPLE CHAINED 20 Mbyte Model HFD-20 PARTITIONS ONLY \$995.00 " GEOS" COMPATIBLE 10 MBYTE MODEL HFD-10 * SUPPORTS SINGLE SIDED C-128 AND CPM ONLY \$895.00 " BUILT-IN FLOPPY DRIVE 5 MBTYE MODEL HFD-5 * SUPPORTS ALL 2.0 TO 7.0 ONLY \$695.00 (C-128) DOS COMMANDS * REPROGRAMMABLE "BOS PAK" (BUFFERED OPERATING SYSTEM) The DATA CHIEF has been designed by C-64 users for C-64 users with important features like Storage in original individual disk format - Easy Access to programs via Disk Numbe - Example for disk # 60 "OPEN 15, 8, 15, "H60" Standard Utilities Included Includes Wedge Commands 135 Watt Power Supply Metal Enclosure houses up to 3 each 1/2 Ht Hard Disks - Provides Excellent Monitor Stand 'P.C. style - Allows room for future expansion Complete Operating Manual 1 Year Full Warranty The DATA CHIEF is perfect for software and hardware developers business users, students, and serious computer experimenters as well as for bulletin boards and data base systems TO ORDER SEND CERTIFIED CHECK OR MONEY ORDER TO Maryland residents add 5% sales tax For more information call (301) 371-4000 Allow 4-6 weeks delivery (U.S. Only) In Con Trailine * C-64 & C-128 are trademarks of Commodore Electronics, Ltd. 103 BAUGHMAN'S LANE SUITE 301 " GEOS is a trademark of FREDERICK, MD 21701 Berkeley Softworks



V3.0



Lyco Computer

Marketing & Consultants

Complete

Lyco Computer is one of the oldest and most established computer suppliers in America. Because we are dedicated to satisfying every customer, we have earned our reputation as the best in the business. And, our six years of experience in mail-order computer sales is your assurance of knowledgeable service and quality merchandise.

We fill 95% of all orders every month. Here's how: ● lowest prices anywhere • multimillion \$ factory fresh inventory • courteous, knowledgeable sales staff . 24-hour shipping on in-stock items.

Plus: ● free shipping in U.S. on prepaid cash orders ● no deposit on C.O.D. orders • no sales tax outside PA • full manufacturers' warranties apply • air freight, UPS Blue/Red shipping available.

Call Lyco Computer. See for yourself why so many customers keep coming back to Lyco for the best prices, the most complete inventory, and our fast and courteous service.

To order, call toll-free: 1-800-233-8760

In Penna.: 1-717-494-1030 Customer Service:

1-717-494-1670

Or write:

Lyco Computer, Inc. P.O. Box 5088 Jersey Shore, PA 17740





Risk-Free Policy: • prices show 4% cash discount; add 4% for credit cards . APO, FPO, international: add \$5 plus 3% for priority mail

- 4-week clearance required on personal checks . compatibility not guaranteed
- return authorization required we check for credit card theft

Price and availability subject to change without notice.



System

· Commodore 64 C Computer

- 1541 C Drive
- · Seikosha SP-1000 VC Printer

(90-day Warranty)

(reg. \$789)





System


Commodore 1902 A monitor


Commodore 1571 Disk Drive

Commodore 128 Computer

/ 128 Computer	275 C-1700 128K RAM \$109.9
/ 1571 Disk Drive \$2	
64C Computer \$17	5 Indus GT C-64 Drive \$179
1541 C Disk Drive \$185	GEOS\$CALL
1902 Monitor \$285	C-1351 Mouse \$39
1802C Monitor \$189	1670 Modem

1-800-233-8760





- 720 x 348 dots!

Made by Hyundai.

parts and labor.

One year warranty on

Ring of Zelfin \$24.95

Triple Pack

Enchanter Trilogy

Game Maker \$31.75

Acces

Leader I

Tourname

\$49.75

Activision:

Road War 2000 \$24.95

Shard of Spring \$24.95


Wizards Crown \$24.95 War in the S. Pacific \$39.95

Wargame Constr.....\$21.95 Battlecruiser\$36.95

Gemstone Warrior \$14.95

"Our Customer Service Department is one example of how much Lyco Computer cares about your satisfaction. Everyday we talk to people from all over the world, and our goal with each person who calls is to be as helpful, efficient, and courteous as possible. We're ready to find the answers -- from questions about the status of an order, to warranties, to product availability and price -- or guide you to someone who can. And we're always here to help you. . .before, during, and after your purchase."

	•		
			A STATE OF THE PARTY OF THE PAR
1	Sublogic:	Leather Goddesse	s\$25.75 Activision:
		\$15.95 / Term Paper	\$35.75 Borrowed Time\$26.95
	Flight Simulator II	.\$31.95 / Champ. Basketball	\$26.95 Champ. Basketball \$26.95
	Jet Simulator		\$New / Championship Golf \$32.95 /
	Night Mission Pinball \$2	/ Microprose.	Hacker \$26.95
/COMMC	DORE Scenery Disk	.95 / Crusade in Europe \$2	4.95 Hacker 2 \$29.95 Little People \$29.95
	SOFTWARE Sublogic Football\$26.95	Decision in Desert \$24	
Broderbund:	Epyx:	F-15 Strike Eagle \$22.9 Silent Service \$22.95	10 At also Charles Con OF
Bank St. Writer 128K	\$32.75 Dectroyer \$24.75		Tass Times
Carmen San Diego	\$22.75 Factions \$24.75	Microleague:	Strategic Simulations:
Champ. Lode Runner	Football \$24.75 / a	neral Manager \$25.95	Computer Baseball \$24.95
Graphic Library I, II, III \$1 Carateka \$18.	75 / Karate Champ \$19.75 / Stat [Disk\$17.95	ampfgruppe
nt Shop \$25.7	Movie Monster \$24.75 / '86 Te		blogic:
Shop Companion\$22.75	Multiplan\$24.75 Prodeth	una.	Simulator II \$32.95
hop Paper\$12.75	Winter Games \$23.95 Airheart	\$22.75 Jet Sim	ulator\$CALL
Kit\$35.75	Super Cuela saa of Ancient Art o	War \$25.75 / Epyx:	
/ 0	Graphics Scrapbook \$14.95 Print Shop	\$29.75 Apshai Trik	ogy \$22.95
rd\$24.95 St.	Sports Basketball \$23.95 Print Shop Com Carmen S. Diego	panion . \$25.75 Rogue	\$22.95
\$23.95 / Worl	d's Great Baseball\$19.95 Carmen S. Diego	(USA) . \$28.75 / Winter Games	
	er Games II \$24./5 Rank St Writer 4		\$26.95 Roque\$19.75
THE OF A POINTE	Julity Kit	/ · a · · · · · · · · · · · · · · · · ·	A STATE OF THE PROPERTY OF THE
\$13.95 World Gar	nes\$24.75 Strategic Simulations:	CHANGE OF THE PARTY OF THE PART	World Games \$24.75
S14 95 / Firebird:	Colonial Conquest	25.95 Print Master	. \$24.95 / Strategic Simulations:
	engos / Gettysburg	35.95 Art Gallery 1 or 2	\$18.95 Road War 2000 \$24.95
\$24.75 / Frankie Goes to It	Phantasie II\$25	.95 / VID.	Kampfgruppe \$36.95
22.75 / Pawn	\$29.95 / Shard of Spring \$25.95	/ VIP Professional	115 Shard of Spring \$24.95
3.75 Talking Teacher		Microprose:	Battle of Antetiem \$38.75
75 / Tracker		Silent Service \$24.95	Computer Baseball \$14.95 Gettysburg \$38.75
Starglider	100 11 0000		Knights in Desert\$25.75
Sentry	Night Mission Pinball \$22.95	/.	Sublogic:
Hi Tech Expressions: eart Ware\$6.	Scenery #1.#6 \$69.95		Simulator \$32.95
iday Paper \$8.95		Scen	nery Japan \$15.95
Ware \$6.75			ory San Fran \$15.95
Ware \$9.75 /	Karate Champ\$19.95 Activision:	SOFTWARE Scener	/#1-#6\$69.95
World:	Movie Monster\$24.95 Pobble Reach	\$32.95 / Broderbu	
1 or 2\$15.95 / W		\$28.95 / Ancient Art	of War \$28.95 SSDD \$6.99 \$37.75 DSDD \$7.50
\$22 Q5 /	stling \$24.95 Champ. Basketba	Deint Chan Com	\$37.75 DSDD\$7.50
uded: / Eirobi	Ballyhoo	Combination	or II\$21.75 SSDD\$8.50
\$26.95 / Calangu	s IV Chess \$25.95 Enchanter Trilogy		
	Moonmist		\$39.95 DSHD\$18.95
sayor / The Pawn.	\$26.95 / Music Studio		\$54.95 / Verbatim: /
\$14.95 / Stargilder	\$28.95 Microprose:	/ Unison World:	SSDD9.99
/ Unison World:	Conflict in Vietnam \$24	.95 Art Gallery 2	
	\$19.95 Crusade in Europe \$24.9		/9 E
Print Master	Decision in Desert	Print Master\$3	3M:
///	F-15 Strike Eagle \$22.95	77	SSDD\$16.99
	Silent Service \$22.95		DSDD\$23.99
	Microleague: Micro Leag. Baseball \$25.95		Maxell:
	General Manager \$25.95		SSDD\$15.99
777	10.00	/ 09	SDD\$21.99
///	'86 Team Disk	iskettes /vert	atim: We stock over
AMIGA	Epyx: 5-1/4	SSDD	\$16.99 5000 titles of
SOFTWARE	Apsnai Inlogy\$24.75	DSDD.	\$24.99 software, If it's not
	Destroyer \$24.75 Maxell:	SKC:	listed, call for price
Sent American Division Control of the Control of th	arate Champ\$19.75 SSDD	\$9.99 SSDD	and availability!
#1\$14.95 / Mov	vie Monster \$24.75 DSDD	\$12.99 DSDD	\$19.99



Cassette Sleeve Maker

David Ito

Make custom cassette sleeves for your music or computer cassette tape collection. For the Commodore 64, 128, Plus/4, or 16 with any printer.

If you're like a lot of people, you've probably accumulated a number of tape copies of your record albums or CDs. Or perhaps you use a Datassette for storage and have built up a large library of program tapes. While a tape can be recorded over and over, the cassette sleeve can be used only once. The result is mislabeled, unlabeled, or sloppylooking tapes. "Cassette Sleeve Maker" lets you easily create your own cassette sleeves with your computer and printer. The sleeves are just the right size to slide into a standard cassette case.

After typing in the program, be sure to save a copy. The program works as listed on the 128, 64, Plus/4, or 16, and with any printer. When you want to make a sleeve, load and run the program. You'll be asked whether you want to enter information for one or both sides of the tape. For each side, you can enter up to 19 lines of information. Each line can be up to 19 characters long. The first 14 lines will be printed on the part of the sleeve that will show on the front of the cassette case, lines 15-16 will appear on the bottom when the sleeve is folded, and lines 17-19 will appear on the | See program listing on page 97.

back.

Enter the names of the songs or programs on side A of the tape. Press RETURN after each name, or RETURN alone to enter a blank line. Avoid using the INST/DEL key to delete mistakes; instead use the cursor keys to move back and forth within the line to make corrections. After each line you'll be given a chance to correct any errors-just follow the prompts. If you have fewer than 14 entries for the front of the sleeve, you can enter an up arrow (1) to skip ahead to the cassette identification field (line 15). You can use lines 15-16 for the name of the artist or group and the album that you recorded on side A. Lines 17-19 can be used for additional song or program names, or to list the artist and album name again.

If you selected the option to enter information for two sides, you'll now repeat the entry process for side B. When you've finished, the program will wait for you to get your printer ready. Press RETURN to print the sleeve. When the printout is complete, simply cut out the sleeve, fold on the dotted lines, and insert it into the cassette case.

Copies of articles from this publication are now available from the **UMI** Article Clearinghouse.

For more information about the Clearinghouse, please fill out and mail back the coupon below.


Jeäringhouse

		nore about UMI
		m interested in
electronic o system(s):	ordering through	gh the following
	Dialorder 🗆 I'	TT Dialcom
☐ OnTyme		
		system
Other (pl	lease specify)_	
I am inte	rested in sendi	ng my order by
mail.		
☐ Please se	ructions for th	
Please se user inst checked	ructions for th	e system(s) I
□ Please se user inst checked Name	ructions for th above.	
☐ Please se user insti checked Name Title	ructions for th above.	e system(s) I
☐ Please se user insti checked Name Title	ructions for th above.	e system(s) I
Please se user instr checked Name Title Institution/	ructions for th above.	e system(s) Î
Please se user instruction of the checked of the ch	ructions for th above.	e system(s) Î
Please se user instruction of the checked of the ch	ructions for th	e system(s) Î

300 North Zeeb Road, Box 91 Ann Arbor, MI 48106

Super Software Hits!

Cadpak



Design pictures and graphics quickly and precisely. Unlike other drawing programs, you can produce exact scaled output on your printer. Design in the units of your drawing problem (feet, miles, meters, etc.) and send hardcopy to most printers. Uses either the keyboard or a lightpen. Two separate work screens-transfer artwork from one screen to the other. Place text in four sizes anywhere in the picture-three extra fonts included: Old English, 3-D and Tech. "Try Again" functions allows you to undo a mistake. Solid or dashed lines, circles, ellipses at any angle, rays and boxes. Save and edit fill patterns, fonts and objects. Cadpak is the full-featured design package for your Commodore computer. for C-64 \$39.95 for C-128 \$59.95

Super C

C is one of today's most popular languages. It's easy to transport C source code from one computer to another. With Super C you can develop software or just learn C on your Commodore. Super C takes full advantage of this versatile language. Produces 6502 machine code and is many times faster than BASIC. Includes full-screen editor (search, replace and block operations), compiler,

Super C Language Compiler

Learn the the language of the 80's and beyond on your '64 and '128

linker and handbook. Combine up to seven modules with the linker. Besides the standard I/O library, a graphic library (plot points, draw lines, fill in areas) and a math library (sin, cos, tan, log, arctan, more) are included. Whether you want to learn C, or program in a serious C environment for your Commodore, Super C is the one to buy. for C-64 \$59.95 for C-128 \$59.95

Super Pascal

Your complete system for developing applications in Pascal. A complete implementation of standard Pascal (Jensen and Wirth). C-64 version has a high-speed DOS (3X) for quick and efficient use. The extensive editor (source included) contains added features: append, search and replace. Assembler included to optionally code in machine language. Super Pascal is so capable that it's used in hundreds of schools to teach Pascal. But it can be used for more than just learning Pascal, use it for serious programming. The graphic library (source included) is written in machine language for fast execution. Want to learn Pascal or develop software using the best tool? Super Pascal is your first choice.


for C-64 \$59.95 for C-128 \$59.95

Super Pascal

Language Compiler

Expand your programming horizons on your '64 and '128


Super Book Hits!




Anatomy of the C-64
Insider's guide to '64 internals,
Graphics, sound, I/O, kernal,
memory maps, and much
more. Complete commented
ROM listings. 300pp \$19.95



Anatomy of the 1541 Drive
Best handbook on this drive,
explains all, Filled with many
examples programs, utilities,
Fully commented 1541 ROM
listings, 500pp \$19.95



Tricks & Tips for the C-64
Collection of easy-to-use techniques: advanced graphics, improved data input, CP/M, enhanced BASIC, data handling and more. 275pp \$19.95



GEOS Inside and Out
Detailed info on GEOS. Add
your own applications to
GEOS. Edit icons. Constant
display clock. Single-step
through memory. \$19.95



GEOS Tricks and Tips
Collection of helpful techniques for all GEOS users.
Includes source for a font editor and a machine language monitor.
\$19.95

Call now for the name of your nearest dealer. Or order direct with your credit card by calling 616/241-5510. Add \$4.00 per order for S&H. Foreign add \$12.00 per item.

Other books and software also available. Call or write for your free catalog Dealers inquires welcome-2000 nationwide




C-128 INTERNALS
Important C-128 information.
Covers graphic chips, MMU,
I/O, 80 column graphics and
fully commented ROM
listings, more. 500pp \$19.95



1571 INTERNALS
Essential reference. Internal
drive functions. Explains
various disk and file formats.
Fully-commented ROM
listings. 450pp \$19.95



C-128 TRICKS & TIPS
Fascinating and practical into on the C-128, 80-col hires graphics, bank switching, 300 pages of useful information for everyone. \$19.95



C-128 PEEKS & POKES
Dozens of programming
quick-hitters, techniques on
the operating system, stacks,
zero page, pointers, and
BASIC. 240pp \$16.95



C-128 BASIC 7.0 Internals
Get all the inside into on
BASIC 7.0. This exhaustive
handbook is complete with
fully commented BASIC 7.0
ROM listings. \$24,95

Abacus

P.O. Box 7219
Dept. G5
Grand Rapids, MI 49510
Telex 709-101 • Fax 616/241-5021
Phone 616/241-5510

SpeedScript 3.2

For The Commodore 64

Charles Brannon

Since its introduction in the January 1984 issue of COMPUTE!'s Gazette, SpeedScript has been the most popular program ever published by COMPUTE! Publications. Written entirely in machine language, SpeedScript contains nearly every command and convenience you'd expect from a quality word processor. The latest version of Commodore 64 SpeedScript, version 3.2, incorporates many improvements, readers' suggestions, and additional debugging. This version also works on a Commodore 128 in 64 mode.

SpeedScript 3.2, though compact in size (6K), has many features found on commercial word processors. SpeedScript is also very easy to learn and use. You can start writing with it the first time you use it. You type in everything first; preview and make corrections on the screen; insert and delete words, sentences, and paragraphs; and then print out an error-free draft, letting SpeedScript take care of things like margins, centering, headers, and footers.

SpeedScript is a writing tool. It won't necessarily make you a better writer, but you may become a better writer once the tedium of retyping and erasing is replaced by the flexibility of a word processor. Words are no longer frozen in place by ink; they become free-floating entities. You no longer think about typewriting—you can stand back and work directly with words and ideas. The distinction between rough and final drafts becomes blurred as you perfect your writing as you write.

Typing In SpeedScript

SpeedScript is one of the longest programs we've ever published, but it's well worth typing in. Since SpeedScript is a machine language program, it must be entered with the "MLX" machine language entry program found elsewhere in this is-

sue. (If you already have a copy of SpeedScript 3.0 from the March 1985 issue of COMPUTE! or SpeedScript 3.1 from the book SpeedScript: The Word Processor for Commodore 64 and VIC-20, it's not necessary to retype the entire program. Skip to the section entitled "The SpeedScript Family" for simple modifications to update your copy to version 3.2.)

When you run MLX, you'll be prompted for a starting address and an ending address for the data you'll be entering. For *SpeedScript 3.2*, respond with the following values:

Starting Address: 0801 Ending Address: 2008

When you've finished typing in the data, save several copies to tape or disk before leaving MLX.

Loading SpeedScript

SpeedScript can be loaded just as if it were a BASIC program. If you load SpeedScript and list it, you'll see that it looks like a one-line BASIC program. This BASIC line is included to make the program easy to load, run, and copy. It's a good idea to save a couple of extra copies of SpeedScript, just in case the original is destroyed. To do this, type SAVE"SPEEDSCRIPT3.2",8 (or ,1 if you're using tape) after loading SpeedScript, just as you would for a BASIC program. Use whatever filename you like (although "SPEED-

SCRIPT" would be the best choice if you intend to use "SpeedScript Date And Time Stamper" found elsewhere in this issue).

Before using SpeedScript, you should unplug any cartridges and expanders. SpeedScript cannot take advantage of any custom hardware configurations except those that do not interfere with normal operations.

Sitter its introduction on the January lies are the state of the party of the state of the state

SpeedScript 3.2 is the latest version of COMPUTE! Publications' popular full-featured word processor for the Commodore 64.

Entering Text

When you run SpeedScript, the screen colors change to dark gray on light gray except for the top screen line, which is black with white letters. This command line is used to communicate with Speed-Script. SpeedScript presents all messages here. The remaining lines of the screen are used to enter, edit, and display your document. The cursor shows where the next character you type will appear on the screen. SpeedScript lets you move the cursor anywhere within your document, making it easy to find and correct errors.

To begin using SpeedScript, just start typing. When the cursor reaches the right edge of the screen,

NLO 180

ed Printer Sale

CPS • Near Letter Quality

Lifetime Warranty


60% OFF LIST PRICE

Wholesale Cost Prices!

List \$499.95

10" Carriage





All New up Front **Panel Controls**

Fantastic Graphics

Easy to Use

Fantastic Price

NLQ-180 Premium Quality Printer Near Letter Quality Selectable From Front

Panel Controls • High Speed Dot Matrix• Letter Quality Modes • 8K Buffer frees up computer 4-times faster • Pica, Elite, Italics, Condensed • Super Graphics • Business or Personal • Tractor/Friction • 15 Day Free Trial • Lifetime Warranty on Print Head* • 6 Month Immediate

Replacement Policy •

NLQ-180 Print Samples

This is an example of ITALICS Enhanced

NLQ 180 SPECIFICATIONS --- IBM -- COMMODORE -- ETC.

Boldface

Condensed Text Double-strike

example of Near Letter Quality

- APPLE - ATARI - EPSON -

Print Buffer

8K bytes utility buffer **Printing Direction**

Text Mode — Bi-directional Graphic Mode — Uni-directional

Interface Centronics Parallel Port

Paper

Plain paper, Roll paper, Single sheet Fanfold, Multipart paper: max. 3 sheets (original plus 2 copies)

Character Fonts

Pica, Elite, Italics, Condensed

Printing Method

Impact dot matrix

Printing Speed

160-180 CPS at standard character printing

Printing Characters

Standard 9 x 9 dot matrix

NLQ 12 x 18 dot matrix (33cps) Character size: 2.12 x 2.8 mm (standard)

Character sets: Full ASCII character set (96)

32 International characters

Ink Ribbon Cartridge

Ribbon Life: 3 million characters/cartridge

Physical Dimensions

Size: 15" x 12" x 5" Weight: 12.7 lbs.

Maximum Number of Characters

Standard: 80 cpl 10 cpi 5 cpi 12 cpi 40 cpl Standard enlarged: 96 cpl Elite: 48 cpl Elite enlarged: 6 cpi 132 cpl Condensed: 17 cpi 8.5 cpi Condensed enlarged: 66 cpl 20 cpi Condensed elite: 160 cpl

INTERFACES -

Atari \$39.95 Apple \$44.95 Commodore \$29.95 IBM \$49.95 Laser 128 \$19.95 Macintosh \$49.95

Shipping, Handling & Insurance Charges

Add \$10.00 for shipping, handling, and insurance. Illinois residents please add 61/6 % sales tax. Add \$20.00 for ALASKA, CANADA, HAWAII, PUERTO RICO & APO-FPO orders. All orders must be in U.S. Dollars. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA & PUERTO RICO. Enclose cashier check, money order or personal check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail, Prices & Availability subject to change without notice.

VISA — MASTER CARD — C.O.D. Call For C.O.D. Charges.



We Love Our Customers

22292 N. Pepper Rd., Barrington, Illinois 60010 312/382-5244 to order

PROTECTO

ENTERPRIZES

"The Computer Experts"

22292 N. Pepper Rd., Barrington IL 60010

· OUR WARRANTY ·

Most of our products carry a minimum 90 day warranty from the date of purchase. If problems arise, simply send your product to us via U.P.S. prepaid. We will IMMEDIATELY send you a replacement at no charge via U.P.S. prepaid. This proves once again that...

We Love Our Customers!

COMMODORE 64c



Includes the GEOS program.

SALE \$ 159.95

(Add \$10.00 shipping) List \$299

BLUE CHIP DISK DRIVE



SALE \$159.95

(Add \$10.00 shipping)List \$249

COMMODORE 128



SALE \$ 289.00

(Add \$10.00 shipping) List \$399

1571 DISK DRIVE



SALE \$ 259.95

(Add \$10.00 shipping) List \$349

TV TUNER

Now switch your computer monitor into a television set with the flick of a switch. This Tuner has dual UHF/VHF selector switches, mute, automatic fine tuning and computer/TV selector switches. Hooks up between your computer and monitor! Inputs included for 300 ohm, 75 ohm, and UHF. (Add \$3.00 shipping)

SALE \$ 79.95

List \$130

13" COLOR MONITOR



High Resolution, 1000 character display, with built in audio speaker with volume control. (Add \$14.50 shipping)

SALE \$ 179.95

I ict \$220

BIG BLUE PRINTER



This is the affordable printer you've waited for! 8½" letter size, 80 column dot matrix, heat transfer printer features upper and lower case, underline, word processing, and much more. (Add \$7.50 shipping)

SALE\$ 39.95

List \$199


87 EP PRINTER & TYPEWRITER COMBINATION

Superb Silver Reed letter quality daisy wheel printer/typewriter, just a flick of the switch to interchange. Extra large carriage, typewriter keyboard, automatic margin control, compact, lightweight, drop in cassette ribbon! Centronics parallel port. (Add \$12.00 shipping)

SALE \$179.95

ist \$299

COMSTAR 1000 PRINTER




Print letters, documents, etc., at 100 cps. Works in Near Letter Quality mode. Features are dot addressable graphics, adjustable tractor and friction feed, margin settings, pica, elite, condensed, italics, super/subscript, underline, & more. CBM Interface Included (Add \$10.00 shipping)

SALE \$179.95

List \$349

12" 80 COLUMN MONITOR




High Resolution amber or green screen monitor, 80 col. x 1000 lines at center. Non-glare screen. Works terrific with IBM, Apple and Laser business computers. (Add \$10.00 shipping)

SALE\$ 99.00

List \$129

14" RGB & COMPOSITE COLOR MONITOR



High Resolution, 80 column Monitor. Switch from RGB to Composite. (C128 - IBM - Apple) RGB cable \$19.95.) (Add \$14.50 shipping.

SALE \$ 237.00

1 jet \$39

160-180 CPS N.L.Q. 180 PRINTER

This centronics parallel printer has a Near Letter Quality button on the front panel. No more turning the printer on and off. The 8K buffer will free up your computer four times faster than conventional printers and the high speed will keep you computing more than printing. Super graphics along with Pica, Elite, Italics, and Condensed print. Lifetime Warranty on Print Head plus 6 month immediate replacement warranty. (Add \$10.00 shipping)

SALE \$ 199.00

ist \$499



TO ORDER CALL (312) 382-5244

8 am - 8 pm CST Weekdays / 9 am - 12 noon CST Saturdays

VISA

BEST SERVICE IN THE USA . 1 DAY EXPRESS MAIL . OVER 1000 PROGRAMS · VOLUME DISCOUNTS . 15 DAY FREE TRIAL . CUSTOMER LIST OF OVER 3,000,000 - LARGEST IN THE USA

MUSICAL KEYBOARD

This sturdy 40 key professional guage spring loaded keyboard gives the feel and response of a real keyboard instrument. (Conductor software required)

SALE \$ 69.00

COMPUTER **CLEANERS**

TV/Monitor Screen Restorer & Cleaning Kit, Disk Drive Cleaner, Anti-Static Keyboard Cleaner

*Choose any of these three computer cleaners for only \$9,95 each!

SALE \$9.95*

List \$19.95

1200 BAUD MODEM

Save time and money with this 1200 Baud modem. It has many features you expect a modem to have plus 4 times the speed! For Commodore Computers.

SALE \$ 79.95

SUPER AUTO DIAL MODEM



300 Baud Modem has on-line clock, dialing from keyboard, capture and display high resolution characters, and more. For Commodore Computers.

SALE \$29.95

List \$99

DOUBLE SIDED DOUBLE DENSITY DISKS

100% Certified 51/4" floppy disks. Lifetime Warranty. 1 Box of 100 \$29.00 List \$1,99 each

29¢ ea.

SPECIAL BONUS COUPON

We pack a special software discount coupon with every Computer, Disk Drive, Printer, or Monitor we sell! This coupon allows you to SAVE OVER \$250 off sale prices!

(EXAM	PLES)		
Name	List	Sale	Coupon
Transformers	\$34.95	\$22.95	\$21.95
Trio C128	\$69.95	\$42.95	\$39.95
Indoor Sports	\$29.95	\$19.95	\$18.95
Championship Basketball	\$34.95	\$22.95	\$21.95
Leader Board	\$39.95	\$23.95	\$21.95
Tales of Me	\$39.95	\$16.95	\$14.95
Monitor Stand	\$79.95	\$19.95	\$16.95
Marble Madness	\$24.95	\$22.95	\$19.95
Super Bowl Sunday	\$35,00	\$20.95	\$18.95
SAT Sample Test	\$39.95	\$14.95	\$12.95
Commando	\$34.95	\$22.95	\$21.95
Auto Duel	\$42.95	\$32.95	\$29.95
Flight Control Joystick	\$19.95	\$12.95	\$10.00
Robotics Workshop	\$149.00	\$119.95	\$114.95
C64 Troubleshooting & Repair Guide	\$19.00	\$14.95	\$12.95

(See over 100 coupon items in our catalog.)

FOR FREE CATALOG CALL

(312) 382-52

CALL BEFORE YOU ORDER: PRICES MAY BE LOWER & WE OFFER SPECIAL SYSTEM DEALS

COMMODORE SOFT

ACCESS TRIPLE PACK (D)...... LEADER BOARD (D)..... LEADER BOARD COURSES (D). \$19.95 . 23.95 . 13.95 TENTH FRAME (D) 23.95

ACCOLADE ACE OF ACES (D)...... DAM BUSTERS (D)...... FIGHT NIGHT (D)..... \$18.95 18.95 18.95 18.95 HARDBALL (D) LAW OF THE WEST (D) ... KILLED UNTIL DEAD (D) 18.95 18.95

BLUE CHIP			
BARON (D) MILLIONAIRE TYCOON (D)	(D)	\$14.95 14.95 14.95	

TOM WEISKOPF PRO GOLF (D)	\$11.95
VIDEO PHILE (D)	
PRINTERS LIB. I (D)	
PRINTERS LIB. 2 (D)	
DATABASE MGR./PLUS - C128 (D).	14.95
MIND OVER MATTER (D)	

PRINT SHOP (D)	\$25,95
GRAPHICS LIB. 1,2 or 3 (D)	15.95
COMPANION (D)	22.95
TOY SHOP (D)	38.95
WHERE IS CARMEN SANDIEGO (D)	21.95
GRAPHICS LIB. HOLJDAY ED. (D)	15.95

PROPERBUIND

HEART OF AFRICA (D). HEART OF AFRICA (D) ONE ON ONE (D) PINBALL CONTRUCTION (D). MUSIC CONSTRUCTION (D). MARBLE MADNESS (D) STAR FLEET 1 (D). BALKON RAIDER (D) QUIZAM (D).

22.95

ELECTRONIC ARTS

DATA SOFT	
221 B BAKER STREET (D) 517. MERCENARY (D) 17. NEVER ENDING STORY (D) 17. MIND PURSUIT (D) 17. VIDEO TITLE SHOP (D) 17. THEATRE EUROPE (D) 19.	95 95 95 95 95

DESIGNWARE	
BODY TRANSPARENT (D) 52 EUROPEAN NATIONS & LOCATIONS (D) 2 STATES AND TRAITS (D) 2	2.95

SARGON II (D)	\$9.95
	14.95
	14.95
	14.95

SUPER	HUEY	II (D)		. \$12.95
TALLA	DEGA	(T)		10.95
BEYON	D FORE	IDDEN	FOREST (D)10.95

DATA EAST

COMMANDO (D)	\$22.95
KARATE CHAMP (D)	
KUNG FU MASTER (D)	. 22.95

EPYX

CHAMPIONSHIP WRESTLING (D)	\$22.95
DESTROYER (D)	. 22.95
MOVIE MONSTER (D)	. 22.95
WINTER GAMES (D)	
WORLD GAMES (D)	. 22.95
WORLD KARATE (D)	
WORLD'S GREATEST FOOTBALL (D)	. 22.95

HI-TECH EXPRESSIONS

CARD WARE (D)	\$9.95
HEART WARE (D)	. 7.95
PARTY WARE(D)	
WARE WITH ALL KIT (D)	
HOLIDAY PRINT PAPER (D)	. 7.95

ARTWORK

BEACH BLANKET VOLLEYBALL (D) \$9.90	5
EQUESTRIAN SHOWJUMPER (D)	5
HIGHLAND GAMES (D)	5
POLICE CADET (D)	5
THAI BOXING (D)	5
BRIDGE 4.0 (D)	

SUB LOGIC

d	FLIGHT SIMULATOR II (D)\$31.95
•	JET (D) 25.95
1	FOOTBALL (D)
1	BASEBALL (D) 31.95

5.5.1.

ROADWAR 2000 (D)	. \$23.95
BATTLE OF ANTIETAM (D)	31.95
GETTYSBURG (D)	32.95
WAR IN SOUTH PACIFIC (D)	32.95
NAM (D)	
U.S.A.A.F. (D)	32.95
KAMPFGRUPPE (D)	
WAR SHIP (D)	

SOFTSYNC

ACCOUNTANT, INC. C128 (D)\$	59.95
DESK MANAGER (D)	24.95
KID PRO QUO (D)	19.95
MODEL DIET (D)	
TRIO C64 (D)	29.95

SPINNAKER

DELTA DRAW	NG	(C)	7	2				Į		59	.95
NUMBER TUM	BLEF	RS	(C)	١	4	Ç,	٠.	ı.	٠.	, 9	.95
SEA SPELLER	(C)		Μ.		,	ĕ,	í.	í		. 9	.95
UP & ADD'EM	(C)	4	٠.	۷.	į,		ı,	ļ	٠.	. 9	.95

Shipping, Handling & Insurance Information and Charges

Add \$3.00 (unless noted) for shipping, handling, and insurance. Illinois residents please add 6 1/2 % sales tax. Add \$6.00 (double the amount) for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. All orders must be in U.S. Dollars. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA. Enclose Cashier Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail. Prices 8 Availability subject to change without notice. Hardware shipping prices vary according to weight. Please call for monthly only to 1/2 and VISA-MASTER CARD-C.O.D. Call for C.O.D. Charges

it automatically jumps to the beginning of the next line, just as in BASIC. But unlike BASIC, Speed-Script never splits words at the right edge of the screen. If a word you're typing won't fit at the end of one line, it's instantly moved to the next line. This feature, called word-wrap, makes it much easier to read your text on the screen. Even if you make numerous editing changes, Speed-Script reformats the screen and rewraps all words.

Scrolling And Screen Formatting

When you finish typing on the last screen line, SpeedScript automatically scrolls the text upward to make room for a new line at the bottom. This is similar to the way BASIC works, but with one exception: The screen can scroll both up and down. Imagine the screen as a 24-line window on a long, continuous document.

More than 43K of text space is available in memory, room enough for 20-40 printed pages of text. To check at any time how much space is left, press CTRL-= (hold down the CTRL key while pressing the = key). The number which appears on the command line indicates how much room remains for characters

If you're used to a typewriter, you'll have to unlearn some habits. First, since the screen is only 40 columns wide, and most printers have 80-column carriages, it doesn't make sense to press RE-TURN at the end of each line as you do on a typewriter. SpeedScript's word-wrap takes care of this automatically. Press RETURN only when you want to force a carriage return to end a paragraph or to limit the length of a line. So that you can see these forced carriage returns, they appear on the screen as leftpointing arrows (called return marks in this article).

When you print your document, SpeedScript automatically formats your text to fit the width of the paper. Don't manually space over for a left margin or try to center a line yourself as you would on a typewriter. SpeedScript's printing routine automatically takes care of all margins and centering and lets you customize the margin settings. Also, don't worry about where a

printed page will end. When printing, SpeedScript automatically fits your text onto separate pages and can even put short phrases and page numbers at the top or bottom of each page if you want.

Like all good word processors, SpeedScript has a wide selection of editing and convenience features. You can move the cursor a single space in either direction, or skip to the next or previous word, sentence, or paragraph. You can also move the cursor to the top of the screen, the top of the document, or the end of the document. The INST/DEL key is used to insert a single space or delete a single character. Other features let you erase a word, sentence, or paragraph, and move or copy sentences, words, and paragraphs to other places in your document. Using Search-and-Replace, you can find any phrase and even automatically change one phrase to another throughout the entire document.

You can save your text on tape or disk, then load it later for additions and corrections. You can transpose (exchange) two characters, change the screen and text colors, send disk commands, read the disk error channel, and automatically tab over five spaces for paragraph indents. You don't need to learn all these commands right away, but you'll be glad they're available as you become more comfortable with word processing.

Using The Keyboard

Most of SpeedScript's features are accessed with control-key commands-you hold down CTRL while pressing another key. In this article, control-key commands are abbreviated CTRL-x (where x is the key you press in combination with CTRL). An example is the CTRL-= mentioned above to check on free memory. CTRL-E means hold down CTRL and press E. Sometimes you have to hold down both SHIFT and CTRL as you type the command key, as in SHIFT-CTRL-H. Other keys are referenced by name or function, such as back arrow for the left-pointing arrow in the top-left corner of the keyboard, pound sign for the British pound symbol (£), CLR/HOME for the home-cursor key, SHIFT-CLR/ HOME for the clear-screen key, f1

for special-function key 1, and up arrow for the upward-pointing arrow to the left of the RESTORE key.

Some keys let you move the cursor to different places in the document to make corrections or scroll text into view. SpeedScript uses a unique method of cursor movement that is related to writing, not programming. Programmers work with lines of text and need to move the cursor up and down a line or left and right across a line. SpeedScript, however, is oriented for writers. You aren't working with lines of text, but with a continuous document.

Therefore, SpeedScript moves the cursor by character, word, sentence, or paragraph. SpeedScript defines a word as any sequence of characters preceded or followed by a space. A sentence is any sequence of characters ending with a period, exclamation point, question mark, or return mark. And a paragraph is defined as any sequence of characters ending in a return mark. (Again, a return mark appears on the screen as a left-pointing arrow.)

Here's how to control the cursor:

- The left/right-cursor key works as usual; pressing this key by itself moves the cursor right (forward) one space, and pressing it with SHIFT moves the cursor left (backward) one space.
- The up/down-cursor key moves the cursor forward to the beginning of the next sentence. Pressing it with SHIFT moves the cursor backward to the beginning of the previous sentence.
- The f1 function key moves the cursor forward to the beginning of the next word. The f2 key (hold down SHIFT and press f1) moves the cursor backward to the beginning of the previous word.
- The f3 function key moves the cursor forward to the beginning of the next sentence (just like the up/ down-cursor key). The f4 key (hold down SHIFT and press f3) moves the cursor backward to the beginning of the previous sentence (just like pressing SHIFT and the up/down-cursor key).
- The f5 function key moves the cursor forward to the beginning of the next paragraph. The f6 key (hold down SHIFT and press f5)

Figure 1: SpeedScript Keyboard Map CTRL with most commands. Use Delete w/shift Insert 5 Backspace Insert a Disk (indent) Delete In space Command Home w/shift: Erase cursor Insert 255 (SWP) Insert Kill Enter /shift Directory Buffer Print format key spaces Mode buffer CLR DEL 2 QUIT 0 RESTORE Return SHIFT RETURN mark CRSR B N CRSR SHIFT SHIFT Lettering End Change Hunt Trans Delete of Memory sentence Replace left/ Case Border pose text w/shift: (SWP) Search right Previous Color & Replace sentence CTRL A Change case RUN/STOP Indent 5 spaces CTRL B with SHIFT: Insert 255 spaces Change border color CTRL D Delete (Sentence, Word, Paragraph) RESTORE Exit SpeedScript (Commodore 64) CTRL E Erase (Sentence, Word, Paragraph) with RUN/STOP: Exit SpeedScript (VIC-20) CTRL G Global search and replace Backspace CTRL H Hunt for phrase with CTRL: Delete character under cursor with SHIFT: Select hunt phrase and close up text with SHIFT and CTRL: Delete all spaces CTRL I Enter/exit insert mode CTRL J Replace from cursor to next character with SHIFT: Select replace phrase RETURN Return mark CTRL K Kill buffer with SHIFT: End paragraph, add an extra CTRL L Change text character color return mark, and indent next paragraph CTRL P Print INST/DEL Delete character CTRL R Restore buffer with SHIFT: Insert space CTRL V Verify CTRL X Transpose characters CTRL Z Go to end of text CTRL = Display amount of free memory f1 Next Word Send disk command or read error channel CTRL 1 f2 Previous Word CTRL 4 Display disk directory CTRL £ Enter format (printer) commands f3 Next Sentence CTRL 3 Commodore 64 only: Same as CTRL-£ f4 Previous Sentence CLR/HOME Press once to go to top of screen Hold down to go to top of text f5 Next Paragraph with SHIFT: Erase all text f6 Previous Paragraph CRSR

moves the cursor backward to the beginning of the previous paragraph.

(left/right)

(up/down)

CRSR

Move the cursor left one character

with SHIFT: Go to previous sentence

Got to next sentence

with SHIFT: Move the cursor right one character

 CLR/HOME, pressed once by itself, moves the cursor to the top of the screen without scrolling. Pressed twice, it moves the cursor

to the beginning of the document. · CTRL-Z moves the cursor to the bottom of the document.

f7 Load

f8 Save

Correcting Your Typing

One strength of a word processor is that you need never have mistakes in your printed document. Since you've typed everything before you print it, you have plenty of opportunities to proofread and correct your work. The easiest way to correct something is just to type over it, but there are other ways, too.

Sometimes you'll have to insert characters to make a correction. Maybe you accidentally dropped a letter, typing hngry instead of hungry. When you change the length of a word, you need to push over everything to the right of the word to make room for the insertion. Use SHIFT-INST/DEL to open up a single space, just as in BASIC. Merely position the cursor at the point where you want to insert a space, and press SHIFT-INST/DEL.

Insert Modes

It can be tedious to use the SHIFT-INST/DEL key to open up enough space for a whole sentence or paragraph. For convenience, SpeedScript has an insert mode that automatically inserts space for each character you type. In this mode, you can't type over characters; everything is inserted at the cursor position. To enter insert mode, press CTRL-I. To cancel insert mode, press CTRL-I again. (This kind of command key, one which is used to turn something both on and off, is called a toggle). To let you know you're in insert mode, the normally black command line at the top of the screen turns blue.

Insert mode is the easiest way to insert text, but it can become too slow when you're working with a very long document because it must move all the text following the cursor position. Although Speed-Script uses turbocharged memorymove routines, the 6510 microprocessor can go only so fast. So SpeedScript has even more ways to insert blocks of text.

One way is to use the RUN/ STOP key. It is programmed in SpeedScript to act as a five-space margin indent. To end one paragraph and start another, press RE-TURN twice and press RUN/STOP. Alternatively, you can press SHIFT-RETURN, which does this automatically. You can use RUN/STOP to open up more space than SHIFT-INST/DEL. No matter how much space you want to insert, each insertion takes the same amount of time. So the RUN/STOP key can insert five spaces five times faster than pressing SHIFT-INST/DEL five

There's an even better way, though. Press SHIFT-RUN/STOP

to insert 255 spaces. This is enough room for a sentence or two. You can press it several times to open up as much space as you need. And SHIF-T-RUN/STOP is *fast*. (You don't want to be in insert mode when you use this trick; that would defeat its purpose.)

Since the INST/DEL key is also slow when you're working with large documents (it, too, must move all text following the cursor), you may prefer to use the back-arrow (+) key to backspace. The back-arrow key by itself moves the cursor left one space and blanks out that position. It's more like a backspace than a delete.

After you're finished inserting with these methods, there will probably be some inserted spaces left over that you didn't use. Just press SHIFT-CTRL-back arrow. This instantly deletes all extra spaces between the cursor and the start of the following text. SHIFT-CTRL-back arrow is also generally useful whenever you want to delete a bunch of spaces.

Erasing Text

Inserting and retyping are not the only kinds of corrections you'll need to make. Part of writing is separating the wheat from the chaff. On a typewriter, you pull out the paper and throw it away. SpeedScript lets you be more selective.

Press the **INST/DEL** key by itself to erase the character to the left of the cursor. All the following text is pulled back to fill the vacant space.

Press CTRL-back arrow to delete the character on which the cursor is sitting. Again, all the following text is moved toward the cursor to fill the empty space.

These keys are fine for minor deletions, but it could take a long time to delete a whole paragraph this way. So *SpeedScript* has two commands that can delete an entire word, sentence, or paragraph at a time. CTRL-E erases text *after* (to the right of) the cursor position, and CTRL-D deletes text *behind* (to the left of) the cursor.

To use the CTRL-E (erase) mode, first place the cursor at the beginning of the word, sentence, or paragraph you want to erase. Then press CTRL-E. The command line shows the message *Erase* (S,W,P): RETURN to exit. Press S to erase a

sentence, W for a word, or P for a paragraph. Each time you press one of these letters, the text is quickly erased. You can keep pressing S, W, or P until you've erased all the text you wish. Then press RETURN to exit the erase mode.

The CTRL-D (delete) mode works similarly, but deletes only one word, sentence, or paragraph at a time. First, place the cursor after the word, sentence, or paragraph you want to delete. Then press CTRL-D. Next, press S, W, or P for sentence, word, or paragraph. The text is immediately deleted and you return to editing. You don't need to press RETURN to exit the CTRL-D mode unless you pressed this key by mistake. (In general, you can escape from any command in Speed-Script by simply pressing RETURN.) CTRL-D is most convenient when the cursor is already past what you've been typing.

The Text Buffer

When you erase or delete with CTRL-E and CTRL-D, the text isn't lost forever. *SpeedScript* remembers what you've removed by storing deletions in a separate area of memory called a *buffer*. The buffer is a fail-safe device. If you erase too much or change your mind, just press CTRL-R to restore the deletion. However, be aware that *Speed-Script* remembers only the last erase or delete you performed.

Another, more powerful use of this buffer is to move or copy sections of text. To move some text from one location in your document to another, first erase or delete it with CTRL-E or CTRL-D. Then move the cursor to where you want the text to appear and press CTRL-R. CTRL-R instantly inserts the contents of the buffer at the cursor position. If you want to copy some text from one part of your document to another, just erase or delete it with CTRL-E or CTRL-D, restore it at the original position with CTRL-R, and then move the cursor elsewhere and press CTRL-R to restore it again. You can retrieve the buffer with CTRL-R as many times as you like.

Important: The CTRL-E erase mode lets you erase up to the maximum size of the buffer (12K, or over 12,000 characters). CTRL-E normally removes the previous contents of

Wholesalers, Inc. NHOLESALE TO THE PUBLIC BUY BELOW DEALER COST!

1-800-233-6345 ORDERS ONLY

226 Lincoln Road Miami Beach, FL 33139

COMMODORE HARDWARE

C128 Computer	\$259.90
C1571 Disk Drive	\$239.90
MPS 1200 Printer	\$249.90
C1902 Monitor	\$288.00
C1350 Mouse	\$ 37.90
C1660 300 Baud Modem.	\$ 49.90
C1670 1200 Baud Modem	\$148.90
C64 Computer	\$139.90
64C Computer	S CALL

Δ	В	Δ	CI	JS

Assembler Monitor	S	24.99
Basic 128	5	39.99
Basic 64	. 5	24.99
Cadpak 128	. 5	39.99
Cadpak 64	. 5	27.99
Chartpak 128	. 5	27.99
Chartpak 64	S	24.99
Cobol	S	27.00
Forth	S	26.90
Powerplan	S	26.90
Quick Copy 2.0		14.90
Super C Compiler		39.90
Super Pascal	S	39.90
T.A.S.		39.90
Video Basic		27.90
XPER	S	39.90

MONITORS

Samsung 14" C	olor.			Ø	. \$1	39.90
Samsung Green	12"		00	Q,	\$	49.90
80 Col. Cable					\$	8.77
Monitor Cable					\$	5.77
NEC 12" Color					\$	34.90

PRINTERS
Okimate 10 \$124.77
Okimate 20
Plug-N-Print C64
Plug-N-Print Amiga \$ 69.77
Panasonic 1091\$224.77
Panasonic 1080 \$199.77
Star NX 10 \$239.77
Star SG10C
Okimate 120 \$224.77
Epson LX 80 \$239.90
Epson FX 85 \$369.90
Epson FX 286 \$479.90

JOYSTICKS & ACCESSORIES

WICO The Boss	S	10.77
WICO Ball	5	14.77
WKO 3 Way	S	18.77
Kraft	5	6.77
51/4" Drive Cleaner		6.77
31/2" Drive Cleaner	S	7.77
CRT Cleaner	S	14.77
C64 Cover	\$	6.77
C128 Cover	. \$	7.77
Drive Cover ST	S	7.77
Printer Head Cleaner	.\$	7.77

SOFTWARE CLOSEOUTS

Bonus by Verbatim DSDD 51/4"\$

DISKETTES

Sony DSDD 514" Memorex DSDD 51/4"

Sony 31/2" DSDD

Sony 31/2" SSDD

Winners 31/2" DSDD

Precision DSDD 51/4"

\$ 9.97

\$ 25.50

8.97

7.97

6.97

19.50

\$ 24.00

Zork I			Ø		Q.	0	Ø	V	ij,	Ü	4	Z)	Ž,	Ø	(j)	7	0	\$	4.77
Zork II										Ø	ì	Ž			Ø,	Ø	Z,	\$	4.77
Zork III			ij,				Ø								Ų,			5	4.77
File Now						ß			W W	8	Ŋ,							\$	7.77
Calc Now																		\$	7.77
Frogger										æ			×					\$	7.77
Q Bert												Q)	4	V.	V,	ij,		\$	7.77
Popeye .											,							5	7.77
Multiplan:												ķ		4				\$	29.77
Triad					ğ			ļ										\$	4.77
Battlezone				Ø	6				0	ij							Ø,	\$	7.77
Robotron			ij,															\$	7.77
Rack-Em	Un	1		Ŋ	Ø	Ø		Ó		2	Ø	Ú	Ú	ij	Ø	Ó		S	6.77

COMMODORE CLOSEOUTS

VIC 1525 Graphics Printer	\$	99.90
MPS 803 Printer	5	109.90
C1600 300 Baud Modem	5	37.90
Commodore Plus/4	S	79.90

TIMEWORKS

Wordwriter 128 w/Spell Check \$ 38.77

\$ 33.77* \$ 38.77

\$ 38.77

\$149.90

\$ 42.77 \$ 27.77

\$ 27.77

\$ 27.77

\$ 32.77

Partner 128

All Four

SwiftCalc Wordwriter

Data Manager

Data Manager 128

SwiftCalc 128 w/Sideways

Sylvia Porter's \$ Planner 128

Sylvia Porter's \$ Planner

CLOSEOUT

Koala Pad		
By Koala	Technologies	\$ 39.77

EFAX		
Championship Wrestling	S	23.90
Word Games	S	23.90
Supper Cycle.	S	23.77
Summer Games	S	23.90
Summer Games II	. 5	23.90
Winter Games	S	23.90
Fast Load ,	. \$	23.90
Multiplan	S	39.90
World Karate Champ	S	17.90
Worlds Greatest Baseball	5	22.90
Koronis Rift	S	22.90
Eidolon	. \$	22.90

MASTERTRONIC

Last V8.	6.49
5 A Side \$	6.49
Slugger \$	6.49
Paul Macartney	6.49
BMX Racer\$	6.49
Sky Jet	6.49
Line Action Biker S	6.49
Skiwriter	11.99
Busicalc 3	11.99
Instant Recall	11.99
• All 3	29.97

ACCESS

Mach 5 \$	22.50
Mach 128	29.90
Leader Board\$	23.90
Tournament Disk \$	12.90

DIGITAL SOLUTIONS

Pocket	Writer 64 \$ 23.77
Pocket	Writer 128 \$ 28.77
Pocket	Planner 64 \$ 23.77
Pocket	Planner 128 \$ 28.77
Pocket	Filer 64 \$ 23.77
	Filer 12 \$ 28.77

Consultant

Paperclip w/Spell

Paperclip

The state of the s		SI SI COLOR	
Jet .	s	25.70	
Flight Simulator II		31.70	
Scenery Disks 1-6	S	13.70 EA	Ö
Scenery Disk 7-12	S	13.70 EA	
Scenery Disks 6 Pack	5	69 70	

ACCOLADE

Ace of Aces	s	18.90
Dam Busters	S	17.90
Fight Night	5	17.90
Hardball	S	17.90
Law of the West	\$	17.90

BRODERBUND

\$ 17.00

\$ 25.90

\$ 14.90 \$ 24.90

\$ 32.90

MICROPROSE

Acrojet	5	20.77
F15 Strike Eagle	S	19.47
Conflict in Vietnam	5	19.47
Gunship	5	22.77
Silent Service	5	24.77

AMIGA

Call for Pricing ...IN STOCK...

SUBLOGIC

Jet	\$	25.70	
Flight Simulator II	\$	31.70	
Scenery Disks 1-6		13.70 EA	
Scenery Disk 7-12	\$	13.70 EA	
Scenery Disks 6 Pack	S	69.70	

BATTERIES INCLUDED

\$ 35.77

\$ 35.97

\$ 47.77

Karateka Printshop

LIB 1/2/3

Companion Bank St. Writer

	EU	15	ю	M		
Superbase 64	100000	noni			s	47.77
Superscript 64					5	47.77
Superbase 128		2.1			\$	52.77
Superscript 128	WIIII				5	52.77

SPRINGBOARD

Certificate Maker	S	29.90
Newsroom		29.00
Clip Art I		18.90
Clip Art II	5	22.00

*With purchase of any other TIMEWORKS product.

ORDERS ONLY

1-800-233-6345

CUSTOMER SERVICE OR IN FLORIDA (305) 538-1364

FREE FREIGHT ON ALL ORDERS WITHIN CONTINENTAL U.S. OVER \$100.00

Orders under \$100.00 add \$4.00 shipping and handling. C.O.D. orders add \$4.00. Prices reflect a 3% cash discount. A.P.O., F.P.O. orders add 6% shipping & handling. Postal orders shipped surface Add 6% for air shipment. Add 3% for VISA/MC. Florida residents add 5% sales tax. Personal checks allow 2 weeks for processing

Prices Subject to Change Without Notice ORDERS RECEIVED BEFORE 12:00 PM WILL BE SHIPPED SAME DAY.

C-64 COMPUTER



*WITH PURCHASE OF SPECIALLY PRICED SOFTWARE PACKAGE

FACTORY SERVICED FULL WARRANTY

FREE HOME TRIAL

PRO-TECH-TRONICS PRESENTS EMPLOYEE OF THE MONTH

LISA WIESE

CUSTOMER ASSISTANCE MANAGER



QUESTION: What do you enjoy best about your job?

"I really enjoy helping people feel happy and satisfied when they have a problem."

PRINTER



NEAR LETTER QUALITY

 120 CPS Draft 30 CPS NEAR



LETTER QUALITY

Includes Both...

—TRACTOR FEED

-FRICTION

COMMODORE READY

CALL TODAY **OPEN 7 DAYS** A WEEK & **EVENINGS**

-800-345-5080

COMMODORES

C-128



\$199

*WITH PURCHASE OF 1571 DISK DRIVE

FACTORY SERVICED FULL WARRANTY

FREE TRIAL PERIOD

AMIGA



*MONITOR \$75 ADDITIONAL

DISK DRIVE



1541 COMMODORE

\$159

MODEMS



\$119 1670

POWER SUPPLY JOY STICKS


C-64



\$39



DISKETTES



IN PACK OF 100

.34¢

DOUBLE SIDED DOUBLE DENSITY

QUICK=**DELIVERY**=








C.O.D.

SCHOOL P.O.'s ACCEPTED

PRO-TECH-TRONICS

6860 Shingle Creek Parkway #201 Minneapolis, MN 55430 Customer Assistance (612) 560-6603 Technical Services (612) 561-3934

COMMODORES. C-64-C COMPUTER



NEW!

C-64-C

\$168

*WITH PURCHASE OF DISK DRIVE

PRINTER



SEIKOSHA

\$159

NEAR LETTER QUALITY

- 100 CPS DRAFT
- 20 CPS LETTER QUALITY
- COMMODORE READY

PRINTER



\$149

803 C COMMODORE

DISK DRIVE



\$178

NEW 1541C

MONITOR



\$229

FULL COLOR

RGB

MONOCHROME & COMPOSITE AVAILABLE

Minneapolis, MN 55430 (612) 560-6603

6860 Shingle Crk. Pkwy. #201

PRO-TECH-TRONICS

TODAY!

QUICK DELIVERY --





OPEN 7 DAYS A WEEK & EVENINGS 1-800-345-5080

the buffer each time it is used. Keep this in mind if there's something in the buffer you'd rather keep. If you don't want the current buffer contents to be erased, press SHIFT-CTRL-E instead. This preserves the buffer contents and adds newly erased text to the buffer.

Now you can see why CTRL-D lets you delete only a single sentence, word, or paragraph at a time. If it didn't, the deleted text would be added to the end of the buffer, and when you pressed CTRL-R to retrieve the buffer, the deleted text would be out of order (since CTRL-D deletes backward).

If you ever need to erase the contents of the buffer, press CTRL-K (remember kill buffer).

It's relatively easy to move blocks of text between documents. Using the buffer, you can load one document, erase some text into the buffer, load another document, and then insert the buffer contents into the new document. You can also use the buffer to save an often-used word or phrase, then repeat it whenever you need it.

Starting From Scratch

If you want to start a new document or simply obliterate all your text, press SHIFT-CLR/HOME. Speed-Script asks, ERASE ALL TEXT: Are you sure? (Y/N). This is your last chance. If you don't want to erase the entire document, press N or any other key. Press Y to perform the irreversible deed. There is no way to recover text wiped out with Erase All.

The RUN/STOP-RESTORE reset combination on the Commodore 64 has been disabled in *SpeedScript*.

As mentioned above, pressing RUN/STOP by itself inserts five spaces for indenting paragraphs.

Pressing just RESTORE brings up the message Exit SpeedScript: Are you sure? (Y/N). If you press Y for yes, you exit to BASIC. (If you press N or any other key at the prompt, you return to editing text with no harm done.) Once in BASIC you'll still have one chance to reenter SpeedScript without losing your text—simply enter RUN and your text should be intact when Speed-Script is restarted. (Your chances of recovering text decrease if you execute other commands while in BASIC.)

Search-And-Replace

Here's another feature only a computer can bring to writing. Speed-Script has a Hunt command that searches through your document to find a selected word or phrase. A Replace option lets you automatically change one word to another throughout the document. Since on the 64, CTRL-S is synonymous with the CLR/HOME key (try it), and since SpeedScript already uses CTRL-R, several command keys which are slightly less than mnemonic have been designated for these functions.

SHIFT-CTRL-H activates the Hunt feature, SHIFT-CTRL-J (J is used because it's next to the H) lets you selectively hunt and replace, and CTRL-G (Global) is for automatically searching and replacing.

Searching for something is a two-step process. First, you need to tell SpeedScript what to search for; then you must trigger the actual search. Press SHIFT-CTRL-H. The command line says Hunt for:. Type in what you'd like to search for-the search phrase—up to 29 characters. SpeedScript remembers the search phrase until you change it. (Incidentally, when you are typing on the command line, the only editing key that works is INST/DEL for backing up. SpeedScript does not let you enter control codes or cursor controls when you're typing on the command line.) Press RETURN after you've entered the search phrase. If you press RETURN alone without typing anything, the Hunt command is canceled.

When you're ready to search, press CTRL-H (without the SHIFT). SpeedScript looks for the next occurrence of the search phrase starting from the current cursor position. If you want to hunt through the entire document, press CLR/HOME twice to move the cursor to the very top before beginning the search. Each time you press CTRL-H, SpeedScript looks for the next occurrence of the search phrase and places the cursor at the start of the phrase. If the search fails (if the search phrase isn't found before the end of the document), you'll see the message Not Found.

CTRL-J (Replace) works together with CTRL-H. After you've specified the search phrase with SHIFT-CTRL-H, press SHIFT-CTRL-J to select the replace phrase. SpeedScript also remembers this replace phrase until you change it. You can press RETURN alone at the Replace with: prompt to select a null replace phrase. When you hunt and replace, this deletes the located phrase. To search and replace manually, start by pressing CTRL-H. After SpeedScript has found the search phrase, press CTRL-J (without SHIFT) if you want to replace the phrase. If you don't want to replace the phrase, don't press CTRL-J. You are not in a special search-andreplace mode. You're free to continue writing at any time.

CTRL-G links CTRL-H and CTRL-J together. It first asks *Hunt for:*, then *Replace with:*, and then automatically searches and replaces throughout the document starting at the cursor position.

A few hints and cautions: First, realize that if you use the as the search phrase, SpeedScript dutifully finds the embedded the in words like therefore and heathen. If you changed all occurrences of the to cow, these words would become cowrefore and heacown. If you want to find or replace a single word, include a space as the first character of the word, since almost all words are preceded by a space. Naturally, if you are replacing, you need to include the space in the replace phrase, too. Also, SpeedScript distinguishes between uppercase and lowercase. The word Meldids does not match with meldids. SpeedScript will not find a capitalized word unless you capitalize it in the search phrase. To cover all bases, you will sometimes need to make two passes when replacing a word. Keep these things in mind when using CTRL-G since you don't have a chance to stop an out-ofcontrol search-and-replace.

Storing Your Document

Another advantage of word processing is that you can store your writing. A Commodore disk, with 170K of storage space, can store 80–150 pages of text as several document files. Tapes also have great storage capability—but they're slower.

It's easy to store a document. First, make sure your cassette or disk drive is plugged in and functioning. Insert a tape or disk into the drive. Press the f8 function key (SHIFT-f7). You'll see the prompt *Save:*. Type in a filename for your document. A filename can be up to 16 characters long

and can include almost any characters, but do not use question marks or asterisks. You cannot use the same name for two different documents on a single disk. To replace a document already on disk using the same filename, precede your filename with the characters **@0**: or **@**:. You can also precede the filename with either **0**: or **1**: if you use a dual disk drive. *SpeedScript* cannot access a second disk drive with a device number of 9.

After entering the filename, answer the prompt *Tape or Disk* by pressing either the T or D key. You can cancel the Save command by pressing RETURN without typing anything else at either the *Save*: or *Tape or Disk* prompt.

After you press T for tape, press RECORD and PLAY simultaneously on the cassette drive. *SpeedScript* begins saving. If you press D for disk, your file is stored relatively quickly (if the disk is formatted and has room). After the Save, *SpeedScript* reports *No errors* if all is well, or reads and reports the disk error message otherwise.

The Commodore 64 is not able to detect errors during a tape Save, so *SpeedScript* provides a verify command. Rewind the tape, press **CTRL-V**, and then type the filename. Press T for tape; press PLAY on the recorder. *SpeedScript* will notify you if there is an error.

Loading A Document

To recall a previously saved document, press the f7 function key. Answer the Load: prompt with the filename. Insert the tape or disk with the file you want to load and press T or D. Press PLAY if you're using tape. SpeedScript loads the file and should display No errors. Otherwise, SpeedScript reads the error channel of the disk drive or reports Load error for tape.

It's important to position of the cursor correctly before loading a file. *SpeedScript* starts loading at the cursor position, so be sure to press CLR/HOME twice or SHIFT-CLR/HOME (Erase All) to move the cursor to the start of text space, unless you want to merge two documents. When you press f7 to load, the command line turns green to warn you if the cursor is not at the top of the text space.

To merge two or more files, simply load the first file, press CTRL-Z

to move the cursor to the end of the document, and then load the file you want to merge. Do not place the cursor somewhere in the middle of your document before loading. A Load does not insert the characters coming in from tape or disk into your old text, but overwrites all existing text after the cursor position. The last character loaded becomes the new end-of-text marker, and you cannot access any of your old text that may appear after this marker.

Disk Commands

Sometimes you forget the name of a file or need to scratch or rename a file. SpeedScript gives you full control over the disk drive. To view the disk directory, press CTRL-4. The directory will be displayed on the screen without affecting the text in memory. Press any key to pause scrolling. Afterward, press RETURN to switch back to your text. All the other disk commands are also accessible. Just press CTRL-1 (up arrow); then type in a 1541 disk command. You don't need to type PRINT#15 or any quotation marks as you do in BASICjust the actual command. If you press RETURN without typing a disk command, SpeedScript displays the disk status. It also displays the status after completing a disk command. Here is a quick summary of disk commands:

n:disk name,ID This formats (NEWs) a disk. You must format a new disk before using it for the first time. The disk name can be up to 16 characters. The ID (identifier) is any two characters. You must use a unique ID for each disk you have. Don't forget that this command erases any existing data on a disk.

s:filename Scratches (deletes) a file from the disk.

r:newname = oldname Changes the name of file oldname to newname.

c:backup filename = original name Creates a new file (the backup copy) of an existing file (original copy) on the same disk.

i: Initializes a disk. This resets several disk variables and should be used after you swap disks or when you have trouble reading a disk.

v: Validates a disk. This recomputes the number of available blocks and can sometimes free up disk space. Always use Validate if you notice a filename on the direc-

tory flagged with an asterisk. Validate can take awhile to finish.

uj: Resets the disk drive to power-up state.

Additional Features

SpeedScript has a few commands that don't do much, but are still nice to have. CTRL-X exchanges the character under the cursor with the character to the right of the cursor. Thus, you can fix transposition errors with a single keystroke. CTRL-A changes the character under the cursor from uppercase to lowercase or vice versa. You can hold down CTRL-A to continue changing the following characters.

Press CTRL-B to change the background and border colors. Each time you press CTRL-B, one of 16 different background colors appears. Press CTRL-L to cycle between one of 16 character (lettering) colors. The colors are preserved until you change them. In fact, if you exit and resave *SpeedScript*, the program will load and run with your color choice in the future.

Printing

If you already think SpeedScript has plenty of commands, wait until you see what the printing package offers. SpeedScript supports an array of powerful formatting features. It automatically fits your text between left and right margins that you can specify. You can center a line or block it against the right margin. SpeedScript skips over the perforation on continuous-form paper, or it can wait for you to insert singlesheet paper. A line of text can be printed at the top of each page (a header) and/or at the bottom of each page (a footer), and it can include automatic page numbering, starting with whatever number you like.

SpeedScript can print on different lengths and widths of paper, and single-, double-, or triple-spacing (or any spacing, for that matter) is easy. You can print a document up to the size that can be held on a disk or tape by linking several files together during printing. You can print to the screen or to a sequential disk file instead of to a printer. Other features let you print to most printers using most printer interfaces, and send special codes to the printer to control features like

underlining, boldfacing, and doublewidth type (depending on the printer).

But with all this power comes the need to learn additional commands. Fortunately, SpeedScript sets most of these variables to a default state. If you don't change these settings, SpeedScript assumes a left margin of 5, a right-margin position of 75, no header or footer, single-spacing, and continuouspaper page feeding. To begin printing, simply press CTRL-P. If your printer is attached, powered on, and selected (online), SpeedScript begins printing immediately. To cancel printing, hold down the RUN/STOP key until printing stops.

Before printing, be sure the paper in your printer is adjusted to top-of-form (move the paper perforation just above the printing element). CTRL-P assumes a Commodore printer, so it's helpful if your interface simulates the modes and codes of the Commodore 1525, 1526, or MPS-801, -802, or -803 printers. CTRL-P prints with a device number of 4 and a secondary address of 7 (uppercase/lowercase mode).

If CTRL-P doesn't work for you, try another variation, SHIFT-CTRL-P. Answer the prompt *Print to: Screen, Disk, Print-er*? with the single letter S, D, or P. Press any other key to cancel the command.

If you press P for printer, SpeedScript requests two more keystrokes. First, answer the Device number prompt with a number from 4 through 7. This lets you print to one of several printers addressed with different device numbers. Next, answer the Secondary address prompt with a number from 0 through 9.

Non-Commodore Printers

The secondary address is used on most non-Commodore printer interfaces to control special features. For example, you can bypass the emulation features and use graphics mode to communicate directly with your printer (see the true ASCII command below). Consult the list of secondary addresses in your printer interface manual. SpeedScript does not work properly

with RS-232 serial printers or interfaces.

An additional note: Some printers and interfaces incorporate an automatic skip-over-perforation feature. The printer skips to the next page when it reaches the bottom of a page. Since SpeedScript already controls paper feeding, you need to turn off this automatic skip-over-perf feature (usually, by sending out control codes) before running Speed-Script, or paging won't work properly. Remember, sometimes the printer controls the skip-over-perf feature, sometimes the interface, and sometimes even both.

The Commodore 64 version of SpeedScript has been tested with the following printers: Commodore 1525 and 1526; MPS-801, -802, and -803; C. Itoh Prowriter 8510; Epson MX-80; Gemini 10-X; Star SG-10, SG-10C, and SD-10; Okimate 10 and 20; Okidata 82 and 92; and Hush-80 CD. SpeedScript has also been tested with these printer interfaces: Cardco A/B/G+ and G Wiz, Tymac Connection, Xetec, Turbo-Print, and MW-350. SpeedScript should work even if your printer or interface is not on this list. These are just the ones that have been tested.

Be sure your printer or interface supplies its own linefeeds. Again, consult your manuals and insure that either your printer or interface (but not both) supplies an automatic linefeed after carriage return. To test this, print a small sample of text with CTRL-P. Since the default is single-spacing, you should not see double-spacing, nor should all printing appear on the same line. If you still aren't getting linefeeds, use the linefeed command discussed below.

Printing To Screen And Disk

SHIFT-CTRL-P prints to the screen when you press S. The screen colors change to white letters on a black background, and what appears on the screen is exactly what would print on the printer. It takes two screen lines to hold one 80-column printed line, of course. If you use double-spacing (see below), it's much easier to see how each line is printed. With this screen preview, you can see where lines and pages break. To freeze printing, hold down either of the

SHIFT keys, or engage SHIFT LOCK. The border color changes to white while SHIFT is held down. When printing is finished, press any key to return to editing.

SHIFT-CTRL-P prints to a disk file when you press D. Enter the filename when it's requested. SpeedScript sends out all printer information to a sequential file. You can use other programs to process this formatted file. Try this simple example:

10 OPEN 1,4 20 OPEN 2,8,8,"filename" 30 GET#2,A\$:SS = ST: PRINT#1,A\$;: IF SS = 0 THEN 30 40 PRINT#1: CLOSE1 50 CLOSE2

This program dumps the disk file specified by the filename in line 20 to any printer. You can use it to print *SpeedScript* files (produced with SHIFT-CTRL-P) on another Commodore computer and printer without running *SpeedScript*. Change line 10 to **OPEN 1,2,0**, CHR\$(6) to dump the file to a 300-baud modem or RS-232 printer, or **OPEN 1,3** to display it on the screen.

Formatting Commands

The print-formatting commands must be distinguished from normal text, so they appear onscreen in reverse field with the text and background colors switched. You enter these reverse-video letters by pressing CTRL-£ (pound sign) or CTRL-3, which is easier to type with one hand. Answer the prompt Enter format key: by pressing a single key. This key is inserted into text in reverse video. All lettered printer commands should be entered in lowercase (unshifted). During printing, SpeedScript treats these characters as printing commands.

There are two kinds of printing commands, which will be called stage 1 and stage 2. Stage 1 commands usually control variables such as left margin and right margin. Most are followed by a number, with no space between the command and the number. Stage 1 commands are executed before a line is printed.

Stage 2 commands, like centering and underlining, are executed while the line is being printed. Usually, stage 1 commands must be on a line of their own, although you

can group several stage 1 commands together on a line. Stage 2 commands are by nature embedded within a line of text. A sample stage 1 line could look like this:

11075052

Embedded stage 2 commands look like this:

☐This line is centered. ← This is ☐underlining ☐. ←

Stage 1 Commands

1 Left margin. Follow with a number from 0 to 255. Use 0 for no margin. Defaults to 5. See Figure 2 for an illustration of margin settings.

r Right margin position, a number from 1 to 255. Defaults to 75. Be sure the right-margin value is greater than the left-margin value, or *SpeedScript* will become extremely confused. Some printer interfaces force a certain printing width, usually 80 characters wide. You'll need to disable this in order to permit *SpeedScript* to print lines longer than 80 characters.

t Top margin. The position at which the first line of text is printed, relative to the top of the page. Defaults to 5. The header (if any) is always printed on the first line of the page, before the first line of text.

- b Bottom margin. The line at which printing stops before continuing to the next page. Standard $8\frac{1}{2} \times 11$ -inch paper has 66 lines on most printers (6 vertical lines of text per inch is standard for Commodore printers). Bottom margin defaults to the fifty-eighth line. The footer (if any) is always printed on the last line of the page, after the last line of text.
- p Page length. Defaults to 66. If your printer does not print six lines per inch, multiply lines-perinch by 11 to get the page length. European paper is usually longer than American paper—11% or 12 inches. Try a page length of 69 or 72
- s Spacing. Defaults to single-spacing. Follow with a number from 1 to 255. Use 1 for single-spacing, 2 for double-spacing, and 3 for triple-spacing.

Start numbering at page number given. Page numbering normally starts with 1.

? Disables printing until selected page number is reached. For

example, a value of 3 would start printing the third page of your document. Normally, *SpeedScript* starts printing with the first page.

x Sets the page width, in columns (think *a cross*). Defaults to 80. You need to change this for the sake of the centering command if you are printing in double-width or condensed type, or if you're using a 40-column or wide-carriage printer.

n Forced paging. Normally, SpeedScript prints the footer and moves on to the next page only when it has finished a page, but you can force it to continue to the next page by issuing this command. It requires no numbers.

m Margin release. Disables the left margin for the next printed line. Remember that this executes

before the line is printed.

True ASCII. Every character is assigned a number in the ASCII (American Standard Code for Information Interchange) character set. Most printers use this true ASCII standard, but Commodore printers exchange the values for uppercase and lowercase to match Commodore's own variation of ASCII. Some printer interfaces do not translate Commodore ASCII into true ASCII, so you need to use this command to tell SpeedScript to translate. Also, you will sometimes want to disable your interface's emulation mode intentionally in order to control special printer features that would otherwise be rejected by emulation. Place this command as the first character in your document, even before the header and footer definitions. Don't follow it with a number.

Since, in effect, the true ASCII command changes the case of all letters, you can type something in lowercase and use true ASCII to make it come out in uppercase.

W Page wait. Like the true ASCII command, this one should be placed at the beginning of your document before any text. With page wait turned on, SpeedScript prompts you to Insert next sheet, press RETURN when each page is finished printing. Insert the next sheet, line it up with the printhead, and then press RETURN to continue. Page wait is ignored during disk or screen output.

j Select automatic linefeeds after carriage return. Like a and w,

this command must be placed before any text. Don't use this command to achieve double-spacing, but only if all text prints on the same line.

- i Information. This works like REM in BASIC. You follow the command with a line of text, up to 255 characters, ending in a return mark. This line will be ignored during printing; it's handy for making notes to yourself such as the filename of the document.
- Header define and enable. The header must be a single line of text ending with a return mark (up to 254 characters). The header prints on the first line of each page. You can include stage 2 commands such as centering and page numbering in a header. You can use a header by itself without a footer. The header and footer should be defined at the top of your document, before any text. If you want to prevent the header from printing on the first page, put a return mark by itself at the top of your document before the header definition.
- f Footer define and enable. The footer must be a single line of text ending in a return mark (up to 254 characters). The footer prints on the last line of each page. As with the header, you can include stage 2 printing commands, and you don't need to set the header to use a footer.
- Go to (link) next file. Put this command as the last line in your document. Follow the command with the letter D for disk or T for tape, then a colon (:), and finally, the name of the file to print next. After the text in memory is printed, the link command loads the next file into memory. You can continue linking in successive files, but don't include a link in the last file. Before you start printing a linked file, make sure the first of the linked files is in memory. When printing is finished, the last file linked to will be in memory.

Stage 2 Commands

These commands either precede a line of text or are embedded within one.

c Centering. Put this at the beginning of a line you want to center. This will center only one line, ending in a return mark. Repeat this command at the beginning of every

line you want centered. Centering uses the page-width setting (see above) to center the line properly. To center a double-width line, either set the page width to 40 or pad out the rest of the line with an equal number of spaces. If you use double-width, remember that the spaces preceding the centered text will be double-wide spaces.

Edge right. This command will cause a line to be aligned with the right margin when it is printed. That is, spaces will be inserted in front of the line so that the last character in the line will be printed at the right margin. Place the command at the beginning of the line you want aligned; it will only affect one line at a time, each ending with a return mark. Repeat this command at the beginning of every line you want aligned to the right. Note that this is not the same as right justification-a feature found on some word processors that adjusts printing to align both the left and right margins-since the edge-right command aligns only one line, and only at the right margin. SpeedScript has no right-justification feature.

When SpeedScript encounters this command, it prints the current page number. You usually embed this within a header or footer.

u A simple form of underlining. It does not work on Commodore printers, but only on printers that recognize CHR\$(8) as a backspace and CHR\$(95) as an underline character. Underlining works on spaces, too. Use the first **u** to start underlining and another one to turn off underlining.

Fonts And Styles

Most dot-matrix printers are capable of more than just printing text at ten characters per inch. The Commodore MPS-801 can print in double-width and reverse field. Some printers have several character sets, with italic and foreign language characters. Most can print in double-width (40 characters per line), condensed (132 characters per line), and in either pica or elite. Other features include programmable characters, programmable tab stops, and graphics modes. Many word processors customize themselves to a particular printer, but SpeedScript was purposely designed not to be printer-specific. Instead,

Figure 2: Graphic Presentation of Margin Settings

Values shown are default settings




Figure 3: Quick Reference Chart Format (Printer Commands)

Enter these commands with CTRL-£ or CTRL-3:

mand Description	Default	Comm	and Description	Default
True ASCII	off		Next Page	
Bottom Margin	58		Page Length*	66
Centering		Total Control	Right Margin	75
Edge Right		S	Spacing	1
Footer		t	Top Margin	5
Goto Linked File	N 30'	u	Underline toggl	e
Header		W	Page Wait	
Information*				* 80
COMMISSION NAMED TO A STATE OF THE PARTY OF	*	@	Initial page # *	1
Left Margin	5		Skip pages *	
Margin Release *		#	Print page numl	ber
C SpeedScript/#←	Center	ed Head	der with page no	umber
0 70 52←				70,
SpeedScript.2←			inue printing w	ith
	True ASCII Bottom Margin Centering Edge Right Footer Goto Linked File* Header Information* Select linefeeds Left Margin Margin Release * SpeedScript/#+ 0 770 \$2+	True ASCII off Bottom Margin 58 Centering Edge Right Footer Goto Linked File* Header Information* Select linefeeds* Left Margin 5 Margin Release* C SpeedScript/# Centered of 70 \$2 + Centered ouble	True ASCII off Bottom Margin 58 Centering Edge Right Footer Goto Linked File* Header Information* Select linefeeds* Left Margin 5 Margin Release* C SpeedScript/# Centered Head Left margin 1 double spacin	True ASCII off Bottom Margin 58 Centering Edge Right Footer Goto Linked File* Header Information* Select linefeeds* Left Margin 5 SpeedScript/# Centered Header with page numbers of 70 \$2 + Centered Header on tinue printing with page in the continue printing with page in the centered Header with page numbers of the cent

SpeedScript lets you define your own stage 2 printing commands.

You define a programmable printkey by choosing any character that is not already used for other printer commands. The entire uppercase alphabet is available for printkeys, and you can choose letters that are related to their function (like *D* for double-width). You enter these commands like printer commands, by first pressing **CTRL-3**.

To define a printkey, just press CTRL-3, then the key you want to assign as the printkey, then an equal sign (=), and finally the ASCII value to be substituted for the printkey during printing. For example, to define the + key as the letter z, you first look up the ASCII value of the letter z (in either your printer manual or user's manual). The ASCII value of the letter z is 90, so the definition is $\Box = 91$

Now, anywhere you want to print the letter *z*, substitute the printkey:

Gadaooks! The Boo is Bany!←

This will appear on paper as

Gadzooks! The zoo is zany!

More practically, look up the value of reverse-on and reverse-off. Reverse-on, a value of 18, prints all text in reverse video until canceled by reverse-off (a value of 146) or a carriage return. So, define SHIFT-R as 18 and SHIFT-O as 146. Anywhere you want to print a word in reverse, bracket the word with printkey R and printkey O.

You can similarly define whatever codes your printer uses for features like double-width or emphasized mode. For your convenience, four of the printkeys are predefined, though you can change them. Printkey 1 is defined as a 27, the value of the ESCape code used to precede many twocharacter printer commands. (With some printer interfaces, you must send two ESCape codes to bypass the interface's emulation.) For example, the Epson command for double strike is ESC-G. You can select it in SpeedScript with

OG

Printkey 2, a value of 14, goes into double-width mode on most printers, and printkey 3, a value of 15, turns off double-width on some printers and selects condensed

mode on others. Printkey 4 is defined as 18, which selects reverse field with Commodore printers (and on some graphics interfaces in emulation mode) or condensed mode on some other printers.

With so many codes available, you can even design custom logos and symbols using your printer's graphics mode. For example, on the 1525/MPS-801, you can draw a box (perhaps for a checklist) by first setting the appropriate codes:

1 =8 2 = 25 5 = 255 4 = 193 ←

Then display the box with text by typing

13444432 Toothpaste +

This appears on paper as

☐ Toothpaste

Keep one thing in mind about printkeys. SpeedScript always assumes it is printing to a rather dumb, featureless printer, the least common denominator. SpeedScript doesn't understand the intent of a printkey; it just sends its value out. So if you make one word within a line double-width, it may make the line overflow the specified right margin. There's no way for Speed-Script to include built-in font and type-style codes without being customized for a particular printer, since no set of codes is universal to all printers.

SpeedScript Mastery

It may take you awhile to fully master SpeedScript, but as you do you'll discover many ways to use the editing and formatting commands. For example, there is a simple way to simulate tab stops, say, for a columnar table. Just type a period at every tab-stop position. Erase the line; then restore it multiple times. When you are filling in the table, just use word-left/word-right to jump quickly between the periods. Or you can use the programmable printkeys to embed your printer's own commands for setting and jumping to tab stops.

SpeedScript can also be used as a simple database manager. Type in the information you need; then store it as a SpeedScript document. The search feature lets you quickly find information, especially if you use graphics characters to flag key lines. You can search for the graph-

ics characters and quickly skip from field to field.

You don't have to change or define printer commands every time you write. Just save these definitions as a small text file, and load this file each time you write. You can create many custom definition files and have them ready to use on disk. You can create customized "fill in the blank" letters. Just type the letter, and everywhere you'll need to insert something, substitute a graphics symbol. When you're ready to customize the letter, just hunt for each graphics symbol and insert the specific information.

SpeedScript does not work with any 80-column video boards or software 80-column emulators. Speed-Script also wipes out most kinds of resident (RAM-loaded) software, including most software-simulated printer drivers. However, you can print to disk using SHIFT-CTRL-P, and then dump the disk file to the printer from BASIC.

File Compatibility

SpeedScript documents are stored as program files (PRG type on disk). Naturally, you can't load and run a SpeedScript file from BASIC. The characters are stored in their screen code (POKE) equivalents. Several commercial word processors store text similarly, including WordPro 3+ and PaperClip. As a matter of fact, two commercial spelling checkers designed for WordPro also work with SpeedScript: SpellRight Plus (from Professional Software) and SpellPro 64 (from Pro-Line Software).

Program 2 is a SpeedScript fileconversion utility. It translates SpeedScript screen-code program files into either Commodore ASCII or true ASCII. The program works only with disk—not with tape. These translated files are stored in sequential format, the file type used in most file-processing applications. The file converter can also translate a Commodore ASCII sequential file into a screen-code SpeedScript program file. You can use the file converter to translate a database into a SpeedScript file (or vice versa), and you can convert SpeedScript files to true ASCII and use a modem program to upload them to another computer.

The SpeedScript Family

SpeedScript premiered in the January 1984 issue of the GAZETTE in the version we now refer to as SpeedScript 1.0. A slightly modified version (1.1) appeared in COM-PUTE!'s Second Book of Commodore 64. The next major update, Speed-Script 2.0, appeared only on the first GAZETTE Disk, in May 1984. The original version of the currrent update, SpeedScript 3.0, was published in COMPUTE! in early 1985 (along with versions for other computers). Although version 3.0 is based on the earlier versions, it is sufficiently different that you cannot "patch" a copy of SpeedScript 2.0 (or an earlier version) to bring it up to version 3.0. You must type in the entire program.

However, if you have a copy of SpeedScript 3.0 or 3.1, you can easily upgrade to version 3.2. Simply load, but do not run, your copy of SpeedScript; then enter the following POKEs and SAVE the new version with a different name. Be very careful when typing the POKE statements. A mistyped number could introduce a bug that would

be difficult to locate.

POKE 2547,96:POKE 4316,200:POK E 4946,234:POKE 4947,234:PO KE 7716,50

POKE 5785,234:POKE 5786,234:PO KE 5787,234:POKE 7581,11:PO KE 7590,76

POKE 7591,86:POKE 7592,29:POKE 7593,201:POKE 7594,35:POKE 7595,208:POKE 7596,23

Version 3.2 doesn't add any new features or commands to versions 3.0 or 3.1; only a few minor bugs are corrected.

If you don't wish to type in the listing for SpeedScript 3.2, you may order the GAZETTE Disk for this month, which includes all the programs in this issue of COMPUTE!'s Gazette.

See program listings on page 100.

MAJOR... SOFTWARE LIQUIDATION INVENTORY FROM BANKRUPTCY

-EVERYTHING MUST BE LIQUIDATED

Program Name	Description	List	Sale
Flight Simulator	Educational Game	69.95	19.95
Management Combo	Word Processing		
	Spreadsheet	139.95	24.95
Insta-Calc	Spreadsheet	42.95	9.95
Zork II	Game	59.95	9.95
Zork III	Game	59.95	9.95
Dealine	Garfie	59.95	9.95
Starcross	Game	59.95	9.95
Hes Modern	300 Baud Modem		
	/Software	119.95	19.95
Super Expander 64	21 New Commands	69.95	9.95
Chess	The best in Chess	69.95	9.95
A BEE C'S	Educ. W/Speech	59.95	9.95
Viduzzles	Com, Jigsaw Puzzle	59.95	9.95
Fast Eddle	8 Level Game	39.95	3.99
Turmoil	9 Level Game	39.95	3.99
Snake Byte	20 Play Screen Game	39.95	3.99
Squish 'Em	15 Level Game	39.95	3.99
Mr. Robot	22 Screen Game	39.95	3.99
Kwik-Load	300% Faster	7000000	721-22
Manager of the Control of the Contro	Load/Copy	49.95	9.95
Repton	Award Winning	39.95	4.99
Grog Revenge	Caveman Game	39.95	4.99
BC Quest for Tires	Comic Strip BC	39.95	4.99
Matchmake-64	Memory Game	39.95	2.99
Screen Editor	Design your Screens	54.95	9.95
Blueprint	Increase Peri. Cap.	54.95	9.95
Games III	7 Great Games	49.95	9.95
Insta Writer	Word Preocessing	69.95	19.95
Designer's Pencil	Draw & Design	59.95	24.95
Decathion Mind Shadow	Competion Game	39.95	14.95
	Illus. Text Adven.	49.95	12.95
GhostBuster Pitfall II	Musical Game	49.95	9.95
The Music Studio	Avanced Adventure	49.95	14.95
Road Race	Compose Music	69.95	29.95
noau nace	Cross Country Race	59.95	19.95

DEALER'S ASK FOR QUANTITY PRICES WE BUY SOFTWARE

ALL KINDS—Large & Small Quantities! Call & Ask for Art!

A.T.&T. LIQUIDATORS 2640 S. HARBOR BL., SANTA ANA, CA 92704

714-751-2667 MINIMUM ORDER \$25

All prices quoted are for cashler's check, money order, or cash. Personal, business checks or credit cards add 5%. California Residents add 6%. —Shipping Charges: order—\$25.00 to \$100.00—7.50 * \$101. to \$200—15.00 * \$200 plus—FREE

LOTTO CIPHER.

GET THE BEST ODDS ON ANY LOTTERY SIX NUMBER - PICK FOUR - DAILY GAME

- PRODUCES FOUR COMBINATIONS OF NUMBERS TO CHOOSE FROM. ANY AMOUNT OF BALLS AND NUMBERS CAN BE PROGRAMMED. PRINTS OUT PAST LOTTO NUMBERS DRAWN, PAST COMPUTER PICKS, AND NUMBER DRAWN PAST COMPUTER PICKS, AND NUMBER DRAWN
- FREQUENCY LIST.
 RANDOM NUMBER GENERATOR INCLUDED.



Window Magic

SUPER HI-RESOLUTION DRAWING IN MULTI OR MONO COLOR


- MIRROR, FLIP, AND SCROLLING WINDOWS
 200M-EXPANDS A WINDOW TO DOUBLE SIZE
 SAVE AND LOAD YOUR WINDOWS ON DISK
 PRINTS ON STANDARD DOT MATRIX PRINTER
 CLONE COLOR ATTRIBUTES
- TYPES LETTERS AND GRAPHICS POLYGON SHAPES-EXPAND, SHRINK AND ROTATE, THEN STAMP ANYWHERE M PLOT-DRAW ON AN EXPANDED WINDOW AND YOUR DRAWING AT THE

824.95 C-64/128

STOCK BROKER-

PROFITS GUARANTEED OR YOUR MONEY BACK

BUYING GOOD QUALITY, VOLATILE ISSUES AND USING THE TRADING SYSTEM WILL HAVE YOU FULLY INVESTED AT THE LOWEST PRICES AND CONVERTING TO CASH AS THE STOCK NEARS ITS PEAK. • TECHNICAL TRADING THAT WORKS.



BAR GRAPH PRINT-OUTS. RECORD UP TO 144 STOCKS ON A DISK.

\$29.95 C-84/128

ACORN OF INDIANA, INC.

MICHIGAN CITY, IN 46360



SHIPPING AND HANDLING, ADD \$1.50 - C.O.D.'S ACCEPTED VISA AND MASTER CARD ORDERS ADD 4% INDIANA RESIDENTS ADD 5% SALES TAX

THE LOWEST PRICES

SERVICE

ELECTRONIC ONE*

PHONE LINES

10-6 E.S.T.

7.99

7.99

7.99

19.99

CALL (614) 864-9994 . P.O. Box 13428 . COLUMBUS. OHIO 43213

SERVE I SOFTWARE (commodore SPECIALS ACE 9.99 SOFTWARE GEOS 39.99 HARDWARE COBRA. 9.99 PRINT SHOP 27.99 64C 64k COMPUTER . . 159.99 KUNG FU FIST **BUSINESS FORM SHOP 22.99** 128C 128k COMPUTER 239.99 KUNG FU STICKS 9.99 NEWSROOM29.99 ...179.99 1541C DISK DRIVE MACH 128 ... 22 99 SARGON II 6.99 1571C DISK DRIVE . . . 239.99 SARGON III 22.99 27.99 1802C MONITOR . FAST LOAD JUKE BOX ... 1902A RGB MONITOR . 279.99 TURBO LOAD & SAVE . . 17.99 TEMPLE APSHAL 1702 MONITOR 179.99 WORD PRO W/TURBO . 22.99 WORD PRO 128 W/FILE 22.99 TRILOGY 15.99 COMPUTER ACCESSORIES 9.99 SPREADSHEET ZORK TRILOGY 29.99 1351 MOUSE FILE PRO 64 BLUE MAX 128k UPGRADE 99 99 POWERC 22 99 UP PERISCOPE 22.99 MESSENGER MODEM . 34.99 PAPERCLIP W/SPELL . 28.99 AVATEX 1200 MODEM . 79.99 14 99

AVATEX 1200HC MODEM 109.99 XETEC JR. PRINTERS

STAR NX10 .. STAR NX10C219.99 STAR SG10C ... STAR POWER TYPE . . 179.99 PANASONIC 10801 189.99 PANASONIC 10911....259.99

SEIKOSHA 1000 VC...179.99

POCKETWRITER 64 199.99 DATA MANAGER 128 . SWIFT TAX. PAPERCLIP II 49.99

PAPER W/SPELL SUPERBASE 64 49 99 SUPERBASE 128 59.99 POWER ASSEMBLER . . 29.99 CERTIFICATE MAKER. 28 99 .39.99 WORD MANAGER 128..39.99 SWIFT CALC 128 33 99

34.99

KARATE CHAMP KUNG FU MASTER . 14.99 COMMANDO 14.99 TOP GUNNER 15.99 THE EIDOLON RESCUE ON FRACTACUS . KORONIS RIFT7.99

BARD'S TAIL II .

F15

SUBLOGIC FOOTBALL . 29.99 SUBLOGIC BASEBALL . 27.99 HOW TO ORDER: CASHIER CHECK, MONEY ORDER, MASTERCARD* OR VISA* (ADD 4% FOR CHARGE CARDS)... NO PERSONAL CHECKS...
NO C.O.D.'S... SHIPPED U.P.S... ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

#HIPPING: ADD \$3.00 ON ALL ORDERS UNDER \$100.00... ADD \$5.00 ON ALL ORDERS OVER \$100.00. ACTUAL FREIGHT CHARGED ON

CHEST MASTER 2000 . . 24.99

INTERNATIONAL: ACTUAL FREIGHT CHARGED ON ALL ORDERS OUTSIDE THE CONTINENTAL UNITED STATES INCLUDING A.P.O. POLICIES: NO RETURNS WITHOUT A RETURN AUTHORIZATION ... NO RETURNS UNLESS DEFECTIVE ALL DEFECTIVES WILL BE

TOY SHOP

EXCHANGED . . . NO EXCEPTIONS. PLEASE SPECIFY

CALL OR WRITE FOR FREE CATALOG

CALL ELECTRONIC ONE (614) 864-9994 OR WRITE

A Guide To Commodore User Groups

Part 1

Caroline Hanlon

This list includes all the Commodore user groups in states beginning with the letters A-M (Alabama through Montana) that responded to our mailing. The user groups in the remaining states (Nebraska through Wyoming), APO, and foreign countries will be listed next month in Part 2. When writing to a user group for information, please remember to enclose a stamped, self-addressed envelope.

User groups are listed in each state in zip code order.

If your group does not appear in this list and you wish to be listed, send your club name and address to COMPUTE! Publications, Attn: User Group Update, P.O. Box 5406, Greensboro, NC 27403.

ALABAMA

Valley Commodore Users Group (VCUG), P.O. Box 835, Decatur, AL 35602-0835 Shoals Commodore User Group, 430 Nottingham

Rd., Florence, AL 35630

Scottsboro Commodore Users Group, Rt. 5, Box 255, Scottsboro, AL 35768

Huntsville Alabama Commodore Komputer Society (HACKS), P.O. Box 14356, Huntsville, AL 35815

Sequoyah Users Group (SUG), 702 Williams Ave. N., Ft. Payne, AL 35967-2624

Montgomery Area Commodore Komputer Society (MACKS), P.O. Box 210126, Montgomery AL 36121-0126

East Alabama Users' Group, P.O. Box 249, Jacksonville, AL 36265

The Byte Bunch, 318 Perryman St., Evergreen, AL Commodore Mobile Users Group (CMUG), 3993

Cottage Hill Rd., #78, Mobile, AL 36609

Smiths Alabama Commodore User Group, Rt. 2, Box 105, Smiths, AL 36877

ALASKA

Anchorage Commodore Users, P.O.Box 104615, Anchorage, AK 99510-4615

Mat Su Commodore 64 Club, 3970 Ruth Dr., Wasilla, AK 99687

Sitka Commodore User's Group, P.O. Box 2204, Sitka, AK 99835

First City Users Group, Box 6002, Ketchikan, AK

ARIZONA

Commodore User Group of Arizona, P.O. Box 21291, Phoenix, AZ 85036

Phoenix Arixona Commodore Club, P.O. Box 34905, Phoenix, AZ 85067

Arizona Commodore Users Group, P.O. Box 27201, Tempe, AZ 85282 Gila Hackers, Rt. 1, Box 34, Globe, AZ 85501

Catalina Commodore Computer Club, P.O. Box 32548, Tucson, AZ 85751

Canyon De Chelly-Four Corners Users Group, c/o Calumet Consulting, Box 1945, Chinle, AZ 86503

ARKANSAS

Commodore Computer Club of Pine Bluff, P.O. Box 1083, Pine Bluff, AR 71603

The Southwest Arkansas Commodore Users Group, 404 S. Greening St., Hope, AR 71801 Commodore 64/128 Users Group, P.O. Box 2481,

Hot Springs, AR 71914 River City Commodore Club, P.O. Box 4298, N. Little Rock, AR 72116

The Stone 64 Users Group, P.O. Box 301, Reyno,

The Personal Touch Commodore User Group of Hoxie and Walnut Ridge, 503 Kaylynn Dr., Walnut Ridge, AR 72476

Harrison Users Group, Rt. 1, Box 15, Harrison, AR

Jintres Hillbilly's C64 User Group, 721 Drennen St., Van Buren, AR 72956

Ark-La-Tex Commodore Users Exchange (CUE), P.O. Box 6473, Texarkana, AR-TX 75505

CALIFORNIA

Hollywood Users Group (HUG) for Commodore Computer Owners, P.O. Box 38313 Hollywood,

Cantell Commodore 64/128/CPM Mail Users Group (CMUG), c/o Cantell Computer Services, 3119 Isabel Dr., Los Angeles, CA 90065

South Bay Commodore Users Group (SBCUG) (suburban L.A.), P.O. Box 356, Manhattan Beach, CA 90266

Commodore 64 West Users Club (West L.A. and Santa Monica), P.O. Box 406, Santa Monica, CA 90406-0406

Begabytes C64, 9802 S. Calmada Ave., Whittier, CA 90605

West Orange County Commodore Users Group, P.O. Box 6441, Buena Park, CA 90622

Commodore Helpers of Long Beach, 3736 Myrtle Ave., Long Beach, CA 90807

Pasadena Commodore Computer Club, P.O. Box 1163, Arcadia, CA 91006

Librascope Computer Club, 833 Sonora Ave. MS 807, Glendale, CA 91201

West Valley Commodore Users Group, President, 23455 Justice St., Canoga Park, CA 91304

California Area Commodore Terminal User Society (CACTUS), P.O. Box 1277, Alta Loma,

South Bay Commodore Users Group, P.O. Box 1899, Chula Vista, CA 92012-1899

Oceana-64 Commodore User Group, 1004 Plover Way, Oceanside, CA 92056

Back-Country Commodore Club, P.O. Box 373, Ramona, CA 92065

General Dynamics Commodore Computer Club, General Dynamics/ Electronics Division, P.O. Box 85227, MZ7205A, San Diego, CA 92138-5227

San Diego Commodore Users Group, P.O. Box 86531, San Diego, CA 92138

Hi Desert Commodore Users Group, 62026 Sun-burst Cr., Joshua Tree, CA 92252

Commodore Users Group of Riverside (CUGR), P.O. Box 8085, Riverside, CA 92515

Power Surge, c/o Orangewood Academy, 13732 Clinton Ave., Garden Grove, CA 92643 Commodore Technical User Group (CTUG), P.O.

Box 8342, Orange, CA 92664 64/20 Club, 6464 Shearwater St., Ventura, CA 93003

CIVIC64, P.O. Box 2442, Oxnard, CA 93034-2442 A Bakersfield Area Commodore Users Society (ABACUS), 3101 Oakridge Dr., Bakersfield, CA

San Luis Obispo Commodore Computer Club, P.O. Box 3836, San Luis Obispo, CA 93403-3836 Simply Users of Computers Combining Experience for Strength and Success, 301 Veronica Dr., Paso Robles, CA 93446

Central Coast Commodore Users Group, 4237 Plumeria Ct., Santa Maria, CA 93455

Antelope Valley Commodore User Group (AVCUG), P.O. Box 4436, Lancaster, CA 93539 Madera Users Group (MUG), P.O. Box 783, Madera, CA 93639

PLUG (Plus/4 Users' Group), Box 1001, Monterey, CA 93942

Monterey Peninsula Commodore Group, P.O. Box 2105, Seaside, CA 93955

VISIONS-64, P.O. Box 26638, San Francisco, CA 94126

PET-On-The-Air, 525 Crestlake Dr., San Francisco, CA 94132

Diablo Valley Commodore User Group, P.O. Box 27155, Concord, CA 94527

Fairfield Commodore User's Group, 1758 San Jose Ct., Fairfield, CA 94533

Fremont, Union City, Newark, Hayward Users Group (FUNHUG), 36015 Pizarro Dr., Fremont, CA 94536

Napa Valley Commodore Computer Club, P.O. Box 2324, Napa, CA 94558

North Bay User's Group (NBUG), P.O. Box 7156, Vallejo, CA 94590

San Francisco Commodore Users Group, 2333D 9th Ave., Oakland CA 94606

Marin Commodore Computer Club, 665 Las Colindas Rd., San Rafael, CA 94903

PUG of the Silicon Valley, 22355 Rancho Ventura St., Cupertino, CA 95014

Commodore 64/More User Group, P.O. Box 26811, San Jose, CA 95159-6811

Stockton Commodore User's Group, 1911 Comstock Dr., Stockton, CA 95209

Valley Computer Club, P.O. Box 310, Denair, CA 95316

Santa Rosa Commodore User Group, 333 E. Robles Ave., Santa Rosa, CA 95407-7971

Amateurs and Artesians Computing, P.O. Box 682, c/o Alex KR6G, Cobb Mountain, CA 95426 Computer Users Group of Ukiah (CUGU), 9500

West Rd., Potter Valley, CA 95469 Auburn Commodore Computer Club, P.O. Box 4270, Auburn, CA 95603

Alpha Omega Telecommunications Group, P.O. Box 1339, Citrus Heights, CA 95611-1339

High Sierra Commodore Users Group, P.O. Box 8110, S. Lake Tahoe, CA 95731

North Valley Commodore User's Group, P.O. Box 1925, Chico, CA 95927

Commodore Owners Users Group of Redding (COUGOR), 2776-A Helen St., Redding, CA 96002

COLORADO

Colorado Commodore Computer Club, 11855 Adams St., Northglenn, CO 80233

First United Nocturnal Golden Users' Service (FUNGUS), 1869 West Campus Rd., Golden, CO 80401

North Colorado Commodore Users Group (NORCOCOM), 21381/2 10th St. Rd., Greeley, CO 80631

The Commodore Club, 4058 Baytown Dr., Colorado Springs, CO 80916

The Local Folks Computer Club, 1653-130 Rd., Glenwood Springs, CO 81601

CONNECTICUT

Bristol Commodore Users Group (BCUG), c/o Computech Systems, 178 Pine St., Bristol, CT

Capital Region Commodore Computer Club (CRCCC), P.O. Box 2372, Vernon, CT 06066

Hartford County Commodore Users Group, P.O. Box 8553, East Hartford, CT 06108

Eastern Conn Commodore Users Group, 227 Jagger Ln., Hebron, CT 06248

Millstone Users Group-C64, Sillin Trng. Ctr., Ropeferry Rd., P.O. Box 128, Waterford, CT 06385-0128

Computer Users Group, 6 Saner Rd., Marlborough, CT 06447

Greater New Haven Commodore User Group, P.O. Box 796, North Haven, CT 06473

Commodore Users Group of Stratford, P.O. Box 1213, Stratford, CT 06497

Fairfield County Commodore User Group (FCCUG), P.O. Box 212, Danbury, CT 06813

Stamford Area Commodore Society (SACS), P.O. Box 2122, Stamford, CT 06906-0122

DELAWARE

Newark Computer Users Group (NCUG), 210 Durso Dr., Newark, DE 19711

The Brandywine Users Group (BUG), 157 Starr Rd., Newark, DE 19711

First State Commodore P.O. Box 1313, Dover, DE 19903

DISTRICT OF COLUMBIA

PentAF Commodore User Group, 1947 HSG MWR, Rm. 5E367, AF Rec. Services, Pentagon, Washington, DC 20330

Navy Micro User Group, c/o Clyde Williams, NAVDAC CODE 91, Washington, DC 20374

FLORIDA

Public Domain Users Group, P.O. Box 1442, Orange Park, FL 32067

Welaka Commodore Users Group, P.O. Box 1104, Welaka, FL 32093-1104

Commodore Computer Club, 8438 Lynda Sue Lane W., Jacksonville, FL 32217

Commodore Users Group of Pensacola, P.O. Box 3533, Pensacola, FL 32516

Fort Walton Beach Commodore Users Group, P.O. Box 3, Shalimar, FL 32579

Gainesville Commodore Users Group, Santa Fe Community College, P.O. Drawer 1530, Gainesville, FL 32602

Gainesville Commodore User Group, P.O. Box 14716, Gainesville, FL 32604-4716

Citrus Commodore Computer Club, P.O. Box 503, Beverly Hills, FL 32665

Lake County Educational Users Commodore Club, P.O. Box 326, Tavares, FL 32778

Titusville Commodore Club, 890 Alford St., Titusville, FL 32796

El Shift OH, P.O. 361348, Melbourne, FL 32936-1348

Miami Individuals With Commodore Equipment (MICE), 11110 Bird Rd., Miami, FL 33165 Miami 2064 Commodore Users Group, 11531

S.W. 84 St., Miami, FL 33173 Suncoast Bytes Commodore Computer Club, P.O. Box 721, Elfers, FL 33425

Gold Coast Commodore Group, P.O. Box 375,

Deerfield Beach, FL 33441 Commodore Brooksville User Group (C-BUG),

P.O. Box 1261, Brooksville, FL 3351 Clearwater Commodore Club, P.O. Box 11211,

Clearwater, FL 33516

Bits and Bytes Computer Club, 1859 Neptune Dr., Englewood, FL 33533 R.H.C.C. Users Group 64/128, 8032 Banister Ln.,

Port Richey, FL 33568

Commodore Users Group of SW Florida, P.O. Box 7692, Ft. Myers, FL 33911

Charlotte County Commodore Club (CCCC), P.O. Box 512103, Punta Gorda, FL 33951-2103

GEORGIA

Metro BBS Society, 1842 Cashmere Ct., Lithonia, GA 30058

Griffin Commodore Program Exchange (GCPE), 1820 Hallmark Dr., Griffin, GA 3022

Stone Mountain Users Group (SMUG 64/128), P.O. Box 1762, Lilburn, GA 30247

C-64 Friendly Users Group, 775 Kings Rd., Athens, GA 30606

Commodore Club of Augusta, P.O. Box 14337, Augusta, GA 30919

Commodore Craze International, 1284 Lynn Dr., Waycross, GA 31501

Makai Commodore User Group (MCUG), P.O. Box 6381, Honolulu, HI 96818

Commodore Hawaii Users Group (CHUG), P.O. Box 23260, Honolulu, HI 96822; or 98-351 Koauka Loop, Apt. 1207, Aiea, HI 96701

Advanced Commodore Users Group, P.O. Box 25273, Honolulu, HI 96825

Commodore Hawaii User's Group (CHUG), 1114 Punahou #8A, Honolulu, HI 96826

IDAHO

PFP 64 Software Exchange, 742 E. 19th, Jerome, ID 83338

Banana Belt Commodore Users Group (BBCUG), P.O. Box 1272, Lewiston, ID 83501

GEM-64, Ken Rosecrans, 407 N. DeClark, Emmett, ID 83617

Commodore Treasure Valley/Boise Users Group (TV/BUG), P.O. Box 6853, Boise, ID 83707

ILLINOIS

PET VIC Commodore Users Group, 892 Knollwood, Buffalo Grove, IL 60089

Fox Valley PET (Commodore) Users Group, 833 Prospect Ave., Elgin, IL 60120

The Software Link, 763 Stewart Ave., Elgin, IL 60120

Computers West, 440 N. Stewart, Lombard, IL

Computer Hackers of Illinois, 6800 Powell, Downers Grove, IL 60516

Chicago B-128 Users Group, 4102 N. Odell, Norridge, IL 60634

Knights of the Round Table, 1724 Pierce Ave., Rockford, IL 61103

Knox Commodore Club, 675 Arnold St., Galesburg, IL 61401

Western Illinois Commodore Users Group (WICUG), 906 W. 6th Ave., Monmouth, IL

Canton Area Commodore Users Group, 13 N. 17th Ave., Canton, IL 61520

PAPUG (Peoria Area PET Users' Group), 800 SW Jefferson St., Peoria, IL 61605

Bloomington-Normal Commodore User Group (BNCUG), P.O. Box 1058, Bloomington, IL 61702-1058

Pros and Newcomers in Commodore (PANIC), c/o DACC, 2000 E. Main St., Danville, IL 61832 Champaign-Urbana Commodore User Group (CUCUG), 802 N Parke St., Tuscola, IL 61935

Meeting 64/128 Users Through the Mail, 51 Thornhill Dr., Danville, IL 61832

East Side Computer Club, P.O. Box 1347, Alton, IL 62002-1347

Western Illinois PET User Group (WIPUG), Rt. 5. Box 75, Quincy, IL 62301

Southern Illinois Commodore-Amiga Club, 1707 E. Main St., Olney, IL 62450

Decatur Commodore Computer Club (DC3), 664 W. Grand, Decatur, IL 62522

Jacksonville Area Commodore Users' Group, P.O. Box 135, Murrayville, IL 62668

Capitol City Commodore Computer Club (5 C's), P.O. Box 2961, Springfield, IL 62708

SPUG Computer Club, P.O. Box 9035, Springfield, IL 62791

Chess Players' Commodore User Group, 723 Barton St., Mt. Vernon, IL 62864

Southern Illinois Commodore User Group, 508 W. Collins, Goreville, IL 62939

INDIANA

Indy Commodore Computer Club (IC3 or ICCC), P.O. Box 11543, Indianapolis, IN 46201

Midwest C-64 Users Group (MW64UG), P.O. Box 9311, Highland, IN 46322

Stueben Commodore Users Group (SCCUG), P.O. Box 25, Pleasant Lake, IN 46779

Fort Wayne Area Commodore Club, P.O. Box 13107, Fort Wayne, IN 46867 Logansport Commodore Club, P.O. Box 1161,

Logansport, IN 46947 QS! Alliance (QS/INKY), P.O. Box 1403, New Al-

bany, IN 47150 Richmond Area Commodore Users Group, P.O.

Box 1332, Richmond, IN 47375 Bloomington Commodore Users Group (BCUG),

4755 Kinser Pike, Bloomington, IN 47401 Commodore Computer Club, P.O. Box 2332, Evansville, IN 47714

Commodore Owners of Lafayette (COOL), P.O. Box 5763, Lafayette, IN 47903

IOWA

Commodore Users Group, Ames Region (COU-GAR), P.O. Box 2302, Ames, IA 50010-2302

Capitol Complex Commodore Computer Club, Box 58, Hartford, IA 50118

Commodore Computer User Group of Iowa, P.O. Box 3140, Des Moines, IA 50316

3C Users Group, R.R. 3, Box 20, Charles City, IA 50616

Product Engineering Center Commodore Users Group (PECCUG), 333 Joy Dr., Waterloo, IA 50701

Syntax Errors Anonymous Commodore User Group, R.R. Box 6894, Spirit Lake, IA 51360 Crawford County Commodore Users Group, 519

N. 19th St., Denison, IA 51442 Iowa City Commodore Users Group (ICCUG),

P.O. Box 2412, Iowa City, IA 52244 Washington Area Commodore Users Group,

P.O. Box 445, Washington, IA 52353 Penn City User Group, R.R. 1, Box 390, Fort Madison, IA 52627

Quad Cities Commodore Computer Club, P.O. Box 3994, Davenport, IA 52808

KANSAS

Lawrence Commodore User's Group, P.O. Box 2204, Lawrence, KS 66045

TCCUG, P.O. Box 8439, Topeka, KS 66608 Newton Area Commodore Club, 112 Brookside, Newton, KS 67114

65XX Assemblers & Telecommunicators, 617 Lincoln, Sedgwick, KS 67135

Parsons Commodore Computer Users Group, 714 S. 35th St., Parsons, KS 67357

Commodore User's Group of McPherson (CUGOM), 1009 Sycamore Pl., McPherson, KS 67460

Salt City Commodore Club, P.O. Box 2644, Hutchinson, KS 67504

High Plains Commodore Users Group, 1307 Western Plains, Hays, KS 67601

KENTUCKY

Gold City Users Group, P.O. Box 257, Ft. Knox, KY 40121

Commodore Users' Group of Central Kentucky, P.O. Box 55010, Lexington, KY 40555

Purchase C64 User's Group, Rt. 1, Box 209A, Calvert City, KY 42029

Glasgow Commodore User's Group, P.O. Box 154, Glasgow, KY 42141

Logan County Commodore Users Club, P.O. Box 302, Lewisburg, KY 42256

Commodore Users Group of Madisonville (CUGOM), P.O. Box 849, Madisonville, KY 42431

LOUISIANA

New Orleans Commodore Klub, 2308 Houma Blvd., Apt. 724, Metairie, LA 70001

Acadiana Commodore Computer Club (ACCC), P.O. Box 31412, Lafayette, LA 70503

Baton Rouge Area Commodore Enthusiasts (BRACE), P.O. Box 1422, Baton Rouge, LA 70821

Ark-La-Tex Commodore User Group, P.O. Box 6502, Shreveport, LA 71108

MAINE

Your Commodore Users Group, Brunswick Chapter, 103 Main St., Topsham, ME 04086 Your Users Group (YUG), P.O. Box 1924, N. Windham, ME 04062

Compumania, 81 North St., Saco, ME 04072 Southern Maine Commodore, P.O. Box 416, Scar-

borough, ME 04074-0416 Your Commodore Users Group, 18 Colony Rd., Westbrook, ME 04092

Commodore Users Society of Penobscot (CUSP), c/o 101 Crosby Hall, University of Maine at Orono, Orono, ME 04469

Southern Aroostook Commodore User's Group (SACUG), P.O. Box 451, Houlton, ME 04730

MARYLAND

Federation of Commodore User Societies, (FO-CUS DC/MD/VA), P.O. Box 153, Annapolis Junction, MD 20701 (Note: This is a federation consisting of 15 user groups in the VA/MD/DC area, not a club offering individual memberships.)

C-64 Users Group FGGM, SeaLandAir Rec. Center, 9810 Emory Rd., Ft. Meade, MD 20755 Rockville Commodore Users Group, P.O. Box

8805, Rockville, MD 20856

Mid-County Commodore Users Group, 18320 Swan Stream Dr., Gaithersburg, MD 20877

Montgomery County Commodore Computer Society, P.O. Box 2689, Silver Spring, MD 20902 VIC Appreciators (VICAP), 10260 New Hampshire Ave., Silver Spring, MD 20903

CUM-BACC, 1427 York Rd. at Seminary Ave., Baltimore, MD 21093-6014

BAYCUG, 110 Danbury Rd., Reisterstown, MD 21136

Baltimore Area Commodore Users Group (Bay-CUG), 4605 Vogt Ave., Baltimore, MD 21206

Randallstown Commodore User Group, 3702 Durley Ln., Baltimore, MD 21207

C-16 & Plus/4 Users Group, 8202 Edwill Ave., Baltimore, MD 21237

Commodore Users Group, P.O. Box 8756, Baltimore, MD 21240

Westinghouse Commodore Users Group, P.O. Box 8756, Baltimore, MD 21240

The Annapolis Commodore Users Group, P.O. Box 3358, Annapolis, MD 21403

Hagerstown User Group (HUG), 23 Coventry Ln., Hagerstown, MD 21740

Wicomico Commodore Users Group, 204 Hol-land Ave., Salisbury, MD 21801

Pioneer Valley Commodore Club, 6 Laurel Terr., Westfield, MA 01085

Commodore COM-RADES, 35 Hilltop Ave., Jefferson, MA 01522

Eastern Mass Commodore User Group, 6 Flagg Rd., Marlboro, MA 01752

Opportunities Adventure Game Club, 12 Spring Ave., Wakefield, MA 01880

Foxboro Area Commodore Users Group, P.O. Box 322, Foxboro, MA 02035

EM 20/64 User Group, 24 Cottage St., Stoneham, MA 02180

Rockland Area Commodore User's Group, 354 East Water St., Rockland, MA 02370

Commodore Users Group of Cape Cod, P.O. Box 1490, Cotuit, MA 02635

Massachusetts Electronic Modem Operators P.O. Box 3336, Fall River, MA 02722-3336

MICHIGAN

Michigan Commodore Users Group, P.O. Box 539, East Detroit, MI 48021

Computer Operators (COMP), 7514 Puttygut Rd., Richmond, MI 48062

Washtenaw Commodore Users Group, P.O. Box 2050, Ann Arbor, MI 48106-2050

University of Michigan Commodore User Group, School of Public Health, Ann Arbor, MI 48109

Thieves World Users Group, P.O. Box 54, Wayne, MI 48184

Downriver Commodore Group, P.O. Box 1277, Southgate, MI 48195

Soft-Type Users Group, 20231 Westmoreland, Detroit, MI 48219

Northern Genesee County Commodore Users Group (NGCCUG), P.O. Box 250, Clio, MI

The Commodore Kids, 127 Saginaw St., Beaverton, MI 48612

Mid-Michigan Commodore Club, 417 McEwan, Clare, MI 48617

Commodore Computer Club, 4106 Eastman Rd., Midland, MI 48640

Lansing Area Commodore Club, P.O. Box 1065, East Lansing, MI 48823-1065

The Commodore Club, 304 N. Kibbee, St. Johns. MI 48879

United Martial Artists Computer Club (UMACC), 1325 Shaffer Ct., Lansing, MI 48917 Kalamazoo Valley Home Users Group, P.O. Box 3085, Kalamazoo, MI 49003

Battle Creek Commodore and VIC Enthusiasts, 1299 S. 24th, Battle Creek, MI 49015

Van Buren Users' Group (V-BUG), 50984 351/2 St., Maple Lake, Paw Paw, MI 49079

DAB Computer Club, P.O. Box 542, Watervliet, MI 49098

Edwardsburg Commodore Users' Group (ECUG), P.O. Box 130, Edwardsburg, MI 49112 Columbia Commodore Computer Club (C4), 133 Ernest, Brooklyn, MI 49230

MINNESOTA

Minnesota Commodore Users Association (MCUA), P.O. Box 22638, Robbinsdale, MN

Duluth Commodore Users Group, 1502 Fairview, Cloquet, MN 55720

Hibbing Area Commodore Klub (H.A.C.K.), 1220

E. 14th Ave., Hibbing, MN 55746 Rochester Area Commodore User's Group, 2526 6th Ave. NW, Rochester, MN 55901 Albert Lea Commodore Users Group, 2217 N.

Bridge, Albert Lea, MN 56007

Worthington Commodore Computer Society, Rt. 2, Box 261, Worthington, MN 56187

Commodore Users Therapy Group, 1309 N. Gorton Ave., Willmar, MN 56201 Redwood Falls Area Computer Exchange, 717 E.

Wyoming St., Redwood Falls, MN 56283 Heartland Area Computer Cooperative, Box 360, Albany, MN 56307

Commodore Bemidji User Group, Rt. 3, Box 392, Bemidji, MN 56601-8313

MISSISSIPPI

Commodore Computer Club, Southern Station, Box 10076, Hattiesburg, MS 39406-0076 Hattiesburg Commodore Computer Club, Dept.

of Polymer Science, S.S. Box 10076, Hattiesburg, MS 39406-0076

Commodore Biloxi User Group (ComBUG), 3004-2 Hwy. 90 E., Ocean Springs, MS 39564 Columbus Commodore 64/128 Club, 407 E. Gaywood, Columbus, MS 39702 Software Source, 4550 W. Beach, Biloxi, MS 39531

MISSOURI

Northeast Missouri Commodore Users Group (NEMOCUG), P.O. Box 563, Macon, MO 63552 Heartland Users Group, P.O. Box 443, Cape

Girardeau, MO 63701

C.B.U.G., 1925 Treasure Dr., Kennett, MO 63857 Northland Amateur Radio Association, 811 Lindenwood Ln., Liberty, MO 64068

Commodore Users Group of Warrensburg, P.O. Box 893, Warrensburg, MO 64093

Joplin Commodore Computer User Group, 422 S. Florida Ave., Joplin, MO 64801

Mid-Missouri Commodore Club, P.O. Box 7026, Columbia, MO 65205-7026

Commodore User Group of Springfield (CUGOS), Box 607 Jewell Station, Springfield, MO 65801

MONTANA

Cascade County Users Group, P.O. Box 739, Great Falls, MT 59403

Commodore Classic User Group, P.O. Box 3454, Great Falls, MT 59403

WIN THE LOTTO With Your Computer!

Forget random numbers (use a dartboard for that). This program for most home computers does an actual analysis and complete probability study of the past winning numbers. This amazing program will quickly provide you with all the data you need to predict which numbers will likely come up in subsequent drawings. It's completely menu driven so everyone can enjoy using it. Nearly all consistent lottery winners use some kind of system based on the past winners. Using the real power of your computer gives you a definite edge. All you do is add the latest winners each week and the program does the rest in seconds. On screen or printer it shows hot and cold numbers, frequency, groups, patterns, sums-of-digits, odd/even, wheels numbers and more. No thick manual to read. It even has a builtin tutorial.

ASK YOUR SOFTWARE DEALER OR



CALL OR WRITE: **SOFT-BYTE** P.O. Box 556 F. Park Dayton, Ohio 45405 (513) 233-2200

THE LOTTO PROGRAM is designed for all 6 & 7 digit lotto games (up to 49 numbers) and is sold worldwide!

DON'T PLAY LOTTO WITHOUT IT FOR APPLE & M/S DOS COM-PATIBLES (IBM) JUST \$24.95. ALSO FOR COMMODORE 64/128, RADIO SHACK III, IV & COLOR COMPUTER & ATARI 800/130XE JUST \$21.95. FOR MACINTOSH (a super version, Basic Req.) \$29.95.

Add \$1.50 shipping on all orders. Thank you!

SpeedSearch

Tony St. Clair

This clever utility performs a rapid search through every SpeedScript 3.x file on a disk to find any word or phrase that you specify.

If you've forgotten which Speed-Script file contains a certain name, phone number, or whatever, "SpeedSearch" can solve your problem. SpeedSearch searches through every SpeedScript file on a disk, looking for a key word or phrase that you choose. It eliminates frustrating manual searches of text files.

Typing It In

SpeedSearch should be entered using the "MLX" machine language entry program found elsewhere in this issue. Be sure you understand the instructions for using MLX before you begin entering the data. When you run MLX, you'll be asked for a starting address and an ending address for the data you're entering. For SpeedSearch, respond with the following data:

Starting Address: 0801 Ending Address: 0BB0

When you've finished typing in SpeedSearch, be sure to save a copy on disk.

To use the program, type LOAD"SPEEDSEARCH",8. Then place the disk—containing Speed-Script files—that you want searched into the drive and type RUN. You are asked for a search phrase. In response, type in any combination of letters, numerals,

and punctuation marks, up to a total of 25 characters. If punctuation marks or spaces are to be included in the search, the entire string should be enclosed in quotation marks. The search is not casesensitive, so Cat, CAT, and cat would all be found in the sentence The cat drank too much milk. Reversed characters are converted to their nonreversed equivalent during the search. The RUN/STOP key can be pressed at any time to halt the program.

Screening For SpeedScript

Once you've entered a phrase, SpeedSearch begins searching the disk for SpeedScript text files. It uses two criteria for identifying these files. First, it considers only files that are stored as program (PRG) files, bypassing any sequential files. Second, it accepts only files that have a particular load address. As listed, SpeedSearch expects a load address of 9472, the value for documents created by an unmodified version of SpeedScript 3.0 or higher. Other versions of SpeedScript will have a different load address. For example, files created by Speed-Script 2.0 will have a load address of 10240. Several of the add-on utilities published in GAZETTE and COMPUTE! change the starting address of documents created with

the modified versions of Speed-Script. For example, documents created using a copy of SpeedScript which includes the "Fontmaker" option from the January 1986 issue of COMPUTE! will have a load address of 12544. In these cases, SpeedSearch can be made to recognize these files by POKEing the low byte of the load address into location 2534 and the high byte into location 2542. If you wish to make the changes permanent, be sure to save a copy of the new Speed-Search after making the changes. There are several utilities available to determine the load address of files stored on disk, including "MetaBASIC" from the February 1987 issue.

Searching The Document

Once a file has been determined to be a *SpeedScript* file, the entire file is scanned for your phrase. As the file is searched, the message SEARCH-ING...filename is printed. After the file has been scanned, a summary is displayed indicating the number of times the desired string was located in that file. This continues until all files have been processed or until the program is stopped. If you put a disk with no *SpeedScript* files in the drive, the message *No SpeedScript files found on this disk* is displayed.

With the information provided by SpeedSearch, you'll be able to choose the correct file every time you use *SpeedScript*.

See program listing on page 99.

SpeedScript Date And Time Stamper

Bob Kodadek

With this utility installed, every file you create with Speed-Script 3.2 will have a date and time "stamp"—which makes it easy to find the most recent version of a letter or other Speed-Script file. A disk drive is required.

Imagine how valuable it would be to know the origination date of all your SpeedScript files. "SpeedScript Date And Time Stamper" adds this capability to SpeedScript 3.2. Once the program is installed, all Speed-Script files are automatically date-and time-stamped. A new Speed-Script directory routine displays all the usual information plus the date and time that each file was created. The current date and time is also displayed in full literal form—you'll see May 3, 1987, not 5/3/87.

Typing It In

SpeedScript Date And Time Stamper consists of two programs. Program 1, "SpeedScript Date and Time," is written in machine language. It must be entered using the "MLX" machine language editor found elsewhere in this issue. When you run MLX, you'll be asked for the starting and ending addresses of the data you'll be entering. For SpeedScript Date And Time, respond with the following values:

Starting address: C8FB Ending address: CF8A

After entering the data, save a copy of Program 1 with the filename "SPEEDSCRIPT DATE".

Program 2 expects this filename.

Program 2, "Date And Time Loader," is written in BASIC. After typing it in, be sure to save a copy onto the same disk on which you saved Program 1.

To use SpeedScript Date And Time Stamper, load and run the BASIC loader (Program 2). It will automatically load SPEEDSCRIPT DATE. You'll then be prompted for the current date and time. The program screens out incorrect data and proceeds to the next prompt only after you've supplied the information in the required format. At this point you'll be asked to insert a disk containing a copy of the Speed-Script word processor. This file must be named SPEEDSCRIPT. After you've pressed RETURN, Speed-Script is loaded. From now on, the date and time are stamped onto every file you save from within Speed-Script. To see the information, press CTRL-4 for the modified directory.

Behind The Stamp

The actual stamping occurs in an unused area in the directory sector of the file and is accomplished by a machine language routine which is sent into the disk drive itself. The

stamping operation is immediate, and the entire disk is still available for storage. A stamped disk may still be used normally, since the date and time stamp is transparent to the standard DOS routines.

The new directory is accessed in the normal fashion—by pressing the CTRL-4 key combination. This routine prints the current date and time at the top of the screen followed by the directory information. All of the usual information is displayed in the typical Commodore layout. However, the file type had to be abbreviated in order to accommodate the date and time stamp. The file types are displayed as PG, SQ, UR, and RL, and are selfexplanatory. So-called poison (or splat) and locked files are indicated as usual. Also notice that filenames are no longer in quotes. The listing can be paused by pressing the space bar and stopped by pressing RUN/ STOP.

The program doesn't alter SpeedScript's other functions in any way. You'll notice after saving a document that the drive light will come back on momentarily. This is the date and time stamp being applied to the directory sector of the file. The utility is disabled when you exit SpeedScript. To restart, type SYS 51487.

See program listings on page 98.

ScriptRead

Buck Childress

This versatile utility allows you to read any SpeedScript file (version 2.x or 3.x) at high speed. Among its features are automatic word-wrapping and word counting. It also has a scratch command to remove unwanted files. A disk drive is required.

After a while, your SpeedScript disks can become overcrowded with files. Even with the most descriptive of filenames, it's hard to remember the contents of every file. "ScriptRead" lets you read through any number of SpeedScript files, scratching any that are no longer needed. And since ScriptRead works so fast, it can also help you to locate a particular file—without your having to waste time loading file after file into SpeedScript.

Using The Program

ScriptRead is written in BASIC but includes machine language subroutines. Since the program requires exact typing to work properly, be sure to use the "Automatic Proofreader" program located elsewhere in this issue to enter it. Save a copy to disk before attempting to run the program.

To use the program, load it and type RUN. The program asks what you would like to do. Press M to see a menu of your options.

You may change the screen colors for easier viewing by pressing T to change the text color and B to change the background color.

Press D to see the disk directory. Press CTRL to slow the directory listing. Press Q to quit the listing.

To read the contents of a file, press R and then type the name of the file. ScriptRead displays the file on the screen. Since ScriptRead includes an automatic word-wrap function, you'll never have to contend with words that are split between two lines. Press CTRL to slow the listing, any function key to pause it, or Q to quit reading the file. When the end of the file is reached, the number of words in the file is displayed.

Press S to scratch a file. Script-Read asks for the name of the file to scratch. Type in the name of the file you wish to erase, or press RETURN if you don't wish to erase any files.

If you encounter a disk error (your disk drive light blinks on and off), press E to read the error channel. See your disk drive manual for an explanation of disk errors.

You may press RUN-STOP at the "What would you like to do?" prompt to exit ScriptRead.

See program listing on page 105.

Cx Commodore POWER SUPPLY (C-64) 29.95 1541 (Alignment) 35.00 C-64 (Repair) 44.95 C-128 (Repair) 95.00 1541 (Repair & Alignment) 75.00 1571 (Alignment) 40.00 1571 (Repair & Align) 135.00 POWER SUPPLY (C-128) 99.95 PARTS C-64 & C-128 CALL PARTS AND DIAGNOSTICS INCLUDED (FREE Return Freight in the USA. APO-FPO, C3PO add \$10) TO SAVE C.O.D. CHARGES -SEND UNIT & POWER SUPPLY WITH CHECK OR M.O. (916) 635-3725 Second Source Engineering 2664-B Mercantile Drive Rancho Cordova. CA 95670



MAXTRON 1825A DURFEE AVE., S. EL MONTE, CA 91733

Shipping & Handling add on above price DEALERS WELCOMED

VISA& MASTERCARD ACCEPTED

Computers And Learning: Which Future For You?



Fred D'Ignazio Associate Editor

I have seen the future, and it is awesome.

Recently I had an opportunity to visit a new Interactive Learning System classroom at a local high school. Twenty-five students were sitting at twenty-five microcomputers, looking like bionic kids. They were wearing headphones to hear their computers talk and play the music and sound effects accompanying their lesson. They controlled their computers by talking into a microphone attached to their headphones. All the computers were wired together into a local area network which shared a laser printer and a 20-megabyte hard disk drive. The students seemed totally absorbed in their lesson (which appeared to be an "earth science" unit about the ionosphere). They hunched over their computer keyboards, their eyes locked onto the color display screens.

They reminded me of my son when he watches the Saturday morning cartoons. A firecracker could have exploded beside them and they wouldn't have noticed.

I asked the students' teacher how much such a setup cost.

"Only \$145,000," said the teacher proudly. "Ninety-five thousand for the computers, thirty thousand for the proprietary software, and another twenty thousand for the technician who operates and maintains all the equipment."

"Do you really need a paid technician?" I asked. "Can't a teacher be trained to do the same job?"

"No way," said the teacher, shaking his head. "The system is too complicated. You need someone devoted to it full-time. It's like an expensive race car—to keep it on the track you have to fuss with it constantly."

The Good Old Days

While I stood and marvelled at this super-high-tech classroom, I couldn't help remembering the first time I'd taken a computer into a school. It was 1974, and I was a COBOL programmer fleeing from a mindless programming job in the subbasement of the Pentagon. I took my TI Execuport terminal, plugged it into the school telephone, and introduced elementary-school kids to computers by teaching them to program simple games in BASIC.

I kept 27 third graders spellbound for over an hour with a remote terminal the size of a sewing machine and a book of computer games.

Of course I wasn't trying to teach high-school kids about earth science. I just wanted to turn kids on to computers.

Scratching Your Head

When my first COMPUTE! column appeared in April 1982, it began with a cartoon of a funny-looking little man kneeling on the floor surrounded by all kinds of computer parts. The man was soldering some parts together and looking like he was having a great time.

That little man was me.

He was also the thousands of other computer hobbyists who first got into personal computers because of the way they were so *unformed*—like Lego blocks which you had to assemble yourself.

As I looked at the students in the high-tech learning lab, I realized how far we have come since those early days in personal computers. It made me realize we are on the verge of entering a new era in which microcomputers officially become an "appliance"—like a car, microwave oven, or TV set. All the complexities, all the frustrating details of making a computer run will

no longer matter. If something breaks down, we'll take the computer to the repair shop and have it serviced. The teacher is spared the nuisance of having to install, maintain, and service her classroom computers. She'll turn the whole mess over to a trained expert.

"It's about time!" you say. And you may be right; perhaps it's a good thing. After all, teachers don't have time to fuss and fume over cables, adapters, circuit cards, disks, and other computer paraphernalia.

But what about the students? When we tame technology and cover up all those messy wires and glitches, are we enriching or impoverishing our students' learning? If all technology becomes as transparent or invisible as a car's carburetor or a refrigerator's electric motor, how can a student ever learn about technology?

Let's look at the bottom line for a moment. How does a learning lab compare with a *pencil*? Which is the more versatile tool? Which is more creative, more open-ended? Which is more personal? Which tool gives a student more control over the *process* of learning rather than limited goals and objectives?

Which is cheaper?

And what happens if the learning lab's technician can't come in to work?

simple answers to common questions

Each month, COMPUTE!'s Gazette tackles some questions commonly asked by Commodore users. If you have a question you'd like to see answered here, send it to this column, c/o COMPUTE!'s Gazette, P.O. Box 5406, Greensboro, NC 27403.

I plan to buy a modem. Do I need things like QuantumLink to make it work? Also, do I have to pay extra phone charges when I use the modem? If I upgrade my system to a Commodore 128, will I need a different modem in 128 mode than in 64 mode? If so, are there any modems that work in both 128 and 64 mode?

A. The word modem stands for modulator/demodulator. Simply put, it's a device which connects a computer to a standard telephone line. It allows a computer to transmit information to another modemequipped computer by converting the data into audio tones which are carried by the phone line. At the other end, the tones are converted back into the original data by the other modem.

You don't pay extra phone charges when using a modem because as far as the phone company is concerned, you're making an ordinary phone call. If you call another computer long-distance, you pay the long-distance rates that you would if you placed a voice call to the same city at the same time of day. (There's one exception, which we'll explain in a moment.)

The only thing you need to make a modem work—besides a telephone line and the appropriate terminal software running on your computer—is another modem-equipped computer to call. The other computer and modem can be next door or on the other side of the world.

QuantumLink is a commercial information service that specializes in Commodore computers. An

information service is like a large, electronic bulletin board that offers a number of services, including a library of public domain programs; public messages; private electronic mail; and online conferencing (something like a national "party line" in which dozens of people can participate in a conversation by typing on their keyboards). Other popular information services which cater to owners of many different kinds of computers are Compu-Serve, The Source, Delphi, GEnie, and PeopleLink.

You can also use a modem to call any of the hundreds of bulletin board systems (BBSs) spread throughout the world. Unlike the commercial information services, which are operated on large mainframes or minicomputers, BBSs are typically run on a single personal computer by a hobbyist. They offer similar services, but on a smaller scale. Check your local user group for a list of popular BBSs.

Extra charges are usually assessed only when you call a commercial information service with your modem. Most services have hourly rates ranging from \$3 to \$15. (An exception is QuantumLink, which charges a flat fee of \$9.95 per month and \$3.60 per hour for certain services.) The bigger information services have local phone numbers in most major metropolitan areas, so you don't have to place a long-distance call to reach them. If you live outside these areas, you can link up through a special long-distance network that costs a few dollars an hour.

All modems that work with the Commodore 64 are also compatible with the Commodore 128, so you won't need to buy a new modem if you upgrade. The same modem works in either 64 or 128 mode, as well as in CP/M mode.

Q. I've noticed there are pro-

grams on the Atari 130XE that allow the extra 64K to be used as a RAM disk. Is there a way of doing this on the Commodore 128 in 64 mode? This could be a really useful capability. I can also imagine that using part of a memory expansion module to set up a number of RAM disk drives in 64, 128, or CP/M mode would be nice to do.

A Setting up a RAM disk on the Atari 130XE is a little easier in one sense because it's not a multimode computer. In addition to its regular 64K, the 130XE has four extra 16K banks which are available at any time. The Commodore 128, on the other hand, is really three computers in one: a 128, a Commodore 64, and a CP/M machine. The 128K of memory available in 128 mode is not "visible" to the computer in 64 mode. This was a necessary design compromise to insure full 64 compatibility.

You could set up a RAM disk using the 64K of memory available in 64 mode-in fact, this has already been done on the Commodore 64-but the RAM disk would have to be relatively small to leave room for your program. To overcome this limitation, Commodore has introduced a 256K memory expander for the 64. (For more on this product, see the feature on data storage elsewhere in this issue.) This \$129 module plugs into the user port and comes with software to set up two different kinds of RAM disks. One RAM disk is for normal 64 applications, and the other is for use with GEOS (Graphics Environment Operating System). Since GEOS frequently accesses the disk drive, the RAM disk's very high speed (about 1000 times faster than that of a floppy) makes GEOS much easier to use.

Memory expanders for the 128 can also be used as RAM disks, but not in all three of the computer's modes.

BASIC for beginners

Larry Cotton

BASIC has a very useful command that can be used in conjunction with GOTO and GOSUB. That command is ON.

If you've been writing simple BASIC programs incorporating the statements we've discussed in this column, you may have encountered situations where you need to test for several conditions and take appropriate actions. Take a look at the following example:

100 INPUT "NUMBER FROM 1 TO 3"; A 110 IF A=1 THEN GOSUB 500 120 IF A=2 THEN GOSUB 600

130 IF A=3 THEN GOSUB 700

We've seen both INPUT and IF/THEN before. Lines 500, 600, and 700 would contain the subroutines which would perform different actions depending on the value typed for A—1, 2, or 3. Here's a way to accomplish the same thing in only two lines:

100 INPUT "NUMBER FROM 1 TO 3"; A 110 ON A GOSUB 500, 600, 700

That's all there is to it. Again, lines 500, 600, and 700 would contain the subroutines corresponding to the values of A.

How does ON work? First, look at the line numbers following the GOSUB; they are in positions one, two, and three. The number of positions usually correlates with the highest value of A that we expect the user to type. In this case, we're asking for a 1, 2, or 3. Therefore, there are three corresponding line numbers following the GOSUB.

If the user types a 1, ON uses that value to choose which number to go to—in this case line 500. Similarly, if the user types a 2 or a 3, control of the program is sent to line 600 or 700, respectively.

ON with GOTO

GOTO as well as GOSUB can be used with ON. Type in and RUN this program:

No. typed	Program response	Why?
negative	ILLEGAL QUANTITY	ON cannot handle negative numbers (but see below)
0	Prints TWO	ON statement is ignored when zero is typed in
1	Asks again	Control is sent to line number in the first position after GOTO—line 100
2-5	Prints TWO—FIVE	Control is sent to the line numbers in the second through fifth positions after GOTO— lines 120 through 150
6-255	Prints TWO	ON statement is ignored when values exceed the number of entries after GOTO
256	ILLEGAL QUANTITY	Maximum value ON can handle is 255 or more

100 INPUT "NUMBER FROM TWO TO FIVE"; A 110 ON A GOTO 100, 120, 130, 140, 150

120 PRINT "TWO": END 130 PRINT "THREE": END

140 PRINT "FOUR": END 150 PRINT "FIVE": END

You're expected to enter a number in the range 2–5. Program control will be transferred to lines 120–150, which are in positions 2–5 after the GOTO. Try entering values in this range and observe the results.

Next, type in some values outside the requested range, including 1 and negative values. The table shows what happens for each possible number, and why.

Here is a summary of the guidelines for using ON:

- Line numbers must be separated by commas (spaces optional).
- Any legal numeric expression may follow ON. Examples: X, N+3, X(3), GR*2-1.
- All the rules for GOTO and GO-SUB (see last month) apply when they are used with ON.
- If the destination line for the GOTO or GOSUB doesn't exist, you'll get the error message UN-DEF'D STATEMENT ERROR IN line number.
- The number of lines to which program control may be transferred usually corresponds to the highest value that the expression may become.
- If the expression evaluates to zero or a value greater than the number of positions after the GOTO or GOSUB, the ON is ignored.

- The maximum number of positions after GOTO or GOSUB is 255, but you can't actually type 255 different line numbers because of the 80-character limit of a Commodore 64 BASIC line or the 160-character limit of Commodore 128 BASIC.
- If negative numbers or numbers greater than 255 are used with ON, you'll get the error message ILLEGAL QUANTITY.
- If the numeric expression following ON is not an integer, the decimal portion is dropped. For instance, in the example programs above, if the user types 3.25 at the prompt, it will be treated as 3.

ON with Negative Numbers

Suppose you want ON to handle negative input. An example might be:

100 INPUT "ENTER A NUMBER FROM -3 TO -1"; N

110 ON N+4 GOTO 120, 130, 140 120 PRINT "MINUS THREE": END 130 PRINT "MINUS TWO": END 140 PRINT "MINUS ONE": END

Here's a chance to really use the old gray matter. ON has the capability of doing some simple (or even very complicated) math before it decides to which line number it should transfer control. In the above example, 4 is added to the number that is input (which should be in the range -3 to -1). This brings the input number into the range 1 to 3—a range that ON can handle.

Here's what happens: If you

type a -3 at the prompt, N becomes -3 and N+4 becomes +1 (-3+4=+1). +1 causes control to be sent to line 120, which prints the message "MINUS THREE".

Similarly, if you type a -1 at the prompt, N+4 becomes three and control is sent to the line number in the third position—140.

It's good programming practice to limit the responses to an IN-PUT, even if it's not being used with ON-GOTO or ON-GOSUB, so we'll use two IF/THEN statements to test for legal INPUT values, as shown in lines 110 and 120 below:

100 INPUT "NUMBER FROM ONE TO

THREE";H 110 IF H<1 THEN 100

120 IF H>3 THEN 100 130 ON H GOTO 140, 150, 160

140 (program continues here)

If values outside of the requested range are entered, control returns to the INPUT statement in line 100.

ON's Other Uses

Of course, there are other ways to use ON (which is *always* used with GOSUB or GOTO) other than following INPUT statements. One of

the most popular is with the RND (random) function, where programs can branch in random directions. We'll discuss RND in a future column.

Another use for ON is with the FOR-NEXT statement.

100 FOR T=1 TO 4

110 ON T GOSUB 200, 300, 400, 500

120 NEXT

130 END

200 (subroutine followed by RETURN) 300 (subroutine followed by RETURN)

400 (subroutine followed by RETURN) 500 (subroutine followed by RETURN)

This is useful for sequentially executing several subroutines, which can set up the screen or sound chip in the computer, define constants, gather the user's input, and so on.

To understand how ON is used with FOR-NEXT, type in this program:

100 PRINT "{CLR}{DOWN}HOW
MANY STATES WOULD YOU LIKE
TO SEE?"

110 PRINT

120 PRINT "1. NC ONLY"

130 PRINT "2. NC AND SC"

140 PRINT "3. NC, SC, AND VA"

150 PRINT: INPUT "YOUR CHOICE"; C 160 IF C<1 THEN 100: REM LOWER LIMIT 170 IF C>3 THEN 100: REM UPPER

180 FOR T=1 TO C: ON T GOSUB 200, 300, 400

190 NEXT:END

200 PRINT

210 PRINT "CAPITAL OF NC: RALEIGH"

220 RETURN

300 PRINT "CAPITAL OF SC: COLUMBIA"

310 RETURN

400 PRINT "CAPITAL OF VA: RICHMOND"

410 RETURN

Run this program three times, each time making a different choice, and observe the results. Remember: C is the user's response to the question, and T is the counter in the FOR-NEXT loop. When you type 2, for instance, C is given that value, and the program loops twice.

Lines 100–150 should be clear. Lines 160 and 170 limit the user's response. Please be careful to note that in line 180, ON is followed by T (the FOR-NEXT counter), not C (the user's input—the high limit for the counter). Lines 200–410 contain the subroutines.

Next month we'll look at the GET statement. In the meantime, try using ON in your own programs.

PANASONIC

1080i — \$19995 1091i — \$25995

MCS

DISKS

5½ DS/DD...\$.40 3½ DS/DD...\$1.50



Future Sound . . . 139.95

1080 Monitor . . . 1259.95

AMIGA 1000*

1080 Color Monitor

90 DAYS PARTS & LABOR

\$850

C.P.U. IS REFURBISHED

SIDECAR GEN LOCK CALL! • 256K RAM ° 79.95 • 1680 Modem . . . ° 159.95 • Allegra (512K) . . ° 299.95 • Amega (1 Meg) . ° 399.95

· 79.95

NEW LOW PRICES!

• 64C 169.95 • 128 1249.95

• 1802C . . . CALL • 1902 CALL

CALL US BEFORE YOU BUY!

Over 2400 software titles in stock!



159.95

1 14.95



· DIGI-VIEW

• Enhancer



FULL LINE - CALL!

Ccommodore SFD 1001

1 MEG \$17995 SEIKOSHA SP-1000VC

SEIKOSHA SP-1000VC

COMMODORE READY

\$16495

NEAR LETTER QUALITY
FRICTION & TRACTOR
100 CPS
SHEET FEEDER

1200 BAUD \$8800 BAUD

ESINSTRU-----



IBM Compatible

- 512K
- 360K Dual
Sided Drive
- CGA Board
- One year
warranty

• 350K Dual
• Sided Drive
• CGA Board
• One year
warranty
• Parallel Port
• Serial Port
• GW BASIC
• DOS 3.2

FREE Sidekick by Borland

\$699⁹⁵

ORDERS 800-433-7756

HOURS: MON-FRI 10:00 a.m. - 8:00 p.m. E.S.T.
SAT 10:00 a.m. - 6:00 p.m. E.S.T.
Customer Service 313-427-0267
Dealer Inquiries

JOYSTICKS INTERFACES OKI-MATE 20

FROM \$ 5.95 FROM \$ 29.95 \$184.95 MC/VISA/DISCOVER/C.O.D. — Please include phone number. Dealer inquiries invited, all prices discounted for cash or check. Call for shipping information. All returns are for repair/exchange only, call for auth. Prices and availability subject to change without notice. Offices are not open for walk in traffic.

Building Trampolines

machine languag

Richard Mansfield Editorial Director

It's something of an oddity that you cannot branch further than 127 bytes forward or 128 bytes backward, whereas you can ISR or IMP as far as you want. You can give the JMP instruction an address anywhere within the 64K range of the Commodore 64 or within the 64K size of any memory bank within the Commodore 128. A BEQ (Branch if EQual) command, however, is only allowed to leap within a zone which is 255 bytes large and which extends half that much in either direction from its own location within your program.

Before speculating about the possible reason for this curious state of affairs, let's first review the uses of the branching instructions. Essentially, commands such as BEQ and BNE (Branch Not Equal) are ML's way of handling IF-THEN and ON-GOTO structures. The branching commands respond to whatever has just happened in your program and either send the program to a new location, or not:

> LDA 12000 **BEQ CONT CMP #1** BEQ UP **CMP #2 BEQ DOWN**

CONT go on with the program

This program fragment could come from a larger program which is testing the byte at memory address 12000 to see what it contains and then is making a decision about it. If 12000 holds a zero, we jump to the location within our program called CONT and simply proceed with the program. If, however, address 12000 contains a 1, we branch to a routine called UP. UP has to be somewhere nearby since branches must be within that 255-byte-large zone. If 12000 contains a 2, we go to the subroutine labelled DOWN.

No Cause For Concern

The programmer, however, need not worry that the targets (CON-TINUE, UP, and DOWN in our example above) of branch commands are, in fact, within the bounds, within the 255-byte limit. All reasonable assemblers will detect any such problems and report BRANCH OUT OF RANGE. It's usually relatively simple to correct the problem by moving things around a little.

Once in a while, though, you'll need to branch some distance from a branching instruction. One such dilemma arises when there's just no easy way to correct a BRANCH OUT OF RANGE error. In these cases, you can simulate a far branch by inserting a JMP as the target of a branch, like this:

LDA 12000 BEQ CONT **CMP #1** BEQ UP **CMP #2 BEQ DOWN JSR MAIN** DOWN IMP DOWN1

CONT

What we've done is create a "trampoline" and labelled it DOWN. Now we can locate the subroutine DOWN1 anywhere in 64K of memory because the JMP instruction uses a two-byte address. So, if there is a 2 in the byte at address 12000, we branch to DOWN, but DOWN can bounce us anywhere we need to go. This might seem a bit indirect, but it's pretty simple to program. The reason we have to go through this indirection is that the IMP instruction cannot make decisions and the branching instructions cannot go very far.

A Massive Structure

If you are planning a massive ON-GOTO structure, for example if you are branching to many places within your program as the result of a user's choice from a large menu, you might want to set up a series of JMPs in this way:

LDA CHOICE **BEQ CHOOSE CMP #1** BEO ONE **CMP #2** BEQ TWO **CMP #3** BEO THREE JMP ONE1 TWO JMP TWO1
THREE JMP THREE1

ONE

In this example there is a nearby subroutine, called CHOOSE, which continually tests to see if the user has indicated his or her preference from your program's menu of choices. This CHOOSE subroutine either leaves a zero (if there has been no choice yet) or the number associated with one of the items on the menu. If there is no choice yet, we branch up to CHOOSE and try again. If a choice has been made, we branch down onto one of our waiting trampolines, and we're off to the correct subroutine.

By the way, we don't have any hard information on why branching was limited to short distances, but we can make a reasonable assumption that it had to do with memory conservation. Far branching would require two-byte addresses. In the early days of personal computers (back, say, six years) when the 6502, the granddaddy of the 6500 family of microprocessers, was designed, computers had only 8K or less of RAM within which to write programs. Since branching is such a common event and since short-distance branching is usually all that's needed, it was felt that the savings in memory usage achieved with one-byte branch addressing was worthwhile. When you've got only 8K, every byte counts. More recent microprocessors, such as the 68000, feature "far branch" instructions which, with respect to their reach, are identical to jump and gosub commands.

DOWOT BAS

Paul Carlson

Drawing lines on the 128 with machine language is a lot easier than you might think. And it's much faster than with BASIC. As an example of the effects possible, an excellent demonstration program is included.

The 128's BASIC 7.0 has all the graphics commands that the 64 lacked. These commands are also available to machine language (ML) programs. In this article I'll show you how to use the line-drawing routine. Even if you're not interested in ML programming, you might be interested in typing in the program-it's an enhanced version of the classic "walking lines" demo program.

The line-drawing routine is among the easiest of the BASIC 7.0 ROM routines to use. Even if you're just beginning to program in machine language, you shouldn't have much trouble using it.

The line-drawing routine has a jump table entry at address \$AF72 (a \$ means that the number is in hexadecimal). The routine gets the color source and the starting and ending coordinates for the line from the following memory locations in RAM (all coordinates are in standard low-byte/high-byte form):

\$0083	color source
\$1131-\$1132	starting x coordinate
\$1133-\$1134	starting y coordinate
\$1135-\$1136	ending x coordinate
\$1137-\$1138	ending y coordinate

When the line-drawing routine is called, the values in these memory locations determine the color and location of the line. After the routine has drawn a line, it moves the values from the ending coordinate addresses to the starting coordinate addresses. This makes it easy to draw connected lines—after the first line is drawn, only the new ending point needs to be loaded. As an example, the following routine draws a line from (10,20) to (150,80) with color source 1, and then draws to (40,120) with color source 2.

		The state of the s
LDA	#\$00	;set high bytes of
STA	\$1132	; starting
STA	\$1134	; and ending
STA	\$1136	; coordinates
STA	\$1138	; to zero.
LDA	#\$0A	;load 10 (\$A) into
STA	\$1131	; starting x.
LDA	#\$14	;load 20 into
STA	\$1133	; starting y.
LDA	#\$96	;load 150 into
STA	\$1135	; ending x.
LDA	#\$50	;load 80 into
STA	\$1137	; ending y.
LDA	#\$01	;load 1 into
STA	\$83	; color source.
JSR	\$AF72	;draw first line
LDA	#\$28	;load 40 into
STA	\$1135	; ending x.
LDA	#\$78	;load 120 into
STA	\$1137	; ending y.
LDA	#\$02	;load 2 into
STA	\$83	; color source.
JSR	\$AF72	;draw second line
RTS		;return.

Although the graphics mode can be set using machine language, it's best to use the BASIC GRAPH-IC statement, which initializes certain memory locations used by the line-drawing routine. Likewise, it's best to use the BASIC COLOR statement to define the color sources. The routine above assumes that the multicolor mode has been set and color sources 1 and 2 have been defined by the BASIC program that calls the routine.

Why bother with machine language at all, when the BASIC DRAW statement can do the same thing? The reason is speed. BASIC may not be fast enough when many lines need to be displayed in a short time. The program accompanying this article demonstrates the speed possible when a machine language routine is used.

Walking Lines

Type in "Walking Line Demo." Since it contains a machine language program in DATA statements which must be typed accurately, use "The Automatic Proofreader," found elsewhere in this issue, to enter the program. Be sure to save a copy of the program before running it.

After you've saved a copy, load and run the program. You'll see a bundle of lines walking across the screen. Press any key to stop the

See program listing on page 104.

COMPUTE!'s Gazette is looking for utilities, games, applications, educational programs, and tutorial articles. If you've created a program that you think other readers might enjoy or find useful, send it, on tape or disk to:

Submissions Reviewer **COMPUTE!** Publications P.O. Box 5406 Greensboro, NC 27403

Please enclose an SASE if you wish to have the materials returned. Articles are reviewed within four weeks of submission.

horizons

Todd Heimarck Assistant Editor

Computers are great at alphabetizing—they don't make mistakes and they don't complain about how

boring the job is.

This month we'll take a look at two sorting algorithms: the bubble sort and the Shell sort. (Shell is capitalized, by the way, because it's named after Donald Shell, its inventor.) Both sorts, including the demonstration programs here, apply to any Commodore computer.

Four Rules

Sorting programs work in a variety of ways, but they all have four things in common. The first rule is that the items to be put in order, whether they're strings or numbers, must be in an array. At the beginning of the program, use the DIM command to set the dimension of the array. If the list has room for 50 items and is called B\$, you'll put DIM B\$(50) in one of the first lines. To find a single element in the array, use a number or a numeric variable in parentheses after B\$. The 26th item on the list will be B\$(26). If you're sorting numbers batting averages, for example—use a numeric array such as B(X).

The second rule is that you have to initialize the values in the array. Like all other variables on the 64 or 128, newly created arrays are empty. Numeric arrays start out filled with zeros; string arrays begin as a collection of null strings (strings that contain nothing, with a length of zero). To initialize the array, you could type in the values yourself. Or you could put the values in DATA statements and READ them into the array. Or you could store them in a disk file and initialize the array by reading the file. The example programs set up the array by selecting characters at random.

Third, you need a way to com-

pare two items in the list, to see if they're in the right order. In BASIC, you use the greater than (>) and less than (<) operators, which work on both numeric and string variables. The heart of a sorting routine is the section where the computer loops through the list to find out which items are incorrectly placed.

Finally, if two strings or numbers are in the wrong order, you have to switch them with a line like this: T\$=A\$: A\$=B\$: B\$=T\$.

The Bubble Sort

For short lists, a bubble sort is adequate. In terms of speed, however, it's not a good choice, as we'll see later. For explaining how a sort works, the bubble sort is excellent because it's short.

Let's say you have an array of ten strings. The following three lines will put the array in partial order:

10 FOR J = 1 TO 9 20 IF N\$(J) > N\$(J+1) THEN T\$=N\$(J): N\$(J)=N\$(J+1):N\$(J+1)=T\$ 30 NEXT

The FOR-NEXT loop counts from 1 to one less than the size of the array (9, in this example). The variable J is the counter for the loop and an index to the array. The IF-THEN in line 20 compares one member of the array to its neighbor on the list. As J counts from 1 to 9, N\$(1) is compared to N\$(2), then N\$(2) is compared to N\$(3), and so on until the final pass through the loop, where N\$(9) is compared to N\$(10). This covers the final two items in the array, and it's why the loop counts up to 9, when the array size is really 10.

If two strings are out of order, they're swapped. Now let's say N\$(2) equals ZELDA and it's alphabetically the last string on the list. The first comparison leaves N\$(1) and N\$(2) in place. The second comparison switches 2 and 3 (now N\$(3) is ZELDA). The third moves our string down to N\$(4), and so on.

When the loop has finished, N\$(10) holds ZELDA. We can't predict whether any of the first nine strings are in order, but we know that the last item in the array is correct.

Each time the loop is repeated, one more item falls into place. Eventually, the list will be sorted. The main bubble sort routine is found in lines 120–180 below. The outer loop starting at line 120 counts backwards from 79 to 78 to 77, down to 1. The inner loop counts from 1 to M—1 to 79, then 1 to 78, 1 to 77, and so on.

Since we know that the first pass puts the last element in place, it's not necessary to check it in the later loops. The second pass puts the penultimate string (number 79) in its place, so it doesn't need to be checked anymore.

Bubble Sort

RK 10 Z=80:DIM C\$(Z):M=RND(-10 BB 20 FOR M=1TOZ:L=INT(RND(1)* 6+3) AJ 30 FOR N=1TOL:C\$(M)=C\$(M)+C HR\$(INT(RND(1)*26+65)):N EXT:PRINTC\$(M) AM 40 NEXT: PRINT CHR\$(147); KC 50 GOSUB100:GOSUB100 GH 60 GETA\$:IFA\$=""THEN60 OD 70 END AC 100 PRINT"SORTING" MS 110 M=FRE(0):TI\$="000000":C P=Ø:SW=Ø FC 120 FOR M=(Z-1)TO1STEP-1 SE 130 FOR N=1TOM: CP=CP+1 XP 140 IF C\$(N) < C\$(N+1) THEN17 GK 15Ø SW=SW+1 HE 160 T\$=C\$(N):C\$(N)=C\$(N+1): C\$(N+1)=T\$ SQ 170 NEXT MR 180 NEXT KM 190 PRINT TI; "JIFFIES", CP; "

CH 200 PRINT SW; "SWAPS"

GQ 210 FOR M=1TOZ:PRINTC\$(M),:

NEXT:PRINT

CD 220 RETURN

COMPARISONS"

Line 140 compares two strings. If they're in place, the program skips ahead to line 170. The CP variable in 130 and SW in 150 aren't really necessary. They're

there to keep track of how many comparisons and swaps are made.

A Modified Bubble

Examine line 50 in the program above and you'll see that the bubble sort routine is called twice. The first time, the list is in random order. The second time, the array is in order. If you run the program, the program makes 3160 comparisons before it finishes (the number of comparisons is predictable: Take the length of the list, 80; multiply by the next number down, 79; and divide that number by 2). The first sort takes 4387 jiffies (73.12 seconds; a jiffy is 1/60 second). The second sort, when the list is already in order, takes 2610 jiffies (43.5 seconds). Both times there are 3160 comparisons.

The program can be modified to make it run faster when the list is sorted (or mostly sorted):

Modified Bubble Sort

```
RK 10 Z=80:DIM C$(Z):M=RND(-10
BB 20 FOR M=1TOZ:L=INT(RND(1)*
      6+3)
AJ 3Ø FOR N=1TOL:C$(M)=C$(M)+C
      HR$(INT(RND(1)*26+65)):N
      EXT: PRINTC$ (M),
AM 40 NEXT: PRINT CHR$ (147);
KC 50 GOSUB100:GOSUB100
GH 6Ø GETA$:IFA$=""THEN6Ø
OD 70 END
AC 100 PRINT"SORTING"
MS 110 M=FRE(0):TI$="000000":C
       P=Ø:SW=Ø
HF 120 FOR M=(Z-1)TO1STEP-1:F=
SE 130 FOR N=1TOM: CP=CP+1
XP 140 IF C$(N) < C$(N+1) THEN17
XD 15Ø SW=SW+1:F=1
HE 160 T$=C$(N):C$(N)=C$(N+1):
       C$(N+1)=T$
JA 170 NEXT: IF F=0THENM=0
MR 18Ø NEXT
KM 190 PRINT TI; "JIFFIES", CP; "
       COMPARISONS"
CH 200 PRINT SW; "SWAPS"
GQ 210 FOR M=1TOZ:PRINTC$(M),:
       NEXT: PRINT
CD 22Ø RETURN
```

The variable F has been added to lines 120, 150, and 170. It acts as a flag that indicates whether or not a swap has occurred during each pass of the outer loop. Obviously, if no swaps have been made, the list is in order and no more sorting is needed. If F is still zero after the inner loop finishes, the sort routine ends. Now the scrambled list requires 3139 comparisons instead of 3160 and the sorted list needs 79 instead of 3160.

The Shell Sort

As the size of the list grows larger, bubble sorts become very slow. Run one of the bubble sort programs above and note the time. On a 128 in 64 mode, the first program took 4387 jiffies (73.12 seconds). Now change the first part of line 10 to read Z=160. That doubles the size of the list. Run the program again and it takes 18,649 jiffies (310.82 seconds). The list has doubled in size, but the time used by the sort program has quadrupled.

Here's an improved sorting program (lines 10-70 are the same):

Shell Sort

```
RK 10 Z=80:DIM C$(Z):M=RND(-10
BB 20 FOR M=1TOZ:L=INT(RND(1)*
      6+3)
AJ 30 FOR N=1TOL:C$(M)=C$(M)+C
      HR$(INT(RND(1)*26+65)):N
      EXT: PRINTC$ (M),
AM 40 NEXT: PRINT CHR$ (147);
KC 50 GOSUB100:GOSUB100
GH 60 GETA$:IFA$=""THEN60
QD 70 END
GC 100 PRINT"SORTING":GP=Z
MS 110 M=FRE(0):TI$="000000":C
       P=0:SW=0
JK 120 GP=INT(GP/2):IFGP=0THEN
       200
HB 130
       F=Ø
KR 140 FOR M=1TO(Z-GP):CP=CP+1
CM 150 IF C$(M) < C$(M+GP) THEN17
XB 160 T$=C$(M):C$(M)=C$(M+GP)
       :C$(M+GP)=T$:SW=SW+1:F=
SO 170 NEXT
KS 180 IF *F THEN130
SS 190
       GOTO12Ø
AP 200 PRINT TI; "JIFFIES", CP; "
       COMPARISONS"
GE 210 PRINT SW; "SWAPS"
MR 220 FOR M=1TOZ:PRINTC$(M),:
       NEXT: PRINT
GE 23Ø RETURN
```

The Shell sort uses a gap (the variable GP) that's initialized to half the size of the list. For an 80-element array, GP would start at 40. Instead of comparing neighboring strings, you compare strings that are separated by 40. The first time through the main loop, C\$(1) is compared to C\$(41), C\$(2) is compared to C\$(42), and so on. When no more swaps can be made, the gap is cut in half and rounded down to 20, then 10, 5, 2, and 1.

The advantage to using the gap is that it helps strings move faster and farther. Let's use the ZELDA string as an example again. In a bubble sort of 80 strings, it takes 79 swaps to move ZELDA from the top of the list to the bottom, a timeconsuming process. The Shell sort moves it 40, then 20, then 10. After only three comparisons, the wayward string has moved a total of 70 spots on the list.

How much faster is a Shell sort? Consider the following times:

> 80 strings 160 strings

Bubble 4387 jiffies 18,649 jiffies 1860 jiffies 5001 jiffies Shell

Doubling the size quadruples the time for a bubble sort, but it only multiplies the Shell sort time by about 2.7. The longer the list to be sorted, the better the Shell sort performs, as compared to the bubble sort.

COMPUTE!'s GAZETTE

TOLL FREE Subscription Order Line 1-800-247-5470 In IA 1-800-532-1272

SONY

3.5" DISKETTES

Certified by Apple for MacIntosh™ - Salety Auto Shutter protects against fingerprints and dust

Safety Auto Design is heat-resistant and guards against disk damage during handling



Price	Per Di	skette
	SS	DS
Box	1.09	1.59
Bulk	1.17	1.29

POLY PACK 51/4" DISKETTES



- Blank Jackets
- WP Tabs
- Envelopes 100% ERROR FREE

Sold in Lots of 100 Only

QUALITY PRINTER RIBBONS Apple Imagewriter\$3.95 ea Okidata 80/82/83 \$1.49 ea Epson LX 80/90 \$2.95 ea

Sold 6/Box (Minimum)

Min. Order \$25.00. S&H: Continental USA: \$4.00/100 or fewer disks: discount at 300. Ribbons \$ 25 each. Foreign orders APO/FPO, please call. MI residents add 4% tax. Prices subject to change without notice. Hours 8.30 AM - 7.00 PM.







Precision Data Products™ P.O. Box 8367, Grand Rapids, MI 49518 (616) 452-3457 • Michigan I-800-632-2468 Outside Michigan I-800-258-0028

hints Extips

64/128 Sprite Printer

Mitchell Ross

To look at a sprite shape, you can PEEK into memory. But it takes a long time to convert the numbers into spots on graph paper. Here's how to let the computer do the work.

First you have to know where the sprite is located in memory. On the 64 and 128, you can PEEK locations 2040-2047 to find the pointers for the eight sprites. (For sprites used on the 128's hi-res screens, GRAPHIC 1-4, substitute 8184-8191.) For example, if you have a 128, PRINT PEEK(2040) should return the number 56. That's the pointer to the first sprite. Multiply the number by 64; that tells you where the 63 bytes of the sprite shape are located in memory. In this case, sprite zero is found at 56*64, or 3584.

The 64 doesn't have an area of memory reserved for sprites, but I often use the area starting at 12288 in my programs. Once you know where the sprite is, run this short program:

```
5 OPEN1,3
10 SL=12288
20 FORJ=SLTOSL+60STEP3:A$=""
30 FORK=JTOJ+2:M=128:SB=PEEK(K
)
40 FORL=1TO8
50 IF SBANDM THENA$=A$+"*":GOT
070
60 A$=A$+CHR$(32)
70 M=M/2
80 NEXTL:NEXTK:PRINT#1,A$
```

It's written for a sprite that starts at 12288. For other memory locations, just change the value of SL in line 10. The sprite shape prints on the screen (in line 5, device 3 is the screen). If you own a printer, you can print out the shape by changing the first line to OPEN 1,4. You must also close the printer channel by adding PRINT#1: CLOSE1 as a final line.

Instant 128 Help Screens

Anders Frankel

Here's a time- and memory-saving technique for people who own a 128 (or a 64 with a machine language monitor). Screen memory on both computers starts at 1024. If you have an introductory screen for a game or a series of help screens, you could put the information for one screen in a series of 25 PRINT statements. But if you have six pages of text, you'd need 150 PRINT lines. The following idea will allow you to banish all those PRINT statements from a program.

On the 128, go into the monitor by typing MONITOR. Clear the screen and type whatever you like to create the screen you want. When the screen looks right, cursor down to the second-to-the-last line and type S "filename", 08, 400, 800 and screen memory will be saved to disk. This same idea can be used by 64 owners who have Micromon, Supermon, or some other ML monitor.

The line with the filename will be saved along with the main screen. To avoid seeing that line, you can write a short BASIC program (128 mode only) that sets up the screen and then executes BSAVE "filename", B0,P1024 TO P2023.

Once the screen is on disk, you can BLOAD it back into memory on the 128. On the 64, you'll have to use a line like this at the beginning of the program:

IF A=0 THEN A=1:LOAD "SCREEN1" ,8,1

If you have a 128 memory expander, the screens can be STASHed in expansion memory, then FETCHed for nearly instant access.

Turbo-Plus/4

Robert G. Boomers

Although the VIC, 64, 16, Plus/4, and 128 all have an internal clock speed of 1 MHz (one million cycles

per second), they don't run BASIC programs at the same speed. In fact, if you time a FOR-NEXT loop that counts to 10,000, you'll find that the VIC-20 is the fastest Commodore computer, followed in order by the 64, the Plus/4 and 16, and the 128. Put the 128 in FAST mode (2 MHz), and it jumps to number 1 on the list. Does this mean Plus/4 owners are doomed to remain in last place on the list of who's hot and who's not? Not necessarily.

It's not very well known, but the speed of the Plus/4 and 16 can be increased tremendously by turning off the screen. POKE 65286,11 turns it off and POKE 65286,27 turns it back on. The increase in speed is roughly 30–40 percent, quite an improvement in programs that do lots of calculations (sorts, for example). It doesn't speed up the clock—it just frees the Plus/4 from having to update the screen.

With the screen turned off, suddenly the Plus/4 and 16 jump out in front of the VIC and 64. Only the 128 in FAST mode is faster than a Plus/4 with a blank screen.

If you're writing programs for others to use, they may be disconcerted to see the screen suddenly disappear. Also, if you're developing a program and it stops with an error, you won't see the error message because of the empty screen.

Since the screen blanks to the same color as the border, you can indicate that the program is still running by changing the border color occasionally while the screen is disabled. Insert a few COLOR 4,x lines in your program, where x is a number in the range 1–16. Both the border and the blank screen will change to the color you've chosen, and you'll be able to tell that the program is working.

90 NEXTJ

No-SYS Loader

Walter L. Smith, Jr.

Now machine language programs can be as easy to handle as BASIC programs. With this 64 utility, running, loading, and saving most machine language programs is a snap. A disk drive is required.

Machine language (ML) programs are more difficult to load, run, and copy than their BASIC counterparts. "No-SYS Loader" narrows the gap between the two, allowing most ML programs to be treated like BASIC programs.

No-SYS Loader works by combining the ML program with a short BASIC loader to produce a new program that can be loaded, saved, and run like a BASIC program. When the program is run, the loader transfers the ML to its correct location, performs a NEW, and, if necessary, resets certain BASIC pointers.

Typing It In

No-SYS Loader is written in machine language. It must be entered using the "MLX" machine language entry program found elsewhere in this issue. When you run MLX, you'll be asked for the starting and ending addresses of the data you'll be entering. For No-SYS Loader, respond with the following values:

Starting address: 0801 Ending address: 0A88

After entering the data, be sure to save a copy of the program.

As an example of using No-SYS Loader, let's convert the game "Powerball" from this issue to BASIC loader form. First, load No-SYS Loader and type RUN. The program asks for a filename. Make sure that a disk containing a copy of the Powerball program is in the drive; then type POWERBALL (or whatever name you used to save that program). No-SYS Loader finds the file on disk and tells you its load address. In the case of Powerball, this address is 49152.

No-SYS Loader next asks for the SYS address that starts the program. For Powerball, type 49152. Or, since the load address and SYS address are the same, you may simply press RETURN instead of typing the address.

No-SYS Loader now gives you the opportunity to insert a remark into the program. For Powerball, you may want to type May 1987 Gazette so you'll know where to find instructions for the game. Be sure that the remark you enter contains no more than 19 characters. The program doesn't check the length of your input, and if you enter too many characters, the resulting program will crash when run.

Now insert the disk on which you want the converted program saved. Enter the filename for the converted file. Let's assume you type POWERBALL. The converted program is saved to disk.

To make sure that the program is working correctly, enter these lines:

LOAD"POWERBALL",8 LIST

You should see these lines on the screen:

10 SYS2088 20 REM your comment

The SYS address will always be 2088. This is the address of the loader, not the ML program. Run the program to see if it works properly.

Now that the program has been converted, it's easy to make copies. For example, to make a copy of Powerball, type

LOAD"POWERBALL",8

Then change disks (if desired) and type

SAVE"NEW NAME",8

Notes

A limitation of this program is that it will not convert programs that load below address 2304 (\$0900). You'll find, however, that there are few ML programs that load below this address.

If the converted program is to be used as a utility for a BASIC program, the converted program must be loaded and run first, or else it will erase any BASIC program currently in memory. An example is "Fill-64" from the November issue. See program listing on page 100.

Dazzlers

Paul Carlson

The most impressive screen displays on the Commodore 64 are done with high-resolution graphics. But you'll be surprised at what can be done in low resolution. These short programs demonstrate some eye-dazzling kaleidoscopic displays—using just the text screen.

When most people think of computer graphics, they think of high-resolution drawings and video games. "Dazzlers" should change that. Although the resolution is very coarse—the same as that of a text screen—the flowing colors and simulated movements are fascinating to watch.

Program 1 is the main program for Dazzlers. It POKEs a machine language program into memory and prepares the screen for the Dazzler routine. Five sample subroutines are included to help get you started.

Typing It In

To begin, type in Program 1—the Dazzler main program. Be sure to type the program in accurately since it contains a machine language program in the DATA statements. This program will not run without a subroutine beginning at line 100, but if you save a copy now, it will be easy to generate complete Dazzler programs. Save the program with a statement like this:

SAVE"DAZZLER MAIN",8 (tape users substitute ,1)

Now, when you want to write a Dazzler, load the main program and type in a subroutine. As an example, let's use Program 2 (Subroutine 1). First, load the main program with this line:

LOAD"DAZZLER MAIN",8 (tape users substitute ,1)

Then, with the Dazzler main program in memory, type in Program 2. When you've finished, save the complete Dazzler program with a line like this:

SAVE"DAZZLER 1",8 (tape users substitute ,1)

Now, you may load and run the completed Dazzler program.

More Dazzlers

Programs 3, 4, 5, and 6 contain alternative subroutines for Dazzler. By following the above procedure with each of these programs, you'll have five different Dazzler programs.

You can create your own displays by altering the subroutines provided. Dazzlers work by POKEing different colors into color memory. When you write your own Dazzlers, be sure to POKE only val-

ues in the range 0–15 into locations 55296–56319. For example, POKE 55301,12 is valid; POKE 55219,17 is not. In addition to POKEing to color memory in your subroutine, you may also print text to the screen. In this way you can create your own colorful, personalized messages.



The colors cascade across the screen in this graphics teaser—one of five different patterns included.

The Engine

For those who may be interested in the machine language program (Program 1), we have included the source code listing as Program 7. You don't need to type this in—the object code is included as DATA statements in the Dazzler main program.

See program listings on page 104.

Fast Boot

Jim Allen

Once you're used to the speed and efficiency of autobooting programs on the 128, it's a disappointment when you return to work in 64 mode. This clever utility offers a solution. A disk drive, either 1541 or 1571, is required.

Normally, the 128's autoboot feature is unavailable in 64 mode. "Fast Boot" lets you insert a disk in the drive, turn on the computer, and, within a matter of seconds, have a 64 program appear on the screen. If you have a 1571, Fast Boot also allows for loads up to five times faster than standard 64 mode loads. Since some games and utilities consist of more than one program, Fast Boot allows you to load as many as three programs at once.

Typing It In

First, type in Program 1, "Fast Boot ML Maker," and save it with the filename FASTBOOT M/L PRG. Be sure to use the "Automatic Proofreader" program located elsewhere in this issue to insure accurate entry. After typing it in and saving a copy, type RUN. Program 1 writes four machine language files to the disk for use by Program 2. After the ML files are created, you shouldn't need to run Program 1 again.

Next, type in Program 2, "Fast Boot." This program should be saved on the same disk with the ML programs created by Program 1. Be particularly careful when entering lines 0–9. These lines must be typed exactly as they are printed in the list-

ing. Don't renumber Program 2 or add or delete any REM statements.

When you're ready to use Fast Boot, be sure that the drive is turned on and that it contains a disk with Program 2 and the ML files created by Program 1. Then load and run Fast Boot (Program 2). Fast Boot will load the ML files, then ask you to put the program disk in the drive. At this point, you should remove the disk containing Program 2 and insert the disk which contains the Commodore 64 program or programs that you'd like to have autobooted on the 128. (Fast Boot works only with Commodore 64 programs.) When you're ready, press the space bar to continue.

Fast Boot asks if you'd like a directory listing of the disk. Press Y to see a listing. Next, you're asked for the number of programs to autoload. This can range from 1 to 3. You must then give the filename of each 64 program that you want autoloaded. For each one, you must describe the program as BASIC or BINARY (for BASIC and machine language programs, respectively), and LOAD (to load the program only) or RUN (to load and run it). For machine language programs that load and run the same as

BASIC—SpeedScript, for example—you must choose the BASIC option rather than the BINARY option.

Fast Boot will then prompt you for a new disk, the disk to be made autobooting. Remove the program disk and put the new disk in the drive. You can use a blank (unformatted) disk if you wish; Fast Boot will offer you the option of formatting the new disk.

Several files are written to the new disk. When Fast Boot ends, the new disk should be set up to autoboot the specified program or programs. Test the autoboot disk by turning the 128 off, and then back on. Your 64 program should load automatically, and also run if you specified the RUN option.

Notes

BASIC programs load higher in memory when the computer is in 128 mode, so conflicts are possible when more than one program is being loaded. For instance, the 64 version of *SpeedScript* can be autobooted, but you cannot use Fast Boot to autoboot *SpeedScript* and also load a *SpeedScript* text file.

Do not attempt to load or run BASIC programs that were not saved from 64 mode or from a Commodore 64. If you have a program that works in both 64 and 128 mode, be sure that you save the program from 64 mode before attempting to make it autoboot. See program listings on page 95.

Gameports: Joystick, Paddle, And Mouse

Jim Butterfield

In this article, Jim Butterfield discusses how Commodore 128 and 64 game controller ports work, and he looks at the input devices that run through these ports. Also included are programs that test the ports and input devices.

The game controller ports of the Commodore 64 and 128 are quite versatile. To them, we can connect joysticks, paddles, mice, light pens, and other devices such as graphics tablets.

Unfortunately, these devices sometimes fail; and occasionally the circuitry within the computer stops working. It's useful to be able to check the system out. The programs given here allow you to test the ports as well as devices connected to the ports. They may also help you see how to go about your own programming of these devices.

Two Main Devices

There are two principal types of interface through the controller ports: digital and analog. The digital interface sends only on/off signals—it's often called a joystick interface, since the joystick is the most commonly used device of this type. The analog, or proportional, interface sends a continuously variable signal—it's often called a paddle interface, since game paddles are the most common devices of this kind. You'll also hear the analog connection called a potentiometer (or pot) interface. That's an electronics term-most of us know a potentiometer as the volume control on a radio. Paddles usually have fire buttons, which are on/off in nature, so the paddle interface has some digital input as well as analog.

A third type of interface is available on port 1 of the Commodore 64 and 128: the light pen. This is quite different from the joystick and paddle interfaces in that the light pen reading is calculated from the precise timing of the signal it sends to the computer. We won't deal with light pen operations here.

The joystick is the best-known peripheral device that connects to the game controller port. As we've mentioned, it's a digital device, sending on/off signals. The five possible signals from a joystick are up, down, left, right, and fire. Combinations are possible, so that we could simultaneously send down and left, or a three-way combination such as up, right, and fire. It would be an unusual joystick system that allowed sending simultaneous up and down signals, but from a technical standpoint even these apparently contradictory signals would be clearly understood by the computer.

You may occasionally hear of a proportional type of joystick. This is the type of joystick used with Apple II and IBM computers. This device sends an analog signal; instead of simple up or down, it sends continuously variable horizontal and vertical position values. Proportional joysticks are read like paddles, through the analog portion of the port. This type of interface is used in such devices as the MicroFlyte

interface for Flight Simulator II, which gives more of the feeling of continuous control that a real aircraft joystick would provide.

The paddle was common with some of the first video games. Tennis-type games, where each of two players would need to position a bat on the screen to keep a ball in play, almost invariably used paddles. They are still around, although joystick-oriented games have overtaken them in popularity.

Newer Interfaces

Since the introduction of the joystick and paddle, newer devices have come into use. These use the same digital and analog interfaces—a program picks up their signals in the same way. Some of these devices are versions of the earlier interfaces; for example, a trackball is an alternative to a joystick. Others change the nature of the user interface—although a graphics tablet uses the same connections as a pair of paddles, it will be put to a completely different use.

The trackball is a ball set into a freely rotating mounting so that it can be rotated easily in any direction. Its effect is the same as that of a joystick; it signals direction digitally. Roll it to the right, and the joystick port will detect a right signal until movement stops. Note that there's no speed indicationthe computer sees the same signal whether the ball is moving quickly or slowly. Trackballs cost more than joysticks, but usually last longer; and they can be used for more precise control in such applications as drawing with a joystick.

The graphics tablet has many physical implementations. In general, it allows you to indicate a screen position by pressing a pointer against a selected location on a rectangular board called a tablet. The pointer might be an electrically or mechanically interfaced device. On some tablets, your finger could do the job (with less accuracy). Although the tablet is physically separated from the screen, most users find that good hand/eye coordination (hand on tablet, eye on screen) is helpful when sketching or selecting an area of the screen. Typically, the paddle interface connections are used to send horizontal and vertical position coordinates to the computer.

The Mouse

The mouse is easy to recognize. It's a small rectangular device with two or three buttons, and it rolls across the table or a special mat. Technically, mouse operation varies widely.

A mouse such as the Commodore 1350, which sends only directional signals, is not a true mouse. The computer knows the direction of travel, but not the speed. In effect, the mouse is an upside-down trackball, and can be read the way a joystick is read. As such, it does some jobs well, and others poorly.

A true mouse is more than a joystick; it must somehow give both direction and speed to the computer (either that, or position, which amounts to the same thing). Some mice operate on an interrupt principle: Every time the mouse moves a certain distance, it sends a signal to the computer that it has done so. The processor interrupts whatever it is doing to log the mouse's movement, and then returns to its previous work. If the mouse is moved quickly, the processor services more interrupts—if slowly, fewer interrupts. In either case, the processor knows exactly where the mouse is at all times, and can track the movement regardless of speed.

The Commodore 1351

The new Commodore 1351 mouse has a built-in processor. When it's being used as a true, proportional mouse (and you may select this as an option), it calculates its position based on observed movement. It

then reports its position to the computer. This is a useful way of doing things, since you get true mouse operation with no interrupt load on the computer.

When used in this way, the 1351 has a special problem which needs to be recognized by the computer. Its position reports (both horizontal and vertical) can go over the edge. Suppose I move the mouse right until its horizontal position reading is reported as the maximum value. What happens if I move the mouse still further right? You've probably guessed that the position reading wraps around to its lowest value, and then starts moving up again. The computer needs to understand this behavior so that going over the edge isn't mistaken for a large movement in the opposite direction.

The position reported by the 1351 covers a range of 128 possible values in both the horizontal and vertical dimensions. Since a PEEK of the paddle ports gives a number from 0 to 255, Commodore suggests you eliminate the high bit of the reading; you'd do this with the AND function. The Commodore 64 statement to properly read the 1351 might read X = PEEK(54297) AND 127. On the Commodore 128, you'd use X = POT(1) AND 127. Further, Commodore suggests that the lowest bit received from the 1351 be treated as jitter. To do this, replace the 127 above with 126. As a result of losing these bits, the 1351 supplies only 64 valid positions to the computer. This is not a serious limitation. By recognizing and tracking the wrap-around feature, a program could calculate thousands of coordinate positions.

If you just want to use the 1351 as a joystick, you may select this as an option at the time of computer power-up. Just hold down the right button of the mouse as you turn the power on, and it will become a non-proportional joystick-type device like the 1350. By the way, the 128's reset button won't do the job—the power supply to the 1351 must be turned off before it can reconfigure.

Problems

Joysticks can fail or turn erratic. Paddles can become "noisy" so that the readings they supply jump around randomly. Many programs

try to cover for this by averaging readings received from paddles, but if the problem gets too bad, the interface is unusable. The computer's interface ports can fail. Damage to a chip can make the computer unable to detect the signals supplied by the device.

You may have seen warnings that you should never connect or disconnect a control port device while the computer's power is on. That's good advice, and is especially true of paddles and active devices that draw power, such as graphics tablets and most mouse devices.

Occasionally, changing a device seems to be unavoidable. For example, GEOS 1.2 insists that you start by using a joystick, later giving you the option of switching to a different input device. It seems you are stuck with a live device change—to select the new input device you must use the old device (the joystick), then unplug the old and plug in the new. In the case of GEOS, the best solution is to upgrade to GEOS 1.3, which allows you to select the input device by means of the keyboard.

If live switching of a device seems unavoidable, check the connector. Some connectors are plastic on the outside, and others are metal-clad. Don't ever try to do a live switch with one of the metal-exterior connectors—you're almost sure to hit a couple of pins on the socket and cause damage to your computer's interface chip.

The Programs

The "Gameport Test" programs report what the computer sees—and if the computer doesn't see input from a device, either that device or the interface is bad. To find out which is at fault, switch ports or try another device.

Two versions of the Gameport Test program are provided: one for the Commodore 64 or Commodore 128 in 64 mode; the other for the Commodore 128 in 128 mode.

Connect the device or devices you wish to test; then turn on the computer and load the program. Exercise the device gently—the program's response is a little sluggish, and rapid motion might not be detected.

You may discover things you didn't know about these devices.

For example, most paddles have a "dead spot" where movement is not detected. Some joysticks are good at detecting diagonal movement (such as simultaneous up and left), and some are not so good. You might like to explore devices—for example, a graphics tablet that you may have used with a custom program—so you can get a better idea of how to use them in your own programs.

It's interesting that the 64 program doesn't work properly on the Commodore 128 in 128 mode. Even though all the PEEK locations are in the same place, the 128's interrupt structure is more active, so that the system is PEEKing the interfaces at the same time you are doing so. This causes confused readings.

By studying the program listing—written entirely in BASIC—you may get a better insight into how to write your own interface programs. The programs are good for device testing, and offer some insight into how the devices work. See program listings on page 104.

COMPUTE!'s Gazette is looking for utilities, games, applications, educational programs, and tutorial articles. If you've created a program that you think other readers might enjoy or find useful, send it, on tape or disk to:

Submissions Reviewer COMPUTE! Publications P.O. Box 5406 Greensboro, NC 27403

Please enclose an SASE if you wish to have the materials returned. Articles are reviewed within four weeks of submission.

bug-swatter

• We have received a number of phone calls and letters concerning the "Pick-A-Letter" program (February 1987). Pick-A-Letter was originally written for the 128, but it will run on the 64 as written—almost. The most common report was that, after several consecutive games, the program stopped with an **OUT OF MEMORY ERROR IN LINE 50** message. If you had this problem, you didn't actually run out of memory; you ran out of stack space. The stack is the special area of memory where information such as subroutine return addresses are stored. Pick-A-Letter uses a great many FOR-NEXT loops and GO-SUBs, both of which eat up stack space quickly. To further compound the problem, the program jumps out of a few GOSUBs without removing the subroutine call information from the stacknot a good programming practice. Because the 128's BASIC stack is four times as large as the 64's, the problem doesn't appear nearly as soon on the 128. However, if you play Pick-A-Letter long enough on the 128, you'll eventually get the same OUT OF MEMORY message as on the 64. The following line corrections and additions fix the problem by exchanging several of the FOR-NEXT loops and GOSUBs with code that accomplishes the same thing without using stack space:

AG 10 BO=53280:AC=53281:SC=1024:

QR 640 NV=0:NN=0:CD\$=P\$(P\$(QQ)): CC=P(P\$(QQ)):QQ=QQ+1:IFQQ >NWTHENQQ=1

PX 730 PRINT*{CYN}Q*;:NV=NV+1
PM 760 PRINTLEFT\$(SP\$,30-LEN(CD\$
));

BD 780 PRINT" [HOME] "LEFT\$ (DN\$, 17) TAB(22) " [88] [RVS] "CP HG 840 IFZ\$=" "THEN1040

KJ 93Ø PRINTLEFT\$(LF\$,20)K\$:GOSU B1480:IFUR=1THEN1560

FD 940 GOTO 1180 CH 945 IFN=0THENB(CP)=1:GOTO770 DA 1060 POKES+24,15:POKES+5,128: POKES+6,32:POKES,64:POKE S+1,156:POKES+4,17

AJ 1065 POKE162,0:WAIT162,2:POKE S+4,16

```
FK 1130 IFV=65THEND=1:C(CP)=0:N=
        Ø:B(CP)=1:GOTO125Ø
KA 1140 IFV=88THEND=1:GOSUB70:GO
        SUB70:B(CP)=1:GOTO890
KR 1170 GOTO890
DK 1200 IFMID$(CD$,G,1)=K$THENN=
        N+1:GOSUB80:PRINTKS;:GOT
        01215
CD 1215 NEXTG: C(CP)=C(CP)+PL*N:G
        OSUB163Ø
AP 1230 NN=NN+N: IFNN=NVTHENZX=1:
        GOTO1340
XA 1240
        GOTO 945
QJ 1270 NN=NN+N: IFNN=NVTHENZX=1:
        GOTO1340
PM 1280 GOSUB100:GOTO890
CP 1290 PRINT" [HOME] "LEFT$ (DN$, 2
         1)LEFT$(SP$, 39);
EQ 1300 PRINTLEFT$ (LF$, 39); : INPU
        T "ANSWER"; A$
XD 1330 GOSUB70: PRINT" [HOME]
        [4 DOWN] [RIGHT] "TAB(10*C
        P) " [8] [4 SPACES] [4 LEFT]
        "C(CP);
AQ 1332 NN=NN+N:IFNN=NVTHENZX=1:
        GOTO1340
AH 1334 GOTO87Ø
QM 1440 PRINTTAB(10)LEFT$(SP$, 29
ES 1500 G=1
BX 1505 IFK$=MID$(RL$,G,1)THENUR
        =1:RETURN
RS 1510 G=G+1:IFG<=RTHEN1505
MB 153Ø G=1
FE 1535 IFK$=MID$(UL$,G,1)THENUP
        =1:RETURN
SG 1540 G=G+1:IFG<=UTHEN1535
JP 1560 PRINT"[HOME]"LEFT$(DN$,2
        1) LEFT$ (SP$, 39);
XD 1570 PRINTLEFT$(LF$, 39);
JB 1610 PRINTLEFTS (LF$, 25) " 883
         [2 UP]";
SD 1660 PRINT" [HOME] "LEFT$ (DN$, 2
BQ 1690 PRINT" [HOME] "LEFT$ (DN$, 2
KB 1740 FORI5=1TO3:FORJ=1TO9:POK
        ES, L(J): POKES+1, H(J): NEX
        T:FORJ=9TO1STEP-1:NEXTJ,
        T5
AQ 1770 PRINT" [40 13";
XR 1850 IFASC(PA$)=89THENPP=0:GO
        TO260
BQ 1860 PRINT" [CLR] ": END
In addition to these changes, six lines
should be deleted altogether: 60, 130,
```

140, 650, 660, and 670.

There is one other bug in Pick-A-Letter. As written, the program did not recognize when a word was completed if the word contained a hyphen (-) or an apostrophe ('). The corrections above also fix that problem.

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program

Powerball

See instructions in article on page 46 before typing in.

CØØØ:4C 65 C8 8D Ø3 24 8A 48 F8 CØØ8:98 48 AE Ø3 24 BC 5B CB 84 99 CØ10:A9 00 04 D4 BD 54 CB EB 99 Ø6 99 CØ18:99 Ø5 D4 BD 62 CB CØ2Ø: D4 BD 69 CR Da 03 AD 1B 6E CØ28:D4 99 ØI D4 BD 70 CB 99 CB CØ3Ø:04 D4 49 Ø1 99 04 D4 68 11 68 60 A9 ØØ 85 FC CØ38:A8 AA D8 CØ4Ø: BD ØA ØA 94 3D 24 ØA 85 FR CØ48: ØA 26 FC ØA 26 FC 18 65 53 CØ5Ø:FB 85 FB A5 FC 69 ØØ 85 1E CØ58:FC A5 FB 18 7D 46 24 85 95 CØ6Ø:FB 85 FD A9 04 65 FC 85 DØ CØ68:FC 18 69 D4 85 FE AØ ØØ 52 CØ7Ø:6Ø A9 ØØ 8D Ø2 24 BD 46 C7 CØ78:24 30 15 CD 47 CD FØ 26 11 C080 . 90 24 90 AD 47 CD 46 24 13 CØ88:A9 FF 9D 35 24 4C 98 CØ 2A ØØ 9D 46 24 9D 35 CØ9Ø:A9 24 25 CØ98:A9 ØØ 20 Ø3 CØ BD 7E 1D 24 CØAØ: 2Ø 96 CI 90 10 24 RD 30 10 CØA8:24 30 16 CD 46 CD 90 27 99 CØBØ:EE 02 24 AD 46 CD 90 3D 6B CØB8:24 A9 ØØ 9D 2D 24 4C C9 EC 90 24 caca . ca AQ aa 30 an 2D C9 CØC8:24 A9 00 20 Ø3 CØ BD 25 84 CØDØ:24 20 96 Cl 9D 25 24 AD D2 CØD8:02 24 60 20 7A Cl BD 67 30 90 CØEØ:24 5F 3D 24 BD 24 9D 17 CØE8:46 24 BD 57 24 9D 35 24 E9 CØFØ:BD 4F 24 9D 2D 24 A9 02 D2 CØF8:4C Ø3 CØ R1 FR CD 4A CD OF C100:F0 ØR 8A 91 FB A9 99 91 80 C108:FD 14 60 AD 24 C9 Ø7 DØ CØ C110:21 A9 20 91 FB B1 FD 29 77 C118:0F CD 48 CD 02 DØ ØA 80 A9 C120:20 Ø3 CØ A9 Ø1 4C 8C C4 3E C128:A9 Ø1 20 Ø3 CØ Ø3 A9 4C F3 C130:68 C4 B1 FD 29 ØF CD 48 98 C138:CD FØ AØ CD 49 CD FØ 1F 52 C140:AD 49 CD 91 FD AD 18 D4 71 C148:30 08 29 ØF C9 02 90 F5 69 C150:91 FD A9 Øl 20 8C C4 A9 C7 C158:01 20 Ø3 CØ 4C 7A Cl A9 4A C160:20 91 FB A9 Ø4 20 68 C4 A8 C168 : AD 1B D4 CO CØ RØ 93 20 AF C170:0E C3 A9 01 20 Ø3 CØ 4C ØC C178:7A C1 BD 3D 24 DD 67 24 CØ C180:D0 ØA BD 96 1D 24 20 CI 09 C188:9D 1D 24 60 BD 25 24 20 97 C190:96 Cl 9D 25 24 60 49 ØB FF C198:85 02 E6 Ø2 A5 Ø2 60 98 EA C1AØ:48 BC 10 24 30 ØD CB CC 71 C1A8:40 CD BØ 11 98 9D 1D 24 80 ClBØ:4C BD Cl 88 CC 41 CD 90 22 C1B8:04 98 9D 1D 24 68 **A8** 60 5E 04 C1CØ:BD 1D 24 30 DE 1D 24 EB C1C8:60 FE 10 24 60 98 48 BC D4 C1DØ:25 24 30 ØD C8 CC 40 CD 8E 9D 25 C1D8:BØ 11 98 24 4C EB 24 88 CC 41 CD 90 ClEW:Cl 04 98 66 C1E8:9D 25 24 68 A8 60 BC 25 F4 C1FØ:24 30 ØA 88 CØ Ø2 FØ ØF 5B C1F8:98 9D 25 24 60 C8 CØ FE BD 98 9D C200:F0 05 25 24 60 07 60 01 C2 FØ C2Ø8:2Ø 86 60 A9 20 A3 C210:91 FB AD 18 24 9D 15 24 7A

C218:FØ ØE AD 44 24 9D 3D 24 C9 C220:DE 3D 24 A9 FØ 9D 2D 24 FF C228:A9 ØØ BD 25 24 30 az 20 94 C23Ø:96 9D 25 24 BD 1D 24 ED Cl C238:10 Ø3 2Ø 96 C1 9D 1D 24 D6 C240:AD 04 38 05 24 10 81 24 ED C248:03 20 96 CI 8D 96 24 AD CO 05 04 BØ 88 C250:04 24 CD 24 FØ C258:13 90 Ø8 BD 35 24 CD 3C 7A 96 71 C260:24 PA ag BD 10 24 20 C268:C1 90 10 24 AD 06 24 CD B7 4C **B6** C27Ø:72 24 BØ Ø6 20 CD CI C278:CØ Cl 24 90 Ø6 20 4F CD 73 C28Ø:EE BD R9 CI 4C 9F CI 60 30 C288:24 CD 44 24 FØ ØI 60 BD 68 C29Ø:35 24 8D 96 24 AD 3C 24 40 C298:8D Ø7 ØE Ø6 EB 24 BD 46 24 C2AØ:24 2A ØE 06 24 2A 8D 04 CD C2A8:24 ØE 07 96 AD 4D 24 24 2A C2BØ:ØE 07 24 2A 6D 75 24 AB 18 C2B8:8D Ø5 24 AD 95 24 38 ED BC C2CØ:04 24 10 Ø3 20 96 Cl CD 30 C2C8:74 24 BØ 03 A9 ØØ 60 A9 8F 9D C2DØ:01 60 ØØ 9D A9 30 24 EB C2D8:2D 24 AD 1B D4 CD 47 CD 9F C2EØ:BØ F8 9D 46 24 AD 18 D4 F7 C2E8:C9 03 20 EØ 90 ØE C3 AD 3C C2FØ:1B 29 ØF D4 CD 10 24 BØ 27 C2F8:F6 90 25 24 FE 25 24 AD CA C300:1B D4 29 1F 4A 90 Ø3 20 10 C3Ø8:96 9D Cl 10 24 60 12 EØ AD C310:24 10 Øl 98 60 8A 48 48 C2 C318:A9 aa BD 23 24 AD 42 CD 82 C320:4A 8D 2B 24 BD 46 24 8D **B4** C328:4C 24 BD 3D 24 8D 43 24 6C C33Ø:A9 80 8D 3R 8D 24 33 24 F3 C338:8D 12 24 AD 1B D4 29 97 EF C34Ø:CD 13 24 FØ F6 AA AD 1B DF C348:D4 DD 38 CD BØ 8E 03 ED 13 C35Ø:24 RD 30 CD 8D 2D DØ A5 A4 C358:FB 48 A5 48 85 FC A9 EØ A4 C36Ø:FB 85 A9 CC FC AD 13 24 2B C368: ØA ØA ØA 18 65 FR 85 FR 50 C370:A5 FC 69 99 85 FC AØ aa 98 C378:A2 28 B1 FB 9D 00 20 E8 67 C38Ø:E8 E8 C8 CØ Ø8 DØ F3 68 AF C388:85 FC 68 85 FB 68 68 **B2** AB C39Ø: AA 60 RD 46 24 9D 5F 24 1C C398:BD 3D 9D 67 24 24 BD 35 29 C3AØ:24 9D 57 24 BD 2D 24 9D 57 C3A8:4F 24 RD 7D 10 24 18 35 1C C3BØ:24 9D 35 24 BD 1D 30 75 24 C3B8:ØB BD 46 24 69 ØØ 9D 46 ØD C3CØ:24 4C CC C3 BD 46 24 E9 70 C3C8:00 9D 46 24 RD 25 24 18 A5 C3DØ:7D 20 24 90 2D 24 BD 25 5B C3D8:24 3Ø ØB 3D ØØ BD 24 69 99 C3EØ:9D 3D 24 4C EE C3 BD 30 OF C3E8:24 E9 ØØ 9D 3D 24 60 AD BF C3FØ:00 DC 8D 00 24 29 04 DØ FF C3F8:09 AD 45 CD 8D 24 24 4C 87 C400:17 C4 gg AD 24 29 ØR DØ A2 C408:09 AD 44 CD 8D 24 78 24 4C C410:17 C4 ØØ A9 8D 24 24 AD 7E C418:00 24 29 10 DØ 2E A9 ØØ 63 C420:8D 15 24 8D 16 24 BD 17 86 C428:24 AD 14 24 C9 84 DØ 10 10 C430:AE 4E CD BD 3D 24 10 ØF E3 C438:AD 4D 9D 24 46 24 AD 44 AC C440:24 90 30 24 DE 3D 24 CA 2C C448:EØ 07 DØ E7 07 20 92 AØ A2 C45Ø:C3 AD 24 24 8D ØØ 24 20 C2 C458:71 CØ 24 AD ØØ 24 CD 24 3F C460:FØ 05 gg A9 8D 24 24 60 7E C468:CE 1A 24 DØ 1F AD 1B 24 7B C470:D0 17 8D 6F 24 AD 1C 24 05 C478:8D 02 24 A9 64 20 8C C4 E9 C480:CE Ø2 24 10 1C F6 EE 24 47 C488:60 CE 1B 24 8D 00 24 8A DA C49Ø:48 98 48 A2 Ø5 AD BØ Ø7 DE C498:18 6D 00 24 8D Ø7 BØ A9 B2 C4AØ:00 8D ØI 24 BD AR 97 C9 64 C4A8:3A 24 9Ø ØD EE Ø1 38 E9 F6 C4BØ: ØA C9 3A BØ F6 9D AB Ø7 9Ø

C4B8:CA BD AB Ø7 18 6D Ø1 24 99 C4CØ:9D AB Ø7 EØ FF DØ D8 68 C4C8+A8 68 60 ØB AD 45 FI AA A2 C4DØ: 24 10 Ø3 4C 37 C9 20 30 F2 C4D8:CØ A9 20 91 FB CE 45 24 14 C4EØ:30 46 20 3C CØ B1 FB CD 6E C4E8:4A CD FØ ØR AD CD 91 4C A5 C4FØ:FB AD 4D CD 91 FD 60 A9 59 C4F8:FF 8D 24 45 B1 FD 29 ØF **B7** C500:CD 48 CD FØ 23 CD 49 CD FD C5Ø8:DØ ØE A9 91 20 FB A9 ØI 87 C510:20 Ø3 CØ A9 Ø3 4C 68 C4 FD C518:AD 1B D4 29 ØF C9 02 90 A2 C520:F7 91 CØ FD A9 96 4C 03 8E C528:A9 92 4C 93 CØ AD 43 24 2A C53Ø:1Ø Ø3 4C 37 C9 Ø6 20 86 A2 C538:92 C3 20 71 CØ FØ ØB A9 A2 C540:00 8D 24 A9 FF 12 8D 43 5F C548:24 60 20 86 C2 DØ Ø3 4C 16 C55Ø:8C C5 60 BD 46 24 8D 46 9F C558:24 8D 24 8D 48 47 24 BD 18 C560:3D 24 RD 30 24 8D 3E 24 11 C568:8D 3F 24 BD 1D 24 8D 1D 9C 96 C570:24 8D 1E 24 20 Cl 8D E3 C578:1F 25 24 BD 24 BD 25 24 6C C580:8D 27 24 20 96 Cl 8D 26 20 C588:24 A9 00 60 8A 48 98 48 85 C59Ø:A9 ØØ 8D 12 24 A2 Ø3 9D 13 C598:15 24 10 CA FA AD 14 24 EC C5AØ:AA EØ Ø2 DØ 32 A9 ØØ 8D CC C5A8:75 24 4E 72 24 4E 73 24 4E C5BØ:4E 74 24 3C 69 AD 24 18 EB C5B8:80 8D 3C 24 AD 4D 24 69 06 C5CØ:01 8D 4D 24 A2 Ø7 20 71 FE C5C8:CØ A9 ØØ 8D 24 24 2F AD 34 C5DØ:CD 8D 2D 1D DØ 1 D DØ A9 6B C5D8:04 20 Ø3 CØ AD 13 24 AA 87 C5EØ:BD 3Ø CD 8D 2E DØ EØ aa 60 C5E8: DØ 24 A2 Ø2 AD 42 CD BC 29 C5FØ:25 24 10 Ø3 AD 43 9D FD CD C5F8:25 24 AD 42 CD BC 1D 24 B9 C600:10 03 AD 43 CD 90 10 24 83 Øl C608:CA 10 El 4C C3 C6 EØ FB C610:DØ 16 A9 64 8D 18 24 4C 68 C618:C3 C6 A9 ØØ 8D 15 24 8D 05 C620:16 24 8D 17 24 4C C3 C₆ 85 C628:EØ Ø2 DØ 35 27 AD CD ØD C6 C630:1D DØ 8D 1D DØ ØE 72 24 CB C638:ØE 73 24 ØE 74 24 A9 06 90 C640:8D 75 24 AD 3C 24 38 E9 1E C648:81 8D 3C 24 4D AD 24 E9 98 C650:01 80 4D 24 A2 Ø7 20 71 90 C658:CØ A9 ØØ 8D 24 24 4C C3 97 C660:C6 EØ 03 DØ 23 A2 ØØ BD 58 C668:3D 24 10 Ø7 E8 BD 3D 24 EC C670:10 Øl E8 4B CD ØI AD C9 64 C678:FØ 93 4C C3 C6 20 53 C5 28 C68Ø:A9 Ø3 8D 4B CD 4C C3 C6 F7 C688:EØ 04 DØ Ø3 4C C3 C6 EØ B1 C690:05 DØ 15 AD 10 24 C9 ØA 61 C698:FØ ØB A9 ØØ 8D 6F 24 EE F7 C6AØ:1C 24 4E 3D CD 4C C3 **C6** DØ C6A8:EØ Ø6 DØ 13 Ø7 AD C9 A1 3F C6BØ:39 FØ 99 EE A1 07 4E 3E 2B C6B8:CD 4C C3 C6 4C C3 C6 EØ 05 C6CØ:07 DØ 00 A9 8D FF 43 24 81 C6C8:AD 13 24 8D 14 24 68 AR FQ C6DØ:68 AA 60 A2 07 AØ ØE BD ØB C6D8:3D 24 10 ØC BD 28 CD 2D 28 C6EØ:15 DØ 8D 15 DØ 4C 40 C7 30 C6E8:BD 20 CD ØD 15 DØ 8D 15 04 C6FØ:DØ RD 2D 24 8D 00 24 BD BØ C6F8:3D 24 ØE 00 24 2A ØE gg D5 C7ØØ:24 2A ØE ØØ 24 2A 69 29 **B3** C7Ø8:99 Øl DØ BD 35 24 8D 00 EF C710:24 46 BD 24 ØE 00 24 2A ØF C718:0E 69 00 24 2A 18 Ø7 8D D7 C720:01 24 ØE ØØ 24 2A 99 ga F7 C728:DØ 90 ØC BD 20 CD ØD 10 014 C73Ø:DØ 8D 10 DØ 4C 40 C7 BD 4B C738:28 CD 2D 10 DØ 8D 10 DØ A3 C740:88 88 CA 10 92 60 A2 Ø2 ED C748:CE ØA 24 DØ Ø9 CE ØB 24 11 C750:AD ØC 24 8D ØA 24 BD 3D BØ

```
C758:24 30 06 20 81 C7 4C 64 F0
                                     C9F8:30 11 20 3C C0 B1 FB 8D 03
C76Ø:C7
         20 37
                C9
                   CA
                      10
                         EF AD 83
                                      CAØØ:00 24 EC 00 24 DØ
                                                               Ø4 A9
                                                                      52
C768:ØB
        24 10
               99
                                     CAØ8: 20 91
                   4E
                      ØD
                         24
                             AD
                                B5
                                                 FB
                                                     CA
                                                        10
                                                            E7
                                                               AD
                                                                   45
                                                                      FE
        24 8D
C770:0D
                                     CA10:24 30 10 A2 08
               ØB
                   24
                      60
                         AD
                             18
                                ØB
                                                           20
                                                               3C
                                                                  CØ
                                                                      E9
C778:D4
        10
            Ø3
                4C
                   9F
                      Cl
                                     CA18:B1
                                              FB CD 4C
                                                        CD
                                                           DØ
                          4C
                                06
                                                               Ø4 A9
                                                                      67
                             CD
C78Ø:C1
        AD ØB
               24
                  10 03
                         20
                             76
                                43
                                     CA20:20 91 FR A9 FF
                                                            8D
                                                               14
                                                                  24
                                                                      C6
C788:C7
         20
            3C
               CØ Bl
                      FB
                         8D
                             00
                                30
                                     CA28:8D 45
                                                 24 8D 15 24 A9 FA BA
C790:24
        EC
            ØØ
               24
                   DØ
                      Ø4
                                     CA30:8D
                                                  24 A9
                         A9
                             20
                                B9
                                              ØC
                                                        30
                                                           8D
                                                               ØD
                                                                  24 A4
C798:91
        FB BD
               15
                   24
                      FØ
                         2F
                                     CA38:8D ØB 24 A2 Ø7 BD 4F
                             BD
                                F9
                                                                   CD
                                                                      Al
C7AØ:1D
            48
        24
               BD
                   25
                      24
                         48
                             A9
                                AØ
                                     CA40:9D F8 07
                                                     A9 FF
                                                           9D
                                                               3D 24
                                                                      73
C7A8:00
        9D
            25
               24
                   AD
                      24
                         24
                             9D
                                6A
                                     CA48:BD
                                              57
                                                  CD
                                                     9D
                                                        27
                                                            DØ
                                                               CA
                                                                  10
                                                                      48
C7BØ:1D
        24
            20
               92
                   C3
                      20
                         71
                             CØ
                                47
                                     CA50:EC AC
                                                 46
                                                     CD 88 8C
                                                               44
                                                                  24
                                                                      50
C7B8:68
         9D
            25
               24
                   68
                      9D
                         1D
                             24
                                E2
                                     CA58:88 8C
                                                 3D 24 A9 Ø1 8D
                                                                  72
                                                                     1E
C7CØ:CE
        19
            24
                   19
               AD
                      24
                         29
                             93
                                ac
                                     CA60:24
                                              A9
                                                 Ø5
                                                     8D
                                                        73
                                                            24
                                                               A9
                                                                   Ø6
                                                                      71
C7C8:DØ Ø3 DE
               15
                   24
                      60
                         20 92
                                     CA68:8D
                                                 24 A9 ØØ 8D
                                24
                                              74
                                                               75
                                                                  24
                                                                      46
C7DØ:C3
         20
            71
               CØ
                   FØ
                      Ø9
                         A9
                             FF
                                83
                                     CA70:8D
                                                 DØ
                                              1D
                                                        47
                                                     AD
                                                           CD
                                                                  8D 9C
                                                               4A
C7D8:9D
        3D
            24
               CE
                   4B
                      CD
                         60
                             20
                                6A
                                     CA78:46
                                              24
                                                 8D
                                                     4D
                                                        24
                                                           A9
                                                               ØØ
                                                                  8D
                                                                      16
C7EØ:3C
        CØ
            20
               FB
                   CØ
                      20
                         ØR
                             C2
                                DB
                                     CA80:12
                                              24
                                                 8D 18 24 8D
                                                               3C
                                                                  24 4F
C7E8:60
        AØ
            aa
               A2
                   Ø5
                      BD
                         3D
                             24
                                B8
                                     CA88:8D
                                              35
                                                  24
                                                     8D
                                                        34
                                                           24 8D
                                                                  24 Ø1
C7FØ:10
        ØЗ
            2Ø D2
                   C2
                      20
                         92
                             C3
                                F9
                                     CA90:24 8D
                                                 2C
                                                     24 A9
                                                           FØ
                                                                  2D
                                                               8D
                                                                     BC
C7F8:20
        71
            CØ
               FØ
                   Ø8
                      20
                         76
                             C7
                                     CA98:24 A9
                                91
                                                 Ø1 8D
                                                        4B
                                                           CD AD 42
                                                                     D2
C800:A9 05
            20 03
                   CØ
                      AD
                         1B D4
                                A3
                                     CAAØ:CD
                                              18
                                                  6D
                                                     1C
                                                        24
                                                            8D
                                                               1D
                                                                  24
                                                                      48
C808:F0
        16 C9 ØF
                   BØ
                      12 9D
                            27
                                Fl
                                     CAA8:AD
                                              43
                                                 CD
                                                     38 ED 1C
                                                               24 8D D8
C810:D0
        FE
            F8
               07
                   BD
                      F8
                         07
                             C9
                                Ø3
                                     CABØ: 25
                                              24
                                                 20
                                                    D3
                                                        C6 4C
                                                               24
                                                                  C9 9C
C818:86 DØ Ø5 A9
                   83
                      90
                         F8
                             07
                                E7
                                     CAB8:A2
                                              ØØ
                                                 A9
                                                     ØØ
                                                        9D
                                                           ØØ
                                                               20
                                                                  9D
                                                                      9F
C820:20 86
            C2 FØ
                      20
                                     CACØ:00
                  18
                         3C
                             CØ
                                5D
                                              21
                                                  CA
                                                     DØ
                                                        F7
                                                           A9
                                                               FF
                                                                  A2
                                                                     ØE
C828:B1
        FB
            CD
               4C
                   CD
                      FØ
                         11
                             C9
                                2E
                                     CAC8:27
                                              AØ
                                                 ØØ
                                                     9D
                                                        ØØ
                                                           20
                                                               9D
                                                                  40
                                                                     EF
C830:02 BØ
            1C
               8E
                   ØØ
                      24
                             20
                         AA
                                61
                                     CADØ: 20
                                              ES EG
                                                     40
                                                        DØ
                                                           F5
                                                               A2
                                                                  16
                                                                      8A
C838:7A
        Cl
            20
               76
                         ga
                   C7
                      AE
                             24 FF
                                     CAD8:B9
                                              78 CB 9D 8Ø
                                                           20
                                                               AD 80 1D
C840:A9 Ø3
            20
               Ø3
                   CØ
                      A9
                         FF
                             9D
                                     CAEØ:CB
                                              9D
                                                     20
                                E5
                                                 CØ
                                                        AD
                                                           81
                                                               CB
                                                                  9D
                                                                      86
C848:3D
        24 A9
               Øl
                   20
                      8C
                         C4
                             CA
                                4E
                                     CAE8:00
                                              21
                                                 AD
                                                     82
                                                        CB
                                                           9D
                                                               40
                                                                  21
                                                                      1 B
C850:E0 02 D0
               99
                   60
                             8D
                                59
                                     CAFØ:E8 E8
                                                        CØ Ø8 DØ EØ 87
                      A9
                         CD
                                                 E8
                                                     C8
C858:73 C9
           A9
               CB
                   8D
                      74
                         C9
                             A9
                                83
                                     CAF8:60
                                              A9
                                                 80
                                                     8D
                                                        3E
                                                           CD
                                                               A2
                                                                   27
                                                                      A7
C860:01 8D
            1C
               24
                   6Ø
                      A9
                         93
                             20
                                80
                                     CBØØ:BD 98
                                                 Ø7
                                                     9D
                                                        76
                                                           24
                                                               CA
                                                                  10
                                                                      41
C868:D2 FF
            20
               55
                   CB
                      20
                                     CBØ8:F7
                                                     20
                                                           FF A2
                         RR
                             CA
                                RE
                                              A9
                                                 93
                                                        D2
                                                                  27
                                                                     7 D
        ØF
C870:A9
            8D
               86
                   Ø2
                      A9
                         ØØ
                             8D
                                F8
                                     CB10:BD
                                              76
                                                 24
                                                     9D
                                                        98
                                                           Ø7
                                                               AD
                                                                  86
                                                                      45
C878:21 DØ A9
                                     CB18:02 9D 98 DB
                                                        CA
               26
                   8D
                      ØØ
                         24
                            AØ
                                BB
                                                           10
                                                               Fl
                                                                  A9
                                                                      ØD
C880:00
        AE
            46
               CD
                   E8
                      18
                         20
                             FØ
                                     CB20:01
                                              8D
                                                 6F
                                                     24
                                                        A2
                                                           Ø8
                                                               A9
                                                                  FF
                                                                      54
                                3C
C888:FF A2
           ØØ BD 83
                         20
                                     CB28:9D
                                              3D
                                                 24
                                                     CA 10
                                                           F8
                                                               20
                                                                  42 F5
                      CB
                            D2
                                FC
C890:FF E8 EC
               99
                  24
                      DØ
                         F4
                             20
                                68
                                     CB3Ø:C9
                                              4C D8
                                                     C9
                                                        AD 6F
                                                               24 DØ BB
C898:F9
        CA
            20
               EF
                   C3
                      20
                         46
                             C7
                                CF
                                     CB38:06
                                              20
                                                 F9
                                                     CA
                                                        4C
                                                           51
                                                               CB
                                                                  AD
                                                                      B3
C8AØ: 2Ø 2D
           C5
               2Ø E9
                      C7
                         20
                            CC
                                     CB4Ø:4B CD DØ
                                                     ØD
                                                        CE
                                                           A1 Ø7
                                                                     94
                                C3
                                                                  AD
C8A8:C4 AD 8D 02
                   29 Ø1
                         DØ F9
                                C2
                                     CB48:Al Ø7
                                                  C9
                                                     30
                                                        FØ
                                                           Ø5
                                                               20
                                                                  D8 63
C8BØ:2Ø D3
               20
                   34
                             E2
                                77
                                     CB50:C9
                                              A9
                                                 Ø1
                                                     60
                                                        D5
                                                           ØØ
                                                               ØØ
                                                                   2A
            C6
                      CB
                         DØ
                                                                      36
C8B8: AØ Ø1 A2 ØC
                  18
                      20
                         FØ
                            FF
                                13
                                     CB58:A9
                                              2A
                                                 41
                                                     Ø7
                                                        Ø7
                                                           Ø7
                                                               ØØ
                                                                  ØØ
                                                                     3C
                                              ØØ
                                                           Ø3
C8CØ:A2 ØØ
                                     CB60:00
                                                 F3
                                                     F3
                                                        F3
                                                               ØØ
                                                                  Ø3
            BD A9
                   CB
                      20
                         D2 FF
                                7A
                                                                      64
C8C8:E8
        EØ
            24
               DØ
                   F5
                      20
                         24
                             C9
                                DA
                                     CB68:03
                                              ØB
                                                 1E
                                                     46
                                                        ØA
                                                           99
                                                               aa
                                                                  99
                                                                     EØ
C8DØ:AD
        70
           24
               8D
                   73
                      C9
                         AD
                             71
                                42
                                     CB7Ø:11
                                              11
                                                 11
                                                     80
                                                        20 10
                                                               10
                                                                  10
                                                                      70
C8D8:24 8D
            74
               C9
                      30
                         8D
                                     CB78:00
                                              99
                                                 1C
                                                     3E
                                                        3E
                                                           1C
                                                               99
                                                                  00
                                                                      D9
                   A9
                             3D
                                71
                                                     20
                                                        50
                                                           41 44
                                     CB8Ø:1F
                                              F8
                                                 10
                                                                  44
                                                                      3E
C8EØ:CD A5
           A2 8D
                   08
                      24
                         CE
                             98
                                66
C8E8:24 A5
           A2
                   Ø8
                             Ø9 E2
                                     CB88:4C 45
                                                 53
                                                     20
                                                        34 20 20
                                                                  20 86
               CD
                      24
                         FØ
                                     CB90:53
                                              43
                                                  4F
                                                     52
                                                        45
                                                            20
                                                               3Ø
                                                                   30
C8FØ:AD
        ØØ
            DC
               29
                   10
                      FØ
                         Ø5
                             DØ
                                                                      EC
                                A6
                                     CB98:30
                                              3Ø
                                                 3Ø
                                                     30
                                                        20
                                                           20
                                                               48
                                                                  49
C8F8:FØ
        20
           55
               C8
                      ØØ
                                7 E
                                                                     B8
                  A2
                         BD
                             AB
                                                        30
                                                           30
                                     CBAØ: 47
C900:07 DD B8 07
                   FØ
                      04
                         90
                            14
                                E2
                                              48
                                                 20
                                                     30
                                                               30
                                                                  30
                                                                      C7
C908:B0
        Ø7
            E8
               EØ
                   06
                      DØ
                         EF
                             FØ
                                25
                                     CBA8:30
                                              50
                                                  52
                                                     45
                                                        53
                                                           53
                                                               20
                                                                   46
                                                                      79
                                                     20
                                                        54 4F
C910:0B A2 05 BD
                      Ø7
                         9D
                            B8
                                     CBBØ:49
                                              52
                                                 45
                                                               20
                                                                  43
                                                                     8F
                  AB
                                BB
                                     CBB8:4F
                                                     49
                                                        4E 55
                                              4E
                                                 54
                                                               45
                                                                  20
C918:07
            10
               F7
                   A9
                         8D
                             ØØ
                                                                      1D
        CA
                      1 B
                                38
                                                  20
                                                        48 49
C920:24
        4C
            7F
               C8
                   A5
                      A2
                         69
                             3C
                                10
                                     CBCØ:41 54
                                                     54
                                                               53
                                                                   20
                                                                      85
C928:8D Ø8 24 A5 A2
                      CD
                         Ø8
                             24
                                E3
                                     CBC8:4C 45
                                                 56 45
                                                        4C AØ F3 F3 B7
C93Ø:DØ
        F9
            A9
               04
                   4C
                      Ø3
                         CØ
                             A9
                                B9
                                     CBDØ: AØ
                                              A3
                                                 A3
                                                     Ø1
                                                        FØ
                                                            53
                                                               3C
                                                                   53
                                                                      C6
                                     CBD8:3C 53
                                                 3C
                                                     53
                                                        3C 53 5Ø A2
C938: DC 8D 08
               24
                      ØR
                         24
                             DØ
                                91
                                                                      92
                   EE
                                                 F3 F3 F3 F3 A4
                                     CBEØ:01 AØ
C940:FB
        60
            A9
               00
                   85
                      FB
                         85
                             FD
                                44
                                                                  99
                                                                      31
C948:8D
        1A
            24
               8D
                   18
                      24
                         AØ
                             99
                                31
                                     CBE8:01
                                              AØ
                                                 F2
                                                     F2
                                                        AØ
                                                           A2
                                                               AØ
                                                                  A2
                                                                      2A
            99
                      99
                                     CBFØ:AØ
                                              A2
                                                 Ø1 AØ
                                                        4B
                                                           10
                                                               93 10
                                                                      7D
C95Ø:A9
        20
               ØØ
                   04
                         ØØ
                                7F
                             Ø5
                                     CBF8:93 10
                                                 93
                                                     10
                                                        4B 49
                                                               12
                                                                   49
                                                                      BE
C958:99
        00
            Ø6
               88
                   DØ F4
                         AD
                             73
                                2B
C960:C9
        8D
            70
               24
                      74
                         C9
                                     CC00:01 A0
                                                 DF
                                                     11
                                                        ØB
                                                           11
                                                               7B
                                                                  11
                                                                      F3
                   AD
                             8D
                                EC
                                     CCØ8:0B 11
                                                 DF 4F Ø9 EF
                                                                  21
                                                                      ØC
C968:71
        24 A9
               04
                   85
                      FC
                         A9
                             D8
                                7F
                                                               43
C97Ø:85
        FE
            AD
               CD
                   CB
                      C9
                         Ø3
                             90
                                35
                                     CC10:87
                                              19
                                                 E7
                                                     Ø1
                                                        AØ
                                                           A3
                                                               91
                                                                   CØ
                                                                      38
                             74
                                     CC18:A3 91 AØ
                                                        91 Ø1
                                                               D8
                                                                  32
C978:0F
        EE
            73
               C9
                   DØ
                      03
                         EE
                                3 F
                                                     A3
                                                                      AA
C980:C9 20 98 C9
                   90
                      EC
                         BØ
                             ØD
                                57
                                     CC20:68 43
                                                 58
                                                     51
                                                        5Ø
                                                           53
                                                               50
                                                                  51
                                                                      AØ
               09
                             DØ
                                59
                                     CC28:5C
                                              3A
                                                  Øl
                                                     Al
                                                        F2
                                                            F2
                                                                   F3
                                                                      53
C988:C9
        ØØ
            FØ
                   EE
                      73
                         C9
                                                               Al
C990:03 EE
            74 C9
                   60
                      4C
                         55
                             C8
                                34
                                     CC3Ø:F3 Al 27
                                                    Ø5
                                                        27 Ø5
                                                               27
                                                                  Ø5 Ø2
                             aa
                                69
                                     CC38:2B A1
                                                     50
                                                        05
C998:8D ØØ
            24
               29
                   Ø3 AA
                         4E
                                                  Øl
                                                            9C
                                                               Ø5
                                                                  9C
                                                                      36
            ØØ
               24
                      Ø2
                         90
                             12
                                5E
                                     CC40:05
                                              Ø8
                                                 Ø5
                                                     74
                                                        Ø5
                                                            14
                                                               Ø5
                                                                  07
                                                                      CF
C9AØ: 24
        4E
                   EØ
C9A8: AD 1A
            24
               18
                   6D
                      ØØ
                         24
                             8D
                                EØ
                                      CC48:05 04 05
                                                     14 Ø5 Ø7
                                                               54 Ø5
                                                                      39
                             8D
                                     CC50:06 05 0C
                                                        04
                                                           05
                                                                  05
C9BØ:1A 24
            AD
               18
                   24
                      69
                         00
                                16
                                                     11
                                                               14
                                                                      22
                                              48 Ø5 Ø6 Ø5 Ø8 Ø9 ØA
C9B8:1B
        24 BD
               5F
                   CD
                      91
                         FB
                             BD
                                FA
                                      CC58:13
                                                                      F2
                         ØB
C9CØ:63 CD
               FD
                   C8 DØ
                             E6
                                      CC60:11 10 05
                                                     28 Ø6
                                                           Ø4 Ø6 Ø4 F9
            91
                                12
                                      CC68:06
                                                     Ø6
                                                        Ø9
                                                            Ø6
                                                                   ØF
C9C8:FC
            FE
               A5
                   FC
                      C9
                         07
                             90
                                7C
                                              18
                                                  1D
                                                               ØD
                                                                      98
        E6
        60 CE
               00
                   24
                      DØ
                         E3
                             60
                                63
                                      CC70:04 05
                                                 14 06 04 06
                                                               04
                                                                  1A
                                                                      8A
C9DØ:01
                                      CC78:14 3D ØF
                                                     04 05
C9D8:A0
        18 A9
               99
                   99
                      00
                         D4
                             88 F6
                                                           14
                                                               1E
                                                                  04
                                                                      46
               ØF
                   8D
                         D4
                                7A
                                     CC8Ø: ØA
                                              14
                                                 Ø9 ØF
                                                        11
                                                            ØA
                                                               ØD
                                                                  17
                                                                      18
C9EØ:10
        FA
            A9
                      18
                             A2
                            8Ø E2
                                      CC88:05 14 ØA Ø4 12 Ø4 ØA
                                                                  14
C9E8:07 A9
           FF
               8D
                   ØF
                      D4
                         A9
C9FØ:8D 12 D4 A2 Ø7 BD 3D 24 62
                                     CC90:09 0F 11 0A 0D 17 05 14
```

CC98:0A 04 1E 08 0E 09 07 0E 2D CCAØ: ØB 12 Ø9 ØE ØB Ø5 ØE Ø8 D6 CCA8:FE 6A 95 06 Ø5 Ø6 Ø5 11 F8 CCBØ:06 Ø5 ØA Ø5 13 05 ØA 05 E.5 CCB8:06 05 06 Ø5 Ø6 Ø5 42 Ø5 75 CCCØ:06 Ø5 Ø6 Ø5 Ø6 Ø5 ØA Ø5 ØD CCC8:13 05 ØA Ø5 Ø6 Ø5 Ø6 Ø5 14 CCDØ:06 05 66 05 13 05 8A 05 92 CCD8:13 05 8A 05 13 05 46 ØØ 18 CCEØ:C3 99 9F C3 F9 99 C3 FF BØ CCE8:C3 99 9F 9F 9F 99 C3 FF A3 CCFØ:9F 9F 9F 9F 9F 9F 81 FF AE CCF8:C3 99 F9 E3 F9 99 C3 FF 16 CDØØ:81 9F 9F 87 9F 9F 9F FF **6B** CDØ8:99 89 81 81 91 99 99 FF 41 CD1Ø:FF 99 C3 00 C3 99 FF FF ØF CD18:83 99 99 83 9F 9F 9F FF Ø2 CD2Ø:01 02 04 Ø8 10 20 40 80 BF CD28:FE FB FD F7 EF DF BF 7F BF CD3Ø:07 05 96 ØE 02 ØA ac aA 86 CD38:CØ FF FF FF FF 30 60 FF **B5** CD40:23 DD 08 F8 2D D3 16 27 81 CD48:01 05 FA 91 IE ØF 99 82 D6 CD5Ø:82 82 83 83 83 80 81 Øl 98 CD58:01 01 04 Ø7 ØD Øl Øl 20 34 CD60:FA FA FA ØØ Ø1 ØC Ø5 ØØ

BEFORE TYPING . . .

Before typing in programs, please, refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Unscramble

Article on page 44.

- QE 10 POKE53281,0:POKE53280,6: CO=54272:SC=1024:NDX=198 :REM NDX=208 ON THE 128
- GA 20 POKECO+24,15:POKECO+5,17 :POKECO+6,240:POKECO,100
- FC 30 X=RND(-TI):DIMA\$(40),B\$(
 40),TE(40)
- EP 40 FOR I=0 TO 9:READ NU\$(I) :NEXT:DATA 00,01,02,03,0 4,05,06,07,08,09
- FE 50 FOR I=1 TO 5:READ FF\$(I) :NEXT:DATA FIRST,SECOND, THIRD,FOURTH,FIFTH
- BG 60 PRINT"{CLR}{YEL}":D\$="
 {23 SPACES}"
- EH 70 PRINTSPC(14)"{2 DOWN} E83 UNSCRAMBLE": PRINTSPC(14) "E10 T3"
- JM 80 FOR I=0 TO 1:PRINT SPC(1
 1)"{3 DOWN}E7]PLAYER #"R
 IGHT\$(NU\$(I+1),1)"'S NAM
 E"
- KK 90 PRINTSPC(11);:INPUT P\$(I):IF P\$(I)="" THEN PRINT "{2 UP}":GOTO90
- JA 100 P\$(I)=LEFT\$(P\$(I),10):N
- KK 110 PRINT"{CLR}{DOWN}":POKE
 NDX,0:FOR I=1 TO 5:W\$(I
)="":NEXT
- MC 120 PRINT"[3 SPACES][RVS] [83]"P\$(C)
- EB 130 FOR I=1 TO 5
- JE 140 PRINT"[DOWN][3 SPACES]
 [YEL]ENTER [RVS]"FF\$(I)
 "[OFF] WORD TO BE SCRAM
 BLED[OFF]"
- BG 150 PRINT"[3 SPACES]";:INPU
 TW\$(I):IFW\$(I)=""THENPR
 INT"[UP]";:GOTO150

	JA	160	W\$(I)=LEFT\$(W\$(I),15):F
	JM	170	ORP=1TOLEN(W\$(I)) IFMID\$(W\$(I),P,1)<"A"OR
			MID\$(W\$(I),P,1)>"Z"THEN P=LEN(W\$(I)):NEXT:GOTO1
	-222		40
	HA	180	NEXT:NEXT:PRINT" [2 DOWN] [8] [9 SPACES] SC
	хл	190	RAMBLING THE WORDS" GOSUB210:GOSUB330:GOSUB
			580
	EM	200	FOR I=1 TO 10:B\$(I)="": NEXT:GOTO110
	KC	210	FOR I=1 TO 5:R\$(I)="":N EXT:FOR MT=1 TO 5:UPS=L
	CA	220	EN(W\$(MT)) FOR I=1 TO UPS:TE(I)=1:
	1000		NEXT
	XK BJ	23Ø 24Ø	FOR I=1 TO UPS XX=INT(UPS*RND(1))+1:IF
	BP	250	TE(XX)=Ø THEN24Ø B\$(I)=MID\$(W\$(MT),XX,1)
			:TE(XX)=Ø:NEXT:R\$(MT)="
	JG	260	FOR I=1 TO UPS:R\$(MT)=R
	DH	270	\$(MT)+B\$(I) NEXT:IF R\$(MT)=W\$(MT) A
			ND LEN(W\$(MT))>1 THEN22
	SD PE	28Ø 29Ø	NEXT
	PE	290	PRINT"{CLR}{2 DOWN}{UP} {9 SPACES}WORDS ARE SCR
			AMBLED {DOWN}":QQ=-Q+1: SP=LEN(P\$(QQ))+24:SP=SP
	EG	300	/2 PS=19-SP:PRINT SPC(PS)
		-	{SPACE}P\$(QQ)", PRESS A NY KEY TO BEGIN [HOME]":
			GOSUB670
	JG	310	POKENDX, Ø:WAITNDX, 1:GET A\$
	CQ	32Ø 33Ø	PRINT"{CLR}":RETURN FOR MT=1 TO 5:CS=-C+1:S
	мм	340	P=INT(LEN(P\$(CS))/2)
	1-11-1	340	[6 DOWN]"SPC(11)D\$"
			{DOWN}":PRINTSPC(11)D\$: PRINTSPC(11)D\$
	DP	350	PRINT" [HOME] [2 DOWN] "SP C(PS)" [RVS] "P\$(CS): SP=I
			NT(LEN(R\$(MT))/2):PS=19
	DC	360	PRINT"[3 DOWN][YEL]"SPC
	GΩ	370	(PS) R\$(MT) FOR J=1 TO LEN(W\$(MT)):
			A\$(J)=MID\$(W\$(MT),J,1): NEXT
	DQ	380	Z=SC+36Ø+PS:CC=Z+CO:X=P S:FOR I=1 TO LEN(W\$(MT)
		200): POKE Z, 99: POKE CC, 1
	MJ	390	(TM)> 59 THEN MI=MI+1:T
	QD	400	M=INT(TM)-60 IF MI>9 THEN TT\$=STR\$(M
			I):MI\$=RIGHT\$(TT\$,2):GO TO420
	Parental and	410	MI\$=NU\$(MI)
	QQ	420	IF TM>=10 THEN TT\$=STR\$ (INT(TM)):TM\$=RIGHT\$(TT
	мо	430	\$,2):GOTO440 TM\$=NU\$(TM)
		440	PRINT"[HOME][20 DOWN]"S PC(17)"[YEL]WORD"MT
	RK	450	PRINT" [HOME] [83] "SPC(17)
			MI\$":"TM\$:IF R\$="" THEN 390
	XJ SE	46Ø 47Ø	
1			(SPACE)TAR(V)AS(T) DA-

{SPACE}TAB(X)A\$(I);:PA=

50:UPS=50:GOSUB660:GOTO

490:STOP

RK 480 TM=TM+10:PA=20:UPS=120:

GOSUB660: GOTO390

DP	490	Z=Z+1:X=X+1:CC=CC+1:NEX T:NEXT MT:PRINT:PRINT"
		[3 DOWN]":Q=-C+1
FC	500	SP=LEN(P\$(Q))+19:SP=INT
MF	510	(SP/2):PS=19-SP PRINT SPC(PS)"E73TOTAL
		[SPACE]TIME FOR [RVS]"P
		\$(Q)"[OFF] WAS[DOWN]":S
MA	520	P=14:MI=VAL(MI\$) PRINT SPC(SP);:IF MI>0
		[SPACE] THEN PRINT"
RD	530	{5 LEFT}" MI"MINUTE"; IF MI>1 THEN PRINT"S";
XS	540	IF MI > Ø THEN PRINT " AND
		";
JC	550	TM=VAL(TM\$):PRINT TM"SE COND";:IF TM>1 THEN PRI
		NT"S"
BP	560	PRINT"[HOME] [20 DOWN]"S
JK	57Ø	PC(17)"[6 SPACES]" FOR I=1 TO 3000:NEXT:SO
		(Q)=MI*100+TM:SO\$(Q)=MI
		\$+":"+TM\$:TM=0:MI=0:RET URN
CE	580	IFC<>1THENC=1:RETURN
DC	590	
		[14 SPACES]FINAL SCORES ":PRINT SPC(14)"[12 T]
		{2 DOWN}"
EC	600	PRINTSPC(11)P\$(Ø)TAB(23
)SO\$(Ø):PRINT"{2 DOWN}" SPC(11)P\$(1)TAB(23)SO\$(
	-	1)
KJ	610	PRINT" {2 DOWN}": WN\$=P\$(Ø): IF SO(Ø)=SO(1) THEN
		(SPACE) PRINT SPC(14)"IT
		'S{2 SPACES}A TIE":GOTO
XE	620	640 IF SO(1) < SO(0) THEN WN\$
	600	=P\$(1)
KG	630	PRINT"[11 SPACES][RVS]" WN\$" IS THE WINNER
		{2 DOWN}"
GE	640	PRINT"{2 DOWN} {7 SPACES}PRESS ANY KEY
		TO PLAY AGAIN"
MG	65Ø 66Ø	WAITNDX, 1:GETA\$:RUN
Сп	000	POKE CO+1, PA: POKE CO+4, 33:FOR QQ=1 TO UPS: NEXT
	ONLINE OF THE PARTY.	: POKE CO+4,32: RETURN
RC	670	FOR PA=40 TO 20 STEP-1: UPS=20:GOSUB660:NEXT:FO
		R I=1 TO 500:NEXT:RETUR
		N
E	104	Boot
1	151	DUUL
Ar	ticle	on page 89.
Pr	ogra	m 1: Fast Boot ML Maker
EX	10	REM M/L PROGRAMS FOR FAS
		TBOOT-64
SF		:
MP	40	PRINT"{CLR}"TAB(81)"THIS PROGRAM WILL SAVE FOUR"
QX		PRINT" M/L PROGRAMS TO D
EA		ISK BE SURE" PRINT" THE DISK YOU USE
		(SPACE) IS THE SAME AS"

HS 70 PRINT" THE ONE WITH FAST BOOT-641"

EE 80 PRINT: PRINT" HIT SPACE B AR TO CONTINUE"

DK 9Ø GETKEY ZZ\$:IF ZZ\$<>" " T HEN 9Ø

CQ 100 AD=49152:EA=49178:GOSUB 310

XD 110 READ DA:DA=DA/137:POKE {SPACE}AD,DA:AD=AD+1 GC 120 EA=49197:GOSUB 310

GC 130 READ DA: DA=DA/55: POKE A

D, DA: AD=AD+1 AX 140 EA=49241:GOSUB 310 QF 150 PN\$="FAST LOAD M/L":GOS UB 33Ø HP 160 : CA 170 POKE 49179, 137: POKE 491 98,55:AD=49242 RR 180 RESTORE 510:EA=AD+38:GO SUB 310 FJ 190 PN\$="FAST RUN M/L":GOSU B 33Ø AR 200 MA 210 RESTORE 570:AD=49171:EA =AD+61:GOSUB 310 XD 220 READ DA: DA=DA/203: POKE [SPACE]AD, DA: AD=AD+1 XM 23Ø EA=AD+17:GOSUB 31Ø:READ DA: DA=DA/43: POKE AD, DA :AD=AD+1 HX 240 EA=AD+69:GOSUB 310:PN\$= "FAST LOAD BASIC":GOSUB 330 RA 250 : FM 260 AD=49171+62:POKE AD, 203 :AD=AD+19:POKE AD, 43 FM 270 AD=AD+71:EA=AD+23:RESTO RE 780:GOSUB 310 JJ 280 PN\$="FAST RUN BASIC":GO SUB 330 SJ 290 END ED 300 BP 310 DO UNTIL AD=EA+1: READ D A: POKE AD, DA: AD=AD+1:LO OP: RETURN OE 320 : QP 33Ø RESTORE 83Ø:EA=EA+8:GOS **UB 310** JX 340 BSAVE(PN\$), BØ, P49152 TO P(AD) PQ 350 RETURN QH 360 : GA 370 DATA 169,3,141,48,208,1 62,0,189 GH 380 DATA 144,1,157,0,128,23 2,224.9 EG 390 DATA 208,245,169 XK 400 : GG 410 DATA 48,133,95,169,4,13 3,96,169 JM 420 DATA 13426,133,90,169,4 MP 430 DATA 133,91,169,144,133 ,88,169,1 FG 440 DATA 133,89,32,191,163, 76,5170,1 XJ 450 DATA 162,1,142,22,208,3 2,163,253 QH 460 DATA 32,80,253,32,21,25 3,32,91 CQ 470 DATA 255,88,32,83,228,3 2,191,227 BD 480 DATA 32,34,228,162,251, 154, 173, 153 PG 490 DATA 1,141,17,3,173,154 ,1,141,18,3 FA 500 DS 510 DATA 169,83,141,119,2,1 FE 520 DATA 89,141,120,2,169,8 3,141,121 JB 530 DATA 2,169,55,141,122, ,169,56 FE 540 DATA 141,123,2,169,52,1 41,124,2 PJ 550 DATA 169,13,141,125,2,1 69,7,133,198 RE 560 : XC 570 DATA 1,133,25,169,32 XF 580 DATA 133,26,169,1,133,2

7,133,43

8,174,154

KK 590 DATA 169,8,133,44,133,2

EM 600 DATA 1,240,16,160,0,177

JR	610	DATA 27,200,208,249,230,26,230,28
GX	620	DATA 202, 208, 242, 174, 15
		3,1,240,8
SH	630	
		202,208,248
KP	640	DATA 169,102,133,95,169
	1721222	,4,133,96
DR	65Ø	
		69,4,133,91
BD	660	
	670	,1,133,89
HM	6/0	DATA 32,191,163,76,2881
		,1,162,1
QJ	680	DATA 142,22,208,32,163,
АН	600	253,32,80 DATA 253,32,21,253,32,9
An	090	1,255,88
FK	700	DATA 32,83,228,32,191,2
	100	27,173,1
ко	710	
		8,141
BG	720	DATA 145,1,32,34,228,17
		3,144,1
нн	730	DATA 141,1,8,173,145,1,
		141,2
QX	740	DATA 8,162,251,154,24,1
		73,153,1
QF	75Ø	DATA 101,43,133,45,173,
		154,1,101
ME	760	DATA 44,133,46
MB	770	
RG	78Ø	DATA 169,82,141,119,2
GX	79Ø	DATA 169,85,141,120,2,1
		69,78,141
JM	800	DATA 121,2,169,13,141,1
		22,2,169
	810	DATA 4,133,198
RE	820	i
GK	830	DATA 169.0.141.48.208.7

	69,78,141
JM	800 DATA 121,2,169,13,141,1
	22,2,169
PQ	
RE	820 :
GK	830 DATA 169,0,141,48,208,7
O.C.	6,116,164
	0,110,104
Pre	ogram 2: Fast Boot
	ogram zi rust boot
EM	Ø GOTO 26Ø
PG	1 PN\$(1)="Ø123456789ABCDEF"
	:LP(1)=12345:I=1
JD	2 PN\$(2)="Ø123456789ABCDEF"
	:LP(2)=12345:I=2
JJ	3 PN\$(3)="Ø123456789ABCDEF"
	:LP(3)=12345:I=3
JH	4 DATA Ø,4,102,254,195,194,
	205,56,48,123,123
SE	5 IF PEEK(215) <> Ø THEN PRIN
	T:PRINT"{TOP}SWITCH TO 40
	COLUMN MONITORII": GRAPHI
	CØ
EH	6 FAST: FOR J=1 TO I:BLOAD (P
	N\$(J)),BØ,P(LP(J)):NEXT
XS	7 BLOAD"LOADER ROUTINE", BØ,
	P1024:SE=400:PA=32768
BK	8 FOR I=Ø TO 8:POKE SE+I,PE
	EK(PA+I): READ DA: POKE PA+
	I, DA: NEXT
DA	9 READ DA: POKE SE+I, DA: READ
	DA: POKE SE+10, DA: GO64
JE	10:
RC	20 FOR I=1 TO 5:FAST:NI=NA(
	<pre>I):AI=AA(I):IF PN\$(I)=""</pre>
	THEN BEGIN
FH	30 :IF I<4 THEN DI=DI+1:DL(
	DI)=I:NEXT I
DA	40 :BEND:GOTO 100
MD	50 BANK 1:SZ=PEEK(POINTER(P
	N\$(I))):BANK Ø:PRINT HH\$
	; PN\$(I)
RK	60 FOR J=1024 TO J+SZ-1:PJ=
	PEEK(J):IF PJ<32 THEN PJ
	=PJ+64
HJ	70 POKE NI, PJ:NI=NI+1:NEXT
	{SPACE}J:POKE NI,34:IF S
	Z=16 THEN 100

AM	90	KE H,32:NEXT H
FA		PRINT HH\$;LP(I):K1=4:IF I>3 THEN K1=2:SLOW
BR	110	FOR K=1025 TO K+K1:POKE AI,PEEK(K):AI=AI+1:NEX
***	100	T K:NEXT I
HJ RC	12Ø 13Ø	FAST: POKE 842,48: POKE 8
		43,13:K=2:IF DI THEN BE
QD	140	GIN :FOR I=1 TO DI:POKE 842 +K,ASC(MID\$(STR\$(DL(I))
GP	150	,2,1)) :BEND:K=K+1:POKE 842+K,
EE	160	13:K=K+1:NEXT I POKE 842+K,19:K=K+1:POK
		E 842+K,13:K=K+1:POKE 2 Ø8,K:AD=SB+420
DQ	170	
GE	18Ø	IF PEEK(AD) <> 203 THEN A D=AD+1:GOTO 180
JF	190	AD=AD+1:IF PEEK(AD)<>Ø {SPACE}THEN 19Ø
JS	200	FOR J=1 TO 2:AD=AD+1:PO KE AD, Ø:NEXT
FH	210	BQ=AD+1:POKE 4624,BQ AN D 255:POKE 4625,BQ/H1
JS	220	i and the same of
AM	230	PRINT HH\$; "DSAVE"; QT\$; " AUTOEXEC. 64"; QT\$
CB	240	COLOR 5,CC:SLOW:END
RA	25Ø 26Ø	: EC\$=CHR\$(27):QT\$=CHR\$(3
		4):DIM LA(11), EA(11):MT
MS	270	=63700:MS=49152 HM=32768:H1=256:PN\$="FA
		ST LOAD BASIC":BA=0:LA=
СВ	280	MS:HH\$="{2 HOME}{CLR}" IF RGR(X)<>0 THEN PRINT
		:PRINT"SWITCH TO 40 COL
		UMN MONITOR!!!":GRAPHIC
CS	290	PRINT HH\$; TAB(81) "STAND BY":LA(0)=LA:GOSUB
	200	(SPACE)1040:EA(0)=EA
AX	300	LA=LA+H1:LA(1)=LA:PN\$=" FAST RUN BASIC":GOSUB 1
нр	310	040:EA(1)=EA LA=LA+H1:LA(10)=LA:PN\$=
111	310	"FAST LOAD M/L":GOSUB 1 Ø40:EA(10)=EA
PR	320	LA=LA+H1:LA(11)=LA:PN\$=
		"FAST RUN M/L":GOSUB 10 40:EA(11)=EA
BR	330	PN\$="":PRINT"{CLR}":PRI NT:PRINT EC\$+"T PLACE P
		ROGRAM DISK INTO DISK D
MS	340	RIVE." GOSUB 1070:PRINT"{CLR}
***		[SPACE]DO YOU WANT THE
		{SPACE}DIRECTORY (Y/N) ":GOSUB 1200
AR	350	- 10.00 / 2-0-2 (1.00 (2.00
		PEN 1,8,15,"UØ>MØ":DIRE
		CTORY:PRINT#1, "UØ>M1":D CLOSE:PRINT:SLEEP 1:TRA
		P:PRINT TAB(160)"{4 UP}
SJ	360	PRINT EC\$"T ENTER NUMBE
		R OF PROGRAMS (1,2 OR 3)."
KK	370	GETKEY NP\$:NP=VAL(NP\$): IF NP<1 OR NP>3 THEN 37
	200	Ø:ELSE IF NP=1 THEN 390
AF	380	:PRINT:PRINT" {RVS}REME MBER, BASIC PROGRAM MUS
	200	T BE FIRST"
PR	390	LA=2049:FOR X=1 TO NP:I F X>1 THEN BEGIN:PRINT:
JQ	400	PRINT" THERE IS"; MR; "B

```
YTES REMAINING"
EF 410 :PRINT" (APPROX."; INT (M
       R/255+1); "DIRECTORY BLO
       CKS)"
MX 420 :BEND:PRINT" ... CONTINU
       E (Y/N)?":GOSUB 1200:IF
        ZZS="N" THEN STOP
DO 43Ø :
KF 440 PRINT: PRINT: PRINT" [UP]
       [SPACE] PROGRAM NAME: ";:
       NL=16:GOSUB 1110:PN$(X)
       =PNS
PR 450 :
JR 460 DOPEN#2, (PN$): GOSUB 128
       Ø:GET#2,LB$,HB$:DCLOSE#
DA 470 HB(X)=ASC(HB$):LB(X)=AS
       C(LB\$):LP(X)=H1*HB(X)+L
       B(X)
FP 480 IF LP(X) < 2049 THEN PRIN
       T"{2 HOME}{CLR}":PRINT"
        SORRY, CAN'T HANDLE PR
       OGRAMS THAT LOAD": PRINT
       "BELOW THE START OF BAS
       ICI":STOP
QG 490 BA=1:GOSUB 1040:BA=0:SZ
       =EA-LA:EP(X)=LP(X)+SZ:H
       A(X)=EA:IF X=1 THEN BEG
RJ 500 :LP(4)=(SZ-HM) AND 255:
       LP(5)=INT(SZ/H1)
KA 510 :
CA 520 :R$=CHR$(29):FOR I=1 TO
        8:RT$=RT$+R$:NEXT:FR$=
       RT$+R$+R$+R$
RC 530 :PRINT:PRINT:PRINT:PRIN
       T"(TOGGLE WITH SPACE BA
       R) {2 UP} "EC$"J";
       :PRINT" BASIC: [RVS] *
KG 540
       [OFF] [2 SPACES] BINARY:
        {RVS}{3 SPACES}{OFF}
       {4 SPACES}(RETURN)";
QP 550 :GOSUB 980:BI=F1*10:F1=
CX 560 :PRINT:PRINT:PRINT
BF 570 :
XP 580 :PRINT:PRINT" [2 SPACES]
       LOAD: [RVS] * [OFF]
       [5 SPACES] RUN: [RVS]
       [3 SPACES][OFF]
       [4 SPACES](RETURN)";
AB 590 :GOSUB 980:RN=F1:LF=BI+
       RN
XB 600 : IF LF<2 THEN LP(1)=819
       3:EP(1)=LP(1)+SZ:GOTO 6
       20
SK 610 :BEND: LP(4)=LB(X):LP(5)
       =HB(X)
AX 620 LX(X)=LA:LA=EA+1:MR=MT-
       LA: NEXT
SJ 630 :
QE 640 IF NP=1 AND LF<2 THEN 6
       90:ELSE FOR X=1 TO NP:I
       F X=1 THEN 660
HB 650 IF LP(X) < EP(1) THEN PRI
       NT" OVERLAP ERROR PROGR
       AMS 1 AND"; X; :STOP
SC 660 IF LP(X) < 7600 THEN PRIN
       T" SORRY, CAN'T HANDLE
       [SPACE]M/L PROGRAMS
       [8 SPACES] THAT LOAD BEL
       OW DECIMAL 76001":STOP
FP 670 NEXT
CO 680 :
BX 690 GOSUB 1300:HD$=HN$
AR 692 PRINT HH$; TAB(81)" [RVS]
       PLACE NEW DISKETTE IN D
       ISK DRIVE.":GOSUB 1070
CB 695 GOSUB 1300:IF HN$=HD$ T
       HEN BEGIN
SH 696 :PRINT TAB(81) "YOU DIDN
        'T CHANGE DISKS!":PRINT
       " CONTINUE (Y/N)?";
```

DS 697 :GOSUB 1200:IF ZZ\$="Y" [SPACE] THEN 692 :BEND:STOP JR 698 PRINT" {CLR} "TAB (81) "DOE 700 OC S IT NEED FORMATTING (Y /N)?"; MG 710 GOSUB 1200:IF ZZ\$="N"TH EN PRINT"[CLR]"TAB(80); EC\$; "T": GOTO 800 CA 720 PRINT: PRINT: PRINT" DISK NAME: ";:NL=16:GOSUB 11 10:HD\$=PN\$ PRINT TAB(28)"{UP}";:PR DK 73Ø INT"ID:";:NL=2:GOSUB 11 10 XH 740 IF LEN(PN\$)=1 THEN PN\$= PNS+" " PRINT: PRINT: PRINT ECS; " KO 750 T FORMATTING DISKETTE ... DK 760 OPEN15,8,15,"NO:"+HD\$+ "+PN\$:CLOSE 15 SG 770 IF DS=21 THEN PRINT: PRI NT" ID REQUIRED ON THIS DISKI":GOTO 720 BJ 780 GOSUB 1280 79Ø CD BD 800 PRINT" [CLR] MAKING THIS A BOOT DISK ... " 810 Z\$=CHR\$(0):Z2\$=Z\$+Z\$:AE OP \$="AUTOEXEC.64" GP 820 OPEN15, 8, 15: OPEN5, 8, 5, " #":PRINT#15, "B-P";5;0 PRINT#5, "CBM"+Z2\$+Z2\$+A E\$+Z2\$+CHR\$(162)+CHR\$(2 6) . AS 840 PRINT#5, CHR\$(160)+CHR\$(11)+CHR\$ (76)+CHR\$ (165)+ CHR\$ (175); GA 850 PRINT#5, "RUN"+CHR\$(34)+ AE\$+Z\$:PRINT#15,"U2";5; 0:1:0 BH 860 PRINT#15, "B-A";0;1;0:DC LOSE:D\$=DS\$ BJ 87Ø GH 880 PRINT" [CLR] COPYING PRO GRAMS TO BOOT DISK ... ' DF 89Ø FOR X=1 TO NP:BSAVE(PN\$ (X)),B1,P(LX(X)) TO P(H A(X)) BP 900 GOSUB 1280:NEXT X EM 910 HP 920 BSAVE"LOADER ROUTINE", B Ø,P(LA(LF)) TO P(EA(LF)

):GOSUB 1280

: RESTORE 940

EB 93Ø SB=PEEK(45)+H1*PEEK(46)

HJ 940 FOR I=1 TO 5: READ AA: AA

DS 950 FOR I=1 TO 3:READ AA:NA

92,138,184,188

(Ø):GOTO 2Ø

QB 980 PRINTCHR\$(27)"J"+RT\$;

JM 990 GETKEY KG\$: IF KG\$=CHR\$(

13) THEN RETURN

PX 1000 IF KG\$ <> " THEN 990:E

:F1=1:GOTO 980

:F1=0:GOTO 980

QP 1040 BLOAD(PN\$), B(BA), P(LA)

GM 1070 PRINT: PRINT" HIT SPACE

GE 1090 GETKEY ZZ\$:IF ZZ\$ <> CHR

JR 1020 PRINT" [RVS] * "+FR\$+" ";

1010 PRINT" [RVS] "+FR\$+"*";

LSE IF F1 THEN 1020

:EA=H1*PEEK(175)+PEEK(

174): GOSUB 1280: RETURN

BAR WHEN READY

68,114

QH 96Ø

05 970

FB 1030

SD 1060

GD

(I)=SB+AA:NEXT:DATA 46,

(I)=SB+AA:NEXT:DATA 22,

CC=RCLR(5):COLOR 5, RCLR

BEFORE TYPING . . .

\$(32) THEN 1090:ELSE R

;:NEXT:FORI=1 TO NL:PR

(13) THEN 1180:ELSE IF

NT KG\$+"[INST] [LEFT]"

; :GK=LEN(PN\$)-1:PN\$=LE

FT\$ (PN\$, GK): GOTO 1140

[SPACE] PRINT CHR\$ (7):G

PRINT KG\$;:PN\$=PN\$+KG\$

GETKEY ZZ\$:IF ZZ\$="Y"

{SPACE}THEN RETURN
IF ZZ\$<>"N" THEN 1200:

IF ER=30 THEN RESUME N

PRINT ERR\$ (ER); EL: STOP

LSE PRINT"ERROR: ";DS\$

OPEN 15,8,15:OPEN 5,8,5,"#":PRINT#15,"U1";5;

HNS="": PRINT#15, "B-P";

5;144:FOR X=1 TO 20:GE

T#5, L\$:HN\$=HN\$+L\$:NEXT

PRINT KG\$; : RETURN

KG\$=CHR\$(20) THEN PRI

PNS="":GK=Ø:PRINT"

INT" [LEFT]"; :NEXT

CG 1130 FOR I=1 TO NL:PRINT" "

GB 1140 GETKEY KG\$:IF KG\$=CHR\$

FP 1160 GK=GK+1:IF GK>NL THEN

ото 1140

:GOTO 1140

ELSE RETURN

XB 1280 IF DS<20 THEN RETURN:E

: DCLOSE: STOP

8;5;"#"

RS 1320 DCLOSE: RETURN

EXT

{RVS}";

GF 1100

EC 1110

HK 1170

GG 1180

BQ 1190

MR 1200

QE 1220

KR 123Ø

BD 1240

MO 1260

MB 127Ø

EC 1290

CA 1300

HX 1310

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Cassette Sleeve Maker

Article on page 52.

XJ 120 AT=C

10 DIM SG\$(2,19), TE\$(19):RE M SET UP ARRAYS FORI=1TO2:FORJ=1TO19 QX 3Ø SG\$(I,J)="{19 SPACES}" GA 40 NEXTJ:NEXTI 5Ø SET\$="+--GX 6Ø AX\$="--":ZX\$="{18 SPACES}" FM\$="A":FC\$="B" SD 70 PRINT"[CLR][3 DOWN] AE 80 [10 RIGHT] [RVS] CASSETTE (SPACE) SLEEVE MAKER [OFF] HB 90 PRINT"[5 DOWN][8 RIGHT]E NTER THE NUMBER OF SIDES QG 100 PRINT" (DOWN) (8 RIGHT) YO U WISH TO LABEL (1/2)"; RJ 110 INPUTC: IFC <> 1 ANDC <> 2 THE N110

SS 130 PRINT"[CLR][4 DOWN]

[9 RIGHT] THE NEXT SCREE N WILL" QJ 140 PRINT"[DOWN][7 RIGHT]SH OW HALF OF A TAPE LABEL CR 150 PRINT" [4 DOWN] [5 RIGHT] ENTERED LINES MAY (RVS) NOT[OFF] CONTAIN:" PRINT" [4 DOWN] [8 RIGHT] AG 160 [RVS]; OR , OR ←, OR +, OR T HK 170 PRINT" [6 DOWN] [8 RIGHT] HIT ANY KEY TO CONTINUE JJ 180 GETS\$:IFS\$=""THEN180 RX 190 REM[2 SPACES] *MAIN PROG RAM* XX 200 FORI=1TOC CB 210 FORJ=1TO19 DR 22Ø GOSUB700:GOSUB1020 DA 230 GOSUB650 QP 240 PRINT" [HOME] [DOWN]": FOR R=1 TOJ IFR=150RR=17THENPRINT" JK 250 (DOWN) [UP]" PRINT" [2 RIGHT]"; SG\$(I, HE 260 R) AP 270 NEXTR AF 280 GOSUB910 JX 290 IFJ>15THENPRINT" [DOWN] {UP}" EF 300 GOSUB1170: INPUTC\$ IFLEFT\$(C\$,1)=CHR\$(94)A FM 310 NDJ <15THENJ=15:GOTO220 PM 320 SG\$(I,J)=C\$ AK 33Ø GOSUB910:SG\$(I,J)=LEFT\$ (SG\$(I,J),19)AK 340 GOSUB1210 SB 350 BB\$=SG\$(I,J):GOSUB1110: SG\$(I,J)=BB\$HG 360 PRINT" [HOME] [DOWN]": FOR IK=1TOJ:GOSUB1150 AD 370 IFIK=JTHENPRINT" [UP]" JH 38Ø PRINT" [2 RIGHT]"; SG\$(I, IK):NEXTIK HP 390 GOSUB1060:IFKS\$ <> "Y"AND KS\$ <> "N"THENPRINT" {UP}" : GOTO 390 AJ 400 IFKS\$="N"THENSG\$(I,J)=Z X\$:GOTO22Ø GX 410 NEXTJ RA 420 NEXTI BB 430 REM[5 SPACES] ** HARD CO PY *1 FB 440 PRINT"[CLR][7 DOWN] [6 RIGHT] PRESS ANY KEY [SPACE] FOR PRINTOUT" MD 450 GETAS: IFAS=""THEN450 JR 460 LB=2:LA=1:IFAT=1THENLA= 1:LB=2 GQ 470 OPEN 4,4 PRINT#4, SET\$
PRINT#4,"+ SIDE A KP 480 CB 49Ø [15 SPACES] SIDE B [12 SPACES]+ ED 500 FORJ=1T019 TE\$(J)="+"+SG\$(LA,J)+"GP 510 "+SG\$(LB,J)+"+":NEXTJ SG 520 FORJ=1TO14:PRINT#4,TE\$(J):NEXTJ AR 530 PRINT#4, SET\$ RR 540 PRINT#4, TE\$(15): PRINT#4 ,TE\$ (16) JX 550 PRINT#4, SET\$ EB 560 FORI=17TO19:PRINT#4,TE\$ (I):NEXTI AS 570 PRINT#4, SET\$ CB 580 CLOSE4 OH 59Ø PRINT" [CLR] [6 DOWN] WOUL D YOU LIKE ANOTHER LABE L (Y/N)"; JB 600 INPUTA\$: IFA\$ <> "Y"ANDA\$ < >"N"THEN600

175 155 15	610	IFA\$="Y"THEN20
ES AD	620	PRINT"{CLR}":END REM{4 SPACES}*** SUBROU
	1	TINES ***
MD	640	REM{2 SPACES}SUB POI
DM		GOSUB91Ø
GB	660	GOSUB1180:IFJ>15THENPRI NT" [DOWN] [UP]"
DS		PRINTTAB(21)" " "
JA DQ		RETURN REM{2 SPACES}SUB
178		{SPACE}SETUP
GF	700	PRINT"{CLR}":IF I=2THEN 810
FH		FD\$=" +"+AX\$
SX	720	PRINT" +{RVS}SIDE ";FM\$;"[13 SPACES][OFF]"
AG	730	FORII=1TO14:PRINT" +":N
PB	740	EXTII PRINTFD\$
HE		PRINT" +"
DH		PRINT" +" PRINTFD\$
EJ	780	FORII=1TO3:PRINT" +":NE
XF	790	XTII PRINT FD\$
SH		GOSUB970:RETURN
AQ	810	FD\$="{2 SPACES}"+AX\$+"+
GC	820	PRINT" + (RVS) SIDE "; FC\$
XG	830	;"{13 SPACES}{OFF}+" FORII=1TO14:PRINTTAB(21
)"+":NEXTII
AG XC		PRINTFD\$ PRINTTAR(21)"+"
DD		PRINTTAB(21)"+" PRINTTAB(21)"+"
QJ	87Ø 88Ø	PRINTFD\$
FC	880	FORII=1TO3:PRINTTAB(21) "+":NEXTII
PB	890	PRINTFD\$:GOSUB970:RETUR
XE	900	REM{2 SPACES} SUB C
AG	910	URSOR PRINT" [HOME]"
SS		FORD=1TOJ
FQ		PRINT" [DOWN] [UP]"
SA	940	NEXTD: PRINT" {UP}": RETUR
ER		
GG	960	9 CHARACTERS SUB 1
JM		PRINT" {HOME}"
XC	980	PRINTTAB(22)"444THIS IS
ВВ	990	PRINTTAB (25) "CHARACTERS
XE	100	
Table per Co		ENCE"
DS PG		Ø PRINT" [HOME]"
DB		Ø PRINT"{12 DOWN}"TAB(23
DA	104)"INPUT LINE #";J Ø RETURN
GC		Ø REM[2 SPACES]SUB
ЈХ	106	CORRECT Ø PRINT"{HOME}":KS\$=""
	107	O PRINT"[19 DOWN] "TAB(23
GP	108)"{RVS}IS THIS ENTRY" Ø PRINTTAB(23)"CORRECT (
	-	Y/N)"
MQ		
- Control		B 19 STRING
MX	111	Ø FR=LEN(BB\$):F=19-FR:TR \$=RIGHT\$(ZX\$,F)
	112	Ø BB\$=BB\$+TR\$:RETURN
	113	
		KIP
JM	1115	Ø IFIK=15ORIK=17THEN PRI NT"{DOWN}{UP}"
l DJ	116	

```
AH 1170 REM{2 SPACES}---SUB IN PUT SKIP---

XM 1180 IFJ=150RJ>=17THEN PRIN T"{DOWN}{UP}"

MM 1190 RETURN

QE 1200 REM{2 SPACES}---SUB B

LANK SPACE----

BD 1210 FK$=LEFT$(SG$(I,J),1)

HC 1220 IFFK$="+"THEN SG$(I,J)=ZX$

CQ 1230 RETURN
```

SpeedScript Date And Time Stamper

See instructions in article on page 76 before typing in.

Program 1: SpeedScript Date And Time Stamper

```
C8FB: A9 Ø8 AA AØ Ø1 2Ø BA FF C1
C903:A9 0B A2 4A A0 C9
                             BD 51
C9ØB:FF A9
            ØØ
               20
                   D5
                      FF
                          90
                             Ø1 DB
                          99
C913:60 A0 03 B9
                   6D
                      CA
                             08
                                 CC
            10
               F7
                   A2
C91B:DD 88
                      F6
                         AØ
                                 3E
C923:8E
         32
            Ø3
               8C
                   33
                      Ø3
                          A9
                             C7
                                 74
C92B:8D B1 Ø9 A2
                   55 AØ
                          C9
                             8E
                                 8C
C933:70
        14 8C
               71
                   14
                      A2 F4 AØ
                                 62
C93B:C9 8E A2
               11
                   8C
                      A3
                          11
                             A9
                                 7B
                                 6E
C943:FF 8D 6C CA
                   4C ØD Ø8
                             53
C94B:5Ø 45 45
               44
                   53
                      43
                          52
                             49
                                 DA
C953:50
         54
            20
               E7
                   FF
                       20
                          54
                             CA
                                 9A
C95B:A9
         37
            85
               Ø1
                   20
                       6D
                          C9
                             A9
                                 46
                          20
                                 ØF
C963:08 85
                20
                   BØ
                      CC
                             60
            BA
C96B:CA 60
            AE
                71
                   CA
                      BD
                          DC
                             CA
                                 3B
                CA FØ
                      Ø6
                          20
                             D2
                                 78
C973:A8 B9
            7A
                             72
C97B:FF
         CB
            DØ
               F5
                   A9
                       00
                          AE
                                 D7
                       2C
C983 : CA
               BD
                   A9
                          20
                             D2
                                 2B
         20
            CD
        A9
C98B: FF
            20
               20 D2
                      FF
                          A2
                             13
                                 7 E
C993:A9 ØØ
            20
               CD
                   BD
                      AE
                          73
                             CA
                                 37
                             2Ø D9
C99B:A9 ØØ
            20
               CD
                   BD A9
                          20
                       70
                              48
                                 04
                          CA
C9A3:D2 FF A2
               20 AD
C9AB: 29
         10
            FØ
                02
                   A2
                       31
                          8A
                             20
                                 25
C9B3:D2 FF
            68
               20
                   EB
                       C9
                         A9
                             3A D3
                       CA 48
                              4A
                                 70
C9BB: 20 D2 FF AD 6F
C9C3:4A
            4A
                20
                   EB
                       C9
                          68
                             20
                                 DI
         4A
C9CB:EB C9 A9
                20
                   20
                      D2
                          FF
                             A9 F4
            70
                   CØ
                       80
                          90
                             Ø2
                                 19
C9D3:41 AC
                CA
                             20
                          4D
                                 EA
C9DB:A9
         50
            20
               D2
                   FF
                       A9
               ØD
                   2Ø D2
                         FF
                              60
                                 93
C9E3:D2
         FF
            A9
                              FF
                                 19
C9EB: 29
         ØF
            18
                69
                   30
                       20
                          D2
C9F3:60 A0
            Ø3
                B9
                   Ø8
                       DD
                          99
                              6D
                                 34
                       70
                          CA
                              29
                                 86
C9FB:CA 88
            10
               F7
                   AD
CAØ3:80
         DØ
            46
                AD
                   6C
                       CA
                          DØ
                              46
                                 27
CAØB: A9
        FF
            8D
                6C
                   CA
                      AE
                          71
                              CA
CA13:EØ Ø2
            DØ
               11
                   A9
                       1D
                          AC
                              73
                                 53
                          5C
                             FØ
CA1B:CA
         CØ
            58
               FØ
                   ØB
                       CØ
                                 65
CA23:07
            60 FØ Ø3
                      BD E9
                             CA
                                 35
         CØ
                              8C
                                 74
         72
            CA
                DØ
                   17
                       AØ
                          Øl
CA2B:CD
                71
                   CA
                       AD
                          71
                              CA
                                 64
CA33:72
         CA
            EE
CA3B:C9 ØD DØ
               12
                   8C
                       71
                          CA EE E2
CA43:73
         CA
            DØ
                ØA
                   EE
                       72
                          CA
                              DØ
                                 A7
               8D 6C
                       CA
                          4C
                              31 FE
CA4R: 05 A9
            99
                       00
                          99
                              74
CA53:EA AØ
            95
                B9 FA
                                 42
                   60
                       AØ
                          05
                              B9
                                 43
CA5B: CA 88
            10
                F7
            99
                FA
                   ØØ
                       88
                          10
                             F7
CA63:74
         CA
                   ØØ
                          Ø9
                                 68
            00
                       81
                              1A
CA6B:60 00
                50
CA73:56
         ØØ
            00
                00
                   aa
                       aa
                          aa
                              6A
                                 9E
                   52
                       59
                          20
                              aa
                                 3C
CA7B: 41
         4E
             55
                41
                              59
CA83:66
         45
             42
                52
                   55
                       41
                           52
                                 B8
                41
                   52
                       43
                          48
                              20
                                 43
CA8B: 20 00
            6D
                              00
CA93:00 61
             50
                52
                   49
                       4C
                          20
                                 6C
                20
                   ØØ
                       6A
                          55
                              4E
                                 Ø8
CA9B:6D
         41
             59
CAA3:45 20 00
                6A
                   55
                       4C
                          59
                              20
                                 39
                   55
                       53
                          54
                              20
                                 79
                47
CAAB:00
             55
         61
                              42
                                 68
CAB3:00
         73
             45
                50
                   54
                       45
                          4D
CABB: 45
         52
            20
                00
                   6F
                       43
                          54
                             4F
                                 ØD
                                 C6
CAC3:42 45
             52
                20
                   00
                       6E
                           4F
                              56
               45
                   52
                       20
                          ØØ
                              64
                                 6B
CACB: 45 4D 42
CAD3:45 43 45 4D 42 45
                                 46
                              20
```

```
CADB: 00 00 00 09 13 1A 21 26 6B
CAE3:2C 32 3A 45
                   4E 58
                          aa
                             15
                                 AA
CAEB:1C 1F
            1E
               1F
                   1E
                      1F
                          1F
                             1E
                                 D6
CAF3:1F 1E 1F A5
                   BA C9
                          08
                             FØ
                                 DC
CAFB: 08 C9 09 F0
                   04
                      4C
                          ED
                             F5
                                 5B
CBØ3:60 20 ED F5 BØ FA
                          A5
                             90
                                 3D
CBØB: DØ F6 A2 1Ø A9 AØ 9D
                             9C
                                 C5
CB13:CC
        CA
            10
                FA
                   AØ
                      ØØ A2
                             aa
                                 BF
CB1B:B1 BB C8 C9
                   2C FØ
                          ØC
                             C9
                                 37
CB23:3A FØ F3 9D 9C
                      CC
                          E8 C4
                                 18
CB2B:B7 9Ø ED AD
                   73
                          38
                      CA
                             E9
CB33:55 ØA ØA ØA ØA 18
                             71
                          6D
                                 D<sub>6</sub>
CB3B:CA 8D 98 CC AD
                      72
                             8D
                          CA
                                 D5
CB43:99 CC
            AD
               70
                   CA
                      8D
                          9A
                             CC
                                 26
CB4B:AD 6F
            CA
               8D
                   9B CC
                          20
                             54
                                 6C
CB53:CA A9 Ø7
                85
                   FF
                      A9
                             85
                          D6
                                 CD
CB5B:FB A9
            CB 85
                   FC
                      A9
                          aa
                             85
                                 41
CB63:FD A9 Ø5 85 FE
                      A5
                          BA
                             20
                                 81
CB6B:B1 FF
            A9
                6F
                   20
                      93
                          FF
                             A5
                                 FC
CB73:FD A4 FE
               8D D2 CB
                         8C
                             D3
                                 9E
CB7B:CB AØ ØØ B9
                  CF
                      CB
                         20
                             A8
                                 53
CB83:FF
        C8
            CØ
               Ø6
                   DØ
                      F5
                          AØ
                             00
                                 65
CB8B:B1 FB
           20
               A8 FF
                      C8
                          CØ
                             20
                                 4E
CB93:90
        F6 A5
               FB 69
                      1F
                          85
                             FB
                                 74
CB9B:A5
        FC
            69
               00 85
                      FC
                         A5
                             FD
                                 DB
CBA3:69
        20 85
               FD A5
                      FE
                          69
                             ØØ
                                 84
CBAB: 85
        FE
            20
               AE
                   FF
                      C6
                          FF
                             DØ
                                 AØ
CBB3:B4 A5
               2Ø B1 FF
           BA
                         A9
                             6F
                                 RA
CBBB: 20 93 FF A9
                  55
                      2Ø A8
                             FF
                                 5F
CBC3:A9
        43
                      20
            20
               A8
                   FF
                          AE
                             FF
                                 6D
CBCB: 20 60
            CA 60 4D
                      2D
                          57
                             ØØ
                                 B8
CBD3:05
        20
               20 00
                          78
           EA
                      Cl
                             A9
                                 F6
CBDB:12
        AØ
            Øl
                8D
                   aa
                      Ø3
                          8C
                             Øl
                                 C3
CBE3:03 20
            76
               Ø5 A9
                             3C
                                 C4
                      Ø3 85
CBEB: A2
        ØØ
            86
               4B
                   FØ
                      29
                         AØ
                             ØØ
                                 C7
                      19
CBF3:B1 3B
            C9
               82 DØ
                         C8
                             C8
                                 D9
CBFB:C8 B9 C3
               05
                   C9
                      2A
                          FØ
                             2E
                                 36
CCØ3:C9
        3F
            FØ
               04
                   Dl
                      3B
                          DØ
                             Ø7
                                 D3
CCØB:C8 CØ 13 FØ
                   21 DØ
                         EA E6
                                 B3
CC13:4B A6 4B EØ Ø8
                      FØ
                          07
                             RD
                                 43
CC1B:BA Ø5
            85
               3B
                   DØ
                      DØ
                          AD
                             99
                                 DC
                   Ø1
                             ØØ
                                 7F
CC23:03 FØ 07 AC
                      Ø3
                         A2
            58
               4C
                   45
                      D9
                          AØ
                             16
                                 E3
CC2B:FØ B7
CC33:A2 ØØ
            BD
               C2 Ø5
                      91
                          3B
                             CB
                                 AF
CC3B:E8 EØ Ø4 DØ F5
                      A9
                          90
                             85
                                 ØC
CC43:00 58
            24 00
                   30
                      FC
                          4C
                             9E
                                 24
                      07
                             ØØ
                                 DC
            Ø1
                93
                   84
                          AD
CC4B:Cl AC
CC53:03 85 06 A9
                   BØ
                      85
                          aa
                             58
                                 1 F
                          ØØ
                             C9
                                 Øl
CC5B: 24 ØØ
            30
               FC
                   78
                      A5
                      8D
                          ØC
                             10
                                 B2
CC63:01 D0
            24 A9
                   EE
                   A9
                      ØØ
                          85
CC6B:A9 Ø6 85
               32
                             33
                                 BA
CC73:85
         3Ø
            A9
                Ø3
                   85
                       31
                          A9
                             80
                                 06
CC7B:85 ØØ
            58
               24
                   ØØ
                      30
                          FC
                             78
                                 58
         ØØ
            C9
                Ø1
                   DØ
                      Ø1
                          60
                              18
                                 9C
CC83:A5
                      Ø2
                             42
                                 92
CC8B: 69
        18 4C
                CB
                   C1
                          22
                             29
                                 E6
CC93:62 82
            A2
                C2
                   E2
                       28
                          43
CC9B: 20
        31
            39
                38
                   36
                       20
                          42
                             4F
                                 42
CCA3:42 20
            4B
                4F
                   44
                      41
                          44
                             45
                          37
                              85
                                 E8
CCAB: 4B ØØ
                      A9
            EA
                EA EA
CCB3:01 A9
            49
               8D
                   22
                       CF
                          A9
                             92
                                 DF
                ØF 8D 1C
                             20
                                 5A
CCBB: 85 FD
            A9
                          CF
CCC3:E4 CE
            A9
                24
                   8D
                       22
                          CF
                              A9
                                 39
CCCB: Ø6 85
                A9
                   ØØ
                      8D
                          1C
                                 62
            FD
                                 DØ
CCD3:20 E4
            CE A2
                   Ø1
                       20
                          C6
                              FF
CCDB: A9
         22
             20
                   CE
                       20
                          CF
                              FF
                                 58
                AE
CCE3:8D 1F
            CF
                2Ø CF
                       FF
                                 Cl
                       CF
                          85
                              FD
            02
               8D 1C
                                 1A
CCEB:CF A9
CCF3:20 E4
            CE
                A2
                   Øl
                       20
                          C6
                              FF
                                 FØ
                                 29
CCFB: A9 8E
            20
                AE CE
                       A2
                          45
                             AØ
            ØA
                       gg
                          20
                              CF
                                 FI
CDØ3:CF 20
                CF
                   A2
CDØB:FF
         20
            D2
                FF
                   E8
                       EØ
                          17
                              DØ
                                 D2
CD13:F5 A2
             59
                AØ
                   CF
                       20
                          ØA
                              CF
                                 6A
                       A9
                          00
                              8D
                                 7B
CD1B: A9 59
             20
                AE
                   CE
CD23:1E
         CF
             A9
                00
                   8D
                       1D
                          CF
                              A2
                                 1A
CD2B:00 A9
            14
                20
                   D8
                       CE
                          20
                              CF
                                 C7
CD33:FF 8D
             21
                CF
                    20
                       B7
                          FF
                              FØ
                                 24
                       FF
                          A9
                              00
                                 73
CD3B:49 A9
                20
                   D2
            ØD
CD43:AE 1E CF
                20
                   CD
                      BD A2
                              30
                                 AØ
CD4B: AØ CF
             20
                ØA
                    CF
                       AE
                          1F
                              CF
                                 17
CD53:AD 20
             CF
                20
                   CD
                      BD
                          A2
                              2F
             20
                ØA CF
CD5B:AØ CF
                       A9
                          ØØ
                              85
                                 8A
CD63:FD A9
             ØF
                8D
                   1C
                       CF
                          20
                              E4
                                 68
CD6B:CE A2 Ø1
                2Ø C9
                       FF A2
                                 51
                             84
CD73:AØ CF 2Ø ØA CF 2Ø CC FF
```

CD7B:A9	Øl	20	C3	FF	A9	36	85	Ø5
CD83:01	60	20	El	FF	FØ	D6	AD	F8
CD8B:21	CF	DØ	Ø8	A9	1D	20	AE	F6
CD93:CE	4C	8F	CE	29	80	DØ	Ø4	79
CD9B:A9	2A	DØ	Ø2	A9	20	20	D2	Bl
CDA3:FF	AD	21	CF	29	Ø7	ØA	A8	ED
CDAB: A2	ØØ	B9	25	CF	20	D2	FF	C6
CDB3:C8	E8	EØ	Ø2	DØ	F4	AD	21	Ø1
CDBB:CF	29	40	FØ	Ø5	A9	3C	20	Ø8
CDC3:D2	FF	20	CF	FF	20	CF	FF	E9
CDCB: A9	04	20	D8	CE	A2	ØØ	20	EF
CDD3:CF	FF	C9	AØ	DØ	Ø2	A9	2D	A9
CDDB: 20	D2	FF	E8	EØ	10	DØ	EF	A3
CDE3:A9	Ø3	20	AE	CE	A9	18	20	71
CDEB: D8	CE	20	CF	FF	DØ	Ø8	A9	A5
CDF3:05	20	AE	CE	4C	78	CE	48	07
CDFB: 29	ØF	AA	EØ	ØA	BØ	Ø5	A9	1A
CEØ3:20	20	D2	FF	20	A8	CE	A9	FD
CEØB: 2D	20	D2	FF	20	CF	FF	AA	8C
CE13:EØ	ØA	BØ	Ø5	A9	30	20	D2	2B
CE1B:FF	20	A8	CE	A9	2D	20	D2	D7
CE23:FF	68	4A	4A	4A	4A	18	69	DD
CE2B:55	AA	20	A8	CE	A9	21	20	2C
CE33:D8	CE	20	CF	FF	48	A2	20	78
CE3B: 29	10	FØ	Ø2	A2	31	8A	20	BE
CE43:D2	FF	68	48	29	ØF	AA	20	D6
CE4B:A8	CE	A9	3A	20	D2	FF	20	36
CE53:CF	FF	48	4A	4A	4A	4A	AA	41
CE5B: 20	A8	CE	68	29	ØF	AA	20	8E
CE63:A8	CE	A2	41	68	29 D2	8Ø	FØ	4B
CE6B:02	A2	50	8A	20	100,000	FF	20	DI
CE73:CF CE7B:D8	FF	20	CF	FF	A9	90	20	CØ F4
CE83:FF	CE 2Ø	20	CF	FF	AA	20	CF D2	53
114064469 1 0 000 0 0 0 0		CD	BD	A9	ØD			
CE8B:FF	EE	1E	CF	20	BB	CE	EE	22
CE93:1D CE9B:03	CF 4C	AD 25	1D CD	CF 2Ø	C9 CF	Ø8 FF	DØ 2Ø	C1 AF
CEA3:CF	FF.	4C	2A	CD	A9	ØØ	20	8A
CEAB: CD	BD	60	85	FD	A2	ØØ	20	9E
CEB3:CF	FF	E8	E4	FD	DØ	F8	60	2A
CEBB: 20	CC	FF	20	E4	FF	FØ	ØF	B6
CEC3:20	El	FF	DØ	Ø5	68	68	4C	DD
CECB:60	CD	20	E4	FF	FØ	Fl	A2	A9
CED3:01	20	C6	FF	60	48	38	20	87
CEDB:FØ	FF	68	A8	18	20	FØ	FF	AC
CEE3:60	20	CC	FF	A9	Øl	20	C3	A8
CEEB:FF	A9	Øl	A6	BA	AC	10	CF	ØF
CEF3:20	BA	FF	A5	FD	A2	22	AØ	ØA
CEFB:CF	20	BD	FF	20	CØ	FF	90	D5
CFØ3:05	68	68	4C	78	CD	60	86	53
CFØB:FB	84	FC	AØ	ØØ	Bl	FB	FØ	23
CF13:07	C8	20	D2	FF	4C	10	CF	BA
CF1B:60	ØØ	ØØ	ØØ	ØØ	00	ØØ	24	ØF
CF23:30	3A	44	4C	53	51	50	47	7E
CF2B:55	52	52	4C	20	42	4C	4F	ØB
CF33:43	4B	53	20	46	52	45	45	FE
CF3B:00	20	46	49	4C	45	53	20	7E
CF43:20	2000	The same of the same of	12	D3	50	45	45	65
	ØØ	ØD						
CF4B:44	ØØ D3	43	52	49	5Ø	54	20	E3
CF4B:44 CF53:C4	ØØ D3 CF	43 D3	52 92	49 20	5Ø ØØ	ØD	12	1A
CF4B:44 CF53:C4 CF5B:42	ØØ D3 CF 4C	43 D3 4B	52 92 2Ø	49 20 2D	5Ø ØØ 2Ø	ØD 46	12 49	1A 5A
CF4B:44 CF53:C4 CF5B:42 CF63:4C	ØØ D3 CF 4C 45	43 D3 4B 4E	52 92 20 41	49 20 2D 4D	50 00 20 45	ØD 46 20	12 49 20	1A 5A 38
CF4B:44 CF53:C4 CF5B:42 CF63:4C CF6B:2D	ØØ D3 CF 4C 45 2D	43 D3 4B 4E 2D	52 92 20 41 20	49 20 2D 4D 20	50 00 20 45 54	ØD 46 20 50	12 49 20 20	1A 5A 38 A7
CF4B:44 CF53:C4 CF5B:42 CF63:4C CF6B:2D CF73:2D	ØØ D3 CF 4C 45 2D 2Ø	43 D3 4B 4E 2D 44	52 92 20 41 20 41	49 20 2D 4D 20 54	50 00 20 45 54 45	ØD 46 2Ø 5Ø 2Ø	12 49 20 20 20 2D	1A 5A 38 A7 73
CF4B:44 CF53:C4 CF5B:42 CF63:4C CF6B:2D CF73:2D CF7B:2D	ØØ D3 CF 4C 45 2D 2Ø 2Ø	43 D3 4B 4E 2D 44 54	52 92 20 41 20 41 49	49 20 2D 4D 20 54 4D	50 00 20 45 54 45 45	ØD 46 2Ø 5Ø 2Ø 2Ø	12 49 20 20 20 2D 0D	1A 5A 38 A7 73 A5
CF4B:44 CF53:C4 CF5B:42 CF63:4C CF6B:2D CF73:2D	ØØ D3 CF 4C 45 2D 2Ø	43 D3 4B 4E 2D 44	52 92 20 41 20 41	49 20 2D 4D 20 54	50 00 20 45 54 45	ØD 46 2Ø 5Ø 2Ø	12 49 20 20 20 2D	1A 5A 38 A7 73

CD7D-10 G1 2G G2 PP 10 26 OF GE

Program 2: Date And Time Loader

AS

CA 10 REM SPEEDSCRIPT DATE/TIM E BOOT PROGRAM XS 20 A\$="SPEEDSCRIPT DATE"

JB 30 IF A=0 THEN A=1:PRINT"LO ADING ... "A\$:LOAD A\$,8,1 SJ 40 PRINT CHR\$(147) SPC(131)

GC 50 ML=51451:CL=51823:U\$=CHR \$(145)+CHR\$(145) CR 60 PRINT SPC(85)"SET THE DA

TE (MN/DT/YR)":PRINT QA 70 INPUT"MONTH[2 SPACES](1-12) [5 SPACES] [5 LEFT] "; M JP 80 IF MN<1 OR MN>12 THEN PR INT U\$: GOTO70 90 INPUT" DATE[2 SPACES](1-31) [5 SPACES] [5 LEFT] "; D

FO 100 IF DT<1 OR DT>31 THEN P RINT U\$:GOTO90 INPUT" YEAR (86-99) EA 110

[5 SPACES] [5 LEFT] "; YR FF 120 IF YR<86 OR YR>99 THEN {SPACE}PRINT U\$:GOTO110

PRINT SPC(85)"SET THE T IME (HR/MS/AM-PM)":PRIN

BJ 140 INPUT"HOURS [2 SPACES] (1 -12) [5 SPACES] [5 LEFT]" : HR

RG 150 IF HR<1 OR HR>12 THEN P RINT U\$:GOTO140

CF 160 INPUT" MINS[2 SPACES](0 -59) {5 SPACES } {5 LEFT } " : MS

FQ 170 IF MS >59 THEN PRINT U\$:GOTO16Ø

MO 180 INPUT"AM-PM[3 SPACES](A /P) [5 SPACES] [5 LEFT]";

FM 190 IF PS <> "A" AND PS <> "P" THEN PRINT US: GOTO180

EB 200 FLAG=128:IF P\$="A"AND H R<12 THEN FLAG=Ø

RJ 210 IF P\$="P"AND HR=12 THEN FLAG=Ø

KF 22Ø BY=HR:GOSUB3ØØ:HR=BY OR FLAG

BF 230 BY=MS:GOSUB300:MS=BY MR 240 POKE CL, MS: POKE CL+1, HR : POKE CL+2, MN

GA 250 POKE CL+3, DT: POKE CL+4, YR

GG 260 PRINT: PRINT"PUT SPEEDSC RIPT DISK IN DRIVE Ø, U NIT 8"

MB 270 PRINT" - WHEN READY, PR ESS RETURN.":SYS 65487: SYS ML

RM 280 POKE 52578, 240: POKE 525 79,20

S.T 290 END AC 300 X=INT(BY/10):Y=BY-10*X: BY=16*X+Y: RETURN

SpeedSearch

See instructions in article on page 75 before typing in.

Ø8Ø1:36 Ø8 ØA ØØ 85 22 53 45 1Ø 0809:41 52 43 48 20 53 54 52 84 Ø811:49 4E 47 22 3B 53 53 24 56 Ø819:3A 8B C3 28 53 53 24 29 7 D Ø821:B1 32 35 A7 99 22 54 4F Ø5 Ø829:4F 20 4C 4F 4E 47 21 22 5B Ø831:3A 89 31 3Ø ØØ 40 08 ØF 14 31 31 34 ØØ ØØ A4 Ø839:ØØ 9E 32 0841:00 AØ Ø2 B1 2D 8D 30 ØB DF Ø849:A9 ØØ 8D 2B ØB 8D 31 ØB 8E Ø851:2Ø F9 98 20 49 Ø9 A9 AF 64 Ø859:AØ ØB 20 A9 Ø2 1E AB A2 ØD Ø861:Ø8 AØ ØØ 20 BA FF A9 Ø2 CA Ø869:A2 26 AØ ØB 20 BD FF 20 31 Ø871:CØ FF A2 02 20 C6 FF AØ 13 FF C9 0879:06 20 42 09 20 CF 77 Ø881:ØØ DØ F9 AØ 04 20 42 Ø9 3D Ø889:A5 9Ø 29 4Ø DØ 39 2Ø CF 35 Ø891:FF C9 22 DØ F3 2Ø Ø9 ØB A2 Ø899:AØ ØØ 20 CF C9 22 57 FF FØ Ø8A1:07 99 9F ØB C8 4C 9B Ø8 F6 Ø8A9:20 CF FF C9 20 FØ F9 C9 DC Ø881:50 DØ Ø9 20 27 99 20 15 F3 Ø8B9:09 EE 31 ØB 20 E1 FF DØ 3A Ø8C1:03 4C 16 ØB 4C 7D Ø8 2Ø 62

Ø8D1:F9 Ø8 AD 31 ØB FØ 14 2Ø ØE Ø8D9:BC Ø9 2Ø 15 09 CE 31 ØR DØ Ø8E1:20 E1 FF DØ Ø3 4C 16 ØB Ø8 Ø8E9:4C D3 Ø8 AD 2B ØB DØ 07 1 F Ø8F1 : A9 4B AØ ØR 20 60 9F 1E AR Ø8F9:A5 2D 8D 29 ØR A5 2E 8D 45 Ø9Ø1:2A ØB 18 AD 29 ØB 69 Ø5 16 Ø9Ø9:8D 29 ØB AD 2A ØB 69 ØØ BB Ø911:8D 2A ØR 60 18 AD 29 ØR RØ 11 8D 29 ØB AD ØB Ø919:69 2A D6 Ø921:69 aa 8D 2A ØB 60 29 9A AD Ø929:ØB 85 FC 2A ØR 85 23 AD FD Ø931:AØ ØØ B9 9F ØB 91 FC C8 26 Ø939:CØ 10 DØ F6 A9 ØØ 91 FC A6 0941:60 20 CF FF 88 DØ FA 60 63 Ø949:A9 Ø1 BA A2 Ø8 AØ ØF 20 81 Ø951:FF A9 ØØ 20 BD FF 20 CØ BE Ø959:FF A2 Øl 20 C9 FF A9 49 21 Ø961:2Ø D2 FF 20 CC 01 FF A9 F4 Ø969:2Ø C3 FF 60 AØ aa CC 30 51 Ø971:ØB BØ ØD B1 FC Dl FØ 10 Ø979:Ø3 A9 FF 60 CB 4C 6F 09 DC Ø981:A9 ØØ 60 86 FC 84 FD AØ 73 Ø989:01 CC 30 0B B0 0A B1 FC Ø991:88 91 FC C8 C8 4C 8A Ø9 ØE Ø999:6Ø 8D 28 ØR CO 41 90 ØA 73 4Ø 8D Ø9A1:C9 5B BØ Ø6 38 E9 5D Ø9A9:28 ØB 29 3F ØE 28 ØR 20 FE Ø9B1:28 ØB 1Ø Ø2 Ø9 80 70 02 F9 Ø9B9: Ø9 40 60 A9 03 A2 Ø8 AØ 5A Ø9C1:Ø3 2Ø FF BA A9 10 AE 29 CB 09C9:0B AC 2A ØB 2Ø BD FF 20 9A 09D1:C0 FF A2 03 20 C6 FF 20 05 Ø9D9:CF FF 8D 2E ØB 20 CF FF EØ Ø9E1:8D 2F ØB 38 A9 00 ED 2E C2 Ø9E9: ØB 8D 28 ØB A9 25 ED 2F 87 Ø9F1:ØB ØD 28 ØB DØ Ø8 A9 FF 7C Ø9F9:8D 2B ØB 4C Ø2 ØA 4C ØAØ1: ØB A9 74 AØ ØB 20 1E 5E AB ØAØ9:AD 29 ØR AC 2A ØR 20 1E 46 ØAll:AB A9 AF AØ ØB 20 1E AB 26 ØA19:AØ ØØ 8C 2C ØB 8C 2D ØB Cl 29 ØA21:A5 9Ø 40 DØ 5D 20 CF 61 ØA29:FF 20 9A 09 99 32 ØB C8 9D ØA31:CC 30 ØB 90 EB A9 32 85 12 ØA39:FC A9 ØB 85 FD AØ 03 RI 1 4 ØA41:2D 85 FE AØ Ø4 B1 2D 85 FD ØA49:FF 20 6D Ø9 FØ Ø3 4C 5A 2A ØA51:ØA EE 2C ØB DØ Ø3 EE 2D ØA59:ØB 2Ø El FF DØ Ø3 4C 16 78 ØA61: ØB A2 32 AØ ØR 20 84 ag DE ØA69:A5 9Ø 29 4Ø DØ 15 2Ø CF ØA71:FF 20 9A Ø9 CE 30 ØB AC 6B ØA79:3Ø ØB 99 32 ØB EE 30 0B 3E ØA81:4C 36 ØA 38 AD 2C ØB E9 2C ØA89:00 8D 28 ØB AD 2D ØB E9 DB ØA91:00 ØD 28 ØB FØ 33 38 AD 11 28 ØB AD ØA99:2C ØB E9 Ø1 8D ØAA1:2D ØB E9 ØØ ØD 28 ØB FØ ØAA9: 2A AC 2D ØB 2Ø 2C ØB AD RC ØAB1:95 B3 20 DD BD 20 1E AB B5 ØAB9: A9 8A AØ ØB 20 1E AB A9 84 ØAC1:91 AØ ØB 2Ø 1E AB 4C E2 45 ØAC9: ØA A9 86 AØ ØB 2Ø 1E AB E8 ØAD1:4C DB ØA A9 81 AØ ØB 20 A3 ØAD9:1E AB A9 8A AØ ØB 20 1E ØAE1:AB A9 94 AØ ØB 20 1E AB 93 ØAE9:AD 29 ØB AC 2A ØB 20 1E 27 ØAF1:AB A9 AF AØ ØB 2Ø 1E AB 07 ØAF9:A9 AF AØ ØB 20 1E AB 20 84 ØBØ1:CC FF A9 Ø3 20 C3 FF 60 53 ØBØ9:AØ ØØ A9 AØ 99 9F ØR CR DR @B11:C@ 1@ 90 F8 60 20 CC FF 4A ØB19:A9 Ø2 2Ø C3 FF A9 Ø3 20 91 ØB21:C3 FF 4C 7B E3 24 30 ØØ 6A ØB29:00 00 00 00 00 00 00 00 3F ØB31:00 00 00 00 00 00 00 00 47 ØB39:00 00 00 00 ØØ ØØ ØØ ØØ ØB41:00 00 00 00 00 00 00 00 57 ØB49:00 00 4E 4F 20 53 50 45 52 ØB51:45 44 53 43 52 49 50 54 66 ØB59:2Ø 46 49 4C 45 53 2Ø 46 FC ØB61:4F 55 4E 44 2Ø 4F 4E 2Ø 7D

Ø8C9:CC FF A9 Ø2 2Ø C3 FF 2Ø C5

ØB69:54 48 49 53 2Ø 44 49 53 12 ØB71:4B 2E ØØ 53 45 41 52 43 Ø5 ØB79:48 49 4E 47 2E 2E 2E ØØ CA ØB81:20 4F 4E 45 ØØ 20 4E 4F 06 ØB89:00 20 4D 41 54 43 48 00 A5 ØB91:45 53 ØØ 2Ø 46 4F 55 4E 89 ØB99:44 20 49 4E 20 ØØ ØØ ØØ E8 ØBA1:00 00 00 00 00 00 00 00 B7 ØBA9:00 00 00 00 00 00 0D 00 D9

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

No-SYS Loader

See instructions in article on page 87 before typing in.

Ø8Ø1:ØB Ø8 ØA ØØ 9E 32 3Ø 36 2E 0809:31 00 00 00 20 E7 FF A9 FB Ø811:ØØ A2 Ø3 2Ø BD FF 36 AØ AE Ø819:AØ ØØ 2Ø 1E Ø9 A9 ØB 85 E3 Ø821:BA A9 CØ 85 9D A9 85 00 82 Ø829:93 85 9Ø A5 BA A4 B7 DØ 79 08 Ø831:Ø5 A2 4C 37 A4 20 **B3** 72 60 85 20 ØI Ø839:F5 A9 B9 D5 F3 Ø841:A5 BA 20 09 ED A5 B9 20 Øl Ø849:C7 ED 20 13 EE 8D 3B ØA 1C Ø851:AA A5 9Ø 4A 4A 9Ø 05 A2 18 Ø859:Ø4 4C 37 A4 AØ 63 20 2F Bl Ø861:F1 20 Cl F5 AØ 55 20 3B DF 0869:09 20 13 EE 8D 41 ØA 8E 6B 20 CD E9 Ø871:83 ØA 8D 84 ØA BD Ø879:AD 41 ØA C9 09 BØ ØR 20 CF Ø881:28 F5 AØ 33 20 3B 09 4C **B6** Ø889:74 A4 38 A9 85 85 AE E9 28 Ø891:ØØ 8D 2E ØA A9 ØA 85 AF 9B Ø899:E9 8D ØA 20 FØ F4 DB 02 36 Ø8A1:AØ 12 20 3B Ø9 20 60 A5 6D Ø8A9:86 7A 84 7B 20 73 ØØ BØ 63 Ø8B1:ØD 2Ø 14 8D 83 74 6B A9 A5 Ø8B9: ØA A5 15 8D 84 ØA AØ 75 **B6** Ø8C1:2Ø 1E Ø9 A9 20 DØ Ø3 B9 29 99 ØA 88 10 F7 84 Ø8C9:36 Ø3 11 Ø8D1:AØ 64 20 1E 09 38 A5 AE 54 8D 2A ØA E9 Ø8D9:E9 85 A5 AF C4 Ø8E1:ØA 8D 32 ØA A9 Ø1 85 AC 4A 85 B9 74 Ø8E9:A9 ØA 85 AD A9 61 Ø8F1:A4 B7 20 D5 F3 20 8F F6 D9 2Ø ØC ED A5 **B9** 20 E9 Ø8F9:A5 BA Ø9Ø1:B9 ED AØ ØØ A9 Ø1 20 DD EE ØB 20 DD ED 20 24 8A Ø9Ø9:ED A9 Ø911:F6 A5 90 FØ 05 AØ 47 20 82 74 20 3B Ø9 Ø919:3B Ø9 4C A4 Ø1 CF Ø921:AØ ØØ 20 FF C9 22 FØ EØ ØD FØ ØA 99 36 Ø3 Ø929:F9 C9 81 Ø931:C8 CØ 15 90 ED AØ 14 84 22 Ø939:B7 60 B9 47 Ø9 FØ Ø6 20 23 Ø941:D2 FF C8 DØ F5 60 53 4F ØA 46 49 4C 50 0949:55 52 43 45 20 Ø951:45 2D 4E 41 4D 45 3A ØØ 23 53 59 53 2D Ø959:ØD ØD 41 44 4B 28 44 45 43 29 20 0961:44 52 1D 0969:43 52 30 53 54 41 52 54 2F 0971:20 4F 46 20 50 47 4D 3A ØD 49 4C 45 20 41 25 0979:00 46 0981:44 44 52 20 54 4F 4F 2Ø B1 57 21 ØØ ØD 53 41 Ø989:4C 4F AE Ø991:56 45 20 45 52 52 4F 52 45 0999:21 21 99 29 20 20 53 54 Ø3 Ø9A1:41 52 54 20 41 44 44 52 6B Ø9A9:3A ØØ ØD ØD 4E 45 57 2Ø A1 Ø9B1:46 49 4C 45 2D 4E 41 4D 89 ØØ ØD 52 45 4D 41 51 Ø9B9:45 3A

Ø9C9:AØ 2D A2 A8 86 ØE 84 ØF DA Ø9D1:AØ ØØ 98 91 ØE AØ 67 A2 C4 Ø9D9:FF 86 14 84 15 AØ 68 A2 F6 Ø9E1:00 8E 76 09 8C 99 77 20 6B Ø9E9:E9 ØB A9 Ø1 8D 4F Ø8 A9 5C Ø9F1:ØØ Ø8 8D 50 A9 Ø5 AØ FF 94 Ø9F9:A2 ØØ 20 BA FF A9 ØØ 20 D3 ØAØ1:0B 9E 08 ØA 00 32 30 38 34 ØAØ9:38 aa 26 Ø8 14 ØØ 8F 20 5E ØA11:20 20 20 20 20 20 20 20 25 ØA19:20 20 20 20 20 20 20 20 2D ØA21:20 20 20 20 00 99 99 18 6B ØA29:A9 ØØ 85 FB 69 ØØ 85 25 FD ØA31:A9 ØØ 85 FC 69 00 85 26 17 ØA39:18 A9 ØØ 65 FB 85 27 A9 Ø8 ØA41:00 85 65 FC 28 A2 FF AØ 13 ØA49:00 8C Ø1 Ø8 8C Ø2 Ø8 FØ 8E 91 27 25 ØA51:04 B1 C6 25 E4 15 ØA59:25 DØ Ø2 C6 26 27 C6 E4 60 ØA61:27 DØ Ø2 C6 28 C6 FB E4 23 ØA69:FB DØ E6 C6 FC E4 FC DØ 3F ØA71:EØ A5 28 C9 AØ BØ ØA 85 62 38 A5 ØA79:34 85 27 85 85 A5 33 ØA81:37 4C ØØ 80 ØØ ØØ ØØ 00 4C

SpeedScript 3.2

See instructions in article on page 54 before typing in.

Ø8Ø1:ØB Ø8 ØA ØØ 9E 32 3Ø 36 2E 0809:31 00 00 00 20 88 09 A9 Ø811:CB CD 6E 23 BD 6E 23 FØ D7 99 0819:03 20 37 09 20 C5 4C AØ Ø821:69 ØA A5 26 8D 43 Ø8 A5 AE Ø8 9E Ø829:27 8D 44 A5 8D 46 42 Ø831:Ø8 A5 9F 8D 47 Ø8 **B5** A6 DB ØØ 8D 0839:F0 20 A9 15 20 AØ AØ 0841:00 B9 Ø1 26 99 ØØ 26 **C8** 24 Ø849:CC F4 44 15 20 DØ EE Ø8 Ø851:EE 47 Ø8 EØ ØØ FØ Ø7 CA Ø859:DØ 60 72 EØ A5 R4 DØ DE A5 Ø861:B5 AA Ø5 **B4** DØ Øl 60 18 46 Ø869:8A 27 8D 88 Ø8 A5 26 C3 65 Ø871:8D 8A Ø8 18 8A 65 9F 8D 24 8D 8D Ø8 E8 ØD Ø879:8E Ø8 A5 9E Ø881:A4 **B4** DØ 04 FØ ØD AØ FF 68 Ø889:B9 24 99 50 24 88 CØ 4F 4D CE Ø8 Ø891:FF DØ F5 88 CE 8E 2A Ø899: Ø8 DØ EA 60 A9 28 85 **A8** CA Ø8A1:C3 A9 85 14 A9 04 85 C4 7B Ø8A9:D8 85 15 AD 11 20 85 FR 15 Ø8B1:AD 12 A2 9B 20 85 FC Øl AD Ø8B9:14 20 85 ØC AD ØD 8D D6 Ø8C1:2Ø AØ ØØ 2C ØD 91 F3 DØ AD 99 20 C8 29 8D Ø8C9:14 B1 FB 1D Ø8D1:7F C9 1 F FØ 13 Ca 28 DØ C3 Ø8D9:EB 88 B1 FB 29 7F C9 20 F2 27 C8 Ø8E1:FØ 05 88 DØ F5 AØ 91 C3 08 88 B9 1D 20 Ø8E9:84 3B 98 Ø8F1:88 10 FR A4 3B 18 65 84 Ø8F9:FB 85 FB A5 FC 69 aa 85 56 Ø9Ø1:FC EØ ØI DØ Ø3 8C 10 20 81 91 Ø9Ø9:CØ 28 FØ Ø8 A9 20 C3 D8 4C Ø9 09 18 A5 C3 69 Ø911:C8 0919:28 85 04 E6 43 85 C3 14 90 Ø921:C4 E6 15 E8 EØ 19 FO 03 DØ Ø929:4C C3 Ø8 A5 FB 8D 1B 20 1A Ø931:A5 FC 8D 1C 20 60 AD 08 AE 17 50 8D 20 8D 0939:20 85 FB 11 0941:20 85 39 AD 09 20 85 FC 97 Ø949:8D 12 20 8D 18 20 85 3A ØA 0951:38 AD ØB 20 ED 09 20 AA CC Ø959:A9 FF **C6** FC 91 FB A5 20 AØ 91 Ø961:C8 E6 FC FB C8 DØ FB EA Ø969:E6 FC CA DØ F6 91 FR 60 EA 0971:85 3B 84 3C AØ ØØ В1 3B ØD Ø979:FØ 06 20 D2 FF C8 DØ F6 72 A9 20 E4 FF FØ FB 60 4A 0981:60 FF 85 Ø1 F9 20 D2 Ø989:93 A9 36 Ø991:A9 ØØ 8D 14 20 8D ØB 20 D2 Ø999:8D ØA 20 8D ØC 20 8D ØE DB

Ø9A1:20 8D BØ 20 8D CF

2Ø A9 D4

Ø9A9:24 18 69 Ø1 8D Ø9 2Ø A9 8B Ø9B1:CF 8D ØB 20 A9 D0 8D ØD 2B Ø9B9:2Ø A9 FF 8D ØF 2Ø 8D AE E1 Ø9C1:2Ø 4C 84 FF 20 E2 ØD A9 D7 Ø9C9:8Ø 8D 8A Ø2 85 9D 2Ø 5D 31 Ø9D1:11 A9 Ø6 8D 18 Ø3 A9 ØA 9A Ø8 20 Ø9D9:8D 19 Ø3 AD 85 39 39 Ø9E1:AD Ø9 2Ø 85 3A 2Ø F6 Ø9 B2 Ø9E9:A9 26 AØ 1E 2Ø 71 99 EE 18 Ø9F1:13 20 60 EA EA 20 4E ØA CE Ø9F9:A9 12 AØ 1E 2Ø 71 Ø9 A9 ØAØ1:00 8D 13 20 60 48 8A 48 5E ØAØ9:98 48 A9 7F 8D ØD DD AC **B1** ØA11:ØD DD 10 03 40 72 FE AD 2D ØA19:71 24 FØ Ø6 A5 Ø2 AØ ØØ E3 ØA21:91 39 A9 Ø2 85 ØC 20 CC ØB ØA29:FF 20 4E ØA A9 F7 AØ 1F 3D ØA31:20 71 09 20 A7 10 DØ 99 FC ØA39:20 45 14 78 A9 7F 4C 66 Ø3 ØA41:FE 20 45 14 A2 FA 9A 20 10 ØA49:C5 Ø9 4C 69 ØA A2 27 A9 75 ØA51:20 9D 00 04 CA 10 FA A9 53 ØA59:13 48 29 4C D2 FF 80 4A 96 ØA61:85 3B 68 29 3F Ø5 3B 60 8B ØA69:AØ ØØ 8C 71 24 B1 39 85 56 ØA71:02 AØ ØØ B1 39 49 80 91 4B ØA79:39 AD 71 24 49 Øl 8D 71 EØ ØA81:24 20 9E Ø8 20 E4 FF DØ 69 ØA89: ØD A5 A2 29 10 FØ F5 A9 4E 72 ØA91:00 85 A2 4C ØA AØ AA DI ØA99:00 A5 Ø2 91 39 8C 71 24 73 ØAA1:EØ 5F DØ ØC 20 70 ØC A9 5D ØAA9:20 A0 00 91 39 4C 69 ØA E6 ØAB1:AD 13 20 FØ 07 8A 48 20 87 ØAB9:F6 09 68 AA 8A C9 ØD DØ A9 ØAC1:02 A2 5F 8A 29 7F C9 20 ØF ØAC9:90 4E EØ AØ DØ Ø2 A2 20 D3 ØAD1:8A 48 AØ ØØ B1 39 C9 1F 76 ØAD9:FØ Ø5 AD 14 20 FØ Ø3 20 89 20 5D ØA AØ ØAE1:38 10 68 99 79 9E Ø8 38 ØAE9:91 39 20 A5 39 A8 ØAF1:ED 17 20 85 3B A5 3A ED Fl 05 3B 90 ØE ØAF9:18 20 A5 39 **B7** ØBØ1:69 99 8D 17 2Ø A5 3A 69 64 39 ØBØ9:00 8D 18 20 E6 DØ 02 47 ØB11:E6 3A 2Ø B1 ØB 4C 69 ØA AE ØB19:8A AE 3B ØB DD 3B ØB FØ 18 F8 4C ØB21:06 CA DØ 69 ØA CA 7D ØB29:8A ØA AA A9 ØA 48 A9 68 24 64 ØB ØB31:48 BD 48 BD 63 ØR 23 ØB39:48 60 27 1D 9D 89 85 02 62 ØB41:0C 8A 86 94 Ø4 13 14 09 F5 ØB49:93 87 8B Ø5 88 8C 91 ØI 16 ØR51:11 9F 12 18 1 A 10 1C 1E 03 ØB59:06 Ø1 ØB Ø8 1F Ø3 83 ØA AA ØB61:8D Ø7 66 ØC 6F ØC 7A ØC 3A ØB69:BØ ØC 10 0D 1D ØD 2C ØD 30 ØB71:92 ØD D9 ØE 37 10 ØD ØF 53 9D 10 BE 10 E0 38 ØB79:50 ØF 10 ØB81:Ø1 11 A3 11 CA 13 B5 12 02 ØB89:19 14 2C ØD 92 ØD 61 14 27 21 16 F4 ØC B3 ØB91:7B 15 16 85 ØB99:A8 13 4F 1B F4 ØE 31 16 BC ØBA1:E1 ØD E8 1B EF 1D F4 ØF A7 ØBA9:EC ØF 8B 1C 1C 1Ø C7 1B F8 ØBB1:20 ØF ØC 38 A5 39 ED 9F 11 ØBB9:20 A5 3A ED 12 20 BØ 20 02 ØBC1:38 AD 2Ø ED Ø8 20 85 11 D8 ØBC9:3B AD 12 20 ED Ø9 20 95 06 ØBD1:3B FØ ØD A5 39 8D 11 20 FF 8D 20 9E Ø8 ØBD9:A5 3A 12 20 EA 1B 2Ø E5 39 85 ØBE1:38 AD FB FF 3A 85 FC Ø5 ØBE9:AD 1C 2Ø E5 27 ØBF1:FB FØ Ø2 BØ 18 18 AD 11 1 B ØBF9:20 6D 10 20 8D 11 20 AD 1E ØØ ØCØ1:12 20 69 8D 12 20 20 6C ØCØ9:9E Ø8 4C E1 ØB 6Ø 38 AD 12 ØC11:17 ED ØA 20 85 20 3B AD 56 ØC19:18 20 ED ØR 20 05 38 90 CF ØC21:ØC AD ØA 2Ø 8D 17 2Ø AD A4 ØC29: ØB 20 8D 18 20 38 39 A5 68 ØC31:ED Ø8 2Ø 85 3B A5 3A ED 71 Ø5 3B BØ ØB AD ØC39: Ø9 20 Ø8 47 ØC41:20 85 39 AD 09 20 85 3A DA ØC49:6Ø 38 A5 39 ED 17 20

Ø9C1:52 4B 53 3A ØØ 8D 5C Ø8 D4

ØEF9:05 DØ 03 4C 7A ØF 20 67 A9 11A1:4C 31 EA AD 8D 02 29 01 36 ØC51:3B A5 3A ED 18 20 05 3B 1D 70 0C 20 D8 17 20 85 39 6E ØFØ1:0C 2Ø FE ØD 2Ø 11A9:DØ Ø3 2Ø E2 ØD 20 4E ØA B6 ØC59:BØ Ø1 6Ø AD ØFØ9:1B ØE 4C E3 ØE 2Ø E2 ØD C3 39 ØD 11B1:A9 8A AØ 20 71 AØ BA ØC61:AD 18 20 85 3A 60 E6 1E ØF11:A9 Ø2 85 ØC 20 4E ØA A9 ED ØB A5 CF 11B9:00 B1 39 80 91 39 20 EØ ØC69:DØ Ø2 E6 3A 4C B1 49 C6 1E 20 71 09 20 82 42 DØ Ø2 C6 3A 39 4C B2 ØF19:55 AØ 11C1:9E Ø8 AØ ØØ B1 39 49 80 CE ØC71:39 ØF21:09 48 2Ø F6 Ø9 68 29 BF 45 1109:91 77 ØC79:B1 ØB A5 39 85 FB A5 3A 17 39 A9 Ø2 85 ØC 20 82 09 20 ØD 2Ø D3 AØ FB ØF29:C9 17 DØ FE 11D1:09 99 C9 57 8F C6 FC FF Bl A8 40 DØ 09 20 ØC81:85 FC 50 ØF31:7B ØC 4C 1B ØE C9 13 DØ D9 1109:01 ØC89:C9 20 FØ 04 C9 1F DØ Ø3 12 20 BI ØC 4C 10 12 E3 BØ ØC91:88 DØ F3 FØ F3 ØF39:09 20 FE ØD 20 2D ØD 4C 11E1:C9 09 20 01 Bl FB C9 20 53 DØ 12 20 B1 94 ØC99: Ø8 C9 1F FØ 04 88 DØ F3 F2 ØF41:1B ØE C9 10 D0 09 2Ø FE 11E9:93 ØD 4C 10 12 C9 50 DØ CC 1B ØE 6Ø 92 ØF49:ØD 20 Ø2 11 4C 11F1:09 20 01 20 4C D6 ØCA1:60 38 98 65 FB 85 39 A5 6F 12 E1 10 3B ØF51:38 A5 39 ED 11 20 85 4A ØB Ø9 11F9:10 48 ØCA9:FC 69 aa 85 3A 4C BI ØR 64 12 20 B1 4C F6 ØF59:A5 3A ED 12 20 Ø5 3B FØ 34 1201:A5 20 08 90 39 85 9E 8D 86 20 A5 4D ØCB1:AØ ØØ B1 39 C9 FØ ØF61: ØB AD 11 20 85 39 AD 12 13 1209:3A 85 9F 8D 87 38 2E ØCB9:C9 1F FØ 94 CB DØ F3 60 AF 20 60 08 20 85 99 ØF69:20 85 3A 60 AD 1211:A5 39 85 26 ED 86 20 8D CØ CD EC ØCC1:C8 DØ ØB E6 3A A5 3A ØF71:39 AD Ø9 20 85 3A 4C B1 1A 1219:90 ED 87 2Ø A5 3A 85 27 12 ØCC9:18 20 90 02 DØ 19 Bl 39 AF ØCD1:C9 20 FØ EC C9 1F FØ E8 59 ØF79: ØB A5 39 85 FR 85 9E A5 DE 1221:20 8D 91 20 20 32 ØE AD 80 ØCD9:18 98 39 85 39 A5 3A FA ØF81:3A 85 FC 85 9F AØ 90 B1 47 1229:86 20 85 39 AD 87 20 85 2E 65 ØF89:FB C9 20 DØ 1E C8 DØ F7 D6 1231:3A 20 9E 08 4C A9 B8 11 DF 3A 4C ØCE1:69 00 85 BL ØB AD EF AD ØC ØF91:A5 FC 18 90 ØF 1239:27 CD 20 E5 D3 8D 19 20 00 ØCE9:17 20 85 39 AD 18 20 85 60 AØ 48 2Ø 85 4F 1241:A9 ØB ØØ 8D 9A ØF99:17 20 85 FR AD 18 99 20 D2 FF A9 12 20 RC ØCF1:3A 4C B1 A9 11 ØCF9:20 AD 18 20 38 E9 Ø4 CD D1 ØFA1:FC AØ ØØ 4C AC ØF E6 FC 97 1249:D2 FF A9 20 20 D2 FF A9 04 ØFA9:4C 88 ØF 18 98 65 FB 85 4B 1251:9D 20 D2 FF 8C 1A 20 20 D3 ana1:49 20 80 03 AD Ø9 20 8D 4D ØFB1:26 A9 ØØ 65 FC 85 27 38 28 1259:82 Ø9 AC 1A 20 85 3B A9 6F ØDØ9:12 20 20 9E 08 4C ES ØC 71 ØFB9:AD 17 20 E5 9E 85 B4 AD F8 1D ØD AD 1D ØD 29 ØF E4 1261:92 20 D2 FF A9 20 20 D2 12 ØD11:EE A5 C3 ØFC1:18 20 E5 9F 85 B5 38 1269:FF 9D 20 D2 FF 9B ØD19:8D 1D ØD 60 ØC EE 2C ØD 6A A9 A9 33 ØFC9:26 E5 9E 8D 9Ø 20 A5 27 98 2C ØD 65 1271:20 D2 FF A5 3B C9 ØD FØ CØ 29 ØF 8D ØD21:AD 2C ØD ØFD1:E5 9F 8D 91 20 20 23 Ø8 65 1279:32 C9 14 DØ ØF 04 88 10 77 ØD29:4C 9E Ø8 ØB A5 39 85 FB DB ØFD9:38 AD 17 20 90 20 8D E3 1281:C8 ED 4C 41 12 A9 90 20 D2 30 ØD31:A5 3A 85 FC C6 FC AØ FF 98 ØFE1:17 20 AD 18 20 ED 91 20 CG 1289:FF 4C 41 12 A5 38 29 7F F5 ØD39:B1 FB C9 2E FØ ØC C9 21 B3 FF 20 8D A9 FØ 1291:C9 Ø8 C9 FØ 04 C9 1F 4D ØFE9:8D 18 60 A9 20 90 AC CC 19 20 FØ 7B ØD41:FØ 3F ØFF1:20 4C 07 10 A9 Ø5 8D A9 38 1299:A7 A5 3 R 99 45 20 20 D2 R9 ØD49:DØ 94 88 DØ EB 60 R1 FR 2B 20 12A1:FF A9 85 D4 ØFF9:20 20 07 39 C9 38 00 85 D8 ØD51:C9 2E FØ 1B C9 21 FØ 17 77 10 B1 C8 BF 1001:D0 01 C8 4C D9 ØC A9 aa FQ 12A9:4C 41 12 20 D2 FF A9 ØØ 72 ØD59:C9 3F FØ 13 C9 1F FØ ØF 33 FC A5 12B1:99 45 1009:8D AA 20 20 4E 10 A9 20 C6 20 98 60 20 4E ØA AB ØD61:88 DØ EB C6 FC CD 24 1011:AE A9 20 ØØ 91 39 C8 12B9:A9 BC AØ 1E 20 71 09 20 DØ AØ 82 ØD69:08 20 B0 E2 4C 86 ØD 84 EE 12C1:1C 20 AD Ø8 C8 FØ ØA B1 FB DD 1019:CA DØ FA 60 20 38 10 20 5A 13 BØ 20 85 24 ØD71:3B C6 3B 2Ø 85 FC AE 1021:38 10 A9 1F A0 00 12C9:FB AD Ø9 17 ØF ØD79:C9 2Ø FØ F7 88 4C A2 ØC E4 91 39 E9 12D1:20 20 1029:C8 91 39 20 9E 08 20 67 F7 AC 18 20 A9 FB 20 D8 8C 3B 4C 4F ØD AD Ø8 8A ØD81:A4 A5 1031:0C 20 67 12D9:FF BØ Ø9 90 29 BF DØ 1 F ØD89:85 39 AD Ø9 20 85 3A 4C D2 ØC 4C F5 ØF A9 ØF 12E1:03 4C ØD91:B1 ØB AØ ØØ B1 39 C9 2E 8F 1039:01 BD A9 2Ø A9 99 BD AA 87 ØA 14 FØ 27 AD 18 B7 53 12E9:13 C9 90 06 ØD99:FØ 1D C9 21 FØ 19 C9 3F 7D 1041:20 20 4E 10 A9 20 AØ aa Ø8 20 96 1B ØD 15 C9 1049:91 39 4C B1 0B 18 12F1:4C Ø5 13 AD 13 C9 Ø1 74 ØDA1:FØ 1F AD 17 50 1B FØ 11 C8 DØ D2 20 AD 12F9:FØ 1051:20 6D A9 18 20 F9 20 4E ØA A9 C2 AØ 18 6D 8F ØDA9: EB E6 3A A5 3A CD 18 20 6F 1301:1E 20 71 A9 1059:AA 20 CD 09 20 5D ØDB1:FØ E2 90 EØ 4C E8 ØC C8 04 ØB 2Ø 90 05 68 F6 11 3F 1309:01 8D 1061:68 4C 9D 10 18 A5 39 85 CC 13 20 60 20 4E ØA A1 ØDB9:DØ ØE E6 3A A5 3A CD 18 ØA 1311:A9 CD AØ 20 71 99 9A 90 05 FØ Ø3 4C E8 ØC 1069:26 6D A9 20 85 9E A5 3A 5B 1E 4C ØDC1:20 E6 1319:05 1071:85 27 6D AA 20 85 13 Ø8 20 38 FØ 88 9F 38 Ø5 20 FØ E9 ØDC9:Bl 39 C9 C9 2E 37 1079:AD 1321:A9 EC AØ 1E 20 99 20 46 71 ØDD1:FØ E5 C9 21 FØ E1 C9 3F ØB 17 2Ø E5 26 85 B4 AD F6 1329:82 09 ØDD9:FØ DD C9 1F FØ D9 4C D9 70 1081:18 20 E5 27 85 **B5** 20 60 88 A2 Ø8 09 44 FO ac F4 ØDE1:0C AD ØC 2Ø 8D 8C 2Ø AD 7D 1089:08 18 AD 17 20 6D A9 20 05 1331:A2 Ø1 C9 54 FØ Ø6 20 F6 3E A9 ØDE9: ØD 20 8D 8D 20 20 4E ØA 1091:8D 17 20 AD 20 6D 1339:09 68 68 60 8E 1R 13 CI 45 18 AA E3 1341:01 A0 00 1099:20 8D 18 20 60 AD 14 ØDF1:A9 3A AØ 1F 20 71 09 A9 E7 20 34 20 BA FF AØ 00 29 1349:EØ Ø1 FØ 8D 13 20 6Ø 38 A5 ØDF9:01 39 C4 10A1:49 0E 8D 14 20 60 A9 64 17 31 B9 45 20 C9 3E ØEØ1:ED 08 20 85 3B A5 3A ED 45 10A9:A0 1E 20 71 09 20 9F FF C4 1351:40 EA EA B9 46 20 C9 3A CB 10B1:20 E4 FF F0 F8 C9 93 FØ 31 1359:FØ 23 B9 47 20 C9 FØ F9 ØEØ9:09 20 05 3B DØ Ø3 68 68 DI 3A 1361:1C A9 30 10B9:F4 29 7F C9 60 A9 Ø2 8D 6D 20 59 CC A9 58 ØE11:60 A5 39 85 26 A5 3A 85 Ø8 3A 9E 1369:8D 6E ØE19:27 10C1:85 0C 20 4E ØA A9 7B AØ 1F 20 R9 45 20 99 6F DE 60 38 A5 39 85 49 A8 1371:20 C8 CC 1A 20 90 F4 F0 ØE21:FF 65 26 BD 90 20 A5 3A BE 10C9:1E 20 71 Ø9 2Ø A7 10 FØ 70 33 ØE29:85 9F 49 FF 65 8D 91 8D 10D1:03 4C F6 Ø9 A2 FA 9A 20 4C 1379:F2 C8 4C BA 13 **B9** 45 20 A7 27 1381:99 6D 20 C8 CC 20 DØ 40 10D9:37 09 69 ØA BE 1A ØE31:20 A5 26 BD 92 20 A5 27 FR 20 C8 09 4C 1389:F4 8C ØE39:8D 93 2Ø A5 9E 8D 94 20 D3 10E1:A0 00 B1 39 C9 1F F0 11 D9 85 20 20 4F 0A A9 F7 1391:45 AØ ØE41:85 26 8D 95 20 85 20 20 71 09 AD 85 19 A5 9F EØ 10E9:C8 DØ F7 E6 3A A5 3A CD BA 1399:20 A2 6D AØ 20 ØE49:27 38 AD 91 20 6D 8D 20 C7 10F1:18 20 90 EE FØ EC 4C FR E3 20 BD FF 2D ØE51:CD ØF 20 90 20 4E ØA EC 13A1:A9 ØD 20 D2 FF 4C 45 14 EØ 14 D9 10F9:0C C8 D0 02 E6 3A 4C 1 F 13A9:20 4E ØA A9 AA AØ ØE59:A9 49 AØ 1E 20 71 Ø9 A9 15 1101:0C A5 39 85 85 82 1E 20 83 FB A5 3A 20 5D ØA 13B1:71 Ø9 20 82 09 ØE61:01 8D 13 20 A9 00 85 C6 E4 1109:FC C6 FC A0 FF B1 FB C9 8D 8C 13B9:09 80 ØE69:60 AD 8C 20 85 9E AD 8D 44 F5 48 AD 14 20 FØ Ø3 6E 1111:1F FØ 11 88 CØ FF DØ 47 13C1:20 38 10 20 F6 09 AD 90 20 85 B4 92 1119:C6.FC BØ E5 68 4C Ø3 ØE71:20 85 9F A5 FC CD 09 20 13C9:E7 ØA 38 A5 39 ØE79:18 6D 8C 2Ø 8D 8C 2Ø AD 1D 1121:EC 4C 86 ØD 38 98 65 FR 59 ED Ø8 20 79 13D1:85 3R A5 AF ED Ø9 20 95 BA ØE81:91 20 85 **B5** 6D 8D 20 8D E9 1129:85 FB A9 00 65 FC 85 FC 69 13D9:3B FØ Ø4 A9 Ø5 85 ØE89:8D 20 A9 00 8D 1A DØ A9 CO 1131:38 A5 FB E5 39 85 3B A5 B2 ØC 20 6B 13E1:4E ØA A9 00 AR 1 F 20 71 ØE91:34 85 Ø1 20 23 Ø8 A9 36 ØE 1139:FC E5 3A Ø5 3B DØ 12 84 BØ 1A 10 13E9:09 20 A5 ØC C9 05 13 47 ØE99:85 Ø1 A9 Ø1 8D 1A DØ AD 22 1141:3B 18 A5 FB E5 3B 85 FB 9E 13F1:FØ Ø3 09 2Ø 85 A3 20 37 A9 00 ØEA1:92 20 85 26 AD 93 1149:A5 FC E9 ØØ 85 FC 4C 14 87 A6 5E 9E 13F9:39 A4 ØEA9:27 20 85 95 3A 20 D5 FF 90 03 02 AD 94 AD FØ 1151:11 A5 FB 85 39 A5 FC 85 1D 1401:4C E5 8E 20 BC ØEB1:20 85 9F 38 AD 20 E5 1159:3A 4C 78 A9 BD BA 12 17 18 5E 17 A6 BI ØB 00 1409:20 20 E7 FF 20 4E ØA A9 3E 1161:ØE DC A9 ØEB9:9E 85 B4 AD 18 20 E5 9F A4 18 8D 11 DØ A9 A4 1411:E2 AØ 20 71 99 4C 05 ØEC1:85 R5 20 23 98 38 AD 17 D7 1169:7C 8D 14 Ø3 A9 8D 15 Al 1 E E5 11 ØEC9:20 ED 90 20 BD 17 2Ø AD 3C 1419:13 20 4E 0A A9 06 AØ 1 F 03 1171:03 A9 Ø1 8D 1A DØ 8D 12 B9 09 ØED1:18 20 ED 91 20 8D 18 20 60 1179:DØ 58 60 A9 ØC ØB 1421:20 71 20 10 13 A9 Øl 5A 3A A4 CD ØED9:60 20 FE ØD 20 70 ac 20 DO DØ Ø5 1429:AE 08 20 AC 09 20 20 D5 58 1181:12 DØ A9 01 AC 1D 13 1431:FF 90 29 ØEE1:1B ØE 38 AD 8C E9 Øl A5 BF FØ 20 AA 1189:0D 8C 21 DØ 8D 12 DØ C9 A6 D2 20 EE ØEE9:8D 8C 20 AD 8D 2Ø E9 ØØ 8F 1191:01 FØ 08 A9 Øl 8D 19 DØ 4D 1439:4E ØA A9 D5 AØ 1E 20 71 CC ØEF1:8D 8D 20 60 AD 8D 02 C9 1199:4C BC FE A9 Ø1 8D 19 DØ CC 1441:09 4C 05 13 78 A9 В3 ØØ 8D CA

1449:1A DØ 8D 2Ø DØ 8D 21 DØ 36 1999:A5 FC 69 ØØ 85 FC 4C BE 82 16F1:08 8E AA 20 C9 44 FØ 22 80 1451:A9 31 8D 8D AF 14 Ø3 A9 EA 16F9:C9 50 D0 B4 20 4E 0A A9 7C 19A1:17 B1 FB C9 1F FØ Ø1 88 2F 01 1459:15 03 A9 8D ØE 20 71 DC 58 C8 17Ø1:6D AØ 1F 09 20 82 19A9:8C A7 20 60 12 57 41 4C D2 1461:60 A9 93 20 D2 FF A9 ØD 8F 1709:09 38 E9 3Ø C9 Ø4 9Ø AØ 2A 19B1:52 54 4E 48 42 53 46 40 FF 94 A7 BØ 1469:20 D2 FF 20 45 14 20 1711:C9 50 9C 8D AA 2Ø 4C BB 19B9:50 3F 58 4D 49 47 4A 20 DF 1471:14 A9 ØD 20 D2 FF AG OF AC 1719:46 17 20 4E ØA A9 91 AØ D3 19C1:1A 3B 32 1A 1A 45 1A 4F ED 1479:AØ 1F 20 71 99 20 F4 FF 67 1721:1F 20 71 Ø9 2Ø 38 12 FØ 9C 19C9:1A 59 1A 63 1A 6D 1A 70 10 1481:C9 ØD DØ F9 20 5D 1729:87 AC 1A 20 A9 2C 99 45 Ø2 11 4C 70 19D1:1A 9E 1A 06 1A 16 1A F6 BØ 1731:20 CB A9 57 99 45 20 1489:F6 Ø9 20 CC FF A9 Ø1 20 09 CB 37 19D9:19 EC 19 E3 19 B7 1A EØ FI 1491:C3 FF 60 20 E7 FF 1739:8C 1A 20 AD 1A 20 A2 45 EE A9 01 30 19E1:1A 29 1A C8 A9 ØØ 8D A4 48 1741:AØ 2Ø 2Ø BD FF AD AA 2Ø D3 1499 . A2 08 A0 aa 20 BA FF A9 RE 19E9:20 4C 19 A2 C8 20 13 15 27 14A1:01 A2 1749:A8 C9 Ø4 9Ø 1A C9 Ø8 BØ 8Ø 2B AØ 1F 20 BD FF 57 19F1:8D A3 2Ø 4C A2 19 CB 20 C7 1751:16 20 4E ØA 7C 9C 14A9:20 CØ FF BØ DD A2 Øl 20 BB A9 AØ 1F 19F9:13 15 8D A1 20 AD 8B 20 **B5** 14B1:C6 FF 1759:20 71 09 20 82 09 38 E9 A9 20 ØI 20 15 01 15 91 1AØ1:8D A2 20 4C A2 19 CB 20 98 1761:30 A8 10 03 4C B1 16 A9 14B9:20 01 15 20 01 15 FØ CA DF 03 1A09:13 15 8D 9F 20 AD 8B 20 A6 1769:01 AE AA 20 20 BA FF 14C1:20 CC FF 20 E4 FF CO 20 ØA 20 27 1A11:8D AØ 20 4C A2 19 C8 20 28 14C9:DØ Ø3 20 82 09 A2 Øl 1771:A7 16 A9 Ø1 20 C3 FF 20 6E 9A 4C A2 20 30 1A19:13 15 8D 20 19 as 14D1:C6 FF 20 Øl 15 48 20 ØI 70 1779:CØ FF A2 Øl 20 C9 FF 90 25 1A21:A9 ØØ 8D 9E 20 C8 4C A2 25 14D9:15 A8 68 AA 98 37 1781:03 4C 78 18 A2 ØØ 8E 97 9E AØ 84 A8 1A29:19 A9 ØA 8D 70 24 CB 4C 60 1789:20 8E 96 14E1:01 20 CD BD AØ 36 84 Ø1 10 20 8E AB 20 8E 32 1A31:A2 19 C8 A9 Ø1 8D AB 20 66 14E9:A9 20 20 D2 FF 20 01 15 B7 1791:AC 20 BE 70 24 BD 5A 16 D9 1A39:4C A2 19 CB 20 13 15 8D FØ 20 D2 FF 14F1:FØ Ø6 1799:9D 98 20 E8 EØ ØC DØ F5 4C EE 14 68 1 E 1A41:98 20 4C A2 19 CB 20 13 RC 14F9:A9 ØD 20 D2 FF 4C B9 14 17A1:A9 FF 8D A6 2Ø 8D A4 20 61 24 1A49:15 8D 99 20 4C A2 19 C8 88 17A9:A2 Ø4 BD 65 16 9D 1E 1501:20 CF FF 48 A5 90 29 BF 35 21 BC 1A51:20 13 15 8D 9B 20 4C A2 6E 1509:FØ Ø6 68 68 68 4C 8B 14 60 17B1:CA DØ F7 AD Ø8 2Ø 85 FB 18 1A59:19 C8 2Ø 13 15 8D 9C 20 **B9** 1511:68 60 A2 ØØ 8E 88 20 8E 41 17B9:AD Ø9 20 85 FC AØ ØØ 8C 54 1A61:4C A2 19 C8 20 13 15 8D 19 88 1519:89 20 8E 8A 20 8E 20 FC 17C1:A5 20 CC A4 20 FØ Ø6 AD 2D 1A69:9D 2Ø 4C A2 19 AC A7 20 13 17C9:98 20 8D A5 20 B1 FB 10 1A71:C8 98 48 1521:38 B1 E9 28 FB 30 90 2A C9 D3 20 97 18 68 A8 DI 17D1:03 4C 62 19 1529:ØA BØ 26 OF 88 20 2F 29 D4 C9 1F FØ 20 4B 1A79:8C A7 20 60 20 97 1A 88 04 1531:20 ØE 88 20 2E 89 20 ØE 17D9:99 6E 21 C8 EE A5 20 AD 1D 1A81:8C 96 20 A0 01 E7 Bl FB 99 10 1539:88 20 2E 89 20 ØE 88 20 78 17E1:A5 20 CD 99 20 90 E6 8C DB 1A89:6D 22 C8 CC 96 20 90 F5 2F 1541:2E 89 20 ØD 88 17E9:16 20 B1 FB C9 20 F0 1A91:FØ F3 C8 4C 20 8D 88 22 14 E5 A2 19 C8 B1 D5 1A99:FB C9 1549:20 C8 DØ 17F1:CE A5 20 88 DØ F4 AC 16 47 D4 E6 FC 4C 21 02 IF DØ F9 60 20 97 58 1551:15 F8 AD 88 20 an 89 20 EA 17F9:20 4C Ø8 18 C8 B1 FB C9 90 1AA1:1A 88 8C 97 20 AØ Ø1 B1 47 1559:FØ 1C 38 AD 88 20 E9 Øl 7 E 18Ø1:20 FØ Ø1 88 8C 16 2Ø 98 BB 1AA9:FB 99 6E 23 C8 CC 97 20 ØB 1561:8D 88 20 89 20 AD E9 00 F3 1809:38 65 FB 85 FB A5 FC 69 60 1AB1:90 F5 F0 F3 4C A2 19 20 48 1569:8D 89 20 EE 8A 20 DØ Ø3 29 1811:00 85 FC AØ ØØ AD A6 20 70 1AB9:97 1A 4C A2 19 C8 B1 FR 31 1571:EE 8R 20 4C 53 93 1819:C9 FF DØ Ø3 15 AD 8A 20 09 19 AD 7D 1AC1:C9 3D FØ Ø7 88 AD A8 20 25 1579:20 D8 60 38 AD 8C 20 FD 47 1821:A4 20 FØ Ø3 20 31 19 38 2A 1AC9:4C D9 17 C8 20 13 15 48 C9 1581:0C 20 8D 8E 2Ø AD 8D 20 47 1829:2E A4 20 AD 16 20 8D 15 D9 1AD1:AD A8 20 29 7F 9D B2 68 AA 1589:ED ØD 20 8D 8F 20 ØD 8E 70 1831:20 A9 6E 85 FD A9 21 85 60 1AD9:EE 20 20 A2 19 4C 91 19 FI 1591:20 DØ 10 1839:FE 20 33 1D 20 42 19 AD 20 4E ØA A9 34 26 13 1AE1:C8 A2 Ø8 B1 FR 29 3F 09 ac 1599:AØ 1F 20 71 09 A9 01 8D 75 1841:A6 20 CD 9C 20 90 03 20 B9 1AE9:04 FØ Ø9 A2 Ø1 C9 14 FØ EF 15A1:13 20 60 18 A5 39 85 26 2E 1849:97 18 38 A5 FB ED 17 20 92 1AF1:03 4C B1 16 8E 18 13 C8 22 15A9:6D 8E 20 85 9E A5 3A 85 10 1851:85 3B A5 FC ED 18 20 05 AC 1AF9:B1 FB C9 3A FØ Ø3 4C CØ R1 15B1:27 8F 9F 6D 20 85 38 AD 87 1859:3B FØ 38 90 36 AD 97 1BØ1:16 C8 B1 20 2B FR C9 1F FØ Ø9 20 15B9:17 2Ø E5 26 85 B4 AD 18 96 1861:FØ ØB A9 ØØ 8D 96 2Ø 8D 1BØ9:20 47 16 99 6A 20 40 02 FR 15C1:20 E5 27 85 **B5** 18 65 9F 2B 1869:9B 2Ø 2Ø 97 1B11:1B 98 38 E9 Ø3 A2 6D AØ 18 AD AA 2Ø D9 15C9:CD ØB 20 90 10 20 4E ØA 52 1871:C9 Ø3 DØ Ø3 20 82 09 2Ø CE 1B19:20 20 BD FF 20 CC FF A9 FC 15D1:A9 2C AØ 15 20 71 09 A9 64 1879:E1 FF FF FØ FB A9 Ø1 20 C3 CD 1B21:02 20 C3 A9 Ø2 AE 18 A6 15D9:01 8D 20 60 20 13 60 08 98 1881:FF 20 E7 1B29:13 AØ ØØ 20 BA FF FF AD 6F 24 8D B7 20 37 60 B4 6D 15E1:18 AD 8E 20 85 17 48 1889:1D ØD A2 FA 9A 20 F6 09 DB 1B31:09 A9 00 A6 39 A4 3A 20 Bl 15E9:20 8D 17 20 AD 8F 20 85 DD 1891:4C 69 ØA 4C BE 17 1B39:D5 FF 38 AD B8 90 03 4C R1 16 BE 80 15F1:B5 6D 18 20 8D 18 20 A5 ØA 1899:9A 20 ED A6 2Ø A8 88 88 84 1B41:17 20 80 18 20 68 68 A2 34 9E A5 15F9:39 85 3A 85 9F AD 25 18A1:FØ Ø8 3Ø Ø6 20 54 19 88 BF 1B49:01 20 C9 FF 4C B4 17 20 C4 1601:0C 20 85 26 AD ØD 20 85 **B**5 18A9: DØ FA AD 97 20 FØ 11 1B51:E7 FF 8D A4 A9 aa 20 BD FF A9 52 1609:27 A9 00 8D 1A DØ A9 34 A7 18B1:15 20 A9 6F 85 FD A9 23 38 1B59:0F A2 Ø8 AØ ØF 20 BA FF 39 1611:85 Ø1 20 23 Ø8 A9 36 85 4F 18B9:85 FE 20 31 19 20 33 1D 5Ø 1B61:20 CØ FF 90 0B A9 0F 20 1619:01 A9 01 8D 1A DØ 4C Bl 87 18C1:20 54 19 20 54 19 20 54 D7 1B69:C3 FF 20 E7 FF 4C F6 09 1621:0B A0 00 B1 39 AA C8 B1 CD 1809:19 EE 9F 1B71:20 4E 20 DØ Ø3 EE AØ 49 ØA A9 1D AØ 1F 20 FØ 1629:39 88 91 39 CB 8A 91 1B79:71 Ø9 39 A6 18D1:20 AD 9E 20 D0 32 AD AA A8 38 20 12 FØ 16 A2 55 1631:60 AØ ØØ 39 29 3F FØ AE Bl 18D9:20 C9 03 F0 2B C9 Ø8 FØ 7D 1B81:ØF 20 C9 FF BØ DF A9 45 1E 1639:ØA C9 1R RØ Ø6 B1 39 49 FD 18E1:27 1B89:AØ 2Ø 20 38 AD 9F 2Ø ED A1 2Ø 7F 71 Ø9 A9 ØD 2Ø 1641:40 91 39 4C 67 ØC 85 3B 8F 18E9:AD AØ 20 ED A2 20 90 1B91:D2 FF 20 CC FF 20 E7 FF 18 CA 52 1649:29 3F Ø6 3B 24 3B 10 02 7E 18F1:20 CC 1B99:A9 ØØ 20 BD FF A9 ØF A2 FF 20 4E ØA A9 B3 Ø9 EB 1651:09 80 70 02 09 40 85 3B DF 18F9:AØ 1F 1BA1:08 A0 20 71 09 20 82 09 34 ØF 20 BA FF 20 C0 BE 1659:60 05 4B 42 05 3A Ø1 Øl 98 1901:20 A7 16 A2 Ø1 2Ø C9 FF 1BA9:FF BØ BA 20 4E ØA ØF 36 A2 54 1661:01 00 01 99 50 IR ØF ØF 48 1909:AD 96 20 F0 1BB1:20 C6 11 8D 15 20 D3 FF 20 38 12 20 CC C2 1669:12 8D AF 20 8A 48 98 48 E8 1911:A9 6E 85 FD A9 22 85 1BB9:FF A9 ØF 20 C3 FF 20 E.7 FE 24 84 1671:38 AD 9F 2Ø ED A1 2Ø AD FE 1919:20 1BC1:FF A9 31 19 20 33 1D AC 9B CF 01 8D 13 20 60 20 55 1679:AØ 20 ED A2 20 90 1F AD 15 1921:20 8C A6 20 88 F0 08 30 A5 1BC9:FØ 1B AD BØ 2Ø FØ 16 20 11 1681:AF 20 20 D2 FF AD 8D 02 92 1929:06 20 54 19 88 DØ FA 1BD1:93 60 60 1C 20 16 1C AD AE 20 53 1689:29 Ø1 8D 20 DØ DØ F6 A5 9B 2Ø D7 1931:A9 20 AC 98 20 8C A5 20 FD 1BD9:C9 FF FØ Ø9 20 B6 1C 1691:91 C9 7F 99 DØ EE 20 DØ ØB 1BE1:9E Ø8 1939:FØ Ø6 2Ø 6A 16 88 DØ FA 7F 4C D3 1B 4C F6 Ø9 31 1699:EA EA EA 4C 78 18 68 A8 B5 1BE9:AD 8D 02 C9 05 D0 1941:60 AC 9D 20 18 98 6D A6 29 26 20 ØF 16A1:68 AA AD AF 20 60 20 4E 6E 1949:20 8D A6 20 20 54 19 88 D2 1BF1:4E ØA A9 D5 AØ 1F 20 71 97 16A9:0A A9 A4 AØ 1F 4C 71 Ø9 F9 1951:DØ FA 6Ø A9 ØD 20 1BF9:09 20 38 12 8D BØ 20 DØ 25 6A 16 25 16B1:4C 78 18 AD 1D ØD 8D 6F A7 1959:AD 1CØ1:03 4C F6 09 A0 00 B9 45 FA 70 95 24 FØ Ø3 20 6A 16 16B9:24 A9 00 85 ac 20 8D DØ 62 1961:60 8D A8 20 1C09:20 99 B1 20 CB CC 29 7F 20 47 ØD 1A 20 RD 16C1:8D 1D ØD 20 BD FF A9 Ø4 E4 19 1969:16 AE AD 19 DD AD FØ 62 1C11:DØ F4 4C F6 09 A5 39 85 BE 16C9:8D AA 20 AØ 07 AD 8D 02 81 1971:09 CA DØ F8 CE A5 20 4C 1E 1C19:FB A5 3A 85 FC A9 FF 74 16D1:29 Ø1 DØ Ø3 4C 68 17 20 6F 1979:BE 1A CA 8A ØA 8C A7 4F 1C21:AE 20 AØ Ø1 A2 ØØ AA AD BØ FD 16D9:4E ØA A9 47 AØ 1F 2Ø 71 8C 1981:20 A9 19 48 A9 90 48 BD B3 1C29:20 FØ 50 BD B1 20 20 5D 3F 16E1:09 20 82 09 29 7F A2 Ø3 ØB 1989:C1 19 48 BD CØ 19 48 6Ø 23 1C31:0A D1 FB F0 02 A2 FF C8 D4 16E9:8E AA 20 C9 53 F0 56 A2 56 1991:38 AD A7 20 65 FB 85 FB 64 1C39:DØ ØB E6 FC A5 FC CD 18

1EE9:52	53	ØØ	93	20	12	D4	92	E2
1EF1:41	50	45	20	4F	52	20	12	A3
1EF9:C4	92	49	53	4B	3F	ØØ	CC	BF
1FØ1:4F	41	44	3A	ØØ	D6	45	52	9B
1FØ9:49	46	59	3A	ØØ	DØ	52	45	79
1F11:53	53	20	12	D2	C5	D4	D5	20
1F19:D2	CE	92	ØØ	C4	49	53	4B	04
1F21:20	43	4F	4D	4D	41	4E	44	4F
1F29:3A	00	24	CE	4F	20	D2	4F	E5
1F31:4F	4D	ØØ	CE	4F	20	54	45	40
1F39:58	54	20	49	4E	20	42	55	1E
1F41:46	46	45	52	2E	ØØ	93	DØ	6B
1F49:52	49	4E	54	20	54	4F	3A	3D
1F51:20	12	D3	92	43	52	45	45	FA
1F59:4E	2C	12	C4	92	49	53	4B	Ø4
1F61:2C	12	DØ	92	52	49	4E	54	26
1F69:45	52	3F	ØØ	C4	45	56	49	F7
1F71:43	45	20	4E	55	4D	42	45	35
1F79:52	3F	ØØ	D3	45	43	4F	4E	12
1F81:44	41	52	59	20	Cl	44	44	E6
1F89:52	45	53	53	20	23	3F	ØØ	ED
1F91:DØ	52	49		54	20	54	4F	F5
1F99:20	46	49	4C	45	4E	41	4D	9A
1FA1:45	3A	ØØ	93	DØ	52	49	4E	FA
1FA9:54	49	4E	47	2E	2E	2E	ØD	36
1FB1:ØD	ØØ	C9	4E	53	45	52	54	3D
1FB9:20	4E	45	58	54	2Ø	53	48	DB
1FC1:45	45	54	2C	20	50	52	45	6D
1FC9:53	53	20	12	D2	C5	D4	D5	D8
1FD1:D2	CE	92	ØØ	C8	55	4E	54	ØC
1FD9:20	46	4F	52.	3A	ØØ	CE	4F	87
1FE1:54	20	C6	4F	55	4E	44	ØØ	8C
1FE9:D2	45	50	4C	41	43	45	2Ø	73
1FF1:57	49	54	48	3A	ØØ	C5	D8	73
1FF9:C9	D4	20	D3	50	45	45	44	F9
2001:D3	43	52	49	50	54	ØØ	ØØ	AE
c 1c			-11	-				

SpeedScript 3.2 File Converter

```
JC 10 PRINT"[CLR][RVS][N]

{2 SPACES]SPEEDSCRIPT FI

LE CONVERSION PROGRAM

{3 SPACES]"

BF 20 GOSUB320
```

SS 30 INPUT"{DOWN}INPUT FILE N
AME";1\$

BB 40 IFIS=""THEN30

DH 50 INPUT"[DOWN]OUTPUT FILE [SPACE] NAME"; O\$

MC 60 PRINT"[DOWN][RVS]D[OFF]I
SK, [RVS]S[OFF]CREEN,
[RVS]P[OFF]RINTER, [RVS]
O[OFF]THER"

KG 70 GETAS: IFAS=""THEN70

HK 8Ø DV=-(A\$="T")-3*(A\$="S")-4*(A\$="P")-8*(A\$="D"):SA =7

FS 90 IFDV=0THENINPUT"DEVICE N UMBER"; DV:INPUT"SECONDAR Y ADDRESS"; SA

RG 100 PRINT" {2 DOWN } WHICH CON VERSION:"

GX 110 PRINT" [DOWN] 1) SPEEDSCR IPT TO COMMODORE ASCII"

MD 120 PRINT" (DOWN)2) SPEEDSCR IPT TO TRUE ASCII" PQ 130 PRINT" (DOWN)3) COMMODOR

E ASCII TO SPEEDSCRIPT"

RB 140 GETP\$:IFP\$<"1"ORP\$>"3"T

HEN14Ø

FP 150 ADR=828+VAL(P\$)*3-3 BM 160 OPEN15,8,15,"I0":REM RE MOVE, "I0" IF YOU'VE CH ANGED THE DRIVE'S SPEED

SD 170 OPEN1,8,3,I\$:INPUT#15,E N,EM\$:F\$=I\$:IFEN=0THEN2

EQ 180 PRINT"[DOWN]DISK ERROR [SPACE]FOR ";F\$:PRINTEM

PG 190 PRINT" [3 DOWN RUN [3 UP]
":CLOSE1:CLOSE2:CLOSE15
:END

JX 200 IFDV > 8THENOPEN2, DV, SA, OS:GOTO290

```
FR 210 EX$=",S,W":IFP$="3"THEN
EX$=",P,W"
AB 220 OPEN2,DV,SA,"0:"+O$+EX$
:INPUT#15,EN,EM$:F$=O$
```

XM 23Ø IFEN=ØTHEN29Ø FS 24Ø IFEN<>63THEN18Ø

BM 250 PRINT" [DOWN] "; 0\$; " EXIS
TS... REPLACE? [RVS]Y
[OFF] / [RVS] N [OFF]: "

BR 260 GETA\$:IFA\$<>"Y"ANDA\$<>"
N"THEN260

SC 27Ø IFA\$="N"THEN19Ø

BM 280 PRINT#15, "S0:"+0\$:CLOSE 2:GOTO220

FC 290 SYS(ADR):IF(PEEK(144)AN D191)=0THENPRINT"{DOWN} DONE.":GOTO190

MK 300 PRINT"I/O ERROR DURING {SPACE JCONVERSION.":INP UT#15,EN,EM\$:IFEN<>0THE N180

CJ 310 GOTO190

CF 320 FORI=828TO1001:READA:PO KEI,A:CK=CK+A:NEXT:IFCK =21584THENRETURN

DA 330 PRINT" (RVS) ERROR IN DAT A STATEMENTS." ; END

XC 340 DATA 076,069,003,076,12 2,003

QE 350 DATA 076,174,003,032,22 5,255

CK 360 DATA 240,018,032,216,00 3,032

SD 370 DATA 095,003,032,183,25 5,072

ME 380 DATA 032,224,003,104,04 1,064

CG 390 DATA 240,233,076,204,25 5,133

MM 400 DATA 251,041,064,010,00 5,251 MG 410 DATA 041,191,133,251,04

1,032 PQ 420 DATA 073,032,010,005,25

1,201 GE 430 DATA 095,208,002,169,01

3,133 DD 440 DATA 251,096,032,225,25

5,240 QP 450 DATA 221,032,216,003,03

2,095 SM 460 DATA 003,041,127,201,06

5,144 AB 470 DATA 018,201,091,176,01

4,170 HM 480 DATA 165,251,041,128,07

3,128 GR 490 DATA 074,074,133,251,13

8,005 KK 500 DATA 251,133,251,032,18

3,255 RH 510 DATA 072,032,224,003,10

4,041

BF 520 DATA 064,240,207,076,20 4,255

XP 530 DATA 032,225,255,240,16

9,032 KE 540 DATA 216,003,201,013,20 8,002

CF 550 DATA 169,031,072,041,12 8,074

BK 560 DATA 133,251,104,041,06 3,005

GE 570 DATA 251,133,251,032,18 3,255

KC 580 DATA 072,032,224,003,10 4,041

MC 590 DATA 064,240,217,076,20 4,255

CP 600 DATA 162,001,032,198,25 5,076

SX 610 DATA 207,255,162,002,03 2,201

RC 620 DATA 255,165,251,076,21 0,255

Dazzlers

Article on page 88.

Program 1: Dazzlers—Main Program

QP 1 REM DAZZLER MAIN PROGRAM
KR 2 REM
DM 10 FORN=49152T049176.PFADK.

DM 10 FORN=49152TO49176:READK: POKEN,K:NEXT

JD 20 DATA 162,0,173,18,208,20 1,203,208,249

QX 30 DATA 254,0,216,254,0,217 ,254,0,218 KE 40 DATA 254,0,219,232,208,2

KE 40 DATA 254,0,219,232,208,2 41,96

GX 50 POKE53280,0:PRINTCHR\$(14 7)

CH 60 FORN=1024TO2023:POKEN,16 0:NEXT:GOSUB100

FX 70 SYS49152

GF 80 FORN=1TOTD:NEXT:GETA\$:IF A\$=""THEN70

SK 90 POKE 53280,14:PRINT CHR\$ (147):END

Program 2: Dazzlers— Subroutine 1

KM 98 REM SUBROUTINE 1

RK 99 REM

XS 100 FORR=0T012:C=R

HC 110 FORL=0TO19:C=(C+1)AND15 AK 120 POKE55296+40*R+L,C:POKE 55335+40*R-L,C

SR 130 POKE56256-40*R+L,C:POKE 56295-40*R-L,C:NEXT:NEX

QB 140 TD=50:RETURN

Program 3: Dazzlers— Subroutine 2

KP 98 REM SUBROUTINE 2

RK 99 REM

XS 100 FORR=0T012:C=R

HC 110 FORL=0T019:C=(C+1)AND15
KB 120 POKE55316+40*R+L,C:POKE
55315+40*R-L,C

JD 130 POKE56276-40*R+L,C:POKE 56275-40*R-L,C:NEXT:NEX

QB 140 TD=50:RETURN

Program 4: Dazzlers— Subroutine 3

KJ 98 REM SUBROUTINE 3

RK 99 REM

ME 100 FORR=0TO6:C=R

CE 110 FORL=0TO9:C=(C+1)AND15 ES 120 D=55296+40*R+L:POKED,C: POKED+20,C:POKED+480,C:

POKED+500,C GJ 130 D=55315+40*R-L:POKED,C: POKED+20,C:POKED+480,C:

POKED+500,C AC 140 D=55776-40*R+L:POKED,C: POKED+20,C:POKED+480,C: POKED+500,C

KF 150 D=55795-40*R-L:POKED,C: POKED+20,C:POKED+480,C: POKED+500,C:NEXT:NEXT

EH 160 TD=50:RETURN

Program 5: Dazzlers— Subroutine 4

KK 98 REM SUBROUTINE 4 RK 99 REM

PG 100 FORC=0T011:N=55295+41*C

MG 110 FORK=CTO39-C:N=N+1:POKE N,C:NEXT

CA 120 FORK=CTO23-C:N=N+40:POK EN,C:NEXT

JP 130 FORK=CTO38-C:N=N-1:POKE N,C:NEXT

ER 140 FORK=CTO22-C:N=N-40:POK EN,C:NEXT:NEXT

FJ 150 FORN=55788T055803:POKEN ,12:NEXT

CC 160 TD=100:RETURN

Program 6: Dazzlers— Subroutine 5

KS 98 REM SUBROUTINE 5

RK 99 REM

ME 100 FORC=0TO11:N=55295+41*C :B=1

KP 110 FORK=CTO39-C:N=N+1:B=(B +1)AND15:POKEN,B:NEXT:B =2

SG 12Ø FORK=CTO23-C:N=N+4Ø:B=(
B+1)AND15:POKEN,B:NEXT:
B=1

KG 130 FORK=CTO38-C:N=N-1:B=(B +1)AND15:POKEN,B:NEXT:B =2

SH 140 FORK=CTO22-C:N=N-40:B=(
B+1)AND15:POKEN,B:NEXT:
NEXT:B=17

RP 150 FORN=55788T055803:B=(B+ 1)AND15:POKEN,B:NEXT

KE 160 TD=80:RETURN

Program 7: Dazzlers—ML Source Code

; DAZZLER.ASM

; THIS ROUTINE INCREMENTS EVERY BYTE ; IN COLOR RAM.

*=\$C000 ;SYS ADDRESS = 49152

; LDX #0 ;INIT. BYTE COUNTER
WAIT LDA \$D012 ;GET RASTER LINE
CMP #203 ;RASTER LINE 203 ?
BNE WAIT ;NO, TRY AGAIN

BNE WAIT ;NO, TRY AGAIN
NEXT INC \$D800,X ;INC. 1ST PAGE BYTE
INC \$D900,X ;INC. 2ND PAGE BYTE
INC \$DA00,X ;INC. 3RD PAGE BYTE
INC \$DB00,X ;INC. 4TH PAGE BYTE
INX ;INC. BYTE COUNTER
BNE NEXT ;LOOP UNTIL DONE

BNE NEXT ;LOOP UNTIL DONE
RTS ;RETURN TO BASIC

Gameports

Article on page 90.

Program 1: Gameport Test—64 Version

RA 100 PRINT CHR\$(147); CHR\$(14 2)

FC 110 PRINT"JOYSTICK/PADDLE T EST"

GC 120 PRINT "PRESS <F1> TO ST OP"

JR 130 DATA F,R,L,D,U

RH 140 DATA 16,8,4,2,1

BX 150 DIM C(5), B(5)

SG 160 FOR J=1 TO 5:READ C\$:C(J)=ASC(C\$):NEXT J

XA 170 FOR J=1 TO 5:READ B(J): NEXT J

DR 180 PRINT CHR\$(19):PRINT:PR

JS 190 G=64

XC 200 FOR P=0 TO 1

DE 210 PRINT

GQ 220 POKE 56333,127

SJ 230 R=PEEK(56321-P)

```
CJ 240 POKE 56320,G
PJ 25Ø G=G+G
GB 26Ø X=PEEK (54297)
HD 27Ø Y=PEEK(54298)
RF 280 POKE 56333,129
JG 290 FOR B=1 TO 5
QA 300 C=C(B): IF R AND B(B) TH
       EN C=32
GX 310 PRINT CHR$(C);
XG 320 NEXT B
KJ 330 PRINT " PORT: "; P+1; "PAD
       DLES: ";
MS 340 PRINT RIGHTS ("
       {2 SPACES}"+STR$(X),4);
SS 350 PRINT RIGHTS ("
       [2 SPACES]"+STR$(Y),4)
JA 360 NEXT P
PX 370 GET X$:IF X$="" GOTO 18
CM 380 IF ASC(X$) <> 133 GOTO 18
```

Program 2: Gameport Test—128 Version

RA 100 PRINT CHR\$(147); CHR\$(14 2)

FC 110 PRINT"JOYSTICK/PADDLE T EST"

GC 120 PRINT "PRESS <F1> TO ST OP"

JR 130 KEY 1, CHR\$ (133)

DR 180 PRINT CHR\$(19):PRINT:PR
INT

MF 200 FOR P=1 TO 2 DE 210 PRINT

MQ 220 P1=P*2-1

RC 230 J=JOY(P):Y=32

XR 240 IF J>127 THEN J=J-128:Y =70

DA 250 PRINT RIGHT\$("
{2 SPACES}"+STR\$(J),3);
CHR\$(Y);

CHR\$(Y);
CP 260 PRINT " PORT";P;"PADDLE
S:";

CQ 270 FOR B=P1 TO P1+1

CR 28Ø X=POT(B):Y=32

KQ 290 IF X>255 THEN X=X-256:Y =66

XS 300 PRINT RIGHT\$("
{2 SPACES}"+STR\$(X),4);
CHR\$(Y);

DF 310 NEXT B CP 320 PRINT

JA 360 NEXT P

AB 370 GET X\$:IF ASC(X\$) <> 133 {SPACE}GOTO 180

Power BASIC: Easy ML Line Drawing— Walking Line Demo

Article on page 83.

RQ 10 PRINT:PRINT"READING MACH INE CODE...";

AE 20 T=0:FORN=4864T05311:READ K:POKEN,K:T=T+K:NEXT

KF 30 IFT=40668THEN50

PM 40 PRINT:PRINT"***** ERROR {SPACE}IN DATA STATEMENT S ****":PRINT:END

QR 50 POKE5392, INT(RND(0)*256) :POKE5393, INT(RND(0)*256

AH 60 POKE5394, INT(RND(0)*256) :POKE5395, INT(RND(0)*256

BM 70 COLORØ,16:COLOR1,3:COLOR 2,6:COLOR3,7:COLOR4,12:G RAPHIC3,1

		SANDAR CHARGOSTANIA CONTRA
DC SX	90	SYS4864 COLORØ,12:COLOR1,14:COLO
QB	100	
QC	110	
JG	120	
GK	130	
МВ	140	
хк	150	
PP	160	
RF	170	
QE	180	
PG	190	1,169,0 DATA 133,131,172,21,21, 200,192,18
JE	200	
JK	210	
CD	220	
EK	230	
EH	240	750000777900 077770790
JD	250	- 19 - 19 - 19 - 19 - 19 - 19 - 19 - 19
KD	260	
ВК	270	
ХК	280	
MG	290	
QD	300	
SA	310	
AF	320	,173,24
FD	330	
MD	340	
HF	350	DATA 173,14,21,141,24,2
EC	360	DATA 20,173,24,21,141,1 4,21,173
AR	370	69,200,141
KJ	380	41,22,21
MA	390	1,32,75
DC		3,21,173
KC		89,249,20
CF	428	1,141,24
SF	430	,21,141
SX	440	7,250,20
QS	450	Ø6,23,21
QM BG		89,193,20
PQ		,20,141,230
GQ		211,20,189
GQ	491	32,159,255


KK 5	500	DATA 32,228,255,201,0,2 40,1,96
KB 5	510	DATA 76,70,19,173,22,21
EA S	520	,24,109 DATA 24,21,205,27,21,14
RH 5	530	4,56,238 DATA 25,21,173,25,21,20
QX S	540	1,8,208 DATA 20,169,1,141,25,21
FQ !	55Ø	,238,26 DATA 21,173,26,21,201,4
EQ S	56Ø	,208,5 DATA 169,1,141,26,21,32
KR !	57Ø	,154,20 DATA 141,23,21,173,24,2
JF !	580	1,48,9 DATA 169,0,56,237,23,21
FC !	59ø	,141,23 DATA 21,173,23,21,141,2
BD	600	4,21,173 DATA 24,21,24,109,22,21
KJ (610	,141,22 DATA 21,96,142,23,21,24
KR	620	,162,3 DATA 189,16,21,202,125,
FC	630	16,21,157
XP	640	62,3,254
JS	650	,248,174
		2,96
Sc	ri	ptRead
Arti	cle	on page 77.
PC :	ıø	PRINTCHR\$(147)"LOADING
QE :		FORJ=49152TO49531:READA: POKEJ,A:X=X+A:NEXTJ
GC :	3Ø	IFX<>53244THENPRINT"ERRO R IN DATA":END
нм 4	40	PRINT:PRINT"WHAT WOULD Y OU LIKE TO DO? (M=MENU)"
(C. 20 C.)	50	POKE198,Ø
		GETA\$:IFA\$="B"THENSYS494 91:GOTO60
10		IFA\$="D"THENN\$="\$":ML=49 152:GOTO160
GA 8		IFA\$="E"THENPRINT:OPEN15,8,15:SYS49495:GOTO40
1.2500-2500		IFA\$="M"THEN210
Harman San Carlotte	100	A CONTRACTOR OF THE PROPERTY O
	11Ø 12Ø	
MR	130	
	140	
		40
BR		N\$=N\$+",P,R":ML=49206
KB :	160	OPEN1,8,0,N\$:SYSML:PRIN TCHR\$(145):GOTO40
FP :	170	
		FN\$=""THEN40
HQ		Ø:"+N\$
BC KQ	190 200	N\$="":PRINT:PRINT"PRESS
		RETURN ALONE TO CANCEL
AH	210	
		D COLOR"SPC(7)"D=DIRECT ORY"
	220	PC(10)"R=READ A FILE"
BP		SPC(9)"T=TEXT COLOR"
XE	240	PRINTTAB(9)"(RUN/STOP W ILL EXIT)":GOTO40

```
JA 250 DATA169,53,32,44,193,32
        ,207,255,32,207,255,32
JG 260 DATA207, 255, 32, 207, 255
       32,207,255,72,32,207,25
AD 270 DATA168, 104, 170, 165, 144
       ,240,3,76,153,192,152,3
BJ 280 DATA205, 189, 169, 32, 32, 2
       10,255,32,209,192,208,2
       48
XF 290 DATA32,204,192,76,11,19
       2,169,0,133,251,133,252
HC 300 DATA133, 253, 133, 254, 32,
       44,193,32,209,192,201,3
DK 310 DATA176,9,24,105,64,32,
       237,192,76,149,192,201
GS 320 DATA31, 208, 33, 166, 252, 2
       08,15,230,252,32,231,19
RP 330 DATA169,110,160,193,32,
       30,171,76,149,192,165,1
CC 340 DATA208,43,32,207,255,2
       01,32,240,245,76,70,192
DB 350 DATA201,32,240,12,201,9
       6,240,8,201,160,240,4
DX 360 DATA201,224,208,6,32,23
       1,192,76,149,192,201,12
       8
KB 37Ø DATA176,3,32,237,192,16
       5,144,240,170,169,1,32
SE 380 DATA195,255,32,204,255
       165, 2, 208, 29, 165, 251, 24
EQ 390 DATA3,32,231,192,32,204
        ,192,169,18,32,210,255
SR 400 DATA165, 254, 166, 253, 32,
       205,189,169,114,160,193
        ,32
MK 410 DATA30,171,169,0,133,19
       8,133,199,133,212,133,2
       16
GF 420 DATA169, 13, 76, 210, 255, 1
       65,203,201,3,144,13,201
MJ 430 DATA7, 144, 246, 201, 62, 20
       8,5,104,104,76,153,192
FP 440 DATA76, 207, 255, 32, 249, 1
       92,76,6,193,166,251,157
EB 450 DATA121,193,230,251,162
        ,0,134,252,96,169,32,16
DH 460 DATA211,240,249,224,39, 144,203,76,204,192,165,
       251
SB 470 DATA240, 238, 24, 101, 211,
       201, 39, 144, 3, 32, 204, 192
CF 480 DATA162,0,230,253,208,2
        ,230,254,189,121,193,32
QP 490 DATA210,255,232,228,251
        ,144,245,169,0,133,251,
       96
JE 500 DATA133,2,32,68,229,162
        ,1,76,198,255,173,134
SE 510 DATA2,24,105,1,41,15,14
        1,134,2,162,0,157
MA 520 DATA0,216,157,0,217,157
        ,0,218,157,0,219,232
KQ 530 DATA208, 241, 96, 238, 33, 2
       Ø8,96,162,15,32,198,255
XA 540 DATA32, 207, 255, 32, 210, 2
       55,201,13,208,246,169,1
HQ 550 DATA32,195,255,76,204,2
       55,13,13,32,0,32,87
KH 560 DATA79,82,68,83,0,66,67
        ,Ø
```

Panasonic Office Automation

PANASONIC 1080 i PRINTER PACKAGE






- PACKAGE **INCLUDES**
- PANASONIC KXP-10801 PRINTER
- XETEC SUPER GRAPHIC INTERFACE FOR C-64/128
- 1 EXTRA PANASONIC KXP-110 RIBBON

FREE SHIPPING IN CONTINENTAL USA NO SURCHARGE ON CREDIT CARDS

PANASONIC 1091 i PRINTER PACKAGE





PACKAGE INCLUDES

- PANASONIC KXP-1091 I PRINTER
- XETEC SUPER GRAPHIC INTERFACE FOR C-64/128
- 1 EXTRA PANASONIC KXP-110 RIBBON

FREE SHIPPING IN CONTINENTAL USA **NO SURCHARGE** ON CREDIT CARDS



PANASONIC 1092 i PRINTER PACKAGE

PACKAGE INCLUDES

- PANASONIC KXP-1092 i PRINTER
- XETEC SUPER GRAPHIC INTERFACE FOR C-64/128
- 1 EXTRA PANASONIC KXP-110 RIBBON

FREE SHIPPING IN CONTINENTAL USA NO SURCHARGE ON CREDIT CARDS

SINCE 1982

computoftbility.

800-558-0003 IN WISCONSIN 414-357-8181 TELEX NUMBER 9102406440

ORDERS OUTSIDE CONTINENTAL USA SEE ORDERING INFORMATION NEXT PAGE

COMMODORE




ORDER NOW **QUANTITIES LIMITED**

- NO EXCESSIVE SHIPPING CHARGES
- NO HIDDEN CREDIT

ALL MERCHANDISE IS FACTORY NEW AND **INCLUDES FULL**

MANUFACTURER'S



SUPER C-128 PACKAGE #1

- COMMODORE 128 COMPUTER
- 1571 DISK DRIVE

FREE SHIPPING IN CONTINENTAL USA NO SURCHARGES ON CREDIT CARDS LIMITED TO FIRST 300 ORDERS

SUPER C-128 PACKAGE #2

- COMMODORE 128 COMPUTER
- 1571 DISK DRIVE
- 1902 MONITOR

FREE SHIPPING IN CONTINENTAL USA **NO SURCHARGES** ON CREDIT CARDS LIMITED TO FIRST 100 ORDERS

COMMODORE 128 COMPUTER

FREE SHIPPING IN CONTINENTAL USA NO SURCHARGES ON CREDIT CARDS LIMITED TO FIRST 100 ORDERS

1571 DISK DRIVE

FREE SHIPPING IN CONTINENTAL USA NO SURCHARGES ON CREDIT CARDS LIMITED TO FIRST \$249 100 ORDERS

1902 RGB **COMPOSITE MONITOR**

FREE SHIPPING IN CONTINENTAL USA NO SURCHARGES ON CREDIT CARDS LIMITED TO FIRST \$ 289 100 ORDERS

SINCE 1982

COMMODORE 128 is a

omput

800-558-0003

IN WISCONSIN 414-357-8181 TELEX NUMBER 9102406440 (ANSWERBACK COMPUT MILW UC)

ORDERS OUTSIDE CONTINENTAL USA SEE ORDERING INFORMATION NEXT PAGE ►

MOVING SALE SPECIAL #1 MOVING SALE SPECIAL #2 MOVING SALE SPECIAL #3 MOVING SALE SPECIAL #4 PANASONIC 1080i PRINTER PANASONIC 10911 PRINTER **NX-10 PRINTER** COMMODORE 128 COMPUTER XETEC SUPER GRAPHIC INTERFACE XETEC SUPER GRAPHIC INTERFACE XETEC SUPER GRAPHIC INTERFACE. 1571 DISK DRIVE 1 EXTRA RIBBON 2 EXTRA NX-10 RIBBONS 1 EXTRA RIBBON NO SURCHARGES ON CREDIT CARDS NO SURCHARGES ON CREDIT CARDS
FREE DELIVERY IN CONTINENTAL USA NO SURCHARGES ON CREDIT CARDS NO SURCHARGES ON CREDIT CARDS FREE DELIVERY IN CONTINENTAL USA FREE DELIVERY IN CONTINENTAL USA/ FREE DELIVERY IN CONTINENTAL USA \$489 \$279 \$339 \$279 ILIMITED TO FIRST 300 ORDERSI MOVING SALE SPECIAL #6 | MOVING SALE SPECIAL #7 | MOVING SALE SPECIAL #8 MOVING SALE SPECIAL #5 COMMODORE 64C COMPUTER /COMMODORE 1670 MODEM 129 COMMODORE 128 COMPUTER SEIKOSHA SPIOOOVC PRINTER 1571 DISK DRIVE COMMODORE 1351 MOUSE 44.95 1541C DISK DRIVE BUILT-IN GRAPHICS INTERFACE 1902 RGB MONITOR 1750 RAM EXPANDER 169 1802C MONITOR NO SURCHARGES ON CREDIT CARDS AVATEX 1200 HC MODEM . . 129 NO SURCHARGES ON CREDIT CARDS **F**無能 DELIVERY IN CONTINENTAL USA FREE DELIVERY IN CONTINENTAL USA COMMODORE 64C/W GEOS CALL **FREE DELIVERY IN CONTINENTAL USA** 5779 1541C DISK DRIVE CALL \$179 PRICE TOO LOW TO ADVERTISE! ILIMITED TO FIRST 100 ORDERS XETEC SUPER GRAPHIC . . 69.95 WE ARE MOVING TO LARGER AND EXPANDED OFFICE AND WAREHOUSE FACILITIES TO SERVE YOU BETTER AT LOWER PRICES N z N T F R E X R A G A 15 AMIGA COMPUTER SYSTEMS OKIDATA **EPSON** STAR MICRONICS MONITORS PANASONIC MAGNAVOX 8562 RGB/COMP . . . OKIDATA 120 LX 86 AND SOFTWARE PANASONIC 1080i . . . CALL CALL PANASONIC 10911 OKIDATA 182249 FX RAF399 **PRODUCTS** COMMODORE 1802C 209 EX 800 PANASONIC 10921 PANASONIC 3131 OKIDATA 192+369 .349 .. 169 NP-10 THOMSON 14" RGB/COMP CALI OKIDATA 193+ EX 1000 629279 NX-15 339 PANASONIC 3151 OKIDATA 292E 449 FX 286E 569 449 COMMODORE 1902 . . 279 FOR PRICE & AVAILABILITY PANASONIC 1592 PANASONIC 1595 .599 419 OKIDATA 293E. NR-15 POWERTYPE COMMODORE 64C 729 539 NB 24/15 (24 WIRE) . . CALL C-128 SOFTWARE GEOS . 10 2500 . 1149 Superbase 128.....57.95 Chart Pak 128 Paper Clip II Wordwriter 128 . . 47.95 Cad Pak 128 . . 39.95 Super C Compiler 39.95 Data Manager 128 . . 42.95 Cobol 128 . **TIMEWORKS 128** Speed Term 128 Superscript 128 46.95 25.95 TIMEWORKS C-64 Perfect Writer 49.95 Sylvia Porter 128 . . . 42.95 Pocket Planner 2 Mach V/128. 32.95 SYLVIA PORTER 32.95 SWIFTAX '8632.95 Pocket Filer 2 36.95 Pocket Writer 2 36.95 Super Pascal 128 . . . Super Pak 128 39.95 WORDWRITER/SPELL ... 32.95 **EVELYN WOOD25.95** SIDEWAYS19.95 Basic Compiler 128 . . 39.95 Swiftcalc 128 . . . 42.95 SWIFTCALC/SIDEWAYS .. 25.95 ontmaster 12836 Partner 128 42.95 Fleet System 4 46.95 PARTNER 128......42.95 DATA MANAGER II ... 25.95 PARTNER 64 39.95 Multiplan 128 27.95 PRICES PRICES LOWER LOWER COMMODORE 64 SOFTWARE BRODERBUND MISCELLANEOUS 64 **ELECTRONIC ARTS** ACCOLADE SPRINGBOARD ABACUS 64 Bank St, Series[Ea] . . 32.95 Final Cartridge 39.95 Fellowship/Ring 23.95 Chartpak Ace of Aces Graphic Lib. 1,2 or 3 .16.95 KIII Until Dead 18.95 Hobitt 23.95 Financial Cookbook , 10.95 P. S. Companion22.95 Powerplan25.95 Leather Goddesses . . 22.95 Heart of Africa 10.95 Mail Ord. Monsters . . 10.95 Super C Compller ... 39.95 Fight Night 18.95 Moonmist 22.95 Hollywood Hijinks . . 22.95 PSI Trading Co. 18.95 Accolade Comics 24.95 Clip Art 2 21.95 Cert. Maker Lib 1 . . . 21.95 Super Pascal Mind Mirror 10.95 Movie Maker 10.95 Basic Compiler25.95 Business Form Shop . 25.95 Thinking Cap22.95 MICROPROSE SSI Fontmaster 2 30.95 Disney Comic Strip . . 23.95 Disney Card & Party . 23.95 Micro League Baseball . 25.95 Geos Inside & Out . . . 16.95 Mule 10.95 Type.. Silent Service22.95 Music Construction . 10.95 Personal Portfolio . . . 25.95 **EPYX** Gunship22.95 Broadsides24.95 Field of Fire.....24.95 One On One 10.95 Pinball Construction . 10.95 Accrojet16.95 Destroyer ACCESS Carrier Force 37.95 Fast Load22.95 Racing Destruction . . 10.95 Seven Cities of Gold . 10.95 WWF Wrestling 25.95 Movie Monster 22.95 F-15 Strike Eagle 22.95 Computer Ambush . . 37.95 Kampfgruppe 37.95 Starfleet I26.95 Battle Front26.95 Kennedy Approach . . 16.95 Crusade in Europe . . 25.95 Champ Wrestling ...22.95 Leader Board Skyfox 10.95 Super Boulderdash . . 10.95 Tournament Disk 14.95 World Games22.95 Elite22.95 Pocket Dictionary . . . Tenth Frame 24.95 Executive Disk 14.95 Winter Games22.95 Conflict in Vietnam . 25.95 Phantasie II 27.95 Touchdown Football . 10.95 Decision in the Desert Thunder Chopper ... 19.95 Ultimate Wizard 10.95 Rings of Zilfin 27.95 Up Periscope 19.95 Contriver Mouse . . . 36.95 Robotic Workshop Apshal Trilogy 14.95 KONAMI Adv. Construction . . 25.95 Vorpal Utility14.95 Multiplan27.95 Battle Group 39.95 Shard of Spring 27.95 Triple Pak1 America's Cup..... 22.95 Famous Courses 14.95 The Pawn 25.95 Arctic Fox Hypersports/Ping Pong 19.95 Super Cycle . . .22.95 Roadwar 200027.95 Tracker25.95 ACTIVISION Autoduel 31.95 Warship39.95 Gemstone Healer ... 20.95 Starglider Bard's Tale 25 95 Gamemaker ... Gradius 19.95 St. Sports Baseball .. 22.95 Bard's Tale II 25.95 on 2 Basketball ...22.95 Jallbreak Sublogic Football ... 27.95 Flight Simulatoril ... 33.95 Sublogic Baseball ... 33.95 Summer Games 2 . . . 22.95 Sub Battle Simulat . . 22.95 War In S. Pacific 39.95 Wargame Construction 20.95 Chickamauga 23.95 Tass Times 22.95 Carriers At War . . . EST. 1982 MINIDSCAPE Shanghal Printmaster Art Gallery 1 or 2 .21.95 Champ Baseball '86 . 22.95 Europe Ablaze... Lords of Conquest 31.95 Perfect Score Transformers 22.95 Gamemaker Library . 14.95 Crossword Magic . . . 32.95 High Roller 19.95 Superscript 64 32.95 Marble Madness 20.95 Superbase 64 . P.O. Box 17882, Milwaukee, WI 53217 Moeblus 25.95 Moeblus Murder Party Labyrinth 22.95 Howard The Duck . . . 22.95 Infiltrator 19.95 Bop 'N' Wrestle 19.95 Indoor Sports 19.95 ORDER LINES OPEN DATASOFT Ogre Pegasus . . 25.95 GFL Football 22.95 Greet, Card Maker . . . 22.95 Mon.-Fri. 11 a.m. - 7 p.m. CST • Sat. 12 p.m. - 5 p.m. CST Alternate Reality ...18.95 The Dungeon18.95 American Challenge . 19.95 To Order Call Toll Free Reach For The Stars . 30.95 Defender of the Crown 22.95 Mercenary 18.95 **800-558-000** Road To Moscow . . . 25.95 Portal25.95 Robot Rascals Toburk-Clash 19.95 BERKLEY SOFTWORKS Swords & Sorcery ...18.95 Blsmarck21.95 Theatre Europe21.95 Russia 25.95 For Technical Info, Order Geos . . Scrabble Parallax . . . Geopublish 34.95 Chessmaster 2000 . . Uchi Mata (Judo) ...19.95 Inquiries, or for Wisc, Orders Mercenary . . Ultima 1 25.95 DATA EAST Ultima 3 Ultima 4 Geocalc 31.95 BATTERIES INCLUDED Karate Champ 16.95 Kung Fu Master . . . 16.95 Writer's Workshop . . 32.95 World Tour Golf 23.95 ...22.95 Geodex . **TELEX NUMBER 9102406440** INFOCOM . 22.95 (ANSERBACK = COMPUT MILW UQ) Call for items and prices No surcharge for Mastercard or VISA VISA

Visa

VISA

VISA

5451

Triad Computers repair service does it fast! Most computers and disk drives are repaired and shipped within 72 hours!

Triad Computers knows how important getting your system back on line is. That's why we treat every repair as priority. From our computerized tracking to our factory trained technicians to our two-day return shipping, everything is geared towards getting your equipment back to you FAST!! Check our low prices!

	Repair	Repair with 1-Year Warranty	1-Year Service Contract
C-64 Computer	\$ 59.00	\$ 89.00	\$ 69.00
C-128 Computer	89.00	119.00	99.00
1541 Drive Logic repair	69.00	99.00	79.00
1571 Drive Logic repair	79.00	109.00	89.00
1541 or 1571 Permanent Fix (Alignment and modification to stay in	69.00 alignment!)	99.00	79.00
1702, 1802, 1902 Monitor	79.00	109.00	89.00
1541 or 1571 alignment (only)	Just 29.95		
MPS-801, 802, 1525, 1526 Printers Star and Okidata Printers — Call	69.00	99.00	89.00

When calling say "FIRST, FAST AND STILL THE BEST!" for a \$10.00 discount on any Commodore 64 repair! (You must call for this discount.)

FREE PERMANENT FIX

A \$69.00 value — includes alignment and modification to stay in alignment. FREE with any 1541 or 1571 one year warranty repair.

For fast, expert service . . . Just call our toll free number today!

(For your convenience, have your equipment serial number and credit number ready. Checks and money orders also accepted). Add \$7.50 for shipping — includes two-day air service anywhere in the Continental USA. For APO-FPO and P.O. Box addresses, add \$15.00 for shipping (excluding air freight).



3402-E W. Wendover Ave., Greensboro, NC 27407 1-800-624-6794 or (919) 299-0391







The Commodore Connection

COMMODORE COMPUTERS

PRINTERS

AMIGA SOFTWARE



COMMODORE 128 SYSTEM

COMMODORE 64 SYSTEM
Includes: CB64C Computer, CB1541C Disk
Drive, CB1802C Monitor\$539.00
CBM128 Mouse39.99
CBM128 512K Memory Expansion169.00
C64 Power Supply29.99
AMIGA 500Call for pricing
AMIGA 2000and configuration
Amiga 1 MB Board/0K249.00
Amiga Genlock Interface249.00

ACCESSORIES

CompGuard Surge & Spike Protector....\$14.99
Curtis SP2 Surge & Spike Protector....39.99
Curtis Safe Strip with 6 Outlets........19.99
Curtis Universal Printer Stand.......14.99
Computer Specialties Power Plus......54.99
CB128 Universal Monitor Cable...........16.99

MONITORS

 COMMODORE

 Commodore 1802C
 \$199.00

 Commodore 1902
 299.00

 MAGNAVOX
 \$15 RGB/Composite
 289.00

 8502 Composite
 189.00

 8505 RGB/Composite
 199.00

 ZENITH
 ZVM 1220/1230
 (ea.) 99.99

 AMIGA
 1080 Hi-Res Color
 269.00

MODEMS



JUKI 5510C PRINTER \$349

EPSON LX-86, 120 cps.....\$199.00 FX-85, FX-286......Call EX-800, EX-1000.......Call HI80 4 Pen Plotter......359.00 Free book w/purchase HEWLETT PACKARD Think Jet.....399.00 6000 12 cps Daisywheel......189.00 6100 18 cps Daisywheel......369.00 6300 40 cps Daisywheel......649.00 OKIDATA Okimate 20 Color Printer......139.00 ML-182 120 cps Dot Matrix......239.00 ML-192 160 cps Dot Matrix......369.00 STAR MICRONICS NL-10 w/interface......Call NX-10 120 cps Dot Matrix......229.00 TOSHIBA P321 24 Wire 80 column.......479.00 P341 24 Wire 136 column......589.00

DRIVES

 COMMODORE

 Amiga 1010 3½"
 219.00

 Amiga 1020 5¼"
 189.00

 1541C
 179.00

 1571
 239.00

 CSI

 10 mb (64-128)
 1099.00

 MICROBOTICS
 20 mb Hard Drive (Amiga)
 1299.00

 XEBEC
 20 mb (Amiga)
 899.00

DISKETTES

MAXELL	
MD1-M SS/DD 51/4"	8.99
MD2-DM DS/DD 51/4"10	0.99
MD2-HDM 51/4" Hi Density2	1.99
MF1-DDM 31/2" SS/DD12	2.99
MF2-DDM 31/2" DS/DD2	1.99
SONY	
MD1D SS/DD 51/4"	7.99
MD2D DS/DD 51/4"	9.49
MD2HD 51/4" Hi Density20	0.49
MFD-IDD 31/2" SS/DD1	
MFD-2DD 31/2" DS/DD19	9.99
FLIP 'N FILE	
Micro (25) 31/2" (50) 51/4"	9.99
Mini XT 100 51/2" holder1!	9.99




Micro Systems UNGANIZE	*64**
ACTIVISION	
Borrowed Time	32.99
Hacker	32.99
COMMODORE	
Textcraft w/Graphic Craft	59.99
Lattice "C"	119.00
Assembler	79.99
Enhancer DOS 1.2	
DISCOVERY SOFTWARE	
Marauder Back-up	32.99
ELECTRONIC ARTS	
Deluxe Paint	69.99
Sky Fox	31.99
Seven Cities of Gold	31.99
Arctic Fox	31.99
Deluxe Print	74.99
Instant Music	34.99
Deluxe Video	69.99
HITCOCOLL	
Hitchhiker's Guide	31.99
MICRO ILLUSIONS	
MICRO ILLUSIONS Dynamic-Cad	349.00
MINDSCAPE	
Halley Project	31.99
Deja Vu	34.99
MICRO SYSTEMS Analyze Version 2.0	119.00
Scribble	64.99
On-Line/Comm	
SUBLOGIC	

V.I.P. Professional......139.00 C64/128 SOFTWARE

	COMMODORE	
	Jan-integrated (128)	.39.99
	Geos for 64, 64C, 128	49.99
1	BRODERBUND	
1	The Print Shop	.29.99
	Graphics Library 1,2,3(ea.)	
	The Toy Shop	39.99
	Print Shop Companion	24 99
1	PROFESSIONAL SOFTWARE	
1	Fleet Systems II C128/64	49 99
1	Fleet Systems III C128	49 99
1	Trivia Fever	19 99
	PFS	. 13.33
ı	File	20 00
ı	SUBLOGIC	.25.55
1		27.00
١	Flight Simulator	27.00
١	Jet Simulator Co4	.37.99







COMPUTER MAIL ORDER

In the U.S.A. and Canada

Flight Simulator II

V.I.P.

Call toll-free 1-800-233-8950

Outside the U.S.A. 717-327-9575 Telex 5106017898
Corporate and Educational Institutions call toll-free: 1-800-221-4283
CMO. 477 East Third Street, Dept. A405, Williamsport, PA 17701
All major credit cards accepted.

POLICY: Add 3%, minimum \$7.00 shipping and handling, Larger shipments may require additional charges. Personal & company checks require 3 weeks clearance. For faster delivery use your credit card or send cashier's check or bank money order. PA residents add 6% sales tax. Defective software will be replaced with same item only. All items subject to availability and price change. All sales final, returned shipments are subject to restocking fee.





COMMODORE® VICMODEM™

- Use with the Commodore® C64™, the SX-64 or the VIC-20 Computer.
- Bell 103 Compatible.
- Full Duplex; 300 Baud.
- Manual Dial Direct Connecting.
- FCC Registered.

This Modem is **LOW liquidation priced** because it was closed out by Commodore. Add it to your computer for access to timely financial information, news and reference libraries...as near as your phone! An affordable introduction to phone/computer services; and you can communicate with computer users who also own modems!

Use with data cassette (included), or with terminal program software, available at computer stores.

90-Day Limited Factory Warranty.

List \$59.00

Liquidation

\$19

Item H-2409



phone, 24 hours a day, 7 days a week.

Toll-Free: 1-800-328-0609

Sales outside the 48 contiguous states are subject to special conditions. Please call or write to inquire.

C.O.M.B. Direct Marketing Corp.

1405 Xenium Lane N/Minneapolis, MN 55441-4494 SendModem(s) Item H-2409-7041-072 at \$19 each, plus \$4 each for ship, handling. (Minnesota residents add
6% sales tax. Sorry, no C.O.D. orders.)
My check or money order is enclosed. (No delays in processing orders paid by check.)
PLEASE CHECK:
Acct NoExp/
PLEASE PRINT CLEARLY
Name
Address
City
State ZIP

COMBCOMBCOMB

Introducing

MAXI MATH I, II, & III

A COMPREHENSIVE ELEMENTARY SCHOOL MATH TEACHING SYSTEM IN THREE PROGRAMS ON ONE DISK

For Use On COMMODORE 64/128 COMPUTERS

INFINITE NUMBER OF PROBLEMS FOR KINDERGARTEN THROUGH 6TH GRADE

MAXI MATH is offered as an excellent training aid for parents and teachers in their efforts to prepare children for higher level mathematics.

Programs include:

2 beginner kindergarten counting programs Reading small numbers Reading large numbers Reading decimals

- 14 levels of addition including decimals
 - 5 levels of subtraction
- 12 levels of multiplication going through 3 digits times 3 digits decimal multiplication
- 10 levels of division going through decimal long division
- 10 types of common fractions plus decimal fractions
- 8 printer lessons that include 16 types and levels of math
- 5 percentage lessons including:
 Program to compute terms on loans and credit accounts
 Program to calculate investment return options

Instructions for working problems are part of computer programs. When an incorrect answer is given, **MAXI MATH** will show how to work out the complete problem.

MAXI MATH is also a very effective review method for high school students and adults who for some reason need to "brush up" on basic mathematics.

MAXI MATH I, II, III system \$29.95

Commodore 64/128 is a registered trademark of Commodore Business Machines. Inc.

plus \$3.00 shipping

MAXI MATH

6317 S. Chenot Dr. Amarillo, TX 79109-6511 Phone (806)354-0012

Check or money order. Checks allow 3 weeks to clear.

Software Discounters f America · Free shipping on orders over

Flight Simulator 2 (D) . \$32

For Orders Only-1-800-225-7638 \$100 in continental USA PA Orders-1-800-223-7784

No surcharge for VISA/MasterCard

Your card is not charged until we ship

Customer Service 412-361-5291

ABACUS SOFTWARE	AVALON HILL	Mind Mirror (D) \$9.88	HES	MISC	F.S. Scenery Disks Call
Assembler Monitor (D) \$25	Dr. Ruth (D)\$19	Movie Maker (D) \$9.88	Microsoft Multiplan (D) \$14	Celebrity Cookbook (D)\$19	Football (D)\$26
Basic (D) \$25	Super Sunday (D) \$21	M.U.L.E. (D) \$9.88	Project Space Station (D) \$19	CSM 1541	Jet (D) \$26
Basic 128 \$39	SBS 1985 Team Disk \$14	Music Const. Set (D) . \$9.88		Align Kit (D)\$29	TELARIUM
Cad Pak (U)	SBS Champs Disk \$14	One-on-One (D) \$9.88	HI-TECH EXPRESSIONS	Central Point—	
Cad Pak 128 \$39	Spitfire '40 (D) \$23	Pinball Const. Set (D) \$9.88	Award Ware (D) \$9.88	Copy 2 (D)\$23	Amazon (D) \$9.88 Dragon World (D) \$9.88
Chart Pak 128 \$25	Title Bout (D)\$19	Racing Dest. Set (D)\$9.88	Card Ware (D) \$6.88	Font Master 2 (D)\$33	Fahrenheit 451 (D) .\$9.88
Cobol (D)\$25	AVANTAGE	Seven Cities Gold (D) \$9.88	Heart Ware (D) \$6.88	Font Master 128 \$39	Perry Mason (D)\$9.88
Cobol 128 \$39	Desert Fox (D) \$9.88	Skyfox (D) \$9.88	Party Ware (D) \$9.88	Gato (D)\$16	Rendezvous (D) \$9.88
Forth (D)\$25	Deceptor (D) \$9.88	Super Boulder	INFOCOM	GEOS—Inside &	THUNDER MOUNTAIN
Power Plan (D) \$25	Power (D) \$9.88	Dash (D) \$9.88	Ballyhoo (D)\$25	Out (Book) \$15	
PPM (D)\$25	Spy vs. Spy 1 & 2 (D)\$9.88	Touchdown	Hitchhiker's Guide to	Snapshot 64 (R)\$39	Cyrus Chess (D)\$6.88
PPM 128 \$39	BATTERIES INCLUDED	Football (D) \$9.88	the Galaxy (D)\$23	Superbase 64 (D) \$47	Maxi Golf (D) \$6.88
Speed Term 64 or 128 \$25	Consultant (64 or 128) \$36	Ultimate Wizard (D) \$9.88	Hollywood Hijinx (D) \$25	Superbase 128 (D) \$59	Mr. Pixel's
Super C (D) \$39	Paperclip w/Spell (D) \$29	ELECTRONIC ARTS	Leather Goddesses \$23	Superscript 64 (D) \$33	Cartoon Kit (D) \$6.88
Super C 128 \$39	Paperclip II 128 \$49	Adv. Const. Set (D)\$26	Moonmist (D)\$23	Superscript 128 \$47	Rambo: First Blood
Super Pascal (D) \$39	BERKELEY SOFTWORKS	America's Cup	Trinity 128\$25	ORIGIN	Part II (D) \$6.88 The Eliminator (D) . \$6.88
Super Pascal 128 \$39	Geos 128 \$44	Sailing (D)\$23	Wishbringer (D)\$23	Autoduel (D)\$32	
ACCESS	Geos 64 (D)\$39	Arctic Fox (D)\$23	Zork 1 (D)\$23	Moeblus (D) \$26	Top Gun (D) \$6.88
Executive Leader Board	*Geo-Calc (D)\$33	Bard's Tale 1 (D) \$26	KONAMI	Ogre (D)\$26	TIMEWORKS
Tourn, Disk \$14	*Geos Desk Pak 1 (D) \$23	Bard's Tale 2: The	Jailbreak (D) \$19	Ultima 3 (D) \$32	Accts. Payable (D) \$33
L.B. Famous	*Geos Desk Pak 2 (D)Call	Destiny Knight (D) \$26	Yie Ar Kung Ful	Ultima 4 (D) \$39	Accts. Receivable (D) \$33
Course Disk \$14	*Geo-Dex (D) \$25	Battlefront (D)\$26	Rush 'N Attack (D) \$19	PROFESSIONAL	Data Manager 2 (D)\$25
Leader Board Golf (D) \$25	*Geo-File (D) \$33	Chessmaster 2000 (D) \$26	Yie Ar Kung Fu 2 (D) .\$19	Fleet Filer (D)\$25	Data Manager 128 \$43
Leader Board	*Geos Font Pak (D) . \$19	Lords of Conquest (D) . \$23	MASTERTRONIC	Fleet System 2 (D) \$39	General Ledger (D) \$33
Tourn. Disk #1 \$14	*Writer's Workshop(D) \$33	Make Your Own	Action Biker (D)\$6.88	Fleet System 3 128 . \$43	Inventory Mgmt (D) \$33
Robotics Workshop 119	*Geos 64 add-on	Murder Party (D)\$23	Bounder (D) \$6.88	Fleet System 4 128 . \$49	Partner 64 (R) \$39
Tenth Frame (D) \$25	programs only!	Marble Madness (D) .\$23	Captain Zap (D) \$6.88	RELEVANT	Partner 128 (R) \$43
Triple Pack: BH1, BH2, Raid	BRODERBUND	Pegasus (D) \$25	Electra Glide (D)\$6.88	Billboard Maker (D) \$25	Swiftcalc/Sideways(D) \$25
Over Moscow (D) \$14		Road to Moscow (D) .\$26	Infinity Machine (R) \$9.88	Icon Factory (D) \$25	Swiftcalc/
World Class Leader Board Call	Bank St. Series Call	Robot Pascals (D) \$26	5-A-Side Soccer (D) \$6.88	Photo Finish (D) \$19	Sideways 128 \$43
ACCOLADE	Carmen Sandlego: USA (D) \$25	Russia—The Great	Knight Games (D) \$6.88	SCARBOROUGH	Swiftax '86 \$33
		War (D) \$26	Last V-8 (D) \$6.88	Build A Book (D) \$16	Sylvia Porter's Personal
Ace of Aces (D) \$19	World (D) \$23	Scrabble (D) \$23	Magnum Joystick \$12	Mastertype (D) \$25	Fin. Planner (D) 64 \$33
Comics (D)\$25	Karateka (D) \$19	Star Fleet I (D)\$26	Master of Magic (D) \$6.88	SIMON & SCHUSTER	Sylvia Porter's Personal
Fight Night (D) \$19	Print Shop (D) \$26	World Tour Golf (D) \$25	Ninja (D) \$6.88	Chem. Lab (D)\$25	Fin. Planner 128 \$43
4th & Inches	P.S. Companion (D) \$23 P.S. Graphics Library	EPYX	Pro Golf (D) \$6.88	Great Int'l. Paper	Word Writer 3 (D) \$33
Football (D) \$19	#1, #2, or #3 \$16 Ea.	Ballblazer (D)\$9.88	Shogun (D) \$6.88	Airplane Const. (D) \$19	Word Writer 128 \$43
Hardball (D) \$19	P.S. Graphics Library	Barble (D) \$9.88	Speed King (D) \$6.88	Star Trek: Promethean	UNISON WORLD
Killed Until Dead (D) \$19	Holiday Edition \$16	Champ, Wrestling (D) \$23	The Slugger (D) \$6.88	Prophecy (D) \$19	Art Gallery 1 (D) \$16
PSI-5 Trading (D) \$19	Toy Shop (D) \$39	Create A Calendar (D) \$19	Vegas Poker &	Typing Tutor 3 (D) \$25	Art Gallery 2 (D) \$16
ACTION SOFT	CMS	Destroyer (D) \$23	Jackpot (D) \$6.88	SPRINGBOARD	Print Master Plus (D) . \$23
Thunder Chopper (D) \$19	CMS Accounting (D)\$119	Fast Load (R) \$23	MICROLEAGUE	Certificate Maker (D) \$33	VALUE TIME
Up Periscope! (D) \$19	CMS Acct. 128 \$119	Impossible Mission (D) \$9	Baseball (D)\$25	C.M. Library Vol. 1 \$23	Art Library 1 or 2 (D) \$6.88
ACTIVISION	CMS Inventory 128 \$49	Koronis Rift (D) \$9.88	Box Score Stats (D) \$16	Newsroom (D) \$33	Calendars &
Allens (D) \$23	Contract Con	Multiplan 128 \$25	General Manager (D) . \$25	N.R. Clip Art Vol. 1 (D)\$19	Stationery (D) \$6.88
Cross Country Road	DATA EAST	P.S. Graphics Scrapbook	1985 Team Data Disk \$14	N.R. Clip Art Vol. 2 (D)\$25	Greeting Cards (D) \$6.88
Race (D) \$19	Breakthru (D) \$23	#1: Sports (D) \$16	1986 Team Data Disk \$14	N.R. Clip Art Vol. 3 (D)\$19	Signs & Banners (D)\$6.88
Gamemaker (D) \$25	Commando (D) \$23	#2: Off the Wall (D) \$16	WWF Wrestling (D) \$25	Print Shop Graphics	WEEKLY READER
Gamemaker Library Disks	Express Raider(D) \$23	#3: School (D)\$16	MICROPROSE	Expander (D) \$23	Stickybear Series:
Sports \$14	Ikari Warriors (D) \$23	Rescue on	Acrojet (D)\$16	SSI SSI	ARC's (D)
Science Fiction \$14	Karate Champ (D) \$14	Fractalus (D) \$9.88 Street Sports:	Conflict in Viet Nam (D)\$25		ABC's (D) \$16 Math (D) \$16
Greeting Card Maker (D) \$23	Kung Fu Master (D) \$14	Baseball (D) Call	Crusade in Europe (D) \$25	Battle Cruiser (D) \$37 Battle Group (D) \$37	Math (D)\$16 Numbers (D)\$16
Hacker 2 (D) \$23	Tag Team Wrestling \$23	Basketball (D) Call	Decision in Desert (D)\$25	Battle of Antietam (D)\$33	Opposites (D) \$16
Little Computer People (D) \$23	DAVIDSON	Sub Battle (D) \$25	F-15 Strike Eagle (D) \$23	Colonial Conquest (D) \$25	Reading (D) \$16
	Algeblaster (D) \$33	Summer Games 2 (D) \$23	Gunship (D) \$23	Gettysburg (D)\$37	Shapes (D) \$16
	Math Blaster (D) \$33		Kennedy Approach (D)\$16	Kampfgruppe (D) \$37	Spellgrabber (D) \$16
Portal (D) \$25	Speed Reader II (D) \$33	Super Cycle (D) \$23	Silent Service (D) \$23	Mech Brigade (D) \$37	
Shanghai (D) \$23	Spell It (D) \$33	The Eidolon (D) \$9.88	Top Gunner (D) \$16	NAM (D) \$25	WINDHAM CLASSICS
Transformers (D) \$23	Word Attack (D) \$33	World Cames (D) \$17.95	MINDSCAPE	Phantasie (D) \$25	Alice in
Transformers (D) \$23 ARTWORX	ELECTRIC DREAMS	World Games (D) \$23 FIREBIRD	Bank St. Music	Phantasie 2 (D) \$25	Wonderland (D) \$6.88
A STATE OF THE PARTY OF THE PAR	Rocky Horror Show (D) \$14	CONTRACTOR OF THE PARTY OF THE	Writer (D) \$9.88	Rings of Zilfin (D) \$25	Below the Root (D) . \$6.88
Beach Blanket	Spindizzy (D) \$9.88	Elite (D) \$19	Bop & Wrestle (D) \$19	Roadwar 2000 (D) \$25	Swiss Family
Volleyball (D) \$9.88	Titanic Recovery	Golden Path (D) Call	Crossword Magic (D) \$33	Shard of Spring (D) \$25	Robinson (D) \$6.88
Bridge 4.0 (D) \$16	Mission (D) \$14	Guild of Thieves (D) Call	Fairlight (D) \$19	War Game Construc-	Treasure Island (D) \$6.88
Equestrian Show	Zoids (D) \$9.88	Starglider (D) \$25	Fist (D) \$19	tion Set (D) \$19	Wizard of Oz (D) \$6.88
Jumper (D) \$9.88		Talking Teacher (D) \$25	High Roller (D) \$19	War in the South	ACCESSORIES
Highland Games (D) \$9.88	ELECTRONIC ARTS	The Pawn (D) \$25	Indoor Sports (D) \$19	Pacific (D) \$37	Bonus SS, DD . \$5.99 Bx
Hole in One + 6 (D) \$9.88	Software Classic Series:	Tracker (D) \$25	Infiltrator (D) \$19	Warship (D) \$37	Bonus DS, DD \$6.99 Bx
International Hockey (D)\$16	Archon (D) \$9.88	GAMESTAR	Parallax (D) \$19	Wizard's Crown (D) \$25	Compuserve Starter Kit
Police Cadet (D) \$9.88	Archon 2: Adept (D) \$9.88	Champ. Baseball (D) \$23	Perfect Score SAT (D)\$44	SOFTSYNC	(a \$25 usage Credit) . \$19
Strip Poker (D) \$21	Financial	Champ. Basketball (D) \$23	The American Challenge		Disk Case (Holds 75). \$9
Data Disk #1 Female \$14	Cookbook (D) \$9.88	Star Rank Boxing (D) \$19	Sailing Simulation(D) \$19	Personal	Disk Drive Cleaner \$9
Data Disk #2 Male \$14 Data Disk #3 Female \$14	Heart of Africa (D) \$9.88	GFL Championship	Trail Blazer (D) \$19	Accountant(D) \$23	Epyx 500XJ Joystick \$14
				SUBLOGIC	Wine Dat Handle CAT
Thai Boxing (D) \$9.88	Mail Order Monsters (D) \$9.88	Football (D) \$23 On-Court Tennis (D) \$19	Uchi Mata (D) \$19 Uridium (D) \$19	Baseball (D) \$32	Wico Bat Handle \$17 Wico Boss \$12

P.O. BOX 111327—DEPT. CG—BLAWNOX, PA 15238

Please Read The Following Ordering Terms & Conditions Carefully Before Placing Your Order: Orders with cashlers check or money order shipped immediately on in stock items. Personal & Company checks, allow 3 weeks clearance. No C.O.D.'s! Shipping: Continental U.S.A.—Orders under \$100 add \$3; free shipping on orders over \$100. AK. HI. FPO. APO—add \$5 on all orders. Canada & Puerto Rico—add \$10 on all orders. Sorry, no other international orders accepted! PA residents add 5% sales tax on the total amount of order including shipping charges! REASONS FOR CALLING CUSTOMER SERVICE—412:361-5291 (1) Status of order or back order (2) If any merchandise purchased within 60 days from S.D. of A. is defective, please call for a return authorization number. Defective merchandise will be replaced with the same merchandise only. Other returns subject to a 15% restocking charge. After 60 days please refer to the manufacturers warranty included with the merchandise & return directly to the manufacturer. Customer service will not accept collect calls or calls on S.D. OF A.'s 800s order lines! Have you seen our on line catalog of 1000 software titles for Commodore, Afair, Apple, IBM and Amiga? It's on Compuserve's Electronic Mall—just type GO SDA and shopping for software will never be the same again! HOURS: Mon.-Fri. 9AM:5:30 PM, Sat. 10AM:4PM Eastern Time. Because this ad had to be written 2-3 mos. before it was published, prices & availability are subject to change!

UNIVERSAL RS-232 INTERFACE

with Commodore User Port expansion.ONLY \$39.95 + shipping

Now you can connect and communicate with any of the popular RS-232 peripherals using your Commodore User Port. You can even connect more than one and leave it permanently attached. This superb expander opens a whole new world to your Commodore computer's capabilities. You can now connect to printers, modems and any other RS-232 devices. If you already have a device that connects



to the User Port, don't worry because the port is duplicated on the outside edge of the interface. Simply plug it in and turn on the device you want to communicate with. Comes complete with sample driver program listings. Compatible with all Commodore home computers with a user port. 1-year warranty. Order #5232.

Aprospand-64 TM Gives your Commodore 64 or 128 full expandability! This superbly designed expansion module plugs into the expansion port & gives you 4 switchable (singly or in any combination) expansion connectors —plus fuse protection—plus a reset button! Before you buy an expander, be sure that it has a fuse to protect your computer and that you can activate your cartridges in any combination allowed by the cartridges.





Order # 5064

NOW ONLY \$29.95 + shipping

NEW! "EXTENDER-64" allows you to place your Aprospand-64 (or any other cartridge expander) in a more convenient location. This device is a 10" section of ribbon cable with male and female connectors that allows you to place your cartridges to the side of, rather than in back of, your computer. This puts your cartridges and switches within easy reach.

\$19.95 shipping. Order #5065

Commodore Interfaces and Cables

Cardprint G-WIZ Printer Interface #1	
Commodore Serial Extension Cable	\$\$Call
Amiga Printer Cable (6 ft) #3040-6M	F\$17.95
Amiga Printer Cable (10 ft) #3040-10	
Commodore 6 Pin Serial Cable (5 ft)	
Commodore 6 Pin Serial Cable (8 ft)	#3006-8MM\$ 8.95
Shipping per above items: \$3. Cont. US	\$6. CAN,PR,HI,AK,APO,UPS Blue

PRINTERS	Price & Shipping
Aprotek Daisy 1120, 20 CPS, Order #1120 Auto Cut-Sheet Feeder, Order #1110	\$279.95 + \$11.00 \$185.00 + \$7.00
Tractor Feed, Order #1112	\$ 75.00 + \$5.00

SEIKOSHA

SP-1000VC (C-64) Order#2200	\$163.95 + \$10.00
SP-1000 Apple IIc, Mac Order #2300	
SP-1000 IBM Order #2100	
SP-1000 Serial Order #2500	\$184.95 + \$10.00
SP-1200Al Order #2600	\$199.95 + \$10.00
MP-1300AI 300 CPS, #2700	\$449.95 + \$12.00
MP-1300 Color Kit Order #2705	
BP-5420 420 CPS Order #2800	\$949.95 + \$27.00

ORDER INFORMATION California residents add 6% tax. All prices are cash prices-VISA and MC add 3% to total. We ship the next business day on money orders, cashier's checks, and charge cards. A 14-day clearing period is required for checks. Prices subject to change— CALL. Dealer inquiries invited.

For information and in Calif. call 805/987-2454 TO ORDER CALL TOLL FREE

1 (800) 962-5800

(7-7 PST)

Or send order to



1071-A Avenida Acaso Camarillo, CA 93010

Dept CG

NO INTERFACE IS EASIER TO USE

- · Control lights, appliances, heating and cooling systems, relays, motors and virtually any electrical device.
- · Connect to temperature, light, sound, moisture, fluid level and pressure sensors.
- 32 separate buffered digital output lines.
- · 32 separate digital input lines.

BH100 1/0 Card User Manual, instructions. sample programs & diagrams of typical hookups.

\$129

8 Channel A/D Plug-in Conversion Module \$45

Fast 8 bit 0-5V A/D converter.

Complete I/O Course Includes BH100, Beginner's Module, Course Manual and User Manual. \$159

Security System Module

With siren, switches and software.

Beginner's I/O Interface Course Manual

\$15 Manual used in above Course.

Beginner's Module

With 8 LEDs, 8 switches and 1 relay. Requires the BH100.

INTELLIGENT 1/0

P.O. BOX 70 • POTSDAM, NY 13676



(315) 265-6350



Call for free brochure today!

We ship within 48 hours Add \$4 for postage and specify C-64 or VIC-20



Use your Commodore 64/128 to improve your performance at the track! Programs for Thoroughbred, Harness and Greyhound racing rank the horses or dogs in each race quickly and easily. All the information is readily available from the Racing Form, harness or dog track program.

Thoroughbred factors include speed, distance, past performance, weight, class, jockey's record, beaten favorite and post position. Harness factors include speed, post position, driver's record, breaking tendencies, class, parked-out signs and beaten favorite. Greyhound factors include speed, past performance, maneuvering ability, favorite box, class, kennel record, beaten favorite and breaking ability.

Complete instructions and wagering guide included. Thoroughbred, Harness or Greyhound Handicappers, \$39.95 each on tape or disk. Any two for \$59.95 or all three for \$79.95.



Federal Hill Software 8134 Scotts Level Rd. Baltimore, MD 21208



Toll Free Orders 800-628-2828 Ext. 850 For Information 301-521-4886

115 Nassau St. Between Beekman & Ann Sts. N.Y., N.Y. 10038 (212) 732-4500 open Mon-Fri: 8:30am - 6:30pm Sat: 9:30am - 6pm Sun: 9:30am - 5:30pm

Penn Station/Amtrack Level Beneath Madison Sq. Garden, N.Y., N.Y. 10001 (212) 594-7140 open Mon-Fri: 8:30am - 8pm Sat. & Sun: 9:30am - 7pm

PHONE and MAIL ORDERS ONLY (212) 732-4500 To VISA Call Collect

ALL COMPUTERS & PERIPHERALS COME COMPLETE WITH AC ADAPTOR, OWNER'S MANUAL AND ALL CONNECTING CABLES.


ALL MERCHANDISE IS BRAND NEW AND FACTORY FRESH, COMPLETE WITH MFR. U.S.A. WARRANTY.

commodore C 128

128 K RAM Powered Personal Computer

commodore (540

64 K RAM Powered **Home Computer**



CK 1541C

NEW Disk Drive \$16995

1541

Disk Drive \$14995

1571 Disk Drive \$21995

commodore

COMPUTER PACKAGES
Get it all together & save!

COLOR CE BAC PACKAGE



- Commodore 64C Computer
- Commodore 1541 Disk Drive
- Commodore Color Printer
- Color Monitor

With Geos Program!

\$54995

COMPLETE C= 640 PACKAGE




- Commodore 64C Computer
- · Commodore 1541 Disk Drive
- Commodore Color Printer
- · 12" Computer Monitor

\$39995

C= 128 COMPLETE



- Commodore 128 Computer
- Commodore 1541 Disk Drive
- 12" Computer Monitor
- Commodore Color Printer



DELUXE C= 128 PACKAGE



- Commodore 128 Computer
- Commodore 1571 Disk Drive
- Commodore 1902 Color Monitor
- Commodore 80 Column Printer



\$**759**95

NEW!

PERIPHERALS



1660 Phone Modem

\$3995

Cx 1670 Automodem.....\$119.95

Cx 1350" "Mouse" for any Commodore Computer

€ 1700 128 K Expansion Module . .



1750 512 K Expansion Module. \$169 "MAGIC VOICE" Module . . . \$49.95

\$18995

C 1802 Color Computer Monitor

C= 1902 RGB Color Monitor **\$249**95

ATARI 1040 COLOR SYSTEM

-1040 Keyboard w/Built-in Disk Drive Atari Color Monitor AC Adaptors All Hook-up Cables - 10 Diskettes & Box Game Cartridge Owners





BLUE CHIP IBM® PC COMPATIBLE

- 512K Ram Expandable to 640K • 6 Expansion Slots
- · Optional 20MB Hard Drive
- Blue Chip Keyboard
 Disk Drive
 12" Computer Monitor

\$74995

COMPUTER PRINTERS



Commodore MPS-803C PRINTER

NEWCommodore TU-803 Tractor \$13095 for Printer \$34.95



COMPUTER PRINTERS



\$18995

Daisy Wheel Letter Quality \$19995 STAR POWER TYPE

STAR NX-10 Printer.....\$199



FPSON HOMEWRITER 10 \$16995



OKIDATA 120 PRINTER \$10095



OKIMATE 20 with

Plug 'n' Print \$18095

UTILITIES UNLIMITED

P.O. BOX 422 **BRUSH PRAIRIE, WA 98606** Orders Shipped in 2 to 7 working days (206) 254-6530



C.O.D. orders accepted 24 hrs.



PARAMETERS R' US (100 pack)

The Newest and Most Effective Parameter Copier to date, is now ready for shipping. Parameters R' Us, will ELIMINATE all the protection of the most popular and most protected software available for the C-64/128. Parameters R' Us is completely menu driven and easy to use by anyone.

FEATURES INCLUDE: works in seconds, eliminates protection, menu driven, works on 1541 and the 1571, copies made are fully compatible with 3rd party drives, and updated every 2 months. Now available for the Atari ST \$24.95.

PARAMETERS R' US (10 pack)

The 10 pack is for those that can't wait 2 months for the next release of the next (100 pack). This package will be released every 1 to 2 weeks and will include those titles that were just released.

\$9.99

PARAMETERS R' US (GEOS pack)

This Parameter disk was designed just for GEOS and all its Utility packages. Not only will it eliminate the protection, but will also allow use of GEOS UTILITIES (desk pack, writers workshop, geo dex) with any GEOS that has been FIXED with this set of parameters.

\$9.99

PARAMETER KRUNCHER

Takes the protection out of Keymaster keys and Fast Hackem parameters and allows you to compile 600 keys and/or parameters on a disk.

LOCK PIK C64/128 (The Book)

Lock Pk 64/128 was put together by Utilities Unitd. as a tool for those who have a desire to find out how the heavy Hackers do it. This package includes:

- 1. Lock Pik book that gives you step by step instructions on BREAKING or backing up over 100 popular programs using Hesmon and Superedit. The instructions are so clear and precise that anyone can use it.
- 2. Lock Pick disk has Hesmon 64, Superedit, Disk Compare, Kernal Save, I/O Save, and Disk File log with detailed instructions on how to use these programs all on 1 disk.
- 3. We also have a limited supply of Hesmon cartridges that will be given out free while supply lasts.
- I think you will agree this is the best buy to come along in a long time, you get it all for \$29.99.

FACTORY AUTHORIZED

COMMODORE REPAIR CENTER

1-800-772-7289

IN ILLINOIS (312) 879-2888

C64 Repair (pcb only) . 42.95* AMIGA Repair CALL 1541 Repair 79.95* Other CBM Equip. . CALL C64 Power Supply . 34.95 1541 Permanent Alignment 29.95* **CBM & AMIGA PARTS**

C128 Repair (pcb only) . 79.95* Call (312) 879-2350

*Includes parts, labor & UPS return shipping. APO/FPO or Air Freight add \$10.00

CALL BEFORE SHIPPING, VISA, MASTERCARD OR MONEY ORDER 24-48 Hrs. Turnaround (Subject to parts availability) Diagnosis fee of \$25.00 for any unit altered or with no defects.

SAVE YOURSELF SOME MONEY


Due to our vast experience in repairing 64s we have found that the power supply is a major cause of board failures. By inserting our device between the power supply and computer over 63% of our customer's repairs would have been avoided. For only \$19.95 our Over Voltage Sensor will continuously monitor your power supply output. If an overvoltage occurs the Over Voltage Sensor will prevent damage to your 64.

> 64 OVER VOLTAGE SENSOR \$19.95 (Plus \$3.00 Shipping/Handling)

TEKTONICS PLUS, INC. 150 HOUSTON STREET BATAVIA, IL 60510

CLIP AND SAVE

Commodore Compatible and only. . . \$149.00



FSD-1 51/4"Disk Drive Directly replaces the Commodore 1541 disk drive.

The FSD-1 Disk Drive is a versatile and efficient disk drive built for the Commodore series of personal computers. This disk drive is fully compatible with the Commodore 64® computer and directly replaces the Commodore 1541 Disk Drive.

Special Features

- · Runs all C-64 commercial software
- · Ready to run right from the box
- · Full 6 month warranty
- Heavy duty construction
 Vented metal chassis
 Built especially for C-64 users

To Order call toll free 1-800-356-5178

COMMODORE 64 is a registered trademark of Com Electronics, Ltd.

Visa & MasterCard welcome. Credit card orders shipped in 24 hrs. Allow \$12.00 shipping and handling. Send mail order with payment to:



Emerald Component International Dept. S 541 Willamette Street Eugene, OR 97401 Tel. 503-683-1154

Commodore Product Potpourri

Hardware, Software & Firmware for your C-64, C-64C, C-128, AMIGA

256-K AMIGA™ MEMORY

It all began 9 years ago when Commodore produced a wondrous PET Computer with 8 Kbytes of memory. Skyles Electric Works then offered to double the PET memory with an 8 Kbyte memory addition.

History repeats itself 8 years later. At 1/3 the price of the original PET memory expansion, Skyles Electric Works now offers 32 times the memory. That's right!! 256 Kbytes of AMIGA memory expansion for only \$79.95*.

Buy your 256 Kbyte AMIGA memory expansion from Skyles Electric Works at the lowest price from the most reliable and most proven Commodore expansion memory builder in the world.

256-K Memory for AMIGA \$79.95*

A panoramic passel of pelucid paragraphs presented by a premier purveyor

MEGABYTES for AMIGA

Available now from Skyles Electric Works. We had so much fun developing the 256-K Memory for Amiga that we decided to offer ½ Mbyte, 1 Mbyte, and 2 Mbyte, Memories for Amiga. Consider, 524,288, 1,048,576 or 2,097,152 bytes of memory designed to plug directly into the right side of the Amiga. ½, and 1 Megabyte memory boards offer full 86 pin pass-thru. All with Addmem or Auto-config on turn on. We searched America for the best Amiga Memory and found it.

½ Megabyte Amiga Memory ... \$349.95*
1 Megabyte Amiga Memory ... \$449.95*
2 Megabyte Amiga Memory ... \$549.95*

MIDI for AMIGA

CLOCK for AMIGA

We Were Shocked When We Discovered that the otherwise friendly Amiga "would not even give us the time of day". We immediately set about fixing the problem with Clock for Amiga. No longer is it necessary to set the clock via Preferences. With Clock for Amiga you can have the time of day set automatically each time you turn on your Amiga. Clock for Amiga is a small cartridge that plugs onto the joystick port on the right side of your Amiga. Clock for Amiga runs for two years even if your Amiga is turned off. Get Clock for Amiga today and let your Amiga be an amiga. Clock for Amiga . \$59.95*

2 for 1 MONITOR CABLE/C-128

The 2 for 1 Monitor Cable allows all composite video monitors to be used with the Commodore 128 in all modes of operation. Don't throw out your present green or amber monitor, buy a 2 for 1 Monitor Cable.

2 for 1 Monitor Cable for C-128 . . \$24.95*



Skyles Electric Works

1541 FLASH!

The new Skyles Electric Works 1541 FLASH! loads programs and files to your Commodore 64/64C or Commodore 128 (64 mode) three times faster than an unenhanced Commodore 1541 disk drive. 1541 FLASH! saves programs 20 to 50 percent faster. 1541 FLASH! formats a diskette in 25 seconds, a real flash. The 1541 FLASH! is a permanent hardware

The 1541 FLASH! is a permanent naroware installation in your Commodore 64/64C and Commodore 128 (64 mode) and 1541 disk drive. No programs to load, no cartridge hassles.

We have special versions of the 1541 FLASH! for the SX-64 and two 1541s.

In addition to its blinding speed of program and file loading, the 1541 FLASH! adds over 50 extra commands for the Commodore 64/64C/128 user. These include a built-in DOS/Wedge, Easy Editor, and FLASHMON! machine language monitor.

1541 FLASH! C-64/C-64C & 1541	. \$69.95*
1541 FLASH! C-64/C-64C &	
two 1541s	\$109.95*
C-128 FLASH! C-128 & 1541	. \$79.95*
C-128 FLASH! C-128 &	
two 1541s	. \$119.95*
SX-64 FLASH! SX-64 & 1541	. \$69.95*
SX-64 FLASH! SX-64 &	
two 1541s	\$109.95*

A powerful panoply of pertinent, potent, peripheral products

QUICKSILVER 128

QUICKSILVER 128 our premier IEEE-488
Interface for the Commodore 128 is now in stock and even better than we had planned.
Quicksilver 128 offers an IEEE Interface for the Commodore 128 in the C-128 mode (40 or 80 columns) and in the C-64 mode as well.
QUICKSILVER 128 will inter-connect your Commodore 128 to Commodore SFD 1001, 2031, 2040, 3040, 4040, 8050, 8250, 9060, 9090 Disk Drives, and 2022, 2023, 4022, 4023 and 8023 Printers.

QUICKSILVER 128 C-128 \$119.95*

A priceless programmers pallett of practical products and programs

IEEE Flash! 64

IEEE Flash! 64 our premier IEEE-488
Interface for the Commodore 64 is now in stock and even more transparent (program compatible) than QUICKSILVER 64. IEEE Flash! 64 will inter-connect your Commodore 64 to Commodore SFD 1001, 2031, 2040, 3040, 4040, 8050, 8250, 9060, and 9090 Disk Drives, and 2022, 2023, 4022, 4023, and 8023 Printers

IEEE Flash! 64 C-64/C-64C \$99.95*

2+1,4+1 CARTRIDGE EXPANSION

Our 2+1 Cartridge Expansion gives you 2 vertical and 1 horizontal fully switchable cartridge ports. Our 4+1 Cartridge Expansion gives you 4 vertical and 1 horizontal fully switchable cartridge ports.

2+1 Cartridge Exp. C-64/C-64C or C-128 \$39.95* 4+1 Cartridge Exp. C-64/C-64C or C-128 \$69.95*

DRUM MACHINE

Rhythm King is a drum machine for the C-64 and C-128. Rhythm King is a disk and an audio output cartridge that plugs into your C-64 or C-128. Rhythm King has 8 different percussion sounds built-in and Rhythm King will play up to 3 drums at a time. You may write "patterns" of up to 24 bars, with up to 32 notes per bar, with up to 64 steps per note. Up to 64 different patterns may be linked together into a "song", with up to 255 repeats per pattern. Songs may be linked together to form "Megasongs" of up to 255 pattern steps.

RHYTHM KING 128 C-128 \$89.95* RHYTHM KING 64 C-64 \$89.95*

Prevent and preclude premature pratfalls, by perplexed programming postulants

BASIC PROGRAM COMPILER

BLITZ! is the fastest, easiest to use, most popular, BASIC program compiler available for the Commodore 128, C-64, and C-64C. Your BLITZ! compiled programs will run from 5 to 20 times faster after you BLITZ! them. BLITZ! translates and reduces your BASIC programs in to a much, much faster code.

BASIC PROGRAMMING AID

VICTREE is a BASIC programming aid cartridge for the VIC-20 and C-64/C-64C computer.
VICTREE adds 42 extra commands for BASIC programming ease and full DOS control.
VICTREE commands include CHAIN, EXECUTE, MERGE, SEND, USE, CONCAT, DOPEN, DCLOSE, RECORD, HEADER, COLLECT, BACKUP, COPY, APPEND, DSAVE, DLOAD, DIRECTORY, RENAME, SCRATCH, CATALOG, INITIALIZE, AUTO, DELETE, RENUMBER, MERGE, LCOPY, LMOVE, PRINT USING, FIND, CHANGE, PAGE, HELP, DUMP, and TRACE.

VICTREE 64 Cartridge, C-64/C-64C . \$49.95* VICTREE 20 Cartridge, VIC-20 \$49.95*

ASSEMBLER CARTRIDGE

If your C-64 programming needs have extended beyond BASIC, Skyles Electric Works now offers MIKRO, a machine language assembler cartridge for the Commodore 64/64C. The MIKRO cartridge contains everything you need for machine language programming.

MIKRO Cartridge, C-64/C-64C \$49.95*

The periodically puzzling, precarious, path to perspicacious program perfection and prowess

FAMILY TREE

Truly a program for the whole family, your wife's family, your parent's family, grandparent's family, and as many generations back as you wish. FAMILY TREE is the best genealogy program for the C-64/C-64Cor C-128. Features unlimited genealogies, 4, 5, 6, generation pedigrees, family record sheet and much more.

*There is an additional \$4.50 U.S. and Canada, \$15.00 Europe and Asia, shipping charge per order. California residents add sales tax.


TO ORDER: Call 1-800-227-9998 or 1-415-965-1735 (CA) or write to: **For More Information:** Send Stamped Self Addressed Envelope to:

231-E South Whisman Road, Mountain View, CA 94041

TWO GREAT MUSIC PROGRAMS

from TCO SOFTWARE

The EUPHONY™ series music programs play pieces up to 50 minutes long with every note shown simultaneously on the music staff and keyboard. Notes change color as they are played. Play any portion, change instruments, key and tempo to suit your taste. Select from 9 instruments or create your own with the full power of the Commodore™ sound chip. Music can be programmed to play for hours at a time. Each program comes with Euphony Music Collections 1, 2 and 3. Music Collection 4 is available separately.



What our customers say about Euphony "Best on the market!" -S.V. Newark, NJ "Best on the market!" -P.G., Niles, IL

"Superb! Great! Beautiful!" -C.H., Coral Gables, FL "Thank you so much for such an excellent product! It's tremendous!" -L.L., Rocksprings, TX

"Delighted with (Euphony)...It is the best and simplest music software I have yet come across" -M.L., Castle Cove. Australia "Thoroughly enjoyed it... Excellent manual... Euphony caused me to completely reassess the ability of the C-64...Fantastic for serious music listeners, students, programmers" -M.C., Los

"Best combination of ease-of-use and versatility. I've seen yet...Way above anything else" -D.T., Juneau, AK "It's a great program. Hove it" -C.L., Parsippany, NJ

Altos, CA

"I love your program! Am spreading the word" -M.H. Baltimore, MD "Euphony+ is the best music program I've seen for the Commodore I really enjoy the flexibility it gives you in transcribing music" -M.Z. Peru IN

"I'm delighted with the Euphony Jr. and Music Collection 3--truly amazing. A superb job you've done" -B.G., Barrie, Ont. "I have enjoyed it immensely! You have done a great job!" -T.E., Rome, GA

"I can't tell you how wonderful the music is" -M.F. Ottawa, Ont. "I love it. Of the various music programs I have, yours is the most complete and the easiest to use. It has many features not found on other programs" -J.J., N. Highlands, CA

"Euphony is the best music program I've had" -R.C., Ingalls, KS \$19.95 plus \$2.00 shipping EUPHONY JR.

3 hours of virtuoso performances. contains many complete works, including Beethoven's Waldstein sonata, several Mozart sonatas, Bach's Brandenburg Concerto No. 3 and Fugue in D minor, Chopin's Fantaisie Impromptu, Handel's Messiah, plus pieces by Debussey, Couperin, Albeniz; popular pieces, hymns and more. Two-disk set plus 20-page manual.

EUPHONY VERSION 3.0. \$39.95 plus \$2.00 shipping

Our powerful music processor with many new features and an expanded 3-hour music collection (same as Euphony Jr's). Create and edit long and complex pieces of music. Use dotted 32nd notes, triplets, legato/staccato, repeats, etc. Full screen editing of music code, automatic error detection and more! Two disk set plus 44-page manual

EUPHONY+ Same as Euphony ver. 3.0 plus prints music scores on EpsonTm and Star MicronicsTm printers. \$44.95 page \$2.00 shipping

MUSIC COLLECTION 4. Over 60 minutes of additional music for Euphony or Euphony Jr. Moonlight sonata, Bach bourses, more eces by Mozart, Schumann, etc. \$7.50 + \$1 shipping.

FOR COMMODORE 64 AND 128 COMPUTERS

15-DAY MONEYBACK GUARANTEE


VISA, MASTERCARD accepted. All orders shipped imme first class mail. COD and overseas orders please add \$2.00

TCO SOFTWARE

Dept. B, P.O. Box 81504, Fairbanks, AK 99708 907-479-4898

"I Saved Time & Money with PHYSICAL EXAM"

Disk drive read errors are a frustrating waste of time! I use a data base to keep records for our club. Last week I experienced read errors on my disk drive. Luckily I have a 1541 Physical Exam program. The alignment test confirmed what I had suspected, my drive was out of alignment. I am happy to report I aligned my drive MYSELF. I avoided the wait for repair and paid a fraction of the cost.



Package includes: • True digital alignment disk with offset tracks. Mechanical Stop Test
 Speed Test
 Illustrated manual with instructions for performing alignment, adjusting speed and stop position. Print test results for future reference.

Physical Exam is available for these drives: 1541, 1571, 8050, 8250, 4040, SFD 1001. Please Specify Drive! \$39.95 EA. + SHIP.

See Reviews in: Run Special Issue #3, 1/87, p.83; Info #11, Aug/Sept 86, p.46 Mid-

nite Gazette, April 1986, p. 19. Cardinal Software

14840 Build America Dr. Woodbridge, VA 22191 Info: (703) 491-6494

Order Toll Free 10 - 4 MON-SAT

800 762-5645

OMMODORE

COMMODORE CHIPS

For VIC-20, C-64 & C-128 Personal Comput



Part No.	Price	Part No.	Price	Part No.	Price
WD1770 Disk Controller. SI-3052P SV Positive Woltage Reg. 2A. 6502 MPU w/Internal Clock. 6504 CPU. 6507 CPU. 6510 CPU. 6520 PIA. 6522 VIA. 6522 VIA. 6526 CIA. 6529 SPI. 6532 128x8 RAM, I/O, Tim Ar. 6545-1 CRTC.	5.95 . 2.25 . 1.95 . 4.95 . 1.75 . 1.75 . 2.95 . 7.95 . 14.95 . 4.95	6551 ACIA. 6560 VIC-I. 6567 VIC-II. 6569 VIC PAL-N. 6572 VIC PAL-N. 6581 SID. 8360 Text Editing 8501 MPU. 8502 MPU. 8563 CRT Cont. 8566 VIC PAL. 8701 Clock Chip 8721 PLA.	3.29 10.95 14.95 14.95 14.95 10.95 10.95 7.95 15.95 15.95 29.95 9.95	8722 MMU. *251104-04 Kernal ROM. 318018-03 Basic ROM-C128. 318019-03 Basic ROM-C128. 318020-04 Kernal ROM-C128. 325302-01 64K ROM for 1540/1541 Drive. *325572-01 Logic Array. *825100PLA (906114-01)* 901225-01 Char. ROM. 901225-01 BASIC ROM. 901227-03 Kernal ROM. 901229-05 Upgrade ROM (For 1541 Disk Drive). *No specs. available *Note: 825100PLA = U17 (C-64)	9.95 10.95 15.95 15.95 15.95 13.95 11.95 11.95 11.95



RS232 Adapter for VIC-20, C-64 and C-128

JE232CM allows connection of std. serial RS232 printers, modems, etc. to your VIC-20, C-64 (excl. SX-64 Portable), and C-128. Operation with the C-128 in 64 mode only.

JE232CM.....



External Power Supply for C-64

 Input: 117VAC @ 60Hz
 Output: 5VDC @ 3A, 10
VAC @ 250mA - Short circ.
protected - Transient spike suppression on 2 aux. 110 VAC sockets • 1 year warr.

CPS-10. . .

300 Baud Modem for VIC-20 & C-64

 Connects directly to User Port • Manual Answer/Dial
 Function keys defined for convenience · Includes Midwest Micro Associates communication software.



External Power

Supply for C-128 Input: 117VAC @ 60Hz
Output: 5VDC @ 6A, 10VAC
@ 2A · Short circ, protected
Transient spike suppression on 3 auxilliary 110VAC
sockets · 1 year warranty



CPS-128.....

.. \$59.95

Spec Sheets - 50¢ each Send \$1,00 Postage for y FREE 1987 JAMECO CATALOG Prices Subject to Change

VISA

\$20.00 Minimum Order — U.S. Funds Only CA Residents Add 6%, 61/2% or 7% Sales Tax Shipping — Add 5% plus \$1.50 Insurance Send S.A.S.E. for Sales Flyer!



ELECTRONICS 1355 SHOREWAY ROAD, BELMONT, CA 94002 Phone Orders Welcome (415) 592-8097 Telex: 176043

ameco

Sensational Prices! . . On Our Most Popular Items!

from micro lat ...

Are you paying too much for diskettes? Try our first quality, prime, 51/4" diskettes (no rejects, no seconds) at these fantastic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; including diskettes in sleeves, labels, and write-protect tabs.

Each diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a problem, we'll replace the diskette). All diskettes include hub reinforcement rings and write-protect notch.

All diskettes are double density and work in either single or double density drives.

SS, DD Diskettes, Box of 50

\$19.50-39¢ ea.!

DS, DD Diskettes, Box of 50

\$24.50-49¢ ea.!

POWER and PROTECTION

FOR YOUR C-64!®

POW'R PAK 64 . . .

from MicroPal®

Pow'r Pak is a replacement power supply (1.5 amp) for the Commodore 64® . . . but that's not all! Pow'r Pak also supplies two additional surge protected outlets (120V) for monitor, disk drive, or other peripherals. On/off switch. Fuse protection. Sturdy all-metal casing is ventilated for heat dissipation. Full 1 year warranty.

34910

\$49.95

Lowest Cost, **Best Performing Star Printer Ever!!**

NP-10. Ideal for school and home use, the newest printer in the Star line promises to be a best-seller due to its great features and unbeatable price! You get superb draft printing at 100 cps and its easy to switch to crisp, precise near letter quality at 25 cps. Easy front panel operation allows you to change modes at the simple touch of a

button. Tractor and friction feeds standard. Printing is bidirectional in draft mode and unidirectional in bit image and NLQ modes. Five character sets are available in draft mode including italic and international characters, with three sets available in NLQ. 2K buffer. Standard parallel interface. Full one-year warranty. Sug. Retail \$279.00

64204 NP-10 Printer

SCALL FOR LOWEST PRICE!

* THE BEST PRICES *

* THE BEST SERVICE * WHY SHOP ANYWHERE ELSE?

THE FAMOUS SLIK STIK™

The Slik Stik™ has been a favorite for years... and for good reason. It's just the right combination of responsiveness and accuracy. And the price can't be beat! From Suncom. 90 day warranty. Connects directly to Commodore Computers.





Space Saving Printer Stand

At last a printer stand priced for homes and small offices! This great stand from Suncom is elevated so you can place your paper underneath. Features heavy duty welded steel wire construction and has a vinyl coating to reduce noise and vibration. Another plus. .. the printer is held at an angle that makes it much easier to see your output as it is being printed. Available in two widths; 112" for most 80 column printers, and 18" for most 132 column printers.

32322 12" Printer Stand (Was \$14.95) ONLY \$ 6.95 ONLY \$12.95

Paper Tray

Ever wondered what to do with the printout that comes out of the printer and tends to spill all over the table and floor? The Suncom Paper Tray attaches to the rear of all Suncom stands and receives the printed paper as it comes out of the printer Helps to neatly fold and stack it!

Sug. Retail \$14.95







Our Lowest Price Ever On Diskette Storage!



FLIP SORT 70

- Stores and files up to 70 5¼" diskettes.
- Includes 5 index dividers for organization of filing and retrieval.
- · Molded from highly durable plastic.

43375

Sug. Retail \$7.95 Regular Tenex Price \$6.95

SUPER SALE \$4.95

DUST COVER and "EVERYTHING BOOK" SPECIAL OFFER

Get to know us by ordering this great dust cover for your C-64 or C-128 and our catalog, "The Everything Book for the C-64 and C-128 Home Computers," for \$2.95 (no extra shipping and handling charges). Cover is antistatic, translucent 8-gauge vinyl sewn to our exacting standards with reinforced seams. Discover the savings and easy shipping available from TENEX Com-puter Express!



31627 C-64 Dust Cover and Catalog (G3A) 38464 C-128 Dust Cover and Catalog (G3A) 65180 C-64C Dust Cover and Catalog (G3A)

The Right Interface For All Your Printing Needs!!

"... a sound investment for your Commodore." RUN, Dec. '85
This high-performance graphics parallel printer interface from DSI for C-64 and VIC-20 emulates a Commodore printer. Comes with

cables and user's manual.

Super Graphix. Features 8K buffer, 10 printing modes, 3 internal screen dumps and top mounted dip switches. Supports superscript, subscript, underlining, bold face, and a choice of 9 character widths. From Xetec.

Super Graphix Jr. A more economical version of the Super Graphix, featuring graphics, normal and correspon-dence quality printing. Compatible with all major printers. From

41774\$49.95

From Your Friends At



We gladly accept mail orders!

P.O. Box 6578 South Bend, IN 46660

219/259-7051

Δd G3A

SHIPPING CHARGES CHARGE ORDER AMOUNT

less than \$20.00 \$3.75 \$20.00-\$39.99 4.75 \$40.00-\$74.99 \$75.00-\$149.99 5.75 6.75 7.75 \$150.00-\$299.99

NO EXTRA FEE FOR CHARGES

WE VERIFY CHARGE CARD **ADDRESSES**

ORDER TOLL FREE 1-800-348-2778

INDIANA ORDER LINE 1-800-225-6838

Questions? Call

\$300 & up mark of Commodore Electronics, Ltd. Foreign Orders add \$4.00. Heavy items ship at actual cost.

COMMODORE 64 is a registered trademark; and COMMODORE 128 is a trade

GREAT PRODUCTS FOR YOUR COMMODORE

promenade C11

The Eprom Programmer. Thoughtfully designed, carefully constructed, the promenade C1™ is respected around the world for quality and value. The original software controlled programmer does away with personality modules and switches. Intelligent programming capability can cut programming time by 95%! With Disk Software still just \$99.50

CAPTURE"

Take control of your '64 or '128* with this easy to use cartridge. Lets you make a back-up disk of your memory-resident software. Your program is then fully accessible to you and your program can be re-booted from your disk 3-5 times faster. Or make an autostarting cartridge using the promenade C1 and a CPR cartridge kit. Its magic!

CAPTURE" is a bargain at 39.95

CARTRIDGE MATERIALS:

CPR-3 - Three socket board, case and 3 eproms, for use with CAPTURE™ PCC2 - Two 2732 (4K) or 2764 (8K) eproms. For '64 or '128 in 64 mode	
The basic 120 mode callinge board. Two 2/64 or 2/128 enrome	
1 Out Journells, 27 120 dt 27 230 PDIOINS 128 MOND hank culticher	
PCCH2 - Plastic case for above cartridges (except PCC8)	19.95†
Eproms - Always in stock at competitive prices.	2.25

EPROM ERASERS:	*when in 64 mode	
Datarase - Hobbyist eprom eraser, 2 at a time, 3 to 10 minutes PE14 - Industrial quality eraser, 7 to 9 at a time Starter Set - CAPTURE'', promenade C1 and one CPR3 kit. Deluxe Set - CAPTURE'', promenade C1, Datarase and two CPR3 kits.		79.95

SHIPPING & HANDLING: USA - UPS SURFACE \$3.00

FOREIGN (AIR MAIL ONLY) \$13.00



JASON-RANHEIM

1805 INDUSTRIAL DRIVE AUBURN, CA USA 95603

TO ORDER TOLL FREE 800-421-7731 FROM CALIFORNIA 800-421-7748 TECHNICAL SUPPORT 916-823-3284 FROM OUTSIDE USA 916-823-3285 MC, VISA, AMEX WELCOME

†available June '86.

THE AMAZING CF MAST

ENTER THE FINAL **FRONTIER** OF MAN-TO-MACHINE COMMUNICATIONS



There is nothing else like it. Voice Master gives both speech output

and voice recognition with this single hardware product! Your voice controls programs, or home appliances, robots, and more with spoken commands. Verbal response back gives status, verifies, or requests your reply! Speech output and recognition patterns are recorded in with your voice. Or use the voice of your friend, boss, teacher, mother, even the family pet! Programming is simple with new commands added to BASIC. A music bonus program lets you write and compose musical scores simply by humming the tune. Unlimited applications for fun, education, and commercial use. Design your own programs for profit. Speech and recognition quality unsurpassed by even the most sophisticated machines. Only Covox provides this high-tech marvel at a price less than most common peripherals.

The Covox Voice Master comes complete with all hardware and software for only 889,95. (Add \$4 shipping and handling for USA, \$6 Canada, \$10 overseas.) Available for Commodore 64/128, Apple II, II+, IIc, IIe, Atari 800, 800XL, 130 XE. Specify when ordering. Visa, MasterCard phone orders accepted



Call or write for FREE Voice Master Infopak and special combination package offers.

COVOX INC., DEPT. CG

675-D Conger Street • Eugene, Oregon 97402 • U.S.A. Area Code (503) 342-1271 • Telex 706017 (Av Alarm UD)



MIIIRIROIR

DISK COPIER \$24.95

NO FINER OR MORE ADVANCED ARCHIVAL COPIER AVAILABLE AT ANY PRICE

EASY TO USE. DOES NOT CAUSE DRIVE HEAD TO KNOCK. COPIES UP TO 41 TRACKS.

PERIODIC UPDATE POLICY

AUTOMATICALLY MAKES BACK-UP COPIES FROM VIRTUALLY ALL PROTECTED SOFTWARE

NIBBLES, HALF TRACKS, COPIES EXTRA SECTORS AND EXTRA TRACKS. REPRODUCES ALL DISK ERRORS AUTOMATICALLY.

FAST, COPIES FULL DISK IN AS LITTLE AS 4-7 MINS. EVEN COPIES ITSELF

> WE COPY MORE! MASTERCARD, VISA, M.O. OR CHECK OK • \$3 SHIPPING & HANDLING C O D. OR FOREIGN ORDERS ADD 52 CALIF. ORDERS ADD 6% SALES TAX — WRITE OR CALL —


Compumed

(408) 758-2436 1908) 758-24-30 P.O. BOX 5639 SALINAS, CA 93912 FOR COMMODORE 64 AND 1541 DRIVE OR COMMODORE 128 AND 1571 DRIVE





KRACKER JAX® REVEALED!



At last-Kracker Jax takes you beyond the protection barrier! The secrets of un-protecting software are yours with Kracker Jax revealed!

We'll show you exactly how to defeat five different protection schemes encompassing scores of current programs. Our tutorial has twenty specific examples to lead you, step by step, to a new level of knowledge. Here's what you get:

- Kracker Jax revealed.
- A reset switch.
- A utility disk.
- 20 parameters on disk.

ONLY \$23.50 COMPLETE!

Orders outside of North America Please add \$7.50 for shipping and handling. Please allow two weeks for delivery.

KRACKER JAX voted "MOST INNOVATIVE COPY Flash-PROGRAM OF 1986" by The Guide Magazine!

AND HERE'S WHAT SOME OF OUR CUSTOMERS HAVE TO SAY ABOUT US:

"I really enjoy doing business with you—your attitude is great!" Richard Libby.
"Very impressed with your product—thanks." Larry Lyman, Director, Green Mountain Commodore User's Group

"I am excited about Kracker Jax Revealed—thanks again for the great product & great service." Jerry Pectol.

"Very nice utility—about time someone looked out for us." John Dale, President, Wiregrass Micro-Comp Society

See our reviews in the Jan. '87 Ahoyl and in the Dec. '86 issue of The Quide.

KRACKER JAX

DISK PROTECTION

ARE YOU CAUGHT UP IN THE COPY PROTECTION ARMS RACE?

DEFEND YOURSELF WITH KRACKER JAX® A REVOLUTION IN ARCHIVAL SOFTWARE!

Kracker Jax is the powerful parameter copy system that is taking the country by storm! What IS a parameter! It's a custom program that allows your 1541 or 1571 disk drive to strip all copy protection from your expensive software, leaving you with UNPROTECTED, TOTALLY BROKEN back-ups that can even be copied with a simple fast copier. Each Volume costs \$19.95 and will un-protect around 100 titles. So why pay for backups of programs that you already own?

Check out some of these exclusive features:

- Kracker Jax is the BEST program of its kind!
- Kracker Jax will back up titles that the nibblers CAN'T!
- Kracker Jax requires NO special knowledge to operate!
- Kracker Jax strips protection in a matter of SECONDS!
- Kracker Jax is priced RIGHT-just \$19.95 per Volume
- Kracker Jax is UNPROTECTED—easy to back up!
- Jax updates are available . Kracker QUARTERLY

VOLUME FIVE INCLUDES A POWERFUL NEW C64/C128 FAST COPIER!



ALL NEW VOLUME FIVE VOL. 1-4 STILL AVAILABLE. ONLY \$19.95 EACH!







THE SHOTGUN

Those of you who have used our **Kracker Jax** parameters know just how good they are. Can you imagine the kind of nibbler we could put out? Well, you don't have to imagine it because it's HERE! **THE SHOTQUN**, our new premium nibbler utility, is available two ways:

- THE SHOTGUN by itself—offered to you at the unheard of introductory price of only \$14,95!
- THE LOADED SHOTGUN Packaged WITH
 32 of the most popular Kracker Jax 32 of the most popular Kracker Jax parameters ever created—only \$19.95!

Whichever version you order, you'll find THE SHOTGUN to be loyal to the Kracker Jax tradition of more quality for less money.

THE MSD DUAL CANNON

MSD owners aren't left out in the cold anymore! The all new MSD DUAL CANNON gives you state of the art control over your advanced equipment! You get:

• A NIBBLER—for backing up your protected programs!

• A FILE COPIER—for easy file maintenance and manipulation!

• A SECTOR EDITOR—developed just for the MSD dual drive!

• And a FAST COPIER—that WON'T transfer errors—perfect for use with data disk or the control of the con

Start getting the full performance that your MSD drives are capable of delivering. You already know you own the linest drives available—so why settle for anything less than the best utilities made for them?

Get the most out of your special equipment—only \$34.95!

ON-LINE HELP

Are you programming in BASIC? Let your C-64 help you! Forget about all those tattered books and charts—just load **ON-LINE HELP** in at the beginning of a session. Then, at the touch of the F1 key, you're given a menu of available help screens to choose from! When you return to BASIC, you're right back EXACTLY where you left of!!

ON-LINE HELP gives you 17 screens of info at the touch of a button, including: ASCII character set/POKES/color codes/selected DOS commands/useful memory commands/BASIC keywords, abbreviations, and token values/sound registers/musical notes in all 8 octaves/location 197 last

Never waste time hunting for basic information again—only \$19.95

SUPER CAT If you had the time and skill to create your own custom disk catalog system, the paramount system of your wildest dreams, it probably STILL wouldn't have all the features of SUPER CAT! For example: • Catalog up to 640 disk directories—1280 with 2 drives! • Index & alphabetize over 5000 titles—10000 with 2 drives! • Unique ID's are NOT necessary!/A printer is NOT required! • Find ANY title in 10 seconds—sort 1000 titles in 8 seconds! • Automatic entry with Selection, Edit, and Cross Ref. options! SUPER CAT has literally too many features to fit in here. From the easy, menu driven work screens to the comprehensive output options, SUPER CAT is the most powerful and complete disk catalog system available today!

The ultimate software library index system—only \$24.99

THE C-128 CANNON

Here's the package you C-128 owners have been waiting for! The C-128 CANNON gives you more power than you ever hoped for! Just look at some of these capabilities:

- NIBBLER—Works with single or dual 1571/1541
- · FAST COPIER-Great for data disks or use with
- · FILE COPIER-Makes file maintenance and
- manipulation easy! 1581 FAST COPIER—For use with the new high
- speed 3.5" drive!
 1581 FILE COPIER—For high speed file mani-
- MFM COPIER—Copies unprotected IBM and
- T/S EDITOR-Works with 1541, 1571, and the
- ERROR SCANNER—Complete with on-screen
- DENSITY SCANNER-Check for altered
- densities track by track!

 DIRECTORY EDITOR—After & organize your disk directories!

 KRACKER JAX—You also get 100 of our most

popular parameters!

you've seen nibblers alone that sold for thirty-five or forty dollars. And the 100 Kracker Jax parameters are a twenty dollar value. Yet the ENTIRE C-128 CANNON utility package sells for just \$34.95. Never before has this much power and control been integrated into a single, affordable product. If you own a C-128, you deserve the C-128

C-128 owners, this is the package of your dreams—only \$34.95

COMPUTER MART

write for our free catalog

Program submissions wanted! Good Commissions-National Marketing

CHECKS, MONEY ORDERS OR VISA/MASTERCARD. Mail your order to: Computer Mart, Dept. G

2700 NE Andresen Road/Vancouver, WA 98661 Phone orders welcome: 206-695-1393 Same day shipping/No C.O.D. orders outside U.S.



PLEASE NOTE: Free shipping & handling on all orders • C.O.D. add \$3.00 to total order • All orders must be paid in U.S. funds.

DISCOUNT SOFTWARE and FREE Leroy's Cheatsheet

We carry a complete line of so ckage of \$25.00 or more you get a

FHE
E 64
\$ 30 \$ 30 \$ 30 \$ 30
\$ 30 \$ 15 \$ 15 \$ 15 \$ 15
\$ 22 \$ 16
\$ 42 \$ 25 \$ 22 \$ 36 \$ 36 \$ 36 \$ 36
s
\$ 19 \$ 14 \$ 9

Leroy's Cheatsheet	e p	orices your o	
BATTERIES INCLUD Consultant Paperclip/Spell Pak		0 44 33	
BRODERBUND Carman Sandiego Print Shop Print Shop Comp Grphc Libraries ea.	5	26 29 26 18	
CSM 1541 Alignment Kit	s	33	
Pocker Filer Pocket Planner Pocket Writer	S	30 30 30	
ELECTRONIC ARTS Marble Madness Make your own Murder Party		26 25	
EPYX Fast Load (cart) Multiplan World Games	\$	30 44 30	
FIREBIRD Elite Pawn		22 32	
INFOCOM Lthr Goddesses	\$	26	
MICROPROSE			

0	pice! See below for ship	pir	kag ng in	e fo
	PRECISION Superbase 64 Superscript 64	\$	54 54	ı
	PROFESSIONAL Fleet System 2 Fleet Filer	\$	38 30	
	SIMON & SCHUSTER Chem. Lab Paper Airplane Kit	SS	30 22	
	SPRINGBOARD Newsroom Clip Art Vol 1 Certificate Maker Certificate Library v.1	S	37 22 37 25	
	SUBLOGIC Football Flight Simulator II Jet Scenery disks (each)	S	30 36 30 16	
	TIMEWORKS Data Manager 2 SwiftCalo w/Sideways Sylvia Porter Fin Plnr Word Writer w/Speller	5	30 30 37 37	

COMMODORE	128
ABACUS Basic 7.0 Compiler Cad Pac 128 Chart Pak 128 Super C Super Pascal 128	\$ 44 \$ 44 \$ 30 \$ 44 \$ 44
BATTERIES INCLU Consultant Paperclip II	DED \$ 44 \$ 59
EPYX Multiplan 128	\$ 44
PERSONAL CHOIC I am The C128	E \$ 27
PROGRESSIVE Bob's Term Pro Superbase 128 Superscript128 Vizastar Vizawrite	\$ 59 \$ 66 \$ 54 \$ 64 \$ 64
PROFESSIONAL Fleet System 4 Fleet Filer	\$ 51 \$ 30
TIMEWORKS Data Manager 128 Partner 128 Swiftcalc 128 Word Writer 128	\$ 50 \$ 50 \$ 50 \$ 50

Don't forget to select your FREE Leroy's Cheatsheet when ordering a program of \$25 or more. Gunship F-15 Strike Eagle Silent Service LEROY'S CHEATSHEET . Keyboard Overlays



\$7.95 each

PLASTIC LAMINATED \$3.95 each

For your COMMODORE 128

For your COMMODORE 64

Put Your Computer's Commands Where They Belong - And Your Manuals On The Shelf.

Have you ever sat at your computer with the manual in your lap trying to find an elusive command? How much time have you lost searching through manuals to refresh your memory on how to do what you wanted? Now you have a way to end that frustration - Leroy's Cheatsheets.

Leroy's Cheatsheets help you get into your program right away. We put the commands right at your fingertips, actual keystrokes are in **bold** type, variables are shown in *italics*. Designed by software experts, our durable plastic laminated overlays are comprehensive reference aids which document a product or system completely. Now use your software more easily and more effectively. With Leroy's Cheatsheets you'll never have to hunt for a program command again!!!





LEROY'S HELPBOOK FOR ELITE By David Palmer - The first person in the U.S ttain ELITE status. Filled with hints & tips to sharpen your combat and traiding skills. Covers approaching space station, goods to trade on what planets, quickest way to become ELITE and prepares you for FIREBIRD'S ELITE TOURNAMENT.

The Problem Solve EQUIPMENT S

only \$ 19.95





By Leroy

Made of sturdy vinyl coated steel - strong enough for any computer equipment. This equipment stand will help you organize your system. With this unique open construction, cables are never in the wrong place, switches are more accessable and your equipment stays cooler. The Problem Solver Equipment stand was specially designed for Commodore computers 128 & 64. Keeps your monitor at eye level (Great for grinters tro). for printers too)

Order Now and Save ... Money, Time and Frustration

COMMODORE 128 \$7.95 ea Please send me the following LEROY'S CHEATSHEETS for the COMMODORE 128 for only \$7.95 each plus shipping.

☐ Fleet System 2 & 3
☐ Flight Simulator 2
☐ For The Beginner

Multiplan 128 Newsroom Paperback Filer Paperback Planner Paperback Writer Paperdip // Superbase 128 SwiftCalc 128 Word Writer 128

FREE - Keyboard extender (each order)

00	Equipment stand(s) for only \$19.95 each ELITE HELPBOOK for only \$7.95 each
0	Program name(s)

- rregrammamo(a)_	Acres de Carlo and	
Name		
Address		
City	State _	_ Zip

COMMODORE 64 \$3.95 ea

Please send me the following LEROY'S CHEATSHEETS for the COMMODORE 64 for only \$1.95 each plus shipping.

CUT-OUT-YOURSELF ON DOTTED LINES

Basic 2.0
Blanks (NOT lumina
Data Manager
Data Manager 2
Disk 152
Easyscript
Elite

☐ FleetSystem 2 ☐ Flight Simulator 2 ☐ For The Beginner ☐ GEOS ☐ Multiplan ☐ Newsroom ☐ Paperback Filer

Paperback Planne
Paperback Writer
PaperClip
SpeedScript
Superbase 64
Superscript 64
SwiftCalc
Word Writer

Also fits the COMMODORE 64C

ORDERING INFORMATION: For fast delivery Personal & company checks allow 2 were please include card #, expiration of oney ordered Visa or abject to ch TAXES: SHIPPING: TOTAL ORDER Add 6% sales (include for PA residents only INTER-NATIONAL \$5.00 \$7.00 \$9.00 \$15.00 GAZ5

CHEATSHEET PRODUCTS, INC. P.O. Box 111368 Pittsburgh, PA. 15238

For Orders only TOLL FREE 1-800-334-2896 PA Orders - (412) 781-1551 DEALER INQUIRES WELCOME

Free Spirit Software, Inc.

538 S. Edgewood La Grange, IL 60525 (312) 352-7323

1541/1571 DRIVE ALIGNMENT

Avoid costly repair bills! Perform your own alignment. 1541/1571 Drive Alignment diagnoses and reports the alignment condition of the disk drive as you perform adjustments. An on-screen HELP menu is available while the program is running. Full documentation includes section on how to load Alignment program even when the drive is badly misaligned. Auto-boots to all modes. Works on 1541, 1571 in 1541 or 1571 mode, C64 or C128 in 64 or 128 mode. Only \$34.95!

SUPER DISK LIBRARIAN

A full featured disk cataloging and library system for the C128 in 128 mode. With one keypress all programs on a disk are cataloged. Catalog up to 1000 disks and 15,200 program names! Operates in fast mode with 80 column display. Catalogs 1541, 1571 and CP/M Plus formatted disk directories. Reads heavily protected disks! Printer output includes library index, full library report, master program list, category program list and disk labels. Also contains full featured disk utilities section including all CBM DOS commands plus rename a disk, copy protect a disk, change disk format without affecting data & much more! Fully documented. Organize your disk library & more for only \$29.95!

MUSIC OF THE MASTERS

Free Spirit's highly acclaimed Music of the Masters series is a must for all music lovers. An hour of classical music per disk for the C64 or the C128 in 64 mode.

Music of the Masters I - Handel, Haydn, Mozart, Bach, Beethoven & many others!

Music of the Masters II - Minuets, waltzes, sonatinas & more from Bach, Brahms, Beethoven, Chopin, Schubert & many others.

Music of the Masters III - Mostly Mozart. Music of the Masters IV - Best of Bach.

Music of the Masters V - Popular themes from the greatest & best known works of the Masters. \$9.95 per disk, 2 for \$17.95, 3 for \$24.95, 4 for \$31.95, order all 5 disks for only \$38.95!

The Great War - WWI strategy game for the C128 in 128 mode and 1571 disk drive. Armies of 17 countries represented. Hundreds of hours of challenge. Disk - \$29.95

BASICally Simple 64 - How to use all basic 2.0 commands in Basic programs. Disk - \$14.95

BASICally Simple 128 - How to use all Basic 7.0 commands in Basic programs. Disk - \$19.95

Programmer's Notebook - High speed storage & retrieval system designed specifically for the programmer. Index magazine articles, programming routines or other computer related information. For the C128 in 128 mode. Disk - \$19.95

Mr. Quizzer - Program to prepare quizzes as a general aid to learning. Prepare multiple choice, vocabulary, spelling, T-F, or general question-answer tests. Works on C64, C128 in either 64 or 128 mode, 40 or 80 column display, 1541 or 1571 disk drive, Commodore & compatible printers. Disk - \$19.95

Free shipping & handling! Immediate delivery! Illinois residents add 8% sales tax. Send check or money order to:

> Free Spirit Software, Inc. 538 S. Edgewood La Grange, IL 60525



WHERE THE PRICE IS RIGHT!

VISA

NO EXTRA CHARGE FOR THESE CARDS Mastercard



OUT OF STATE CALL FOR ORDERS ONLY 1-800-63

IN N.Y. STATE CALL TOLL FREE

(commodore



128.															\$249°5
1571															122915
C64C															16995
C1541	C														1179°5
1670	N	lc	0	d	e	п	1								10995
C190	2	R	c	31	В	•	v	c	r	ni	t	o	r		125995

GEOS

GRAPHIC ENVIRONMENT OPERATING SYSTEM

· 5 DIFFERENT FONTS · DESK TOP • GEO PAINT • GEO WRITE • DESK ACCESSORIES

NEW FONT - PACK **DESK - PACK**

CALL FOR PRICE

INTERFACES 13995 XETEC JR 15915 XETEC SR M.W. 350 10K BUFFER 6995

NEW! NEWI

PRINTERS.

FOR COMMODORE & APPLE

\$12995 M1009 ■ 100 CPS 20 NLQ

M1509 \$34995 ■ 180 CPS 45 NLQ


\$47995 M1709

■ 240 CPS 50 NLQ

NX10 PRINTER

☐ 120 CPS Dot Matrix

☐ 5K Buffer



*Only one per customer with purchase of two ribbons while supplies last

NEW' SEIKOSHA

SP180 CALL FOR PRICE

- BUILT-IN COMMODORE INTERFACE
- ☐ 100 CPS 20 NLQ 2 YR WARRANTY

MP-1300AI

- ☐ HIGH SPEED PRINTING WITH MINIMUM NOISE
- □ BUILT-IN 10 K BUFFER
- ☐ EASY TO HANDLE OPTIONAL 7-COLOR PRINTING KIT

139995

SL-80AI

- FINE LETTER QUALITY PRINTING BY 24 PINS
- LETTER QUALITY PRINTING SPEED 54 CPS
- ☐ FEATURING EPSON LO®
- & IBM® MODE IN BUILT-IN 16 K BUFFER
- \$32495

NX10C

- ☐ 120 CPS
- □ 30 CPS NEAR LETTER QUALITY
- ☐ BUILT-IN COMMODORE INTERFACE

\$20595

NP₁₀

- □ 100 CPS
- □ 20 CPS NEAR LETTER QUALITY

\$15995

NX15

- □ 120 CPS
- □ 30 CPS NEAR LETTER QUALITY
- ☐ 15° CARRIAGE

133995

SG10C

- □ 120 CPS
- ☐ 30 CPS NEAR LETTER QUALITY
- COMMODORE READY \$179%

Powertype

18 CPS

Daisywheel Printer

19995

SP1200AI PARALLEL PRINTER

FOR COMMODORE, ATARI & IBM



- ☐ 120 CPS
- ☐ 35 CPS NEAR LETTER QUALITY
- □ 5K Buffer

\$19995

SP-1000

- Built-in Commodore Interface
- 2-Year Warranty
- Near Letter Quality Mode SEIKOSHA

\$149*

*With purchase of two ribbons.

FOR ORDERS ONLY

IN N.Y. STATE CALL TOLL FREE

1-800-221-2760 **OUT OF STATE CALL**

1-800-631-1003 FOR ALL OTHER INFO 516-349-1020



Check, Money Order, MC or VISA accepted. No additional charge for MasterCard and Vffa. Call for shipping and handling information / NYS residents add applicable sales tax / Prices and availability are subject to change without notice / All factory fresh merchandise with manufacturer's warranty. Dealers Welcome.

ALL SALES FINAL, DEFECTIVE MERCHANDISE CAN BE EXCHANGED FOR SIMILAR ITEM.

UNLEASH THE DATA ACQUISITION AND CONTROL POWER OF YOUR COMMODORE C64 OR C128. We have the answers to all your control needs.

NEW! 80-LINE SIMPLIFIED DIGITAL I/O BOARD

- 40 separate buffered digital output lines can each directly switch 50 volts at 500 mA.
- 40 separate digital input lines. (TTL).
- Socket for standard ROM cartridge. Create your own autostart dedicated controller without relying on disk drive.
- I/O lines controlled through simple memory mapped ports each accessed via a single statement in Basic. No interface could be easier to use. A total of ten 8-bit ports.
- Included M.L. driver program optionally called as a subroutine for fast convenient access to individual I/O lines from Basic.
- Plugs into computer's expansion port. For both C64 & C128. I/O connections are through a pair of 50-pin professional type strip headers.

Order Model SS100 Plus. Only \$119! Shipping paid USA. Includes extensive documentation and program disk. Each additional board \$109.

We take pride in our interface board documentation and software support, which is available separately for examination.

Credit against first order. SS100 Plus, \$20. 64IF22 & ADCO816, \$30.

OUR ORIGINAL ULTIMATE INTERFACE



- Universally applicable dual 6522 Versatile Interface Adapter (VIA) board.
- Industrial control and monitoring. Great for laboratory data acquisition and instrumentation applications.
- Intelligently control almost any device.
- Perform automated testing.
- Easy to program yet extremely powerful.
- Easily interfaced to high-performance A/D and D/A converters.
- Four 8-bit fully bidirectional I/O ports & eight handshake lines. Four 16-bit timer/counters.
 Full IRQ interrupt capability. Expandable to four boards.

Order Model 64IF22. \$169 postpaid USA. Includes extensive documentation and programs on disk. Each additional board \$149. Quantity pricing available. For both C64 and C128.

A/D CONVERSION MODULE

Fast. 16-channel. 8-bit. Requires above. Leaves all VIA ports available. For both C64 and C128. Order Model 64IF/ADCO816. Only \$69.

SERIOUS ABOUT PROGRAMMING?

SYMBOL MASTER MULTI-PASS SYMBOLIC DISASSEMBLER. Learn to program like the experts! Adapt existing programs to your needs! Disassembles any 6502/6510/undoc/65C02/8502 machine code program into beautiful source. Outputs source code files to disk fully compatible with your MAE, PAL, CBM, Develop-64, LADS, Merlin or Panther assembler, ready for reassembly and editing. Includes both C64 & C128 native mode versions. 100% machine code and extremely fast. 63-page manual. The original and best is now even better with Version 2.0! Advanced and sophisticated features far too numerous to detail here. \$49.95 postpaid USA.

C64 SOURCE CODE. Most complete available reconstructed, extensively commented and cross-referenced assembly language source code for Basic and Kernal ROMs, all 16K. In book form, 242 pages. \$29.95 postpaid USA.

PTD-6510 SYMBOLIC DEBUGGER for C64. An extremely powerful tool with capabilities far beyond a machine-language monitor. 100-page manual. Essential for assembly-language programmers. \$49.95 postpaid USA.

MAE64 version 5.0. Fully professional 6502/65C02 macro editor/assembler. 80-page manual. \$29.95 postpaid USA.

SCHNEDLER SYSTEMS



1501 N. Ivanhoe, Dept. G5, Arlington, VA 22205 Telephone Orders/Information (703) 237-4796



COMMODORE 64 SOFTWARE ONLY \$5.00/DISK

TOOL LUSCHED COLOR TEST

☐ 011 DISK FILE UTILITIES
☐ 027 MUSIC AND SOUND
□ 035 BEST OF TPUG #1
☐ 065 BEST OF COMMUNICATION
☐ 066 BEST OF UTILITIES
□ 067 BEST OF GAMES
☐ 068 BEST OF EDUCATION
□ 085 C64 SPACE GAMES
091 ADVENTURE
□ 096 NEW STUFF
102 BEST GAMES OF ENGLAND
105 ARTIST SKETCHBOOK
106 GREAT AMERICAN NOVELIST
107 PHONE CONNECTIONS
107 PHONE CONNECTIONS
109 DUNGEONS & DRAGONS
110 HOME ORCHESTRA
☐ 111 JUKE BOX
☐ 112 EINSTEIN'S FAVORITES
☐ 113 PONZO'S TUTOR
☐ 114 ELECTRONIC SECRETARY

Add \$4 shipping and handling per order. CA residents add 6.5% sales tax For free brochure of over 100 disks Call toll free 800-431-6249 in CA 1-800-654-7955

☐ Check ☐ VISA ☐ MasterCard
Exp. Date
State Zip



385 Oyster Point Blvd. #10 South San Francisco, CA 94080

DUST COVERS

* CUSTOM MADE TO FIT

COMPUTERS

- HEAVY 32-oz. VINYL ANTI-STATIC
- * EXTENDS EQUIPMENT LIFE
- * Choice of Colors Light Tan or Brown

PRINTERS

	COMPUTERS		LVIIIIEVA	
	C-64; Plus 4	8.00	C-MPS 803, C-1520	8.00
	C-128	13.00	Panasonic 1090 91	
	Datassette (C2N)	5.00	Gemini 10 & Star 10's	13.00
	Amiga 1000	.13.00	Gemini 15 & Star 15's	
	(W/Amiga Mon. Stacked)		Okidata 92	
	Keyboard only		Okidata 120/192	
	Atari BOOXL, 130XE		Okimate 10/20	8.00
	Atori 520 ST		Epson MX/FX/RX80	13.00
	IBM PC XT	28.00	Epson LX80/C-1000	13.00
	IBM 5051 Keyboord		Saikosha SP-1000	13.00
	(Dimensions Require		Comrex 220	13.00
	for IBM Clones)		C'Itoh 7500	13.00
	and the contract of		Citizen MSP 10	13.00
	DISK DRIVES		Atari 1027	13.00
	C-1541, C-1571	8.00	C DPS 1101	16.00
	Amiga 31/2" D Dry	8.00		
	Amiga 51/4" D Dry	9.00	MONITORS	
	Indust GT, MSD SD-1	8.00	Atori SC 1224 RGB	19.00
	MSD SD-2	10.00	C-1702, BMC Color	
	Enhancer 2000	8.00	C-1902 Amiga	19.00
	FSD-1	8.00	Amdek 500-700	19.00
	FSD-1 Atari 1050	8.00	Teknika MJ 10/22	19.00
			CM-141 (C-1802)	19.00
	VIDEO RECORDERS	13.00	Gold Star 13" Color	19.00
	State Make & Moo	del	Thompson CM 365-66	19.00
	Include Dimension	15	C-1902A Magnyx 40	19.00
			Magnavox 80	19.00
	PRINTERS		NEC 1225	19.00
	C-1525/MPS 801	10.00	Taxan 220	19.00
	C-1526 MPS 802	13.00	Sakata SC-100	19.00
			Zenitth 122/123	19.00
				23.00
ı	PRODUCE TO THE PARTY OF THE PAR			

Order by stating MAKE, MODEL and COLOR CHOICE - TAN or BROWN with check or money order plus \$1.50 per item (\$4.50 max.) shipping and handling (Foreign air extra). Calif. Res. include 6.5% State Tax.

SPECIAL COVERS WILL BE MADE TO YOUR DIMENSIONS. SEND YOUR REQUIREMENTS FOR OUR LOW PRICE QUOTES.

Crown Custom Covers

24621 PAIGE CIRCLE, DEPT. A LAGUNA HILLS, CA 92653 (714) 472-6362



Can Your Computer Make

MILLIONAIRE?

LOTTERY 64 • LOTTERY +4

It costs no more to buy a WINNING lottery ticket!

LOTTERY was designed to use the raw power of your computer to help you play the various lottery games: LOTTO, PICK 3, PICK 4, LUCKY LOTTERY, 6/49, SUPER LOTTO, etc. We do not believe there is a better system than the "original" LOTTERY 64 & LOTTERY + 4.

Join the growing list of winners

SPECIFY 64/128 or PLUS/4

To order, send \$24.95 for each plus \$3.00 postage and handling per order to (Illinois residents add 6% sales tax)





C.O.D. orders call: (312) 566-4647



Superior Micro Systems, Inc.

P 0 Box 713 · Wheeling IL 60090 Dealer inquiries welcome

COMPUTE!'s GAZETTE Author's Guide

Here are some suggestions which serve to improve the speed and accuracy of publication for prospective authors. COMPUTE!'s GAZETTE is primarily interested in new and timely articles on the Commodore 128, 64, Plus/4, and 16. We are much more concerned with the content of an article than with its style, but articles should as be clear and well-explained as possible.

The guidelines below will permit your good ideas and programs to be more easily edited and published:

 The upper left corner of the first page should contain your name, address, telephone number, and the date of submission.

2. The following information should appear in the upper right corner of the first page. If your article is specifically directed to one model of computer, please state the model name. In addition, please indicate the memory requirements of programs.

3. The underlined title of the article should start

about 2/3 of the way down the first page.

4. Following pages should be typed normally, except that in the upper right corner there should be an abbreviation of the title, your last name, and the page number. For example: Memory Map/Smith/2.

5. All lines within the text of the article must be double- or triple-spaced. A one-inch margin should be left at the right, left, top, and bottom of each page. No words should be divided at the ends of lines. And please do not justify. Leave the lines ragged.

6. Standard typing or computer paper should be used (no erasable, onionskin, or other thin paper) and typing should be on one side of the paper only

(upper- and lowercase).

7. Sheets should be attached together with a

paper clip. Staples should not be used.

8. If you are submitting more than one article, send each one in a separate mailer with its own tape or disk.

9. Short programs (under 20 lines) can easily be included within the text. Longer programs should be separate listings. It is essential that we have a copy of the program, recorded twice, on a tape or disk. If your article was written with a word processor, we also appreciate a copy of the text file on the tape or disk. Please use high-quality 10 or 30 minute tapes with the program recorded on both sides. The tape or disk should be labeled with the author's name and the title of the article. Tapes are fairly sturdy, but disks need to be enclosed within plastic or cardboard mailers (available at photography, stationery, or computer

supply stores).

10. A good general rule is to spell out the numbers zero through ten in your article and write higher numbers as numerals (1024). The exceptions to this are: Figure 5, Table 3, TAB(4), etc. Within ordinary text, however, the zero through ten should appear as words, not numbers. Also, symbols and abbreviations should not be used within text: use "and" (not &), "reference" (not ref.), "through" (not thru).

11. For greater clarity, use all capitals when referring to keys (RETURN, CTRL, SHIFT), BASIC words (LIST, RND, GOTO), and the language BASIC. Headlines and subheads should, however, be initial caps only, and emphasized words are not capitalized. If you wish to emphasize, underline the word and it will be italicized during typesetting.

12. Articles can be of any length—from a singleline routine to a multi-issue series. The average article is about four to eight double-spaced, typed pages.

13. If you want to include photographs, they should be either 5×7 black and white glossies or color slides.

14. We do not consider articles which are submitted simultaneously to other publishers. If you wish to send an article to another magazine for consideration,

please do not submit it to us.

\$800 for published articles. In general, the rate reflects the length and quality of the article. Payment is made upon acceptance. Following submission (Editorial Department, COMPUTE!'s GAZETTE, P.O. Box 5406, Greensboro, NC 27403) it will take from two to four weeks for us to reply. If your work is accepted, you will be notified by a letter which will include a contract for you to sign and return. Rejected manuscripts are returned to authors who enclose a self-addressed, stamped envelope.

16. If your article is accepted and you have since made improvements to the program, please submit an entirely new tape or disk and a new copy of the article reflecting the update. We cannot easily make revisions to programs and articles. It is necessary that you send the revised version as if it were a new submission entirely, but be sure to indicate that your submission is a revised version by writing, "Revision" on the

envelope and the article.

17. COMPUTE!'s GAZETTE does not accept unsolicited product reviews. If you are interested in serving on our panel of reviewers, contact our Features Editor for details.

How To Type In COMPUTE!'s GAZETTE Programs

Each month, COMPUTEI'S GAZETTE publishes programs for the Commodore 128, 64, Plus/4, 16, and VIC-20. Each program is clearly marked by title and version. Be sure to type in the correct version for your machine. All 64 programs run on the 128 in 64 mode. Be sure to read the instructions in the corresponding article. This can save time and eliminate any questions which might arise after you begin typing.

We frequently publish two programs designed to make typing easier: The Automatic Proofreader, and MLX, designed for entering machine language programs.

When entering a BASIC program, be especially careful with DATA statements as they are extremely sensitive to errors. A mistyped number in a DATA statement can cause your machine to "lock up" (you'll have no control over the computer). If this happens, the only recourse is to turn your computer off then back on, erasing whatever was in memory. So be sure to save a copy of your program before you run it. If your computer crashes, you can always reload the program and look for the error.

Special Characters

Most of the programs listed in each issue contain special control characters. To facilitate typing in any programs from the GAZETTE, use the following listing conventions.

The most common type of control characters in our listings appear as words within braces: {DOWN} means to press the cursor down key; {5 SPACES} means to press the space bar five times.

To indicate that a key should be *shifted* (hold down the SHIFT key while pressing another key), the character is underlined. For example, A means hold down the SHIFT key and press A. You may see strange characters on your screen, but that's to be expected. If you find a number followed by an underlined key enclosed in braces (for example, {8 A}), type the key as many times as indicated (in our example, enter eight SHIFTed A's).

If a key is enclosed in special brackets, [8], hold down the Commodore key (at the lower left corner of the keyboard) and press the indicated character.

Rarely, you'll see a single letter of the alphabet enclosed in braces.

This can be entered on the Commodore 64 by pressing the CTRL key while typing the letter in braces. For example, {A} means to press CTRL-A.

The Quote Mode

Although you can move the cursor around the screen with the CRSR keys, often a programmer will want to move the cursor under program control. This is seen in examples such as {LEFT} and {HOME} in the program listings. The only way the computer can tell the difference between direct and programmed cursor control is the quote mode.

Once you press the quote key, you're in quote mode. This mode can be confusing if you mistype a character and cursor left to change it. You'll see a reverse video character (a graphics symbol for cursor left). In this case, you can use the DELete key to back up and edit the line. Type another quote and you're out of quote mode. If things really get confusing, you can exit quote mode simply by pressing RETURN. Then just cursor up to the mistyped line and fix it.

CLR}	SHIFT CLR/HOME	4	{PUR}	CTRL 5	×	4			#
	CLR/HOME	188 march 8							
HOME}		15	{GRN}	CTRL 6	金金	<u>1</u>	SHIFT 1		
UP}	SHIFT CRSR		{BLU}	CTRL 7	4-8			337	8
DOWN}	† CRSR ↓		(YEL)	CTRL 8	TT	For Commodo	ore 64 Only		
LEFT)	SHIFT ← CRSR —		{ FI }	n		E 1 3	COMMODORE	1	E
RIGHT}	← CRSR —		{ F2 }	SHIFT	$\theta > \theta$	E 2 3	COMMODORE		ì
RVS}	CTRL 9		{ F3 }	63		£ 3 3	COMMODORE		Š
OFF}	CTRL 0	<u></u>	{ F4 }	SHIFT f3		E + 3	COMMODORE		Ì
BLK}	CTRL 1		{ F5 }	15	W - 8	E 5 3	COMMODORE	5	Ĩ
VHT}	CTRL 2	E	{ F6 }	SHIFT f5		£ 6 3	COMMODORE	6	Ī
RED)	CTRL 3		{ F7 }	67	W 6	E 7 3	COMMODORE	7	Ī
YN}	CTRL 4		{ F8 }	SHIFT 67	1/1	[8]	COMMODORE		

The Automatic Proofreader

Philip I. Nelson, Assistant Editor

"The Automatic Proofreader" helps you type in program listings for the 128, 64, Plus/4, 16, and VIC-20 and prevents nearly every kind of typing mistake.

Type in the Proofreader exactly as listed. Since the program can't check itself, type carefully to avoid mistakes. Don't omit any lines, even if they contain unfamiliar commands. After finishing, save a copy or two on disk or tape before running it. This is important because the Proofreader erases the BASIC portion of itself when you run it, leaving only the machine language portion in memory.

Next, type RUN and press RE-TURN. After announcing which computer it's running on, the Proofreader displays the message "Proofreader Active". Now you're ready to type in a

BASIC program. Every time you finish typing a line and press RETURN, the Proofreader displays a two-letter checksum in the upper-left corner of the screen. Compare this result with the two-letter checksum printed to the left of the line in the program listing. If the letters match, it's almost certain the line was typed correctly. If the letters don't match, check for your mistake and correct the line.

The Proofreader ignores spaces not enclosed in quotes, so you can omit or add spaces between keywords and still see a matching checksum. However, since spaces inside quotes are almost always significant, the Proofreader pays attention to them. For example, 10 PRINT"THIS IS BASIC" will generate a different checksum than 10 SIC" PRINT"THIS ISBA

A common typing error is transposition-typing two successive characters in the wrong order, like PIRNT instead of PRINT or 64378 instead of 64738. The Proofreader is sensitive to the position of each character within the line and thus catches transposition

The Proofreader does not accept keyword abbreviations (for example, ? instead of PRINT). If you prefer to use abbreviations, you can still check the line by LISTing it after typing it in, moving the cursor back to the line, and

pressing RETURN. LISTing the line substitutes the full keyword for the abbreviation and allows the Proofreader to work properly. The same technique works for rechecking programs you've already typed in.

If you're using the Proofreader on the Commodore 128, Plus/4, or 16, do not perform any GRAPHIC commands while the Proofreader is active. When you perform a command like GRAPH-IC 1, the computer moves everything at the start of BASIC program space-including the Proofreader-to another memory area, causing the Proofreader to crash. The same thing happens if you run any program with a GRAPHIC command while the Proofreader is in

Though the Proofreader doesn't interfere with other BASIC operations, it's a good idea to disable it before running another program. However, the Proofreader is purposely difficult to dislodge: It's not affected by tape or disk operations, or by pressing RUN/ STOP-RESTORE. The simplest way to disable it is to turn the computer off then on. A gentler method is to SYS to the computer's built-in reset routine (SYS 65341 for the 128, 64738 for the 64, 65526 for the Plus/4 and 16, and 64802 for the VIC). These reset routines erase any program in memory, so be sure to save the program you're typing in before entering the SYS command.

If you own a Commodore 64, you may already have wondered whether the Proofreader works with other programming utilities like "MetaBASIC." The answer is generally yes, if you're using a 64 and activate the Proofreader after installing the other utility. For example, first load and activate Meta-BASIC, then load and run the Proofreader.

When using the Proofreader with another utility, you should disable both programs before running a BASIC program. While the Proofreader seems unaffected by most utilities, there's no way to promise that it will work with any and every combination of utilities you might want to use. The more utilities activated, the more fragile the system becomes.

The New Automatic Proofreader

10 VEC=PEEK(772)+256*PEEK(773) :L0=43:H1=44

- 20 PRINT "AUTOMATIC PROOFREADE R FOR ";:IF VEC=42364 THEN [SPACE]PRINT "C-64"
- 30 IF VEC=50556 THEN PRINT "VI C-20"
- 40 IF VEC=35158 THEN GRAPHIC C LR: PRINT "PLUS/4 & 16"
- IF VEC=17165 THEN LO=45:HI= 46: GRAPHIC CLR: PRINT "128"
- 60 SA=(PEEK(LO)+256*PEEK(HI))+ 6:ADR=SA
- FOR J=Ø TO 166: READ BYT: POK E ADR, BYT: ADR=ADR+1: CHK=CHK +BYT: NEXT
- 80 IF CHK <> 20570 THEN PRINT "* ERROR* CHECK TYPING IN DATA STATEMENTS": END
- FOR J=1 TO 5: READ RF, LF, HF: RS=SA+RF:HB=INT(RS/256):LB= RS-(256*HB)
- 100 CHK=CHK+RF+LF+HF:POKE SA+L F, LB: POKE SA+HF, HB: NEXT
- 110 IF CHK > 22054 THEN PRINT " ERROR* RELOAD PROGRAM AND [SPACE] CHECK FINAL LINE": EN
- 120 POKE SA+149, PEEK (772): POKE SA+150, PEEK (773)
- 130 IF VEC=17165 THEN POKE SA+ 14,22: POKE SA+18,23: POKESA+ 29,224:POKESA+139,224
- 140 PRINT CHR\$(147); CHR\$(17);" PROOFREADER ACTIVE": SYS SA
- 150 POKE HI, PEEK(HI)+1: POKE (P EEK(LO)+256*PEEK(HI))-1,0:N
- 160 DATA 120,169,73,141,4,3,16 9,3,141,5,3
- 170 DATA 88,96,165,20,133,167, 165,21,133,168,169
- 180 DATA 0,141,0,255,162,31,18 1,199,157,227,3
- 190 DATA 202,16,248,169,19,32, 210,255,169,18,32 200 DATA 210,255,160,0,132,180
- ,132,176,136,230,180 210 DATA 200,185,0,2,240,46,20
- 1,34,208,8,72 220 DATA 165,176,73,255,133,17
- 6,104,72,201,32,208 230 DATA 7,165,176,208,3,104,2
- 08,226,104,166,180 240 DATA 24,165,167,121,0,2,13
- 3,167,165,168,105 250 DATA 0,133,168,202,208,239
- ,240,202,165,167,69 260 DATA 168,72,41,15,168,185,
- 211,3,32,210,255 270 DATA 104,74,74,74,74,168,1
- 85,211,3,32,210 280 DATA 255,162,31,189,227,3, 149,199,202,16,248
- 290 DATA 169,146,32,210,255,76 ,86,137,65,66,67
- 300 DATA 68,69,70,71,72,74,75,
- 77,80,81,82,83,88 310 DATA 13,2,7,167,31,32,151, 116,117,151,128,129,167,136

Machine Language Entry Program For Commodore 64

Ottis Cowper, Technical Editor

"MLX" is a labor-saving utility that allows almost fail-safe entry of Commodore 64 machine language programs.

Type in and save some copies of MLX you'll want to use it to enter future ML programs from COMPUTE!'s GAZETTE. When you're ready to enter an ML program, load and run MLX. It asks you for a starting address and an ending address. These addresses appear in the article accompanying the MLX-format program

listing you're typing.

If you're unfamiliar with machine language, the addresses (and all other values you enter in MLX) may appear strange. Instead of the usual decimal numbers you're accustomed to, these numbers are in hexadecimal-a base 16 numbering system commonly used by ML programmers. Hexadecimal-hex for short-includes the numerals 0-9 and the letters A-F. But don't worryeven if you know nothing about ML or hex, you should have no trouble using

After you enter the starting and ending addresses, you'll be offered the option of clearing the workspace. Choose this option if you're starting to enter a new listing. If you're continuing a listing that's partially typed from a previous session, don't choose this option.

A functions menu will appear. The first option in the menu is ENTER DATA. If you're just starting to type in a program, pick this. Press the E key, and type the first number in the first line of the program listing. If you've already typed in part of a program, type the line number where you left off typing at the end of the previous session (be sure to load the partially completed program before you resume entry). In any case, make sure the address you enter corresponds to the address of a line in the listing you are entering. Otherwise, you'll be unable to enter the data correctly. If you pressed E by mistake, you can return to the command menu by pressing RETURN alone when asked for the address. (You can get back to the menu from most options by pressing RETURN with no other input.)

Entering A Listing

Once you're in Enter mode, MLX prints the address for each program line for you. You then type in all nine numbers on that line, beginning with the first two-digit number after the colon (:). Each line represents eight data bytes and

a checksum. Although an MLX-format listing appears similar to the "hex dump" listings from a machine language monitor program, the extra checksum number on the end allows MLX to check your typing.

When you enter a line, MLX recalculates the checksum from the eight bytes and the address and compares this value to the number from the ninth column. If the values match, you'll hear a bell tone, the data will be added to the workspace area, and the prompt for the next line of data will appear. But if MLX detects a typing error, you'll hear a low


buzz and see an error message. The line

will then be redisplayed for editing.

Invalid Characters Banned

Only a few keys are active while you're entering data, so you may have to unlearn some habits. You do not type spaces between the columns; MLX automatically inserts these for you. You do not press RETURN after typing the last number in a line; MLX automatically enters and checks the line after you type the last digit.

Only the numerals 0-9 and the letters A-F can be typed in. If you press any other key (with some exceptions noted below), you'll hear a warning buzz. To simplify typing, the numeric keypad modification from the March 1986 "Bug-Swatter" column is now incorporated in the listing. The keypad is active only while entering data. Addresses must be entered with the normal letter and number keys. The figure below shows the keypad configuration:



MLX checks for transposed characters. If you're supposed to type in A0 and instead enter 0A, MLX will catch your mistake. There is one error that can slip past MLX: Because of the checksum formula used, MLX won't notice if you accidentally type FF in place of 00, and vice versa. And there's a very slim chance that you could garble a line and still end up with a combination of characters that adds up to the proper checksum. However, these mistakes should not occur if you take reasonable care while entering data.

Editing Features

To correct typing mistakes before finishing a line, use the INST/DEL key to delete the character to the left of the cursor. (The cursor-left key also deletes.) If you mess up a line really badly, press CLR/HOME to start the line over. The RETURN key is also active, but only before any data is typed on a line. Pressing RETURN at this point returns you to the command menu. After you type a character of data, MLX disables RETURN until the cursor returns to the start of a line. Remember, you can press CLR/HOME to quickly get to a line number prompt.

More editing features are available when correcting lines in which MLX has detected an error. To make corrections in a line that MLX has redisplayed for editing, compare the line on the screen with the one printed in the listing, then move the cursor to the mistake and type the correct key. The cursor left and right keys provide the normal cursor controls. (The INST/ DEL key now works as an alternative cursor-left key.) You cannot move left beyond the first character in the line. If you try to move beyond the rightmost character, you'll reenter the line. During editing, RETURN is active; pressing it tells MLX to recheck the line. You can press the CLR/HOME key to clear the entire line if you want to start from scratch, or if you want to get to a line number prompt to use RETURN to get back to the menu.

Display Data

The second menu choice, DISPLAY DATA, examines memory and shows the contents in the same format as the program listing (including the checksum). When you press D, MLX asks you for a starting address. Be sure that the starting address you give corresponds to a line number in the listing. Otherwise, the checksum display will be meaningless. MLX displays program lines until it reaches the end of the program, at which point the menu is redisplayed. You can pause the display by pressing the space bar. (MLX finishes printing the current line before halting.) Press space again to restart the display. To break out of the display and get back to the menu before the ending address is reached, press RETURN.

Other Menu Options

Two more menu selections let you save programs and load them back into the computer. These are SAVE FILE and LOAD FILE; their operation is quite straightforward. When you press S or L, MLX asks you for the filename. You'll then be asked to press either D or T to select disk or tape.

You'll notice the disk drive starting and stopping several times during a load or save. Don't panic; this is normal behavior. MLX opens and reads from or writes to the file instead of using the usual LOAD and SAVE commands. Disk users should also note that the drive prefix 0: is automatically added to the filename (line 750), so this should not be included when entering the name. This also precludes the use of @ for Save-with-Replace, so remember to give each version you save a different name.

Remember that MLX saves the entire workspace area from the starting address to the ending address, so the save or load may take longer than you might expect if you've entered only a small amount of data from a long listing. When saving a partially completed listing, make sure to note the address where you stopped typing so you'll know where to resume entry when you reload.

MLX reports the standard disk or tape error messages if any problems are detected during the save or load. (Tape users should bear in mind that Commodore computers are never able to detect errors during a save to tape.) MLX also has three special load error messages: INCORRECT STARTING ADDRESS, which means the file you're trying to load does not have the starting address you specified when you ran MLX; LOAD ENDED AT address, which means the file you're trying to load ends before the ending address you specified when you started MLX; and TRUNCATED AT ENDING AD-DRESS, which means the file you're trying to load extends beyond the ending address you specified when you started MLX. If you see one of these messages and feel certain that you've loaded the right file, exit and rerun MLX, being careful to enter the correct starting and ending addresses.

The QUIT menu option has the obvious effect—it stops MLX and enters BASIC. The RUN/STOP key is disabled, so the Q option lets you exit the

program without turning off the computer. (Of course, RUN/STOP-RE-STORE also gets you out.) You'll be asked for verification; press Y to exit to BASIC, or any other key to return to the menu. After quitting, you can type RUN again and reenter MLX without losing your data, as long as you don't use the clear workspace option.

The Finished Product

When you've finished typing all the data for an ML program and saved your work, you're ready to see the results. The instructions for loading and using the finished product vary from program to program. Some ML programs are designed to be loaded and run like BASIC programs, so all you need to type is LOAD "filename",8 for disk or LOAD 'filename" for tape, and then RUN. Such programs will usually have a starting address of 0801 for the 64. Other programs must be reloaded to specific addresses with a command such as LOAD "filename", 8,1 for disk or LOAD 'filename",1,1 for tape, then started with a SYS to a particular memory address. On the Commodore 64, the most common starting address for such programs is 49152, which corresponds to MLX address C000. In either case, you should always refer to the article which accompanies the ML listing for information on loading and running the program.

An Ounce Of Prevention

By the time you finish typing in the data for a long ML program, you may have several hours invested in the project. Don't take chances—use our "Automatic Proofreader" to type the new MLX, and then test your copy thoroughly before first using it to enter any significant amount of data. Make sure all the menu options work as they should. Enter fragments of the program starting at several different addresses, then use the Display option to verify that the data has been entered correctly. And be sure to test the Save and Load options several times to insure that you can recall your work from disk or tape. Don't let a simple typing error in the new MLX cost you several nights of hard work.

MLX For Commodore 64

- SS 10 REM VERSION 1.1: LINES 8 30,950 MODIFIED, LINES 4 85-487 ADDED
- EK 100 POKE 56,50:CLR:DIM IN\$, I,J,A,B,A\$,B\$,A(7),N\$
- DM 110 C4=48:C6=16:C7=7:Z2=2:Z 4=254:Z5=255:Z6=256:Z7= 127
- CJ 120 FA=PEEK(45)+Z6*PEEK(46) :BS=PEEK(55)+Z6*PEEK(56

-):H\$="0123456789ABCDEF"

 SB 130 R\$=CHR\$(13):L\$="{LEFT}"

 :\$\$="":D\$=CHR\$(20):Z\$=
 CHR\$(0):T\$="{13 RIGHT}"
- CQ 140 SD=54272:FOR I=SD TO SD +23:POKE I,0:NEXT:POKE [SPACE]SD+24,15:POKE 78 8,52
- FC 150 PRINT"[CLR]"CHR\$(142)CH R\$(8):POKE 53280,15:POK E 53281,15
- E 53281,15

 EJ 160 PRINT T\$" {RED}{RVS}

 {2 SPACES} & @ 3

 {2 SPACES} "SPC(28)"

 {2 SPACES} {OF } {BLU} ML

 X II {RED}{RVS}

 {2 SPACES} "SPC(28)"

 {12 SPACES} "BLU}"
- FR 170 PRINT"[3 DOWN]
 {3 SPACES}COMPUTEI'S MA
 CHINE LANGUAGE EDITOR
 {3 DOWN}"
- JB 180 PRINT"[BLK]STARTING ADD RESS\$43";:GOSUB300:SA=A D:GOSUB1040:IF F THEN18
- GF 190 PRINT"(BLK){2 SPACES}EN
 DING ADDRESSE4}";:GOSUB
 300:EA=AD:GOSUB1030:IF
 {SPACE}F THEN190
- KR 200 INPUT"[3 DOWN][BLK]CLEA R WORKSPACE [Y/N]843";A \$:IF LEFT\$(A\$,1)<>"Y"TH EN220
- PG 210 PRINT"(2 DOWN)(BLU)WORK ING...";:FORI=BS TO BS+ EA-SA+7:POKE I,0:NEXT:P RINT"DONE"
- DR 220 PRINTTAB(10)"{2 DOWN}
 {BLK}{RVS} MLX COMMAND
 {SPACE}MENU {DOWN}&43":
 PRINT T\$"{RVS}E{OFF}NTE
 R DATA"
- BD 230 PRINT T\$"[RVS]D[OFF]ISP LAY DATA":PRINT T\$" [RVS]L[OFF]OAD FILE"
- JS 240 PRINT T\$"[RVS]\$[OFF]AVE FILE":PRINT T\$"[RVS]Q [OFF]UIT[2 DOWN][BLK]"
- JH 250 GET A\$:IF A\$=N\$ THEN250 HK 260 A=0:FOR I=1 TO 5:IF A\$= MID\$("EDLSQ",I,1)THEN A
- =1:1=5 PD 270 NEXT:ON A GOTO420,610,6 90,700,280:GOSUB1060:GO TO250
- EJ 280 PRINT"[RVS] QUIT ":INPU T"[DOWN] [4] ARE YOU SURE [Y/N]"; A\$:IF LEFT\$ (A\$, 1) <> "Y"THEN220
- EM 290 POKE SD+24,0:END
- JX 300 INS=NS:AD=0:INPUTINS:IF LEN(INS)<>4THENRETURN
- KF 310 B\$=IN\$:GOSUB320:AD=A:B\$
 =MID\$(IN\$,3):GOSUB320:A
 D=AD*256+A:RETURN
- PP 320 A=0:FOR J=1 TO 2:A\$=MID \$(B\$,J,1):B=ASC(A\$)-C4+ (A\$>"0")*C7:A=A*C6+B
- JA 330 IF B<0 OR B>15 THEN AD= 0:A=-1:J=2
- GX 340 NEXT: RETURN
- CH 350 B=INT(A/C6):PRINT MID\$(
 H\$,B+1,1);:B=A-B*C6:PRI
 NT MID\$(H\$,B+1,1);:RETU
 RN
- RR 360 A=INT(AD/Z6):GOSUB350:A =AD-A*Z6:GOSUB350:PRINT ":";
- BE 370 CK=INT(AD/Z6):CK=AD-Z4* CK+Z5*(CK>Z7):GOTO390
- PX 380 CK=CK*Z2+Z5*(CK>Z7)+A

JC 390 CK=CK+Z5*(CK>Z5):RETURN QS 400 PRINT"[DOWN]STARTING AT E43";:GOSUB300:IF IN\$ <> N\$ THEN GOSUBLØ30:IF F SPACE THEN400 EX 410 RETURN PRINT"[RVS] ENTER DATA HD 420 (SPACE)":GOSUB400:IF IN \$=N\$ THEN220 JK 43Ø OPEN3, 3: PRINT SK 440 POKE198,0:GOSUB360:IF F THEN PRINT INS: PRINT" {UP}{5 RIGHT}" GC 450 FOR I=0 TO 24 STEP 3:B\$ =S\$:FOR J=1 TO 2:IF F T HEN B\$=MID\$(IN\$,I+J,1) PRINT" (RVS) "B\$L\$;:IF I< HA 460 24THEN PRINT"[OFF]"; HD 470 GET A\$:IF A\$=N\$ THEN470 FK 480 IF(A\$>"/"ANDA\$<":")OR(A \$>"@"ANDA\$ < "G") THEN 540 A=-(A\$="M")-2*(A\$=",")-3*(A\$=",")-4*(A\$="/")-5
(A\$="J")-6(A\$="K") FX 486 A=A-7*(A\$="L")-8*(A\$=": ")-9*(A\$="U")-10*(A\$="I ")-11*(A\$="0")-12*(A\$=" CM 487 A=A-13*(A\$=\$\$):IF A THE N AS=MIDS("ABCD123E456F Ø",A,1):GOTO 540 MP 490 IF AS=R\$ AND((I=0)AND(J =1)OR F)THEN PRINT BS;: J=2:NEXT:I=24:GOTO550 KC 500 IF AS=" [HOME] " THEN PRI NT B\$:J=2:NEXT:I=24:NEX T:F=0:GOTO440 MX 510 IF(AS="[RIGHT]")ANDF TH ENPRINT B\$L\$;:GOTO540 GK 520 IF AS<>L\$ AND AS<>D\$ OR ((I=0)AND(J=1))THEN GOS UB1060:GOTO470 HG 530 A\$=L\$+S\$+L\$:PRINT B\$L\$;

:J=2-J:IF J THEN PRINT [SPACE]LS;: I=I-3 QS 540 PRINT AS; :NEXT J:PRINT

(SPACE)SS;

PM 550 NEXT I:PRINT:PRINT"[UP] [5 RIGHT]";:INPUT#3,INS :IF INS=NS THEN CLOSE3: GOTO220

QC 560 FOR I=1 TO 25 STEP3:B\$= MID\$(IN\$,I):GOSUB320:IF I < 25 THEN GOSUB380:A(I /3)=A

PK 570 NEXT: IF A <> CK THEN GOSU Bl060:PRINT"[BLK][RVS] {SPACE}ERROR: REENTER L INE [4]":F=1:GOTO440

HJ 580 GOSUB1080:B=BS+AD-SA:FO R I=Ø TO 7:POKE B+I,A(I):NEXT

QQ 590 AD=AD+8:IF AD>EA THEN C LOSE3:PRINT"[DOWN][BLU]
** END OF ENTRY **[BLK] [2 DOWN] ":GOTO700

GQ 600 F=0:GOTO440 QA 610 PRINT"[CLR][DOWN][RVS] [SPACE] DISPLAY DATA ":G OSUB400:IF INS=NS THEN2 20

RJ 620 PRINT"[DOWN] [BLU] PRESS: [RVS] SPACE[OFF] TO PAU SE, [RVS]RETURN[OFF] TO BREAK 43 [DOWN]

KS 630 GOSUB360:B=BS+AD-SA:FOR I=BTO B+7:A=PEEK(I):GOS UB350:GOSUB380:PRINT S\$

CC 640 NEXT: PRINT" [RVS]"; :A=CK :GOSUB350:PRINT

KH 650 F=1:AD=AD+8:IF AD>EA TH

ENPRINT" [DOWN] [BLU] ** E ND OF DATA **": GOTO220

KC 660 GET AS: IF AS=R\$ THEN GO SUB1080:GOTO220

EQ 670 IF A\$=S\$ THEN F=F+1:GOS UB1Ø8Ø

AD 680 ONFGOTO630,660,630

CM 690 PRINT"[DOWN][RVS] LOAD [SPACE]DATA ":OP=1:GOTO

PC 700 PRINT"[DOWN][RVS] SAVE

[SPACE]FILE ":OP=0 RX 710 IN\$=N\$:INPUT"[DOWN]FILE NAMER43"; INS: IF INS=NS (SPACE) THEN 220

PR 720 F=0:PRINT"[DOWN][BLK] [RVS]T[OFF]APE OR [RVS]

D{OFF}ISK: 84%"; FP 730 GET A\$:IF A\$="T"THEN PR INT "T [DOWN] ": GOTO880

HQ 740 IF A\$ (> "D"THEN730 HH 750 PRINT "D{DOWN}": OPEN15,8 ,15, "IØ: ":B=EA-SA:IN\$="

Ø:"+IN\$:IF OP THEN810 SQ 760 OPEN 1,8,8,IN\$+",P,W":G OSUB860: IF A THEN220

FJ 770 AH=INT(SA/256):AL=SA-(A H*256):PRINT#1,CHR\$(AL) CHR\$ (AH);

PE 780 FOR I=0 TO B:PRINT#1,CH R\$(PEEK(BS+I));:IF ST T HEN800

FC 790 NEXT: CLOSE1: CLOSE15:GOT 0940

GS 800 GOSUB1060:PRINT"[DOWN] [BLK] ERROR DURING SAVE: \$43":GOSUB860:GOTO220

MA 810 OPEN 1,8,8,INS+",P,R":G OSUB860:IF A THEN220

GE 820 GET#1,A\$,B\$:AD=ASC(A\$+Z \$)+256*ASC(B\$+Z\$):IF AD <>SA THEN F=1:GOTO850

RX 830 FOR I=0 TO B:GET#1,AS:P OKE BS+I, ASC (A\$+Z\$):IF(I <> B) AND ST THEN F=2:AD =I:I=B

FA 840 NEXT: IF ST <> 64 THEN F=3 FQ 850 CLOSE1:CLOSE15:ON ABS(F >Ø)+1 GOTO96Ø,97Ø

SA 860 INPUT#15, A, AS: IF A THEN CLOSE1:CLOSE15:GOSUB10 60:PRINT" [RVS]ERROR:

GQ 870 RETURN

EJ 880 POKE183, PEEK (FA+2): POKE 187, PEEK (FA+3) : POKE188, PEEK(FA+4):IFOP=ØTHEN92

HJ 890 SYS 63466:IF(PEEK(783)A ND1) THEN GOSUBLØ60: PRIN T"[DOWN] [RVS] FILE NOT [SPACE] FOUND ":GOTO690

CS 900 AD=PEEK(829)+256*PEEK(8 30): IF AD <> SA THEN F=1: GOTO97Ø

SC 910 A=PEEK(831)+256*PEEK(83 2)-1:F=F-2*(A<EA)-3*(A> EA):AD=A-AD:GOTO93Ø

KM 920 A=SA:B=EA+1:GOSUB1010:P OKE780,3:SYS 63338

JF 930 A=BS: B=BS+(EA-SA)+1:GOS UB1010:ON OP GOTO950:SY S 63591

AE 940 GOSUB1080:PRINT"[BLU] ** SAVE COMPLETED **": GOT 0220

XP 950 POKE147,0:SYS 63562:IF [SPACE]ST>Ø THEN970

FR 960 GOSUBL080:PRINT"[BLU] ** LOAD COMPLETED **":GOT 0220

DP 970 GOSUBL060:PRINT"[BLK]

[RVS]ERROR DURING LOAD: [DOWN] 43":ON F GOSUB98 0,990,1000:GOTO220

PP 980 PRINT"INCORRECT STARTIN G ADDRESS (";:GOSUB360:

PRINT")": RETURN
GR 990 PRINT"LOAD ENDED AT ";: AD=SA+AD: GOSUB360: PRINT D\$: RETURN

FD 1000 PRINT TRUNCATED AT END ING ADDRESS": RETURN

RX 1010 AH=INT(A/256):AL=A-(AH *256):POKE193,AL:POKE1 94, AH

FF 1020 AH=INT(B/256):AL=B-(AH *256) : POKE174, AL: POKE1 75, AH: RETURN

FX 1030 IF AD SA OR AD EA THEN 1050

HA 1040 IF (AD>511 AND AD<40960)OR(AD>49151 AND AD<53 248) THEN GOSUBLØ80:F=0 : RETURN

HC 1050 GOSUB1060:PRINT"[RVS] [SPACE] INVALID ADDRESS { DOWN } { BLK } " : F=1 : RETU RN

AR 1060 POKE SD+5,31:POKE SD+6 208:POKE SD, 240:POKE [SPACE |SD+1,4:POKE SD+ 4,33

DX 1070 FOR S=1 TO 100:NEXT:GO TO1090

PF 1080 POKE SD+5,8:POKE SD+6, 240:POKE SD. 0:POKE SD+ ,90:POKE SD+4,17

AC 1090 FOR S=1 TO 100:NEXT:PO KE SD+4,0:POKE SD,0:PO KE SD+1,0:RETURN

6

THE

Presents... EXPLODE! and On Target Disk Drive Alignment Kit

EXPLODE! Add a NEW DIMENSION of POWER to your C-64. C-128*, SX-64 and the new 64-C.

EXPLODE is a convenient to use cartridge, EXPLODE! will not interfere with program loading or operations. EXPLODE can be left in at all times. Here is a list of features you will find in EXPLODE!

(1) A FASTLOAD that's 98% compatible (won't interfere with running of most programs) and over 500% faster loading.

(2) A HI-RES SCREEN DUMP with FULL 6* by 11* printout in TRUE GRAY SCALE, (all 16 colors are presented as shades of gray).

(3) Allows YOU TO SAVE a HI-RES SCREEN to DISK as PGM FILE.

(4) A LOAD & RE-DISPLAY FEATURE for ALL HI-RES SCREEN FILES.

FILES.

(5) A RESET BUTTON, a UTILITY DISK, D.O.S. wedge, TEXT dump printer, UN-NEW command, and many many other features!

(6) WORKS WITH C.B.M. printers (except 1526 and 602), Will also work with EPSON & C-ITOH types and most CLONES of all the above. (Please consult your manual).

ONLY 329.95 - \$1.50.95.H. COD's add \$3.00 (prices are U.S. only) ILL. res add 6% sales tax (EXPLODE) carries a 90 day warranty).

*In 64 mode only.

On Target Fast, Easy to use, Accurate and best of all Inexpensive. If those words describe your idea of ALIGNMENT PACKAGE for your 1540-41 or 1571 drive then read ont on Target will allow you to perform accurate disk drive alignments in 30 mins, or less. The concept is simple! Read the output of your disk drives head. If you can see that output, you would know whether you're in the middle of a track or not ie, aligned or not! On Target will do this for you without a computer! Here's what you get when you buy the On Target Alignment Kit. (1) A PRECISION ALIGNMENT METER (2) A DISK with the (ALIGNMENT STANDARD) on one side and... (OPTIONAL un-protected PFOGRAMS) on the other side. (3) A LARGE, HEAVY PAGE, fully illustrated manual, with a TIPS & HNTS page.

HINTS page.

(4) One small jumper cable and a FULL 1 YEAR WARRANTY! Two
(4) One small jumper cable and a FULL 1 YEAR WARRANTY! Two
versions are available. (A) For the 1540-41 only for \$25.00 or (B) for
the 1540-41 and 1571 for only \$35.00 × \$1.50 S/H (same rules apply
here as for ordering EXPLODE!).

To Order: WRITE The Soft 128 Group
OR CALL
(312) 851-6667 ANYTIME P.O. Box 111
C.O.D. & M/O's Welcomed Personal Checks 14D pysio Clear
Montgomery, IL. 60538

Classified

SOFTWARE

\$\$ WIN WITH THOROUGHBRED, Harness & Greyhound handicapping software: \$29.95 Enhanced: \$49.95. Pro Football Handicapping System: \$39.95. For most computers. Free info. Software Exchange, Box 5382 CG, W. Bloomfield, MI 48033. Orders: (800) 527-9467

ARB BULLETIN BOARD FOR THE 64 & 128 300-1200 Baud, Punter/Xmodem/ASCII Vote, ARB NETWORK, Matchmaker, Quiz, Email, 27 SIGS, Con't Story, SOURCE CODE & More! \$64.95 for 64 BBS * \$79.95 for 128 BBS (BBS) 718-645-1979 * (Voice) 718-336-2343 L&S COMPUTERS, PO Box 392, Bklyn, NY 11229

COMMODORE: TRY BEFORE YOU BUY. Best selling games, utilities, educational + classics and new releases. 100's of titles. Visa/MC. Free brochure. RENT-A-DISC, Frederick Bldg. #345, Hunt'n, WV 25701 (304) 529-3232

FREE SOFTWARE for C64, C128, IBM & CPM Send SASE for info (specify computer) to: PUBLIC DOMAIN USERS GROUP PO Box 1442-A2, Orange Park, FL 32067

NEW BASIC PROGRAMMING FUN FOR C64-128 Make Funny Animated KEYBOARD CARTOONS also LIVELY Prog/Titles & Games. Learn with easy Demodisk + Instr Book \$12.95 ppd. LOCKHART DEV., POB 214, Palm City, FL 33490

ARTIFICIAL INTELLIGENCE language LISP! Lisp interpreter for C64 with 140 page manual, Source Code, Tutorial & Sample Programs. Send \$39.95 to List Processing Software, Box 3422, Rapid City, SD 57709

FAMILY TREE Produces Pedigree Charts, Family Group Records, Files, Indexes, Searches. 3 versions...64, LDS, 128. \$49.95 + \$2 s/h. GENEALOGY SOFTWARE, POB 1151, PT HURON, MI 48061 (519) 542-4424

SpeedScript (c) 3.0-3.2 Info/Enhancements /WURDS/: Webster's Dictionary for SpeedCheck. 15K+words entered by frequency in Am. Eng. for speed: \$17+s/h. /SPEEDMATE/:SS 3.x customizer. Set/save margin defaults, 30+ print codes. PRINT PREVIEW 80 CHARS. WIDE ON SCREEN AT ONCE, no horiz scrolling!: \$17+s/h. /SPEEDPAK/: SS 3.x enhancer: Edit, cut, paste between two texts at once, help screen, mail merge, Dvorak, ASCII conv:\$17+s/h. Add \$3/order s/h (\$6 outside US/CAN.) CALL NOW FOR FREE INFO! MC/Visa OK. (919) 379-9732. UPSTART-G75, POB 22022, Greensboro, NC 27420

VIC & C64 SOFTWARE/HARDWARE/ACCES. liquidation! 1670 (1200 baud) modems \$99! VIC cartridges 6/\$10! Big List \$1! BASIC FUNDA-MENTALS, 3362 S. 2300 E., SLC, UT 84109

B-I-N-G-O the all-time favorite game now available for the C64. Includes software printing cards. \$14.95. Larry Conn, 36 Briarwood Dr., Elverson, PA 19520

New Plus/4 and C128 Software (disk only) Games, educational, finance statistics. Write for info. CARDINAL SOFTWARE, 14840 Build America Dr., Woodbridge, VA 22191

A good Genealogy Program, a Great price. For more information write to: GSC Software, P.O. Box 1148, Centerville, Utah 84014. Price is \$24.95. Add \$20 for source code in BASIC. (C-64 only)

C-128 SOFTWARE-NEW-VIDEX, Database for Video Tapes. Index 8 fields, Time Left Label Maker \$29.95 pp./ also 64 version. Gemware, 1224 Church St., Sandpoint, ID 83864

BEST PUBLIC DOMAIN PRICES & SERVICE *PICK PROGRAMS IN OUR FREE CATALOG &* ONLY PAY BY THE BLOCK YOUR CHOICE!* *QUAIL, POB L-2, WOODLAND, WA 98674*

WANTED: MODEM GAMES and PROGRAMS!!! original or Public Domain. Royalties or Finders Fee paid. Submit to: DISK MATE, P.O. Box 2031, Clarksburg, WV 26302

FREE DISCOUNT SOFTWARE CATALOG DISKS OF GAMES, UTILITIES, MUSIC. \$5 per Disk or 4 for \$15. Send for FREE CATALOG. HOMESPUN SOFTWARE, PO Box 214, Palm City, FL 33490

DIET ANALYSIS PROGRAM FOR C64 Keeps track of 25 nutrients and 8 amino acids

for up to 665 different foods and drinks. Program contains nutritional information for 500 food and drink items. CHANGE AND ADD program lets you rename, add, remove or mix records together to fit your needs. Use these programs to count calories while checking for vitamin and mineral deficiencies or too much fat, sodium, or cholesterol. The NUTRIENT FINDER program will tell you which foods to add to your diet to correct your deficiencies. MENU DRIVEN, fast and very easy to use. 1 disk \$29.95 (includes all programs, instructions & shipping.) DIET, PO Box 649120,

HARDWARE

Mustang, Oklahoma 73064-9001

COMMODORE CUSTOM CHIPS for C64/128 @ low prices. 6510/6526-\$9, 6567-\$15, 6581-\$11, PLA/S100-\$12, others. Just out: The Commodore Diagnostician"-repair your own C64 etc...\$6.95. Kasara Microsys, 33 Murray Hill Dr., Spring Valley, NY 10977 800/642-7634, 914/356-3131

COMPUTER REPAIR - C64: \$45, 1541: \$50 Parts available. MAJOR COMPUTER SERVICES, Rte. 6, Box 806-M, Midland, TX 79703 (915) 561-8483 V/MC/COD

MISCELLANEOUS

SX-64 OWNERS! STAND UP AND BE COUNTED! Join the USA SX-64 USERS GROUP! Monthly newsletter, discounts on products and free software. Yearly dues \$15. SX-64 Pro Soft Carry Bag \$75 (\$65 w/membshp) + \$4 s/h. Send to: USA SX-64 USERS GROUP, 10 Cornwall St., Bost, MA 02130

Use YOUR PHOTOs, Slides or Drawings with your C-64/128 PROGRAMS, REPORTS and COMPUTER ART. Images digitized (in B/W) and returned on disk. Include the name of your GRAPHICS PROGRAM. Images cropped unless full frame specified. Send copies; we cannot be responsible for loss or damage of materials. Min order-\$15 for 3 images, \$3 ea add image + \$2 s/h (CA res add 6% tax / foreign add \$4 US). Send CK/MO to: YORE PHOTO™, Dept. A, PO Box 1269, 29 Palms, CA 92277 (619)367-3779
COLOR service is available for the AMIGA.

BBS Numbers \$5 BBS Software! Order by modem (300 BAUD) 818-840-8066 or send \$5 to BBS-FUNPAK, Box 6055, Burbank, CA 91510 Multi-User Modem Party Line: 818-842-3322

dei DIGITAL SOLUTIONS 🌠 INC. Commodore® C-64 Repair (CPU only) \$ 38.95 1541 Alignment \$ 25.00 1541 Repair \$ 69.95 C-128 Repair (CPU only) \$ 74.95 1571 Alignment \$ 35.00 1571 Repair \$125.00 C-64 Power Supply \$ 21.95 C-128 Power Supply \$ 89.95 Includes parts and labor (Power Supply extra) To save C.O.D. charges, send unit and power supply with check or M.O. to DIGITAL SOLUTIONS, INC. 1122 9th Street Altoona, PA 16601 (814) 944-0405 VISA DIJCOVER

COMPUTEI's Gazette Classified is a low-cost way to tell over 275,000 microcomputer owners about your product or service.

Rates: \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.) Inquire about display rates.

Terms: Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted. Make checks payable to COMPUTE! Publications.

Form: Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

General Information: Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Orders will not be acknowledged. Ad will appear in next available issue after receipt. Closing: 10th of the third month preceding cover date (e.g., June issue closes March 10th). Send order and remittance to: Harry Blair, Classified Manager, COMPUTEI's Gazette, P.O. Box 5406, Greensboro, NC 27403. To place an ad by phone, call Harry Blair at (919) 275-9809.

Notice: COMPUTE! Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.

out misleading or questionable copy.

* 1986 DSI ALTOON



AN OPPORTUNITY UNLIKE ANY OTHER



The nation's largest computer camp offers all traditional camping activities and camaraderie in a beautiful setting. Your child will have exclusive use of a major brand microcomputer for at least 6 hours every day.

An experienced staff ratio of one to three and a computer ratio of one to one uncaps the creativity of young people. Students receive hands-on experience in robotics, graphics, lasers, sound, languages, telecommunications and more.

Complete details on the 1, 2, 4, and 8 week coed sessions for ages 8-18 are available in a free brochure. Call or write for yours!

Call (317) 297-2700 or write to MIDWEST COMPUTER CAMP 9392 Lafayette Road, Unit C5, Indianapolis, IN 46278

All programs
listed in this
magazine are
available on the
GAZETTE Disk.
See details
elsewhere in
this issue.

advertiser's index

Reader Service Number/Advertiser	Page
102 Abacus	53
103 Acorn of Indiana	71
104 ActionSoft Corp	2-3
105 Activision, Inc.	13
106 Activision, Inc.	15
107 American International Com	nuter
Products	115
Products	43
109 Aprotek	. 112
110 A. T. & T. Liquidators	71
109 Aprotek	pany 9
112 Berkeley Softworks	18_10
113 Berkeley Softworks	21
113 Berkeley Softworks	23
115 Blackship Computer Supply	124
116 CAMERICA Sales & Marketi	ina
116 CAMERICA Sales & Marketi Corp.	11
11/ Cardinal Software	11Ω
118 Central Point Software	40
118 Central Point Software 119 Cheatsheet Products, Inc.	. 122
120 C-More Products	116
120 C-More Products C.O.M.B. Direct Marketing	110
121 Compumed	120
122 CompuServe	37.39
123 ComputAbility	6-107
124 Computer Centers of Americ	a 123
125 Computer Mail Order	109
126 Computer Mart	121
127 Covox, Inc	120
Crown Custom Covers	124
128 CSM Software	116
129 Digital Solutions, Inc.	. BC
130 Digital Solutions, Inc.	131
131 Electronic Arts 132 Electronic One	IFC
132 Electronic One	71
133 Emerald Components	
International	. 114
135 EDVV	7
135 EPYX	41
137 Free Spirit Software	.112
138 In ConTrol Inc.	. 122
139 Intelligent I/O	110
140 Jameco Electronics	110
141 Jason Ranhéim	120
142 Lyco Computer 4	9 51
143 Maxi Math	110
144 Maxtron	77
McGraw-Hill Continuing Educ	ation
	33
145 Micro Computer Services	81
146 Midwest Computer Camp	. 132
147 Montgomery Grant	.113
148 Origin Systems Inc.	IBC
149 Precision Data	. 85
150 Pro-Tech-Tronics	2-64
	5-57

Reader Service Number/Advertiser	Page
S & S Wholesalers	4
S & S Wholesalers	6
S & S Wholesalers	110
Schnedler Systems	124
Second Source Engineering	77
152 Skyles Electric Works	. 117
153 Soft Byte	74
154 The Soft Group	130
155 Software Discounters of An	nerica
	111
156 Strategic Simulations, Inc	4
157 subLOGIC Corporation	31
158 Superior Micro Systems, Inc	c. 124
TCO Software	118
Tektonics Plus, Inc	. 114
159 Tenex Computer Express .	. 119
160 Timeworks, Inc	1
161 Timeworks, Inc	35
162 Triad Computers	108
163 Tussey Computer Products	27_20
164 Ultrabyte	47
165 Unitech	130
166 Utilities Unlimited	114
Classifieds	131

From Origin comes an all new version of the Computer Classic, Available on Apple®

is a dark time. The evil Wizard, Mondain, sends forth relentless hordes of his daemonic minions to ravage the lands of Britannia. Thou art the one of whom the Prophets speak. The champion who will track Mondain deep into the darkest depths of the earth, to the farthest reaches of space and time, to vanquish this immortal foe.

The original Ultima® I was a pioneering product that established new




standards in fantasy roleplaying games and started what has become the best selling saga in

the history of computer gaming. Now, Origin Systems brings you the new Ultima® I, completely rewritten in

assembly language and employing state of the art graphics.

Journey back to the First Era of the Dark Ages and embark on the original quest of the Ultima® chronicles.






AUTODUELTM is a futuristic fast-paced strategy role-playing game where the right of way goes to the biggest guns.



RING QUESTIM is a graphic adventure where you must traverse a land fraught with perils in order to put an end to the havoc caused by the Ring of Chaos.



MOEBIUS™ takes you through the elemental planes of a colorful Oriental world of fantasy and adventure in search of the Orb of Celestial Harmony.



OGRETM is a strategy game fought on the nuclear battlefield of tomorrow as an inhuman juggernaut Cybertank battles conventional forces.

Ultima® is a registered trademark of Richard Garriott/Ring Quest™ is a trademark of Origin Systems, Inc./Moebius™ is a trademark of Greg Malone/Ogre® and Autoduel® are registered trademarks of Steve Jackson Games, Inc./Apple™ is a trademark of Apple Computer, Inc.

Authors wanted. Call us today.

outions 22

Pocket Writer 2 Word Processor

Particet Spreadsheet

Database

We just did something only the best can do! We made our award wisoftware for the Commodore™ 128 and 64 computers even better!

Introducing...Pocket Writer 2/ward pro-cessor Pocket Planner 2/spreadsheet Pocket Filer 2/database

Our new Pocket 2 series offers features usually found only in much more sophisticated applications software. Features that include: compatability with the new GEOS operating system†, ability to work with the Commodore RAM expander to allow a RAM disk, mouse support with pull down menus, 1571 burst mode for faster file loading, increased support for two single disk drives, automatic configuration for screen color, format and printer selection†.

Sophisticated software, yes, and still easy to use. You can be up and running in under 30 minutes even if you haven't operated a computer before.

Now, when you upgrade your CommodoreTM 64

Now, when you upgrade your CommodoreTM 64 to a 128, Pocket software helps make it a breeze. The new Pocket 2 software has both 128 and 64 applications on the same disk. So when you buy one you are actually buying two software packages. The cost only \$59.95 (U.S.).

You can buy all three Pocket 2 application in one convenient Superpak for the low price of only \$99.95 (U.S.). A super way to discover all the integrated features of Pocket 2 software and sove almost eighty dollars.

As a companion to Pocket Writer 2, a Dictionary
Disk containing 32,000 words (expandable to 40,000 is available. The cost \$14.95 (U.S.).

For those of you who have already discovered the many benefits of owning Pocket software; we offer all registered owners upgrade Pocket 2 software for only \$19.95 (U.S.) plus 3.00 (U.S.) shipping and handling! Available only by writing to Digital Solutions Inc.

*Commodore's Micro-computers Magazine, independent reviewers, rated the original Pocket Writer 128/64 and Pocket Planner 128/64 software the "Annual Best of 1986" in the productivity category.

International Distributor Enquiries to:



Digital Solutions Inc.

2-30 Wertherm Court Richmond Hill, Ontario Canado L4B 189 Telephone (316,731-8775 Telex 06-964501 5ax (416)731-8915

Superpak: The Solution That Saves Money!



Economical; \$179.85 (U.S.) worth of software for only \$99.95 (U.S.)

Canadian Depler Enquiries Ingram Canada Ltd. 1-416-738-1700

Mail orders. Crystal Computer Inc. in Michigan 1-517-224-7667 outside Michigan 1-800:245-7316

onimodore is a registered trademark of Commodo Bosiness Machinis Inc. inclures available for Commodore 64^{1 M}.

Serious Software That's Simple to Us