

Fig. 8. Attenuation characteristics of amplitude modulation.




Fig. 9. Reciprocal phase shifters and amplitude modulation.

CONCLUSION

The reciprocal ferrite modulators described have important applications in microwave systems for antenna beam scanning, amplitude and/or phase modulation, power switching, pulse shaping, and simulating radar target cross section.

An extension of the preceding modulator techniques is presently being used to design a new type of digital (or latching) reciprocal phase shifter for use in phased array antenna systems. These new devices make use of the square loop magnetic properties of toroidal shaped ferrite materials in waveguides. Digital increments of reciprocal phase shift are obtained by latching or switching the ferrite magnetization from a near-zero value to one of its remanent field values.

F. REGGIA
Harry Diamond Labs.
Washington, D. C.

REFERENCES

- [1] F. Reggia and E. Spencer, "A new technique in ferrite phase shifting for beam scanning of microwave antennas," *Proc. IRE*, vol. 45, pp. 1510-1517, November 1957.
- [2] J. A. Weiss, "A phenomenological theory of the Reggia-Spencer phase shifter," *Proc. IRE*, vol. 47, pp. 1130-1137, June 1959.
- [3] F. Reggia, "A reciprocal phase modulator for rapid scanning of microwave antennas," *Proc. 1959 Army Science Conf.*, pp. 267-280, USMA, West Point, N. Y.
- [4] E. Neckenburger, "Wave propagation along a longitudinally magnetized ferrite rod in an electrically anisotropic environment," *Zeitschrift für angewandte Physik*, vol. 14, no. 5, pp. 282-288, 1962.
- [5] F. Reggia, "K-band reciprocal ferrite phase modulator," *IRE Trans. on Microwave Theory and Techniques (Correspondence)*, vol. MTT-9, pp. 269-270, May 1961.
- [6] F. Reggia, "A new broadband absorption modulator for rapid switching of microwave power," *IRE Trans. on Microwave Theory and Techniques*, vol. MTT-9, pp. 343-349, July 1961.
- [7] U. S. Patent No. 3 103 639, issued September 10, 1963.
- [8] F. Reggia, "A high isolation absorption modulator switch for 1.2 Cm wavelength," *Microwave J.*, vol. 7, pp. 70-73, October 1964.

Suggested Name "Nanowave Region" for the E-M Spectrum Between 10 Micrometers to 10 Millimeters Wavelength

With the growing activity making use of that portion of the electromagnetic spectrum which lies between the visible and microwave, I would like to enter a plea for an improvement in nomenclature before too many more grotesque synonyms become generally accepted. This is a highly controversial subject, I grant, but one which should be given the dignity of serious discussion by the people who are inventing the jargon.

The activity in this spectral region is a natural extension of the exploratory research and development by microwave engineers and optical engineers. The former bring with them the techniques of radio engineering based upon coherent radiation of long wavelength while the latter bring with them optical techniques evolved from a hundred years of experience with incoherent radiation of very short wavelength. This is bound to produce a provocative technical confrontation completely apart from the semantic confusion of using identical words with different technical definitions, e.g., coherent. Fig. 1 shows some of the spectrum designations commonly and imprecisely used by these two technologies. It does not show other phrases like "far far infrared," "ultra microwave," or "extra high frequency."




Fig. 1. Electromagnetic spectrum designations.

I propose that the spectrum from 10 micrometers to 10 millimeters be called the "nanowave region" in the same spirit with which the word *microwave* is now used. There are two intended meanings for which I find *microwave* being used: the comparative, in which the Greek prefix *mikros* (meaning small) is intended and means that component dimensions are of the order of λ , and the definite meaning in which λ is regarded as being of the order of a decimeter. Now *microwave* is an uncomfortable hybrid of two languages, but *nanowave* is not less comfortable, using the Greek prefix *nanos*, (meaning "dwarf"). The analogous double meaning for *nanowave* would be that the dimensions of the components are very large compared with λ or that λ is of the order of a millimeter.

When the word *optical* is examined, it appears that its original Greek meaning,

pertaining to sight and vision, has been somewhat generalized. An analogous pair of definitions for *optical* would be that the dimensions of optical components are enormous compared with λ , or λ is of the order of a micron. Putting all these statements together, we have the comparative meaning

$$L \sim \lambda \quad \lambda < L < 10^3 \lambda \quad L > 10^3 \lambda$$

Microwave Nanowave Optical

and the definite meaning as shown in Fig. 1. It should be noted that *nanowave*, in its comparative meaning, is synonymous with *quasioptic* (Latin prefix, Greek stem!).

I hope that the new word *nanowave* will be given some serious consideration for use in this growing new technology where the traditional fields of optics and radio engineering meet and overlap. As an example of how it might be used, consider the title of the recent conference in Colorado entitled *Boulder Millimeter Wave and Far Infrared Conference*. It might have been called the *Boulder Nanowave Conference*. The conference announcement proclaims a special issue of the *IEEE Proceedings* to be titled "Millimeter Waves and Beyond." An alternate title could be "Infrared and Below," but why not "Nanowaves—a new Frontier"?

R. W. ZIMMERER
2300 Kenwood Dr.
Boulder, Colo.

Transverse Resonance Solution of Uniform Trapezoidal Waveguides

Waveguides of nonconventional cross sections are of interest, and several approximate techniques are being developed. Yashkin [1]–[3] approximated the complicated cross section of waveguides by a cluster of rectangles. For example, the lateral sides of a uniform isosceles trapezoidal waveguide were approximated [1] by three steps, as shown in Fig. 1, thus forming five rectangular guides. The solution of the wave equation was sought by matching the five separate solutions at the boundaries of the adjacent rectangular guides. This led to a system of transcendental equations, which is often laborious to solve. Yashkin's theoretical calculations are verified experimentally as shown in Table I.

The transverse resonance method [4] can easily be applied to the uniform trapezoidal waveguide with the three-step deformation in each lateral side. The cross-sectional view can be considered as cascaded transmission lines with short-circuited ends, thus forming a resonant cavity with propagation in the x direction. With this approximation, one transcendental equation is easily obtained and solved for the lowest cutoff wave number.

For simplicity, Yashkin let

$$s = a + 2\Delta, \quad d = 2\Delta, \quad a = \pi$$

and defined η as the ratio of the cutoff wave

Manuscript received October 18, 1965. This research work was partially supported by NASA under Grant NSG-381.




Fig. 1. Trapezoidal guide approximated by step deformations in lateral sides.




Fig. 2. Transmission line equivalent of one-half the symmetrical trapezoidal waveguide.

TABLE I
 η CALCULATED FOR $b/s = 0.25$; WITH AND WITHOUT THE "DISCONTINUITY" ADMITTANCE

ϕ	Yashkin [1]		Transverse Resonance Method			
	theo. 3 steps	exp.	2 steps	3 steps	2 steps w/B	3 steps w/B's
0°	1.00	1.00	1.000	1.000	1.000	1.000
10°	1.04	1.04	1.046	1.046	1.046	1.045
20°	1.10	1.10	1.100	1.099	1.099	1.099
30°	1.17	1.17	1.167	1.169	1.164	1.164
40°	1.26	1.27	1.255	1.254	1.249	1.246
50°	1.33	1.33	1.389	1.383	1.360	1.356
60°	1.36	1.37	1.547	1.529	1.451	1.448

number of a rectangular waveguide to that of the uniform isosceles trapezoidal waveguide. That is,

$$\eta = \frac{2s}{2\pi/k} = \left(1 + \frac{2\Delta}{\pi}\right) k \quad (1)$$

where k is the cutoff wave number of the trapezoidal guide.

For the guide shown in Fig. 1, the transverse resonance method dictates that the input admittance looking to the right or to the left from the center line is zero for TE (transverse electric) mode of propagation. A "discontinuity" admittance exists at every step as discussed by Whinnery and Jamieson [5]. When only a two-step approximation is considered, the transverse resonance method with the "discontinuity" admittance included in the transmission line equations yields the following simple transcendental equation,

$$\tan kL = (b_2/b_1) \cot kd - B/Y_{02}. \quad (2)$$

The term b_2/b_1 results from the fact that it is equal to Y_{01}/Y_{02} as Marcuvitz [6] pointed out. Using the results in Fig. 5.26.3 in Marcuvitz [6], and $b_2/b_1 = 2$, (2) becomes

$$\tan kL = 2 \cot kd - 0.8(b_2/s)(1 + 2\Delta/\pi)k. \quad (3)$$

Equation (3) was solved for k using different values of the angle ϕ , and the factor η was calculated by (1). The solutions are shown in Table I along with Yashkin's results.

It is evident, therefore, that the two-step approximation for all practical uniform isosceles trapezoidal waveguides is sufficient to yield good results. Also, it is noted that only when the lateral walls are slanted considerably, i.e., large ϕ , is it necessary that the "discontinuity" admittances be taken into account. For $\phi = 60^\circ$, the error in η is about 6 percent. This discrepancy is due to the fact that the B/Y values used in these calculations are based on the assumption that the line is infinitely long on both sides of the discontinuity. Short circuits placed close to the discontinuity and other steps in close proximity will change the admittance [5]. Exact calculation of B may be made by Hahn's method [7].

Three-step approximations (see Table I) were developed, and the calculations yielded no significant improvement. Unlike the transverse resonance method, Yashkin's approximation technique gives more accurate results as the number of steps is increased. By the perturbation methods [8], it can be shown that the deviation from the exact cutoff wave number is reduced as the approximated boundaries become closer to the actual.

Although not shown here, results for the case $b/s = 0.50$ were even better than for $b/s = 0.25$, (where $b = b_2$ for two steps, and $b = b_3$ for three steps). Good results are expected to be obtained for guides with $b/s < 0.25$, provided that $A/s > 0.1$.

It is visualized that the transverse resonance method may be used for calculating the critical wavelengths of right-angled uniform trapezoids, and, many of the waveguide problems solved by Yashkin [2], [3].

S. T. UPTAIN
Electromagnetics Lab., DRD
Army Missile Command
Redstone Arsenal, Ala.
N. F. AUDEH
University of Alabama
Research Institute
Huntsville, Ala.

REFERENCES

- [1] A. V. Yashkin, "A method of approximate calculation for waveguides of triangular and trapezoidal cross-section," *Radio Engr.*, vol. 13, pp. 1-9, October 1958.
- [2] A. I. Yashkin, "The calculation of the fundamental critical wavelength for a rectangular waveguide with longitudinal rectangular channels and ridges," *Radio Engr.*, vol. 13, pp. 8-14, March 1958.
- [3] A. V. Yashkin, "The calculation of the lower critical wave for symmetrical π , T and some other forms of waveguides," *Radio Engr. and Electronics*, vol. 2, pp. 57-73, 1957.
- [4] Robert E. Collin, *Field Theory of Guided Waves*, New York: McGraw-Hill, 1960, pp. 224-229.
- [5] J. R. Whinnery and H. W. Jamieson, "Equivalent circuits for discontinuities in transmission lines," *Proc. IRE*, vol. 32, pp. 98-114, February 1944.
- [6] N. Marcuvitz, *Waveguide Handbook*, MIT Radiation Lab. Series, vol. 10. New York: McGraw-Hill, 1951, pp. 307-310.
- [7] W. C. Hahn, "A new method for the calculation of cavity resonators," *J. Appl. Phys.*, vol. 12, pp. 62-68, January 1941.
- [8] Roger F. Harrington, *Time-Harmonic Electromagnetic Fields*, New York: McGraw-Hill, 1961, pp. 317-321.