

CORRECTIONS

Elizabeth A. Wilder, Shu Guo, Sheng Lin-Gibson, Michael J. Fasolka, and Christopher M. Stafford*: Measuring the Modulus of Soft Polymer Networks via a Buckling-Based Metrology. Volume 39, Number 12, June 13, 2006, pp 4138–4143.

In eq 1, which defines the equilibrium buckling wavelength of an elastic film on an elastic substrate in compression, the prefactor within the cube-root term was placed incorrectly. The correct equation is

$$d = 2\pi h_f \left(\frac{\bar{E}_f}{3\bar{E}_s} \right)^{1/3} \quad (1)$$

All subsequent equations are correct as originally published.

MA0615607

10.1021/ma0615607

Published on Web 07/28/2006