

# Synthesis of Tertiary Enamides by Ag<sub>2</sub>CO<sub>3</sub>-Promoted Pd-Catalyzed Alkenylation of Acyclic Secondary Amides

Arnaud Delforge,<sup>†</sup> Irene Georgiou,<sup>†</sup> Adrian Kremer,<sup>†</sup> Johan Wouters,<sup>†</sup> and Davide Bonifazi\*,<sup>†,‡</sup>

<sup>†</sup>Namur Research College and Department of Chemistry, University of Namur, Rue de Bruxelles 61, B-5000 Namur, Belgium <sup>‡</sup>School of Chemistry, Cardiff University, Park Place, Main Building, CF10 3AT Cardiff, U.K.

Supporting Information

$$\begin{array}{c} \text{Pd}_2(\text{dba})_3] \ (5 \ \text{mol} \ \%) \\ \text{XantPhos} \ (15 \ \text{mol} \ \%) \\ \text{NH} \\ \text{R'} \end{array} \\ + \ \ X^{\text{sr}} \\ \text{EWG'} \\ \end{array} \\ \begin{array}{c} \text{RB}_2(\text{CO}_3 \ (1.4 \ \text{equiv})) \\ \text{MS 3 Å, solvent, 65 °C} \\ \end{array} \\ \begin{array}{c} \text{R} \\ \text{R'} \\ \text{EWG} \end{array} \\ \end{array}$$

R, R' = alkyl or phenyl; R" = H, alkyl or OMe; EWG = COOR", CN

**ABSTRACT:** A Pd-catalyzed methodology for the preparation of tertiary enamides from acyclic secondary amides and bromo acrylates under mild reaction conditions has been developed using  $[Pd_2(dba)_3]$ , XantPhos, and  $Ag_2CO_3$  as a base. The reaction occurs through a stereospecific metal-mediated oxidative-insertion mechanism.

 $\Gamma$  n the past decade, metal-catalyzed  $C(sp^2)$ -N and C(sp)-N bond-forming reactions with amines and amides have been under great development. In particular, the elaboration of novel alkenylation reactions affording enamides<sup>2</sup> has attracted a lot of attention, as these functional groups are fundamental components of a large variety of natural products<sup>3</sup> and versatile precursors of  $\beta$ -amino acids, the latter being important building blocks for preparing biologically active peptides, small-molecule pharmaceuticals, and chiral synthons.<sup>4</sup> With respect to metalfree protocols (e.g., acid-catalyzed condensation of amides and aldehydes, acylation of imines, Curtius rearrangement of  $\alpha,\beta$ unsaturated acyl azides,7 addition of amides to alkynes,8 condensation of aldehydes or ketones with nitriles, 4f elimination of  $\beta$ -hydroxy- $\alpha$ -silyl amides, <sup>9</sup> and electroorganic synthesis, 10 Scheme 1a), metal-catalyzed alkylenation reactions have provided access to substituted enamides in high yields with full stereocontrol on the double bond (Scheme 1b).<sup>11</sup> Among the recently described methods, Pd- and Cu-catalyzed coupling of alkenyl halides with amides is certainly very efficient. Following the first report by Ogawa and Suzuki<sup>12</sup> describing the stereospecific synthesis of enamides and enimides from vinyl bromides and potassium amides in the presence of a stoichiometric amount of CuI, the groups of Buchwald, <sup>13</sup> Porco, <sup>14</sup> and Ma<sup>15</sup> have developed efficient Cu(I)catalyzed variants that dramatically increase the scope and the chemical compatibility of these coupling reactions (Scheme 1b, eq 1) also starting from lactams (Scheme 1b, eq 2). Following the first protocols by Mori and Kozawa describing intramolecular Pd-catalyzed vinylation of  $\beta$ -lactams, <sup>16</sup> versatile Pdcatalyzed variants have been also developed by Wallace and coworkers 17a and later by Willis, 17b who reported the synthesis of tertiary enamides (Scheme 1b, eq 2) through a coupling reaction between an enol triflate and amides, carbamates, or sulfonamides.

Apart from the alkylation of secondary enamides, methods for directly accessing to tertiary enamides through direct alkenylation of acyclic amides under mild conditions are deficient (Scheme 1b, eq 3). This limits the versatility of tertiary enamides as valuable stable variants of enamines to be employed in the synthesis of natural products and heterocyclic compounds of biological relevance. Here, we thus describe the synthesis of tertiary N-alkyl and N-arylenamides through a metal-catalyzed alkenylation reaction between acyclic secondary amides and  $\beta$ -halo acrylates and  $\beta$ -halo acrylonitriles (Scheme 1b-ii). As a matter of fact, this method is an effective strategy for synthesizing trisubstituted vinylogous imides and vinylogous N-acylaminonitriles.

Thus, our studies commenced by examining the general Cu(I)-catalyzed method  $^{14}$  (i.e., CuI (5 mol %), DMEDA (20 mol %),  $\rm K_2CO_3$ , toluene, 110 °C) between N-methyl propionamide and (E)-3-bromomethyl acrylate. Unfortunately, under these reaction conditions, only starting materials were observed. The use of different ligands (1,10-phenanthroline, N,N-dimethylglycine) or changing the solvent, temperature, or base did not lead to any improvements. Therefore, our attention was turned toward Pd-catalyzed methodologies. Taking into consideration the Pd-catalyzed reaction conditions used for the coupling of  $\beta$ -lactams to vinyl halides  $^{16}$  (i.e., Pd(OAc) $_2$  (10 mol %), DPEPhos (15 mol %),  $\rm K_2CO_3$ , toluene, 110 °C) and applying them to the substrates of our interest, only degradation of the starting material was observed. The same observation was noted when XantPhos was used.

On the other hand, after the catalyst precursor was changed to  $[Pd_2(dba)_3]$  in the presence of XantPhos and  $Cs_2CO_3$  under dry conditions at 65 °C for 16 h, 100% conversion was observed, affording after purification the desired enamide (*E*)-1

Received: August 5, 2016

Published: September 20, 2016

Organic Letters Letter

# Scheme 1. Metal-Free (a) and Metal-Catalyzed (b) Synthetic Approaches for Preparing Enamides

 b) Metal-catalyzed synthesis of enamides through alkenylation of primary & secondary amides and lactames
 Primary amides<sup>12-15,17</sup>

$$X = \ Br, \ I; \ R'' = alkyl$$
 Lactames  $^{13,15-17}$ 

$$\begin{array}{c}
O \\
NH \\
N \\
M(n)-catalyzed \\
reaction
\end{array}$$

$$X \longrightarrow N \longrightarrow R'' \\
N \longrightarrow R'' \\
X = Br, I, OTf$$
(eq 2)

This work: Secondary acylic amides

in 64% yield (Table 1, entry 1). The use of weaker bases ( $K_2CO_3$  and  $Na_2CO_3$ ) resulted in reduced yield or no formation of enamide (*E*)-1 at all, respectively (Table 1, entries 2 and 3). Instead, in the presence of  $Ag_2CO_3$ , an improvement of the yield to 83% was noted (Table 1, entry 4).

Table 1. Optimization of the Pd-Catalyzed Cross-Coupling Reaction between N-Methyl Propionamide and (E)-3-Bromomethylacrylate<sup>a</sup>

entry	catalyst	base	yield $^{b,c}$ (%)
1	$[Pd_2(dba)_3]$	$Cs_2CO_3$	64
2	$[\mathrm{Pd}_2(\mathrm{dba})_3]$	$K_2CO_3$	15
3	$[\mathrm{Pd}_2(\mathrm{dba})_3]$	$Na_2CO_3$	0
4	$[Pd_2(dba)_3]$	$Ag_2CO_3$	83
5	$[PdCl(C_3H_5)]_2$	$Ag_2CO_3$	81
$6^d$	$[Pd_2(dba)_3]$	$Ag_2CO_3$	85
7		$Ag_2CO_3$	0
8	$[Pd_2(dba)_3]$		0

<sup>a</sup>Reaction conditions: N-methylpropionamide (0.3 mmol), (E)-3-bromomethyl acrylate (0.25 mmol), catalyst (5 mol %), ligand (15 mol %), base (0.35 mmol), MS 3 Å, THF. <sup>b</sup>All yields refer to the isolated compound (SI). <sup>c</sup>All gave full conversion. <sup>d</sup>Microwave irradiation, 100 °C, 2 h.

From these results, one could presume a marked activation action of the Ag(I) ions on the halo methyl acrylate. However, when the reaction was performed in the presence of AgBF<sub>4</sub> or AgOTf, no traces of the product were observed. This supports the idea for which a synergistic effect between the Ag(I) ions and the basic counterion improves the efficiency of the C-N coupling. Furthermore, when other Pd sources, such as  $[PdCl(C_3H_5)]_2$  (Table 1, entry 5), or microwave irradiation at 100 °C for 2 h were used, yields higher than 80% were obtained. No formation of enamide (E)-1 was observed (a) in the absence of either [Pd<sub>2</sub>(dba)<sub>3</sub>] or Ag<sub>2</sub>CO<sub>3</sub> (Table 1, entries 7 and 8) or (b) when the ligand was changed to JackiePhos, 20 notorious to be effective for the formation of sterically demanding substrates. Examination of a variety of other ligands, including DPEPhos and XPhos, proved to be also ineffective. Changing the solvent from THF to toluene or 1,4dioxane had only a minor effect in the outcome of the reaction, and hence, THF was used. The conditions disclosed in Table 1, entry 4, on the (E)-3-bromomethyl acrylate have been successfully extended to its (Z)-stereoisomer, stereospecifically producing related (Z)-enamide 2 by retention of the configuration at the substituted vinylic carbon (Table 2, entry 3). This was further confirmed with  $\delta$ -valerolactam, for which the reaction with (Z)-3-bromomethyl acrylate also yielded molecule 3 as the (Z)-isomer (Scheme 2).

Table 2. Effect of the Halide on the Cross-Coupling Reaction Using and (Z)-3-Haloethylacrylate

X	conv (%)	yield (%)
F	0	0
Cl	100	62
Br	100	70
I	100	79

When the acryl bromide was switched to the chloro and iodo analogues (Table 2), enamide (Z)-2 was formed in 62% and 79% yield, respectively. In contrast, the fluoro precursor gave no sign of desired enamide (Z)-2. Taken together, these results promoted us to exclude an addition—elimination mechanism and are fully consistent with a metal-mediated oxidative-insertion mechanism. Having in hand the optimized reaction conditions and the fundamental mechanistic insights, the attention was then focused in examining the generality of this method, by varying both the vinyl and the amide substrates.

As outlined in Scheme 2 (the *E* and *Z* notations are omitted for clarity reasons), a variety of tertiary *N*-alkyl and *N*-aryl enamides have been prepared employing the Ag<sub>2</sub>CO<sub>3</sub>-promoted Pd-catalyzed conditions from moderate to good yields. *N*-Methyl-, -phenyl-, and -pentyl-substituted amides were all successfully coupled to acrylic bromides, and the obtained yield confirmed the steric trend, with the *N*-pentyl substrate being the less reactive. For example, when (*E*)-3-bromomethyl acrylate was reacted with the relevant amide, enamides 1, 5, and 6 were obtained in 83%, 63%, and 33% yield, respectively. In general, when the *N*-pentyl-based amide is coupled with any acyclic acrylic substrate, tertiary enamides


Organic Letters Letter

Scheme 2. Pd-Catalyzed Ag<sub>2</sub>CO<sub>2</sub>-Promoted Formation of Acyclic Tertiary Enamides<sup>a</sup>

"Starting from (a) cis-3-bromoethyl acrylate; (b) trans-3-bromomethyl acrylate; (c) methyl-(E)-3-bromo-methyl acrylate; (d) methyl-(Z)-3-bromo-2-methoxyacrylate; (e) 1:1 mixture of cis- and trans-3-bromo-2-methylacrylonitrile. All yields refer to the isolated and purified compounds.

with modest yields at around 30% were obtained (enamides 6, 11, 16, and 17). As observed for (E)-1 and (Z)-2, the geometry of the double bond in the acryl halides has a modest effect on the yield. In particular, when (Z)-3-bromoethyl acrylate was used instead of (E)-3-bromomethyl acrylate, the E isomer of the relevant enamide was obtained vs the Z isomer in the second case, with only slightly higher yield ((E)-1 83% vs (Z)-2 70%). This is further confirmed when comparing the outcome of the reaction leading to the formation of enamides 3 vs 4 and 6 vs 19. Notably, the protocol is also effective for the electronically rich acrylic derivatives, such as 3-methyl and 3methoxy substrates, which gave rise to enamides 8-11 and 12-16, respectively. It is worth pointing out that these reaction conditions are certainly compatible with the majority of thermally unstable and volatile vinyl bromides. The method could be extended to functional substrates as 5-(bromomethylene)-1,3-dioxolan-4-one (molecule 22; see the SI for its synthesis), a potential precursor for preparing  $\beta$ -amino  $\alpha$ ketoacids. When the 1,3-dioxolan-4-one was reacted with Npentylamide, enamide 20 was isolated in 66% yield.

In our attempt to elucidate the double-bond configuration of one of the tertiary enamides bearing a trisubstituted vinyl group, two types of crystals (rod- and rhombic-like) deriving from the crystallization of product 20 (being the only solid derivative) were obtained and analyzed by single X-ray diffraction (Figure 1). The first proved to be the Z isomer of enamide 20 ((Z)-20, Scheme 3), and to our surprise, the second crystals resulted from dispiro derivative 21 featuring a central cyclobutane ring (Figure 1). Notably, no crystals of isomer (E)-20 were found. Redissolution of the crystals in nonacidic CDCl<sub>3</sub> gave the same  $^1H$  NMR spectrum as that obtained before crystallization, namely that of 20 with no sign of the typical proton resonances of the cyclobutyl ring,



**Figure 1.** ORTEP representation of (E)-20 and cyclobutyl derivative 21 as determined by X-ray analysis (space group:  $P2_1/c$ ). Atomic displacement parameters, obtained at 223 K, are drawn at the 30% probability level.

suggesting that the dispiro derivative perishes in solution and can be isolated only at the solid state. Complementary variable-temperature (VT)  $^{1}$ H NMR investigations of a CDCl<sub>3</sub> solution containing **20** show coalescence between 5 and -10  $^{\circ}$ C of the proton resonances in the diagnostic enamidic chemical shift region, suggesting the presence of a dynamic equilibrium (see Figure SI.5). Unfortunately, the overlap with the aromatic proton resonances hampers the univocal assignment of the coalescing peaks (see Figure SI.5). However, when similar VT

Organic Letters Letter

# Scheme 3. Proposed E/Z Isomerization in Solution Mediated by a Dispirocyclobutane Intermediate

investigations were performed with enamide 13 (Figures SI.1, see also 9, Figure SI.6), the <sup>1</sup>H NMR spectrum in CD<sub>3</sub>CN at rt displayed a vinylic proton resonance at 7.52 ppm that, upon cooling to -40 °C, shifts and clearly splits into two peaks centered at 7.76 and 7.29 ppm, respectively. Likely, this trend has been observed for the vinylic proton resonances of isomers (E)-20 and (Z)-20 (Figure SI.5). In contrast, the VT  $^{1}$ H NMR spectra of all enamides bearing doubly substituted acryl (e.g., 5, Figure SI.7) and of the Br-derived acrylate precursors (see Figures SI.3 and SI.4) displayed no coalescence of the vinylic proton resonances. These observations promoted us to hypothesize that the enamides bearing acryl moieties decorated with EDGs (Me or OMe) undergo E/Z isomerization in solution, and therefore, the products are obtained as isomeric mixtures at rt. Likely, this could hypothetically occurs through the formation of a dispiro cyclobutane species that serve as intermediate of a fast dynamic equilibrium possibly involving sequential ring-opening and ring-closure reactions (Scheme 3). On the contrary, all enamides bearing a vinyl moiety substituted with only EWGs are thermally stable at rt and can be stereospecifically prepared by this procedure.

In conclusion, we have demonstrated an Ag<sub>2</sub>CO<sub>3</sub>-promoted Pd-catalyzed alkenylation procedure providing access to acyclic tertiary enamides starting from acryl bromides and sterically encumbered *N*-substituted amides. A wide range of enamides was synthesized, proving the versatility of the method. The reaction likely undergoes through a stereospecific oxidative-insertion mechanism favored by the presence of Ag<sub>2</sub>CO<sub>3</sub>. VT <sup>1</sup>H NMR experiments showed that the enamides bearing acryl moieties decorated with EDGs undergo *E/Z* isomerization in solution. The ease of access toward trisubstituted vinylogous imides and *N*-acyl amino-nitriles, <sup>21</sup> makes this Pd-catalyzed alkenylation method appealing to organic chemists.

### ASSOCIATED CONTENT

# S Supporting Information

The Supporting Information is available free of charge on the ACS Publications website at DOI: 10.1021/acs.orglett.6b02305.

Synthetic protocols and spectroscopic data, relevant X-ray data for molecules (*E*)-20 and 21, and VT <sup>1</sup>H NMR spectra of all enamides (PDF)

#### AUTHOR INFORMATION

# **Corresponding Author**

\*E-mail: bonifazid@cardiff.ac.uk.

# **Notes**

The authors declare no competing financial interest.

### ACKNOWLEDGMENTS

We gratefully acknowledge the EU through the ERC Starting Grant "COLORLANDS" and the FRS-FNRS. We thank Prof. A. Krief (University of Namur) for the useful discussion.

# REFERENCES

- (1) (a) Monnier, F.; Taillefer, M. Angew. Chem., Int. Ed. 2009, 48, 6954. (b) Beletskaya, I. P.; Cheprakov, A. V. Organometallics 2012, 31, 7753. (c) Evano, G.; Theunissen, C.; Pradal, A. Nat. Prod. Rep. 2013, 30, 1467. (d) Evano, G.; Blanchard, N.; Toumi, M. Chem. Rev. 2008, 108, 3054. (e) Mulder, J. A.; Kurtz, K. C. M.; Hsung, R. P. Synlett 2003, 1379. (f) Lu, T.; Hsung, R. P. ARKIVOC 2014, 127.
- (2) Tracey, M. R.; Hsung, R. P.; Antoline, J.; Kurtz, K. C. M.; Shen, L.; Slafer, B. W.; Zhang, Y. In *Science of Synthesis, Houben-Weyl Methods of Molecular Transformations*; Weinreb, S. M., Ed.; Georg Thieme Verlag KG, 2005; Chapter 21.4.
- (3) (a) Kuranaga, T.; Sesoko, Y.; Inoue, M. Nat. Prod. Rep. 2014, 31, 514. (b) Shen, R.; Lin, C. T.; Bowman, E. J.; Bowman, B. J.; Porco, J. A. Org. Lett. 2002, 4, 3103. (c) Shen, R.; Porco, J. A. Org. Lett. 2000, 2, 1333. (d) Wu, Y.; Seguil, O. R.; De Brabander, J. K. Org. Lett. 2000, 2, 4241.
- (4) (a) Weiner, B.; Szymański, W.; Janssen, D. B.; Minnaard, A. J.; Feringa, B. L. Chem. Soc. Rev. 2010, 39, 1656. (b) Bode, J. W.; Fox, R. M.; Baucom, K. D. Angew. Chem., Int. Ed. 2006, 45, 1248. (c) Pattabiraman, V.; Bode, J. W. Nature 2011, 480, 471. (d) Courant, T.; Dagousset, G.; Masson, G. Synthesis 2015, 47, 1799. (e) Carbery, D. R. Org. Biomol. Chem. 2008, 6, 3455. (f) Rappoport, Z. The Chemistry of Enamines. In The Chemistry of Functional Groups; John Wiley and Sons: New York, 1994.
- (5) Couture, A.; Deniau, E.; Grandclaudon, P. Tetrahedron Lett. 1993, 34, 1479.
- (6) Boeckman, R. K.; Goldstein, S. W.; Walters, M. A. J. Am. Chem. Soc. 1988, 110, 8250.
- (7) (a) Kuramochi, K.; Watanabe, H.; Kitahara, T. Synlett 2000, 2000, 397. (b) Snider, B. B.; Song, F. Org. Lett. 2000, 2, 407.
- (8) Kondo, T.; Tanaka, A.; Kotachi, S.; Watanabe, Y. J. Chem. Soc., Chem. Commun. 1995, 413.
- (9) Fürstner, A.; Brehm, C.; Cancho-Grande, Y. Org. Lett. 2001, 3, 3955.
- (10) Shono, T.; Matsumura, Y.; Tsubata, K.; Sugihara, Y.; Yamane, S.; Kanazawa, T.; Aoki, T. *J. Am. Chem. Soc.* **1982**, *104*, 6697.
- (11) (a) Panda, N.; Jena, A. K.; Raghavender, M. ACS Catal. 2012, 2, 539. (b) Dehli, J. R.; Legros, J.; Bolm, C. Chem. Commun. 2005, 973.
- (12) Ogawa, T.; Kiji, T.; Hayami, K.; Suzuki, H. Chem. Lett. 1991, 20, 1443.
- (13) Jiang, L.; Job, G. E.; Klapars, A.; Buchwald, S. L. S. L. Org. Lett. **2003**, *5*, 3667.
- (14) Han, C.; Shen, R.; Su, S.; Porco, J. A. Org. Lett. 2004, 6, 27.
- (15) Pan, X.; Cai, Q.; Ma, D. Org. Lett. 2004, 6, 1809.
- (16) Kozawa, Y.; Mori, M. J. Org. Chem. 2003, 68, 3064.
- (17) (a) Wallace, D. J.; Klauber, D. J.; Chen, C.; Volante, R. P. Org. Lett. 2003, 5, 4749. (b) Willis, C.; Brace, G. N.; Holmes, I. P. Synthesis 2005, 3229.
- (18) (a) Zhu, W.; Zhao, L.; Wang, M.-X. J. Org. Chem. 2015, 80, 12047. (b) Bai, X.-Y.; Wang, Z.-X.; Li, B.-J. Angew. Chem., Int. Ed. 2016, 55, 9007. (c) Xu, X.-M.; Zhao, L.; Zhu, J.; Wang, M.-X. Angew. Chem., Int. Ed. 2016, 55, 3799.
- (19) Wang, M.-X. Chem. Commun. 2015, 51, 6039.
- (20) Hicks, J. D.; Hyde, A. M.; Cuezva, A. M.; Buchwald, S. L. *J. Am. Chem. Soc.* **2009**, 131, 16720.
- (21) Nicolaou, K. C.; Mathison, C. J. N. Angew. Chem., Int. Ed. 2005, 44, 5992.