



RESISTANCE READINGS										
ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	6U8A 6EA8	†15K	0Ω	†100K	FIL	FIL	†10K	220Ω	0Ω	1 meg
V2	6U8A 6EA8	†15K	2.3 meg	†15K	FIL	FIL	†15K	100Ω	0Ω	22K
V3	6AL5	2 meg	1 meg	FIL	FIL	2 meg	0Ω	1 meg		
V4	12AX7	*†475K	4.7 meg	0Ω	FIL	FIL	†230K	470K	3300Ω	FIL
V5	6V6GT	0Ω	FIL	†500Ω	†300Ω	470K	TP	FIL	470Ω	
V6	6AW8A	*0Ω	*47K	†10K	FIL	FIL	*0Ω	22K	†650Ω	†15.6K

† MEASURED FROM OUTPUT OF X1.  
\* MEASURED IN TRANSMIT POSITION.

- See parts list for alternate value or application.
- Voltage measurements taken with vacuum tube voltmeter.
- All controls set for normal operation, no signal applied.
- Measured values are from socket pin or terminal to common ground.
- All terminals viewed from bottom unless otherwise designated.
- Numbers assigned to terminals may not be found on the unit.
- Supply voltage maintained at rated value for voltage readings.