

WELCOME

When you purchase one of our airguns, think of it as a flexible platform designed to meet a variety of shooting needs instead of just a single airgun. With adjustable powerlevels, multiple barrel lengths and calibers, different valve configurations and adjustable butt plate system, shooters can quietly hunt small game, enjoy target practice in the backyard and even shoot indoors.

This year we add more capability to the Texan. With the addition of .357 and .308 calibers we add more flexibility to what has become the world's most powerful production air rifle. The .357 Texan will provide a long reaching and flat shooting rifle with the energy needed for predators or larger varmints. The .308 Texan will provide a long reaching decisive solution for smaller varmints.

The list of states allowing the use of large caliber airguns for taking predators and large game continues to grow. You can count on AirForce to provide hunters an effective means to take advantage of these rule changes. Feral hogs and other predators are encroaching closer to urban centers. Big bore airguns offer an alternative to firearms that are often too powerful to use in these areas.

AirForce Airguns is there to offer hunters and wildlife control personnel a reliable and effective alternative to control these wildlife nuisance and depredation problems.

For more information on all of our products, please visit us at www.airforceairguns.com











With the ability to launch .45 caliber projectiles at over 1000 feet per second and generating energy levels of over 500 foot pounds, the Texan takes its place as the World's most powerful production air rifle. Easy to load and simple to use, this Big Bore air rifle will let you focus on hunting with the knowledge you have enough power to get the job done. The addition of .357 and .308 calibers provides greater flexibility for predators, varmints, and other small to medium size game.

Max Fill Pressure	3000 psi
Action	
Weight	7.65 lbs
Length	48 inches

Barrel	34 inches
Caliber	0.308, 0.357, 0.45
Trigger 2 stage,	adjustable for position
Safety	Automatic on cocking

	S PECIFICATIONS
nches	Air Tank Volume490cc
7, 0.45	SightsOpen or optical may be installed
sition	VelocityUp to 1100 feet per second*
cking	Energy Up to 500 foot pounds*
*Depend	ling on caliber, pellet weight and power setting

ESCAPE®

The Ultimate in Survival Air Rifles by Ton Jones



The Escape achieves the same high velocities as the Condor. It is geared for survival situations where it emphasizes lighter weight and a more compact package. The smaller air cylinder is lighter and easier to fill with a hand pump.

SPECIFICATIONS

Power Adjustment	User adjustable
Max Fill Pressure	3000 psi
Action	Single shot
Weight	5.3 lbs
Length Adjustab	

Barrel	24 inches
Caliber	0.22, 0.25
Trigger 2 stage,	adjustable for position
Safety	Automatic on cocking

Air Tank Volume	213cc
Sights Open or optical	may be installed
Velocity800-1300	feet per second*
Energy	.97 foot pounds*
:	

SURVIVAL

ESCAPE

Minimize Your Load While You Maximize Your Presence



Power AdjustmentUser adjustable Max Fill Pressure3000 psi Action Single shot Weight 4.25 lbs LengthUser Adj. 28.5-33 inches

Barrel.....18 inches Caliber0.22, 0.25 Trigger ... 2 stage, adjustable for position Safety.....Automatic on cocking

SPECIFICATIONS Air Tank Volume213cc Sights..Open or optical may be installed Velocity.....800-1200 feet per second* Energy.....79 foot pounds*

*Depending on caliber, pellet weight, and power setting



We also offer shooting the state of the shooting application.

We also offer shooting application.

Use the EscapeSS when quiet, compact, small game taking ability is needed. It weighs about 4 pounds and the small compact cylinder is easier to fill with the AirForce hand pump.



Power AdjustmentUser adjustable Max Fill Pressure3000 psi Action Single shot Weight......4.3 lbs LengthUser Adj. 27.75-32.25 inches

Barrel.....12 inches Trigger ... 2 stage, adjustable for position Safety.....Automatic on cocking

SPECIFICATIONS Air Tank Volume213cc Sights..Open or optical may be installed Velocity.....500-900 feet per second* Energy.....50 foot pounds*

$\mathsf{CONDOR}^{\scriptscriptstyle\mathsf{M}}$

The Preferred Choice For Long Range, Accurate Small Game Hunting Or Pest Control



SPECIFICATIONS

Power AdjustmentUser adjustable Max Fill Pressure3000 psi Action Single shot Weight6.5 lbs Length38.75 inches

Caliber 0.177, 0.20, 0.22, 0.25 Trigger ... 2 stage, adjustable for position SafetyAutomatic on cocking

Air Tank Volume490cc Sights .. Open or optical may be installed Velocity.....600-1300 feet per second* Energy......96 foot pounds*

CONDORS9

The Seriously Quiet Choice for Small Game, Pests and Long Distance Shooting



Power AdjustmentUser adjustable Max Fill Pressure3000 psi Action Single shot Weight......6.1 lbs Length 38.125 inches

Barrel.....18 inches Caliber 0.177, 0.20, 0.22, 0.25 Trigger ... 2 stage, adjustable for position SafetyAutomatic on cocking

SPECIFICATIONS Air Tank Volume490cc

Sights..Open or optical may be installed Velocity.....600-1300 feet per second* Energy......77 foot pounds*

TALON®

The Right Combination Of Power, Weight And Balance In A Compact System



SPECIFICATIONS

Power Adjustment	User adjustable
Max Fill Pressure	3000 psi
Action	Single shot
Weight	
Length	32.6 inches

Barrel	18 inches
Caliber	0.177, 0.20, 0.22, 0.25
Trigger 2 stage	, adjustable for position
Safety	Automatic on cocking

Air Tank Volume	490cc
Sights Open or op	tical may be installed
	000 feet per second*
	49 foot pounds*
3,	'

TALONS5

The Quiet Rifle For Backyard Target Practice Or Small Game Hunting



Power Adjustment	User adjustable
Max Fill Pressure	3000 psi
Action	Single shot
Weight	5.25 lbs
Length	32.75 inches

Barrel	12 inches
Caliber	0.177, 0.20, 0.22, 0.25
Trigger 2 stage,	adjustable for position
Safety	Automatic on cocking


J P E L I F I L A I I U N 5	
Air Tank Volume490cc	
Sights Open or optical may be installed	
Velocity400-1000 feet per second *	
Energy40 foot pounds*	

TALONE

For The Serious Hunter Wanting A Compact, Yet Powerful Hunting Tool



The TalonP sets a new standard in pre-charged air pistol power levels. The Direct-Flo™ Valve delivers over 50 ft.lbs. of energy with a .25 caliber hunting pellet. This pistol is for the serious hunter wanting a compact, yet powerful hunting tool.



SPECIFICATIONS

Power Adjustment	User adjustable
Max Fill Pressure	3000 psi
Action	Single shot
Weight	3.5 lbs
Length	23 inches

Barrel 1	2 inches
Caliber	0.25
Trigger 2 stage, adjustable for	position
Air Tank Volume	213cc

Safety	Automatic on cocking
	n or optical may be installed
Velocity	500-900 feet per second*
Energy	50 foot pounds*
9,	


EDGE

Impacting the World of Sporter Class Competition

Impacting the World of Sporter Class competition, the Edge has the look and feel of much more expensive precision class airguns but is approved for the Sporter Class and available at a Sporter price.

Edge's unique features include an ambidextrous cocking knob, regulated air system, adjustable length of pull, position marks on all mounting rails, cheek piece, and forearm with built in accessory rail.

The Edge is the only regulated 3P Air Rifle Council approved Sporter Class Pre-Charged Pneumatic air rifle produced in the USA.







Edge Flexi-Weights are designed for maximum flexibility. Weights can be mounted anywhere on the frame or muzzle extension allowing dramatic adjustability of overall weight and balance point while still falling within Sporter Class weight limits.

- Single Weight with O-ring U1066
- Five Pack with O-rings U1067

Shown Above with Optional Accessories

Velocity......500 feet per second Max Fill Pressure3000 psi ActionSingle shot Weight6.1 lbs

Length	35 - 40 inches
Barrel	12 inches
Caliber	0.177
Trigger	2 stage adjustable

5 PECIFICATIONS

SightsTS1 Adaptive Airgun Sight System
Length of pull12 to 17 inches
SafetyManual
Fore End Adjustable

AIR TANKS

A Wide Variety of Air Tanks for the Full Range of Your Shooting Needs





Edge Tank w/ Butt Stock Assembly U1069

Edge spare tank with butt stock and cheekpiece installed.

Protective Steel Valve Cap U1046

Protect the valve on your tank from dirt or damage when not attached to the air rifle. Utility Rifles Only.



CHARGING

A Wide Selection of Charging Options

Swingline® Fill System U1063

Allows the user to orient the valve clamp, pressure gauge and fill line independently. It allows the scuba cylinder to be positioned vertically or horizontally and still enables easy access to the fill line or to view the pressure gauge. After filling, the fill line can be rotated close to the scuba cylinder for storage or transport. Permits charging from a K-valve Scuba cylinder. For use with Spin-Loc® air tanks.



Permits charging from a Din Valve scuba cylinder. For use with Spin-Loc[®] air tanks.

K-Valve Fill System with quick disconnect U1061

Permits charging from a K-valve scuba cylinder. For use with Spin-Loc[®] air tanks.






Permits charging from a K-valve Scuba cylinder. For use with quick- detach air tanks.





CO2 adaptor adds the ability to use standard CO2 paintball tanks in place of the full power 3000 psi air tanks. Ideal for backyard plinking or indoor target



Din Fill System U1060

Permits charging from a Din Valve scuba cylinder. For use with quick- detach air tanks.



Hand Pump U1014 The High

Pressure Hand

Pump is an

alternative

to filling from a scuba tank. Hose with quick disconnect

included.

1/8 inch BSPP male thread connection.



Refill Adaptor U1009

1/4 inch BSPP male thread connection.



Refill Adaptor U1013

Male fitting used with paintball quick disconnect.



JIGHTING

TS1 Adaptive Airgun Sight U1057

TS1 is a universal diopter target sight designed for the EDGE 10 meter 3-Position sporter class target rifle. The sight is adaptable to most airguns with its standard 11mm dovetail-mounting Sighting adjustment is

performed with large 1/8

minute click adjustment knobs that may be reset to zero. Sight can be removed from mounting base and clamped into any 1" scope ring. The sight aperture uses the standard European metric

thread so adjustable apertures may also be used.

Sighting and Mounting Accessories for Your AirForce Airgun

Universal Front Sight U1058 Front Sight with a huge range of vertical adjustment. Mounts to most airgun dovetail grooves. Features a floating aiming point preferred by Olympic shooters.



Target Sight Set U1056 Includes U1057 and U1058



4-16x50 Scope U1035 • 3-9x50 Scope U1036

Features include fully multi coated optics for maximum light transmission, locking target knobs with crisp guarter-minute clicks, objective lens adjusts down to 10 yards, red, green, and blue lit mildot reticle, and heavy construction for use on PCP and Spring guns.



4x32 Scope U1098

Comes with fully multi coated optics for maximum light transmission, covered knobs with crisp guarter-minute clicks, duplex reticle, and heavy construction for use on PCP and Spring guns.



Tri-Rail Scope Base U1039

The Tri-Rail mount offers dovetailmounting surfaces on three sides and raises the sight line so standard scope rings may be used.

Dovetail to Picatinny/ Weaver Adaptor U1075

Dovetail mount accepts Picatinny/Weaver style rings and accessories. Use alone or in sets depending on mounting requirements.



Fiber Optic Open Sights U1011

All of our Air Rifles are offered as shooting its air of our Air Rifles are offered as shooting Fiber Optic Open Sights allow the shooter to quickly switch from open sights to other sighting systems including optical, red dot, laser, or night vision.



High 1" Rings U1038



Rings with an advanced dual position clamping system, threaded recoil stop, and 4 screw wraparound ring caps are for use with AirForce and most other PCP and Spring air guns.



Accessories

SHOOTING.

The Essentials for The Optimal Airgunning Experience



Bipod U1006

The new tilt bipod features a new friction lock lever and the ability to mount to the top or bottom of the rifle.

Pistol Shoulder Stock U1081 Easily attaches to TalonP and Escape tanks. Adds 1/4" to 4-3/4" to length of pull.

Thumbhole/Accessory Bar U1015

Provides additional support for the buttplate & provides additional accessory mounting



Sling Swivel Stud Set U1007

Allows the shooter to quickly mount a sling to the top or bottom of the rifle.





Interchangeable barrels in a variety of lengths are available in .177, .20, .22 and .25 cal. 24" 16mm Lothar Walther Barrel .25 U1073 • .22 U1032 • .177 U1033 • .20 U1053 18" 16mm Lothar Walther Barrel .25 U1072 • .22 U1030 • .177 U1031 • .20 U1052

18" 12mm Lothar Walther Barrel .25 U1095 • .22 U1094 • .177 U1097 • .20 U1096

12" 12mm Lothar Walther Barrel .25 U1071 • .22 U1028 • .177 U1029 • .20 U1051

Check out our Birtorce Ridum Believer Gear at www.airforceairguns.com



Sound-Loc® Kit U1087 for .177 Only U1088 for .20, .22, .25

Advanced Airgun Noise Reduction System Kit for earlier TalonSS rifles.

AirForce Hat U1048

Three color embroidered cotton chino hat with cloth Velcro adjustment.





WWW.airforceairguns.com P.O. Box 2478 • Fort Worth, TX 76113 877-247-4867 | 817-451-8966 | (fax) 817-451-1613