



MODIFICATION No. AO02/ EFFECTIVE DECEMBER 1, 2004

**GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE**

**AUTHORIZED FEDERAL SUPPLY SCHEDULE
PRICELIST (CATALOG)**

FSC GROUP: 66, PART II, SECTION J TEST AND
MEASUREMENT EQUIPMENT AND
MICROWAVE AND MILIMETER-
WAVE INSTRUMENTATION SUB-
COMPONENTS

FSC CLASS: 6625, 5985

CONTRACT NUMBER: GS-24F-0824A

CONTRACT PERIOD: JANUARY 1, 1999 through
MAY 31, 2008

CONTRACTOR: ANRITSU COMPANY
Cage Codes: OT1F7(CA) & 1CPM8
(TX)
490 Jarvis Drive, Morgan Hill, CA 95037
TEL: (408) 776-8300
FAX: (408) 776-1744

District Offices

Anritsu Company.
495 Jarvis Drive
Morgan Hill, CA 95037
TEL: (408) 778-8305
FAX: (408) 778-1738

Anritsu Company.
1155 E. Collins Blvd., Suite 100
Richardson, TX 75081
TEL: (972) 644-1777
FAX: (972) 644-3416

Anritsu Company
10 New Maple Ste., 305
Pine Brook, NJ 07058
TEL: (973) 227-8999
FAX: (973) 575-0092

INFORMATION FOR ORDERING ACTIVITIES:

1. Table of Contents (SIN's Awarded)

Special Item No.	Models	Page
627.2	Spectrum Analyzers and Accessories	
	MS2661B/MS2661C	4
	MS2663C	7
	MS2665C	9
	MS2667C	10
	MS2668C	11
	MS2681A	13
	MS2683A	14
	MS2687B	15
	MS2721A	16
627.16	Digital Mobile Radio Transmitter Testers	
	MS8608A	18
	MS8609A	19
627.9	BERT Digital Products	
	MP1632	22
	MP1763C	23
	MP1764C	24

- Maximum Order Limitation:** \$200,000 each SIN 627 not to exceed a total order of \$650,000
- Minimum Order:** \$25.00 each SIN 627
- Geographic Coverage:** 48 Contiguous States, District of Columbia, Alaska, Hawaii, and Puerto Rico
- Point of Production:**

Anritsu Company 490 Jarvis Drive Morgan Hill, CA 95037 U.S.A.	Anritsu Corporation 1800 Onna Atsugi, Kanagawa 243-8555 Japan	Anritsu Measurements Ltd. 200 Capability Green, Luton Bedfordshire, LU1 3LU United Kingdom
--	--	---
- Discount:** Discount off the price listed
- Quantity Discounts:** Not Applicable
- Prompt Payment Terms:** None
- Methods of Payment:** Government Commercial credit cards are accepted
There is no discount for payment by Government commercial credit card
- Foreign Items:** All items on SIN's 627.2, 627.16 and 627.9 are foreign

11. **Time of Delivery:** 90 Days after receipt of order for SIN 627.2
120 Days after receipt of order of SIN 627.16 and 627.9
12. **F.O.B. Point:** Destination
13. **Ordering Address:** ANRITSU Company
490 Jarvis Drive
Morgan Hill, CA 95037-2813
14. **Payment Address:** ANRITSU Company
P.O. Box 39000
Dept 01629
San Francisco, CA 94139-1629
15. **Warranty Provisions:** Government Warranty Clause (FAR 52.246-17)
1 year warranty, AC will prepay shipping for warranty repair.
16. **Export Packing Charges:** All products are packaged in accordance with accepted commercial practice. If special military or export packaging is required contact office.
17. **Terms and Conditions of Governments**
Commercial Credit Card Acceptance:
a. Cardholder Credit Card Number
b. Cardholder Name
c. Expiration Date
18. **Terms and conditions of rental, maintenance, and repair:** Not Applicable
19. **Terms and conditions of installation:** Not Applicable
20. **Terms and conditions of repair parts:** Not Applicable
21. **Service Points:**
- | | | |
|--|---|--|
| Anritsu Company
490 Jarvis Drive
Morgan Hill, CA 95037 | Anritsu Company
1155 E. Collins Blvd., Suite 100
Richardson, TX 75081 | Anritsu Company
10 Maple Ave., Suite 305
Pine Brook NJ 07058 |
|--|---|--|
22. **List of participating dealers:** Not Applicable
23. **Preventive maintenance:** Not Applicable
24. **Items are not NTRL approved**
25. **Payments Terms:** Net 30 Days

Spectrum Analyzer, 9 kHz to 3 GHz
--

MS2661B **Main Frame**

MS2661C **Main Frame**

Standard Accessories

J0017F	AC POWER CORD, 2.6 m
F0014	FUSE, 6.3 A
W1251AE	MS2650B, MS2660B/C SERIES OPERATION MANUAL
B0329G	FRONT COVER (3/4MW 4U)

Options

MS2661B-01	REFERENCE CRYSTAL OSCILLATOR
MS2661C-01	REFERENCE CRYSTAL OSCILLATOR
MS2661B-02	NARROW RESOLUTION BANDWIDTH
MS2661C-02	NARROW RESOLUTION BANDWIDTH
MS2661B-04	HIGH-SPEED TIME DOMAIN SWEEP
MS2661C-04	HIGH-SPEED TIME DOMAIN SWEEP
MS2661B-06	TRIGGER/GATE CIRCUIT
MS2661C-06	TRIGGER/GATE CIRCUIT
MS2661B-07	AM/FM DEMODULATOR
MS2661C-07	AM/FM DEMODULATOR
MS2661B-08	PRE-AMPLIFIER
MS2661C-08	PRE-AMPLIFIER
MS2661B-10	PARALLEL INTERFACE
MS2661C-10	PARALLEL INTERFACE
MS2661B-12	QP DETECTOR
MS2661C-12	QP DETECTOR
MS2661B-14	PTA PARALLEL I/O
MS2661C-14	PTA PARALLEL I/O
MS2661B-15	SWEEP SIGNAL OUTPUT
MS2661C-15	SWEEP SIGNAL OUTPUT
MS2661B-19	DC COUPLED INPUT
MS2661C-19	DC COUPLED INPUT
MS2661B-20	TRACKING GENERATOR
MS2661C-20	TRACKING GENERATOR
MS2661B-21	TELEVISION MONITOR [MULTI (M-NTSC, B/G/H PAL, I-PAL, D-PAL)]
MS2661C-21	TELEVISION MONITOR [MULTI (M-NTSC, B/G/H PAL, I-PAL, D-PAL)]
MS2661B-22	75 Ω INPUT
MS2661C-22	75 Ω INPUT
MS2661B-23	75 Ω TRACKING GENERATOR
MS2661C-23	75 Ω TRACKING GENERATOR
MS2661B-24	TELEVISION MONITOR [BRAZIL, (M-NTSC, M-PAL)]
MS2661C-24	TELEVISION MONITOR [BRAZIL, (M-NTSC, M-PAL)]

Application Parts

MX260002A	CDMA CELLULAR SYSTEM MEASUREMENT SOFTWARE
MX260003A	PDC MEASUREMENT SOFTWARE (FOR BASE STATION)
MX260004A	GSM MEASUREMENT SOFTWARE
MX261001A	LOW-POWER DATA COMMUNICATION SYSTEM MEASUREMENT SOFTWARE CONFORMING TO ISSUE OF DIRECT SPREAD SPECTRUM SYSTEM
MX261002A	LOW-POWER DATA COMMUNICATION SYSTEM MEASUREMENT SOFTWARE CONFORMING TO ISSUE OF FREQUENCY HOPPING SYSTEM
MX262001A	CATV MEASUREMENT SOFTWARE
MX264001A	EMI MEASUREMENT SOFTWARE
J0561	COAXIAL CORD (N-P-5W·5D2W·N-P-5W), 1 m
CSCJ-256K-SM	256 KB MEMORY CARD
CSCJ-512K-SM	512 KB MEMORY CARD
CSCJ-001M-SM	1 MB MEMORY CARD
CSCJ-002M-SM	2 MB MEMORY CARD
B0395A	RACK MOUNT KIT (IEC)
B0395B	RACK MOUNT KIT (JIS)
J0055	COAXIAL ADAPTER (NC-P·BNC-J)
J0076	COAXIAL ADAPTER (NC P-F J)
B0391A	CARRYING CASE (HARD) WITH CASTERS
B0391B	CARRYING CASE (HARD) WITHOUT CASTERS
MP612A	RF FUSE HOLDER
MP613A	FUSE ELEMENT
J0805	DC BLOCK ADAPTER (MODEL 7003)
MA2507A	DC BLOCK ADAPTER
MA8601A	DC BLOCK ADAPTER
MA8601J	DC BLOCK ADAPTER
MA1621A	50Ω -> 75Ω IMPEDANCE TRANSFORMER
J0308	COAXIAL CORD, (BNC-P·3C2WS·NC-P-3W), 1 m
J0063	FIXED ATTENUATOR FOR HIGH POWER
J0395	FIXED ATTENUATOR FOR HIGH POWER
MP640A	BRANCH: DC to 1700 MHz
MP654A	DIRECTIONAL COUPLER; 0.8 to 3 GHz
MP520A	CM DIRECTIONAL COUPLER: 25 to 500 MHz, 75 Ω
MP520B	CM DIRECTIONAL COUPLER: 25 to 1000 MHz, 75 Ω
MP520C	CM DIRECTIONAL COUPLER: 25 to 500 MHz, 50 Ω
MP520D	CM DIRECTIONAL COUPLER: 100 to 1700 MHz, 50 Ω
MP526A	HIGH PASS FILTER (60 MHz BAND)
MP526B	HIGH PASS FILTER (150 MHz BAND)
MP526C	HIGH PASS FILTER (250 MHz BAND)
MP526D	HIGH PASS FILTER (400 MHz BAND)
MP526G	HIGH PASS FILTER (27 MHz BAND)
B0436A	CARRYING CASE (SOFT TYPE)
MA1601A	HIGH PASS FILTER
J0007	GPIB CABLE, 1 m
J0008	GPIB CABLE, 2 m
J0743A	RS-232C CABLE, 1 m, D-sub 9 PINS (CROSS)
J0742A	RS-232C CABLE, 1 m, D-sub 25 PINS (STRAIGHT)
MH648A	PRE-AMPLIFIER
MP534A	DIPOLE ANTENNA
MP651A	DIPOLE ANTENNA
MP414B	LOOP ANTENNA
MP415B	ROD ANTENNA
MP635A	LOG-PERIODIC ANTENNA
MP666A	LOG-PERIODIC ANTENNA
MB9A	TRIPOD
MB19A	TRIPOD
MA2601B	EMI PRODE

MA2601C	EMI PRODE
KT-10	EMI CLAMP
B0436A	CARRYING CASE (SOFT TYPE)
J05676L	COAXIAL CORD (N-P · 5D-2W · N-P), 3 m
J0322A	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 0.5 m
J0322B	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 1 m

Extended Options (SIN 627.2004)

MS2661BES22	Return to Anritsu Z540 Cal for MS2661B
MS2661BES30	Three-year Return to Anritsu Repair for MS2661B
MS2661BES32	Three Year Return to Anritsu Z540 Cal MS2661B
MS2661BES35	Three-year Return to Anritsu Repair and Z540 Cal for MS2661B
MS2661B-01ES20	Two-year Return to Anritsu Repair for MS2661B*01
MS2661B-01ES30	Three-year Return to Anritsu Repair for MS2661B*01
MS2661B-02ES20	Two-year Return to Anritsu Repair for MS2661B*02
MS2661B-02ES30	Three-year Return to Anritsu Repair for MS2661B*02
MS2661B-04ES20	Two-year Return to Anritsu Repair for MS2661B*04
MS2661B-04ES30	Three-year Return to Anritsu Repair for MS2661B*04
MS2661B-06ES20	Two-year Return to Anritsu Repair for MS2661B*06
MS2661B-06ES30	Three-year Return to Anritsu Repair for MS2661B*06
MS2661B-08ES20	Two-year Return to Anritsu Repair for MS2661B*08
MS2661B-08ES30	Three-year Return to Anritsu Repair for MS2661B*08
MS2661B-12ES20	Two-year Return to Anritsu Repair for MS2661B*12
MS2661B-12ES30	Three-year Return to Anritsu Repair for MS2661B*12
MS2661B-20ES20	Two-year Return to Anritsu Repair for MS2661B*20
MS2661B-20ES30	Three-year Return to Anritsu Repair for MS2661B*20
MS2661B-21ES20	Two-year Return to Anritsu Repair for MS2661B*21
MS2661B-21ES30	Three-year Return to Anritsu Repair for MS2661B*21
MS2661B-23ES20	Two-year Return to Anritsu Repair for MS2661B*23
MS2661B-23ES30	Three-year Return to Anritsu Repair for MS2661B*23
MS2661B-24ES20	Two-year Return to Anritsu Repair for MS2661B*24
MS2661B-24ES30	Three-year Return to Anritsu Repair for MS2661B*24
MS2661CES22	Return to Anritsu Z540 Cal for MS2661C
MS2661CES30	Three-year Return to Anritsu Repair for MS2661C
MS2661CES32	Three Year Return to Anritsu Z540 Cal MS2661C
MS2661CES35	Three-year Return to Anritsu Repair Z540 Cal for MS2661C
MS2661C-01ES20	Two-year Return to Anritsu Repair for MS2661C*01
MS2661C-01ES30	Three-year Return to Anritsu Repair for MS2661C*01
MS2661C-02ES20	Two-year Return to Anritsu Repair for MS2661C*02
MS2661C-02ES30	Three-year Return to Anritsu Repair for MS2661C*02
MS2661C-04ES20	Two-year Return to Anritsu Repair for MS2661C*04
MS2661C-04ES30	Three-year Return to Anritsu Repair for MS2661C*04
MS2661C-06ES20	Two-year Return to Anritsu Repair for MS2661C*06
MS2661C-06ES30	Three-year Return to Anritsu Repair for MS2661C*06
MS2661C-08ES20	Two-year Return to Anritsu Repair for MS2661C*08
MS2661C-08ES30	Three-year Return to Anritsu Repair for MS2661C*08
MS2661C-12ES20	Two-year Return to Anritsu Repair for MS2661C*12
MS2661C-12ES30	Three-year Return to Anritsu Repair for MS2661C*12
MS2661C-20ES20	Two-year Return to Anritsu Repair for MS2661C*20
MS2661C-20ES30	Three-year Return to Anritsu Repair for MS2661C*20
MS2661C-21ES20	Two-year Return to Anritsu Repair for MS2661C*21
MS2661C-21ES30	Three-year Return to Anritsu Repair for MS2661C*21
MS2661C-23ES20	Two-year Return to Anritsu Repair for MS2661C*23
MS2661C-23ES30	Three-year Return to Anritsu Repair for MS2661C*23
MS2661C-24ES20	Two-year Return to Anritsu Repair for MS2661C*24
MS2661C-24ES30	Three-year Return to Anritsu Repair for MS2661C*24

Spectrum Analyzer, 9 kHz to 8.1 GHz
--

MS2663C**Main Frame****Standard Accessories**

J0017F	AC POWER CORD, 2.6 m
F0013	FUSE, 5 A
W1251AE	MS2650B, MS2660B/C SERIES OPERATION MANUAL
B0329G	FRONT COVER (3/4MW 4U)

Options

MS2663C-01	REFERENCE CRYSTAL OSCILLATOR
MS2663C-02	NARROW RESOLUTION BANDWIDTH
MS2663C-04	HIGH-SPEED TIME DOMAIN SWEEP
MS2663C-06	TRIGGER/GATE CIRCUIT
MS2663C-07	AM/FM DEMODULATOR
MS2663C-08	PRE-AMPLIFIER
MS2663C-10	CENTRONICS INTERFACE
MS2663C-12	QP DETECTOR
MS2663C-14	PTA PARALLEL I/O
MS2663C-15	SWEEP SIGNAL OUTPUT
MS2663C-20	TRACKING GENERATOR
MS2663C-21	TELEVISION MONITOR [MULTI (M-NTSC, B/G/H PAL, I-PAL, D-PAL)]
MS2663C-24	TELEVISION MONITOR [BRAZIL, (M-NTSC, M-PAL)]

Application Parts

MX260002A	CDMA CELLULAR SYSTEM MEASUREMENT SOFTWARE
MX260003A	PDC MEASUREMENT SOFTWARE (FOR BASE STATION)
MX260004A	GSM MEASUREMENT SOFTWARE
MX261001A	LOW-POWER DATA COMMUNICATION SYSTEM MEASUREMENT SOFTWARE CONFORMING TO ISSUE OF DIRECT SPREAD SPECTRUM SYSTEM
MX261002A	LOW-POWER DATA COMMUNICATION SYSTEM MEASUREMENT SOFTWARE CONFORMING TO ISSUE OF FREQUENCY HOPPING SYSTEM
MX262001A	CATV MEASUREMENT SOFTWARE
MX264001A	EMI MEASUREMENT SOFTWARE
J0561	COAXIAL CORD (N-P-5W · 5D2W · N-P-5W), 1 m
J0104A	COAXIAL CORD (BNC-P · RG-55/U · BNC-P), 1 m
CSCJ-256K-SM	256 KB MEMORY CARD
CSCJ-512K-SM	512 KB MEMORY CARD
CSCJ-001M-SM	1 MB MEMORY CARD
CSCJ-002M-SM	2 MB MEMORY CARD
B0395A	RACK MOUNT KIT (IEC)
B0395B	RACK MOUNT KIT (JIS)
J0055	COAXIAL ADAPTER (NC-P · BNC-J)
J0076	COAXIAL ADAPTER (NC P-F J)
B0391A	CARRYING CASE (HARD) WITH CASTERS
B0391B	CARRYING CASE (HARD) WITHOUT CASTERS
MP612A	RF FUSE HOLDER
MP613A	FUSE ELEMENT
J0805	DC BLOCK ADAPTER (MODEL 7003)
MA2507A	DC BLOCK ADAPTER
MA8601A	DC BLOCK ADAPTER
MA8601J	DC BLOCK ADAPTER
MA1621A	50Ω -> 75Ω IMPEDANCE TRANSFORMER
MP614B	50Ω<-> 75Ω IMPEDANCE TRANSFORMER
J0121	COAXIAL CORD, (NC-P-3W · 3C2WS · NC-P-3W), 1 m
J0308	COAXIAL CORD, (BNC-P · 3C2WS · NC-P-3W), 1 m

J0063	FIXED ATTENUATOR FOR HIGH POWER
J0395	FIXED ATTENUATOR FOR HIGH POWER
MP640A	BRANCH: DC to 1700 MHz
MP654A	DIRECTIONAL COUPLER; 0.8 to 3 GHz
MP520A	CM DIRECTIONAL COUPLER: 25 to 500 MHz, 75 Ω
MP520B	CM DIRECTIONAL COUPLER: 25 to 1000 MHz, 75 Ω
MP520C	CM DIRECTIONAL COUPLER: 25 to 500 MHz, 50 Ω
MP520D	CM DIRECTIONAL COUPLER: 100 to 1700 MHz, 50 Ω
MP526A	HIGH PASS FILTER (60 MHz BAND)
MP526B	HIGH PASS FILTER (150 MHz BAND)
MP526C	HIGH PASS FILTER (250 MHz BAND)
MP526D	HIGH PASS FILTER (400 MHz BAND)
MP526G	HIGH PASS FILTER (27 MHz BAND)
MA1601A	HIGH PASS FILTER
J0007	GPIO CABLE, 1 m
J0008	GPIO CABLE, 2 m
J0742A	RS-232C CABLE, 1 m, D-sub 25 PINS (STRAIGHT)
J0743A	RS-232C CABLE, 1 m, D-sub 9 PINS (CROSS)
MH648A	PRE-AMPLIFIER
MP534A	DIPOLE ANTENNA
MP651A	DIPOLE ANTENNA
BBA9106-VHA9103	BICONICAL ANTENNA
MP414B	LOOP ANTENNA
MP415B	ROD ANTENNA
MP635A	LOG-PERIODIC ANTENNA
MP666A	LOG-PERIODIC ANTENNA
MB9A	TRIPOD
MB19A	TRIPOD
MA2601B	EMI PROBE
MA2601C	EMI PROBE
KT-10	EMI CLAMP
B0436A	CARRYING CASE (SOFT TYPE)
J0322A	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 0.5 m
J0322B	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 1 m
J0322C	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 1.5 m
J0322D	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 2 m

Extended Options (SIN 627.2004)

MS2663CES22	Return to Anritsu Z540 Cal for MS2663C
MS2663CES30	Three-year Return to Anritsu Repair for MS2663C
MS2663CES32	Three Year Return to Anritsu Z540 Cal MS2663C
MS2663CES35	Three-year Return to Anritsu Repair and Z540 Cal for MS2663C
MS2663C-01ES20	Two-year Return to Anritsu Repair for MS2663C*01
MS2663C-01ES30	Three-year Return to Anritsu Repair for MS2663C*01
MS2663C-02ES20	Two-year Return to Anritsu Repair for MS2663C*02
MS2663C-02ES30	Three-year Return to Anritsu Repair for MS2663C*02
MS2663C-04ES20	Two-year Return to Anritsu Repair for MS2663C*04
MS2663C-04ES30	Three-year Return to Anritsu Repair for MS2663C*04
MS2663C-06ES20	Two-year Return to Anritsu Repair for MS2663C*06
MS2663C-06ES30	Three-year Return to Anritsu Repair for MS2663C*06
MS2663C-08ES20	Two-year Return to Anritsu Repair for MS2663C*08
MS2663C-08ES30	Three-year Return to Anritsu Repair for MS2663C*08
MS2663C-12ES20	Two-year Return to Anritsu Repair for MS2663C*12
MS2663C-12ES30	Three-year Return to Anritsu Repair for MS2663C*12
MS2663C-20ES20	Two-year Return to Anritsu Repair for MS2663C*20
MS2663C-20ES30	Three-year Return to Anritsu Repair for MS2663C*20
MS2663C-21ES20	Two-year Return to Anritsu Repair for MS2663C*21
MS2663C-21ES30	Three-year Return to Anritsu Repair for MS2663C*21

MS2663C-24ES20
MS2663C-24ES30

Two-year Return to Anritsu Repair for MS2663C*24
Three-year Return to Anritsu Repair for MS2663C*24

Spectrum Analyzer, 9 kHz to 21.2 GHz

MS2665C

Main Frame

Standard Accessories

J0017F	AC POWER CORD, 2.6 m
F0013	FUSE, 5 A
W1335AE	MS2665C OPERATION MANUAL
B0329G	FRONT COVER (3/4MW 4U)

Options

MS2665C-01	REFERENCE CRYSTAL OSCILLATOR
MS2665C-02	NARROW RESOLUTION BANDWIDTH
MS2665C-04	HIGH-SPEED TIME DOMAIN SWEEP
MS2665C-06	TRIGGER/GATE CIRCUIT
MS2665C-07	AM/FM DEMODULATOR
MS2665C-10	CENTRONICS INTERFACE
MS2665C-15	SWEEP SIGNAL OUTPUT

Application Parts

J0561	COAXIAL CORD (N-P-5W·5D2W·N-P-5W), 1 m
CSCJ-256K-SM	256 KB MEMORY CARD
CSCJ-512K-SM	512 KB MEMORY CARD
CSCJ-001M-SM	1 MB MEMORY CARD
CSCJ-002M-SM	2 MB MEMORY CARD
B0395A	RACK MOUNT KIT (IEC)
B0395B	RACK MOUNT KIT (JIS)
B0391A	CARRYING CASE (HARD) WITH CASTERS
B0391B	CARRYING CASE (HARD) WITHOUT CASTERS
MP612A	RF FUSE HOLDER
MP613A	FUSE ELEMENT
J0805	DC BLOCK ADAPTER (MODEL 7003)
MA2507A	DC BLOCK ADAPTER
MA8601A	DC BLOCK ADAPTER
MA8601J	DC BLOCK ADAPTER
MA1621A	50Ω -> 75Ω IMPEDANCE TRANSFORMER
J0007	GPIO CABLE, 1 m
J0008	GPIO CABLE, 2 m
J0742A	RS-232C CABLE, 1 m, D-sub 25 Pins (STRAIGHT)
J0743A	RS-232C CABLE, 1 m, D-sub 9 Pins (CROSS)
J0064A	COAXIAL-TO-WAVEGUIDE ADAPTER (5.8 - 8.6 GHz)
J0064C	COAXIAL-TO-WAVEGUIDE ADAPTER (8.2 - 13.0 GHz)
J0004	COAXIAL ADAPTER
DGM010-02000EE	COAXIAL CORD, 2 m (GENERAL USE)
DGM024-02000EE	COAXIAL CORD, 2 m (LOW-LOSS TYPE)
B0436A	CARRYING CASE (SOFT TYPE)
J0322A	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 0.5 m
J0322B	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 1 m

Extended Options (SIN 627.2004)

MS2665CES20	Two-year Return to Anritsu Repair for MS2665C
MS2665CES22	Return to Anritsu Z540 Cal for MS2665C
MS2665CES30	Three-year Return to Anritsu Repair for MS2665C
MS2665CES32	Three Year Return to Anritsu Z540 Cal MS2665C
MS2665CES35	Three-year Return to Anritsu Repair and Z540 Cal for MS2665C
MS2665C-01ES20	Two-year Return to Anritsu Repair for MS2665C-01
MS2665C-01ES30	Three-year Return to Anritsu Repair for MS2665C-01
MS2665C-02ES20	Two-year Return to Anritsu Repair for MS2665C-02
MS2665C-02ES30	Three-year Return to Anritsu Repair for MS2665C-02
MS2665C-04ES20	Two-year Return to Anritsu Repair for MS2665C-04
MS2665C-04ES30	Three-year Return to Anritsu Repair for MS2665C-04
MS2665C-06ES20	Two-year Return to Anritsu Repair for MS2665C-06
MS2665C-06ES30	Three-year Return to Anritsu Repair for MS2665C-06

Spectrum Analyzer, 9 kHz to 30 GHz

MS2667C

Main Frame

Standard Accessories

J0017F	AC POWER CORD, 2.6 m
F0013	FUSE, 5 A
W1335AE	MS2667C OPERATION MANUAL
B0329G	FRONT COVER (3/4MW 4U)

Options

MS2667C-02	NARROW RESOLUTION BANDWIDTH
MS2667C-03	NARROW RESOLUTION BANDWIDTH
MS2667C-04	HIGH-SPEED TIME DOMAIN SWEEP
MS2667C-06	TRIGGER/GATE CIRCUIT
MS2667C-07	AM/FM DEMODULATOR
MS2667C-10	CENTRONICS INTERFACE
MS2667C-15	SWEEP SIGNAL OUTPUT

Application Parts

J0561	COAXIAL CORD (N-P-5W·5D2W·N-P-5W), 1 m
CSCJ-256K-SM	256 KB MEMORY CARD
CSCJ-512K-SM	512 KB MEMORY CARD
CSCJ-001M-SM	1 MB MEMORY CARD
CSCJ-002M-SM	2 MB MEMORY CARD
B0395A	RACK MOUNT KIT (IEC)
B0395B	RACK MOUNT KIT (JIS)
MP612A	RF FUSE HOLDER
MP613A	FUSE ELEMENT
J0805	DC BLOCK ADAPTER (MODEL 7003)
MA2507A	DC BLOCK ADAPTER
MA8601A	DC BLOCK ADAPTER
MA8601J	DC BLOCK ADAPTER
MA1621A	50Ω -> 75Ω IMPEDANCE TRANSFORMER
J0007	GPIB CABLE, 1 m
J0008	GPIB CABLE, 2 m
J0742A	RS-232C CABLE, 1 m, D-sub 25 Pins (STRAIGHT)
J0743A	RS-232C CABLE, 1 m, D-sub 9 Pins (CROSS)
J0064A	COAXIAL-TO-WAVEGUIDE ADAPTER (5.8 - 8.6 GHz)

J0064C	COAXIAL-TO-WAVEGUIDE ADAPTER (8.2 -13.0 GHz)
J0004	COAXIAL ADAPTER
DGM010-02000EE	COAXIAL CORD, 2 m (GENERAL USE)
DGM024-02000EE	COAXIAL CORD, 2 m (LOW-LOSS TYPE)
J0063	FIXED ATTENUATOR FOR HIGH POWER
J0395	FIXED ATTENUATOR FOR HIGH POWER
J0078	ATTENUATOR FOR HIGH POWER (MODEL 23-20-34)
MA1601A	HIGH PASS FILTER
MP526D	HIGH PASS FILTER (400 MHz BAND)
B0421A	CARRYING CASE (HARD TYPE with CASTERS)
B0421B	CARRYING CASE (HARD TYPE without CASTERS)
B0435A	CARRYING CASE (SOFT TYPE)
J0322A	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 0.5 m

Extended Options (SIN 627.2004)

MS2667CES20	Two-year Return to Anritsu Repair for MS2667C
MS2667CES22	Return to Anritsu Z540 Cal for MS2667C
MS2667CES30	Three-year Return to Anritsu Repair for MS2667C
MS2667CES32	Three Year Return to Anritsu Z540 Cal MS2667C
MS2667CES35	Three-year Return to Anritsu Repair and Z540 Cal for MS2667C
MS2667C-02ES20	Two-year Return to Anritsu Repair for MS2667C*02
MS2667C-02ES30	Three-year Return to Anritsu Repair for MS2667C*02
MS2667C-03ES20	Two-year Return to Anritsu Repair for MS2667C*03
MS2667C-03ES30	Three-year Return to Anritsu Repair for MS2667C*03
MS2667C-04ES20	Two-year Return to Anritsu Repair for MS2667C*04
MS2667C-04ES30	Three-year Return to Anritsu Repair for MS2667C*04
MS2667C-06ES20	Two-year Return to Anritsu Repair for MS2667C*06
MS2667C-06ES30	Three-year Return to Anritsu Repair for MS2667C*06

Spectrum Analyzer, 9 kHz to 40 GHz

MS2668C

Main Frame

Standard Accessories

J0017F	AC POWER CORD, 2.6 m
F0013	FUSE, 5 A
W1335AE	MS2668C OPERATION MANUAL
B0329G	FRONT COVER (3/4MW 4U)

Options

MS2668C-02	NARROW RESOLUTION BANDWIDTH
MS2668C-03	NARROW RESOLUTION BANDWIDTH
MS2668C-04	HIGH-SPEED TIME DOMAIN SWEEP
MS2668C-06	TRIGGER/GATE CIRCUIT
MS2668C-07	AM/FM DEMODULATOR
MS2668C-10	CENTRONICS INTERFACE
MS2668C-15	SWEEP SIGNAL OUTPUT

Application Parts

J0911	COAXIAL CORD, (SF102A,11K-254), 1 m, 40 GHz
J0912	COAXIAL CORD, (SF102A,11K-254), 0.5 m, 40 GHz
J0322B	COAXIAL CABLE, (SUCOFLEX104. 11SMA-11SMA), 1 m
J0561	COAXIAL CORD (N-P-5W·5D2W·N-P-5W), 1 m
CSCJ-256K-SM	256 KB MEMORY CARD

CSCJ-512K-SM	512 KB MEMORY CARD
CSCJ-001M-SM	1 MB MEMORY CARD
CSCJ-002M-SM	2 MB MEMORY CARD
B0395A	RACK MOUNT KIT (IEC)
B0395B	RACK MOUNT KIT (JIS)
MP612A	RF FUSE HOLDER
MP613A	FUSE ELEMENT
J0805	DC BLOCK (MODEL 7003)
J0910	DC BLOCK (MODEL 7006)
MA2507A	DC BLOCK ADAPTER
MA8601A	DC BLOCK ADAPTER
MA8601J	DC BLOCK ADAPTER
MA1621A	50Ω -> 75Ω IMPEDANCE TRANSFORMER
J0007	GPIB CABLE, 1 m
J0008	GPIB CABLE, 2 m
J0742A	RS-232C CABLE, 1 m, D-sub 25 Pins (STRAIGHT)
J0743A	RS-232C CABLE, 1 m, D-sub 9 Pins (CROSS)
J0064A	COAXIAL-TO-WAVEGUIDE ADAPTER (5.8 - 8.6 GHz)
J0064C	COAXIAL-TO-WAVEGUIDE ADAPTER (8.2 -13.0 GHz)
J0004	COAXIAL ADAPTER
DGM010-02000EE	COAXIAL CORD, 2 m (GENERAL USE)
DGM024-02000EE	COAXIAL CORD, 2 m (LOW-LOSS TYPE)
J0063	FIXED ATTENUATOR FOR HIGH POWER
J0395	FIXED ATTENUATOR FOR HIGH POWER
J0078	ATTENUATOR FOR HIGH POWER (MODEL 23-20-34)
MA1601A	HIGH PASS FILTER
MP526D	HIGH PASS FILTER (400 MHz BAND)
B0421A	CARRYING CASE (HARD TYPE with CASTERS)
B0421B	CARRYING CASE (HARD TYPE without CASTERS)
B0435A	CARRYING CASE (SOFT TYPE)
J0988	SF102E, 11K-252/11K-252/ 1.0 m
J0989	SF102E, 11K-252/11K-252/ 0.5 m

Extended Options (SIN 627.2004)

MS2668CES20	Two-year Return to Anritsu Repair for MS2668C
MS2668CES22	Return to Anritsu Z540 Cal for MS2668C
MS2668CES30	Three-year Return to Anritsu Repair for MS2668C
MS2668CES32	Three Year Return to Anritsu Z540 Cal MS2668C
MS2668CES35	Return to Anritsu Repair Z540 Cal for MS2668C
MS2668C-02ES20	Two-year Return to Anritsu Repair for MS2668C*02
MS2668C-02ES30	Three-year Return to Anritsu Repair for MS2668C*02
MS2668C-03ES20	Two-year Return to Anritsu Repair for MS2668C*03
MS2668C-03ES30	Three-year Return to Anritsu Repair for MS2668C*03
MS2668C-04ES20	Two-year Return to Anritsu Repair for MS2668C*04
MS2668C-04ES30	Three-year Return to Anritsu Repair for MS2668C*04
MS2668C-06ES20	Two-year Return to Anritsu Repair for MS2668C*06
MS2668C-06ES30	Three-year Return to Anritsu Repair for MS2668C*06

Spectrum Analyzer 9 kHz to 3 GHz

MS2681A Spectrum Analyzer

Standard Accessories

J0017F	POWER CORD, 2.6 m
--------	-------------------

J0266	ADAPETR (3-POLE/2-POLE CHANGEABLE)
J0996B	RS-232C CABLE
JT32MA3-NT1	PC-ATA CARD (32 MB)
F0014	FUSE, 6.3 A
MX268001A	FILE TRANSFER UTILITY
W1754AE	MS2681A OPERATION MANUAL

Options

MS2681A-01	PRECISION REFERENCE OSCILLATOR
MS2681A-02	NARROW RESOLUTION BANDWIDTH (FFT)
MS2681A-04	DIGITAL RESOLUTION BANDWIDTH
MS2681A-08	PRE-AMPLIFIER
MS2681A-09	ETHERNET INTERFACE
MS2681A-17	I/Q BALANCED INPUT
MS2681A-18	I/Q UNBALANCED INPUT
MS2681A-46	AUTO POWER RECOVERY
MS2681A-47	RACK MOUNT (IEC) WITHOUT HANDLES
MS2681A-48	RACK MOUNT (JIS) WITHOUT HANDLES

Measurement Software

MX268101A	W-CDMA MEASUREMENT SOFTWARE
MX268102A	GSM MEASUREMENT SOFTWARE
MX268103A	CDMA MEASUREMENT SOFTWARE
MX268105A	$\pi/4$ DQPSK Measurement
MX268130A	WIRELESS LAN MEASUREMENT SOFTWARE
MX268132A	WLAN MEASUREMENT SOFTWARE LIMITED VERSION

Optional Accessories

J0007	GPIB CABLE, 1 m
J0008	GPIB CABLE, 2 m
MA1612A	FOUR-POINT JUNCTION PAD (5 to 3000 MHz)
J0395	FIXED ATTENUATOR FOR HIGH POWER
B0472	FIXED ATTENUATOR FOR HIGH POWER
B0452A	HARD CARRYING CASE (WITH CASTERS)
B0452B	HARD CARRYING CASE (WITHOUT CASTERS)
B0488	REAR PANEL PROTECTIVE PAD

Extended Options (SIN 627.2004)

MS2681AES20	Two-year Return to Anritsu Repair for MS2681A
MS2681AES22	Return to Anritsu Z540 Cal for MS2681A
MS2681AES30	Three-year Return to Anritsu Repair for MS2681A
MS2681AES32	Three Year Return to Anritsu Z540 Cal MS2681A
MS2681AES35	Return to Anritsu Repair Z540 Cal for MS2681A

Spectrum Analyzer 9 kHz to 7.8 GHz

MS2683A

Spectrum Analyzer

Standard Accessories

J0017F	AC POWER CORD, 2.6 m
J0266	ADAPETR (3-POLE/2-POLE CHANGEABLE)
J0996B	RS-232C CABLE
JT32MA3-NT1	PC-ATA CARD (32 MB)
F0014	FUSE, 6.3 A
MX268001A	FILE TRANSFER UTILITY
W1754AE	MS2683A OPERATION MANUAL

Options

MS2683A-01	PRECISION FREQUENCY REFERENCE OSCILLATOR
MS2683A-02	NARROW RESOLUTION BANDWIDTH (FFT)
MS2683A-03	EXTENSION OF PRESELECTOR LOWER LIMIT TO 1.6 GHz
MS2683A-04	DIGITAL RESOLUTION BAND WIDTHS
MS2683A-08	PRE AMPLIFIER
MS2683A-09	ETHERNET INTERFACE
MS2683A-17	I/Q BALANCE INPUT
MS2683A-18	I/Q UNBALANCE INPUT
MS2683A-34	4 GHz LO OUTPUT
MS2683A-46	AUTO POWER RECOVERY
MS2683A-47	RACK MOUNT (IEC)
MS2683A-48	RACK MOUNT (JIS)

Measurement Software

MX268301A	W-CDMA MEASUREMENT SOFTWARE
MX268302A	GSM (EDGE) MEASUREMENT SOFTWARE
MX268303A	CDMA MEASUREMENT SOFTWARE
MX268305A	$\pi/4$ DQPSK Measurement
MX268330A	WIRELESS LAN MEASUREMENT SOFTWARE
MX268332A	WLAN MEASUREMENT SOFTWARE LIMITED VERSION

Optional Accessories

J0561	COAXIAL CORD (N-P-5W·5D2W·N-P-5W), 1 m
J0308	COAXIAL CORD (BNC-P·3C2WS·NC-P-3W), 1 m
MP612A	RF FUSE HOLDER
MP613A	FUSE ELEMENT
MA8601A	DC BLOCK ADAPTER
MA2507A	DC BLOCK ADAPTER
J0805	DC BLOCK ADAPTER (MODEL 7003)
MA1621A	50 Ω -> 75 Ω IMPEDANCE TRANSFORMER
MA1612A	FOUR-POINT JUNCTION PAD
J0063	FIXED ATTENUATOR FOR HIGH POWER
J0395	FIXED ATTENUATOR FOR HIGH POWER
J0078	ATTENUATOR FOR HIGH POWER (MODEL 23-20-34)
MA1601A	HIGH PASS FILTER
J0007	GPIB CABLE, 1 m
J0008	GPIB CABLE, 2 m
B0472	FIXED ATTENUATOR FOR HIGH POWER
B0488	REAR PANEL PROTECTIVE PAD
B0329G	FRONT COVER (3/4MW 4U)

B0452A	HARD CARRYING CASE (WITH CASTERS)
B0452B	HARD CARRYING CASE (WITHOUT CASTERS)

Extended Options (SIN 627.2004)

MS2683AES20	Two-year Return to Anritsu Repair for MS2683A
MS2683AES30	Three-year Return to Anritsu Repair for MS2683A
MS2683AES32	Three-year Return to Anritsu Z540 Cal for MS2683A
MS2683AES35	Three-year Return to Anritsu Repair and Z540 Cal for MS2683A
MS2683A-01ES20	Two-year Return to Anritsu Repair for MS2683A*01
MS2683A-01ES30	Three-year Return to Anritsu Repair for MS2683A*01
MS2683A-03ES20	Two-year Return to Anritsu Repair for MS2683A*03
MS2683A-03ES30	Three-year Return to Anritsu Repair for MS2683A*03
MS2683A-04ES20	Two-year Return to Anritsu Repair for MS2683A*04
MS2683A-04ES30	Three-year Return to Anritsu Repair for MS2683A*04
MS2683A-08ES20	Two-year Return to Anritsu Repair for MS2683A*08
MS2683A-08ES30	Three-year Return to Anritsu Repair for MS2683A*08
MS2683A-09ES20	Two-year Return to Anritsu Repair for MS2683A*09
MS2683A-09ES30	Three-year Return to Anritsu Repair for MS2683A*09
MS2683A-17ES20	Two-year Return to Anritsu Repair for MS2683A*17
MS2683A-17ES30	Three-year Return to Anritsu Repair for MS2683A*17

Spectrum Analyzer 9 kHz to 7.8 GHz

MS2687B Spectrum Analyzer

Standard Accessories

J0017F	POWER CORD, 2.6 m
J0266	ADAPTER (3-POLE/2-POLE CHANGEABLE)
J0996B	RS-232C CABLE
JT32MA3-NT1	PC-ATA CARD (32 MB)
F0014	FUSE, 6.3 A
MX268001A	FILE TRANSFER UTILITY
W1754AE	MS2687A OPERATION MANUAL

Options

MS2687B-01	PRECISION REFERENCE OSCILLATOR
MS2687B-02	NARROW RESOLUTION BANDWIDTH (FFT)
MS2687B-04	DIGITAL RESOLUTION BANDWIDTH
MS2687B-05	RUBIDIUM REFERENCE OSCILLATOR
MS2687B-09	ETHERNET INTERFACE
MS2687B-21	POWER METER FUNCTION
MS2687B-46	AUTO POWER RECOVERY
MS2687B-47	RACK MOUNT (IEC)
MS2687B-48	RACK MOUNT (JIS)

Measurement Software

MX268701A	W-CDMA MEASUREMENT SOFTWARE
MX268702A	GSM MEASUREMENT SOFTWARE
MX268703A	CDMA MEASUREMENT SOFTWARE
MX268705A	$\pi/4$ DQPSK Measurement
MX268730A	WIRELESS LAN MEASUREMENT SOFTWARE
MX268732A	WLAN MEASUREMENT SOFTWARE LIMITED VERSION

Application Parts

J0561	COAXIAL CORD (N-P-5W·5D2W·N-P-5W), 1 m
J0007	GPIB CABLE, 1 m
J0008	GPIB CABLE, 2 m
B0329G	FRONT COVER (3/4MW 4U)
MP612A	RF FUSE HOLDER
MP613A	FUSE ELEMENT
MA1621A	50Ω -> 75Ω IMPEDANCE TRANSFORMER
MA8601A	DC BLOCK ADAPTER
MA1601A	HIGH PASS FILTER
MA1612A	FOUR-POINT JUNCTION PAD (5 to 3000 MHz)
J0063	FIXED ATTENUATOR FOR HIGH POWER
J0078	ATTENUATOR FOR HIGH POWER (MODEL 23-20-34)
J0395	FIXED ATTENUATOR FOR HIGH POWER
B0472	FIXED ATTENUATOR FOR HIGH POWER
34AKNF50	COAXIAL ADAPTER
MA2507A	DC BLOCK ADAPTER
J0805	DC BLOCK, N TYPE
B0452A	HARD CARRYING CASE (WITH CASTERS)
B0452B	HARD CARRYING CASE (WITHOUT CASTERS)
B0488	REAR PANEL PROTECTIVE PAD
MA4601A	AMORPHOUS POWER SENSOR
MA4701A	AMORPHOUS POWER SENSOR
MA4703A	AMORPHOUS POWER SENSOR
MA4705A	AMORPHOUS POWER SENSOR
MA2741A	EXTERNAL MIXER
MA2742A	EXTERNAL MIXER
MA2743A	EXTERNAL MIXER
MA2744A	EXTERNAL MIXER
MA2745A	EXTERNAL MIXER
MA2746A	EXTERNAL MIXER
J0370C	SENSOR CORD, 2.5 m
J0370E	SENSOR CORD, 5.0 m

Extended Options (SIN 627.2004)

MS2687BES20	Two-year Return to Anritsu Repair for MS2687B
MS2687BES22	Return to Anritsu Z540 Cal for MS2687B
MS2687BES30	Three-year Return to Anritsu Repair for MS2687B
MS2687BES32	Three Year Return to Anritsu Z540 Cal MS2687B
MS2687BES35	Return to Anritsu Repair Z540 Cal for MS2687B

Hand Held Spectrum Analyzer 100 kHz to 7.1 GHz

MS2721A Hand Held Spectrum Analyzer

Standard Accessories

10580-00103	User's Guide
61382	Soft Carrying Case
40-163	AC – DC Adapter
806-62	Automotive Cigarette Lighter/12 Volt DC Adapter
2300-498	CD ROM containing Master
2000-1360	USB A-mini B cable
2000-1371	Ethernet Cable
633-44	Rechargeable battery, Li-Ion
2000-1358	64 MB Compact Flash

1091-27	Type-N male to SMA female adapter
1091-172	Type-N male to BNC female adapter

Optional Accessories

42N50A-30	30 dB, 50 watt, Bi-directional, DC to 18 GHz, N(m) to N(f) Attenuator
34NN50A	Precision Adapter, DC to 18 GHz, 50Ω, N(m) to N(m)
34NFN50C	Precision Adapter, DC to 18 GHz, 50Ω, N(f) to N(f)
15NNF50-1.5B	Test port cable, armored, 1.5 meter N(m) to N(f) 18 GHz
15NN50-1.5C	Test port cable armored, 1.5 meter, N(m) to N(m), 6 GHz
15NN50-3.0C	Test port cable armored, 3.0 meter, N(m) to N(m), 6 GHz
15NN50-5.0C	Test port cable armored, 5.0 meter, N(m) to N(m), 6 GHz
15NNF50-1.5C	Test port cable armored, 1.5 meter, N(m) to N(f), 6 GHz
15NNF50-3.0C	Test port cable armored, 3.0 meter, N(m) to N(f), 6 GHz
15NNF50-5.0C	Test port cable armored, 5.0 meter, N(m) to N(f), 6 GHz
15ND50-1.5C	Test port cable armored, 1.5 meter, N(m) to 7/16 DIN(m), 6.0 GHz
15NDF50-1.5C	Test port cable armored, 1.5 meter, N(m) to 7/16 DIN(f), 6.0 GHz
510-90	Adapter, 7/16 DIN (f) to N(m), DC to 7.5 GHz, 50Ω
510-91	Adapter, 7/16 DIN (f)-N(f), DC to 7.5 GHz, 50Ω
510-92	Adapter, 7/16 DIN(m)-N(m), DC to 7.5 GHz, 50Ω
510-93	Adapter, 7/16 DIN(m)-N(f), DC to 7.5 GHz, 50Ω
510-96	Adapter 7/16 DIN (m) to 7/16 DIN(m), DC to 7.5 GHz, 50Ω
1030-86	Band Pass Filter, 800 MHz band, 806-869 MHz, Loss = 1.7 dB, N(m)-SMA(f)
1030-87	Band Pass Filter, 900 MHz band, 902-960 MHz, Loss = 1.7 dB, N(m)-SMA(f)
1030-88	Band Pass Filter, 1900 MHz band, 1.85-1.99 GHz, Loss = 1.8 dB, N(m)-SMA(f)
1030-89	Band Pass Filter, 2400 MHz band, 2.4-2.5 GHz, Loss = 1.9 dB, N(m)-SMA(f)
510-97	Adapter 7/16 DIN(f) to 7/16 DIN(f), 7.5 GHz
61382	Spare soft carrying case
40-163	Spare AC/DC adapter
806-62	Spare automotive cigarette lighter/12 Volt DC adapter
760-230	Transit case for Anritsu MS2721A Handheld Spectrum Analyzer
2300-347	Anritsu Master Software Tools
10580-00103	Anritsu HHSA User's Guide, Model MS2721A (spare)
10580-00104	Anritsu HHSA Programming Manual, Model MS2721A
10580-00105	Anritsu HHSA Maintenance Manual, Model MS2721A
633-27	Rechargeable battery, Li-Ion
2000-1374	Battery charger, Li-Ion with universal power supply
2000-1030	Portable antenna, 50Ω, SMA(m) 1.71-1.88 GHz
2000-1031	Portable antenna, 50Ω, SMA(m) 1.85-1.99 GHz
2000-1032	Portable antenna, 50Ω, SMA(m) 2.4-2.5 GHz
2000-1035	Portable antenna, 50Ω, SMA(m) 896-941 MHz
2000-1200	Portable antenna, 50Ω, SMA(m) 806-869 MHz
2000-1361	Portable Antenna, 50Ω, SMA(m) 5725-5825 MHz
2000-1358	64 MB Compact Flash Memory Module

Extended Options (SIN 627.2004)

MS2721A/98	Z540/Guide 25 Calibration (Option 98)
MS2721A/99	Premium Calibration (Option 99)

Digital Mobile Radio Transmitter Tester, 9 kHz to 7.8 GHz
--

MS8608A**Digital Mobile Radio Transmitter Tester****Standard Accessories**

J0017F	AC POWER CORD, 2.6 m
J0996B	RS-232C CABLE
JT32MA3-NT1	PC-ATA CARD (32 MB)
F0014	FUSE, 6.3 A
J0576B	COAXIAL CORD (N-P · 5D-2W · N-P), 1 m
MX268001A	FILE TRANSFER UTILITY
W1709AE	MS8608A/8609A OPERATION MANUAL (VOL.1)
W1744AE	MS8608A/8609A OPERATION MANUAL (VOL.2)
W1745AE	MS8608A/8609A OPERATION MANUAL (VOL.3)

Options

MS8608A-01	PRECISION FREQUENCY REFERENCE
MS8608A-02	NARROW RESOLUTION BANDWIDTH(FFT)
MS8608A-03	EXTENSION OF PRESELECTOR LOWER LIMIT TO 1.6 GHz
MS8608A-04	DIGITAL RESOLUTION BANDWIDTH
MS8608A-05	RUBIDIUM REFERENCE OSCILLATOR
MS8608A-08	PRE-AMPLIFIER
MS8608A-09	ETHERNET INTERFACE
MS8608A-35	7.9 GHz FREQUENCY EXTENSION
MS8608A-36	Power Meter Maximum Frequency Extension(6GHz)
MS8608A-37	Power Meter Maximum Frequency Extension(6GHz)Retrofit
MS8608A-46	AUTO-POWER RECOVERY
MS8608A-47	RACK MOUNT WITHOUT HANDLES (IEC)
MS8608A-48	RACK MOUNT WITHOUT HANDLES (JIS)

Measurement Software

MX860801B	W-CDMA MEASUREMENT SOFTWARE
MX860801B1	W-CDMA MEASUREMENT SOFTWARE (UP GRADE)
MX860802A	GSM MEASUREMENT SOFTWARE
MX860803A	CDMA MEASUREMENT SOFTWARE
MX860804A	CDMA2000 1xEV-DO MEASUREMENT SOFTWARE
MX860805A	$\pi/4$ DQPSK MEASUREMENT SOFTWARE
MX860820A	W-CDMA BER/BLER MEASUREMENT SOFTWARE
MX860830A	WIRELESS LAN MEASUREMENT SOFTWARE
MX860832A	WLAN MEASUREMENT SOFTWARE LIMITED VERSION
MX860850A	HSDPA MEASUREMENT SOFTWARE
MX268031B	W-CDMA AUTO MEASUREMENT SOFTWARE(ENGLISH)
W1795AE	MX860802A/MX860902A OPERATION MANUAL
W1865AE	MX860803A/MX860903A OPERATION MANUAL
W2090AE	MX860804A/MX860904A OPERATION MANUAL
W1866AE	MX860805A/MX860905A OPERATION MANUAL
W2131A	HSDPA MEASUREMENT SOFTWARE OPERATION MANUAL

Optional Accessories

MA1612A	FOUR-POINT JUNCTION PAD
J0395	FIXED ATTENUATOR FOR HIGH POWER
J0007	GPIB CABLE, 1 m
J0008	GPIB CABLE, 2 m
B0452A	HARD CARRYING CASE (WITH CASTERS)
B0452B	HARD CARRYING CASE (WITHOUT CASTERS)
B0329G	FRONT COVER (3/4MW 4U)
B0472	FIXED ATTENUATOR FOR HIGH POWER
B0488	REAR PANEL PROTECTIVE PAD
B0480	TILT HANDLE SOFT TYPE
MU860820A	DEMODULATION UNIT
MU860820A-21	DEMODULATION UNIT RETROFIT

Extended Service Options (SIN 627.2004)

MS8608AES20	Two-year Return to Anritsu Repair for MS8608A
MS8608AES30	Three-year Return to Anritsu Repair for MS8608A
MS8608AES32	Three-year Return to Anritsu Z540 Cal for MS8608A
MS8608AES35	Three-year Return to Anritsu Repair and Z540 Cal for MS8608A
MS8608A-01ES20	Two-year Return to Anritsu Repair for MS8608A*01
MS8608A-01ES30	Three-year Return to Anritsu Repair for MS8608A*01
MS8608A-02ES20	Two-year Return to Anritsu Repair for MS8608A*02
MS8608A-02ES30	Three-year Return to Anritsu Repair for MS8608A*02
MS8608A-03ES20	Two-year Return to Anritsu Repair for MS8608A*03
MS8608A-03ES30	Three-year Return to Anritsu Repair for MS8608A*03
MS8608A-04ES20	Two-year Return to Anritsu Repair for MS8608A*04
MS8608A-04ES30	Three-year Return to Anritsu Repair for MS8608A*04
MS8608A-05ES20	Two-year Return to Anritsu Repair for MS8608A*05
MS8608A-05ES30	Three-year Return to Anritsu Repair for MS8608A*05
MS8608A-08ES20	Two-year Return to Anritsu Repair for MS8608A*08
MS8608A-08ES30	Three-year Return to Anritsu Repair for MS8608A*08
MS8608A-09ES20	Two-year Return to Anritsu Repair for MS8608A*09
MS8608A-09ES30	Three-year Return to Anritsu Repair for MS8608A*09

Digital Mobile Radio Transmitter Tester, 9 kHz to 13.2 GHz**MS8609A****Digital Mobile Radio Transmitter Tester****Standard Accessories**

J0017F	AC POWER CORD, 2.6 m
J0266	ADAPTER
J0996B	RS-232C CABLE
JT32MA3-NT1	PC-ATA CARD (32 MB)
F0014	FUSE, 6.3 A
J0576B	COAXIAL CORD (N-P · 5D-2W · N-P), 1 m
MX268001A	FILE TRANSFER UTILITY
W1709AE	MS8608A/8609A OPERATION MANUAL (VOL.1)
W1744AE	MS8608A/8609A OPERATION MANUAL (VOL.2)
W1745AE	MS8608A/8609A OPERATION MANUAL (VOL.3)

Options

MS8609A-01	PRECISION FREQUENCY REFERENCE
MS8609A-02	NARROW RESOLUTION BANDWIDTH(FFT)
MS8609A-04	DIGITAL RESOLUTION BANDWIDTH

MS8609A-05	RUBIDIUM REFERENCE OSCILLATOR
MS8609A-08	PRE-AMPLIFIER
MS8609A-09	ETHERNET INTERFACE
MS8609A-30	LPF FOR 2 GHz BAND CARRIER CUT
MS8609A-31	LOW NOISE FLOOR
MS8609A-32	MAXIMUM INPUT LEVEL EXTENSION
MS8609A-33	HIGH ACCURACY POWER MEASUREMENT
MS8609A-36	Power Meter Maximum Frequency Extension(6GHz)
MS8609A-37	Power Meter Maximum Frequency Extension(6GHz)Retrofit
MS8609A-46	AUTO-POWER RECOVERY
MS8609A-47	RACK MOUNT WITHOUT HANDLES (IEC)
MS8609A-48	RACK MOUNT WITHOUT HANDLES (JIS)

Measurement Software

MX860901B	W-CDMA MEASUREMENT SOFTWARE
MX860901B1	W-CDMA MEASUREMENT SOFTWARE (UP GRADE)
MX860902A	GSM MEASUREMENT SOFTWARE
MX860903A	CDMA MEASUREMENT SOFTWARE
MX860904A	CDMA2000 1xEV-DO MEASUREMENT SOFTWARE
MX860905A	$\pi/4$ DQPSK MEASUREMENT SOFTWARE
MX860920A	W-CDMA BER/BLER MEASUREMENT SOFTWARE
MX860930A	WIRELESS LAN MEASUREMENT SOFTWARE
MX860932A	WLAN MEASUREMENT SOFTWARE LIMITED VERSION
MX860950A	HSDPA MEASUREMENT SOFTWARE
MX268031B	W-CDMA AUTO MEASUREMENT SOFTWARE(ENGLISH)
W1795AE	MX860802A/MX860902A OPERATION MANUAL
W1865AE	MX860803A/MX860903A OPERATION MANUAL
W2090AE	MX860804A/MX860904A OPERATION MANUAL
W1866AE	MX860805A/MX860905A OPERATION MANUAL
W1977AE	MS8609A-30 OPERATION MANUAL
W2131AE	HSDPA MEASUREMENT SOFTWARE OPERATION MANUAL

Optional Accessories

MA1612A	FOUR-POINT JUNCTION PAD
J0395	FIXED ATTENUATOR FOR HIGH POWER
J0007	GPIB CABLE, 1 m
J0008	GPIB CABLE, 2 m
B0472	FIXED ATTENUATOR FOR HIGH POWER
B0452A	HARD CARRYING CASE (WITH CASTERS)
B0452B	HARD CARRYING CASE (WITHOUT CASTERS)
B0329G	FRONT COVER (3/4MW 4U)
B0488	REAR PANEL PROTECTIVE PAD
B0480	TILT HANDLE SOFT TYPE
MU860920A	DEMODULATION UNIT
MU860920A-21	DEMODULATION UNIT RETROFIT

Extended Service Options (SIN 627.2004)

MS8609AES30	Three-year Return to Anritsu Repair for MS8609A
MS8609AES32	Three Year Return to Anritsu Z540 Cal MS8609A
MS8609AES35	Return to Anritsu Repair Z540 Cal for MS8609A
MS8609A-01ES20	Two-year Return to Anritsu Repair for MS8609A*01
MS8609A-01ES30	Three-year Return to Anritsu Repair for MS8609A*01
MS8609A-02ES20	Two-year Return to Anritsu Repair for MS8609A*02
MS8609A-02ES30	Three-year Return to Anritsu Repair for MS8609A*02
MS8609A-04ES20	Two-year Return to Anritsu Repair for MS8609A*04
MS8609A-04ES30	Three-year Return to Anritsu Repair for MS8609A*04

MS8609A-05ES20	Two-year Return to Anritsu Repair for MS8609A*05
MS8609A-05ES30	Three-year Return to Anritsu Repair for MS8609A*05
MS8609A-08ES20	Two-year Return to Anritsu Repair for MS8609A*08
MS8609A-08ES30	Three-year Return to Anritsu Repair for MS8609A*08
MS8609A-09ES20	Two-year Return to Anritsu Repair for MS8609A*09
MS8609A-09ES30	Three-year Return to Anritsu Repair for MS8609A*09

Digital Data Analyzer 50MHZ to 3.2 GHz

MP1632C Digital Data Analyzer**Standard Accessories**

F0090	Fuse, 8A
Z0319A	PS/2 Mouse
Z0320	Input Pen
Z0393	Application Disk
Z0395	Remote Sample Disk
W1859AE	MP1632C Operation Manual
W1860AE	MP1632C Remote Control Operation Manual
B0447B	EXT Dummy Unit

Options

MP1632C-02	Ethernet Interface
MP1632C-03	3.2GHz Internal Synthesizer

Application Software

MX163201A	Text to MP1632A Pattern Conversion Software
MX163202A	MP165X to MP1632A Pattern Conversion Software
MX163205A	Q and Eye Analysis Software
MX163206A	SONET/SDH Pattern Editor

Peripherals

J0008	GPIB Cable (2m)
B0447A	CG Dummy Unit
B0447C	PPG Dummy Unit
B0447D	ED Dummy Unit
Z0416	3.5 INCH HEAD CLEANING DISK
MB24B	Portable Test Rack
B0348	Soft Case
B0329D	Protective Front Cover (Note : For MP1632A)
B0333D	Rack Mount Kit
J0905A	Semi-Rigid Cable for Option*03
Z0398	Ethernet Installation Disk for Option*02
W1529AE	Ethernet Operation Manual (For Option 02)
MU163220C	3.2GHz Pulse Pattern Generator with Burst Mode
MU163240C	3.2GHz Error Detector w/Eye Margin

Extended Service Options (SIN 627.2004)

MP1632CES20	Two-year Return to Anritsu Repair for MP1632C
MP1632CES30	Three-year Return to Anritsu Repair for MP1632C
MP1632CES32	Three-year Return to Anritsu Z540 Cal for MP1632C
MP1632CES35	Three-year Return to Anritsu Repair and Z540 Cal for MP1632C
MP1632C-02ESxx	Extended Service included under MP1632C Mainframe
MP1632C-03ES20	Two-year Return to Anritsu Repair for MP1632C*03
MP1632C-03ES30	Three-year Return to Anritsu Repair for MP1632C*03

Digital Data Analyzer 50MHZ to 12.5 GHz Pulse Pattern Generator
--

MP1763C**Pulse Patter Generator****Standard Accessories**

J0672D	Semi-rigid Cable, 7cm (1 pcs)
J0672F	Semi-rigid Cable, 0.1m
J0693A	Coaxial Cord, (HRM220B.3D2W.HRM202B), 1 m
J0496	APC 3.5 J-J Connector (2 pcs)
J0008	GPIO Cable, 2 m
Z0168	3.5-Inch Floppy Disk
Z0306A	Wrist Strap
F0014	Fuse, 6.3 A
W1848AE	MP1763C Operation Manual
W1849AE	MP1763C GPIO Operation Manual
Z0481	12.5/3.2G BERTS Application Software Demo
B0021	Front Cover for MP1763/MP1764

Options

MP1763C-01	12.5 ghz Synthesizer, 50 MHz to 12.5 GHz
MP1763C-03	1/4 Speed Output

Application Software

MX176400A	Q and Eye Analysis Software
MX176401A	SONET/SDH Pattern Editor

Optional Accessories

J0322A	Coaxial Cable, (11SMA-Sucoflex104-11SMA), 0.5 m
J0322B	Coaxial Cable, (SMA-Sucoflex-SMA), 1 m
J0007	GPIO Cable, 1 m
Z0054	3.5-Inch Floppy Disk (2DD)
MB24B	Portable Test Rack
B0413A	Carrying Case
B0163	Soft Carrying Case
B0044	Rack Mount Kit 5U
Z0416	3.5 Inch Head Cleaning Disk

Extended Service Options (SIN 627.2004)

MP1763CES20	Two-year Return to Anritsu Repair for MP1763C
MP1763CES30	Three-year Return to Anritsu Repair for MP1763C
MP1763CES32	Three Year Return to Anritsu Z540 Cal MP1763C
MP1763CES35	Three-year Return to Anritsu Repair and Z540 Cal for MP1763C
MP1763C-01ES20	Two-year Return to Anritsu Repair for MP1763C-01
MP1763C-01ES30	Three-year Return to Anritsu Repair for MP1763C-01
MP1763C-13ES20	Two-year Return to Anritsu Repair for MP1763C*13
MP1763C-13ES30	Three-year Return to Anritsu Repair for MP1763C*13

Digital Data Analyzer 50MHZ to 12.5 GHz Error Detector

MP1764C

Error Detector

Standard Accessories

J0693A	Coaxial Cord, (HRM220B.3D2W.HRM202B), 1 m
J0496	APC 3.5 J-J Connector (2 pcs)
J0008	GPIB Cable, 2 m
Z0168	3.5-Inch Floppy Disk
F0014	Fuse, 6.3 A
Z0306A	Wrist Strap
Z0481	12.5/3.2G BERTS Application Software Demo
B0021	Front Cover for MP1763/MP1764

Options

MP1764C-01	Error Analysis
------------	----------------

Application Software

MX176400A	Q and Eye Analysis Software
MX176401A	SONET/SDH Pattern Editor

Optional Accessories

J0322A	Coaxial Cable, (11SMA-Sucoflex104-11SMA), 0.5 m
J0322B	Coaxial Cable, (SMA-Sucoflex-SMA), 1 m
J0007	GPIB Cable, 1 m
Z0054	3.5-Inch Floppy Disk (2DD)
MB24B	Portable Test Rack
B0413A	Carrying Case
B0163	Soft Carrying Case
B0044	Rack Mount Kit 5U
Z0416	3.5 Inch Head Cleaning Disk

Extended Service Options (SIN 627.2004)

MP1764CES20	Two-year Return to Anritsu Repair for MP1764C
MP1764CES30	Three-year Return to Anritsu Repair for MP1764C
MP1764CES32	Three Year Return to Anritsu Z540 Cal MP1764C
MP1764CES35	Three-year Return to Anritsu Repair and Z540 Cal for MP1764C
MP1764C-01ES20	Two-year Return to Anritsu Repair for MP1764C*01
MP1764C-01ES30	Three-year Return to Anritsu Repair for MP1764C*01
MP1764C-13ES20	Two-year Return to Anritsu Repair for MP1764C*13
MP1764C-13ES30	Three-year Return to Anritsu Repair for MP1764C*13