


NOSE GEAR

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210101 SHT 1 REV 213


GEAR INSTL-NLG
FIGURE 1 (SHEET 1)

32-21-01-01

HXL
DEC 22/06

32-21-01-01
PAGE 0

BOEING
767
PARTS CATALOG (MAINTENANCE)




GEAR INSTL-NLG
FIGURE 1 (SHEET 2)

32-21-01-01

HXL
DEC 22/06

32-21-01-01
PAGE 0A

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210101 SHT 3 REV 031


GEAR INSTL-NLG
FIGURE 1 (SHEET 3)

32-21-01-01

HXL
DEC 22/06

32-21-01-01
PAGE 08

BOEING
767
PARTS CATALOG (MAINTENANCE)




GEAR INSTL-NLG
FIGURE 1 (SHEET 4)

32-21-01-01

HXL
DEC 22/06

32-21-01-01
PAGE 0C

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210101 SHT 5 REV 213

GEAR INSTL-NLG
FIGURE 1 (SHEET 5)

32-21-01-01

HXL
DEC 22/06

32-21-01-01
PAGE 00

 BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1				
- 4	162T0000-068	GEAR INSTL-NLG GEAR INSTL-NLG FOR NHA/OTHER SYS DET SEE: 32-00-00-01	163999	RF
- 6	162T0000-514	GEAR INSTL-NLG FOR NHA/OTHER SYS DET SEE: 32-00-00-01	155162	RF
15	MS24665-304	.PIN		2
20	162T5006-1	.PIN-SPRT LINK		1
25	162T5004-1	.PIN-SPRT BEAM		1
30	BACW10BP14APU	.WASHER		1
35	BACW10BP12APU	.WASHER		2
40	BMN4122AD3-12	.NUT		2
		SUPPLIER CODE: V97928 SPECIFICATION NUMBER: BACN10JC12 OPTIONAL PART: H10-12BAC V15653 RMLH9074-12 V72962 48FT1216 V56878		
45	162T5002-1	.LINK ASSY-SPRT COMPONENT MAINT MANUAL REF: 32-22-62		1
50	161T1210-43	..BUSHING		2
55	161T1210-42	..BUSHING- OPTIONAL PART: 161T1210-61		4
55	161T1210-61	..BUSHING- OPTIONAL PART: 161T1210-42		4
60	1728B	..FITTING-LUB SUPPLIER CODE: VOFKM1		3
68	MS24665-153	.PIN		2
70	NAS6604D42	.BOLT-		2
75	BACW10BP4APU	.WASHER-		4
80	MS14144L4	.NUT-		2
85	162T5007-1	.PIN- POSITION DATA: UPR OPTIONAL PART: 162T5007-3		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

- ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 1
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
85	162T5007-3	.PIN-	POSITION DATA: UPR		1
		OPTIONAL PART:	162T5007-1		
90	162T5007-2	.PIN-	POSITION DATA: LWR		1
		OPTIONAL PART:	162T5007-4		
90	162T5007-4	.PIN-	POSITION DATA: LWR		1
		OPTIONAL PART:	162T5007-2		
95	162T5013-1	.WASHER-ALIGN.			2
100	162T5013-2	.WASHER-ALIGN.			4
105	162T5013-3	.WASHER-ALIGN.			1
110	162T2015-3	.WASHER-TANG			2
115	161T5001-1	.NUT-RETRACT ACTR			2
145	MS24665-377	.PIN			1
150	162T5005-2	.PIN-SPRT BEAM			1
155	162T2015-2	.WASHER-TANG			1
160	BACW10BP22APU	.WASHER			1
165	48FT2212	.NUT			1
		SUPPLIER CODE:	V56878		
		SPECIFICATION NUMBER:	BACN10JC22		
170	162T5000-3	.BEAM ASSY-ACTR SPRT	COMPONENT MAINT MANUAL REF: 32-21-65		1
170	162T5000-5	.BEAM ASSY-ACTR SPRT	COMPONENT MAINT MANUAL REF: 32-21-65		1
175	161T1210-36	..BUSHING			2
180	162T5012-1	..BUSHING			2
185	161T1210-35	..BUSHING			4
190	1728B	..FITTING-LUB			5
		SUPPLIER CODE:	VOFKM1		
198	MS24665-304	.PIN			1
200	162T5008-1	.PIN ASSY-ATTACH LOCK ACTR			1
200	162T5008-3	.PIN ASSY-ATTACH LOCK ACTR			1
205	1728B	..FITTING-LUB			1
		SUPPLIER CODE:	VOFKM1		
210	162T5008-2	..PIN			1
215	162T5013-4	.WASHER-ALIGN.			2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 2
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1				
220	162T5013-7	.WASHER-ALIGN.		2
225	162T2015-7	.WASHER-TANG		1
230	MS14145L10	.NUT-		1
235	162T2000-11	.STRUT ASSY-DRAG COMPONENT MAINT MANUAL REF: 32-21-54 FOR DETAILS SEE: 32-21-03-01		1
235	162T2000-14	.STRUT ASSY-DRAG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-54 FOR DETAILS SEE: 32-21-03-01		1
235	162T2000-16	.STRUT ASSY-DRAG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-54 FOR DETAILS SEE: 32-21-03-01		1
255	MS24665-300	.PIN		2
260	162T4018-5	.BOLT ASSY-DOOR OPEN MECH POSITION DATA: FWD		2
265	1728B	..FITTING-LUB SUPPLIER CODE: VOFKM1		1
265	3036	..FITTING-LUB SUPPLIER CODE: VOFKM1		1
270	162T4018-6	..BOLT		1
275	BACW10BP7P	.WASHER-		2
280	BRH10A7	.NUT- SUPPLIER CODE: V52828 SPECIFICATION NUMBER: BACN10JC7 OPTIONAL PART: H10-7BAC V15653 RMLH9075-7 V72962 96-070 V80539		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 3
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1				
288	162T0000-263	.GEAR ASSY- MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-21 FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-34-05-01 32-61-61-01 32-51-04-01 32-45-02-01 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-01-01	163999	1
288	162T0000-281	.GEAR ASSY- COMPONENT MAINT MANUAL REF: 32-21-21 FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-34-05-01 32-61-61-01 32-51-04-01 32-45-02-01 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-01-01	155162	1
291	162T1136-004	..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-004 OR -008 T/W 2EA 162T1621-1, 2EA 162T1622-1 AND ATTACHING HARDWARE MAY REPLACE -001 OR -004 T/W 2EA 162T1602-1, 2EA 162T1603-1, 4EA NAS6705-7, 4EA BACW10BP5APU AND 4EA BACN10JC5, FOR CUST. NOT USING TPIS WITH CUST. APPROVAL. CUSTOMER USING TPIS MUST USE		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 4
 DEC 22/07

BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 291			162T1136-004 OR -008. 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 5
DEC 22/07



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 291	162T1136-008		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: -013 MAY REPLACE -008 FOR VN221-VN230 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 6
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 291	162T1136-012		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 7
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 291	162T1136-013		..COMPONENT ASSY-MLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044, -041, -010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01 FOR DETAILS SEE: 32-21-02-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 8
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 291	162T1136-014		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: -013 MAY REPLACE -008 FOR VN221-VN230 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035,-33, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01 FOR DETAILS SEE: 32-21-02-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 9
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 291	162T1136-017		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-030 FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 10
DEC 22/07



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 291	162T1136-018	..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOU QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-033 FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01 FOR DETAILS SEE: 32-21-02-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 11
DEC 22/07



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 291	162T1136-019		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136 -072,-035,-033,-022, -019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-035 FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01 FOR DETAILS SEE: 32-21-02-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 12
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 292	162T1136-020		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-038 FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
292	162T1136-022		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019,		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 13
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 292			-018,-014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -013 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 16271136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 1621136-072, -035,-033,-022,-019, -018,-014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01 FOR DETAILS SEE: 32-21-02-01		
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 14
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 292	162T1136-030		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 15
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 292	162T1136-033		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-030, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-018 FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01 FOR DETAILS SEE: 32-21-02-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 16
DEC 22/07



767 PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 292	162T1136-035	..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136 -072,-035,-033,-022, -019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01 FOR DETAILS SEE: 32-21-02-01		1
292	162T1136-038	..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 17
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 293	162T1136-068		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-070 FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
293	162T1136-070		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 18
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 293	162T1136-072		..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL. FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01 FOR DETAILS SEE: 32-21-02-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 19
DEC 22/07



767 PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 293	162T1136-074	..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
293	162T1136-075	..COMPONENT ASSY-NLG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FUNCTIONAL REFERENCE: LANDING GEAR FOR DETAILS SEE 32-51-03-02 PLACARDS AND MARKINGS FOR DETAILS SEE 11-22-11-01		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 20
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 293	162T1136-022	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014, OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-073,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1, 2 EA 161T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7,4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
293	162T1136-022	..COMPONENT ASSY-NLG		RF

ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 21
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1			COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-073,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1, 2 EA 161T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7,4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA		
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 22
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 293		BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		
293	162T1136-022	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072, -035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043,-011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 23
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 294	162T1136-018		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOU QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 24
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 294	162T1136-018	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CSTOMER APPROVAL		RF
294	162T1136-018	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BAC10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 25
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 294	162T1136-018	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BAC10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 26
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 294	162T1136-004		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 27
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 294	162T1136-004	.. COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012. -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 163T1136-043, -011, -007 OR -003 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1, MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010, -006 OR -002 T/W 162T1602-1, 2EA 162T1603-1 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 28
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 294	162T1136-004	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1, MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041,-010, -006 OR -002 T/W 162T1602-1, 2EA 162T1603-1 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
295	162T1136-008	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 29
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 295	162T1136-008		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 162T11621-1, 2EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU 4 EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 30
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 295	162T1136-008		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 31
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 296	162T1136-012		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL.		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 32
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 296	162T1136-012	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL. 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 33
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 296	162T1136-012	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068,-038,-030, -020,-017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -043, -011,-007 OR -003 T/W 2 EA 162T1602-1 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 34
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-013		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044, -041, -010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 WITH DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, 035,-033, -022,-019,-018,-014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 35
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-013		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,070, -068,-038,-030,-020, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 36
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-013		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 37
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-013	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
297	162T1136-014	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, 162T1136-075,074,-070, -068,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022, -019, -018, -014, OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 38
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-014		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 T/W 2EA 162T1621-1, 2EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 39
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-014		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 40
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-014		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 41
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-017		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 42
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-017		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 43
DEC 22/07

BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-017	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042,-009,-005, OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU 4 EA NAS6705-7 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 44
DEC 22/07



767 PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-017	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
297	162T1136-019	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136 -072,-035,-033,-022, -019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 45
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-019		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044, -041, -010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 46
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-019		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044, -041, -010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 47
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 297	162T1136-019	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
298	162T1136-020	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, 070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 48
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 298	162T1136-020		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL.		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 49
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 298	162T1136-020	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL. 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005, OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL.		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 50
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 298	162T1136-020	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 51
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 298	162T1136-030	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040 OR -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
298	162T1136-030	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 52
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 298	162T1136-030	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 53
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 298	162T1136-030	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS), WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
298	162T1136-033	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-030, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014, OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF

ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 54
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 298	162T1136-035		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136 -072,-035,-033,-022, -019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
298	162T1136-035		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 55
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 298	162T1136-035		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 56
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 299	162T1136-035		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 57
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 299	162T1136-035	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
299	162T1136-038	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 58
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 299	162T1136-038		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075, -074, -070,-068,-038,-030, -020,-017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1, MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010, -006, OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 59
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 299	162T1136-038	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070,-068,-038,-030, -020,-017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1, MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010, -006, OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1, WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 60
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 299	162T1136-038		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043,-011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 61
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 300	162T1136-068		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 62
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 300	162T1136-068	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 63
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 300	162T1136-068	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
300	162T1136-068	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012 -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 64
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 300	162T1136-068	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012 -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
300	162T1136-068	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012 -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS), WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF

ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE

— ITEM NOT ILLUSTRATED

32-21-01-01

HXL

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 65
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 300	162T1136-068		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012 -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS), WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 66
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 300	162T1136-070		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040 OR -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 67
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 300	162T1136-070	.. COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040 OR -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 68
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 301	162T1136-070	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
301	162T1136-070	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 69
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 301	162T1136-070	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
301	162T1136-070	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-068, -038,-020,-017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -043,-011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 70
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 301	162T1136-070	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-068, -038,-020,-017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -043,-011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
301	162T1136-072	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL.		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 71
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 301	162T1136-072		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 72
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 301	162T1136-072		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 73
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 301	162T1136-072		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 74
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 301	162T1136-072		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 75
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 301	162T1136-072	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
301	162T1136-072	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 76
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-074		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 77
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-074		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 78
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-074	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
302	162T1136-074	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 79
DEC 22/07

BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-074	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
302	162T1136-074	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-068, -038,-030,-020,-017, -012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 80
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-074		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-068, -038,-030,-020,-017, -012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 81
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-075		..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035 -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 82
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-075	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 83
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-075	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
302	162T1136-075	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 84
DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-075	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
302	162T1136-075	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

32-21-01-01

HXL

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 01
PAGE 85
DEC 22/07

BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 302	162T1136-075	..COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043,-011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
308	MS24665-304	..PIN		10
310	162T4019-1	..PIN ASSY-SWIVEL		2
312	1728B	...FITTING-LUBE SUPPLIER CODE: VOFKM1		1
314	162T2015-9	..WASHER-TANG		2
319	BACW10BN7UP	..WASHER		2
324	MS14144L7	..NUT		2
329	NAS6606D20	..BOLT		2
334	NAS6606D21	..BOLT		2
339	NAS6606D24	..BOLT		4
344	BACW10BP6P	..WASHER		16
349	MS14144L6	..NUT		8
351	162T4014-1	..BRACKET ASSY-DOOR ROD ATTACH POSITION DATA: AFT LH SIDE		1
351	162T4014-7	..BRACKET ASSY-DOOR ROD ATTACH POSITION DATA: AFT LH SIDE		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 86
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1				
356	162T4014-2	..BRACKET ASSY-DOOR ROD ATTACH POSITION DATA: AFT RH SIDE		1
356	162T4014-8	..BRACKET ASSY-DOOR ROD ATTACH POSITION DATA: AFT RH SIDE		1
361	1728B	...FITTING-LUBE SUPPLIER CODE: VOFKM1		1
400	NAS6712U32	..BOLT- QUALIFIED OPTIONAL DATA: (NAS6712D32 AND MS24665-376 OPT NAS6712U32)		4
410	MS24665-376	..PIN- QUALIFIED OPTIONAL DATA: (NAS6712D32 AND MS24665-376 OPT NAS6712U32)		4
420	NAS6712D32	..BOLT- QUALIFIED OPTIONAL DATA: (NAS6712D32 AND MS24665-376 OPT NAS6712U32)		4
430	BACW10BP12ACU	..WASHER-		4
440	BACW10BP12APU	..WASHER-		4
450	BMN4122AD3-12	..NUT- SUPPLIER CODE: V97928 SPECIFICATION NUMBER: BACN10JC12 OPTIONAL PART: H10-12BAC V15653 RMLH9074-12 V72962 48FT1216 V56878		4
470	MS24665-304	..PIN		1
480	NAS6706D121	..BOLT-		1
490	BACW10BP6APU	..WASHER-		2
500	MS14144L6	..NUT-		1
510	162T1304-1	..CAP-TOW PIN		2
520	162T1303-1	..PIN-TOW		1
531	162T1301-1	..FITTING ASSY-TOW		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 87
 DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1				
541	1744B	... FITTING-LUBE SUPPLIER CODE: VOFKM1 OPTIONAL PART: 1744B1 V95879		2
541	1744B1	... FITTING-LUBE SUPPLIER CODE: VOFKM1 OPTIONAL PART: 1744B V95879		2
- 700	284T6200-2	.. ELECTRICAL AND ELECTRONIC INSTL-NLG VAR VARIABLE DRAWING REF: 284T6200-5005 FOR DETAILS SEE: 32-20-51-01		1
- 850	284T6200-1	. ELECTRICAL AND ELECTRONICS INSTL-NLG VAR VARIABLE DRAWING REF: 284T6200-5004 FOR DETAILS SEE: 32-20-51-01		1
- 875	287T0000-2	. PROVISION INSTL-WIRE FOR DETAILS SEE: 32-20-50-02		1
- 875	287T0000-7	. PROVISION INSTL-WIRE FOR DETAILS SEE: 32-20-50-02		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED


HXL

32-21-01-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
 FIG. 01
 PAGE 88
 AUG 22/08

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210105 SHT 1 REV 005

BEARING INSTL-TRUN AND DRAG BRACE NLG
FIGURE 5

32-21-01-05

HXL
DEC 22/06

32-21-01-05
PAGE 0



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
5			BEARING INSTL-TRUN AND DRAG BRACE NLG		
- 1	141T9950-1		BEARING INSTL-DRAG BRACE NLG FOR NHA SEE: 53-10-54-01D		RF
5	141T9947-1		.CAP-RTNR		2
10	141T9948-1		.WASHER-LOCK		2
15	ABC36G101		.BEARING-DRAG BRACE WW SIDE WALL SUPPLIER CODE: VS0352 SPECIFICATION NUMBER: S141T091-002 OPTIONAL PART: KSSB36-38 V97613		2
- 50	141T9950-2		BEARING INSTL-TRUN NLG FOR NHA SEE: 53-10-54-01D		RF
55	141T9946-1		.RING-THRUST QUALIFIED I/W DATA: USE COMBINATION OF 141T9946-1,-2,-3,-4,-5, -6 OR -7 TO OBTAIN CORRECT DIMENSION OPTIONAL PART: 141T9946-2 141T9946-3 141T9946-4 141T9946-5 141T9946-6 141T9946-7		2
55	141T9946-2		.RING-THRUST QUALIFIED I/W DATA: USE COMBINATION OF 141T9946-1,-2,-3,-4,-5, -6 OR -7 TO OBTAIN CORRECT DIMENSION OPTIONAL PART: 141T9946-1 141T9946-3 141T9946-4 141T9946-5 141T9946-6 141T9946-7		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-01-05

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 05
PAGE 1
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
5					
55	141T9946-3		.RING-THRUST QUALIFIED I/W DATA: USE COMBINATION OF 141T9946-1,-2,-3,-4,-5, -6 OR -7 TO OBTAIN CORRECT DIMENSION OPTIONAL PART: 141T9946-1 141T9946-2 141T9946-4 141T9946-5 141T9946-6 141T9946-7		2
55	141T9946-4		.RING-THRUST QUALIFIED I/W DATA: USE COMBINATION OF 141T9946-1,-2,-3,-4,-5, -6 OR -7 TO OBTAIN CORRECT DIMENSION OPTIONAL PART: 141T9946-1 141T9946-2 141T9946-3 141T9946-5 141T9946-6 141T9946-7		2
55	141T9946-5		.RING-THRUST QUALIFIED I/W DATA: USE COMBINATION OF 141T9946-1,-2,-3,-4,-5, -6 OR -7 TO OBTAIN CORRECT DIMENSION OPTIONAL PART: 141T9946-1 141T9946-2 141T9946-3 141T9946-4 141T9946-6 141T9946-7		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-01-05

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 05
PAGE 2
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
5					
55	141T9946-6		.RING-THRUST QUALIFIED I/W DATA: USE COMBINATION OF 141T9946-1,-2,-3,-4,-5, -6 OR -7 TO OBTAIN CORRECT DIMENSION OPTIONAL PART: 141T9946-1 141T9946-2 141T9946-3 141T9946-4 141T9946-5 141T9946-7		2
55	141T9946-7		.RING-THRUST QUALIFIED I/W DATA: USE COMBINATION OF 141T9946-1,-2,-3,-4,-5, -6 OR -7 TO OBTAIN CORRECT DIMENSION OPTIONAL PART: 141T9946-1 141T9946-2 141T9946-3 141T9946-4 141T9946-5 141T9946-6		2
60	BDS48H091		.BEARING-SPHER PLAIN METAL TO METAL SIDEWALL WHL WELL SUPPLIER CODE: V16746 SPECIFICATION NUMBER: S141T091-001 OPTIONAL PART: ABC48G101 VS0352 ASBB48-5 V15860 KSSB48-23 V97613 VTBS0020 V06710		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED


HXL

32-21-01-05

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-01
FIG. 05
PAGE 3
DEC 22/06

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210201 SHT 1 REV 259

COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY)
FIGURE 1 (SHEET 1)


32-21-02-01

HXL
DEC 22/06

32-21-02-01
PAGE 0

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210201 SHT 2 REV 259


COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY)
FIGURE 1 (SHEET 2)

32-21-02-01

HXL
DEC 22/06

32-21-02-01
PAGE 0A

BOEING
767
PARTS CATALOG (MAINTENANCE)




COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY)
FIGURE 1 (SHEET 3)

32-21-02-01

HXL
DEC 22/06

32-21-02-01
PAGE 08

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210201 SHT 4 REV 220

COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY)
FIGURE 1 (SHEET 4)


32-21-02-01

HXL
DEC 22/06

32-21-02-01
PAGE 0C

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210201 SHT 5 REV 212

COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY)
FIGURE 1 (SHEET 5)


32-21-02-01

HXL
DEC 22/06

32-21-02-01
PAGE 00

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210201 SHT 6 REV 212


COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY)
FIGURE 1 (SHEET 6)

32-21-02-01

HXL
DEC 22/06

32-21-02-01
PAGE 0E

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210201 SHT 7 REV 212

COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY)
FIGURE 1 (SHEET 7)

32-21-02-01

HXL
DEC 22/06

32-21-02-01
PAGE 0F

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1			COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY)		
- 2	162T1136-004		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-004 OR -008 T/W 2EA 162T1621-1, 2EA 162T1622-1 AND ATTACHING HARDWARE MAY REPLACE -001 OR -004 T/W 2EA 162T1602-1, 2EA 162T1603-1, 4EA NAS6705-7, 4EA BACW10BP5APU AND 4EA BACN10JC5, FOR CUST. NOT USING TPIS WITH CUST. APPROVAL. CUSTOMER USING TPIS MUST USE 162T1136-004 OR -008. 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
- 2	162T1136-008		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-004 OR -008		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 1
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 2			T/W 2EA 162T1621-1, 2EA 162T1622-1 AND ATTACHING HARDWARE MAY REPLACE -001 OR -004 T/W 2EA 162T1602-1, 2EA 162T1603-1, 4EA NAS6705-7/ 4EA BACW10BP5APU AND 4EA BACN10JC5, FOR CUST. NOT USING TPIS WITH CUST. APPROVAL. CUSTOMER USING TPIS MUST USE 162T1136-004 OR -008 -013 MAY REPLACE -008 FOR VN221-VN230 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,074,-070, -068,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSOTMER APPROVAL FOR NHA/OTHER SYS DET SEE:		
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 2
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 2 - 2	162T1136-012		32-21-01-01 COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075, 074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSOTMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 3
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 2	162T1136-013		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
- 3	162T1136-014		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: -013 MAY REPLACE -008 FOR VN221-VN230 162T1136-075,074,-070,-0 68,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 4
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 3	162T1136-017		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-030 FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 5
DEC 22/06



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 3	162T1136-018		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOU QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033 -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-033 FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 6
DEC 22/06

BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 3	162T1136-019	COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136 -072,-035,-033,-022, -019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-035 FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
- 3	162T1136-020	COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
- 3	162T1136-022	COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 7
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 3			COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -013 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 16271136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 1621136-072, -035,-033,-022,-019, -018,-014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 8
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1				
- 3	162T1136-030	FOR NHA/OTHER SYS DET SEE: 32-21-01-01 COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
- 3	162T1136-033	COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-030, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-018 FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 9
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 -	3 162T1136-035		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136 -072,-035,-033,-022, -019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
-	3 162T1136-038		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 10
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 4	162T1136-068		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL OPTIONAL PART: 162T1136-070 FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
- 4	162T1136-070		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 11
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 4	162T1136-072		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL. FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
- 4	162T1136-074		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 12
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 4	162T1136-075		COMPONENT ASSY-NLG (NOSE LANDING GEAR AND DOORS ONLY) MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL FOR NHA/OTHER SYS DET SEE: 32-21-01-01		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 13
 DEC 22/06



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 4	162T1136-022		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-070,-068, -038,-030,-017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014, OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-073,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1, 2 EA 161T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7,4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
- 4	162T1136-022		COMPONENT ASSY-NLG		RF

ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 14
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1			COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-073,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1, 2 EA 161T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7,4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE		

— ITEM NOT ILLUSTRATED

32-21-02-01

HXL

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 15
DEC 22/06



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 4			BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		
- 4	162T1136-022		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072, -035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043,-011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 16
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 5	162T1136-018		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOU QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033 -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 17
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 5	162T1136-018		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CSTOMER APPROVAL		RF
- 5	162T1136-018		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BAC10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 18
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 5	162T1136-018		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BAC10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 19
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 5	162T1136-004		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
- 5	162T1136-004		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 163T1136-043, -011, -007 OR -003 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1, MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041,-010, -006 OR -002 T/W 162T1602-1, 2EA 162T1603-1 8EA		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 20
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 5			BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075, 074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSOTMER APPROVAL		
- 5	162T1136-004		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1, MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010, -006 OR -002 T/W 162T1602-1, 2EA 162T1603-1 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 21
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 6	162T1136-008		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 22
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 6	162T1136-008		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 162T11621-1, 2EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU 4 EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 23
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 6	162T1136-008		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2EA 162T1621-1, 2EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 24
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 7	162T1136-012		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044, -041, -010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL.		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 25
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 7	162T1136-012		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL. 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 26
 DEC 22/06

BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-012		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068,-038,-030, -020,-017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -043, -011,-007 OR -003 T/W 2 EA 162T1602-1 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 27
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-013		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044, -041, -010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075, 074, -070, -068, -038, -030, -020, -017 , -012, -008, OR-004 WITH DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 28
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-013		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 WITH DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035,-033, -022,-019,-018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 29
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-013		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 30
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-013		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
- 8	162T1136-014		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, 074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014, OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL -013 MAY REPLACE -008 FOR VN221-VN230		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 31
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-014		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 T/W 2EA 162T1621-1, 2EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044,-041,-010, -006 OR -002 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 32
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-014		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 33
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-014		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022, -019, -018, -014 OR -013 T/W 2EA 162T1621-1, 2EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2EA 162T1602-1, 2EA 162T1603-1, 8EA BACW10BP5APU, 4EA NAS6705-7, 4EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075,074,-070, -068,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 34
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-017		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T11336-072, -035, -033,-022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075,074,-070, -068,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSOTMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 35
DEC 22/06



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-017		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 36
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-017		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068, -038, -030, -020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042,-009,-005, OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU 4 EA NAS6705-7 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE		RF

- ITEM NOT ILLUSTRATED

32-21-02-01

HXL

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 37
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-017		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
- 8	162T1136-019		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136 -072,-035,-033,-022, -019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 38
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-019		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044, -041, -010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 39
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 8	162T1136-019		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044, -041, -010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 40
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 9	162T1136-019		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
- 9	162T1136-020		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075, 074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 41
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 9	162T1136-020		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL.		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 42
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 9	162T1136-020		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010,-006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL. 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005, OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL.		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 43
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 9	162T1136-020		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 44
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 9	162T1136-030		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040 OR -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,074,-070, -068,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSOTMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 45
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 9	162T1136-030		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 46
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 9	162T1136-030		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 47
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 9	162T1136-030		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS), WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
- 9	162T1136-033		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-030, -017,-012,-008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033,-022,-019, -018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-072, -035, -033, -022, -019, -018, -014, OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 48
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 9	162T1136-035		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136 -072,-035,-033,-022, -019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
- 9	162T1136-035		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 49
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 10	162T1136-035		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 50
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 10	162T1136-035		COMPONENT ASSY- COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009,-005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 51
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 10	162T1136-035		COMPONENT ASSY- COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1,, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 52
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 10	162T1136-038		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035, -033, -022, -019, -018, -014, OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075, 074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 53
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 10	162T1136-038		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075, -074, -070,-068,-038,-030, -020,-017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1, MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010, -006, OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 54
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 10	162T1136-038		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1, MAY REPLACE BUT NOT BE REPLACED BY 162T1136-044, -041, -010, -006, OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-075, -074, -070, -068, -038, -030, -020, -017, -012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1, WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 55
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 10	162T1136-038		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043,-011,-007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 56
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 11	162T1136-068		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,074,-070, -068,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSOTMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 57
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 11	162T1136-068		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040, -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 58
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 11	162T1136-068		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
- 11	162T1136-068		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012 -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 59
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 11	162T1136-068	COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012 -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
- 11	162T1136-068	COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012 -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS), WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 60
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 11	162T1136-068		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012 -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS), WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 61
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 11	162T1136-070		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072, -035,-033, -022,-019,-018,-014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040 OR -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,074,-070, -068,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 62
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 12	162T1136-070		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073, -040 OR -021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 63
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 12	162T1136-070		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
- 12	162T1136-070		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 64
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 12	162T1136-070		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
- 12	162T1136-070		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-068, -038,-020,-017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -043,-011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 65
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 12	162T1136-070	COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-068, -038,-020,-017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -043,-011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
- 12	162T1136-072	COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL.		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 66
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 12	162T1136-072		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 I/W 162T1136-073, -040 OR -021 WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 67
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 12	162T1136-072		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 68
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 12	162T1136-072		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 WITHOUT QUICK DISCONNECT (QD) MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 69
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 12	162T1136-072		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		R F
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 70
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 12	162T1136-072		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
- 12	162T1136-072		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-072,-035,-033, -022,-019,-018,-014 OR -013 T/W 2 EA 162T1621-1 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 INCLUDE IMPROVED NOSE GEAR STEERING ANGLE INDICATOR FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 71
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 13	162T1136-074		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,074,-070, -068,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSOTMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 72
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 13	162T1136-074		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 73
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 13	162T1136-074		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
- 13	162T1136-074		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 74
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 13	162T1136-074		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
- 13	162T1136-074		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-068, -038,-030,-020,-017, -012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 75
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 13	162T1136-074		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-068, -038,-030,-020,-017, -012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 76
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 13	162T1136-075		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-072,-035,-033, -022,-019,-018, -014 OR -013 WITHOUT QD FEATURE WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,074,-070, -068,-038,-030,-020, -017, -012, -008 OR -004 WITH QUICK DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035, -033, -022, -019, -018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSOTMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 77
 DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 13	162T1136-075		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR 004 WITH QUICK DISCONNECT (QD) FEATURE IS I/W 162T1136-073,-040,-021 WITHOUT QD FEATURE AND INCLUDES IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 78
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 13	162T1136-075		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 MAY REPLACE BUT NOT BE REPLACED BY 162T1136 -044,-041,-010, -006 OR -002 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITH CUSTOMER APPROVAL		RF
- 13	162T1136-075		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 79
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 13	162T1136-075		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-042, -009, -005 OR -001 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMERS NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) AND WITHOUT QD FEATURE WITH CUSTOMER APPROVAL		RF
- 13	162T1136-075		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 80
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 - 13	162T1136-075		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012, -008 OR -004 T/W 2 EA 162T1621-1, 2 EA 162T1622-1 WITH QUICK DISCONNECT (QD) FEATURE MAY REPLACE BUT NOT BE REPLACED BY 162T1136-043, -011, -007 OR -003 T/W 2 EA 162T1602-1, 2 EA 162T1603-1, 8 EA BACW10BP5APU, 4 EA NAS6705-7, 4 EA BACN10JC5 FOR CUSTOMER NOT USING TIRE PRESSURE INDICATOR SYSTEM (TPIS) WITHOUT QD FEATURE, WITH IMPROVED NOSE GEAR STEERING ANGLE INDICATOR WITH CUSTOMER APPROVAL		RF
- 14	162T1136-013		COMPONENT ASSY-NLG COMPONENT MAINT MANUAL REF: 32-21-47 QUALIFIED I/W DATA: 162T1136-075,-074,-070, -068,-038,-030,-020, -017,-012,-008, OR -004 WITH DISCONNECT (QD) FEATURE IS CAN REPLACE AND BE REPLACED BY 162T1136-072, -035,-033, -022,-019,-018, -014 OR -013 WITHOUT (QD) FEATURE WITH CUSTOMER APPROVAL		RF
17	MS24665-304		.PIN		2
18	NAS6706D46		.BOLT-		2
19	BACW10BP6ACU		.WASHER-		2
20	BACW10BP6APU		.WASHER-		3
25	MS14144L6		.NUT-		2
33	162T1118-1		.PIN-TORSION LINK POSITION DATA: UPR		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 81
 DEC 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
35	162T1119-2		.PIN-TORSION LINK POSITION DATA: LWR		1
40	MS24665-304		.PIN-		1
45	162T1120-1		.BOLT-APEX TORSION LINK		1
50	BACW10BN10UP		.WASHER-		1
55	BMN4122AD3-10		.NUT- SUPPLIER CODE: V97928 SPECIFICATION NUMBER: BACN10JC10 OPTIONAL PART: BMN4122A10 V85495 H10-10BAC V15653 RMLH9074-10 V72962 48FT1018 V56878		1
60	162T1617-1		.LINK ASSY-TORSION POSITION DATA: LWR MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS		1
62	161T1210-60		..BUSHING-		2
63	162T1123-2		..BUSHING		2
65	1728B		..FITTING-LUB SUPPLIER CODE: VOFKM1		2
67	1728B		..FITTING-LUB SUPPLIER CODE: VOFKM1		1
70	162T1116-3		.LINK ASSY-TORSION POSITION DATA: UPR MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS		1
73	162T1125-2		..BUSHING		2
75	1728B		..FITTING-LUB SUPPLIER CODE: VOFKM1		4
78	162T1126-1		..BUSHING-		4
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

32-21-02-01

HXL

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 82
DEC 22/06



767 PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 450	162T1136-051	.STRUT ASSY-SHOCK MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS QUALIFIED I/W DATA: 162T1136-051 T/W 2EA 162T1621-1, 2EA 162T1622-1 AND ATTACHING HARDWARE MAY REPLACE -050 OR -054 T/W 2EA 162T1603-1, 4EA NAS6705-7, 4EA BACW10BP5APU AND 4EA BACN10JC5, FOR CUST. NOT USING TPIS WITH CUST. APPROVAL. CUSTOMER USING TPIS MUST USE 162T1136-051		1
450	162T1136-053	.STRUT ASSY-SHOCK MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS QUALIFIED I/W DATA: 162T1136-051 T/W 2EA 162T1621-1, 2EA 162T1622-1 AND ATTACHING HARDWARE MAY REPLACE -050 OR -054 T/W 2EA 162T1603-1, 4EA NAS6705-7, 4EA BACW10BP5APU AND 4EA BACN10JC5, FOR CUST. NOT USING TPIS WITH CUST. APPROVAL. CUSTOMER USING TPIS MUST USE 162T1136-051		1
450	162T1136-056	.STRUT ASSY-SHOCK MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS		1
450	162T1136-064	.STRUT ASSY-SHOCK	155162	1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 83
DEC 22/08

BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
455	MS24665-376	..PIN-	USED ON: 162T1100-5 162T1136-050 162T1100-14 162T1100-18 162T1100-22 162T1100-28 162T1136-051 162T1136-053 162T1136-054 162T1136-055 162T1136-056 162T1136-057 162T1136-064 162T1136-065		2
460	BACB30NL12DU68	..BOLT-			2
475	BMN4122AD3-12	..NUT-	SUPPLIER CODE: V97928 SPECIFICATION NUMBER: BACN10JC12 OPTIONAL PART: H10-12BAC V15653 RMLH9074-12 V72962 48FT1216 V56878 USED ON: 162T1100-5 162T1136-050 162T1100-14 162T1100-18 162T1100-22 162T1100-28 162T1136-051 162T1136-053 162T1136-054 162T1136-055 162T1136-056 162T1136-057 162T1136-064 162T1136-065		2
480	162T1101-1	..PIN-TRUN			2
491	MMS122	..TAG-	SUPPLIER CODE: V39661		1
496	MS28889-2	..VALVE ASSY-GSE			1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 84
 DEC 22/08

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
497	MS28775-008	...	PACKING		1
498	MS28775-015	...	PACKING		1
500	161T1210-3	..	BUSHING		8
501	AP1008-4	..	CAP-		1
			SUPPLIER CODE: V01673		
			SPECIFICATION NUMBER: BACC14AD4		
			OPTIONAL PART: US2103-4		
			V50808		
			USED ON:		
			162T1100-5		
			162T1136-050		
			162T1100-14		
			162T1100-18		
			162T1100-22		
			162T1100-28		
			162T1136-051		
			162T1136-053		
			162T1136-054		
			162T1136-055		
			162T1136-056		
			162T1136-057		
			162T1136-064		
			162T1136-065		
506	2C9342	..	VALVE-OIL CHARGE GSE		1
			SUPPLIER CODE: V99240		
			MISCELLANEOUS DATA: NOT AN INITIAL PROV SPARE		
511	MS28778-5	..	PACKING-GSE		1
540	162T1137-1	..	CYLINDER ASSY-OUTER		1
542	162T1137-2	...	CYLINDER-OUTER		1
544	161T1210-1	...	BUSHING		12
546	161T1210-2	...	BUSHING		16
548	161T1210-3	...	BUSHING		8
550	161T1210-4	...	BUSHING		4
552	162T1121-1	...	BUSHING		2
554	162T1122-1	...	BUSHING		4
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 85
 DEC 22/08

BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1				
556	BLR12-2588SC	... BEARING SUPPLIER CODE: V81376 SPECIFICATION NUMBER: BACB10FH12GC OPTIONAL PART: AG12V31C V15860 ASBFH12VC VS0352 BWG12A110C V16746 HU12-204VC V02758 KWB12-61 V97613 WC12G3C V56644 LHB12ENG C V73134		2
558	1646B	... FITTING-LUB SUPPLIER CODE: V95879		2
560	1728B	... FITTING-LUB SUPPLIER CODE: V0FKM1		4
565	162T1512-3	.. NUT ASSY-GLAND USED ON: 162T1136-079		1
570	1992B	... FITTING-LUBE SUPPLIER CODE: V0FKM1 USED ON: 162T1512-3		1
570	1992B1	... FITTING-LUBE SUPPLIER CODE: V0FKM1 USED ON: 162T1512-3		1
575	S32925-55G5	.. EXCLUDER-SCRAPER SUPPLIER CODE: V09257		1
580	7441MTN	.. RING-BACKUP SUPPLIER CODE: V5F573		2
580	7441MT2N	.. RING-BACKUP STATIC SUPPLIER CODE: V5F573		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 86
 DEC 22/07



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
585	7441MT987		..SEAL-T-RING STATIC SUPPLIER CODE: V5F573		1
593	7439FT4780		..RING-BACKUP DYNAMIC SUPPLIER CODE: V5F573 MISCELLANEOUS DATA: P/N 7439FT4780 T/W 7439FT972 MAKE UP P/N 7439FT972-4780 7439FT4780 IS A SET COMPRISED OF TWO RINGS. QUALIFIED I/W DATA: 2 EA 7439FTP3 R/B I/W 1 EA 7439FT4780		1
595	7439FT972		..SEAL-T-RING DYNAMIC SUPPLIER CODE: V5F573 MISCELLANEOUS DATA: P/N 7439FT4780 T/W 7439FT972 MAKE UP P/N 7439FT972-4780		1
- 597	7439FT972-4780		..RING- SUPPLIER CODE: V09257 MISCELLANEOUS DATA: P/N 7439FT4780 T/W 7439FT972 MAKE UP P/N 7439FT972-4780		1
610	7441MT987		..SEAL-T-RING SUPPLIER CODE: V5F573		2
615	7439FT972		..SEAL-T-RING SUPPLIER CODE: V5F573		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
FIG. 01
PAGE 87
DEC 22/07

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
625	AN6230-30		.. PACKING- OPTIONAL PART: MS28775-252 USED ON: 162T1100-5 162T1136-050 162T1100-14 162T1100-18 162T1100-22 162T1100-28 162T1136-051 162T1136-053 162T1136-054 162T1136-055 162T1136-056 162T1136-057 162T1136-064 162T1136-065		1
625	MS28775-252		.. 0 RING- OPTIONAL PART: AN6230-30 USED ON: 162T1100-5 162T1136-050 162T1100-14 162T1100-18 162T1100-22 162T1100-28 162T1136-051 162T1136-053 162T1136-054 162T1136-055 162T1136-056 162T1136-057 162T1136-064 162T1136-065		1
900			ILLUSTRATION REFERENCE: COMPONENT ASSY-NLG (STEERING ONLY) 32-51-03-02		RF
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED


HXL

32-21-02-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-02
 FIG. 01
 PAGE 88
 DEC 22/07

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210301 SH-T 1 REV 318

STRUT ASSY-NLG DRAG
FIGURE 1 (SHEET 1)


32-21-03-01

HXL
AUG 22/07

32-21-03-01
PAGE 0



PARTS CATALOG (MAINTENANCE)



W 32210301 SHT 2 REV 318

STRUT ASSY-NLG DRAG
FIGURE 1 (SHEET 2)


32-21-03-01

HXL
AUG 22/07

32-21-03-01
PAGE 0A

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210301 SHT 3 REV 217


STRUT ASSY-NLG DRAG
FIGURE 1 (SHEET 3)

32-21-03-01

HXL
DEC 22/06

32-21-03-01
PAGE 08

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32210301 SHT 4 REV 167

STRUT ASSY-NLG DRAG
FIGURE 1 (SHEET 4)

32-21-03-01

HXL
DEC 22/06

32-21-03-01
PAGE 0C



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
- 1	162T2000-11		STRUT ASSY-NLG DRAG STRUT ASSY-NLG DRAG COMPONENT MAINT MANUAL REF: 32-21-54 FOR NHA SEE: 32-21-01-01		RF
- 1	162T2000-14		STRUT ASSY-NLG DRAG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-54 FOR NHA SEE: 32-21-01-01		RF
- 1	162T2000-16		STRUT ASSY-NLG DRAG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS COMPONENT MAINT MANUAL REF: 32-21-54 FOR NHA SEE: 32-21-01-01		RF
22	MS24665-300		.PIN		2
25	NAS6606D58		.BOLT		2
30	BACW10BP6APU		.WASHER		4
35	LCN12-624		.NUT- SUPPLIER CODE: V56878 OPTIONAL PART: 58703-624-15 V56878 BACN11N6CD USED ON: 162T2000-16		2
35	LCN12-624		.NUT- SUPPLIER CODE: V56878 OPTIONAL PART: 58703-624-15 V56878 USED ON: 162T2000-10 162T2000-11 162T2000-5 162T2000-13 162T2000-14 162T2000-15		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
FIG. 01
PAGE 1
APR 22/09



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
35	58703-624-15	.NUT-	SUPPLIER CODE: V56878 OPTIONAL PART: LCN12-624 V56878		2
35	58703-624-15	.NUT-	SUPPLIER CODE: V56878 OPTIONAL PART: LCN12-624 V56878 BACN11N6CD USED ON: 162T2000-16		2
35	PHCR56CDBACN	.NUT-	SUPPLIER CODE: VF0224 SPECIFICATION NUMBER: BACN11N6CD V56878 OPTIONAL PART: LCN12-624 V56878 58703-624-15 V56878 USED ON: 162T2000-16		2
40	162T2007-2	.PIN-	POSITION DATA: UPR USED ON: 162T2000-11 162T2000-14 162T2000-16		2
45	MS24665-153	.PIN			1
50	NAS6604D44	.BOLT-			1
55	BACW10BP4APU	.WASHER-			3
60	LCN12-428	.NUT-	SUPPLIER CODE: V56878 OPTIONAL PART: 58703-428-7 V56878		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
FIG. 01
PAGE 2
APR 22/09

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
60	58703-428-7	.NUT-			1
		SUPPLIER CODE:			
		V56878			
		OPTIONAL PART:			
		LCN12-428			
		V56878			
65	162T2009-4	.PIN-UNIV			1
		POSITION DATA:			
		LWR			
70	162T2015-1	.WASHER-TANG			1
75	161T5001-1	.NUT-			1
80	MS24665-153	.PIN			1
85	NAS6604D44	.BOLT			1
90	BACW10BP4APU	.WASHER			3
95	LCN12-428	.NUT-			1
		SUPPLIER CODE:			
		V56878			
		OPTIONAL PART:			
		58703-428-7			
		V56878			
95	58703-428-7	.NUT-			1
		SUPPLIER CODE:			
		V56878			
		OPTIONAL PART:			
		LCN12-428			
		V56878			
100	162T2009-3	.PIN-			1
		POSITION DATA:			
		LWR			
		USED ON:			
		162T2000-11			
		162T2000-14			
		162T2000-16			
105	162T2015-1	.WASHER-TANG			1
110	161T5001-1	.NUT			1
115	162T2005-1	.UNIVERSAL ASSY-			1
120	1728B	..FITTING-			2
		SUPPLIER CODE:			
		V0FKM1			
130	162T3006-2	.PIN-LOCK			1
135	162T2015-14	.WASHER-			1
150	NAS6604-13	.BOLT-			2
155	BACW10BP4APU	.WASHER-			4
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
 FIG. 01
 PAGE 3
 APR 22/09

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1 160	BRH10A4		.NUT- SUPPLIER CODE: V52828 SPECIFICATION NUMBER: BACN10JC4 OPTIONAL PART: T6S428J V11815 96-048 V80539 VN303A048 V92215 RMLH9075-4W V72962 NS202101-048 V80539 H10-4BAC V15653		2
165	162T2008-1		.PIN-APEX		1
170	162T2015-6		.WASHER-		1
175	162T2011-1		.NUT-APEX		1
180	162T2104-1		.STRUT ASSY-DRAG USED ON: 162T2000-11 162T2000-14 162T2000-16		1
182	1728B		..FITTING-LUB SUPPLIER CODE: VOFKM1		4
183	1743B		..FITTING-LUB SUPPLIER CODE: VOFKM1		4
185	162T2003-5		.STRUT ASSY-DRAG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS USED ON: 162T2000-11 162T2000-14 162T2000-16		1
185	162T2003-3		.STRUT ASSY-DRAG MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS USED ON: 162T2000-5 162T2000-10 162T2000-13 162T2000-15		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
 FIG. 01
 PAGE 4
 APR 22/09



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
186	162T1122-1		..BUSHING		4
187	1728B		..FITTING-LUB SUPPLIER CODE: VOFKM1		3
188	BDS44H4		..BEARING- SUPPLIER CODE: V16746 SPECIFICATION NUMBER: 60B00180-43 OPTIONAL PART: ABC44V101 V15860 KSSB44-19 V97613 OPTIONAL PART: 03-505-44E001 V98388		1
188	03-505-44E001		..BEARING- SUPPLIER CODE: V98388 OPTIONAL PART: BDS44H4 V16746		1
190	162T2000-7		.LINK ASSY-LOCK MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS USED ON: 162T2000-5		1
190	162T2000-9		.LINK ASSY-LOCK MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS USED ON: 162T2000-10 162T2000-11		1
190	162T2000-12		.LINK ASSY-LOCK MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS USED ON: 162T2000-13 162T2000-14		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
FIG. 01
PAGE 5
APR 22/09



767 PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1				
190	162T2000-17	.LINK ASSY-LOCK MISCELLANEOUS DATA: FOR SPARES PROCURE LOWER COMPONENTS USED ON: 162T2000-15 162T2000-16		1
192	162T3031-1	..PAD-MANUAL RELEASE USED ON: 162T2000-9 162T2000-12 162T2000-17 ATTACHING PARTS		1
- 193	BACB30NJ4-11	..BOLT- USED ON: 162T2000-9 162T2000-12 162T2000-17		3
- 194	AN960-416	..WASHER- USED ON: 162T2000-9 162T2000-12 162T2000-17		3
- 195	BRH10A4	..NUT- SUPPLIER CODE: V52828 SPECIFICATION NUMBER: BACN10JC4 OPTIONAL PART: T6S428J V11815 96-048 V80539 VN303A048 V92215 RMLH9075-4W V72962 NS202101-048 V80539 H10-4BAC V15653 USED ON: 162T2000-9 162T2000-12 162T2000-17 -----*-----		3
196	MS24665-306	..PIN-		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

- ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
FIG. 01
PAGE 6
APR 22/09

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
197	BMN4122AD3-18	..NUT-	SUPPLIER CODE: V97928 SPECIFICATION NUMBER: BACN10JC18 OPTIONAL PART: H10-18BAC V15653 BMN4122A18 V85495 RMLH9074-18 V72962 48FT1812 V56878		1
198	BACW10BP18APU	..WASHER-			1
200	162T3010-1	..TARGET-SENSOR	USED ON: 162T2000-7 162T2000-9		2
205	69B96332-1	..SHIM-LAMINATED	MANUFACTURED FROM: SH CRES BAC1534-62C F25.01 .062 IN. X .77 IN. SPARES ORDER MATERIAL CODE: 3120340621 USED ON: 162T2000-7 162T2000-9		2
210	BACW10BP3APU	..WASHER-	USED ON: 162T2000-7 162T2000-9		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
 FIG. 01
 PAGE 7
 AUG 22/09



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
215	BRH10A3	..NUT-	SUPPLIER CODE: V52828 SPECIFICATION NUMBER: BACN10JC3 OPTIONAL PART: H10-3BAC V15653 NS202101-02 V80539 RMLH9075-3W V72962 VN303A02 V92215 96-02 V80539 T6S1032J V11815 USED ON: 162T2000-7 162T2000-9		2
220	162T3007-2	..SPRING-LOCK			2
220	162T3033-2	..SPRING-LOCK	OPTIONAL PART: 162T3033-3		2
220	162T3033-3	..SPRING-LOCK	OPTIONAL PART: 162T3033-2 USED ON: 162T2000-12 162T2000-17		2
225	MS24665-304	..PIN			2
230	BMN4122AD3-10	..NUT	SUPPLIER CODE: V97928 SPECIFICATION NUMBER: BACN10JC10 OPTIONAL PART: BMN4122A10 V85495 H10-10BAC V15653 RMLH9074-10 V72962 48FT1018 V56878		2
235	162T2017-1	..WASHER			2
240	162T3012-2	..SPOOL ASSY			2
245	162T3008-2	..SPACER-LOCK			1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

32-21-03-01

HXL

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
FIG. 01
PAGE 8
APR 22/09

BOEING
767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
250	162T3011-1		..SPINDLE-AFT		1
255	162T3027-1		..ARM ASSY-STEERING		1
			OPTIONAL PART: 162T3005-1		
255	162T3005-1		..ARM ASSY-STEERING		1
			OPTIONAL PART: 162T3027-1		
257	1728B		...FITTING-LUBE		1
			SUPPLIER CODE: VOFKM1		
257D	161T1210-19		...BUSHING-		1
257E	161T1210-20		...BUSHING-		2
257F	161T1210-41		...BUSHING-		2
258	162T3027-2		...ARM-STEERING		1
			USED ON: 162T3027-1		
258	162T3005-2		...ARM-STEERING		1
			USED ON: 162T3005-1		
260	BACB30NF8-19		..BOLT		2
265	162T3012-2		..SPOOL ASSY		2
270	BACB28Y8C058		..BUSHING		2
275	162T2017-2		..WASHER		2
280	BMN4122AD3-8		..NUT		2
			SUPPLIER CODE: V97928		
			SPECIFICATION NUMBER: BACN10JC8		
			OPTIONAL PART: BMN4122A8		
			V85495		
			H10-8BAC		
			V15653		
			RMLH9074-8		
			V72962		
			48FT820		
			V56878		
285	MS24665-304		..PIN		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
 FIG. 01
 PAGE 9
 APR 22/09



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
290	BMN4122AD3-12	..	NUT SUPPLIER CODE: V97928 SPECIFICATION NUMBER: BACN10JC12 OPTIONAL PART: H10-12BAC V15653 RMLH9074-12 V72962 48FT1216 V56878		2
295	BACW10BP12APU	..	WASHER		2
300	162T3029-1	..	CRANK ASSY-LOCK		2
305	3036	...	FITTING- SUPPLIER CODE: VOFKM1		1
310	162T3030-1	..	SPACER-LOCK		2
315	162T3028-1	..	SHAFT-LOCK		1
320	NAS73-12E014	..	SPACER		1
325	162T3008-3	..	SPACER-LOCK		1
330	MS24665-306	..	PIN		1
335	162T3006-1	..	PIN-LOCK		1
340	162T2015-4	..	WASHER		1
345	BACW10BP18APU	..	WASHER		1
350	BMN4122AD3-18	..	NUT SUPPLIER CODE: V97928 SPECIFICATION NUMBER: BACN10JC18 OPTIONAL PART: H10-18BAC V15653 BMN4122A18 V85495 RMLH9074-18 V72962 48FT1812 V56878		1
355	162T3001-1	..	LINK ASSY-LOCK POSITION DATA: FWD		1
360	1728B	...	FITTING-LUB SUPPLIER CODE: VOFKM1		4
375	MS24665-151	..	PIN		4
380	BACB30LH3DU13	..	BOLT		4
385	BACW10BP3APU	..	WASHER		6
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
FIG. 01
PAGE 10
APR 22/09



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1				
390	BRH10A3	..NUT SUPPLIER CODE: V52828 SPECIFICATION NUMBER: BACN10JC3 OPTIONAL PART: H10-3BAC V15653 NS202101-02 V80539 RMLH9075-3W V72962 VN303A02 V92215 96-02 V80539 T6S1032J V11815		4
395	162T3014-1	..PLATE-STOP		2
400	162T3015-1	..SHIM- MANUFACTURED FROM: SH CRES BAC1534-33C F25.01 .033IN 1.50IN .85IN SPARES ORDER MATERIAL CODE: 3120340331		2
405	NAS6604-38	..BOLT		1
410	NAS6604-42	..BOLT		1
415	BACB30LU4-9	..BOLT		2
420	AN960PD416	..WASHER		4
425	BRH10A4	..NUT SUPPLIER CODE: V52828 SPECIFICATION NUMBER: BACN10JC4 OPTIONAL PART: T6S428J V11815 96-048 V80539 VN303A048 V92215 RMLH9075-4W V72962 NS202101-048 V80539 H10-4BAC V15653		4
430	162T3017-4	..SPACER		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
FIG. 01
PAGE 11
AUG 22/09



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
1					
435	162T3017-5		..BRACKET-SENSOR		1
440	162T3017-6		..BRACKET-SENSOR		1
445	162T3003-1		..LINK ASSY- POSITION DATA: AFT USED ON: 162T2000-7		1
445	162T3003-3		..LINK ASSY- POSITION DATA: AFT USED ON: 162T2000-9 162T2000-12 162T2000-17		1
450	1728B		...FITTING-LUBE SUPPLIER CODE: VOFKM1		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED


HXL

32-21-03-01

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-03
FIG. 01
PAGE 12
AUG 22/09

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215002 REV 181

PROVISION INSTL-NLG
FIGURE 2

32-21-50-02

HXL
DEC 22/06

32-21-50-02
PAGE 0



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
2			PROVISION INSTL-NLG		
- 5	287T6201-15		PROVISION INSTL-NLG COMPONENT MAINT MANUAL REF: 32-30-51 FOR NHA SEE: 32-20-50-02		R F
10	BACC10GF22CH		.CLAMP ATTACHING PARTS		2
- 15	NAS1801-3-7		.SCREW		4
- 20	AN960JD10		.WASHER		4
- 25	MS21042L3		.NUT		4
			-----*-----		
30	JM44LC13WS15R		.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE15 OPTIONAL PART: S369WH15 V18076 TA12C32WS15 V84971 509S15 V83930 ATTACHING PARTS		1
- 35	NAS1801-3-7		.SCREW		1
- 40	MS21042L3		.NUT		1
			-----*-----		
45	JM44LC13WS15R		.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE15 OPTIONAL PART: S369WH15 V18076 TA12C32WS15 V84971 509S15 V83930 ATTACHING PARTS		1
- 50	NAS1801-3-18		.SCREW		1
- 55	NAS42DD6-48		.SPACER		1
- 60	MS21042L3		.NUT		1
			-----*-----		
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-50-02

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
FIG. 02
PAGE 1
AUG 22/08



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
2					
65	JM44LC13WS15R	.CLAMP	SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE15 OPTIONAL PART: S369WH15 V18076 TA12C32WS15 V84971 509S15 V83930		1
70	JM44LC13WS15R	.CLAMP	SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE15 OPTIONAL PART: S369WH15 V18076 TA12C32WS15 V84971 509S15 V83930		1
75	JM44LC13WS12R	.CLAMP	SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE12 OPTIONAL PART: S369WH12 V18076 TA12C32WS12 V84971 509S12 V83930		1
- 80	NAS1801-3-6	ATTACHING PARTS .SCREW -----*-----			1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-50-02

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
FIG. 02
PAGE 2
DEC 22/06



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
2				
85	JM44LC13WS15R	.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE15 OPTIONAL PART: S369WH15 V18076 TA12C32WS15 V84971 509S15 V83930 ATTACHING PARTS		1
- 90	NAS1801-3-6	.SCREW -----*-----		1
95	JM44LC13WS15R	.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE15 OPTIONAL PART: S369WH15 V18076 TA12C32WS15 V84971 509S15 V83930 ATTACHING PARTS		1
- 100	NAS1801-3-6	.SCREW -----*-----		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

- ITEM NOT ILLUSTRATED


HXL

32-21-50-02

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
FIG. 02
PAGE 3
DEC 22/06

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215004 SHT 1 REV 182


PROVISION INSTL-NLG WIRE
FIGURE 4 (SHEET 1)

32-21-50-04

HXL
DEC 22/06

32-21-50-04
PAGE 0

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215004 SHT 2 REV 182

PROVISION INSTL-NLG WIRE
FIGURE 4 (SHEET 2)

32-21-50-04

HXL
DEC 22/06

32-21-50-04
PAGE 0A

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
4					
- 1	287T6201-20		PROVISION INSTL-NLG WIRE PROVISION INSTL-NLG WIRE UPR TORSION LINK WITH TIRE PRESSURE INDICATION FOR NHA SEE: 32-20-50-02		RF
5	JM44LC53S108RG		.CLAMP- SUPPLIER CODE: V22175 OPTIONAL PART: BACC10GU108 ATTACHING PARTS		4
- 10	NAS1801-3-8		.SCREW -----*-----		4
15	287T6202-73		.BRACKET ASSY ATTACHING PARTS		1
- 20	NAS6603-2		.BOLT		4
- 25	AN960JD10L		.WASHER -----*-----		4
30	NAS6603-48		.BOLT		4
45	NAS43DD3-40		.SPACER		2
50	NAS43DD3-38		.SPACER		2
55	AN960JD10L		.WASHER		4
65	MS21042L3		.NUT		4
70	287T6204-4		.BLOCK- MANUFACTURED FROM: SH AL 2024T351 F17.04 + F20.02 + SRF14.9813 0.5 X 1.0 X 1.0 QQA250/5 (1224250601)		2
75	287T6204-2		.BLOCK- MANUFACTURED FROM: SH AL 2024T351 F17.04 + F20.02 + SRF14.9813 0.5 X 1.0 X 1.0 QQA250/5 (1124250601)		2
80	287T6204-1		.BLOCK- MANUFACTURED FROM: SH AL 2024T351 F17.04 + F20.02 + SRF14.9813 0.5 X 1.0 X 1.3 QQA250/5 (1124250601)		4
100	287T6202-75		.BRACKET ASSY		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED


HXL

32-21-50-04

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 04
 PAGE 1
 AUG 22/09

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215009 SHT 1 REV 182

PROVISION INSTL-NLG WIRE UPR NOSE GR WITH TWO TAXI LIGHTS AND TIRE PRESSURE INDICATION
FIGURE 9 (SHEET 1)



HXL
DEC 22/06

32-21-50-09

32-21-50-09
PAGE 0

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215009 SHT 2 REV 182

PROVISION INSTL-NLG WIRE UPR NOSE GR WITH TWO TAXI LIGHTS AND TIRE PRESSURE INDICATION
FIGURE 9 (SHEET 2)


HXL
DEC 22/06

32-21-50-09

32-21-50-09
PAGE 0A

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
767
PARTS CATALOG (MAINTENANCE)




PROVISION INSTL-NLG WIRE UPR NOSE GR WITH TWO TAXI LIGHTS AND TIRE PRESSURE INDICATION
FIGURE 9 (SHEET 3)

HXL
DEC 22/06

32-21-50-09

32-21-50-09
PAGE 08

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215009 SHT 4 REV 182

PROVISION INSTL-NLG WIRE UPR NOSE GR WITH TWO TAXI LIGHTS AND TIRE PRESSURE INDICATION
FIGURE 9 (SHEET 4)

HXL
DEC 22/06

32-21-50-09

32-21-50-09
PAGE 0C

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9			PROVISION INSTL-NLG WIRE UPR NOSE GR WITH TWO TAXI LIGHTS AND TIRE PRESSURE INDICATION		
- 1	287T6201-19		PROVISION INSTL-NLG WIRE LWR NOSE GR WITH TWO TAXI LIGHTS AND TIRE PRESSURE INDICATION FOR NHA SEE: 32-20-50-02		RF
5	287T6202-25		.CLIP ASSY ATTACHING PARTS		2
- 10	NAS1801-3-9		.SCREW		2
- 15	AN960JD10L		.WASHER		2
- 20	MS21042L3		.NUT		2
			-----*-----		
25	287T6202-23		..ANGLE		1
30	287T6202-22		..PLATE		1
35	JM44LC13WS7R		.CLAMP		2
			SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE7 OPTIONAL PART: TA12C32WS7 V84971 509S7 V83930 S714WH7 V18076 ATTACHING PARTS		
- 40	NAS1801-3-18		.SCREW		2
- 45	NAS42DD6-38		.SPACER		2
- 50	AN960JD10L		.WASHER		2
- 55	MS21042L3		.NUT		2
			-----*-----		
60	NAS1801-3-8		.SCREW		2
65	AN960JD10L		.WASHER		2
70	MS21042L		.NUT		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 1
 DEC 22/08

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9					
75	JM44LC13WS9R	.CLAMP	SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE9 OPTIONAL PART: TA12C32WS9 V84971 509S9 V83930 S714WH9 V18076		2
80	JM44LC13WS24R	.CLAMP	SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE24 OPTIONAL PART: S369WH24 V18076 TA12C32WS24 V84971 509S24 V83930		2
85	NAS6604-3	.BOLT			4
90	AN960JD416	.WASHER			4
95	MS21042L4	.NUT			4
100	287T6207-3	.ANGLE			1
105	287T6207-4	.ANGLE			1
110	JM44LC13WS9R	.CLAMP	SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE9 OPTIONAL PART: TA12C32WS9 V84971 509S9 V83930 S714WH9 V18076		2
- 115	NAS1801-3-7	ATTACHING PARTS .SCREW			2
- 120	AN960JD10L	.WASHER			2
- 125	MS21042L3	.NUT			2
		-----*-----			
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 2
 AUG 22/08

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9					
130	JM44LC13WS9R		.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE9 OPTIONAL PART: TA12C32WS9 V84971 509S9 V83930 S714WH9 V18076 ATTACHING PARTS		2
- 135	NAS1801-3-6		.SCREW		2
- 140	AN960JD10L		.WASHER		2
- 145	MS21042L3		.NUT		2
			-----*-----		
150	JM44LC13WS3R		.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE3 OPTIONAL PART: 509S3 V83930 S714WH3 V18076 TA12C32WS3 V84971 ATTACHING PARTS		2
- 155	NAS1801-3-5		.SCREW		2
			-----*-----		
160	287T6202-7		.BRACKET ATTACHING PARTS		1
165	NAS6603-4		.BOLT		2
170	NAS1801-3-7		.SCREW		2
175	AN960JD10		.WASHER		2
180	MS21042L3		.NUT		2
			-----*-----		
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 3
 DEC 22/08

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9					
185	JM44LC13WS24R		.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE24 OPTIONAL PART: S369WH24 V18076 TA12C32WS24 V84971 509S24 V83930 ATTACHING PARTS		3
- 190	NAS1801-3-7		.SCREW		3
- 195	AN960JD10L		.WASHER		3
- 200	MS21042L3		.NUT		3
			-----*-----		
205	287T6202-82		.BRACKET ATTACHING PARTS		1
- 210	NAS6603-4		.BOLT		2
- 215	AN960JD10		.WASHER		2
			-----*-----		
220	NAS6603-3		.BOLT		1
225	MS21042L3		.NUT		1
230	JM44LC13WS24R		.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE24 OPTIONAL PART: S369WH24 V18076 TA12C32WS24 V84971 509S24 V83930		1
235	BACC15AN10		.CLIP-RETAINING		1
240	BACB19F10		.BLOCK		1
245	NAS6603-4		.BOLT		1
250	MS21042L3		.NUT		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 4
 AUG 22/08



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9				
255	JM44LC13WS7R	.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE7 OPTIONAL PART: TA12C32WS7 V84971 509S7 V83930 S714WH7 V18076		1
260	JM44LC13WS24R	.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE24 OPTIONAL PART: S369WH24 V18076 TA12C32WS24 V84971 509S24 V83930		1
265	BACC15AN10	.CLIP-RETAINING		1
270	BACB19F10	.BLOCK		1
275	NAS6603-3	.BOLT		1
280	MS21042L3	.NUT		1
285	JM44LC13WS7R	.CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE7 OPTIONAL PART: TA12C32WS7 V84971 509S7 V83930 S714WH7 V18076		1
290	BACC15AN10	.CLIP-RETAINING		1
295	BACB19F10	.BLOCK		1
300	NAS6603-4	.BOLT		4
305	AN960JD10L	.WASHER		4
310	MS21042L3	.NUT		4
315	BACC15AN10	.CLIP-RETAINING		4
320	BACB19F10	.BLOCK		4
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

32-21-50-09

HXL

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
FIG. 09
PAGE 5
DEC 22/08

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9				
325	BC1083-081S	.CLAMP SUPPLIER CODE: V14242 SPECIFICATION NUMBER: BACC10FY081S OPTIONAL PART: B06A081S V10234 3140AB081 V94581 57490-081 V98625 MBC68941-081 V8W928 57490-808 V8W928 57490-810 V8W928		1
330	BC1083-078S	.CLAMP SUPPLIER CODE: V14242 SPECIFICATION NUMBER: BACC10FY078S OPTIONAL PART: B06A078S V10234 3140AB078 V94581 57490-078 V98625 MBC68941-078 V8W928		1
335	6-2S8KC	.NUT- SUPPLIER CODE: V30463 OPTIONAL PART: 186028FS60K3 V30463		1
335	186028FS60K3	.NUT- SUPPLIER CODE: V30463 OPTIONAL PART: 6-2S8KC V30463		1
340	287T6205-10	.HARNESS ASSY-WIRE ELECTRICAL EQUIP NUMBER: S00266 COMPONENT MAINT MANUAL REF: 32-20-51		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 6
 AUG 22/08

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9 345	8-344-03		.. SENSOR- SUPPLIER CODE: V08748 SPECIFICATION NUMBER: S283T006-7 QUALIFIED I/W DATA: PART NUMBERS S283T006-2/8-344-01, S283T006-3/ 8-348-01, S283T006-5/8-345-01, S283T006-7/8-344-03, S283T006-8/8-348-02, S283T006-10/8-345-02/ 8-345-03, S283T006-22/8-518-01 AND S283T006-28/8-716-01 ARE INTERCHANGEABLE DEPENDING ON THE APPLICATION. SEE NHA'S AND 767 PRR B12900-50, 767-SL-32-020, 767-SL-32-058A, 767-SL-32-087 AND 767-SL-32-076 FOR MORE DETAILS. PART NUMBERS S283T006-2/8-344-01, S283T006-5/ 8-345-01, S283T006-7/8-344-03, S233T006-10/8-345-02 8-345-03, S283T006-22/8-518-01, S283T006-33/8-935-01 ARE INTERCHANGEABLE. PLEASE SEE INTERCHANGEABLE PARTS DRAWING 280T9001 FOR SPECIFIC USAGE DETAILS. OPTIONAL PART: 8-344-02 V08748 OPTIONAL PART: 8-345-03 V08748 8-344-01 V08748 8-345-01 V08748		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 7
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9 345	8-345-03		.. SENSOR- SUPPLIER CODE: V08748 SPECIFICATION NUMBER: S283T006-10 QUALIFIED I/W DATA: PART NUMBERS S283T006-2/8-344-01, S283T006-3/8-348-01, S283T006-5/8-345-01, S283T006-7/8-344-03, S283T006-8/8-348-02, S283T006-10/8-345-02/ 8-345-03, S283T006-22/8-518-01 AND S283T006-28/8-716-01 ARE INTERCHANGEABLE DEPENDING ON THE APPLICATION. SEE NHA'S AND 767 PRR B12900-50, 767-SL-32-020, 767-SL-32-058A, 767-SL-32-087 AND 767-SL-32-076 FOR MORE DETAILS PART NUMBERS S283T006-2/8-344-01, S283T006-5/ 8-345-01, S283T006-7/8-344-03, S233T006-10/8-345-02 8-345-03, S283T006-22/8-518-01, S283T006-33/8-935-01 ARE INTERCHANGEABLE. PLEASE SEE INTERCHANGEABLE PARTS DRAWING 280T9001 FOR SPECIFIC USAGE DETAILS. OPTIONAL PART: 8-345-02 V08748		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 8
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9 345	8-344-01		.. SENSOR- SUPPLIER CODE: V08748 SPECIFICATION NUMBER: S283T006-2 QUALIFIED I/W DATA: PART NUMBERS S283T006-2/8-344-01, S283T006-3/8-348-01, S283T006-5/8-345-01, S283T006-7/8-344-03, S283T006-8/8-348-02, S283T006-10/8-345-02/ 8-345-03, S283T006-22/8-518-01 AND S283T006-28/8-716-01 ARE INTERCHANGEABLE DEPENDING ON THE APPLICATION. SEE NHA'S AND 767 PRR B12900-50, 767-SL-32-020, 767-SL-32-058A, 767-SL-32-087 AND 767-SL-32-076 FOR MORE DETAILS PART NUMBERS S283T006-2/8-344-01, S283T006-5/ 8-345-01, S283T006-7/8-344-03, S233T006-10/8-345-02 8-345-03, S283T006-22/8-518-01, S283T006-33/8-935-01 ARE INTERCHANGEABLE. PLEASE SEE INTERCHANGEABLE PARTS DRAWING 280T9001 FOR SPECIFIC USAGE DETAILS. OPTIONAL PART: 8-344-03 V08748		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 9
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9 345	8-345-01		.. SENSOR- SUPPLIER CODE: V08748 SPECIFICATION NUMBER: S283T006-5 QUALIFIED I/W DATA: PART NUMBERS S283T006-2/8-344-01, S283T006-3/8-348-01, S283T006-5/8-345-01, S283T006-7/8-344-03, S283T006-8/8-348-02, S283T006-10/8-345-02/ 8-345-03, S283T006-22/8-518-01 AND S283T006-28/8-716-01 ARE INTERCHANGEABLE DEPENDING ON THE APPLICATION. SEE NHA'S AND 767 PRR B12900-50, 767-SL-32-020, 767-SL-32-058A, 767-SL-32-087 AND 767-SL-32-076 FOR MORE DETAILS PART NUMBERS S283T006-2/8-344-01, S283T006-5/ 8-345-01, S283T006-7/8-344-03, S233T006-10/8-345-02 8-345-03, S283T006-22/8-518-01, S283T006-33/8-935-01 ARE INTERCHANGEABLE. PLEASE SEE INTERCHANGEABLE PARTS DRAWING 280T9001 FOR SPECIFIC USAGE DETAILS. OPTIONAL PART: 8-344-03 V08748		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 10
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9				
350	208680DI0180	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V30463 SPECIFICATION NUMBER: S287T001-706 OPTIONAL PART: 910572-717 V81482 254871-0717 V05593 254291-0717 V05593 OPTIONAL PART: 254291-0717 V05593		1
350	254871-0717	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-717 OPTIONAL PART: 910572-717 V81482 208680DI0180 V30463 254291-0717 V05593		1
355	287T6205-14	.HARNESS ASSY-WIRE ELECTRICAL EQUIP NUMBER: S00244 COMPONENT MAINT MANUAL REF: 32-20-51		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 11
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9 360	8-344-03		.. SENSOR- SUPPLIER CODE: V08748 SPECIFICATION NUMBER: S283T006-7 QUALIFIED I/W DATA: PART NUMBERS S283T006-2/8-344-01, S283T006-3/ 8-348-01, S283T006-5/8-345-01, S283T006-7/8-344-03, S283T006-8/8-348-02, S283T006-10/8-345-02/ 8-345-03, S283T006-22/8-518-01 AND S283T006-28/8-716-01 ARE INTERCHANGEABLE DEPENDING ON THE APPLICATION. SEE NHA'S AND 767 PRR B12900-50, 767-SL-32-020, 767-SL-32-058A, 767-SL-32-087 AND 767-SL-32-076 FOR MORE DETAILS. PART NUMBERS S283T006-2/8-344-01, S283T006-5/ 8-345-01, S283T006-7/8-344-03, S233T006-10/8-345-02 8-345-03, S283T006-22/8-518-01, S283T006-33/8-935-01 ARE INTERCHANGEABLE. PLEASE SEE INTERCHANGEABLE PARTS DRAWING 280T9001 FOR SPECIFIC USAGE DETAILS. OPTIONAL PART: 8-344-02 V08748 OPTIONAL PART: 8-345-03 V08748 8-344-01 V08748 8-345-01 V08748		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 12
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9 360	8-345-03		.. SENSOR- SUPPLIER CODE: V08748 SPECIFICATION NUMBER: S283T006-10 QUALIFIED I/W DATA: PART NUMBERS S283T006-2/8-344-01, S283T006-3/8-348-01, S283T006-5/8-345-01, S283T006-7/8-344-03, S283T006-8/8-348-02, S283T006-10/8-345-02/ 8-345-03, S283T006-22/8-518-01 AND S283T006-28/8-716-01 ARE INTERCHANGEABLE DEPENDING ON THE APPLICATION. SEE NHA'S AND 767 PRR B12900-50, 767-SL-32-020, 767-SL-32-058A, 767-SL-32-087 AND 767-SL-32-076 FOR MORE DETAILS PART NUMBERS S283T006-2/8-344-01, S283T006-5/ 8-345-01, S283T006-7/8-344-03, S233T006-10/8-345-02 8-345-03, S283T006-22/8-518-01, S283T006-33/8-935-01 ARE INTERCHANGEABLE. PLEASE SEE INTERCHANGEABLE PARTS DRAWING 280T9001 FOR SPECIFIC USAGE DETAILS. OPTIONAL PART: 8-345-02 V08748		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 13
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9 360	8-344-01		.. SENSOR- SUPPLIER CODE: V08748 SPECIFICATION NUMBER: S283T006-2 QUALIFIED I/W DATA: PART NUMBERS S283T006-2/8-344-01, S283T006-3/8-348-01, S283T006-5/8-345-01, S283T006-7/8-344-03, S283T006-8/8-348-02, S283T006-10/8-345-02/ 8-345-03, S283T006-22/8-518-01 AND S283T006-28/8-716-01 ARE INTERCHANGEABLE DEPENDING ON THE APPLICATION. SEE NHA'S AND 767 PRR B12900-50, 767-SL-32-020, 767-SL-32-058A, 767-SL-32-087 AND 767-SL-32-076 FOR MORE DETAILS PART NUMBERS S283T006-2/8-344-01, S283T006-5/ 8-345-01, S283T006-7/8-344-03, S233T006-10/8-345-02 8-345-03, S283T006-22/8-518-01, S283T006-33/8-935-01 ARE INTERCHANGEABLE. PLEASE SEE INTERCHANGEABLE PARTS DRAWING 280T9001 FOR SPECIFIC USAGE DETAILS. OPTIONAL PART: 8-344-03 V08748		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 14
 DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9 360	8-345-01		.. SENSOR- SUPPLIER CODE: V08748 SPECIFICATION NUMBER: S283T006-5 QUALIFIED I/W DATA: PART NUMBERS S283T006-2/8-344-01, S283T006-3/8-348-01, S283T006-5/8-345-01, S283T006-7/8-344-03, S283T006-8/8-348-02, S283T006-10/8-345-02/ 8-345-03, S283T006-22/8-518-01 AND S283T006-28/8-716-01 ARE INTERCHANGEABLE DEPENDING ON THE APPLICATION. SEE NHA'S AND 767 PRR B12900-50, 767-SL-32-020, 767-SL-32-058A, 767-SL-32-087 AND 767-SL-32-076 FOR MORE DETAILS PART NUMBERS S283T006-2/8-344-01, S283T006-5/ 8-345-01, S283T006-7/8-344-03, S233T006-10/8-345-02 8-345-03, S283T006-22/8-518-01, S283T006-33/8-935-01 ARE INTERCHANGEABLE. PLEASE SEE INTERCHANGEABLE PARTS DRAWING 280T9001 FOR SPECIFIC USAGE DETAILS. OPTIONAL PART: 8-344-03 V08748		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 15
 DEC 22/06



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9				
365	208680DI0180	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V30463 SPECIFICATION NUMBER: S287T001-706 OPTIONAL PART: 910572-717 V81482 254871-0717 V05593 254291-0717 V05593 OPTIONAL PART: 254291-0717 V05593		1
365	254871-0717	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-717 OPTIONAL PART: 910572-717 V81482 208680DI0180 V30463 254291-0717 V05593		1
370	287T6205-17	.HARNESS ASSY-WIRE COMPONENT MAINT MANUAL REF: 32-20-51		1
375	NAS1801-3-8	..SCREW		2
380	JM44LC13WS7R	..CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE7 OPTIONAL PART: TA12C32WS7 V84971 509S7 V83930 S714WH7 V18076		2
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
FIG. 09
PAGE 16
DEC 22/08



**767
PARTS CATALOG (MAINTENANCE)**

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9				
385	JM44LC13WS9R	..CLAMP SUPPLIER CODE: V22175 SPECIFICATION NUMBER: BACC10GE9 OPTIONAL PART: TA12C32WS9 V84971 509S9 V83930 S714WH9 V18076		2
390	209244DI0170	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V30463 SPECIFICATION NUMBER: S287T001-709 S287T001-720 OPTIONAL PART: 254291-0720 V05593		2
395	208688DI0380	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V30463 SPECIFICATION NUMBER: S287T001-714 OPTIONAL PART: 254291-0724 V05593		2
395	254871-0724	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-724 OPTIONAL PART: 254291-0724 V05593		2
400	BAC27TEX2016	..DECAL-ALUMINUM FOIL PLACARD CONTENT: P23 TRANSFORMER, LANDING & TAXI LIGHTS ATTACHING PARTS		1
- 405	BACR15BB3A	..RIVET- SIZE DETERMINED ON INSTL.		4
- 410	AN960PD3	..WASHER -----*-----		4
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
FIG. 09
PAGE 17
AUG 22/07



767

PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9					
415	FT1219		..TRANSFORMER-AUTO SUPPLIER CODE: V14752 ELECTRICAL EQUIP NUMBER: T00143 T00144 T00187 T00188		4
420	287T6205-24		.HARNESS ASSY-WIRE COMPONENT MAINT MANUAL REF: 32-20-51		1
425	254871-0730		..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-730 OPTIONAL PART: HA2453 VK0685 254291-0730 V05593		1
430	254871-0732		..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-732 OPTIONAL PART: HA2460 VK0685 254291-0732 V05593		1
435	254871-0728		..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-728 OPTIONAL PART: HA2452 VK0685 254291-0729 V05593		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

— ITEM NOT ILLUSTRATED

HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
FIG. 09
PAGE 18
DEC 22/06

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7 NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
9				
440	254871-0514	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-514 OPTIONAL PART: HA2455 VK0685 254291-0514 V05593		1
445	254871-0515	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-515 OPTIONAL PART: HA2456 VK0685 254291-0515 V05593		1
450	254871-0511	..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-511 QUALIFIED I/W DATA: 254871-0511 T/W 1 EA NAS1801-3-6 AND 1 EA BACC10GE12 I/W 254871-0516 T/W 1 EA NAS1801-3-23, 1 EA NAS43DD3-64FC AND 1 EA BACC10GE15. OPTIONAL PART: 910572-511 V81482 207254DI0185 V30463 254291-0511 V05593		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE				

— ITEM NOT ILLUSTRATED



HXL

32-21-50-09

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 09
 PAGE 19
 DEC 22/06

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215012 SHT 1 REV 182

PROVISION INSTL-NLG WIRE LWR TORSION LINK WITH TIRE PRESSURE INDICATION SYS AND TAXI LIGHT
FIGURE 12 (SHEET 1)


HXL
DEC 22/06

32-21-50-12

32-21-50-12
PAGE 0

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215012 SHT 2 REV 331

PROVISION INSTL-NLG WIRE LWR TORSION LINK WITH TIRE PRESSURE INDICATION SYS AND TAXI LIGHT
FIGURE 12 (SHEET 2)


HXL
AUG 22/08

32-21-50-12

32-21-50-12
PAGE 0A

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215012 SHT 3 REV 331

PROVISION INSTL-NLG WIRE LWR TORSION LINK WITH TIRE PRESSURE INDICATION SYS AND TAXI LIGHT
FIGURE 12 (SHEET 3)


HXL
AUG 22/08

32-21-50-12

32-21-50-12
PAGE 0B

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

BOEING
767
PARTS CATALOG (MAINTENANCE)



V 32215012 SHIT 4 REV 331

PROVISION INSTL-NLG WIRE LWR TORSION LINK WITH TIRE PRESSURE INDICATION SYS AND TAXI LIGHT
FIGURE 12 (SHEET 4)

HXL
AUG 22/08

32-21-50-12

32-21-50-12
PAGE 0C

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.



767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
12			PROVISION INSTL-NLG WIRE LWR TORSION LINK WITH TIRE PRESSURE INDICATION SYS AND TAXI LIGHT		
- 1	287T6201-21		PROVISION INSTL-NLG WIRE WITH TIRE PRESSURE INDICATION SYS. POSITION DATA: LWR TORSION LINK FOR NHA SEE: 32-20-50-02		RF
5	NAS6603-2		.BOLT		2
10	NAS1801-3-8		.SCREW-		1
15	AN960JD10L		.WASHER		2
20	287T6202-80		.ANGLE ASSY		1
25	287T6202-81		..ANGLE		1
30	JM44LC53S106RG		.CLAMP-		1
			SUPPLIER CODE: V22175 OPTIONAL PART: BACC10GU106		
30	S717-106		.CLAMP SUPPLIER CODE: V18076 SPECIFICATION NUMBER: BACC10GU106 OPTIONAL PART: 534CS106 V83930 JM44LC39S106RG V22175		1
35	287T6202-61		.PLATE ATTACHING PARTS		1
- 40	NAS6603-6		.BOLT		2
- 45	AN960JD10		.WASHER		2
- 50	MS21042L3		.NUT -----*-----		2
55	NAS6603-3		.BOLT		4
60	NAS6604-7		.BOLT		1
65	AN960JD10		.WASHER		4
70	AN960JD416		.WASHER		1
75	287T6204-3		.SPACER-		1
			MANUFACTURED FROM: SH AL 2024T3 F18.06 0.2 X 0.8 X 1.6 SRF14.9813 QQA250/5 (1124200601)		
80	287T6202-56		.CHANNEL ASSY		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

32-21-50-12

HXL

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
FIG. 12
PAGE 1
AUG 22/09

BOEING
 767
PARTS CATALOG (MAINTENANCE)

FIG ITEM	PART NUMBER	1 2 3 4 5 6 7	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
12					
85	287T6202-95		.PAD ASSY-BUMPER OPTIONAL PART: 287T6202-39		1
85	287T6202-39		.PAD ASSY-BUMPER OPTIONAL PART: 287T6202-95 ATTACHING PARTS		1
- 90	NAS1801-3-11		.SCREW		2
- 95	AN970-3		.WASHER -----*-----		2
100	287T6202-58		.CHANNEL ASSY ATTACHING PARTS		1
105	NAS1801-3-7		.SCREW		3
110	NAS603-7P		.SCREW		3
115	AN960JD10L		.WASHER -----*-----		6
120	NAS6606-10		.BOLT		1
125	NAS6603-2		.BOLT		4
130	AN960JD616L		.WASHER		1
135	AN960JD10L		.WASHER		4
140	287T6202-83		.BRACKET ASSY-STOP		1
201	287T6205-25		.HARNESS ASSY-WIRE COMPONENT MAINT MANUAL REF: 32-20-51 FOR DETAILS SEE: 32-45-02-01		1
204	254871-0731		..CONDUIT ASSY-FLEXIBLE SUPPLIER CODE: V05593 SPECIFICATION NUMBER: S287T001-731 OPTIONAL PART: HA2454 VK0685 254291-0731 V05593		1
ILLUSTRATION ITEMS NOT ON PARTS LIST ARE NOT APPLICABLE					

- ITEM NOT ILLUSTRATED

HXL

32-21-50-12

BOEING PROPRIETARY - Copyright © - Unpublished Work - See title page for details.

32-21-50
 FIG. 12
 PAGE 2
 AUG 22/08