







AIR TO A GREAT TRADITION

I've been shooting since I was four years old. I'm 50 now, and I can shoot pretty much any type of rifle, shotgun, or pistol I want to, in a wide variety of situations. While I enjoy all types of shooting, my true passion is for airguns; it's where I began my shooting career and it's provided me with everything I need throughout my shooting life.

As I grew and improved my range of shooting skills, my airguns grew with me and I became ever more fascinated by how they worked, how they could be improved and how I could improve the way I used them. My shooting became a passion, and airguns were the focus of that passion.

From those early times, all the way to the present, I've shared my sport with some remarkable people, who also shared my passion. Inventors, engineers, world-class marksmen, hunters of all descriptions and a whole range of experts and enthusiasts have inspired me and increased my enjoyment of shooting. Among these remarkable people was a young man from Sweden, who was introduced to me by John Ford, the founder of Sportsmatch UK. As I exchanged pleasantries with Fredrik Axelsson that day, I couldn't have known that I was shaking hands with someone who would go on to change the face of modern airgunning.

After our first meeting, Fredrik and I went our separate ways, but I would receive regular updates from John Ford about the discoveries made by Fredrik and how much the young man's industry and inventiveness had not only impressed John, but had inspired new directions in his own developments. John Ford once told me that he considered Fredrik Axelsson to be the most talented airgun engineer he'd ever met. Praise indeed, from a man respected throughout the airgun industry, not just for his achievements, but for his honesty and integrity. John Ford spotted something special in Fredrik Axelsson and that faith was well founded. The potential of Fredrik's early years has now come to full fruition via FX Airguns.

Like John Ford, Fredrik Axelsson and every airgun hunting expert I've had the pleasure to meet throughout my years of shooting, I use air rifles because I appreciate their quiet, efficient, precision. Modern air rifles, and especially those produced by companies with the worldwide reputation of FX Airguns, are capable of total accuracy, extraordinary consistency, and a variety of power outputs to suit an even wider variety of hunting and pest-control situations. The modern air rifle is a precision hunting machine that will translate

the skills of its owner into success in the field. But there's more to hunting with airguns than their pure efficiency.

Air-powered hunting rifles from FX Airguns can be used where no other rifle would be suitable. The ability to adjust the power of these rifles renders them safe, silent and extremely efficient when clearing rats and pigeons from buildings and other short-range situations, after which the rifles can be instantly adjusted to cope with small game at greater ranges. Few, if any, hunting rifles offer the versatility of an FX Airguns sporter.

These virtually recoilless rifles can easily place their shots inside a 20mm circle at 50 metres range, and the auto-reload capability of an FX air rifle can have the next shot ready in less than a second, with the semi-automatic models even faster. Fit a silencer to the ready-threaded barrel and you instantly add stealth to your hunting armoury. The modern air rifle opens a vast new world of sporting potential.

On several occasions, I have personally taken over 100 rabbits in a single night, using an FX Airguns hunting rifle. I have also used the very same rifles to clear infestations of feral pigeon from premises where only the precision culling capabilities of my FX rifles made the job viable. With near-silent shooting at my disposal, and the ability to take shot after shot without the disturbance of loud muzzle-blasts, my air rifles equip me like no other piece of shooting hardware possibly could. Air-power is one of the most practical and versatile systems of them all, and FX Airguns takes that system to a new level.

Having enjoyed the use of FX Airguns over the years, I wanted to find out more about them and to see how they were made. In June of 2006 I visited the FX Airguns factory and saw for myself what Fredrik Axelsson had built from his

ideas and inventions. No shooting man could fail to be impressed by the degree of research, pre-production testing and quality control involved in the production of FX airguns. Like the airguns themselves, the emphasis is on quiet precision and performance to the highest standards.

For me, it was gratifying to see the drive and passion that so impressed those that met Fredrik Axelsson when he began his career, had not only been maintained, but increased. Experience and the encouragement of success have added even greater direction to the quest for ultimate performance, and, at FX Airguns, innovation is now part of the process. This is a company that makes fine airguns, and then strives to make them finer still. There is a genuine commitment to excellence, here, and it's certainly reflected in the products.

Since meeting up with Fredrik Axelsson and spending time studying his methods and products, I now realise that the key to the success of FX Airguns is an extremely simple one. Fredrik is passionate about what he does and the airguns his company produces reflect that passion. Only the very best is good enough for Fredrik Axelsson, and he applies that standard to the needs of his customers. Therefore, whilst the products may be hi-tech and clinically efficient, the philosophy behind them is refreshingly traditional. I think that's just about the perfect combination, really.


There has never been a better time to own a high quality airgun. Thanks to pioneering inventors like Fredrik Axelsson, airguns and their related products have progressed as never before. These are genuine sporting arms, and fully capable of true hunting performance. I've enjoyed a lifetime of pleasure, challenge and satisfaction from my airguns and I know that FX Airguns can provide the same for you.

Happy airgunning

Terry Doe

Terry Doe is a former European, U.S. and U.K. Field Target shooting champion, a prolific author on airgun-related subjects and a consultant for many of the U.K.'s airgun companies.





typhoon

A lightweight single shot rifle with few moving parts that settles for many years of trouble free shooting. Available in lightweight synthetic or walnut that fits both left and right hand shooters. Bolt action cocking with safety mode Recoil free.

Cocking system Bolt action

Magazine typeSingle shot, no magazineStockSynthetic >Lightweight

Walnut ME > Adjustable recoil pad • Ambidextrous (left & right)

Calibre5,5 (.22)Match or standard barrel

4,5 (.177) Match grade barrel



Lightweight synthetic stock





Barrel Lothar Walther > Match grade • Choked • Free floating • Length 500 mm

Pressure gauge N

Trigger Adjustable Match trigger (400-700 g)
Velocity Cal 5,5 (.22) 265 m/s • 870 ft/s

Cal 4,5 (.177) 300 m/s • 1000 ft/s Energy Cal 5,5 (.22) 36 Joule • 27 ft/lbs

Cal 4,5 (.177) 24 Joule • 18 ft/lbs

Air capacity 180 cc

Air cylinder Not removable

Shot capacityApprox. 30 + at full powerFill pressureMax 220 bar (3200 psi)SafetyBolt action safety modeOptics11 mm dovetail for scope

Muzzle UN

LengthSynthetic 930 mm • Walnut ME 940 mmWeightSynthetic 2,2 kg • Walnut ME 2,7 kg

Charging Quick charge system


Addition Shrouded barrel. Intergraded with barrel support.



Bolt actions safety mode



Adjustable match trigger





Built on the base of the single shot typhoon action but modified so you can fit the new 12 shot magazine. That you also find on the FX Revolution. Available in synthetic or walnut that fits both left and right-hand shooters. Bolt action cocking with safety mode. Recoil free.

Cocking system Bolt action

Magazine type Removable 12 - shot magazine (16 - shot when calibre 4,5 - .177)

Stock Synthetic > Lightweight

Walnut ME > Adjustable recoil pad • Ambidextrous (left & right)

Calibre 5,5 (.22) • 4,5 (.177)

Barrel Lothar Walther > Match grade • Choked • Free floating • Length 500 mm



Magazine removed



Bolt action cocking system



Pressure gauge No

TriggerAdjustable match trigger (400-700 g)VelocityCal 5,5 (.22) 265 m/s • 870 ft/s

Cal 4,5 (177) 300 m/s • 1000 ft/s Cal 5,5 (.22) 36 Joule • 27 ft/lbs

Cal 4,5 (.177) 24 Joule • 18 ft/lbs

Air capacity 180 cc

Energy

Air cylinder Not removable.

Shot capacity Approx. 30 + at full power
Fill pressure Max 220 bar (3200 psi)
Safety Bolt action safety mode
Optics 11 mm dovetail for scope

Muzzle 1/2" UN

LengthSynthetic 930 mm • Walnut ME 940 mmWeightSynthetic 2,2 kg • Walnut ME 2,7 kg

Charging Quick charge system

Addition Shrouded barrel. Intergraded with barrel support



Adjustable match trigger



Removable 12 - shot magazine





This rifles works as the T12 but with a highly restrained noise level. A collaboration between T12 function and the Monsoon style. Thumbhole stock available in Synthetic or Walnut. Bolt action cocking with safety mode. Recoil free

Cocking system Bolt action

Magazine type Removable 12-shot magazine (16 shot when calibre 4,5 - .177)

Stock Synthetic > Thumbhole • Adjustable recoil pad Walnut ME > Thumbhole • Adjustable recoil pad

Calibre 5,5 (.22) • 4,5 (.177)

Barrel Lothar Walther > Match Grade • Choked • Length 500 mm



Whispering barrel shroud



Synthetic thumbhole stock



Pressure gauge No

Energy

 Trigger
 Adjustable Match trigger (400 - 700 g)

 Velocity
 Cal 5,5 (.22) 265 m/s • 870 ft/s

 Cal 4,5 (.177) 300 m/s • 1000 ft/s

Cal 5,5 (.22) 36 Joule • 27 ft/lbs

Cal 4,5 (.177) 24 Joule • 18 ft/lbs

Air capacity 180 cc Air cylinder Not rer

Air cylinder Not removable.

Shot capacity Approx. 30 + at full power

Fill pressure
Safety
Optics

Approx. 30 + at rull power
Max 220 bar (3200 psi)
Bolt action safety mode
11 mm dovetail for scope

Muzzle Fla

LengthSynthetic 1070 mm • Walnut ME 1070 mmWeightSynthetic 3 kg • Walnut ME 3,3 kg

Charging Quick charge system

Addition No



Adjustable rubber/recoilpad



Removable 12 - shot magazine



Cyclone

This rifle is equipped with straight pull cocking system with the possibility to use the thumb to return cocking lever. Available in synthetic, beech or walnut. The synthetic stock has built in soft grips. Patented power adjuster that gives the rifle three different velocity settings. Recoil free.

Cocking system Straight pull with thumb return Magazine type Removable 8-shot magazine

Stock Synthetic > Rubber recoil pad • Ambidextrous (left & right)

Soft grips

Walnut ME > Adjustable rubber recoil pad

5,5 (.22) • 4,5 (.177) Calibre

Barrel Lothar Walther > Match Grade • Choked • Free floating

Length 500 mm



Built in soft grip



Straight pull cocking system with



Pressure gauge

Adjustable match trigger (400-700 g) Trigger

Adjustable in three steps Velocity

> Cal 5,5 (.22) 185-225-280 m/s • 600-740-930 ft/s Cal 4,5 (.177) 200-250-300 m/s • 650-820-1000 ft/s

Energy Cal 5,5 (.22) 20-30-45 Joule • 14-24-34 ft/lbs Cal 4,5 (.177) 16-23-27 Joule • 12-17-20 ft/lbs

180 cc Air capacity Air cylinder Removable

Shot capacity Approx. 30 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

11 mm dovetail Scope mount Optics

Muzzle 1/2" UNF

Length Synthetic 920 mm • Walnut ME 940 mm Weight Synthetic 2,6 kg • Walnut ME 2,7 kg

Quick charge system Charging


Addition Shrouded barrel. Intergraded with barrelsupport.



Adjustable Match trigger 400 - 700 g



Removable air cylinder



Cutlas

This rifle is equipped with straight pull cocking system with automatic return (self closing biathlon style action). Equipped with thumbhole stocks in synthetic or walnut. The synthetic stock is designed so that you easily can attach a bipod, lamp etc. (weaver style accessory rail) and has a built in magazine holder for up to three magazines. Patented power adjuster that gives the rifle three different velocity settings. Recoil free.

Cocking systemStraight pull with auto returnMagazine typeRemovable 8-shot magazine

Stock Synthetic > Thumbhole • Adjustable recoil pad

Forend accessory rail • Hole for 3 extra magazines

Walnut ME > Thumbhole • Adjustable recoil pad

Calibre 5,5 (.22) • 4,5 (.177)



Forend accessory rail





Barrel Lothar Walther > Match grade • Choked • Free floating • Length 500 mm

Pressure gauge Ye

Trigger Adjustable match trigger (400-700 g)

Velocity Adjustable in three steps

Cal 5,5 (.22) 185-225-280 m/s • 600-740-930 ft/s Cal 4,5 (.177) 200-250-300 m/s • 650-820-1000 ft/s

Energy Cal 5,5 (.22) 20-30-45 Joule • 14-24-34 ft/lbs

Cal 4,5 (.177) 16-23-27 Joule • 12-17-20 ft/lbs

Air capacity 180 cc **Air cylinder** Removable

Shot capacity Approx. 30 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail Scope mount

Muzzle 1/2" UNF

LengthSynthetic 920 mm • Walnut ME 940 mmWeightSynthetic 2,4 kg • Walnut ME 2,8 kg

Charging Quick charge system

Addition Shrouded barrel. Intergraded with barrelsupport. Adds 100 mm on total length



Cocking system: straight pull with auto return



Velocity adjustable in three steps



Gladiatordouble air

This rifle holds an enormous amount of air! The air tanks are also fully removable to make a neat package. It's also equipped with the straight pull cocking system with automatic return (self closing biathlon style action), that you also find on the Cutlas pistol gripped synthetic stock with adjustable bottle cover/cheek piece (length and angle). Patented power adjuster that gives the rifle three different velocity settings. Recoil free.



Stock Synthetic > Adjustable recoil pad • Ambidextrous (left & right)


Adjustable bottle cover/cheek piece (length & angle)

Calibre 5,5 (.22) • 4,5 (.177)

Barrel Lothar Walther > Match grade • Choked • Free floating • Length 500 mm



Removable bottle



Straight pull with auto return



Pressure gauge Yes

Trigger Adjustable match trigger (400-700 g)

Velocity Adjustable in three steps

Cal 5,5 (.22) 195-235-290 m/s • 630-770-950 ft/s Cal 4,5 (.177) 200-250-300 m/s • 650-820-1000 ft/s

Energy Cal 5,5 (.22) 20-30-45 Joule • 14-24-34 ft/lbs Cal 4,5 (.177) 16-23-27 Joule • 12-17-20 ft/lbs

Air capacity 645 c

Air cylinder One 145 cc airtube in front and one 500 cc bottle at the back

Shot capacity Approx. 100 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail Scope mount

Muzzle 1/2" UNF Length 950 mm Weight 3,2 kg

Charging Quick charge system


Addition Shrouded barrel. Intergraded with barrelsupport.



Adjustable bottle cover



Removable 8-shot magazine



Fevolution

The Revolution takes airguns to the next level with it's fast-fire semi automatic system. Wasted air is used to cycle the bolt and index the magazine and along with a new 12-shot magazine it allows more shots while reducing the time between shots to zero! Due to the efficiency of the semi automatic system it's extremely quiet without the use of any additional components.

The manual bolt lever enables the rifle to be safely loaded and refilled without any risk of misfire. Along the right side of the Revolution is a cleverly designed safety that prevents the semi automatic rifle from firing. The Revolution is sure to supply rapid fire enjoyment along with single shot precision, and it stands alone with nothing in its class to compare with. Ambidextrous synthetic stock with adjustable bottle cover/check piece (length/angle). Recoil free pneumatic air rifle.



Removable air cylinder, capacity 500 cc



Semi automatic cocking system



Cocking system Semi automatic

Magazine type Removable 12 - shot magazine

Stock Synthetic > Adjustable rubber recoil pad • Ambidextrous (left & right)

Adjustable bottle cover/cheek piece (length/angle)

Calibre 5,5 (.22)

Barrel Lothar Walther > Match grade • Choked • Length 500 mm

Pressure gauge Y

cosure gauge 103

Trigger Match trigger. Not adjustable.

 Velocity
 280 m/s - 930 ft/s

 Energy
 40 Joule - 32 ft/lbs

Air capacity 500 cc
Air cylinder Removable

Shot capacity Approx. 60 - 70 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail Scope mount

Muzzle 1/2" UNF Length 102 mm Weight 3,6 kg

Charging Quick charge system

Addition |



Expansion chamber / Air return



Removable 12 - shot magazine



Monsoon

The Monsoon has a semi automatic system similar to the Revolution, which use wasted air to cycle the bolt and index the 12-shot magazine. Due to the efficiency of the semi-automatic system, it's extremely quiet without the use of any additional components. The manual bolt lever enables the rifle to be safely loaded and refilled without any risk of misfire. The Monsoon is sure to supply rapid fire enjoyment along with single shot precision. Thumbhole stock in synthetic with adjustable recoil pad. Recoil free pneumatic air rifle.


Cocking system Semi automatic

Magazine typeRemovable 12 - shot magazine (16 - shot in calibre 4,5 - .177)StockSynthetic >Adjustable rubber recoil pad • Thumbhole

Walnut ME > Adjustable rubber recoil pad • Thumbhole



Synthetic thumbhole stock





Calibre 5,5 (.22) • 4,5 (.177)

Barrel Lothar Walther > Match grade • Choked • Length 500 mm

Pressure gauge

Velocity

Trigger Mate

Match trigger, Not adjustable. 5,5 (.22) 275 m/s - 920 ft/s

4,5 (.177) 300 m/s – 1000 ft/s

Energy 5,5 (.22) 40 Joule - 30 ft/lbs

4,5 (.177) 24 Joule - 18 ft/lbs

Air capacity 180 cc

Air cylinder Not removable

Shot capacity Approx. 30-40 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle Fla

LengthSynthetic 1070 mm • Walnut ME 1070 mmWeightSynthetic 3,1 kg • Walnut ME 3,4 kg

Charging Quick charge system

Addition N



Removable Magazine



Expansion chamber/Air return



Verminator

You could say that this is a Gladiator put on a diet. Delivered in a compact hard-case. Just attach the rear tube/recoil pad. To the rifle and you're ready to go. Pistol gripped synthetic stock with adjustable bottle cover/cheek piece (length/angle). Recoil free.



Match grade barrel

Cocking system Straight pull with auto return Magazine type Removable 8-shot magazine

Stock Synthetic > Adjustable recoil pad • Ambidextrous (left/right) Adjustable bottle covercheek piece (length/angle)

5,5 (.22) • 4,5 (.177) Calibre

Lothar Walther > Match grade • Choked • Free floating • Length 210 mm Barrel



Muzzle thread for silencer



Pressure gauge

Energy

Adjustable match trigger (400-700 g) Trigger

Adjustable in three steps Velocity

> Cal 5,5 (.22) 225 m/s • 740 ft/s Cal 4,5 (.177) 240 m/s • 790 ft/s

Cal 5,5 (.22) 25 Joule • 18 ft/lbs

Cal 4,5 (.177) 16 Joule • 12 ft/lbs

Air capacity 400 cc Air cylinder 400 cc bottle

Approx. 200 at 12ft/lbs Shot capacity Fill pressure Max 220 bar (3200 psi)

Safety Manual

11 mm dovetail scope mount Optics

Muzzle 1/2" UNF Length 640 - 720 mm Weight 2,4 kg

Quick charge system Charging


Addition



Removable air bottle



Delivered in a compact hard-case



Foyale

This is the latest creation with a robust mechanism and a new smooth operating side lever cocking system. To guarantee maximum performance there is an integrated pressure regulator available as an option. This specific model comes with a big 400 cc bottle in front to assure many shot in every charge. Luxurious woodwork in walnut or high quality synthetic. Shrouded muzzle assures quiet and non disturbing shooting. Recoil free.

Cocking system Sideleve

Magazine type Removable 12-shot magazine (16 shot when calibre 4,5 - .177)

Stock Synthetic > Thumbhole. Adjustable recoil pad Walnut ME > Thumbhole. Adjustable recoil pad

Calibre 5,5 (.22) • 4,5 (.177)



Removable air b0ttle, capacity 400 cc



Thumbhole stock



Barrel Lothar Walther > Match Grade • Choked • Length 500 mm

Pressure gauge Ye

 Trigger
 Adjustable Match trigger (400-700 g)

 Velocity
 4,5 (.177) and 5,5 (.22) 300m/s -1000ft/s

Energy 5,5 (.22) 48 Joule -36 ft/lbs 4,5 (.177) 24 Joule - 18 ft/lbs

Air capacity 400 cc Air cylinder Removable.

Shot capacity Approx. 60 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail for scope

Muzzle Shrouded Length 1030 mm

Weight Synthetic 2,9 kg - Walnut 3,1 kg


Charging Quick charge system

Addition Pressure Regulator (available up to 24 Joule / 18 ft/lbs)





Side lever cocking system



Fanchero

This is our first pistol, built on the well known cyclone base. Equipped with comfortable right handed pisto grip in walnut. Straight pull cocking system on the left side of the system. Production model will also have cheguering on the grips. Recoil free.

Cocking system Straight pull with thumb return Removable 8 - shot magazine Magazine type Walnut > Right-handed grip Stock Calibre 5,5 (.22) • 4,5 (.177)

Lothar Walther > Match grade • Choked • Free floating • Length 210 mm Barrel

Silenced/Shrouded





Pressure gauge

Energy

Trigger Adjustable match trigger (400-700 g)

Adjustable in three steps Velocity

Cal 5,5 (.22) 225 m/s • 740 ft/s Cal 4,5 (.177) 240 m/s • 790 ft/s

Cal 5,5 (.22) 28 Joule • 18 ft/lbs

Cal 4,5 (.177) 16 Joule • 12 ft/lbs

Air capacity 65 cc Air cylinder Removable

Shot capacity Approx. 20 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail scope mount

1/2" UNF Muzzle Length 450 mm Weight 1,45 kg

Charging Quick charge system

Addition



Removable 8 - shot magazine



Walnut stock, right-handed grip



Quick charge system



Straight pull cocking system with thumb return



Faccessories



Scopemounts

Sport Utility Rings have a unique wrap around design, are available in 1 inch diameters, fits any scope size (low, medium or high) and comes in matte black.



Objective Lens Diameter Diopter Adjustment Range Reticle Parallax Body Tube Diamater Total Length

Total Weight Lens Coating

44 mm -2.0 / +2.0 Illuminated Red 30 yds-infinity 25.4 mm 412 mm

Fully Multi-coated

500 g

Addition

Shrouded barrel and barrelsupport. Available as addition on some of the FX rifles.





Single Scoped Rifle Case

Contoured recessed latches. Padlock tabs for added security Strong and ribbed construction. Inner dimension: 121 x 27 x 7 cm.



FX Airtubes

Available for all guns with removable airtube.

Front tubes

240cc - 500 mm • 185 cc - 390 mm • 150cc - 320 mm

65cc - 140 mm • 45cc - 100 mm

Rear bottles:

500 cc and 400 cc

Maximum fill pressure 220 bar.



FX Hand pumps

The easiest most convenient and affordable way to charge your airguns. Patented three way system gives you 200 bar with ease. fill pressure 250 bar.

Features: Pressure gauge, moisture trap, particle filter (replaceable), and bleed valve.

Connections: DIN or Kevlar hose 0,5 m with 1/8" thread.

FX Pellets

High performance domed (round tip) air rifle pellets. Recommended for all FX products.

Calibre: 5,52 (.22)

weight 1,030 grams

(16 grains)

Calibre: 4,52 (.177)

weight 0,547 grams (8,44 grains)



Charging kit

Complete charging device for your scuba tank. Features: Pressure gauge, particle filter (replaceable),

and bleed valve.

Connections: Kevlar hose 0,5 m with 1/8" thread/





Pump accessories

Various adapters DIN to 1/8". External moisture trap, easy to service and clean, 1/8" connections.



Cleaning pellets

Recommended for all FX guns. Outstanding cleaning without damage to the barrel. Available in 4,5 (.177) and 5,5 (.22).



Tube clamp

Allows easy addition of a sling, strap, bipod or other accessory without any modification to the fore end of the stock. Suitable for all airtubess with a diameter of 33 mm.



Barrel support

Requires newer version air cylinder with raised section on end cap. Available for standard (14 mm). barrel and shrouded versions (16 mm). Replacement end cap is required if an older version of cylinder. Is to be used with barrel support.



Tube extension

Add this to your existing airtube for additional volume. Approximately 5 - 10 more shots at high power. 45cc - 100 mm.



Muzzle Flip

Suits all FX Rifles with 1/2" thread on the muzzle. Mounted as standard on the Verminator



FX Magazines

Spare magazines in calibre 4,5 (.177) and 5,5 (.22). State type of gun when ordering.



WWW.FXAIRGUNS.COM check out our website that will be continuously updated with the latest news and downloads - Xairguns FAGERLID • SE-548 92 HOVA • SWEDEN INFO@FXAIRGUNS.COM • WWW.FXAIRGUNS.COM