


KENWOOD

C A R A U D I O

2 0 0 1





KDC-9017 **D MASK+**
CD Receiver with CD/MD Changer Control

50W x 4 3DLC 2RCA PRESETS 4.5V System DMR RW SIRIUS

General Features

- D MASK+ Motorized Self-Hiding Removable Faceplate •MegaMotion™ Display •Remote Control Unit •Sirius Satellite Radio Ready •Optional External Heads-Up Display and Weather Band Tuner

Audio Features

- Maximum Output Power: 50 watts x 4
- Front and Rear RCA Preouts (4.5V)
- Separate Bass/Midrange/Treble Control •Loudness Control •System Q Sound Control with Pre-programmed Tone Curves •Dual Zone Control (with CA-C1AUX / KCA-S210A)

Single CD Features

- CD-R/CD-RW Compatible
- 0 bit Mute (L/R independent)
- CD-Text Ready •DNPS •DNPP •Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX) •Repeat Play •Scan •Random Play •DNPS •DNPP by Remote •Direct Access by Remote

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC •SNPS •SNPP by Remote



Z727
CD Receiver with CD/MD Changer Control

47W x 4 3DLC 2RCA PRESETS System DMR RW SIRIUS

General Features

- Flip-down Removable Faceplate
- MegaMotion™ Display •B.M.S. (Bass Management System) •Full-Function 10-Key Remote Control Unit •Sirius Satellite Radio Ready •Optional External Heads-Up Display and Weather Band Tuner

Audio Features

- Maximum Output Power: 47 watts x 4
- System E-s Advanced Crossover System •Front and Rear RCA Preouts
- Separate Bass / Midrange/Treble Control •Loudness Control •System Q Sound Control with Pre-programmed Tone Curves •Dual Zone Control

Single CD Features

- CD-R/CD-RW Compatible •DNPS •DNPP •Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1/CH2 or AUX) •Repeat Play •Scan •Random Play •DNPS •DNPP by Remote •Direct Access by Remote

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC •SNPS •SNPP by Remote

MegaMotion™

Count on Kenwood to move your music. Our new Mega Motion Display makes head unit and system operation both easy and entertaining with a 4-level gray scale 144 x 24 dot display capable of showing dynamic moving images. Scrolling characters, moving icons, and pre-installed moving pictures like "F-1 Racing" and "Kenwood Cup" are ready to live up your drive.



MP3 Capable



KDC-MP8017 **D MASK+**
CD/MP3 Receiver with CD/MD Changer Control

47W x 4 2RCA PRESETS 1111 10800 System DMR RW SIRIUS

General Features

- D MASK+ Motorized Self-Hiding Removable Faceplate •5x7 Dot Matrix Multicolor Wide LCD Display with White LED Backlight •Auto Dimmer •Remote Controllable (Option) •Optional External Heads-Up Display and Weather Band Tuner

Audio Features

- Maximum Output Power: 47 watts x 4 •Front and Rear RCA Preouts
- Separate Bass / Midrange/Treble Control •Loudness Control •System Q Sound Control with Pre-programmed Tone Curves

Single CD Features

- MP3 Decoder with ID-3 Tag Display •CD-R/CD-RW Compatible •CD-Text •DNPS •DNPP •Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX) •Repeat Play •Scan •Random Play •DNPS •DNPP by Remote •Direct Access by Remote •CD-Text Ready

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC •SNPS •SNPP by Remote



KDC-716S **D MASK+**
CD Receiver with CD/MD Changer Control

47W x 4 2RCA PRESETS System DMR RW SIRIUS

General Features

- D MASK+ Motorized Self-Hiding Removable Faceplate •5x7 Dot Matrix Multicolor Wide LCD Display with White LED Backlight •Remote Control Unit •Sirius Satellite Radio Ready •Optional External Heads-Up Display and Weather Band Tuner

Audio Features

- Maximum Output Power: 47 watts x 4 •Front and Rear RCA Preouts
- Separate Bass / Midrange / Treble Control •Loudness Control •System Q Sound Control with Pre-programmed Tone Curves

Single CD Features

- CD-R/CD-RW Compatible
- 0 bit Mute •CD-Text Ready •DNPS (Disc Name Preset) •DNPP (Disc Name Preset Play) •Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX) •Repeat Play •Scan •Random Play •DNPS •DNPP by Remote

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC •SNPS •SNPP by Remote



KDC-516S **D MASK+**
CD Receiver with CD/MD Changer Control

47W x 4 2RCA PRESETS System DMR RW SIRIUS

General Features

- D MASK+ Removable Faceplate •5x7 Dot Matrix Multicolor Wide LCD Display with White LED Backlight •Remote Controllable (Option) •Optional External Heads-Up Display and Weather Band Tuner

Audio Features

- Maximum Output Power: 47 watts x 4 •Front and Rear RCA Preouts
- Separate Bass / Midrange/Treble Control •Loudness Control •System Q Sound Control with Pre-programmed Tone Curves

Single CD Features

- CD-R/CD-RW Compatible •DNPS •DNPP •Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX) •Repeat Play •Scan •Random Play •DNPS •DNPP by Remote •Direct Access by Remote

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC •SNPS •SNPP by Remote



KDC-416S
CD Receiver with CD/MD Changer Control

45W x 4 2RCA PRESETS System DMR RW SIRIUS

General Features

- Removable Faceplate •Multicolor Wide LCD Display with White LED Backlight •14 segment Sub Illumination (Blue) •Remote Controllable (Option) •Weather Band Tuner Ready with Optional Unit

Audio Features

- Maximum Output Power: 45 watts x 4 •Front and Rear RCA Preouts
- Separate Bass / Midrange/Treble Control •Loudness Control •System Q Sound Control with Pre-programmed Tone Curves

Single CD Features

- CD-R/CD-RW Compatible •DNPS •DNPP •Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1/CH2 or AUX) •Repeat Play •Scan •Random Play •DNPS •DNPP by Remote

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC •SNPS •SNPP by Remote



KDC-D301
Add on CD with Spectrum analyzer

47W x 4 2RCA PRESETS 1111 10800 System DMR RW SIRIUS

General Features

- Flip-down Removable Faceplate •Multicolor Wide LCD Display with White LED Backlight •Controlled by changer control-Kenwood head units
- Spectrum analyzer level adjust (11 positions)
- 11 Band spectrum analyzer with 9-pattern display mode

Single CD Features

- CD-R/CD-RW Compatible •DNPS(40 Discs) •Direct access •Integrated quad 1 bit D/A converter •Random Play •Repeat Play •Scan

What is SIRIUS Satellite Radio?




SIRIUS
Satellite Radio

Sirius (www.siriusradio.com) is radio the way it was meant to be: 100 channels of digital-quality, 24 hour original programming. This means 50 channels of music with absolutely no commercials and 50 channels of news, sports, comedy and kids programming from names like CNBC, Bloomberg, Speedvision, Comedy World, Sci-Fi, Discovery and A&E. Sirius is focused entirely on you, the listener, and it's delivered coast-to-coast via satellite. This is radio like you've never heard before.

Do you like Reggae? How about 50's, 60's, 70's, Classic Rock or New Rock? What about Jazz, Country, Blues, Pop, Rap, R&B, Bluegrass, Alternative, Classical, Heavy Metal or Techno? All of these plus many more will have their own channel and on-air talent dedicated to making them the nation's "station of record" for each music format.

That's why all Kenwood D Mask+ CD receivers are Sirius-ready. Ready to deliver to commercial-free music and entertainment programming on Kenwood's newest mobile audio products.





KDC-V7017 **DMASK**
CD Receiver with CD/MD Changer Control

47Wx4 2RCA PREOUTS System DMR SIRIUS

General Features

- DMASK Motorized Self-Hiding Removable Faceplate
- Motorized Faceplate Angle Adjust (20 degrees)
- 5x7 Dot Matrix LCD with Color Shock Variable Color Backlight (positive type)
- Remote Control Unit •Sirius Satellite Radio Ready •Optional External Heads-Up Display and Weather Band Tuner

Audio Features

- Maximum Output Power: 47 watts x 4
- Front and Rear RCA Preouts
- Separate Bass / Midrange/Treble Control •Loudness Control •System Q Sound Control with Pre-programmed Tone Curves

Single CD Features

- CD-R/CD-RW Compatible •0 bit Mute
- CD-Text Ready •DNPS •DNPP
- Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX) •Repeat Play
- Scan •Random Play •DNPS •DNPP by Remote •Direct Access by Remote

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key)
- High Speed CRSC •SNPS •SNPP by Remote



KDC-V6017 **DMASK**
CD Receiver with CD / MD Changer Control

47Wx4 2RCA PREOUTS System DMR SIRIUS

General Features

- DMASK Removable Faceplate •5x7 Dot Matrix LCD with Color Shock Variable Color Backlight (positive type)
- Remote Control Unit •Optional External Heads-Up Display and Weather Band Tuner

Audio Features

- Maximum Output Power: 47 watts x 4
- Front and Rear RCA Preouts
- Separate Bass / Midrange/Treble Control •Loudness Control •System Q Sound Control with Pre-programmed Tone Curves

Single CD Features

- CD-R/CD-RW Compatible •CD-Text Ready •DNPS •DNPP •Random Play
- Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX) •Repeat Play
- Scan •Random Play •DNPS •DNPP by Remote •Direct Access by Remote

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key)
- High Speed CRSC •SNPS •SNPP by Remote

Color Shock™

Kenwood's Color Shock LCD lets you change the display's backlight color - to match your car's interior, or just to match your mood. The display mixes the levels of 4 colors (white, red, blue, and green) to create 67 different colors that you can scan through.

Then select the one you want, show it off, and add a little spice to your next drive.



KDC-316S
CD Receiver with CD/MD Changer Control

45Wx4 2RCA PREOUTS System DMR SIRIUS

General Features

- Removable Faceplate
- Multicolor Wide LCD Display with White LED Backlight •7 segment •Sub Illumination (Green) •Key Illumination (Green) •Digital Clock •Built in Fuse •Built in Coil •Remote Controllable (Option)

- Weather Band Tuner Ready with Optional Unit
- DSI

Audio Features

- Maximum Output Power: 45 watts x 4 •Front and Rear RCA Preouts
- Separate Bass / Midrange / Treble Control •Source Tone Memory •Electric Volume (Up / Down)
- Loudness Control •Attenuator (-20dB) with Smooth Volume Return

- System Q Sound Control with Pre-programmed Tone Curves •Touch Sensor Tone

Single CD Features

- CD-R/CD-RW Compatible
- Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1/CH2 or AUX) •Repeat Play (Disc/Track) •Scan (Track)

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •AME (Automatic Memory Entry) •High Speed CRSC •Up/Down Seek Tuning



KDC-316V
CD Receiver with CD/MD Changer Control

45Wx4 2RCA PREOUTS System DMR SIRIUS

General Features

- Removable Faceplate
- Monocolor Wide Display with Blue LED Backlight (positive type) •7 segment •Sub Illumination (Red)
- Remote Control Unit
- Weather Band Tuner Ready with Optional Unit
- Matches Stock VW Dashboard Illumination

Audio Features

- Maximum Output Power: 45 watts x 4 •RCA Preout
- Separate Bass / Midrange / Treble Control •Loudness Control •System Q Sound

- Control with Pre-programmed Tone Curves

Single CD Features

- CD-R/CD-RW Compatible
- Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1/CH2 or AUX) •Repeat Play •Scan

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC



KDC-216S
CD Receiver

45Wx4 2RCA PREOUTS System DMR SIRIUS

General Features

- Removable Faceplate
- Multicolor Wide LCD Display •7 segment •Sub Illumination (Green)

Audio Features

- Maximum Output Power: 45 watts x 4 •RCA Preout

- Separate Bass / Midrange / Treble Control •Loudness Control •System Q Sound

- Control with Pre-programmed Tone Curves

Single CD Features

- CD-R/CD-RW Compatible
- Random Play •Repeat Play •Scan

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC



KDC-116S
CD Receiver

45Wx4 2RCA PREOUTS System DMR SIRIUS

General Features

- Fixed Faceplate •Color LCD Display (Negative type) •7 segment •Sub Illumination (Green)

Audio Features

- Maximum Output Power: 45 watts x 4 •RCA Preout

- Separate Bass / Midrange / Treble Control •Loudness Control •System Q Sound

- Control with Pre-programmed Tone Curves

Single CD Features

- CD-R/CD-RW Compatible
- Random Play •Repeat Play •Scan

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC



KDC-57MR **DMASK**
CD Receiver with CD/MD Changer Control

47Wx4 2RCA PREOUTS System DMR SIRIUS

General Features

- DMASK Removable Faceplate •White Front Panel •5x7 Dot Matrix Multicolor Wide LCD Display with White LED Backlight •Remote Controllable (Option)
- Optional External Heads-Up Display and Weather Band Tuner

Audio Features

- Maximum Output Power: 47 watts x 4 •Front and Rear RCA Preouts
- Separate Bass / Midrange/Treble Control •Loudness Control •System Q Sound Control with Pre-programmed Tone

Curves

Single CD Features

- CD-R/CD-RW Compatible
- DNPS •DNPP •Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX) •Repeat Play •Scan
- Random Play •DNPS

- DNPP by Remote •Direct Access by Remote •CD-Text Ready

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC •SNPS •SNPP by Remote



KDC-37MR
CD Receiver with CD/MD Changer Control

45Wx4 2RCA PREOUTS System DMR SIRIUS

General Features

- Removable Faceplate
- White Front Panel
- Monocolor Wide Display with Green LED Backlight (positive type) •7 segment •Sub Illumination (Green)
- Remote Controllable (Option) •Weather Band Tuner Ready with Optional Unit

Audio Features

- Maximum Output Power: 45 watts x 4 •RCA Preout
- Separate Bass / Midrange / Treble Control •Loudness Control •System Q Sound

- Control with Pre-programmed Tone Curves

Single CD Features

- CD-R/CD-RW Compatible
- Random Play •Repeat Play •Scan

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX) •Repeat Play •Scan

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •High Speed CRSC



KMD-44
MD Receiver with CD/MD Changer Control

45Wx4 2RCA PREOUTS MDLP TYPE-R SYSTEM DMR SIRIUS

General Features

- Removable Faceplate
- Dot Matrix Multicolor Wide LCD Display with White LED Backlight •Remote Controllable (Option)
- Optional External Heads-Up Display and Weather Band Tuner

Audio Features

- Maximum Output Power: 45 watts x 4 •RCA Preout
- Separate Bass / Midrange / Treble Control •System Q

- Sound Control with Pre-programmed Tone Curves

MD Features

- ATRAC-3 Compatible
- Shock Proof Memory (10 sec)

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX) •DNPS •DNPP by Remote •CD-Text Ready

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key) •SNPS



KMD-D400
1-DIN Size 3 + 1 MD Changer

General Features

- Flip-Down Removable Faceplate •Multicolor Wide LCD Display with White LED Backlight •Controlled by changer control-Kenwood head units
- Spectrum analyzer level adjust (11 positions)
- 11 Band spectrum analyzer with 9-pattern display mode

MD Features

- 4 Mini Disc capacity (3 MD Changer + Single MD) •Shock Proof Memory (10 sec)

Mobile Video



LZ-701W
7" Widescreen Mobile Television

General Features

- 7" Wide TFT Display •Number of Pixels: 336,960 •Screen Size (in): 6-1/16 (W) x 3-7/16 (H) x 6-15/16 (Diagonal) •Display Mode Selector: Normal/Full/Zoom/Just

- Cinema) •1 Video Input (RCA, PAL/NTSC Automatic Selection)
- 1 Video Output (RCA) •Remote Sensor •Auto Brightness Control
- Detachable Mounting Bracket

KTC-V800N

Hide-away NTSC TV Tuner Unit

General Features

- TV Tuner (NTSC) •16 Preset Stations (TV1/TV2) •Auto Memory •Auto Seek •AV Inputs (NTSC only) •A/V Output cRGB Input

- Window Type TV Diversity Antenna •Supplied with Remote Control Unit



KRC-709

Cassette Receiver with
CD/MD Changer Control

47W x 4 2 RCA PRESETS System

General Features

- D MASK Motorized Self-Hiding Removable Faceplate
- Dot Matrix Multicolor Wide LCD Display with White LED Backlight
- Remote Control Unit
- Optional External Heads-Up Display and Weather Band Tuner Ready
- Audio Features**
 - Maximum Output Power: 47 watts x 4
 - Front and Rear RCA Preouts
 - Separate Bass / Midrange / Treble Control

- System Q Sound Control with Pre-programmed Tone Curves
- Tape Features**
 - Direct Program Search System
 - Dolby B NR

- Changer Control Features**
 - Dual Changer Control Capability (CH1 / CH2 or AUX)
 - DNPS •DNPP by Remote
 - CD-Text Ready

- Tuner Features**
 - 24 Station Presets (18FM/6AM, 6-key)



KRC-609

Cassette Receiver with
CD/MD Changer Control

47W x 4 2 RCA PRESETS System

General Features

- D MASK Removable Faceplate
- Dot Matrix Multicolor Wide LCD Display with White LED Backlight
- Remote Controllable (Option)
- Optional External Heads-Up Display and Weather Band Tuner Ready
- Audio Features**
 - Maximum Output Power: 47 watts x 4
 - Front and Rear RCA Preouts
 - Separate Bass / Midrange

- / Treble Control
- System Q Sound Control with Pre-programmed Tone Curves

- Tape Features**
 - Direct Program Search System
 - Dolby B NR Changer Control Features

- Changer Control Features**
 - Dual Changer Control Capability (CH1 / CH2 or AUX)
 - DNPS •DNPP by Remote
 - CD-Text Ready

- Tuner Features**
 - 24 Station Presets (18FM/6AM, 6-key)



KRC-509S

Cassette Receiver with
CD/MD Changer Control

45W x 4 2 RCA PRESETS System

General Features

- D MASK Removable Faceplate
- Dot Matrix Multicolor Wide LCD Display with White LED Backlight
- Remote Controllable (Option)
- Optional External Heads-Up Display and Weather Band Tuner Ready
- Audio Features**
 - Maximum Output Power: 45 watts x 4
 - Front and Rear RCA Preouts
 - Separate Bass / Midrange

- / Treble Control
- System Q Sound Control with Pre-programmed Tone Curves

- Tape Features**
 - Direct Program Search System
 - Dolby B NR

- Changer Control Features**
 - Dual Changer Control Capability (CH1 / CH2 or AUX)
 - DNPS •DNPP by Remote
 - CD-Text Ready

- Tuner Features**
 - 24 Station Presets (18FM/6AM, 6-key)



KRC-409

Cassette Receiver with
CD/MD Changer Control

45W x 4 2 RCA PRESETS System

General Features

- Removable Faceplate
- Multicolor Wide LCD Display with White LED Backlight
- 7 segment
- Remote Controllable (Option)
- Weather Band Tuner Ready
- Audio Features**
 - Maximum Output Power: 45 watts x 4
 - Front and Rear RCA Preouts
 - Separate Bass / Midrange

- / Treble Control
- System Q Sound Control with Pre-programmed Tone Curves

- Tape Features**
 - Tape Advance
 - Blank Skip
 - Dolby B NR

- Changer Control Features**
 - Dual Changer Control Capability (CH1 / CH2 or AUX)

- Tuner Features**
 - 24 Station Presets (18FM/6AM, 6-key)



KRC-309S

Cassette Receiver with
CD/MD Changer Control

45W x 4 1 RCA PRESETS System

General Features

- Removable Faceplate
- Multicolor Wide LCD Display
- Remote Controllable (Option)
- Weather Band Tuner Ready
- Audio Features**
 - Maximum Output Power: 45 watts x 4
 - RCA Preout
 - Separate Bass / Midrange / Treble Control
 - System Q Sound Control with Pre-pro-

- grammed Tone Curves

- Tape Features**
 - Tape Advance
 - Blank Skip
 - Repeat Play
 - Dolby B NR

- Changer Control Features**
 - Dual Changer Control Capability (CH1 / CH2 or AUX)

- Tuner Features**
 - 24 Station Presets (18FM/6AM, 6-key)



KRC-208S

Cassette Receiver with
CD Changer Control

40W x 4 1 RCA PRESETS ec4

General Features

- Removable Faceplate
- Monocolor Wide Display with Green LED Backlight (positive type)
- Audio Features**
 - Maximum Output Power: 40 watts x 4
 - RCA Preout
 - Separate Bass / Treble Control
 - ec4: Sound Control with Preset Audio Function

- Tape Features**
 - Manual Transport
 - Tuner Call

- Changer Control Features**
 - CD Changer Control Capability (CH1)

- Tuner Features**
 - 24 Station Presets (18FM/6AM, 6-key)



KRC-108S

Cassette Receiver

40W x 4 ec4

General Features

- Fixed Faceplate
- Monocolor Display with Green LED Backlight (positive type)
- Audio Features**
 - Maximum Output Power: 40 watts x 4
 - Separate Bass / Treble Control
 - ec4

- Sound Control with Preset Audio Function

- Tape Features**
 - Manual Transport
 - Tuner Call

- Tuner Features**
 - 24 Station Presets (18FM/6AM, 6-key)



KRC-38MR

Cassette Receiver with
CD Changer Control

40W x 4 1 RCA PRESETS ec4

General Features

- Removable Faceplate
- White Panel
- Monocolor Wide Display with Green LED Backlight (positive type)
- Weather Band Tuner Ready
- Audio Features**
 - Maximum Output Power: 40 watts x 4
 - RCA Preout
 - Separate Bass / Treble Control
 - ec4 Sound Control

- with Preset Audio Function

- Tape Features**
 - Full Logic Transport
 - Tape Advance
 - Blank Skip

- Changer Control Features**
 - CD Changer Control Capability (CH1)

- Tuner Features**
 - 24 Station Presets (18FM/6AM, 6-key)



KRC-28MR

Cassette Receiver with CD Changer Control

40W x 4 ec4

General Features

- Removable Faceplate
- White Panel
- Monocolor Wide Display with Green LED Backlight (positive type)
- Audio Features**
 - Maximum Output Power: 40 watts x 4
 - Separate Bass / Treble Control
 - ec4 Sound Control with Preset Audio Function

Tape Features

- Manual Transport
- Tuner Call
- Changer Control Feature**
 - CD Changer Control Capability (CH1)
- Tuner Features**
 - 24 Station Presets (18FM/6AM, 6-key)



KRC-2007/1007

Cassette Receiver

40W x 4 ec4

General Features

- Monocolor Display with Green LED Backlight (positive type)
- Audio Features**
 - Maximum Output Power [KRC-2007] 25watts x 2 [KRC-1007] 8watts x 2

- RCA Preout

Tape Features

- Auto-reverse Transport

Tuner Features

- 30 Station Presets (18FM/12AM, 6-key)

2-DIN CD/Cassette Receiver



DPX-4010

Dual DIN Size CD/Cassette Receiver with DSP

45W x 4 2 RCA PRESETS USB

General Features

- Flip-Down Front Panel
- FL Dot Matrix Multicolor Wide Display
- Remote Control Unit
- 11-Band 13-Step Spectrum Analyzer
- Audio Features**
 - Maximum Output Power: 45 watts x 4
 - Front and Rear RCA Preouts (Rear/Non-fading Switchable)

Single CD Features

- CD-R/CD-RW Compatible
- DNPS (10 Discs)
- Random Play
- Repeat Play
- Scan

Changer Control Features

- Dual Changer Control Capability (CH1 / CH2 or AUX)

- Repeat Play
- Scan
- Random Play
- DNPS •DNPP by Remote
- CD-Text Ready

Tuner Features

- 24 Station Presets (18FM/6AM, 6-key)
- SNPS

Tape Features

- Full Logic Mechanism
- Dolby B NR
- Metal Tape Selector
- Tape Advance (DPSS)

DSP Graphic Equalizer Features

- SFC (Stadium/Concert/Club Disco/Church/Listening Room/Bypass)
- 5 Preset Sound Control

MAX POWER **1000W**

KAC-929

2-channel Power Amplifier

Power

- 230W x 2 at 2ohm 14.4V (0.8%THD)
- 460W x 1 Bridged 14.4V (0.8%THD)

General Features

- Power Indicator with Blue LED •Built-in Variable Low-pass Filter •Variable Input Sensitivity •Tri-Mode Operation
- 2-Ohm Load Capability •Bass Boost •Bass Expander Function •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminal •Power MOSFET Switching Power Supply •Size (in): 10-1/4 (W) x 2-1/4 (H) x 13-3/4 (D)

MAX POWER **240W** x2
+
320W

KAC-959

5-Channel Power Amplifier

Power

- 40W x 4 + 120W x 1 at 4ohm 14.4V (0.08%THD)
- 60W x 4 + 150 x 1 at 2ohm 14.4V (0.8%THD)
- 120W x 2 + 120W Bridged 14.4V (0.8%THD)

General Features

- Power Indicator with Blue LED •Built-in Variable Low-pass Filter •Built-in Selectable High-pass Filter •Built-in Infrasonic Filter •Variable Input Sensitivity •2-Ohm Load Capability •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminals •Power MOSFET Switching Power Supply •Input Selectors (A/AB Channel & AB/Sub) •Size (in): 11-7/16 (W) x 2-3/16 (H) x 12-5/8 (D)

MAX POWER **600W**

KAC-829

2-Channel Power Amplifier

Power

- 100W x 2 at 4ohm 14.4V (0.08%THD)
- 150W x 2 at 2ohm 14.4V (0.8%THD)
- 300W x 1 Bridged 14.4V (0.8%THD)

General Features

- Power Indicator with Blue LED •Built-in Low-pass Filter •Variable Input Sensitivity •Tri-Mode Operation •2-Ohm Load Capability •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminals •Power MOSFET Switching Power Supply •Size (in): 8-11/16 (W) x 2-1/4 (H) x 11-13/16 (D)

MAX POWER **300W** x2

KAC-849

4-Channel Power Amplifier

Power

- 50W x 4 at 4ohm 14.4V (0.08%THD)
- 75W x 4 at 2ohm 14.4V (0.8%THD)
- 150W x 2 Bridged 14.4V (0.8%THD)

General Features

- Power Indicator with Blue LED •Built-in Variable Low-pass Filter •Built-in Variable High-pass Filter •Variable Input Sensitivity •Tri-Mode Operation •2-Ohm Load Capability •Bass Boost •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminals •Power MOSFET Switching Power Supply •Input Selectors (A/AB Channel) •Line Output Terminals for Extension •Size (in): 10-1/4 (W) x 2-1/4 (H) x 10-1/16 (D)

MAX POWER **600W**

KAC-729S

2-Channel Power Amplifier

Power

- 100W x 2 at 4ohm 14.4V (0.08%THD)
- 150W x 2 at 2ohm 14.4V (0.8%THD)
- 300W x 1 Bridged 14.4V (0.8%THD)

General Features

- Built-in Low-pass Filter •Variable Input Sensitivity •Tri-Mode Operation •2-Ohm Load Capability •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminals •Power MOSFET Switching Power Supply •Size (in): 8-11/16 (W) x 2-1/4 (H) x 11-13/16 (D)

MAX POWER **250W** x2

KAC-749S

4-Channel Power Amplifier

Power

- 40W x 4 at 4ohm 14.4V (0.08%THD)
- 60W x 4 at 2ohm 14.4V (0.8%THD)
- 120W x 2 Bridged 14.4V (0.8%THD)

General Features

- Built-in Variable Low-pass Filter •Built-in Variable High-pass Filter •Variable Input Sensitivity •Tri-Mode Operation •2-Ohm Load Capability •Bass Boost •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminals •Power MOSFET Switching Power Supply •Input Selectors (A/AB Channel) •Line Output Terminals for Extension •Size (in): 10-1/4 (W) x 2-1/4 (H) x 10-1/16 (D)

MAX POWER **350W**

KAC-629S

2-Channel Power Amplifier

Power

- 60W x 2 at 4ohm 14.4V (0.08%THD)
- 75W x 2 at 2ohm 14.4V (0.8%THD)
- 150W x 1 Bridged 14.4V (0.8%THD)

General Features

- Built-in Low-pass Filter •Built-in High-pass Filter •Variable Input Sensitivity •Tri-Mode Operation •2-Ohm Load Capability •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminals •Power MOSFET Switching Power Supply •Size (in): 8-11/16 (W) x 2-1/4 (H) x 9 (D)

MAX POWER **160W** x2

KAC-649S

4-Channel Power Amplifier

Power

- 30W x 4 at 4ohm 14.4V (0.08%THD)
- 40W x 4 at 2ohm 14.4V (0.8%THD)
- 80W x 2 Bridged 14.4V (0.8%THD)

General Features

- Built-in Low-pass Filter •Built-in High-pass Filter •Variable Input Sensitivity •Tri-Mode Operation •2-Ohm Load Capability •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminals •Power MOSFET Switching Power Supply •Input Selectors (A/AB Channel) •Line Output Terminals (RCA) for Extension •Size (in): 10-1/4 (W) x 2-1/4 (H) x 8-11/16 (D)

MAX POWER **250W**

KAC-529S

2-Channel Power Amplifier

Power

- 40W x 2 at 4ohm 14.4V (0.08%THD)
- 60W x 2 at 2ohm 14.4V (0.8%THD)
- 120W x 1 Bridged 14.4V (0.8%THD)

General Features

- Built-in Low-pass Filter •Variable Input Sensitivity •Tri-Mode Operation •2-Ohm Load Capability •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminals •Power MOSFET Switching Power Supply •Size (in): 8-11/16 (W) x 2-1/4 (H) x 6-5/16 (D)

MAX POWER **450W**

KAC-819

Mono Bass Power Amplifier

Power

- 150W x 1 at 4ohm 14.4V (0.08%THD)
- 230W x 1 at 2ohm 14.4V (0.8%THD)

General Features

- Sigma Servo •Power Indicator with Blue LED •Built-in Variable Low-pass Filter •Built-in Infrasonic Filter •Variable Input Sensitivity •2-Ohm Load Capability •Bass Boost •Speaker Level Input for OEM Upgrade •Gold Plated Input/Output Terminals •Power MOSFET Switching Power Supply •Frequency Response: 5 - 200Hz •Damping Factor: over 2000 with Sigma Servo Connection •Size (in): 11-7/16 (W) x 2-3/16 (H) x 7-7/8 (D)

CD Changers



KDC-C717

10 Disc CD Changer



- 10 Disc Capacity •CD-R/CD-RW Compatible •CD Text Ready •DNPS (100 Discs) •Integrated Quad 1-bit D/A Converter
- 8 Times Over-sampling Digital Filter •3 Angle Mounting •Size (in): 9-13/16 (W) x 3-1/8 (H) x 10-7/8 (D)



KDC-C667

6 Disc CD Changer



- 6 Disc Capacity •CD-R/CD-RW Compatible •CD Text Ready •DNPS (100 Discs) •Integrated Quad 1-bit D/A Converter
- 8 Times Over-sampling Digital Filter •3 Angle Mounting •Size (in): 9-13/16 (W) x 2-1/2 (H) x 6-15/16 (D)



KDC-C517FM

10 Disc CD Changer with FM Modulator



- 10 Disc Capacity •CD-R/CD-RW Compatible •Integrated Quad 1-bit D/A Converter •8 Times Over-sampling Digital Filter •3 Angle Mounting •Repeat Play •Scan •Random Play •Direct Access by Remote
- 4 Step Modulation Level Setting •LCD Display for Disc & Track Number •Full-Function 10-Key Remote Control Unit •Size (in): 9-13/16 (W) x 3-1/8 (H) x 6-15/16 (D)



KDC-C467FM

6 Disc CD Changer with FM Modulator



- 6 Disc Capacity •CD-R/CD-RW Compatible •Integrated Quad 1-bit D/A Converter •8 Times Over-sampling Digital Filter •3 Angle Mounting •Repeat Play •Scan •Random Play
- Direct Access by Remote •4 Step Modulation Level Setting (Gain) •LCD Display for Disc & Track Number •Size (in): 9-13/16 (W) x 2-1/2 (H) x 6-15/16 (D)



KFC-WS303

12" High Performance Subwoofer

Features •Power Handling 800W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Tornado Shape
Rigid Diaphragm •Large Size
Strontium Magnet •Gold Plated
Input Terminals •Black Painted
Steel Frame

•One-piece Molded Gasket with
Rubber Edge •Designed for Sealed
Small Box Enclosure **Frequency
Response:** 25Hz - 800Hz **Magnet
Weight:** 52.9oz **Sensitivity:** 93dB
Mounting Depth: 6-1/8 in
Weight: 12.4 lb

PEAK
POWER **800W**

KFC-WS253

10" High Performance Subwoofer

Features •Power Handling 600W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Tornado Shape
Rigid Diaphragm •Large Size
Strontium Magnet •Gold Plated
Input Terminals •Black Painted
Steel Frame

•One-piece Molded Gasket with
Rubber Edge •Designed for Sealed
Small Box Enclosure **Frequency
Response:** 28Hz - 800Hz **Magnet
Weight:** 42.3oz **Sensitivity:** 91dB
Mounting Depth: 5-1/2 in **Weight:**
9.7 lb

PEAK
POWER **600W**

KFC-W3003

12" Component Subwoofer

Features •Power Handling 600W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Tornado Shape
Rigid Diaphragm •Gold Plated
Input Terminals •Black Painted
Steel Frame

Frequency Response: 25Hz -
800Hz **Magnet Weight:** 42.3 oz
Sensitivity: 93dB **Mounting
Depth:** 5-5/16 in **Weight:** 9.1 lb

PEAK
POWER **600W**



KFC-1668S

6-1/2" 2-Way Speaker

Features •Power Handling 140W
Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Tweeter

Magnet Weight: 6.3 oz
Frequency Response: 35Hz -
22kHz **Sensitivity:** 92dB **Mounting
Depth:** 1-11/16 in **Weight:** 1.5 lb

PEAK
POWER **140W**

KFC-1658S

6-1/2" Dual Cone Speaker

Features •Power Handling 140W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Silver Color Film
Sub Cone
Magnet Weight : 5.3 oz

Frequency Response: 35Hz -
20kHz **Sensitivity:** 92dB **Mounting
Depth:** 1-11/16 in **Weight:** 1.3 lb

PEAK
POWER **140W**

KFC-1368S

5-1/4" 2-Way Speaker

Features •Power Handling 110W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Tweeter
Magnet Weight: 4.4 oz

Frequency Response: 40Hz -
22kHz **Sensitivity:** 91dB **Mounting
Depth:** 1-3/4 in **Weight:** 1.1 lb

PEAK
POWER **110W**

KFC-W2503

10" Component Subwoofer

Features •Power Handling 500W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Tornado Shape
Rigid Diaphragm •Gold Plated
Input Terminals •Black Painted
Steel Frame

Frequency Response: 28Hz -
800Hz **Magnet Weight:** 35.3 oz
Sensitivity: 91dB **Mounting
Depth:** 4-1/2 in **Weight:** 7.9 lb

PEAK
POWER **500W**

KFC-WF303

12" Component Subwoofer

Features •Power Handling 600W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Tornado Shape
Rigid Diaphragm •Gold Plated
Input Terminals •Black Painted
Steel Frame •Free Air Type

Frequency Response: 25Hz -
800Hz **Magnet Weight:** 42.3 oz
Sensitivity: 93 dB **Mounting
Depth:** 5-5/16 in **Weight:** 9.1 lb

PEAK
POWER **600W**

KFC-WF253

10" Component Subwoofer

Features •Power Handling 500W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Tornado Shape
Rigid Diaphragm •Gold Plated
Input Terminals •Black Painted
Steel Frame •Free Air Type

Frequency Response: 28Hz -
800Hz **Magnet Weight:** 35.3 oz
Sensitivity: 91dB **Mounting
Depth:** 4-1/2 in **Weight:** 7.9 lb

PEAK
POWER **500W**

KFC-W2003

8" Component Subwoofer

Features •Power Handling 400W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Tornado Shape
Rigid Diaphragm •Gold Plated
Input Terminals •Black Painted
Steel Frame

Frequency Response: 30Hz -
1kHz **Magnet Weight:** 24.0 oz
Sensitivity: 91dB **Mounting
Depth:** 3-15/16 in **Weight:** 5.3 lb

PEAK
POWER **400W**

KFC-W1703

Oversized 6-1/2" Component Mid-woofer

Features •Power Handling 240W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Tornado Shape
Rigid Diaphragm •Gold Plated
Input Terminals •Black Painted
Steel Frame

Frequency Response: 30Hz -
3.5kHz **Magnet Weight:** 12 oz
Sensitivity: 90 dB **Mounting
Depth:** 2-3/4 in **Weight:** 2.3 lb

PEAK
POWER **240W**

KFC-1358S

5-1/4" Dual Cone Speaker

Features •Power Handling 110W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Silver Color Film
Sub Cone
Magnet Weight: 3.5 oz

Frequency Response: 40Hz -
20kHz **Sensitivity:** 91 dB
Mounting Depth: 1-3/4 in
Weight: 0.9 lb

PEAK
POWER **110W**

KFC-1068S

4" 2-Way Speaker

Features •Power Handling 90W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Tweeter
Magnet Weight: 4.4 oz

Frequency Response: 45Hz -
22kHz **Sensitivity:** 90 dB
Mounting Depth: 1-5/8 in
Weight: 1.0 lb

PEAK
POWER **90W**

KFC-1058S

4" Dual Cone Speaker

Features •Power Handling 90W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Silver Color Film
Sub Cone
Magnet Weight: 3.5 oz

Frequency Response: 45Hz -
20kHz **Sensitivity:** 90 dB
Mounting Depth: 1-5/8 in
Weight: 0.8 lb

PEAK
POWER **90W**



KFC-1738C

7" Custom-Fit 3-Way Speaker

Features •Power Handling 160W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Midrange •P.P.S. Dome
Tweeter
Magnet Weight: 6.3 oz

Frequency Response: 30Hz -
30kHz **Sensitivity:** 92dB
Mounting Depth: 2-5/16 in
Weight: 1.4 lb

PEAK
POWER **160W**

KFC-1787

7" Custom-Fit 3-Way Speaker

Features •Power Handling 220W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Midrange Speaker •P.P.S.
Balanced Dome Tweeter •Rubber
Edge •Gold Plated Input Terminals

Magnet Weight: 10.1 oz
Frequency Response: 28Hz -
30kHz **Sensitivity:** 92dB
Mounting Depth: 2-9/16 in
Weight: 2.4 lb

PEAK
POWER **220W**

KFC-1777

7" Custom-Fit 2-Way Speaker

Features •Power Handling 160W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Tweeter •Gold Plated Input
Terminals

Magnet Weight: 8.1 oz
Frequency Response: 33Hz -
25kHz **Sensitivity:** 92dB
Mounting Depth: 2-3/8 in
Weight: 2.0 lb

PEAK
POWER **160W**

KFC-1687

6-1/2" 3-Way Speaker

Features •Power Handling 200W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Midrange Speaker •P.P.S.
Balanced Dome Tweeter •Gold
Plated Input Terminals

Magnet Weight: 8.1 oz **Frequency
Response:** 30Hz - 30kHz
Sensitivity : 92dB
Mounting Depth: 1-15/16 in
Weight: 2.1 lb

PEAK
POWER **200W**

KFC-1677

6-1/2" 2-Way Speaker

Features •Power Handling 160W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Tweeter •Gold Plated Input
Terminals

Magnet Weight: 8.1 oz
Frequency Response: 35Hz -
25kHz **Sensitivity:** 92dB
Mounting Depth: 1-7/8 in
Weight: 2.0 lb

PEAK
POWER **160W**

KFC-1387

5-1/4" 3-Way Speaker

Features •Power Handling 140W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Midrange •P.P.S. Dome
Tweeter •Gold Plated Input
Terminals

Magnet Weight: 6.5 oz
Frequency Response: 40Hz -
30kHz **Sensitivity:** 91dB
Mounting Depth: 1-13/16 in
Weight: 1.5 lb

PEAK
POWER **140W**

KFC-1377

5-1/4" 2-Way Speaker

Features •Power Handling 120W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Midrange •P.P.S. Dome
Tweeter •Gold Plated Input
Terminals

Magnet Weight: 5.6 oz
Frequency Response: 40Hz -
26kHz **Sensitivity:** 91dB
Mounting Depth: 1-13/16 in
Weight: 1.4 lb

PEAK
POWER **120W**

KFC-1077

4" 2-Way Speaker

Features •Power Handling 90W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Tweeter •Gold Plated Input
Terminals

Magnet Weight: 4.6 oz
Frequency Response: 50Hz -
25kHz **Sensitivity:** 90dB
Mounting Depth: 1-11/16 in
Weight: 1.2 lb

PEAK
POWER **90W**



KFC-1651MRW

6-1/2" 2-Way Speaker

Features •Power Handling 120W
•Pearl Mica Injection-
molded P.P.Cone Woofer •P.E.I.
Balanced Dome Tweeter
Magnet Weight: 10 oz

Frequency Response: 60Hz -
20kHz **Sensitivity:** 86dB
Mounting Depth: 2-3/16 in
Weight: 2.0 lb

PEAK
POWER **120W**

KFC-1650MRW/B

6-1/2" 2-Way Speaker

Features •Power Handling
120W •Pearl Mica Injection-
molded P.P.Cone Woofer •P.E.I.
Balanced Dome Tweeter
Magnet Weight: 10 oz

Frequency Response: 60Hz -
20kHz **Sensitivity:** 86dB
Mounting Depth: 2-3/16 in
Weight: 2.0 lb

PEAK
POWER **120W**

KFC-163MRW/B

Oversized 6-1/2" Dual Cone Speaker

Features •Power Handling
80W •Film Laminated Cone
Woofer
Magnet Weight : 5.5 oz

Frequency Response: 50Hz -
20kHz **Sensitivity:** 90dB
Mounting Depth: 1-7/8 in
Weight: 1.4 lb

PEAK
POWER **80W**



KFC-7178

7" x 10" 3-Way Speaker

Features •Power Handling 240W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Water Resistant
Cone Midrange Speaker •P.E.I.
Balanced Dome Tweeter (2)

Magnet Weight: 15.6 oz
Frequency Response: 25Hz -
30kHz **Sensitivity:** 93dB
Mounting Depth: 3-1/4 in
Weight: 4.2 lb

PEAK
POWER 240W

KFC-6909

6" x 9" 4-Way Speaker

Features •Power Handling 250W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Cone
Midrange Speaker •P.E.I. Balanced
Dome Tweeter •Gold Plated Input
Terminals

Magnet Weight: 15.6 oz
Frequency Response: 28Hz -
30kHz **Sensitivity:** 93dB
Mounting Depth: 3-1/4 in
Weight: 4.1 lb

PEAK
POWER 250W

KFC-6908

6" x 9" 4-Way Speaker

Features •Power Handling 220W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Cone
Midrange Speaker •Balanced
Dome Tweeter •Gold Plated Input
Terminals

Magnet Weight: 12 oz
Frequency Response: 28Hz -
30kHz **Sensitivity:** 93dB
Mounting Depth: 3-1/4 in
Weight: 3.5 lb

PEAK
POWER 220W

KFC-6907

6" x 9" 3-Way Speaker

Features •Power Handling 200W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Water Resistant
Cone Midrange Speaker
•Balanced Dome Tweeter (2)
•Gold Plated Input Terminals

Magnet Weight: 10 oz
Frequency Response: 28Hz -
30kHz **Sensitivity:** 93dB
Mounting Depth: 3-1/16 in
Weight: 3.1 lb

PEAK
POWER 200W

KFC-6906S

6" x 9" 3-Way Speaker

Features •Power Handling 170W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Water Resistant
Cone Midrange Speaker
•Balanced Dome Tweeter •Gold
Plated Input Terminals

Magnet Weight: 10 oz
Frequency Response: 28Hz -
28kHz **Sensitivity:** 92dB
Mounting Depth: 3-1/16 in
Weight: 3.1 lb

PEAK
POWER 170W

KFC-6905S

6" x 9" 2-Way Speaker

Features •Power Handling 170W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Water Resistant
Cone Tweeter •Gold Plated Input
Terminals

Magnet Weight: 9.7 oz
Frequency Response: 28Hz -
26kHz **Sensitivity:** 92dB
Mounting Depth: 2-15/16 in
Weight: 2.8 lb

PEAK
POWER 170W

KFC-6904S

6" x 9" Dual Cone Speaker

Features •Power Handling 140W
•Pearl Mica Injection-molded
P.P.Cone Woofer •Gold Plated
Input Terminals
Magnet Weight: 8.2 oz

Frequency Response: 28Hz -
25kHz **Sensitivity:** 92dB
Mounting Depth: 2-15/16 in
Weight: 2.1 lb

PEAK
POWER 140W



KFC-ST30

Component Tweeter

Features •Power Handling 120W
•P.E.I. Balanced Dome Tweeter
•In-line High Pass Filter **Magnet**
Weight: 0.03 oz **Frequency**

Response: 5kHz - 25kHz
Sensitivity: 90dB **Size (in.):**
1-7/8 (W) x 1-7/8 (H) x 1-5/16 (D)
Weight: 0.9 oz

PEAK
POWER 120W



KFC-P703

7" Custom-Fit Component Speaker Package

Features •Power Handling 170W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Tweeter •K-Glow Tweeter
Protection Circuit •5-way Tweeter
Mounting •Gold Plated Input
Terminals •See-through Crossover
Network •Black Painted Steel
Basket

Magnet Weight: 11.6 oz (woofer) •
0.16 oz (tweeter) **Frequency**
Response: 30Hz - 32kHz
Sensitivity: 92dB
Mounting Depth: 2-1/2 in
Weight: 2.3 lb (woofer) • 1.6 oz
(tweeter)

PEAK
POWER 170W

KFC-P603

6-1/2" Component Speaker Package

Features •Power Handling 170W
•Pearl Mica Injection-molded
P.P.Cone Woofer •P.E.I. Balanced
Dome Tweeter •2-Way 2-Speaker
Package •K-Glow Tweeter
Protection Circuit •5-way Tweeter
Mounting •Gold Plated Input
Terminals •See-through Crossover
Network •Black Painted Steel
Basket

Magnet Weight: 11.6 oz (woofer) •
0.16 oz (tweeter) **Frequency**
Response: 35Hz - 32kHz
Sensitivity: 91dB
Mounting Depth: 2-1/16 in
Weight: 2.4 lb (woofer) • 1.6 oz
(tweeter)

PEAK
POWER 170W



KFC-6808C

6" x 8" 3-Way Speaker

Features •Power Handling 200W
•Pearl Mica Injection-molded P.P.
Cone Woofer •P.E.I. Balanced
Dome Tweeter •PPS Dome Super-
Tweeter

Magnet Weight: 10.1 oz
Frequency Response: 30Hz -
30kHz **Sensitivity:** 92dB
Mounting Depth: 2-1/2 in
Weight: 2.3 lb

PEAK
POWER 200W

KFC-5708C

5" x 7" 2-Way Speaker

Features •Power Handling 140W
•Pearl Mica Injection-molded P.P.
Cone Woofer •P.E.I. Balanced
Dome Tweeter

Magnet Weight: 6.5 oz
Frequency Response: 35Hz -
30kHz **Sensitivity:** 91dB
Mounting Depth: 2-1/16 in
Weight: 1.4 lb

PEAK
POWER 140W



KFC-4675/4675C

5" x 7" 2-Way Speaker

Features •Power Handling 60W
•Injection-molded P.P.Cone Woofer
•P.P.T.A. Balanced Dome Tweeter

Magnet Weight: 2.9 oz
Frequency Response: 50Hz -
25kHz **Sensitivity:** 90dB **Mounting**
Depth: 1-5/8 in **Weight:** 1.0 lb

PEAK
POWER 60W

KFC-4625C

4" x 6" 2-Way Speaker

Features •Power Handling 60W
•Injection-molded P.P.Cone Woofer
•P.P.T.A. Balanced Dome Tweeter

Magnet Weight: 2.9 oz
Frequency Response: 50Hz -
25kHz **Sensitivity:** 90dB **Mounting**
Depth: 1-11/16 in **Weight:** 0.8 lb

PEAK
POWER 60W

KFC-4645C

4" x 6" Dual Cone Speaker

Features •Power Handling 60W
•Water Resistant Cone Woofer
Magnet Weight: 3.1 oz

Frequency Response: 50Hz -
20kHz **Sensitivity:** 90dB **Mounting**
Depth: 1-5/8 in **Weight:** 0.77 lb

PEAK
POWER 60W

KFC-415C

4" x 10" 2-Way Speaker

Features •Power Handling 160W
•Injection-molded P.P.Cone Woofer
•P.I. Cone Tweeter

Magnet Weight: 8.2 oz
Frequency Response: 40Hz -
25kHz **Sensitivity:** 91dB
Mounting Depth: 2-7/16 in
Weight: 2.0 lb

PEAK
POWER 160W

KFC-835C

3-1/2" Dash-Mount Dual Cone Speaker

Features •Power Handling 40W
•Water Resistant Cone Woofer
Magnet Weight: 5.6 oz

Frequency Response: 96Hz -
20kHz **Sensitivity:** 89dB
Mounting Depth: 1-1/2 in
Weight: 0.9 lb

PEAK
POWER 40W



KFC-T204

Component Tweeter

Features •Power Handling 170W
•P.E.I. Balanced Dome Tweeter
•5-way Mounting: Swivel
Flush/Swivel Surface/Fixed
Surface/Angle (70/45 degrees)
•See-through Crossover Network
•K-Glow Tweeter Protection Circuit

Magnet Weight: 0.16 oz
Frequency Response: 3.5kHz -
32kHz **Sensitivity:** 91dB
Size (in.): 1-9/16 (W) x 1-9/16 (H)
x 13/16 (D) **Weight:** 1.6 oz

PEAK
POWER 170W



KSC-WA62RC

MAX POWER **1000W**
WooX Drive Technology Powered Subwoofer

Features •WooX Drive Technology •Built-in Amplifier
•Maximum Output Power 100W (50W + 50W) •Rated Output Power 60W (30W + 30W) •Compact Size & Flexible Installation
•Gold-Coated Concave Cone •Dual Voice Coil •Variable Low-Pass Filter •Speaker level Input for Easy Upgrade from OEM

Car Radios •Gold Plated RCA Input •Wired Remote Control Unit Included •Supplied with Mounting Hardware
Frequency Response: 35Hz - 1.5kHz **Magnet Weight:** 12 oz (in.): 15-3/16 (W) x 4-5/8 (H) x 8-1/4 (D) **Weight:** 7.7 lb



KSC-WA82RC

MAX POWER **1000W**
8" Powered Enclosed Subwoofer

Features •Powered Subwoofer with Pearl Mica P.P.Cone
•Maximum Output Power 100W (50W + 50W) •Rated Output Power 60W (30W + 30W) •Wired Remote Control Unit Included •Gold Plated RCA Input Terminals **Magnet Weight:** 20 oz **Size (in.):** 10-5/8 (W) x 10-5/8 (H) x 18-7/8 (D) **Weight:** 15.2 lb



KSC-WA100

MAX POWER **1000W**
10" Powered Enclosed Subwoofer

Features •Powered Subwoofer with Pearl Mica P.P.Cone
•Maximum Output Power: 100W •Rated Output Power: 60W •Dual Voice Coil Woofer •Gold Plated RCA Input/Output **Frequency Response:** 18Hz - 1kHz **Magnet Weight:** 24.8 oz **Size (in.):** 12-1/16 (W) x 12-11/16 (H) x 19 (D) **Weight:** 18.3 lb



KSC-BP210

PEAK POWER **300W**
10" Dual Bandpass Subwoofer

Features •Power Handling 300W Each Woofer •Dual Bandpass Enclosure •Dual Pearl-Mica Cone Diaphragms with Urethane Surrounds •Red Colored Cone Surface
Frequency Response: 26Hz - 150Hz **Magnet Weight:** 20 oz **Size (in.):** 31-7/8 (W) x 14-3/16 (H) x 13-3/4 (D) **Weight:** 57.8 lb



KSC-BP110

PEAK POWER **300W**
10" Bandpass Subwoofer

Features •Power Handling 300W •Bandpass Enclosure
•Pearl-Mica Cone Diaphragms with Urethane Surrounds
•Red Colored Cone Surface **Frequency Response:** 28Hz - 170Hz **Magnet Weight:** 20 oz **Size (in.):** 22 (W) x 13 (H) x 7-7/8 (D) **Weight:** 24.3 lb



KSC-9903

PEAK POWER **300W**
3-Way Truck Speaker

Features •Power Handling 300W •10" Woofer, 3-1/2" Midrange, 2" Tweeter
•Ported Enclosure with Rugged Metal Grille **Frequency Response:** 40Hz - 20kHz **Sensitivity:** 90 dB **Size (in.):** 19-7/8 (W) x 14-1/8 (H) x 6-1/4 (D) **Weight:** 18.7 lb



KSC-8803

PEAK POWER **200W**
3-Way Truck Speaker

Features •Power Handling 200W •8" Woofer and 2" Tweeter •Ported Enclosure with Rugged Metal Grille **Frequency Response:** 50Hz - 20kHz **Sensitivity:** 90 dB **Size (in.):** 18-1/4 (W) x 14-1/8 (H) x 6-1/4 (D) **Weight:** 14.1 lb



KSC-7702

PEAK POWER **300W**
3-Way Hatchback Speaker

Features •Power Handling 300W Each Input •Dual 10" Woofers, 3-1/2" Midranges and 2" Tweeters •Ported Enclosure with Rugged Metal Grille •Dual Input **Frequency Response:** 30Hz - 20kHz **Sensitivity:** 90 dB **Size (in.):** 31-7/8 (W) x 11-7/16 (H) x 18-1/8 (D) **Weight:** 41 lb

Equalizers/Electronic Crossovers

KENWOOD

Internet
www.kenwoodusa.com

e-mail
inquiry@kenwoodusa.com

1-800-KENWOOD

Main Office
P.O. Box 22745
Long Beach, CA 90801-5745

Puerto Rico Office
Road #869 Km 1.5
Building C #6
Royal Industrial Park
B0, Palmas
Catano, Puerto Rico 00962

Hawaii Office
99-994 Iwaena Street
Alea, Hawaii 96701

Canada Office
6070 Kestrel Road
Mississauga, Ontario L5T 1S8

©2001 KENWOOD USA Corp.
All Rights Reserved.



KGC-9044

11-Band Equalizer

- Flip-Down Removable Faceplate
- Multi-color Wide Display with White LED Backlight
- 11-Band 13-Level Graphic Equalizer
- 6 Built-in Sound Curves and 3 User Preset Curves
- 3 Presets with 4V Output Level
- H.P.F. (Front/Rear 8 steps & bypass)
- L.P.F. (3 steps & bypass)
- RCA Input
- Spectrum analyzer with Input Level Adjust
- Variable Input Sensitivity



KGC-6042A

9-Band or 11-Band Equalizer

- 2 parametric bands
- Preout for subwoofer
- 1/2 DIN-size slim chassis



KGC-4042A

5-Band Equalizer

- Preout for subwoofer
- 1/4 DIN-size super compact chassis
- ±18dB equalization (50Hz, 200Hz)



KGC-4032

9-Band Equalizer

- Total output power: 40 watts
- 1/2 DIN-size slim chassis
- RCA input and output
- Preout/Power Fader



KEC-202

2/3-Way Electronic Crossover

- 1/2 DIN-size slim chassis
- 2 way or 3 way electronic crossover



KEC-600

6-Way Electronic Crossover

- Up to 6 way multi amp configuration
- Parametric equalizer
- Gold plated power supply terminals
- Gold plated RCA inputs/outputs
- Plexiglas cover



KEC-101

2-Way Electronic Crossover

- 2 way electronic crossover