

# KENWOOD

## **Drive It Home**

www.kenwoodusa.com

www.kenwoodusa.com/inquiry

1-800-KENWOOD

Main Office

P.O. Box 22745 Long Beach, CA 90801-5745

**OEM Office** 

Kenwood USA Corporation 37899 West 12 Mile Road, Suite 250 Farmington Hills, MI 48331

Canada Office

6070 Kestrel Road Mississauga, Ontario L5T 1S8

Hawaii Office


Kenwood USA Corporation P.O. Box 903 Pearl City, HI 96782

**Puerto Rico Office** 

Kenwood USA Corporation RH Todd y Esq Baldorioty de Castro Ave. P.O. Box 16460

San Juan, PR 00908-6460

**2003 Home Entertainment** 



**Drive It Home** 

©2003 Kenwood USA Corporation. All Rights Reserved. The information in this catalog is subject to change without notice.



Kenwood's new Home Theater Systems are packed with the latest features and technologies, guaranteeing that each system delivers remarkable performance and value. In addition to Dolby® Digital and DTS® 5.1-channel surround sound, Dolby Digital EX decoding adds a surround back channel and speaker that make surround effects sound more realistic than ever. Dolby Pro Logic II decoding creates an amazing 5.1-channel surround sound listening experience with any 2-channel source—VHS tapes, CDs, and even FM radio. Active EQ by DSP tailors the receiver's electronics to precisely match the specific speakers included with each system, maximizing their performance. Each system's subwoofer has its own amplifier (either in the sub or in the receiver), so the bass has solid slam. The DVD player included with some models has a progressive scan video output that increases video resolution when playing DVDs on HD-capable TVs, producing a picture that is incredibly realistic. Our new universal pre-programmed remote controls more functions and is easier to use than ever before. And the new silver finish matches most current model TVs and compliments just about any home décor.

#### HTB-806DV

**DVD Home Theater System** 

- Complete Surround Sound System Including DVD Changer, Receiver, Speakers and Powered Subwoofer
- Surround Power: 100 Watts x 6 (6th Amplifier Channel for Surround Back Speaker)
- Dolby® Digital EX
- 5-Disc DVD Changer with MP3 Playback and Progressive Scan
- 2-Way Left, Right and Center Speakers with Dual Woofers; 3 Matching 2-Way Surround Speakers
- 8" Powered Subwoofer with Built-In 150-Watt Amplifier
- S-Video Inputs and Output
- Universal Pre-Programmed Remote

#### DIGITAL CITAL HTB-406

#### **Home Theater System**

- Complete Surround Sound System Including Receiver, Speakers and Subwoofer
- Surround Power: 100 Watts x 6 (6th Amplifier Channel for Subwoofer)
- 2-Way Left, Right and Center Speakers with Dual Woofers; Matching 2-Way Surround Speakers
- 8" Subwoofer
- . S-Video Inputs and Output
- Universal Pre-Programmed Remote

#### DIGITAL · EX HTB-706DV **DVD Home Theater System**

- Complete Surround Sound System Including DVD
- Changer, Receiver, Speakers and Subwoofer
- Surround Power: 100 Watts x 6 (6th Amplifier Channel for Subwoofer)
- 5-Disc DVD Changer with MP3 Playback and Progressive

DI GITAL STROUGH

DIGITAL

- Matching 2-Way Left, Center, Right and Surround Speakers
- 8" Subwoofer
- S-Video Inputs and Output
- Universal Pre-Programmed Remote

#### HTB-306

- **Home Theater System** • Complete Surround Sound System Including Receiver, Speakers and Subwoofer
- Surround Power: 100 Watts x 6 (6th Amplifier Channel for Subwoofer)
- · Matching 2-Way Left, Center, Right and Surround Speakers
- 8" Subwoofer
- · S-Video Inputs and Output
- Universal Pre-Programmed Remote

#### HTB-506 **Home Theater System**

- Complete Surround Sound System Including Receiver, Speakers and Powered Subwoofer
- Surround Power: 100 Watts x 6 (6th Amplifier Channel for Surround Back Speaker)
- Dolby Digital EX
- 2-Way Left, Right and Center Speakers with Dual Woofers; 3 Matching 2-Way Surround Speakers
- 8" Powered Subwoofer with Built-In 150-Watt Amplifier
- S-Video Inputs and Output
- Universal Pre-Programmed Remote

## HTB-206

#### **Home Theater System**

- · Complete Surround Sound System Including Receiver,
- Speakers and Subwoofer • Surround Power: 100 Watts x 6 (6th Amplifier Channel for Subwoofer)
- · Matching Left, Center, Right and Surround Speakers
- 8" Subwoofer
- · Kenwood System Remote



Systems

heater

Home

DIGITAL • EX

DOLBY COLOR



www.kenwoodusa.co	

## **Home Theater System Receiver Features**

Power Output	HTB-806DV	HTB-706DV	HTB-506	HTB-406	HTB-306	HTB-206
Stereo Power: Left/Right	100 Watts per Channel RMS (40Hz-20kHz, 0.7% THD, 8 ohms FTC)	100 Watts per Channel RMS (40Hz-20kHz, 0.7% THD, 8 ohms FTC)	100 Watts per Channel RMS (40Hz-20kHz, 0.7% THD, 8 ohms FTC)	100 Watts per Channel RMS (40Hz-20kHz, 0.7% THD, 8 ohms FTC)	100 Watts per Channel RMS (40Hz-20kHz, 0.7% THD, 8 ohms FTC)	100 Watts per Channel RMS (40Hz-20kHz, 0.7% THD, 8 ohms FTC)
Surround Power: Left/Right	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)
Surround Power: Center	100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts (40Hz-20kHz 0.7% THD, 8 ohms)	100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)
Surround Power: LSurround/RSurround	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD,8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD,8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts + 100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)
Surround Power: Surround Back	100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)		100 Watts (80Hz, (40Hz-20kHz, 0.7% THD, 8 ohms)			
Subwoofer Power:		100 Watts (80Hz, 0.7% THD, 8 ohms)		100 Watts (80Hz, 0.7% THD, 8 ohms)	100 Watts (80Hz, 0.7% THD, 8 ohms)	100 Watts (80Hz, 0.7% THD, 8 ohms)
Amplifier Features						
KAM-1™ High-Efficiency Power Amplifier	•	•	•	•	•	•
One-Touch Speaker Connectors	•	•	•	•	•	•
Audio Features						
Dolby Digital and DTS Digital Surround Sound	•	•	•	•	•	•
Dolby Pro Logic II with Music Mode Adjustments	•	•	•	•	•	•
Dolby Pro Logic	•	•	•	•	•	•
Dolby Digital EX	•		•			
5 Audio DSP Modes (Arena/Jazz Club/Theater/Stadium/Disco)	•	•	•	•	•	•
Active EQ by DSP	•	•	•	•	•	•
Automatic Digital and Analog Format Detection & Selection	•	•	•	•	•	•
24-bit/96kHz A/D and D/A Converters	•	•	•	•	•	•
DSP Processor	24-Bit Crystal Semiconductor					
Full Digital Bass Management	•	•	•	•	•	•
Adjustable Analog Input Sensitivity with Individual Source Memory	•	•	•	•	•	•
Digital/Analog Record Mode (Auto/Manual)	•	•	•	•	•	•
Midnight Mode	•	•	•	•	•	•
Bass & Treble Controls	•	•	•	•	•	•
Bass Boost Control	•	•	•	•	•	•
Loudness Control	using Remote					
Audio Connections						
Digital Audio Inputs	2 Coaxial, 1 Optical					
6-Channel Analog Input	•	•	•	•	•	•
Stereo Analog Audio Inputs (Total)	6	6	6	6	6	6
Preouts	Subwoofer		Subwoofer			
Headphone Jack	•	•	•	•	•	•
Video Connections						
Video Inputs (Total)	3 Composite, 2 S-Video	3 Composite				
Video Record Outputs	1 Composite					
Video Monitor Outputs	1 Composite, 1 S-Video	1 Composite				
Tuner Features						
Quartz PLL Synthesized Tuning			•			
Station Presets	40	40	40	40	40	40
Automatic and Manual Tuning	•	•	•	•	•	•
Preset Call (using Remote)						
General Features						
Auto-Function One-Touch Operation						
Dynamic Rotary Encoder Volume Control	•	•	•	•	•	
Fluorescent Dot Matrix Display with Volume Indication	8 Character	8 Character	8 Character	8 Character	9 Character	8 Character
Display Dimmer Control	o Cildiactei	o Cildiacter	o Character	o Cildiactei	8 Character	o Cildiactei
Audio Muting		•	-			<del>- :</del> -
SL16 Kenwood System Control Connections	2	2	2	2	2	2
AC Accessory Outlets (Switched) Finish	2 Silver	2 Silver	2 Silvor	2 Silvor	2 Silver	2 Silvor
	Juver	Silver	Silver	Silver	Silver	Silver
Remote Control Features						
Universal Pre-Programmed Remote	•	•	•	•	•	
Kenwood System Remote						•
Direct Input Source Selection (using Remote)	•	•	•	•	•	•

## **Home Theater System Speaker Features**

DVD Discour Disc Discour Footomer					
DVD Player: Disc Player Features	HTB-806DV	HTB-706DV	HTB-506	HTB-406	HTB-306
Disc Capacity	5 Discs	5 Discs			
Play Exchange	4 Discs	4 Discs			
Plays DVD-Video, CD, CR-R, CD-RW and					
MP3-Encoded CD-R/RW Discs					
JPEG Photo View Capability	•	•			
Disc Sensing	•	•			
Dialog Language Function	•	•			
Subtitle Function	•	•			
Parental Control	32-Tracks	32-Tracks			
Programmable Memory Slow Motion Play	52-ITAUKS	32-IIdCKS			
Random Play (CD)		•			
Repeat: Disc, Track (CD), Chapter, Title,					
Scene A-B (DVD)	•	•			
Search	•	•			
Still/Frame Advance	•	•			
amera Angle Function	•	•			
DVD Player: Audio Features					
4-Bit Resolution, 96kHz Digital-to-Analog Converter	•	•			
-Times Oversampling Digital Filter	•	•			
rd-Order Noise Shaping	•	•			
Precision Digital Timing (DPAC)	•	•			
4-bit, 96kHz Capable Digital Outputs	1 Coaxial, 1 Optical	1 Coaxial, 1 Optical			
irtual Surround	•	•			
nalog Audio Outputs	L/R	L/R			
OVD Player: Video Features					
rogressive Scan Output	•	•			
/ideo Digital-to-Analog Converter	10-Bit	10-Bit			
win Focus Laser Pickup	•	•			
Multiple Screen Aspect Ratios	•	•			
lack Level Control	2-Mode	2-Mode			
ideo Outputs (Component/S-Video/Composite)	1/1/1	1/1/1			
DVD Player Features: General					
On-Screen Menu System	5 Discs	5 Discs			
Status Display	•	•			
Finish	Silver	Silver			
DVD Player: Included Accessories				,	1
Remote Control	•	•			
	•	•			
eft/Right/Center Speaker Features			48.40)	411 (0)	
eft/Right/Center Speaker Features oofer	4" (2)	3"	4" (2)	4" (2)	3"
eft/Right/Center Speaker Features order eeter			4" (2) 1" Super Dome	4" (2) 1" Super Dome	3" 1" Balanced Dome
eft/Right/Center Speaker Features ofer eeter I-Range Driver	4" (2) 1" Super Dome	3" 1" Balanced Dome	1" Super Dome	1" Super Dome	1" Balanced Dome
ef/Right/Center Speaker Features  ofer  eeter  Il-Range Driver  closure Type	4" (2)	3"	1" Super Dome  Acoustic Suspension	. ,	
Left/Right/Center Speaker Features  Joofer weeter weeter well-Range Driver nclosure Type lagnetically Shielded	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported •	1" Super Dome  Acoustic Suspension  •	1" Super Dome  Acoustic Suspension  •	1" Balanced Dome Ported
Left/Right/Center Speaker Features  Woofer  Wweeter  Full-Range Driver  Enclosure Type  Magnetically Shielded  One-Touch Speaker Connectors	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome Ported	1" Super Dome  Acoustic Suspension	1" Super Dome	1" Balanced Dome  Ported  •
Left/Right/Center Speaker Features  Woofer Tweeter Full-Range Driver Enclosure Type Magnetically Shielded One-Touch Speaker Connectors Built-In Wall-Mount Brackets	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported  •	1" Super Dome  Acoustic Suspension  •	1" Super Dome  Acoustic Suspension  •	1" Balanced Dome  Ported  •
Left/Right/Center Speaker Features  Woofer  Tweeter Full-Range Driver Enclosure Type Magnetically Shielded One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles	4" (2) 1" Super Dome  Acoustic Suspension  •	3" 1" Balanced Dome  Ported  •  •  •	1" Super Dome  Acoustic Suspension  • •	1" Super Dome  Acoustic Suspension  .	1" Balanced Dome  Ported  •  •  •
Left/Right/Center Speaker Features  Noofer  weeter  "uitl-Range Driver  inclosure Type  Magnetically Shielded  one-Touch Speaker Connectors  Built-In Wall-Mount Brackets  Removable Grilles  Power Handling	4" (2) 1" Super Dome  Acoustic Suspension  •	3" 1" Balanced Dome  Ported  •	1" Super Dome  Acoustic Suspension  •	1" Super Dome  Acoustic Suspension  •	1" Balanced Dome  Ported  •
Left/Right/Center Speaker Features Voofer weeter weeter well-Range Driver nclosure Type dagnetically Shielded ine-Touch Speaker Connectors wilt-In Wall-Mount Brackets temovable Grilles ower Handling inish	4" (2) 1" Super Dome  Acoustic Suspension  •  100 Watts (each)	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension	1" Super Dome  Acoustic Suspension     100 Watts (each)	Ported  Ported  1 a a a a a a a a a a a a a a a a a a
Left/Right/Center Speaker Features  Woofer  Weeter  Fill-Range Driver  Enclosure Type  Magnetically Shielded  Dne-Touch Speaker Connectors  Suilt-In Wall-Mount Brackets  Removable Grilles  Power Handling  Finish  Surround Speaker Features	4" (2) 1" Super Dome  Acoustic Suspension  •  100 Watts (each)	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension	1" Super Dome  Acoustic Suspension     100 Watts (each)	Ported  Ported  1 a a a a a a a a a a a a a a a a a a
Left/Right/Center Speaker Features  Woofer  Weeter  Full-Range Driver Enclosure Type  Magnetically Shielded  Dne-Touch Speaker Connectors  Built-In Wall-Mount Brackets  Removable Grilles  Power Handling  Finish  Surround Speaker Features  Includes Left, Right & Back Surround Speakers	4" (2) 1" Super Dome  Acoustic Suspension  •  100 Watts (each)	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension	1" Super Dome  Acoustic Suspension     100 Watts (each)	Ported  Ported  1 a a a a a a a a a a a a a a a a a a
Left/Right/Center Speaker Features  Woofer  Weeter  Full-Range Driver Enclosure Type  Magnetically Shielded  Dne-Touch Speaker Connectors  Built-In Wall-Mount Brackets  Removable Grilles  Power Handling  Finish  Surround Speaker Features  ncludes Left, Right & Back Surround Speakers  ncludes Left & Right Surround Speakers	4" (2) 1" Super Dome  Acoustic Suspension  •  100 Watts (each)	3" 1" Balanced Dome  Ported  • • • 100 Watts (each) Silver	1" Super Dome  Acoustic Suspension	Acoustic Suspension  Control of the state of	Ported Ported  1 a a a a a a a a a a a a a a a a a a
Left/Right/Center Speaker Features  Voofer  weeter  'uitul-Range Driver  inclosure Type  Magnetically Shielded  hne-Touch Speaker Connectors  built-In Wall-Mount Brackets  temovable Grilles  bower Handling  inish  Surround Speaker Features  includes Left, Right & Back Surround Speakers  Noofer	4" (2) 1" Super Dome  Acoustic Suspension  •  100 Watts (each) Silver Oak	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension	Acoustic Suspension  Control of the state of	Ported Ported 100 Watts (each) Silver
Left/Right/Center Speaker Features  Woofer  weeter  Guil-Range Driver  Magnetically Shielded  One-Touch Speaker Connectors  Built-In Wall-Mount Brackets  Removable Grilles  Power Handling  Guil-Range  Features  Includes Left, Right & Back Surround Speakers  Includes Left & Right Surround Speakers  Noofer  Weeter	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported  • • • 100 Watts (each) Silver	1" Super Dome  Acoustic Suspension	Acoustic Suspension  Control of the state of	Ported Ported 100 Watts (each) Silver
Left/Right/Center Speaker Features  Woofer  Weeter  Enclosure Type  Magnetically Shielded  Dne-Touch Speaker Connectors  Built-In Wall-Mount Brackets  Removable Grilles  Power Handling  Finish  Surround Speaker Features  Includes Left, Right & Back Surround Speakers  Moofer  Woofer  Weeter  Full-Range Driver	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported  • • • 100 Watts (each) Silver	1" Super Dome  Acoustic Suspension	Acoustic Suspension  Control of the state of	Ported Ported 100 Watts (each) Silver
Left/Right/Center Speaker Features  Voofer weeter  ivull-Range Driver inclosure Type Jagnetically Shielded Jone-Touch Speaker Connectors Juilt-In Wall-Mount Brackets Jemovable Grilles Vower Handling Jinish Surround Speaker Features Includes Left, Right & Back Surround Speakers Includes Left & Right Surround Speakers  Voofer Jove Handling Jove Handlin	4" (2) 1" Super Dome  Acoustic Suspension  •  •  100 Watts (each) Silver Oak   4"  3/4" Super Dome	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension	Acoustic Suspension  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome	Ported Ported 100 Watts (each) Silver  108 Balanced Dome
Left/Right/Center Speaker Features  Voofer  weeter  'uitul-Range Driver  inclosure Type  Angnetically Shielded  hne-Touch Speaker Connectors  built-In Wall-Mount Brackets  temovable Grilles  bower Handling  inish  Surround Speaker Features  includes Left, Right & Back Surround Speakers  Noofer  weeter  'uitul-Range Driver  inclosure Type  one-Touch Speaker Connectors	4" (2) 1" Super Dome  Acoustic Suspension  •  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported  100 Watts (each) Silver	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension	Acoustic Suspension	Ported Ported 100 Watts (each) Silver 1 Balanced Dome Ported
Left/Right/Center Speaker Features  Voofer  weeter  uitulerange Driver  inclosure Type  Magnetically Shielded  one-Touch Speaker Connectors  built-In Wall-Mount Brackets  temovable Grilles  bower Handling  inish  Surround Speaker Features  includes Left, Right & Back Surround Speakers  loofer  weeter  uit-Range Driver  inclosure Type  one-Touch Speaker Connectors  built-In Wall-Mount Brackets	4" (2) 1" Super Dome  Acoustic Suspension  •  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension	Acoustic Suspension	Ported  Ported  100 Watts (each)  Silver  1 Balanced Dome  Ported  Ported
Left/Right/Center Speaker Features  Voofer  weeter  uill-Range Driver  nclosure Type  dagnetically Shielded  ine-Touch Speaker Connectors  uilt-In Wall-Mount Brackets  temovable Grilles  ower Handling  inish  Surround Speaker Features  ncludes Left, Right & Back Surround Speakers  includes Left & Right Surround Speakers  voofer  weeter  uill-Range Driver  inclosure Type  ine-Touch Speaker Connectors  uilt-In Wall-Mount Brackets  temovable Grilles	4" (2) 1" Super Dome  Acoustic Suspension  .  .  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension .	3" 1" Balanced Dome  Ported  100 Watts (each) Silver  . 3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension	Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  Acoustic Suspension	Ported  Ported  100 Watts (each)  Silver  1 Balanced Dome  Ported  Ported  Ported
Left/Right/Center Speaker Features  oofer  veeter  all-Range Driver  closure Type  agnetically Shielded  ne-Touch Speaker Connectors  uilt-In Wall-Mount Brackets  emovable Grilles  oofer  veeter  all-Range Driver  cludes Left, Right & Back Surround Speakers  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  confer weeter  all-Range Driver  cludes Left & Right Surround Speakers  cludes Left &	4" (2) 1" Super Dome  Acoustic Suspension  •  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension •  100 Watts (each)	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension	Acoustic Suspension	Ported Ported  100 Watts (each)  1" Balanced Dome  Ported  Ported  1" Balanced Dome  Ported  1" Balanced Dome  Ported  1" Balanced Dome
Left/Right/Center Speaker Features  oofer  lil-Range Driver  liclosure Type agnetically Shielded ae-Touch Speaker Connectors uitt-In Wall-Mount Brackets  movable Grilles over Handling nish  Surround Speaker Features cludes Left, Right & Back Surround Speakers cludes Left & Right Surround Speakers oofer receter lil-Range Driver liclosure Type ne-Touch Speaker Connectors uitt-In Wall-Mount Brackets emovable Grilles over Handling nish	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported  100 Watts (each) Silver  3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension	1" Super Dome  Acoustic Suspension	1" Balanced Dome  Ported
Left/Right/Center Speaker Features  Voofer  weeter  'uitul-Range Driver  inclosure Type  Angnetically Shielded  one-Touch Speaker Connectors  stuit-In Wall-Mount Brackets  termovable Grilles  over Handling  inish  Surround Speaker Features  nncludes Left, Right & Back Surround Speakers  loofer  weeter  'uitul-Range Driver  inclosure Type  one-Touch Speaker Connectors  stuit-In Wall-Mount Brackets  termovable Grilles  'over Handling  inish  Subwoofer Features	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak	Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak	Ported  Ported  100 Watts (each)  Silver  100 Watts (each)  Silver  1 Balanced Dome  Ported  100 Watts (each)  Silver
Left/Right/Center Speaker Features  Woofer  Weeter Fill-Range Driver Enclosure Type Magnetically Shielded One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Surround Speaker Features Includes Left, Right & Back Surround Speakers Includes Left & Right Surround Speakers Includes Left & Right Surround Speakers Moofer Fiveeter Full-Range Driver Enclosure Type One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Subwoofer Features Woofer	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each)  Silver Oak  4"  3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak	Acoustic Suspension	Ported  Ported  100 Watts (each)  Silver  108 Balanced Dome  Ported  Ported  100 Watts (each)  100 Watts (each)
Left/Right/Center Speaker Features  Woofer  Weeter  Fill-Range Driver  Enclosure Type  Magnetically Shielded  Die-Touch Speaker Connectors  Built-In Wall-Mount Brackets  Removable Grilles  Power Handling  Finish  Surround Speaker Features  Includes Left, Right & Back Surround Speakers  Includes Left, Right & Back Surround Speakers  Noofer  Weeter  Full-Range Driver  Enclosure Type  Die-Touch Speaker Connectors  Built-In Wall-Mount Brackets  Removable Grilles  Power Handling  Finish  Survound Speaker Connectors  Built-In Wall-Mount Brackets  Removable Grilles  Subwoofer Features  Noofer  Built-In Amplifier	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  8" 150 Watts	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  8"	Ported  100 Watts (each)  1 Balanced Dome  100 Watts (each)  1 Balanced Dome  Ported  1 100 Watts (each)  Silver
Left/Right/Center Speaker Features  Woofer  weeter  Girclosure Type  Magnetically Shielded  One-Touch Speaker Connectors  Built-In Wall-Mount Brackets  Removable Grilles  Ovoer Handling  Finish  Surround Speaker Features  Includes Left, Right & Back Surround Speakers  Includes Left, Right & Back Surround Speakers  Includes Left, Right Surround Speakers  Includes L	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each)  Silver Oak  4"  3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak	Acoustic Suspension	Ported Ported  100 Watts (each) Silver  100 Watts (each) Silver  100 Watts (each) Silver  Ported  100 Watts (each) Silver
Left/Right/Center Speaker Features  Noofer  (weeter FillelRange Driver Enclosure Type Magnetically Shielded One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish  Surround Speaker Features Includes Left, Right & Back Surround Speakers Noofer Weeter Fill-Range Driver Enclosure Type One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish  Subwoofer Features Surround Speaker Seatures Includes Left & Right Surround Speakers Noofer Finish Subwoofer Finish Subwoofer Features Noofer Built-In Mall-Mount Brackets Removable Grilles Power Handling Finish Subwoofer Features Noofer Built-In Mall-Mount Brackets Finish Subwoofer Features Noofer Built-In Mall-Mount Brackets Finish Subwoofer Features Noofer Built-In Mall-Miffer Enclosure Type Power Handling	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  8" 150 Watts	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  8"	Ported  100 Watts (each)  1 Balanced Dome  100 Watts (each)  1 Balanced Dome  Ported  1 Down Watts (each)  Silver
Woofer Tweeter Full-Range Driver Enclosure Type Magnetically Shielded One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Surround Speaker Features Includes Left, Right & Back Surround Speakers Includes Left & Right Surround Speakers Woofer Tweeter Full-Range Driver Enclosure Type One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Subwoofer Features Woofer Built-In Mall-Mount Brackets Removable Grilles Power Handling Finish Subwoofer Features Woofer Built-In Amplifier Enclosure Type One-Touch Speaker Connectors	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  8" 150 Watts	Acoustic Suspension	Ported  Ported  100 Watts (each)  Silver  100 Watts (each)  Ported  100 Watts (each)  Ported  Ported  Ported  Ported  Ported  100 Watts (each)  Silver
Left/Right/Center Speaker Features  Woofer  Tweeter Full-Range Driver Enclosure Type Magnetically Shielded One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Surround Speaker Features Includes Left, Right & Back Surround Speakers Includes Left, Right & Back Surround Speakers Includes Left & Right Surround Speakers Woofer Tweeter Full-Range Driver Enclosure Type One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Survoofer Features Woofer Built-In Amplifier Enclosure Type One-Touch Speaker Connectors Variable Low-Pass Electronic Crossover	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  8" 150 Watts Ported	Acoustic Suspension	Ported  Ported  100 Watts (each)  Ported  100 Watts (each)  1" Balanced Dome  Ported  100 Watts (each)  Ported  Ported  Ported  Ported  100 Watts (each)  Silver
Left/Right/Center Speaker Features  Woofer  Tweeter Full-Range Driver Enclosure Type Magnetically Shielded One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Surround Speaker Features Includes Left, Right & Back Surround Speakers Includes Left & Right Surround Speakers Woofer Tweeter Full-Range Driver Enclosure Type One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Survound Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Subwoofer Features Woofer Built-In Amplifier Enclosure Type Power Handling One-Touch Speaker Connectors Subwoofer Features Woofer Built-In Amplifier Enclosure Type Power Handling One-Touch Speaker Connectors Variable Low-Pass Electronic Crossover Volume Control	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  8" 150 Watts Ported	Acoustic Suspension	Ported
Left/Right/Center Speaker Features  Woofer  Tweeter Full-Range Driver Enclosure Type Magnetically Shielded One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Surround Speaker Features Includes Left, Right & Back Surround Speakers Includes Left, Right & Back Surround Speakers Includes Left & Right Surround Speakers Woofer Tweeter Full-Range Driver Enclosure Type One-Touch Speaker Connectors Built-In Wall-Mount Brackets Removable Grilles Power Handling Finish Survoofer Features Woofer Built-In Amplifier Enclosure Type One-Touch Speaker Connectors Variable Low-Pass Electronic Crossover	4" (2) 1" Super Dome  Acoustic Suspension	3" 1" Balanced Dome  Ported	1" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  4" 3/4" Super Dome  Acoustic Suspension  100 Watts (each) Silver Oak  8" 150 Watts Ported	Acoustic Suspension	Ported Ported  100 Watts (each)  100 Watts (each)  100 Watts (each)  100 Watts (each)  Ported  100 Watts (each)  Silver



Components



Kenwood components are the perfect place to begin when you're assembling your own system. All of our audio/video receivers give you superb 5.1-channel surround sound through Dolby® Digital, DTS® and Dolby Pro Logic II decoding, and most models are also ready for the latest 6.1-channel soundtracks with Dolby Digital EX (or THX Surround EX) decoding. The 6.1-channel models even feature a 6th amplifier channel to power the surround back channel speaker.

Kenwood audio/video receivers deliver wonderfully realistic audio quality with both films and music. This year Kenwood introduces the VR-7070, making THX®-certified home theater performance more accessible than ever. Our exclusive **K-STAT<sup>TM</sup> self-adjusting discrete amplifier** gives music and film soundtracks low-distortion clarity at all volumes. Active EQ by DSP lets you tailor the receiver's performance to get the best sound from whatever type of speakers you have (full-range, satellites, etc.) and the kind of program you're listening to (Movies, Music or TV).

Kenwood's exclusive Touch Zone™ Smart Remote Controller (included with the VR-7080) controls your entire entertainment system. Select a component, and Touch Zone's Digital Blueprint Technology illuminates only the buttons you need to control that component—eliminating confusion, and making it easier than ever to use a single remote to control several components. Other receivers come with Universal Pre-Programmed remotes (some with learning capability) that control more functions of more components than previous models they're even pre-programmed to control Kenwood's new SIRIUS® and HD Radio™ tuners.

picture on HD-capable TVs. It has a silver finish (like the receivers), and is housed in a new slimline chassis that's right at home in just about any entertainment center.



## • Surround Power: 100 Watts x 6 (6th Amplifier Channel

- Selectable for Surround Back or Subwoofer) THX Select Certification; THX Surround EX
- . Dolby® Digital, DTS®-ES and Dolby Pro Logic II
- Active EQ by DSP
- SRS® Circle Surround II with TruBass™
- Multi-Zone Audio/Video Operation
- Component and S-Video Inputs and Outputs
- K-STAT<sup>™</sup> Self-Adjusting Discrete Power Amplifier
- Touch Zone<sup>™</sup> Smart Controller with Digital Blueprint Technology

#### DIGITAL - EX VR-707 Audio/Video Receiver

- Surround Power: 100 Watts x 6 (6th Amplifier Channel Selectable for Surround Back or Subwoofer)
- Dolby Digital EX, DTS and Dolby Pro Logic II Active EQ by DSP
- 5 Audio DSP Modes
- S-Video Inputs and Output
- KAM-1<sup>™</sup> High-Efficiency Power Amplifier
- New Universal Pre-Programmed Remote

### VR-7070

### THX Audio/Video Receiver

• Surround Power: 100 Watts x 6 (6th Amplifier Channel Selectable for Surround Back or Subwoofer)

HX DIGITAL dts ES CSI

- THX Select Certification; THX Surround EX
- Dolby Digital, DTS-ES and Dolby Pro Logic II
- Active EQ by DSP
- SRS Circle Surround II with TruBass Multi-Zone Audio/Video Operation
- Component and S-Video Inputs and Outputs
- K-STAT Self-Adjusting Discrete Power Amplifier
- New Universal Learning/Pre-Programmed Remote

#### VR-705

#### Audio/Video Receiver Surround Power: 100 Watts x 5

- Dolby Digital, DTS and Dolby Pro Logic II
- · Active EQ by DSP • 5 Audio DSP Modes
- KAM-1 High-Efficiency Power Amplifier
- Kenwood System Remote

#### VR-7060 Audio/Video Receiver

#### • Surround Power: 100 Watts x 6 (6th Amplifier Channel

- Selectable for Surround Back or Subwoofer)
- Dolby Digital EX, DTS-ES and Dolby Pro Logic II
- Active EQ by DSP
- SRS Circle Surround II with TruBass
- Component and S-Video Inputs and Outputs
- K-STAT Self-Adjusting Discrete Power Amplifier • New Universal Pre-Programmed Remote


DV-705



#### 5-Disc DVD-Video Changer

- · Plays DVD-Video, CD, CD-R, CD-RW and MP3-Encoded
- Progressive Scan Video Output
- JPEG Photo CD Viewer
- DVD-R/-RW/+R/+RW Compatible
- 2-Mode Black Level Adjustment
- · Component, S-Video and Composite Video Outputs
- Slimline Design











The VR-7080's extensive connection capability includes Component and S-Video connections, coaxial and optical digital connections, IR sensor inputs and IR repeater outputs, preamp outputs for all 8 channels and banana plug-compatible speaker connectors. This makes it an extremely flexible centerpiece to any home entertainment system.

## **DVD Player Features**

DVD Player Features	
Disc Player Features	DV-705
Disc Capacity	5 Discs
Play Exchange	4 Discs
Plays DVD-Video, CD, CR-R, CD-RW and MP-3 Encoded CD-R/RW Discs	•
DVD-R/-RW/+R/+RW Compatible	
JPEG Picture View Capability	
Disc Sensing	
Dialog Language Function	
Subtitle Function	
Parental Control	•
Programmable Memory	32 Tracks
Slow Motion Play	•
Random Play (CD)	•
Repeat: Disc, Track (CD), Chapter, Title, Scene A-B (DVD)	•
Search	•
Still/Frame Advance	•
Camera Angle Function	
Audio Features	
24-bit, 96kHz Sampling Digital-to-Analog Converter	
8-Times Oversampling Digital Filter	
3rd-Order Noise Shaping	
Precision Digital Timing (DPAC)	
24-bit, 96kHz Capable Digital Outputs	1 Coaxial, 1 Optical
Virtual Surround	•
Analog Audio Outputs	L/R
Video Features	2,
Progressive Scan Video Output	
Video Digital-to-Analog Converter	10-Bit
Twin Focus Laser Pickup	10-bit
Multiple Screen Aspect Ratios	•
Black Level Control	2-Mode
Video Outputs (Component/S-Video/Composite)	2-wode 1/1/1
General Features	1/1/1
On-Screen Menu System	• D-144-11
Status Display	Dot Matrix
Slimline Design	•
Finish	Silver
Included Accessories	
Full-Function 10-Key Remote	•





### **Receiver Features**

Power Output	VR-7080	VR-7070	VR-7060	VR-707	VR-705
Stereo Power: Left/Right	100 Watts per Channel	100 Watts per Channel	100 Watts per Channel	100 Watts per Channel	100 Watts per Channel
Stores Forest 2019 Hight	RMS (20Hz-20kHz,	RMS (20Hz-20kHz,	RMS (20Hz-20kHz,	RMS (40Hz-20kHz,	RMS (40Hz-20kHz,
	0.09% THD, 8 ohms FTC)	0.09% THD, 8 ohms FTC)	0.09% THD, 8 ohms FTC)	0.7% THD, 8 ohms FTC)	0.7% THD, 8 ohms FTC)
Surround Power: Left/Right	100 Watts + 100 Watts	100 Watts + 100 Watts	100 Watts + 100 Watts	100 Watts + 100 Watts	100 Watts + 100 Watts
	(20Hz-20kHz,	(20Hz-20kHz,	(20Hz-20kHz,	(40Hz-20kHz,	(40Hz-20kHz,
	0.09% THD, 8 ohms)	0.09% THD, 8 ohms)	0.09% THD, 8 ohms)	0.7% THD, 8 ohms)	0.7% THD, 8 ohms)
Surround Power: Center	100 Watts (20Hz-20kHz, 0.09% THD, 8 ohms)	100 Watts (20Hz-20kHz, 0.09% THD, 8 ohms)	100 Watts (20Hz-20kHz, 0.09% THD, 8 ohms)	100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)	100 Watts (40Hz-20kHz, 0.7% THD, 8 ohms)
0 10 10 1/00	100 Watts + 100 Watts	100 Watts + 100 Watts			
Surround Power: LSurround/RSurround	(20Hz-20kHz,	(20Hz-20kHz,	100 Watts + 100 Watts (20Hz-20kHz,	100 Watts + 100 Watts (40Hz-20kHz,	100 Watts + 100 Watts (40Hz-20kHz,
	0.7% THD, 8 ohms)	0.7% THD, 8 ohms)	0.7% THD, 8 ohms)	0.7% THD, 8 ohms)	0.7% THD, 8 ohms)
Surround Power: Selectable—Subwoofer or Surround Back	100 Watts (20Hz-20kHz,	100 Watts (20Hz-20kHz,	100 Watts (20Hz-20kHz,	100 Watts (40Hz-20kHz,	
	0.09% THD, 8 ohms)	0.09% THD, 8 ohms)	0.09% THD, 8 ohms)	0.7% THD, 8 ohms)	
Amplifier Features					
K-STAT™ Discrete Power Amplifier					
KAM-1™ High-Efficiency Power Amplifier					
Banana Plug-Compatible Speaker Connectors	All Channels	All Channels	L/C/R Channels		
Audio Features	All Ollullicis	All Ollulliolo	L/ O/ IT OHAINICIS		
	ı		ı		
THX® Select Certification with THX Cinema Mode	•				
Dolby Digital and DTS Digital Surround Sound	•	•	•	•	•
Dolby Pro Logic II with Music Mode Adjustments	•	•	•	•	•
Dolby Pro Logic	•	•	•	•	•
Dolby Digital EX	THX Surround EX	THX Surround EX	•	•	
DTS-ES (Discrete & Matrix & Neo: 6)	•	•	•		
SRS® Circle Surround II with TruBass™	•	•	•		
5 Audio DSP Modes (Arena/Jazz Club/Theater/					
Stadium/Disco)	•	•	•		
Active EQ by DSP	•	•	•	•	•
Automatic Digital Signal Format Detection & Selection	•	•	•	•	•
24-bit/96kHz A/D and D/A Converters	•	•	•	•	•
DSP Processor	32-Bit ADI Melody® IC	32-Bit ADI Melody® IC	32-Bit ADI Melody® IC	24-Bit Crystal	24-Bit Crystal
				Semiconductor	Semiconductor
Full Digital Bass Management	with THX Crossover and	with THX Crossover and			
	Bass Peak Level Manager	Bass Peak Level Manager	•	•	
Adjustable Analog Input Sensitivity with Individual					
Source Memory	· ·	·	· ·	· ·	
Digital/Analog Record Mode (Auto/Manual)	•	•	•	•	•
Midnight Mode	•	•	•	•	•
Bass & Treble Controls	•	•	•	•	•
Bass Boost Control	•	•	•	•	•
Loudness Control			•	using Remote	using Remote
Audio Connections				doing Homoto	uomg nomoto
	0.0i-l 0.0-til	0.0	0.0	0.0	0.0
Digital Audio Inputs	2 Coaxial, 2 Optical	2 Coaxial, 2 Optical	2 Coaxial, 2 Optical	2 Coaxial, 1 Optical	2 Coaxial, 1 Optical
Digital Audio Output	1 Optical	1 Optical			
6-Channel Analog Input	•	•	•	•	
Stereo Analog Audio Inputs (Total)	8	8	8	6	6
Phono Input with RIAA Equalization	•	•	•		
Preouts	L/C/R/LS/RS/Sub/	L/C/R/LS/RS/Sub	Subwoofer/SurroundBack	Subwoofer	Subwoofer
	SurrBack/Zone B L&R	SurrBack/Zone B L&R			
Headphone Jack	•	•	•	•	•
Video Connections					
Video Inputs (Total)	2 Component,	2 Component,	2 Component,	2 S-Video, 3 Composite	3 Composite
	5 S-Video, 5 Composite	5 S-Video, 5 Composite	5 S-Video, 5 Composite		
Video Record Outputs	1 Composite, 1 S-Video	1 Composite, 1 S-Video	1 Composite, 1 S-Video	1 Composite	1 Composite
Video Monitor Outputs	1 Component,	1 Component,	1 Component,	1 S-Video, 1 Composite	1 Composite
	1 S-Video, 1 Composite	1 S-Video, 1 Composite	1 S-Video, 1 Composite		
Front-Panel A/V Aux Input w/S-Video	1	1	1		
Zone B Video Output (Composite)	1	1			
Tuner Features					
Quartz PLL Synthesized Tuning	•	•	•	•	•
Station Presets	40	40	40	40	40
Automatic and Manual Tuning	•	•	•	•	•
Preset Call (using Remote)	•	•	•	•	•
General Features					
Multi-Zone Operation (Audio & Video)					
		1			
IR Sensor Input	1				
IR Repeater Outputs	2	2			
Aluminum Front Panel	•	•			
				•	
Auto-Function One-Touch Operation	•	•	•		
Auto-Function One-Touch Operation  Dynamic Rotary Encoder Volume Control	•	•	•	•	•
Auto-Function One-Touch Operation			• • 15 Character		• 8 Character
Auto-Function One-Touch Operation  Dynamic Rotary Encoder Volume Control	•	•		•	8 Character
Auto-Function One-Touch Operation  Dynamic Rotary Encoder Volume Control  Fluorescent Dot Matrix Display with Volume Indication	•	•		• 8 Character	8 Character
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control	• 15 Character	• 15 Character	15 Character •	8 Character     •	•
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections	15 Character  • • 2	15 Character  • • 2	15 Character  • • 2	8 Character  •  2	•
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched)	15 Character	* 15 Character	15 Character	8 Character  • • 2 2	• • 2 2
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish	15 Character  • • 2	15 Character  • • 2	15 Character  • • 2	8 Character  •  2	•
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish Remote Control Features	15 Character	* 15 Character	15 Character	8 Character  • • 2 2	• • 2 2
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish Remote Control Features Touch Zone™ Smart Controller	15 Character	15 Character	15 Character	8 Character  • • 2 2	• • 2 2
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish Remote Control Features Touch Zone™ Smart Controller Universal Learning/Pre-Programmed Remote	15 Character	* 15 Character	15 Character  • • 2 2 Silver	8 Character  •  •  2  2  Silver	• • 2 2
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish Remote Control Features Touch Zono™ Smart Controller Universal Learning/Pre-Programmed Remote Universal Pre-Programmed Remote	15 Character	15 Character	15 Character	8 Character  • • 2 2	• • 2 2
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish Remote Control Features Touch Zone™ Smart Controller Universal Learning/Pre-Programmed Remote	15 Character	15 Character	15 Character  • • 2 2 Silver	8 Character  •  •  2  2  Silver	• • 2 2
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish Remote Control Features Touch Zono™ Smart Controller Universal Learning/Pre-Programmed Remote Universal Pre-Programmed Remote	15 Character	15 Character	15 Character  • • 2 2 Silver	8 Character  •  •  2  2  Silver	• • 2 2 Silver
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish Remote Control Features Touch Zone™ Smart Controller Universal Learning/Pre-Programmed Remote Universal Pre-Programmed Remote Kenwood System Remote	15 Character	15 Character	15 Character  • • 2 2 Silver	8 Character  •  •  2  2  Silver	• • 2 2 Silver
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish Remote Control Features Touch Zone <sup>TM</sup> Smart Controller Universal Learning/Pre-Programmed Remote Universal Pre-Programmed Remote Kenwood System Remote Digital Blueprint Technology	15 Character	15 Character	15 Character  • • 2 2 Silver	8 Character  •  •  2  2  Silver	• • 2 2 Silver
Auto-Function One-Touch Operation Dynamic Rotary Encoder Volume Control Fluorescent Dot Matrix Display with Volume Indication Display Dimmer Control Audio Muting SL16 Kenwood System Control Connections AC Accessory Outlets (Switched) Finish Remote Control Features Touch Zone™ Smart Controller Universal Learning/Pre-Programmed Remote Universal Pre-Programmed Remote Kenwood System Remote Digital Blueprint Technology Remote EL Backlight	15 Character	15 Character  15 Character  2 2 Silver	15 Character  • • 2 2 Silver	8 Character  •  •  2  2  Silver	• • 2 2 Silver



ww.kenwoodusa.com





## It's ON

SIRIUS® is all about the music. Their 60 commercial-free original music streams have been crafted by SIRIUS' Stream Designers to deliver a huge variety of the music you want with depth and insight, but without advertising, censorship, or corporate agendas. And when you want the latest scores or stock reports, SIRIUS also has 40 world-class news, sports, and entertainment streams that will keep you on top of your game, 24/7.

Kenwood has two ways to listen to SIRIUS at home. The cool new DT-7000S tuner connects directly to your home entertainment system, while the KTC-H2A1 Here2Anywhere™ portable tuner gives you SIRIUS' 100 streams of satellite radio wherever you listen to music. The optional KPA-H2H home docking kit has everything you need to listen to SIRIUS through your home entertainment system, while the optional KPA-H2C car docking includes **everything you need to listen through your car stereo**. Here2Anywhere™ makes it easy to keep connected to your favorite entertainment wherever you are.





HD Radio™ is digital FM and AM broadcasting, so you can enjoy your favorite FM and AM stations with digital sound quality. Your music will sound better than ever! The new DT-9000HD is the first HD Radio tuner that connects directly to your home entertainment system, and it receives all FM and AM stations, both digital and analog (and is smart enough to automatically switch between the two types).



**KPA-H2C Car Docking Kit** 

















### DT-7000S

#### **Home SIRIUS® Satellite Tuner**

- 4-Line Dot Matrix Display
- Song Title/Artist Memory and Recall
- 40 Stream Presets • RS-232 Control Input
- Jog Dial Controls
- Full-Function Wireless Remote Control

#### Here<sub>2</sub>Anywhere<sup>™</sup> KTC-H2A1 Portable SIRIUS® Satellite Tuner

- · Works In Cars and Homes (with optional Docking Kits)
- Scrolling 160 x 32 Dot Matrix Display Song Title/Artist Memory and Recall
- 24 Stream Presets
- Full-Function Wireless Remote Control

#### Here<sub>2</sub>Anywhere KPA-H2C Car Docking Kit

- · Cradle and base with attachment screws
- Carry bag
- Magnetic antenna
- · Cassette adapter • Audio cable for use with car stereo aux inputs
- Cigarette lighter power adapter

#### Here<sub>2</sub>Anywhere KPA-H2H Home Docking Kit

- Cradle and base
- · Weatherproof indoor/outdoor antenna
- Audio cable connects to your home stereo
- · AC power adapter

Tunior Toutanioo		1110 11-1-
Tuner Type	Home	Portable
160 x 32 Dot Matrix LCD Display	4-Line Scrolling Dot Matrix	160 x 32 Scrolling Dot Matrix
Search Modes	Stream, Category, Preset	Stream, Category, Artist, Song, Preset
Multiple Display Modes	Normal, Large Font	Normal, Large Font
Song Title and Artist Memory/Recall	•	•
Stream Skip	•	•
Stream Look-Ahead	•	•
Direct Stream Number Input	Using Front Panel & Remote	Using Remote
Stream Presets	40 (4 Nameable Banks of 10)	24
Parental Lock with Password Protection	•	•
Adjustable Display Brightness	3-Level	3-Level
Adjustable Display Contrast	•	
Quick Release Mechanism		•
Required Accessories	Antenna	Car and/or Home Docking Kit
SIRIUS System Features		
3 High-Altitude Geo-Synchronous Orbiting Satellites Minimize Service Interruptions and Multipath Interference		•
Coast-to-Coast Coverage	•	•
Superior Sound Quality	•	•
Subscription Service Features		
60 Commercial-Free Music Streams	•	•
40 News, Sports and Information Streams	•	•
Included Accessories		
Full-Function Wireless Remote	•	•
Carry Bag		•
Optional Accessories		
KPA-H2C Car Docking Kit		•
KPA-H2H Home Docking Kit		•
Antenna	•	

DT-7000S KTC-H2A1

