





















Kodak Digital Science Document Scanner 9520/9500

CAT No.	Description
834 6538 	Kodak Digital Science Automatic Feeder Replenishment Kit / for Series 5000/7000/9000 Scanners Includes: 2 Feed Modules, 2 Separation Rollers, 10 Replacement Strips, 50 Replacement Tires Usage: Nominal tire life is approximately 250,000 documents depending on paper types, environment and scanner cleanliness.
165 8483 	Kodak Digital Science Super12 Maintenance Kit / for 9520/9500 Includes: 1 Printer Gasket, 1 Ink Tray, 50 Cloth Wipes, 1 Instruction Sheet Usage: replace every 6 to 12 months. <i>Printer Gasket and Instruction Sheet not shown in illustration.</i>
160 0410 	Blue Imaging Color Drop-Out Element (2 lamps per package) Usage: approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
175 9893 	Red Imaging Color Drop-Out Element (2 lamps per package) Usage: approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
104 9675 	Green Imaging Color Drop-Out Element (2 lamps per package) Usage: approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
822 1376 	Kodak Digital Science Super12 Black Ink Cartridge (6 cartridges per box) Usage: see below†.
145 6532 	Kodak Digital Science Super12 Red Ink Cartridge (6 cartridges per box) Usage: see below†.

* Based on font size (small or large) being used.








† Super12 Printer: the numbers in the chart below are estimates only. The estimates are intended to approximate expected usage rates. They cannot be used as guarantees. The actual number may differ significantly due to many variables associated with the print function.

Contrast Setting	Expected Number of Characters (Approx.)
100	2,236,000
87	2,408,000
75	2,580,000
67	3,096,000
50	3,440,000
37	4,558,000
25	4,644,000
12	5,160,000

CAT No.	Description
135 5155 	Kodak Printer Ink Cartridges / for i200/i800/3000/4000/7000/9000 Series Scanners (10 cartridges) Usage: approximately 350,000 to 450,000* characters per ink cartridge.
822 6896 	Kodak Imagelink Endorser Die Drum (1 per package) Usage: replace when drum is visibly worn and you are not achieving the expected results. This die drum is for the US market.
831 6770 	Kodak Imagelink Endorser Die Drum (1 per package) Usage: replace when drum is visibly worn and you are not achieving the expected results. This die drum is for the International market.
149 1984 	Kodak Reliant Endorser Ink Roller (Red) – 1 per container
149 1018 	Kodak Reliant Endorser Ink Roller (Purple) – 1 per container
104 0492 	Kodak Reliant Endorser Ink Roller (Green) – 1 per container
142 0272 	Kodak Reliant Endorser Ink Roller (Black) – 1 per container
853 5981 	Kodak Digital Science Roller Cleaning Pads (24 per package) Usage: approximately one pad per day or more frequently if required.
169 0783 	Kodak Digital Science Transport Cleaning Sheets (50 sheets per package) Usage: 2 to 4 sheets per 8-hour shift/machine.
896 5519 	Staticide Wipes / for Kodak Imagelink and Digital Science Scanners (6 boxes of 24) Usage: approximately 1 per day.
127 1436 	Kodak Calibration Target / for 3000/4000 Series Scanners (5 targets per package) 12- x 12-inch Usage: see usage guidelines on page 1.

* Based on font size (small or large) being used.

The following part can be ordered from Parts Services

324511 	White Imaging Lamp (1 per package) – two lamps required for simplex; four lamps required for duplex. Usage: approximately 500 hours per lamp. It is recommended that both lamps be changed at the same time.
942000 	Kodak Lower Imaging Guide / for Series 900/9000 Scanners (1 per package) Usage: replace as required because of damage and/or scratches.
964365 	Kodak Upper Imaging Guide / for Series 900/9000 Scanners (1 per package) Usage: replace as required because of damage and/or scratches.
984370 	Kodak Printer Ink Blotters / for Series 9000 Scanners (6 per package) Usage: replace when there is a build up of ink.
942890 	Kodak Series 9000 Scanners Air Filter (1 air filter) Usage: replace at least every 6 months.
TL 2253 	Round Cleaning Brush (Natural bristle) – 1 per package
TL 2156 	Flat Cleaning Brush (Natural bristle) – 1 per package