

## A

Acquisition  
     multiple superimposed,  
         analyzed using  
         Persistence Histogram,  
         4-2  
     multiple sweeps, analyzed  
         using Persistence Trace,  
         5-2  
     of signal, 2-5, 2-6  
     single/continuous, 2-5  
 Acquisition sequence  
     for Histograms and Trends,  
     A-1  
 Acquisitions, 3-3, 3-4, 4-2, 5-2,  
     A-1, A-2  
 amplitude  
     levels expressed as a  
     percentage of, 3-7  
 Analog Persistence™, 4-3, 5-3  
 Artifacts, 5-3  
 average, 5-1, 5-2, 5-3, 5-4, C-12  
 avg histogram parameter, B-1

## B

Bins, 4-2, 4-4, 7-2, 7-4, 7-5, 7-6,  
     7-7, 7-10, A-2, A-4, B-1, B-2,  
     B-3, B-6, B-7, B-8, B-9, B-10,  
     B-11, B-12, B-13, B-14, B-16,  
     B-17, B-18, B-19  
 Bit map, 1-2  
 Buffer, A-1

## C

Cable deskew, 2-7  
 Category, 6-10  
 Category menu, 6-1, 6-3, 7-8  
 CCTM, 1-2  
     measurements, 1-4  
     wizard, 2-9  
 Center menu  
     Histogram, 7-9  
     Persistence Histogram, 4-3,  
     4-4, 4-5

Trend, 8-4  
 CHANGE PARAM menus, 6-3,  
     6-10, 7-8  
 CHANGE PARAMETERS menu,  
     6-1, 6-3, 6-10  
     classify into menu, 7-6  
 CLEAR SWEEPS button, 7-9  
 Clock, 2-3, 3-1, 3-6  
 Clock Mode, 3-1, 6-4, 6-8  
 Clock signal, 4-2  
 Color-Graded Persistence, 4-3,  
     5-3  
     bins, B-11  
     population, B-12  
 Crossover point, 4-2  
 Cumulative jitter, 4-2  
 Cumulative sampling, 3-3  
 Cursors, 4-3, 7-10, B-11  
 CURSORS/MEASURE button,  
     6-1, 7-10  
 Custom, 3-8, 6-1, 8-2  
 cut menu, 4-3, 5-3  
 Cycles, 1-2, 7-3  
 Cycle-to-Cycle  
     Clock, 3-9  
     Data, 3-10  
     Histogram, 4-2  
     JitterTrack, 3-1 – 3-18, 6-2

## D

Data, 3-1, 3-5  
 Data Mode, 3-5, 3-10, 3-13, 3-15,  
     3-18, 6-4, 6-8  
 Data points, A-1  
 Datastream, 2-3  
 DEFINE, DEF, Command/Query,  
     C-4  
 Delta Period  
     Timing Parameter, 6-6  
 Differential inputs, 2-11  
 Displayed Trace Field, 3-9, 7-10  
 Duty Cycle  
     JitterTrack, 3-3, 3-11, 6-2  
     Timing Parameter, 6-7  
 duty@lv, 6-2, 6-7, A-3



### E

- edge@lv, 6-2, 6-6, A-3
- Edges, 1-2, 3-1, 3-7, 5-2
  - counting them, 6-2, 6-6
- Envelope, 5-1, 5-5, 5-6
- Events, 3-3, 7-9
  - maximum number for histograms and trends, A-2
  - maximum per acquisition per parameter, A-3
- Evolution in time
  - monitoring it using JitterTrack, 3-3, 3-4
- Eye diagram, 1-1, 4-2

### F

- FFT (Fast Fourier Transform), 3-4
- FIND CENTER AND HEIGHT
  - menu, 8-3, 8-4
- FIND CENTER AND WIDTH
  - menu, 7-4, 7-6, 7-7, 8-2
- FIND FREQUENCY, 3-8, 3-10, 3-15, 3-18, 6-11
- FIND JITTER RANGE, 3-6 – 3-8, 3-11, 3-16
- FIND LEVEL, 3-7, 3-12, 3-14, 3-17, 6-4
  - for all JTA menu, 3-8, 6-11
- For all JTA menu, 6-9
- freq@lv, 6-2, 6-5
- Frequency, 3-2 – 3-8
  - clock, 3-17
  - Data, 3-18
    - defining it for reference clock, 1-1
    - JitterTrack, 3-3, 3-18, 6-2
    - Timing Parameter, 6-5
- frequency menu, 3-8, 6-11
- fwhm histogram parameter, B-2
- fwxx histogram parameter, B-3

### H

- hampl histogram parameter, B-4

- hbase histogram parameter, B-5
- Height menu
  - Trend, 8-4
- high histogram parameter, B-6
- Histogram, 2-16, 4-1
  - symbol, 7-9
  - binning and measurement accuracy, A-4
  - bins, 7-2, 7-5, 7-6, 7-7, A-4
  - calculation, A-1
  - custom line menu, 7-4, 8-2
  - Displayed Trace Field, 7-5
  - displaying all captured events, 7-5
  - displaying the bar chart, 7-4
  - horizontal per division settings, 7-5
  - number of parameter calculations possible with, 7-4
  - number of parameter events captured, A-2
  - of segmented waveforms, 7-9
  - of Timing Parameters, 7-2, 7-3
  - overview, 1-2
  - parameter buffer, A-1
  - peaks, A-3, A-4, B-2, B-3, B-4, B-5, B-9, B-14, B-19
  - population, B-18
  - range, A-2, B-13, B-14, B-16
  - scaling, 7-6, 7-7
  - segmented waveforms, A-2, A-3
  - selecting number of bins, 7-6
  - setting optimal number of bins, A-5
  - setting range, 7-5
  - setup, 7-3, 7-6, 7-7
  - standard deviation, B-17
  - statistical information on, 7-5
  - Timing Parameters, 6-2
  - use with parameters, 7-1

- using cursors with, 7-10
- vertical scale, 7-5
- vs Persistence Histogram, 4-2
- waveform acquisitions and histograms, A-1
- zoom and positioning, 7-5, 7-9, A-3
- Histogram Parameters, 4-1, 6-1, 6-2, 7-1, 7-8, 7-9, B-1, B-2, B-3, B-4, B-5, B-6, B-7, B-8, B-9, B-10, B-11, B-12, B-13, B-14, B-15, B-16, B-17, B-18, B-19
- hmedian histogram parameter, B-7
- Horizontal
  - Persistence Histogram cut, 4-3, 4-4
- hrms histogram parameter, B-8
- htop histogram parameter, B-9

## I

- Interpolation filtering, 2-18
- Interval Error, 3-7
  - Clock, 3-12
  - Data, 3-13
  - Jitter, 2-17
  - JitterTrack, 2-17, 3-1, 3-3, 3-6, 3-9 – 3-18, 6-2
- Interval widths, 4-2

## J

- Jitter
  - cumulative on an eye diagram, 4-2
  - visualizing it using Persistence, 5-2
- JitterFFT, 2-5, 2-6
- JITTERPRO, 1-1
  - setup, 1-4
- JitterTrack, 6-2
  - Clock, 3-1
  - Clock or Data?, 3-5
  - Cycle-to-Cycle, 3-8, 3-9
  - Data, 3-1
  - Duty Cycle, 3-11
  - Frequency, 3-17, 3-18

- Interval Error, 3-12, 3-13
  - overview, 1-1
  - Period, 3-14, 3-15
  - reference clock, 3-1
  - setup, 3-6, 3-7, 3-8
  - vs Trend, 3-4
  - Width, 3-16
- JitterWizard, 1-1, 2-1, 2-3, 2-6
- JTA
  - selecting for parameter setup, 6-3

## L

- Level, 3-1, 3-7, 6-4
- level is, 6-4
- level is menu, 3-7
- level menu, 3-7, 6-4
- Line selection, 6-1, 6-3, 6-10, 8-2
- low histogram parameter, B-10

## M

- MATH SETUP button, 3-6, 4-3, 5-3, 7-3, 8-2
- Math Type menu, 3-6, 4-3, 5-3, 7-3, 8-2, 8-3
- maxp histogram parameter, B-11
- measure menu, 6-1, 6-3
- Measurements
  - using Timing Parameters or Timing Functions, 6-2
- mode histogram parameter, B-12
- mode menu, 6-1, 7-10
- MORE (*parameter*) SETUP
  - menu, 6-3, 6-8
- More Hist Setup menu, 7-5
- MORE JITTER SETUP, 3-6
- Multiple waveforms, 2-17

## N

- N-cycle, 1-2, 1-4, 2-13
- Neg/Pos, 2-8
- Noise, 4-2, A-4
  - visualizing it using Persistence, 5-2
- Normalization, 3-5



### O

- of menu, 3-6
- On line menu, 6-3, 6-8

### P

- p@lv, 4-2, 6-2 – 6-4, 7-3, A-3
- Parameter buffer, A-1
- Parameter categories, 6-3, 6-8
- Parameter lines
  - see Line selection, Lines, 6-1
- Parameter modification, by line, 6-3, 6-8
- PARAMETER SETUP menu, 7-6, 7-7, 8-4
- PARAMETER\_CUSTOM, PACU, Command/Query, C-1
- Parameters, 3-3, 7-8, 7-9
- Parameters menu, 6-1
- Pass/Fail, 5-2, 5-6
- pctl histogram parameter, B-13
- Peaks, B-2, B-3, B-4, B-5, B-9, B-12, B-13, B-14, B-19
- Per.Hist
  - see Persistence Histogram, 4-2
- Per.Trace
  - see Persistence Trace, 5-2, 5-4, 5-5, 5-6
- Period
  - Clock, 3-14
  - Data, 3-15
  - JitterTrack, 3-3, 3-15, 6-2
  - Timing Parameter, 6-3, 6-8
- pers of menu, 4-3, 5-3
- Persistence
  - map, 2-17
  - see Persistence Trace, 5-3
  - slice, 2-17, 2-18
- Persistence Histogram, 2-17, 4-1
  - horizontal cut, 4-2, 4-3, 4-4
  - remote control command, C-11
  - setup, 4-3

- slice, 4-2, 4-3, 4-4, 4-5
- vertical cut, 4-2, 4-3, 4-5
- when to use it, 4-2
- Persistence map, 4-2, 5-4, 5-5, 5-6
- Persistence Map, 5-2
- Persistence Trace, 2-18, 5-1, 5-2, 5-4, 5-5, 5-6
  - applications, 5-2
  - average, 5-4
  - processing Persistence, 5-2
  - range, 5-6
  - remote control command, C-12, C-13, C-14
  - setup, 5-3
  - shapes, 5-1, 5-2
  - sigma, 5-5
  - vector trace, 5-2
- pks histogram parameter, B-14
- Population, B-2, B-3, B-4, B-5, B-6, B-7, B-8, B-9, B-10, B-11, B-12, B-13, B-14, B-16, B-17, B-18
- POSITION controls
  - Histogram, 7-9
- Pulse width, 2-18, 3-3

### R

- Rambus validation, 1-2, 2-9, 2-11, 2-13
- range, 5-1, 5-2, 5-3, 5-6, 7-1, 7-9, C-14
- Range, B-16
  - Histogram, 7-5, A-2
  - Trend, A-2
- range histogram parameter, B-16
- REDEFINE A menu, 7-3, 8-2
- REDEFINE... menu, 3-6, 4-3, 5-3
- Reference Clock, 2-6, 3-1, 3-8
- Reference frequency, 2-17
- reference menu, 3-8, 6-11
- Remote Control Commands
  - Cycle-to-Cycle, C-5
  - DEF, C-4
  - Duty Cycle, C-6

- Interval Error, C-5, C-7, C-8, C-9
- PACU, C-1
- PERHIST, C-11
- PERTRACE, C-12, C-13, C-14
- Width, C-10
- RESET button, 7-5
- Resolution, 3-13
- rise, 5-4

## S

- Sample points, 3-3
- scale in menu, 3-7, 3-8, 6-11
- scale to menu, 5-3
- Scaling, 7-6, 7-7
- SDH, 2-17
- Segments
  - histogramming them, 7-9, A-1, A-2, A-3
  - trending them, A-1, A-2, A-3
- set menu, 3-7, 3-8, 6-11
- Setup
  - Histogram, 7-3, 7-6, 7-7
  - JitterTrack, 3-6
  - Persistence Histogram, 4-3
  - Persistence Trace, 5-3
  - Timing Parameters, 6-3
- Setup/Hold, 1-3, 1-4, 2-3, 2-8
- Setup menu, 7-6, 7-7
- SETUP parameter menus, 6-4
- show menu, 7-10
- sigma, 5-1, 5-2, 5-3, 5-5, 7-9, A-5, C-13
  - multiples of, 5-5
- sigma histogram parameter, B-17
- Signal-to-noise ratio, 4-2
- Single-shot, 5-4
- Skew, 1-2, 1-4, 2-3, 2-6
- Slice
  - see Persistence Histogram, 4-2, 4-3, 4-4, 4-5
- Slope, 3-1, 6-4 – 6-7, 6-12
- SONET, 2-17
- source menu, 6-3, 6-10
- standard, 3-8, 6-11

- Standard Parameters, 5-4, 5-5, 5-6
- Statistical distribution in
  - using Histograms, 2-18
- Statistical distribution in waveforms
  - using Histograms, 7-2
- Statistical Tools
  - Histograms, 2-18
  - Trends, 2-18
- Statistics, 6-2, 7-8
- Statistics menu, 6-1
- Sweeps, 7-3, A-2

## T

- Telecom networks
  - characterizing clocks in, 2-17
- tie@lv, 4-2, 6-2, 6-10, 6-11
- Time cursor, 6-9, 7-10
- Timebase, A-1
- Timing Functions
  - JitterTrack, 2-17
  - Persistence Histogram, 2-17
  - Persistence Trace, 2-18
- Timing Measurements
  - adjacent cycle deviation, 6-2
  - clock or period accuracy, 6-2
  - duty cycle, 6-2
  - pulse width accuracy, 6-2
- Timing Parameters, 2-18, 6-4, 7-1, A-3
  - choosing them, 6-1
  - for histograms, 7-2
  - for Trends, 8-2
  - guide to, 6-2
  - histograms and trends, A-3
  - in making histograms, 7-2
  - setup, 6-4, 6-10
- Tolerance mask
  - created using Persistence Trace, 5-2
- Total Population, B-18
- totp histogram parameter, B-18
- Trace
  - configuring for a JTA tool, 3-6, 4-3, 5-3



TRACE ON/OFF button, 7-4, 8-2

### Trend

- accessing parameter setup
  - during configuration, 8-4
- all or average, 8-4
- average or all parameters, 8-2
- calculation, A-1
- center and height, 8-2
- configuring for, 8-2
- maximum values in, 8-3
- overview, 2-18, 8-2
- parameter buffer, A-1
- parameter selection, 8-3
- range, A-2
- segmented waveforms, A-2, A-3
- using the tool, 8-1
- vs JitterTrack, 3-3, 3-4
- waveform acquisitions and trends, A-1, A-2
- zoom and positioning, 8-3, A-3

Trigger, A-1, A-2

type menu, 3-6, 5-3, 7-10

### U

- use Math? menu, 3-6, 4-3, 5-3, 7-3, 8-2, 8-3
- using up to menu, 7-4, 8-3

### V

Values, 7-3, 7-4, 7-5, 7-6, 7-7, 7-8, 7-9, A-2, A-3, B-8

Vector trace, 2-18

### Vertical

- Persistence Histogram cut, 4-3, 4-5

vertical menu, 7-7

### Vertical time slice

- Persistence Trace, 5-4, 5-5, 5-6

View, 2-5

### W

wid@lv, 6-2, 6-5, A-3

### Width

- JitterTrack, 3-3, 3-16, 6-2

- Timing Parameter, 6-5

### Width menu

- Histogram, 7-7, 7-9

- Persistence Histogram, 4-4, 4-5

Wizard defaults, 2-5

### X

xapk parameter, B-19

### Z

Zoom, A-1

ZOOM + MATH, 3-6, 4-3, 5-3

### ZOOM controls

- Histogram, 7-9