

MINOX
GERMANY



DD1

MINOX – a name that spells exclusiveness

Just like the legendary MINOX spy camera which stands for fine mechanical precision in miniature size, the new MINOX DD1 also creates excitement through its unique design and technology concept.


Pin-sharp definition and brilliance are guaranteed by the 5-element multi-coated glass lens. In combination with the 2.1 megapixel chip, the refined electronics and the specially developed software, you can be sure of brilliant images with natural rendition.



Concentration on essentials.

This basic principle also applies to the MINOX DD1.

All major functions are ergonomically designed and incorporated in the "mode" button on the back of the camera. No need to spend all your time looking up the operating instructions and you can get down to sheer photographic enjoyment straight away.





Technical Data

Minox DD1

Image sensor

Image resolution

3.0 MP CMOS (2.1 MP hardware resolution)

Still image: Super High Resolution (3MP): 2048 x 1536 Pixels (Interpolation)

Fine High Resolution (2.1 MP) or Fine Low Resolution (2.1 MP): 1600 x 1200 Pixels

Super Low Resolution (2.1 MP): 1600 x 1200 Pixels; Web-Cam / Video: 320 x 240 Pixels

Image memory (internal memory)

32 MB (FLASH)

Image compression (ratio)

super/high (3 MP): 1:9 / fine/high (2.1 MP): 1:5

fine/low (2.1 MP): 1:7,5 / super/low (2.1 MP): 1:12

Image memory capacity

Super High Resolution (3 MP): approx. 40

Fine High Resolution (2.1 MP): approx. 40

Fine Low Resolution (2.1 MP): approx. 60

Super Low Resolution (2.1 MP): approx. 99

Main memory (camera)

16 MB SD-RAM

Viewfinder

Integrated optical viewfinder

LCD status display

2 digit

Lens

5 elements, glass lens element with IR filter

Lens aperture

F 2.8

Focal length

9,6 mm / 0,38 inch related to small picture: approx. 48 mm

Focus range

0,5 m / 3,2 ft to infinity

White balance

automatic

Exposure

Auto exposure

Self-timer

10 seconds

Power supply

1 x CR2 battery / via USB connection (PC)

Menu control

Shutter Button and On/Mode Button

Beep signal

Yes

Automatic off

Off mode, after 30 seconds of non-use

PC connection

USB cable

Dimensions

83 x 75 x 32 mm / 3.27 x 2.95 x 1.26 inch (LxHxW)

Weight


approx. 120 g / approx. 4.23 oz

System requirements

Microsoft Windows 98/SE/ME/2000/XP Pentium-Processor or later; MacOS 9.x

64 MB recommended; Video with 2 MB RAM for displaying at least 16 Bit (High Color)

CD-ROM with 4x velocity; USB-port



Precision that fits into every pocket.

This was the set task for the development team.

And based on an entirely new interpretation of camera aesthetics the skilled designers managed once again to furnish another milestone in MINOX history.

The body of the DDI is shaped as a round and flat basic form. The heart of the camera – the lens – is the core element and also forms the major component in the quality chain. The stylish shutter release, battery compartment and USB connection are arranged as marked features on the outer edge of the camera body and award the MINOX DDI the distinguished and unmistakable character that makes a classic camera.

This extremely compact digital camera, which weighs just 120 grams / 4.23 oz and measures a mere 75 mm / 2.95 inch in diameter, is designed to become your very personal chronicler – which accompanies you wherever you go to record those moments that have to be captured.



MINOX GmbH
Walter-Zapp-Str. 4
D-35578 Wetzlar, Germany
Tel.: +49 (0) 6441 / 917-0
Fax: +49 (0) 6441 / 917-612
e-mail: info@minox.com

www.minox.com

Design, features, supply and price are subject to change.
07/03/LX/B / Product information order number: 99246

