




For more Hi-Fi manuals and set-up information
please visit www.hifiengine.com




- Notes: 1. Table of wire colors
 BLK — Black
 BLU — Blue
 ORN — Orange
 GRY — Gray
 GRN — Green
 RED — Red
 BRN — Brown
 YEL — Yellow
 WHT — White
 VIO — Violet
2. Wire tube color is shown in ().
3. Component side view of the P.C.B. is illustrated unless otherwise specified.

Fig. 12.2

13. SCHEMATIC DIAGRAMS

13.1. Amplifier Section



Notes: 1. Diode is 1SS53, 1S953, or 1S1555 unless otherwise specified.
2. Resistor and capacitor marked with * show typical value.

Fig. 13.1

13.2 Dolby NR Section
13.2.1. Dolby NR Section (U.S.A. & Canada)

Notes: 1. Diode is 1SS53, 1S953, or 1S1555 unless otherwise specified.
2. Resistor and capacitor marked with * show typical value.





Fig. 13.2.1 U.S.A. & Canada

13.2.2. Dolby NR Section (UK, Australia, 220V Class 2, Others & Japan)



Notes: 1. Diode is 1SS53, 1S953, or 1S1555 unless otherwise specified.
2. Resistor and capacitor marked with * show typical value.

Fig. 13.2.2 UK, Australia, 220V Class 2, Others & Japan

13.3. Mechanism Control Section




Fig. 13.3

Notes: 1. Diode is 1SS53, 1S953, or 1S1555 unless otherwise specified.
2. Resistor and capacitor marked with * show typical value.