

Customer Care Solutions

RH-4 Series Cellular Phones

1-General Information



Table of Contents

	Description	Page No.
The Product		3
Handportable transceiver		3
The features of the RH-4, Nokia 6108		3
Special features to meet the Chinese requirements		4
Pen input with Cninese handwriting recognition		4
Dictionary (Chinese-English-Chinese)		4
Improved Chinese character set		4
Lunar calendar		4
Enhanced phonebook		4
Chinese PC Suite		4
Other features of the RH-4, Nokia 6108		4
Ease of use		4
Full messaging support		5
Personal Organizer		5
Personalization and Leisure		5
XHTML browser		6
Sales Package		6
Product and Module List		6
General specification of transceiver		7
Mobile Enhancements		8
List of Figures		
Figure 1: General illustration of RH-4		3

The Product

The RH-4, Nokia 6108 is a triple band hand portable mobile telephone for the E-GSM 900, GSM 1800 and GSM 1900 networks, automatically switching between 900, 1800 and 1900MHz bands; automatic handover between 900 & 1800 MHz bands. It is power class 1 (1W) transceiver in all bands except GSM900 where it is a power class 4 transceiver (2W).

Hand portable transceiver




Figure 1: General illustration of RH-4, Nokia 6108

The features of the RH-4, Nokia 6108

- Tri-band: E-GSM 900/GSM 1800/GSM 1900
- WAP and GPRS (General Packet Radio Service)
- HSCSD (High Speed Circuit Switched Data)
- Full graphic colour display
- Jack style UI with two soft keys
- Integrated IR link & internal data
- Pen input with Chinese handwriting recognition
- SyncML
- Automatic Key guard
- Integrated handsfree speaker
- Midi ring tones
- Internal vibra
- Plug & play HF support
- Internal antenna
- Touchpad

Special features to meet the Chinese requirements

Pen input with Chinese handwriting recognition

- The most natural way of writing Chinese
- Predictive Chinese handwriting input
- More intuitive and faster way to write messages, taking notes or entering information
- Enable text editor, number editor and search
- Also supports the English alphabet input and recognition

Dictionary (Chinese-English-Chinese)

- Reduces the need for external dictionaries
- Helps with translations
- Has two way operation, English to Chinese and Chinese to English
- Supports antonym and synonymy for English

Improved Chinese character set

- Includes almost all the daily used Chinese characters
- Recognizes both simplified and traditional Chinese (GB2312, Big 5 level 1 and 2 and HKSCS) for display, pen input and T9

Lunar calendar

- Records the important festival days and the lunar birthday
- Informs the user of the rhythm of the months
- Converts both the Gregorian to Lunar and Lunar to Gregorian calendars

Enhanced phonebook

- Easier phonebook searching
- Search by Pinyin and all character search

Chinese PC suite

- Enables handling the communication between PC and the phone

Other features of the RH-4, Nokia 6108

Ease of use

- Compact package which is both stylish and trendy
- Provided with an easy-grip, non-slip stylus
- Intuitive to use, Nokia series 40 user interface
- Ergonomically designed with a 4 way scroll key
- Large colour display
 - High resolution 128 x 128 pixels
 - 4096 colours

Full messaging support

- Entry of data using the pen input or ergonomic keymat
- Supports:
 - Sending and receiving of multimedia messages using Multimedia Messaging Service (MMS)
 - Enables text messages emphasized with still or animated pictures
 - Can receive messages with sound, picture and text
 - Can send and forward messages with image and text
 - Short Message Service (SMS) sending and receiving with message concatenation
 - E-mail sending and receiving
 - Chatting on Mobile QQ

Personal Organizer

- Extensive calendar - Manages daily schedules, meetings and events
 - View successive days with ease
 - Busy view of a week
 - Lunar calendar
 - Improved notes view for one day
 - Snooze on calendar alarm
- Note feature for brief notes
 - Convenient for jotting down notes
 - Up to 3000 characters of text into one note
 - Notes can be sent as an MMS to compatible phones or transferred to a PC with the Nokia PC Suite
- Personalized SMS distribution list - Easier to manage message sending
- Wallet

Personalization and Leisure

- Themed wallpapers depicting the "Five Chinese Elements" Metal, Wood, Water, Fire and Earth
- Personalized applications with Java technology
 - Pre-installed Java applications
 - Pre-Installed Java games

Note: these pre-installed applications and games can be removed and replaced with MIDlets more suitable to ones needs.

- Goto Menu
 - Control of quick menus
 - The setting of short cuts

XHTML browser

- Full colour user interface
- Richer content
- Convergence of Web and Mobile content development
- New branding opportunities

Sales Package

- Transceiver
- Charger ACP-12
- Battery BL-5C
- Mono Headset HS-5
- Standard Battery Cover
- Standard Stylus
- Pocket Stylus
- PC Suite (CD ROM)
- User Guide

**Slim Battery Cover****Product and Module list**

Description	Code
RH-4, Basic transceiver	0507059
RH-4, Custom transceiver for PRC	0508030
RH-4, Basic transceiver Blue-eye's blue Taiwanese	0500619
RH-4, Basic transceiver Blue-eye's blue Stroke	0509624
RH-4, Basic transceiver silver gold Taiwanese	0509625
RH-4, Basic transceiver silver gold Stroke	0509626
RH-4, Custom transceiver for PRC (CMCC) Blue-eye's blue	0509627
RH-4, Custom transceiver for PRC (CMCC) silver gold	0509628
RH-4, Custom transceiver for PRC (CMCC) silver rose	0510263
RH-4, ATO assembly silver gold	0510305
RH-4, ATO assembly blank	0510306
RH-4, ATO assembly silver rose	0510307

Description	Code
RH-4, Basic transceiver silver rose Stroke	0510308
RH-4, Basic transceiver silver rose Taiwanese	0510309
RH-4, ATO assembly Blue-eye's blue	0510317
1AA Radio module for RH-4	0201584
1AJ Touchpad module for RH-4	0202063
1AH Flip module for RH-4	0202064

General specification of transceiver

Parameter	Unit
Cellular system	GSM900, GSM1800, GSM1900
RX frequency band	EGSM: 925 ... 935 MHz GSM900: 935 ... 960 MHz GSM1800: 1805 ... 1880 MHz GSM1900: 1930 ... 1990 MHz
TX frequency band	EGSM: 880 ... 890 MHz GSM900: 890 ... 915 MHz GSM1800: 1710 ... 1785 MHz GSM1900: 1850 ... 1910 MHz
Output power	EGSM: +5 ... +33 dBm (3.2 mW ... 2 W) GSM900: +5 ... +33 dBm (3.2 mW ... 2 W) GSM1800: +0 ... +30 dBm (1.0 mW ... 1 W) GSM1900: +0 ... +30 dBm (1.0 mW ... 1 W)
Duplex spacing	EGSM: 45 MHz GSM900: 45 MHz GSM1800: 95 MHz GSM1900: 80 MHz
Number of RF channels	EGSM: 50 GSM900: 124 GSM1800: 374 GSM1900: 299
Channel spacing	200 kHz (each band)
Number of TX power levels	EGSM: 15 GSM900: 15 GSM1800: 16 GSM1900: 16
Sensitivity, static channel	EGSM: -102 dBm GSM900: -102 dBm GSM1800: -102 dBm (+25°C) GSM1900: -102 dBm
Frequency error, static channel	< 0.1 ppm
RMS phase error	< 5.0 °

Parameter	Unit
Peak phase error	< 20.0 °
Volume	82 cc
Weight	98 g
Length	106 mm (with the flip closed)
Width (max)	46.4 mm
Thickness (max)	22.8 mm (26 mm with stylus)
Talk time	3 - 8 hrs
Standby time	170 - 410 hrs

Mobile Enhancements

For more details on the mobile enhancements refer to Chapter 8.

Audio		Imaging	
HS-5	Mono Headset	HS-1C	Camera Headset
HDB-4	Mono Headset		
LPS-4	Inductive Loopset	Power	
HS-2R	Radio Headset	BL-5C	Battery, 850 mAh, Li-ion
		ACP-7	Standard Charger
Car		ACP-8	Travel Charger
BHF-1	Headrest Handsfree	ACP-9	Travel Charger
LCH-9	Mobile Charger	ACP-12	Travel Charger
LCH-12	Mobile Charger		
Wearables			
Data		XXX-x	Carrying case
DKU-5	Connectivity Adapter Cable		
DLR-5	Serial Cable		