

Note Language: English**Version: 50 Validity:**

Valid Since 15.01.2013

Summary**Symptom**

The company Sharp is member of the SAP Printer Vendor program and offers within this program connection software support for the printer model / device type pairs listed below.

For general information about the SAP Printer Vendor program please check note 1130927.

The printer model / device type combinations are visible in the newest data version of the "device type wizard". Please read note 1036961 for a description how to use the device type wizard and how to select one of the combinations shown below.

The device types are delivered as attachments to this note. Please download the files and proceed with the installation as described in note 1103422.

Certain features of the device types become active only with the following releases and support package levels:

Additional print options: (see note 1049778)

SAP_BASIS 6.20 SP63 and higher

SAP_BASIS 6.40 SP21 and higher

SAP_BASIS 7.00 SP14 and higher

SAP_BASIS 7.10 standard

Status feedback with SNMP:

SAP_BASIS 7.00 Enh1 and higher

SAP_BASIS 7.10 Enh1 and higher

Contact address (manufacturer):

SHARP CORPORATION

CS PROMOTION CENTER

GENERAL MANAGER ENVIRONMENT AND QUALITY CONTROL

BUSINESS SOLUTIONS GROUP

Name : Seiichi Tanaka

Email : pvp-support@sharp.co.jp

Address: 492 MINOSHO-CHO, YAMATOKORIYAMA-SHI
NARA ZIP 639-1186, JAPAN

Other terms

SPAD , device type , SAP Printer Vendor program

Reason and Prerequisites**Solution**

Supported Printer model/ device type combinations:

| Consecutive Number | Printer Model | Printer Model | device type |
|--------------------|---------------|---------------|-------------|
| 001 | MX-7001 | SH1DN000 | |
| 002 | MX-6201 | SH1DN000 | |
| 003 | MX-4500 | SH1DN000 | |
| 004 | MX-4501 | SH1DN000 | |
| 005 | MX-3500 | SH1DN000 | |
| 006 | MX-3501 | SH1DN000 | |
| 007 | MX-3100 | SH1DN000 | |
| 008 | MX-2600 | SH1DN000 | |
| 009 | MX-7001 | SH1HN000 | |
| 010 | MX-6201 | SH1HN000 | |
| 011 | MX-4500 | SH1HN000 | |
| 012 | MX-4501 | SH1HN000 | |
| 013 | MX-3500 | SH1HN000 | |
| 014 | MX-3501 | SH1HN000 | |
| 015 | MX-3100 | SH1HN000 | |
| 016 | MX-2600 | SH1HN000 | |
| 017 | MX-7001 | SHJDN100 | |
| 018 | MX-6201 | SHJDN100 | |
| 019 | MX-4500 | SHJDN100 | |
| 020 | MX-4501 | SHJDN100 | |
| 021 | MX-3500 | SHJDN100 | |
| 022 | MX-3501 | SHJDN100 | |
| 023 | MX-3100 | SHJDN100 | |
| 024 | MX-2600 | SHJDN100 | |
| 025 | MX-7001 | SHJHN100 | |
| 026 | MX-6201 | SHJHN100 | |
| 027 | MX-4500 | SHJHN100 | |
| 028 | MX-4501 | SHJHN100 | |
| 029 | MX-3500 | SHJHN100 | |
| 030 | MX-3501 | SHJHN100 | |
| 031 | MX-3100 | SHJHN100 | |
| 032 | MX-2600 | SHJHN100 | |
| 033 | MX-M450 | SH1DH000 | |
| 034 | MX-M350 | SH1DH000 | |
| 035 | MX-M450 | SH1HH000 | |
| 036 | MX-M350 | SH1HH000 | |
| 037 | MX-M450 | SHJDH100 | |
| 038 | MX-M350 | SHJDH100 | |
| 039 | MX-M450 | SHJHH100 | |
| 040 | MX-M350 | SHJHH100 | |
| 041 | MX-M700 | SH1DJ000 | |
| 042 | MX-M620 | SH1DJ000 | |
| 043 | MX-M550 | SH1DJ000 | |

| | | |
|-----|----------|----------|
| 044 | MX-M700 | SH1HJ000 |
| 045 | MX-M620 | SH1HJ000 |
| 046 | MX-M550 | SH1HJ000 |
| 047 | MX-M700 | SHJDJ100 |
| 048 | MX-M620 | SHJDJ100 |
| 049 | MX-M550 | SHJDJ100 |
| 050 | MX-M700 | SHJHJ100 |
| 051 | MX-M620 | SHJHJ100 |
| 052 | MX-M550 | SHJHJ100 |
| 053 | MX-M1100 | SH1HP000 |
| 054 | MX-M950 | SH1HP000 |
| 055 | MX-M850 | SH1HP000 |
| 056 | MX-M1100 | SHJHP100 |
| 057 | MX-M950 | SHJHP100 |
| 058 | MX-M860 | SHJHP100 |
| 059 | DX-C401 | SH1DN020 |
| 060 | DX-C400 | SH1DN020 |
| 061 | DX-C381 | SH1DN020 |
| 062 | DX-C380 | SH1DN020 |
| 063 | DX-C311 | SH1DN020 |
| 064 | DX-C310 | SH1DN020 |
| 065 | MX-C401 | SH1DN020 |
| 066 | MX-C400 | SH1DN020 |
| 067 | MX-C381 | SH1DN020 |
| 068 | MX-C380 | SH1DN020 |
| 069 | MX-C311 | SH1DN020 |
| 070 | MX-C310 | SH1DN020 |
| 071 | DX-C401 | SH1HN020 |
| 072 | DX-C400 | SH1HN020 |
| 073 | DX-C381 | SH1HN020 |
| 074 | DX-C380 | SH1HN020 |
| 075 | DX-C311 | SH1HN020 |
| 076 | DX-C310 | SH1HN020 |
| 077 | MX-C401 | SH1HN020 |
| 078 | MX-C400 | SH1HN020 |
| 079 | MX-C381 | SH1HN020 |
| 080 | MX-C380 | SH1HN020 |
| 081 | MX-C311 | SH1HN020 |
| 082 | MX-C310 | SH1HN020 |
| 083 | MX-C381 | SHJDN120 |
| 084 | MX-C310 | SHJDN120 |
| 085 | MX-C381 | SHJHN120 |
| 086 | MX-C310 | SHJHN120 |
| 087 | MX-1800 | SH1DN000 |
| 088 | MX-2300 | SH1DN000 |
| 089 | MX-2700 | SH1DN000 |
| 090 | MX-5500 | SH1DN000 |
| 091 | MX-6200 | SH1DN000 |
| 092 | MX-7000 | SH1DN000 |

| | | |
|-----|----------|----------|
| 093 | MX-1800 | SH1HN000 |
| 094 | MX-2300 | SH1HN000 |
| 095 | MX-2700 | SH1HN000 |
| 096 | MX-5500 | SH1HN000 |
| 097 | MX-6200 | SH1HN000 |
| 098 | MX-7000 | SH1HN000 |
| 099 | MX-2000 | SHJDN100 |
| 100 | MX-2300 | SHJDN100 |
| 101 | MX-2700 | SHJDN100 |
| 102 | MX-5500 | SHJDN100 |
| 103 | MX-6200 | SHJDN100 |
| 104 | MX-7000 | SHJDN100 |
| 105 | MX-2300 | SHJHN100 |
| 106 | MX-2700 | SHJHN100 |
| 107 | MX-5500 | SHJHN100 |
| 108 | MX-6200 | SHJHN100 |
| 109 | MX-7000 | SHJHN100 |
| 110 | MX-4100 | SH1DN010 |
| 111 | MX-4101 | SH1DN010 |
| 112 | MX-5000 | SH1DN010 |
| 113 | MX-5001 | SH1DN010 |
| 114 | MX-4100 | SH1HN010 |
| 115 | MX-4101 | SH1HN010 |
| 116 | MX-5000 | SH1HN010 |
| 117 | MX-5001 | SH1HN010 |
| 118 | MX-3600 | SHJDN110 |
| 119 | MX-4100 | SHJDN110 |
| 120 | MX-4101 | SHJDN110 |
| 121 | MX-5000 | SHJDN110 |
| 122 | MX-5001 | SHJDN110 |
| 123 | MX-3600 | SHJHN110 |
| 124 | MX-4100 | SHJHN110 |
| 125 | MX-4101 | SHJHN110 |
| 126 | MX-5000 | SHJHN110 |
| 127 | MX-5001 | SHJHN110 |
| 128 | MX-M1100 | SH1DP000 |
| 129 | MX-M950 | SH1DP000 |
| 130 | MX-M850 | SH1DP000 |
| 131 | MX-M1100 | SHJDP100 |
| 132 | MX-M950 | SHJDP100 |
| 133 | MX-M860 | SHJDP100 |
| 134 | AR-M318 | SH1DK000 |
| 135 | AR-M317 | SH1DK000 |
| 136 | AR-M316 | SH1DK000 |
| 137 | AR-M258 | SH1DK000 |
| 138 | AR-M257 | SH1DK000 |
| 139 | AR-M256 | SH1DK000 |

| | | |
|-----|---------|----------|
| 140 | AR-M318 | SH1HK000 |
| 141 | AR-M317 | SH1HK000 |
| 142 | AR-M316 | SH1HK000 |
| 143 | AR-M258 | SH1HK000 |
| 144 | AR-M257 | SH1HK000 |
| 145 | AR-M256 | SH1HK000 |
| 146 | AR-317 | SHJDK100 |
| 147 | AR-267 | SHJDK100 |
| 148 | AR-317 | SHJHK100 |
| 149 | AR-267 | SHJHK100 |
| 150 | MX-B401 | SH1DH020 |
| 151 | MX-B401 | SH1HH020 |
| 152 | MX-M503 | SH1DH010 |
| 153 | MX-M453 | SH1DH010 |
| 154 | MX-M363 | SH1DH010 |
| 155 | MX-M283 | SH1DH010 |
| 156 | MX-M503 | SH1HH010 |
| 157 | MX-M453 | SH1HH010 |
| 158 | MX-M363 | SH1HH010 |
| 159 | MX-M283 | SH1HH010 |
| 160 | MX-M503 | SHJDH110 |
| 161 | MX-M423 | SHJDH110 |
| 162 | MX-M363 | SHJDH110 |
| 163 | MX-M283 | SHJDH110 |
| 164 | MX-M503 | SHJHH110 |
| 165 | MX-M423 | SHJHH110 |
| 166 | MX-M363 | SHJHH110 |
| 167 | MX-M283 | SHJHH110 |
| 168 | MX-B381 | SH1DH020 |
| 169 | MX-B381 | SH1HH020 |
| 170 | MX-2301 | SH1DN000 |
| 171 | MX-2301 | SH1HN000 |
| 172 | MX-2301 | SHJDN100 |
| 173 | MX-2301 | SHJHN100 |
| 174 | MX-M310 | SH1DK010 |
| 175 | MX-M260 | SH1DK010 |
| 176 | MX-M310 | SH1HK010 |
| 177 | MX-M260 | SH1HK010 |
| 178 | MX-M310 | SHJDK110 |
| 179 | MX-M260 | SHJDK110 |

| | | |
|-----|---------|----------|
| 180 | MX-M310 | SHJHK110 |
| 181 | MX-M260 | SHJHK110 |
| 182 | MX-B400 | SH1DH020 |
| 183 | MX-B400 | SH1HH020 |
| 184 | MX-M753 | SH1DJ010 |
| 185 | MX-M623 | SH1DJ010 |
| 186 | MX-M753 | SH1HJ010 |
| 187 | MX-M623 | SH1HJ010 |
| 188 | MX-B380 | SH1DH020 |
| 189 | MX-B380 | SH1HH020 |
| 190 | MX-M753 | SHJJD110 |
| 191 | MX-M623 | SHJJD110 |
| 192 | MX-M753 | SHJHJ110 |
| 193 | MX-M623 | SHJHJ110 |
| 194 | MX-M502 | SH1DH010 |
| 195 | MX-M452 | SH1DH010 |
| 196 | MX-M362 | SH1DH010 |
| 197 | MX-M282 | SH1DH010 |
| 198 | MX-M502 | SH1HH010 |
| 199 | MX-M452 | SH1HH010 |
| 200 | MX-M362 | SH1HH010 |
| 201 | MX-M282 | SH1HH010 |
| 202 | AR-M452 | SH1DH010 |
| 203 | AR-M452 | SH1HH010 |
| 204 | MX-C402 | SH1DN020 |
| 205 | MX-C402 | SH1HN020 |
| 206 | MX-B402 | SH1DH020 |
| 207 | MX-B402 | SH1HH020 |
| 208 | MX-2310 | SH1DN030 |
| 209 | MX-2310 | SH1HN030 |
| 210 | MX-2310 | SHJDN130 |
| 211 | MX-2310 | SHJHN130 |
| 212 | MX-C382 | SH1DN020 |
| 213 | MX-C382 | SH1HN020 |
| 214 | MX-B382 | SH1DH020 |

| | | |
|-----|---------|----------|
| 215 | MX-B382 | SH1HH020 |
| 216 | MX-C312 | SHJDN120 |
| 217 | MX-C380 | SHJDN120 |
| 218 | MX-C312 | SHJHN120 |
| 219 | MX-C380 | SHJHN120 |
| 220 | MX-B382 | SHJDN120 |
| 221 | MX-B382 | SHJHH120 |
| 222 | MX-2010 | SH1DN030 |
| 223 | MX-2010 | SH1HN030 |
| 224 | MX-2610 | SH1DN040 |
| 225 | MX-3110 | SH1DN040 |
| 226 | MX-3610 | SH1DN040 |
| 227 | MX-2610 | SH1HN040 |
| 228 | MX-3110 | SH1HN040 |
| 229 | MX-3610 | SH1HN040 |
| 230 | MX-2610 | SHJDN140 |
| 231 | MX-3110 | SHJDN140 |
| 232 | MX-3610 | SHJDN140 |
| 233 | MX-2610 | SHJHN140 |
| 234 | MX-3110 | SHJHN140 |
| 235 | MX-3610 | SHJHN140 |
| 236 | MX-3111 | SH1DN030 |
| 237 | MX-3111 | SH1HN030 |
| 238 | MX-3111 | SHJDN130 |
| 239 | MX-3111 | SHJHN130 |
| 240 | MX-4110 | SH1DN050 |
| 241 | MX-4111 | SH1DN050 |
| 242 | MX-4112 | SH1DN050 |
| 243 | MX-5110 | SH1DN050 |
| 244 | MX-5111 | SH1DN050 |
| 245 | MX-5112 | SH1DN050 |
| 246 | MX-4110 | SH1HN050 |
| 247 | MX-4111 | SH1HN050 |
| 248 | MX-4112 | SH1HN050 |
| 249 | MX-5110 | SH1HN050 |
| 250 | MX-5111 | SH1HN050 |
| 251 | MX-5112 | SH1HN050 |
| 252 | MX-4110 | SHJDN150 |
| 253 | MX-4111 | SHJDN150 |
| 254 | MX-5110 | SHJDN150 |

| | | |
|-----|----------|----------|
| 255 | MX-5111 | SHJDN150 |
| 256 | MX-4110 | SHJHN150 |
| 257 | MX-4111 | SHJHN150 |
| 258 | MX-5110 | SHJHN150 |
| 259 | MX-5111 | SHJHN150 |
| 260 | MX-1810 | SH1DN030 |
| 261 | MX-1810 | SH1HN030 |
| 262 | MX-2311 | SHJDN130 |
| 263 | MX-3112 | SHJDN130 |
| 264 | MX-2311 | SHJHN130 |
| 265 | MX-3112 | SHJHN130 |
| 266 | MX-M264 | SH1DK020 |
| 267 | MX-M314 | SH1DK020 |
| 268 | MX-M354 | SH1DK020 |
| 269 | MX-M264 | SH1HK020 |
| 270 | MX-M314 | SH1HK020 |
| 271 | MX-M354 | SH1HK020 |
| 272 | MX-M264 | SHJDK120 |
| 273 | MX-M314 | SHJDK120 |
| 274 | MX-M354 | SHJDK120 |
| 275 | MX-M264 | SHJHK120 |
| 276 | MX-M314 | SHJHK120 |
| 277 | MX-M354 | SHJHK120 |
| 278 | MX-6240 | SH1DN060 |
| 279 | MX-7040 | SH1DN060 |
| 280 | MX-6240 | SH1HN060 |
| 281 | MX-7040 | SH1HN060 |
| 282 | MX-6540 | SHJDN160 |
| 283 | MX-6540 | SHJHN160 |
| 284 | MX-3611 | SHJDN130 |
| 285 | MX-3611 | SHJHN130 |
| 286 | MX-M904 | SH1DP010 |
| 287 | MX-M1054 | SH1DP010 |
| 288 | MX-M1204 | SH1DP010 |
| 289 | MX-M904 | SH1HP010 |
| 290 | MX-M1054 | SH1HP010 |
| 291 | MX-M1204 | SH1HP010 |
| 292 | MX-M904 | SHJDP110 |
| 293 | MX-M1054 | SHJDP110 |
| 294 | MX-M1204 | SHJDP110 |

| | | |
|-----|----------|----------|
| 295 | MX-M904 | SHJHP110 |
| 296 | MX-M1054 | SHJHP110 |
| 297 | MX-M1204 | SHJHP110 |
| 298 | MX-C312 | SH1DN020 |
| 299 | MX-C312 | SH1HN020 |
| 300 | MX-2614 | SH1DN030 |
| 301 | MX-2615 | SH1DN030 |
| 302 | MX-3114 | SH1DN030 |
| 303 | MX-3115 | SH1DN030 |
| 304 | MX-2614 | SH1HN030 |
| 305 | MX-2615 | SH1HN030 |
| 306 | MX-3114 | SH1HN030 |
| 307 | MX-3115 | SH1HN030 |
| 308 | MX-2640 | SH1DN040 |
| 309 | MX-3140 | SH1DN040 |
| 310 | MX-3640 | SH1DN040 |
| 311 | MX-2640 | SH1HN040 |
| 312 | MX-3140 | SH1HN040 |
| 313 | MX-3640 | SH1HN040 |
| 314 | MX-2640 | SHJDN140 |
| 315 | MX-3140 | SHJDN140 |
| 316 | MX-3640 | SHJDN140 |
| 317 | MX-2640 | SHJHN140 |
| 318 | MX-3140 | SHJHN140 |
| 319 | MX-3640 | SHJHN140 |
| 320 | MX-2314 | SH1DN080 |
| 321 | MX-2314 | SH1HN080 |

Note:

The model notation is omitted showing optional information.

By optional constitution, we support model names such as 'N','G','F','FN'.

Details:

001 MX-7001 / SH1DN000 (version 01)
002 MX-6201
003 MX-4500
004 MX-4501
005 MX-3500
006 MX-3501
007 MX-3100
008 MX-2600

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5

- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,
- X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
 - Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

009 MX-7001 / SH1HN000 (version 01)
010 MX-6201
011 MX-4500
012 MX-4501
013 MX-3500
014 MX-3501
015 MX-3100
016 MX-2600

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

017 MX-7001 / SHJDN100 (version 01)
018 MX-6201
019 MX-4500
020 MX-4501
021 MX-3500
022 MX-3501
023 MX-3100
024 MX-2600

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

025 MX-7001 / SHJHN100 (version 01)
026 MX-6201
027 MX-4500
028 MX-4501
029 MX-3500
030 MX-3501
031 MX-3100
032 MX-2600

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript

- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

033 MX-M450 / SH1DH000 (version 01)

034 MX-M350

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

035 MX-M450 / SH1HH000 (version 01)
036 MX-M350

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

037 MX-M450 / SHJDH100 (version 01)
038 MX-M350

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

- TTF download is supported only for a European font

039 MX-M450 / SHJHH100 (version 01)

040 MX-M350

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

041 MX-M700 / SH1DJ000 (version 01)

042 MX-M620

043 MX-M550

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

044 MX-M700 / SH1HJ000 (version 01)
045 MX-M620
046 MX-M550

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

047 MX-M700 / SHJDDJ100 (version 01)
048 MX-M620
049 MX-M550

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding

- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

050 MX-M700 / SHJHJ100 (version 01)
051 MX-M620
052 MX-M550

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

053 MX-M1100 / SH1HP000 (version 01)
054 MX-M950
055 MX-M850

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript

- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

056 MX-M1100 / SHJHP100 (version 01)

057 MX-M950

058 MX-M860

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

-Print in Black and white

- Input tray selection
- Output tray selection
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

059 DX-C401 / SH1DN020 (version 01)

060 DX-C400
061 DX-C381
062 DX-C380
063 DX-C311
064 DX-C310
065 MX-C401
066 MX-C400
067 MX-C381
068 MX-C380
069 MX-C311
070 MX-C310

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

071 DX-C401 / SH1HN020 (version 01)
072 DX-C400
073 DX-C381
074 DX-C380
075 DX-C311
076 DX-C310
077 MX-C401
078 MX-C400
079 MX-C381
080 MX-C380
081 MX-C311
082 MX-C310

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

083 MX-C381 / SHJDN120 (version 01)

084 MX-C310

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

085 MX-C381 / SHJHN120 (version 01)

086 MX-C310

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

087 MX-1800 / SH1DN000 (version 01)
088 MX-2300
089 MX-2700
090 MX-5500
091 MX-6200
092 MX-7000

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

093 MX-1800 / SH1HN000 (version 01)

094 MX-2300

095 MX-2700

096 MX-5500

097 MX-6200

098 MX-7000

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

099 MX-2000 / SHJDN100 (version 01)

100 MX-2300

101 MX-2700

102 MX-5500

103 MX-6200

104 MX-7000

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode Print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

105 MX-2300 / SHJHN100 (version 01)
106 MX-2700
107 MX-5500
108 MX-6200
109 MX-7000

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

110 MX-4100 / SH1DN010 (version 01)
111 MX-4101
112 MX-5000
113 MX-5001

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

114 MX-4100 / SH1HN010 (version 01)
115 MX-4101
116 MX-5000
117 MX-5001

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

118 MX-3600 / SHJDN110 (version 01)
119 MX-4100
120 MX-4101
121 MX-5000
122 MX-5001

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

123 MX-3600 / SHJHN110 (version 01)
124 MX-4100
125 MX-4101
126 MX-5000
127 MX-5001

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

128 MX-M1100 / SH1DP000 (version 01)

129 MX-M950

130 MX-M850

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

131 MX-M1100 / SHJDP100 (version 01)

132 MX-M950

133 MX-M860

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

134 AR-M318 / SH1DK000 (version 01)

135 AR-M317

136 AR-M316

137 AR-M258

138 AR-M257

139 AR-M256

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

140 AR-M318 / SH1HK000 (version 01)

141 AR-M317

142 AR-M316

143 AR-M258

144 AR-M257

145 AR-M256

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

146 AR-317 / SHJDK100 (version 01)

147 AR-267

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection

- Output tray selection
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

148 AR-317 / SHJHK100 (version 01)
149 AR-267

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

150 MX-B401 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5

- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

151 MX-B401 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

152 MX-M503 / SH1DH010 (version 01)

153 MX-M453

154 MX-M363

155 MX-M283

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

156 MX-M503 / SH1HH010 (version 01)

157 MX-M453

158 MX-M363

159 MX-M283

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

160 MX-M503 / SHJDH110 (version 01)
161 MX-M423
162 MX-M363
163 MX-M283

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

164 MX-M503 / SHJHH110 (version 01)
165 MX-M423
166 MX-M363
167 MX-M283

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number

- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

168 MX-B381 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

169 MX-B381 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function

- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

170 MX-2301 / SH1DN000 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

171 MX-2301 / SH1HN000 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color

- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

172 MX-2301 / SHJDN100 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

173 MX-2301 / SHJHN100 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

174 MX-M310 / SH1DK010 (version 01)

175 MX-M260

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

176 MX-M310 / SH1HK010 (version 01)

177 MX-M260

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

178 MX-M310 / SHJDK110 (version 01)

179 MX-M260

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

180 MX-M310 / SHJHK110 (version 01)

181 MX-M260

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

182 MX-B400 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

183 MX-B400 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

184 MX-M753 / SH1DJ010 (version 01)

185 MX-M623

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.

- Job Separation is not supported
- SNMP is not supported

186 MX-M753 / SH1HJ010 (version 01)
187 MX-M623

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

188 MX-B380 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

189 MX-B380 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

190 MX-M753 / SHJDDJ110 (version 01)

191 MX-M623

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

192 MX-M753 / SHJHJ110 (version 01)
193 MX-M623

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

194 MX-M502 / SH1DH010 (version 01)
195 MX-M452
196 MX-M362
197 MX-M282

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection

- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

198 MX-M502 / SH1HH010 (version 01)

199 MX-M452

200 MX-M362

201 MX-M282

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

202 AR-M452 / SH1DH010 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

203 AR-M452 / SH1HH010 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

204 MX-C402 / SH1DN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5

- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

205 MX-C402 / SH1HN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

206 MX-B402 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

207 MX-B402 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

208 MX-2310 / SH1DN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

209 MX-2310 / SH1HN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

210 MX-2310 / SHJDN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

211 MX-2310 / SHJHN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

212 MX-C382 / SH1DN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

213 MX-C382 / SH1HN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

214 MX-B382 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

215 MX-B382 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

216 MX-C312 / SHJDN120 (version 01)
217 MX-C380

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

218 MX-C312 / SHJHN120 (version 01)
219 MX-C380

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing

- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

220 MX-B382 / SHJDH120 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

221 MX-B382 / SHJHH120 (version 01)

Properties:

- Supported language: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:

- Input tray selection
- Output tray selection
- Double-sided Printing
- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

222 MX-2010 / SH1DN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

223 MX-2010 / SH1HN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

224 MX-2610 / SH1DN040 (version 01)

225 MX-3110

226 MX-3610

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

227 MX-2610 / SH1HN040 (version 01)

228 MX-3110
229 MX-3610

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

230 MX-2610 / SHJDN140 (version 01)
231 MX-3110
232 MX-3610

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

233 MX-2610 / SHJHN140 (version 01)
234 MX-3110
235 MX-3610

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

236 MX-3111 / SH1DN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding

- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

237 MX-3111 / SH1HN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

238 MX-3111 / SHJDN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection

- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

239 MX-3111 / SHJHN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

240 MX-4110 / SH1DN050 (version 01)

241 MX-4111

242 MX-4112

243 MX-5110

244 MX-5111
245 MX-5112

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

246 MX-4110 / SH1HN050 (version 01)
247 MX-4111
248 MX-4112
249 MX-5110
250 MX-5111
251 MX-5112

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

252 MX-4110 / SHJDN150 (version 01)
253 MX-4111
254 MX-5110
255 MX-5111

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

256 MX-4110 / SHJHN150 (version 01)
257 MX-4111
258 MX-5110
259 MX-5111

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

260 MX-1810 / SH1DN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Print in Color
 - Double-sided Printing
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

261 MX-1810 / SH1HN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:
 - Input tray selection
 - Print in Color
 - Double-sided Printing
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

262 MX-2311 / SHJDN130 (version 01)
263 MX-3112

Properties:

- Supported language: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

264 MX-2311 / SHJHN130 (version 01)
265 MX-3112

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print selection
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

266 MX-M264 / SH1DK020 (version 01)

267 MX-M314

268 MX-M354

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

269 MX-M264 / SH1HK020 (version 01)

270 MX-M314
271 MX-M354

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

272 MX-M264 / SHJDK120 (version 01)
273 MX-M314
274 MX-M354

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported

- SNMP is not supported
- TTF download is supported only for a European font

275 MX-M264 / SHJHK120 (version 01)

276 MX-M314

277 MX-M354

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

278 MX-6240 / SH1DN060 (version 01)

279 MX-7040

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

280 MX-6240 / SH1HN060 (version 01)

281 MX-7040

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

282 MX-6540 / SHJDN160 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding

- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

283 MX-6540 / SHJHN160 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

284 MX-3611 / SHJDN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

285 MX-3611 / SHJHN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

286 MX-M904 / SH1DP010 (version 01)

287 MX-M1054
288 MX-M1204

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

289 MX-M904 / SH1HP010 (version 01)
290 MX-M1054
291 MX-M1204

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.

- Job Separation is not supported
- SNMP is not supported

292 MX-M904 / SHJDP110 (version 01)

293 MX-M1054

294 MX-M1204

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

295 MX-M904 / SHJHP110 (version 01)

296 MX-M1054

297 MX-M1204

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

298 MX-C312 / SH1DN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

299 MX-C312 / SH1HN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding

- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

300 MX-2614 / SH1DN030 (version 01)
301 MX-2615
302 MX-3114
303 MX-3115

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

304 MX-2614 / SH1HN030 (version 01)
305 MX-2615
306 MX-3114
307 MX-3115

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

308 MX-2640 / SH1DN040 (version 01)

309 MX-3140

310 MX-3640

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

311 MX-2640 / SH1HN040 (version 01)
312 MX-3140
313 MX-3640

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

314 MX-2640 / SHJDN140 (version 01)
315 MX-3140
316 MX-3640

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

317 MX-2640 / SHJHN140 (version 01)

318 MX-3140

319 MX-3640

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

320 MX-2314 / SH1DN080 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing

- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

321 MX-2314 / SH1HN080 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

Delivery: 001 to 052

SAP_BASIS 620, SP SAPKB62066
SAP_BASIS 640, SP SAPKB64024
SAP_BASIS 700, SP SAPKB70018
SAP_BASIS 701, SP SAPKB70103
SAP_BASIS 710, SP SAPKB71007
SAP_BASIS 711, SP SAPKB71101

Support information:

We plan to support all new Multifunction/Printer models we introduce in the market.

Header Data

Release Status: Released for Customer
Released on: 16.01.2013 06:28:57
Master Language: English
Priority: Recommendations/additional info
Category: Special development
Primary Component: BC-CCM-PRN-PVP-SH SAP Printer Vendor Program:
Sharp

Secondary Components:

BC-CCM-PRN Print and Output Management

Valid Releases

| Software Component | Release | From Release | To Release | and Subsequent |
|--------------------|---------|--------------|------------|----------------|
| SAP_BASIS | 60 | 620 | 640 | |
| SAP_BASIS | 70 | 700 | 701 | |
| SAP_BASIS | 71 | 710 | 711 | |

Support Packages

| Support Packages | Release | Package Name |
|------------------|---------|--------------|
| SAP_BASIS | 620 | SAPKB62066 |
| SAP_BASIS | 640 | SAPKB64024 |
| SAP_BASIS | 700 | SAPKB70018 |
| SAP_BASIS | 701 | SAPKB70103 |
| SAP_BASIS | 710 | SAPKB71007 |
| SAP_BASIS | 711 | SAPKB71101 |

Related Notes

| Number | Short Text |
|---------|-------------------------------------|
| 1097990 | List of Printer Vendor Wizard Notes |

Attachments

| File Type | File Name | Language | Size |
|-----------|----------------------|----------|----------|
| ZIP | Sharp_DevTyps_01.zip | E | 525 KB |
| ZIP | Sharp_DevTyps_02.zip | E | 683 KB |
| ZIP | Sharp_DevTyps_03.zip | E | 1.329 KB |
| ZIP | Sharp_DevTyps_04.zip | E | 1.548 KB |
| ZIP | Sharp_DevTyps_05.zip | E | 472 KB |