



Header Data

Released On	28.01.2014 14:23:54
Release Status	Released for Customer
Component	BC-CCM-PRN-PVP-SH SAP Printer Vendor Program: Sharp
Other Components	BC-CCM-PRN Print and Output Management
Priority	Recommendations / Additional Info
Category	Special development

Symptom

The company Sharp is member of the SAP Printer Vendor program and offers within this program connection software support for the printer model / device type pairs listed below.

For general information about the SAP Printer Vendor program please check note 1130927.

The printer model / device type combinations are visible in the newest data version of the "device type wizard". Please read note 1036961 for a description how to use the device type wizard and how to select one of the combinations shown below.

The device types are delivered as attachments to this note. Please download the files and proceed with the installation as described in note 1103422.

Certain features of the device types become active only with the following releases and support package levels:

Additional print options: (see note 1049778)

SAP_BASIS 6.20 SP63 and higher

SAP_BASIS 6.40 SP21 and higher

SAP_BASIS 7.00 SP14 and higher

SAP_BASIS 7.10 standard

Status feedback with SNMP:

SAP_BASIS 7.00 Enh1 and higher

SAP_BASIS 7.10 Enh1 and higher

Contact address (manufacturer):

SHARP CORPORATION

CS PROMOTION CENTER

GENERAL MANAGER ENVIRONMENT AND QUALITY CONTROL

BUSINESS SOLUTIONS GROUP

Name : Seiichi Tanaka

Email : pvp-support@sharp.co.jp

Address: 492 MINOSHIO-CHO, YAMATOKORI YAMA-SHI
NARA ZIP 639-1186, JAPAN

Other Terms

SPAD , device type , SAP Printer Vendor program

Solution

Supported Printer model / device type combinations:

Consecutive Number	Printer Model	Printer Model device type
001	MX-7001	SH1DN000
002	MX-6201	SH1DN000
003	MX-4500	SH1DN000
004	MX-4501	SH1DN000
005	MX-3500	SH1DN000
006	MX-3501	SH1DN000
007	MX-3100	SH1DN000
008	MX-2600	SH1DN000
009	MX-7001	SH1HN000
010	MX-6201	SH1HN000
011	MX-4500	SH1HN000
012	MX-4501	SH1HN000
013	MX-3500	SH1HN000

014	MX-3501	SH1HN000
015	MX-3100	SH1HN000
016	MX-2600	SH1HN000
017	MX-7001	SHJDN100
018	MX-6201	SHJDN100
019	MX-4500	SHJDN100
020	MX-4501	SHJDN100
021	MX-3500	SHJDN100
022	MX-3501	SHJDN100
023	MX-3100	SHJDN100
024	MX-2600	SHJDN100
025	MX-7001	SHJHN100
026	MX-6201	SHJHN100
027	MX-4500	SHJHN100
028	MX-4501	SHJHN100
029	MX-3500	SHJHN100
030	MX-3501	SHJHN100
031	MX-3100	SHJHN100
032	MX-2600	SHJHN100
033	MX-M450	SH1DH000
034	MX-M350	SH1DH000
035	MX-M450	SH1HH000
036	MX-M350	SH1HH000
037	MX-M450	SHJDH100
038	MX-M350	SHJDH100
039	MX-M450	SHJHH100
040	MX-M350	SHJHH100
041	MX-M700	SH1DJ000
042	MX-M620	SH1DJ000
043	MX-M550	SH1DJ000
044	MX-M700	SH1HJ000
045	MX-M620	SH1HJ000
046	MX-M550	SH1HJ000
047	MX-M700	SHJDJ100
048	MX-M620	SHJDJ100
049	MX-M550	SHJDJ100
050	MX-M700	SHJHJ100
051	MX-M620	SHJHJ100
052	MX-M550	SHJHJ100
053	MX-M1100	SH1HP000
054	MX-M950	SH1HP000
055	MX-M850	SH1HP000
056	MX-M1100	SHJHP100
057	MX-M950	SHJHP100
058	MX-M860	SHJHP100
059	DX-C401	SH1DN020
060	DX-C400	SH1DN020
061	DX-C381	SH1DN020
062	DX-C380	SH1DN020
063	DX-C311	SH1DN020
064	DX-C310	SH1DN020
065	MX-C401	SH1DN020
066	MX-C400	SH1DN020
067	MX-C381	SH1DN020
068	MX-C380	SH1DN020
069	MX-C311	SH1DN020
070	MX-C310	SH1DN020
071	DX-C401	SH1HN020
072	DX-C400	SH1HN020
073	DX-C381	SH1HN020
074	DX-C380	SH1HN020
075	DX-C311	SH1HN020
076	DX-C310	SH1HN020
077	MX-C401	SH1HN020
078	MX-C400	SH1HN020
079	MX-C381	SH1HN020
080	MX-C380	SH1HN020
081	MX-C311	SH1HN020
082	MX-C310	SH1HN020
083	MX-C381	SHJDN120
084	MX-C310	SHJDN120
085	MX-C381	SHJHN120
086	MX-C310	SHJHN120
087	MX-1800	SH1DN000
088	MX-2300	SH1DN000
089	MX-2700	SH1DN000
090	MX-5500	SH1DN000
091	MX-6200	SH1DN000

092	MX-7000	SH1DN000
093	MX-1800	SH1HN000
094	MX-2300	SH1HN000
095	MX-2700	SH1HN000
096	MX-5500	SH1HN000
097	MX-6200	SH1HN000
098	MX-7000	SH1HN000
099	MX-2000	SHJDN100
100	MX-2300	SHJDN100
101	MX-2700	SHJDN100
102	MX-5500	SHJDN100
103	MX-6200	SHJDN100
104	MX-7000	SHJDN100
105	MX-2300	SHJHN100
106	MX-2700	SHJHN100
107	MX-5500	SHJHN100
108	MX-6200	SHJHN100
109	MX-7000	SHJHN100
110	MX-4100	SH1DN010
111	MX-4101	SH1DN010
112	MX-5000	SH1DN010
113	MX-5001	SH1DN010
114	MX-4100	SH1HN010
115	MX-4101	SH1HN010
116	MX-5000	SH1HN010
117	MX-5001	SH1HN010
118	MX-3600	SHJDN110
119	MX-4100	SHJDN110
120	MX-4101	SHJDN110
121	MX-5000	SHJDN110
122	MX-5001	SHJDN110
123	MX-3600	SHJHN110
124	MX-4100	SHJHN110
125	MX-4101	SHJHN110
126	MX-5000	SHJHN110
127	MX-5001	SHJHN110
128	MX-M1100	SH1DP000
129	MX-M950	SH1DP000
130	MX-M850	SH1DP000
131	MX-M1100	SHJDP100
132	MX-M950	SHJDP100
133	MX-M860	SHJDP100
134	AR-M318	SH1DK000
135	AR-M317	SH1DK000
136	AR-M316	SH1DK000
137	AR-M258	SH1DK000
138	AR-M257	SH1DK000
139	AR-M256	SH1DK000
140	AR-M318	SH1HK000
141	AR-M317	SH1HK000
142	AR-M316	SH1HK000
143	AR-M258	SH1HK000
144	AR-M257	SH1HK000
145	AR-M256	SH1HK000
146	AR-317	SHJDK100
147	AR-267	SHJDK100
148	AR-317	SHJHK100
149	AR-267	SHJHK100
150	MX-B401	SH1DH020
151	MX-B401	SH1HH020
152	MX-M503	SH1DH010
153	MX-M453	SH1DH010
154	MX-M363	SH1DH010
155	MX-M283	SH1DH010
156	MX-M503	SH1HH010
157	MX-M453	SH1HH010
158	MX-M363	SH1HH010
159	MX-M283	SH1HH010
160	MX-M503	SHJDH110
161	MX-M423	SHJDH110
162	MX-M363	SHJDH110
163	MX-M283	SHJDH110
164	MX-M503	SHJHH110
165	MX-M423	SHJHH110
166	MX-M363	SHJHH110
167	MX-M283	SHJHH110

168	MX-B381	SH1DH020
169	MX-B381	SH1HH020
170	MX-2301	SH1DN000
171	MX-2301	SH1HN000
172	MX-2301	SHJDN100
173	MX-2301	SHJHN100
174	MX-M310	SH1DK010
175	MX-M260	SH1DK010
176	MX-M310	SH1HK010
177	MX-M260	SH1HK010
178	MX-M310	SHJDK110
179	MX-M260	SHJDK110
180	MX-M310	SHJHK110
181	MX-M260	SHJHK110
182	MX-B400	SH1DH020
183	MX-B400	SH1HH020
184	MX-M753	SH1DJ010
185	MX-M623	SH1DJ010
186	MX-M753	SH1HJ010
187	MX-M623	SH1HJ010
188	MX-B380	SH1DH020
189	MX-B380	SH1HH020
190	MX-M753	SHJDJ110
191	MX-M623	SHJDJ110
192	MX-M753	SHJHJ110
193	MX-M623	SHJHJ110
194	MX-M502	SH1DH010
195	MX-M452	SH1DH010
196	MX-M362	SH1DH010
197	MX-M282	SH1DH010
198	MX-M502	SH1HH010
199	MX-M452	SH1HH010
200	MX-M362	SH1HH010
201	MX-M282	SH1HH010
202	AR-M452	SH1DH010
203	AR-M452	SH1HH010
204	MX-C402	SH1DN020
205	MX-C402	SH1HN020
206	MX-B402	SH1DH020
207	MX-B402	SH1HH020
208	MX-2310	SH1DN030
209	MX-2310	SH1HN030
210	MX-2310	SHJDN130
211	MX-2310	SHJHN130
212	MX-C382	SH1DN020
213	MX-C382	SH1HN020
214	MX-B382	SH1DH020
215	MX-B382	SH1HH020
216	MX-C312	SHJDN120
217	MX-C380	SHJDN120
218	MX-C312	SHJHN120
219	MX-C380	SHJHN120
220	MX-B382	SHJDH120
221	MX-B382	SHJHH120
222	MX-2010	SH1DN030
223	MX-2010	SH1HN030

224	MX-2610	SH1DN040
225	MX-3110	SH1DN040
226	MX-3610	SH1DN040
227	MX-2610	SH1HN040
228	MX-3110	SH1HN040
229	MX-3610	SH1HN040
230	MX-2610	SHJDN140
231	MX-3110	SHJDN140
232	MX-3610	SHJDN140
233	MX-2610	SHJHN140
234	MX-3110	SHJHN140
235	MX-3610	SHJHN140
236	MX-3111	SH1DN030
237	MX-3111	SH1HN030
238	MX-3111	SHJDN130
239	MX-3111	SHJHN130
240	MX-4110	SH1DN050
241	MX-4111	SH1DN050
242	MX-4112	SH1DN050
243	MX-5110	SH1DN050
244	MX-5111	SH1DN050
245	MX-5112	SH1DN050
246	MX-4110	SH1HN050
247	MX-4111	SH1HN050
248	MX-4112	SH1HN050
249	MX-5110	SH1HN050
250	MX-5111	SH1HN050
251	MX-5112	SH1HN050
252	MX-4110	SHJDN150
253	MX-4111	SHJDN150
254	MX-5110	SHJDN150
255	MX-5111	SHJDN150
256	MX-4110	SHJHN150
257	MX-4111	SHJHN150
258	MX-5110	SHJHN150
259	MX-5111	SHJHN150
260	MX-1810	SH1DN030
261	MX-1810	SH1HN030
262	MX-2311	SHJDN130
263	MX-3112	SHJDN130
264	MX-2311	SHJHN130
265	MX-3112	SHJHN130
266	MX-M264	SH1DK020
267	MX-M314	SH1DK020
268	MX-M354	SH1DK020
269	MX-M264	SH1HK020
270	MX-M314	SH1HK020
271	MX-M354	SH1HK020
272	MX-M264	SHJDK120
273	MX-M314	SHJDK120
274	MX-M354	SHJDK120
275	MX-M264	SHJHK120
276	MX-M314	SHJHK120
277	MX-M354	SHJHK120
278	MX-6240	SH1DN060
279	MX-7040	SH1DN060
280	MX-6240	SH1HN060
281	MX-7040	SH1HN060
282	MX-6540	SHJDN160
283	MX-6540	SHJHN160
284	MX-3611	SHJDN130
285	MX-3611	SHJHN130
286	MX-M904	SH1DP010
287	MX-M1054	SH1DP010
288	MX-M1204	SH1DP010
289	MX-M904	SH1HP010
290	MX-M1054	SH1HP010
291	MX-M1204	SH1HP010

292	MX-M904	SHJDP110
293	MX-M1054	SHJDP110
294	MX-M1204	SHJDP110
295	MX-M904	SHJHP110
296	MX-M1054	SHJHP110
297	MX-M1204	SHJHP110
298	MX-C312	SH1DN020
299	MX-C312	SH1HN020
300	MX-2614	SH1DN030
301	MX-2615	SH1DN030
302	MX-3114	SH1DN030
303	MX-3115	SH1DN030
304	MX-2614	SH1HN030
305	MX-2615	SH1HN030
306	MX-3114	SH1HN030
307	MX-3115	SH1HN030
308	MX-2640	SH1DN040
309	MX-3140	SH1DN040
310	MX-3640	SH1DN040
311	MX-2640	SH1HN040
312	MX-3140	SH1HN040
313	MX-3640	SH1HN040
314	MX-2640	SHJDN140
315	MX-3140	SHJDN140
316	MX-3640	SHJDN140
317	MX-2640	SHJHN140
318	MX-3140	SHJHN140
319	MX-3640	SHJHN140
320	MX-2314	SH1DN080
321	MX-2314	SH1HN080
322	MX-4140	SH1DN050
323	MX-4141	SH1DN050
324	MX-5140	SH1DN050
325	MX-5141	SH1DN050
326	MX-4140	SH1HN050
327	MX-4141	SH1HN050
328	MX-5140	SH1HN050
329	MX-5141	SH1HN050
330	MX-4140	SHJDN150
331	MX-4141	SHJDN150
332	MX-5140	SHJDN150
333	MX-5141	SHJDN150
334	MX-4140	SHJHN150
335	MX-4141	SHJHN150
336	MX-5140	SHJHN150
337	MX-5141	SHJHN150
338	MX-6500	SH1DN070
339	MX-7500	SH1DN070
340	MX-6500	SH1HN070
341	MX-7500	SH1HN070
342	MX-C300	SHJHT100
343	MX-2616	SH1DN030
344	MX-3116	SH1DN030
345	MX-2616	SH1HN030
346	MX-3116	SH1HN030
347	MX-2514	SHJDN130
348	MX-3114	SHJDN130
349	MX-3614	SHJDN130
350	MX-2514	SHJHN130
351	MX-3114	SHJHN130
352	MX-3614	SHJHN130
353	MX-C250	SH1DT000
354	MX-C300	SH1DT000
355	MX-C250	SH1HT000
356	MX-C300	SH1HT000
357	MX-M364	SH1DH030
358	MX-M365	SH1DH030
359	MX-M464	SH1DH030
360	MX-M465	SH1DH030

361	MX-M564	SH1DH030
362	MX-M565	SH1DH030
363	MX-M364	SH1HH030
364	MX-M365	SH1HH030
365	MX-M464	SH1HH030
366	MX-M465	SH1HH030
367	MX-M564	SH1HH030
368	MX-M565	SH1HH030
369	MX-M365	SHJDH130
370	MX-M464	SHJDH130
371	MX-M465	SHJDH130
372	MX-M564	SHJDH130
373	MX-M565	SHJDH130
374	MX-M365	SHJHH130
375	MX-M464	SHJHH130
376	MX-M465	SHJHH130
377	MX-M564	SHJHH130
378	MX-M565	SHJHH130

Note:

The model notation is omitted showing optional information.

By optional constitution, we support model names such as 'N', 'G', 'F', 'FN'.

Details:

001 MX-7001 / SH1DN000 (version 01)
 002 MX-6201
 003 MX-4500
 004 MX-4501
 005 MX-3500
 006 MX-3501
 007 MX-3100
 008 MX-2600

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
 x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
 Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

009 MX-7001 / SH1HN000 (version 01)
 010 MX-6201
 011 MX-4500
 012 MX-4501
 013 MX-3500
 014 MX-3501
 015 MX-3100
 016 MX-2600

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
 x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
 Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

017 MX-7001 / SHJDN100 (version 01)

018 MX-6201
019 MX-4500
020 MX-4501
021 MX-3500
022 MX-3501
023 MX-3100
024 MX-2600

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

025 MX-7001 / SHJHN100 (version 01)

026 MX-6201
027 MX-4500
028 MX-4501
029 MX-3500
030 MX-3501
031 MX-3100
032 MX-2600

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

033 MX-M450 / SH1DH000 (version 01)

034 MX-M350

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection

- Output tray selection
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

035 MX-M450 / SH1HH000 (version 01)

036 MX-M350

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

037 MX-M450 / SHJDH100 (version 01)

038 MX-M350

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

039 MX-M450 / SHJHH100 (version 01)

040 MX-M350

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function

- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

041 MX-M700 / SH1DJ000 (version 01)
042 MX-M620
043 MX-M550

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

044 MX-M700 / SH1HJ000 (version 01)
045 MX-M620
046 MX-M550

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

047 MX-M700 / SHJDJ100 (version 01)
048 MX-M620
049 MX-M550

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number

- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

050 MX-M700 / SHJHJ100 (version 01)
051 MX-M620
052 MX-M550

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

053 MX-M1100 / SH1HP000 (version 01)
054 MX-M950
055 MX-M850

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

056 MX-M1100 / SHJHP100 (version 01)
057 MX-M950
058 MX-M860

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number

- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

059 DX-C401 / SH1DN020 (version 01)
060 DX-C400
061 DX-C381
062 DX-C380
063 DX-C311
064 DX-C310
065 MX-C401
066 MX-C400
067 MX-C381
068 MX-C380
069 MX-C311
070 MX-C310

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

071 DX-C401 / SH1HN020 (version 01)
072 DX-C400
073 DX-C381
074 DX-C380
075 DX-C311
076 DX-C310
077 MX-C401
078 MX-C400
079 MX-C381
080 MX-C380
081 MX-C311
082 MX-C310

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

083 MX-C381/ SHJDN120 (version 01)

084 MX-C310

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

085 MX-C381 / SHJHN120 (version 01)

086 MX-C310

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

087 MX-1800 / SH1DN000 (version 01)

088 MX-2300

089 MX-2700

090 MX-5500

091 MX-6200

092 MX-7000

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

093 MX-1800 / SH1HN000 (version 01)
094 MX-2300
095 MX-2700
096 MX-5500
097 MX-6200
098 MX-7000

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

099 MX-2000 / SHJDN100 (version 01)
100 MX-2300
101 MX-2700
102 MX-5500
103 MX-6200
104 MX-7000

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode Print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

105 MX-2300 / SHJHN100 (version 01)
106 MX-2700
107 MX-5500
108 MX-6200
109 MX-7000

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

110 MX-4100 / SH1DN010 (version 01)
111 MX-4101
112 MX-5000
113 MX-5001

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

114 MX-4100 / SH1HN010 (version 01)
115 MX-4101
116 MX-5000
117 MX-5001

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

118 MX-3600 / SHJDN110 (version 01)
119 MX-4100
120 MX-4101
121 MX-5000
122 MX-5001

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing

- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

123 MX-3600 / SHJHN110 (version 01)
124 MX-4100
125 MX-4101
126 MX-5000
127 MX-5001

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

128 MX-M1100 / SH1DP000 (version 01)
129 MX-M950
130 MX-M850

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

131 MX-M1100 / SHJDP100 (version 01)
132 MX-M950
133 MX-M860

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white

- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

134 AR-M318 / SH1DK000 (version 01)
135 AR-M317
136 AR-M316
137 AR-M258
138 AR-M257
139 AR-M256

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

140 AR-M318 / SH1HK000 (version 01)
141 AR-M317
142 AR-M316
143 AR-M258
144 AR-M257
145 AR-M256

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

146 AR-317 / SHJDK100 (version 01)
147 AR-267

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

148 AR-317 / SHJHK100 (version 01)
149 AR-267

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

150 MX-B401 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

151 MX-B401 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white

- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

**Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.**

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

152 MX-M503 / SH1DH010 (version 01)
153 MX-M453
154 MX-M363
155 MX-M283

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

**Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.**

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

156 MX-M503 / SH1HH010 (version 01)
157 MX-M453
158 MX-M363
159 MX-M283

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

**Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.**

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

160 MX-M503 / SHJDH110 (version 01)
161 MX-M423
162 MX-M363
163 MX-M283

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white

- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

164 MX-M503 / SHJHH110 (version 01)
165 MX-M423
166 MX-M363
167 MX-M283

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

168 MX-B381 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

169 MX-B381 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection

- Double-sided Printing
- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

170 MX-2301 / SH1DN000 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

171 MX-2301 / SH1HN000 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

172 MX-2301 / SHJDN100 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

173 MX-2301 / SHJHN100 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

174 MX-M310 / SH1DK010 (version 01)

175 MX-M260

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

176 MX-M310 / SH1HK010 (version 01)

177 MX-M260

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

178 MX-M310 / SHJDK110 (version 01)

179 MX-M260

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

180 MX-M310 / SHJHK110 (version 01)

181 MX-M260

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

182 MX-B400 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

183 MX-B400 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,

X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

184 MX-M753 / SH1DJ010 (version 01)

185 MX-M623

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

186 MX-M753 / SH1HJ010 (version 01)

187 MX-M623

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

188 MX-B380 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,

- X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

189 MX-B380 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

190 MX-M753 / SHJDJ110 (version 01)

191 MX-M623

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

192 MX-M753 / SHJHJ110 (version 01)

193 MX-M623

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing

- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

194 MX-M502 / SH1DH010 (version 01)
195 MX-M452
196 MX-M362
197 MX-M282

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

198 MX-M502 / SH1HH010 (version 01)
199 MX-M452
200 MX-M362
201 MX-M282

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

202 AR-M452 / SH1DH010 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding

- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

203 AR-M452 / SH1HH010 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

204 MX-C402 / SH1DN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

205 MX-C402 / SH1HN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

206 MX-B402 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

207 MX-B402 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

208 MX-2310 / SH1DN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

209 MX-2310 / SH1HN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

210 MX-2310 / SHJDN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

211 MX-2310 / SHJHN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

212 MX-C382 / SH1DN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)

- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

213 MX-C382 / SH1HN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

214 MX-B382 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

215 MX-B382 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding

- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

216 MX-C312 / SHJDN120 (version 01)

217 MX-C380

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

218 MX-C312 / SHJHN120 (version 01)

219 MX-C380

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

220 MX-B382 / SHJDH120 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

221 MX-B382 / SHJHH120 (version 01)

Properties:

- Supported language: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

222 MX-2010 / SH1DN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

223 MX-2010 / SH1HN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

224 MX-2610 / SH1DN040 (version 01)

225 MX-3110

226 MX-3610

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

227 MX-2610 / SH1HN040 (version 01)

228 MX-3110

229 MX-3610

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

230 MX-2610 / SHJDN140 (version 01)

231 MX-3110

232 MX-3610

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

233 MX-2610 / SHJHN140 (version 01)

234 MX-3110

235 MX-3610

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

236 MX-3111 / SH1DN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

237 MX-3111 / SH1HN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

238 MX-3111 / SHJDN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

239 MX-3111 / SHJHN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

240 MX-4110 / SH1DN050 (version 01)

241 MX-4111

242 MX-4112

243 MX-5110

244 MX-5111

245 MX-5112

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

246 MX-4110 / SH1HN050 (version 01)
247 MX-4111
248 MX-4112
249 MX-5110
250 MX-5111
251 MX-5112

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

252 MX-4110 / SHJDN150 (version 01)
253 MX-4111
254 MX-5110
255 MX-5111

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

256 MX-4110 / SHJHN150 (version 01)
257 MX-4111
258 MX-5110
259 MX-5111

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color

- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

260 MX-1810 / SH1DN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Print in Color
 - Double-sided Printing
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

261 MX-1810 / SH1HN030 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Print in Color
 - Double-sided Printing
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

262 MX-2311 / SHJDN130 (version 01)

263 MX-3112

Properties:

- Supported language: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

264 MX-2311 / SHJHN130 (version 01)
265 MX-3112

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print selection
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

266 MX-M264 / SH1DK020 (version 01)
267 MX-M314
268 MX-M354

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

269 MX-M264 / SH1HK020 (version 01)
270 MX-M314
271 MX-M354

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported

- SNMP is not supported

272 MX-M264 / SHJDK120 (version 01)
 273 MX-M314
 274 MX-M354

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
 x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
 Barcode print from SmartForms is supported. Please follow note 645158.
 Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

275 MX-M264 / SHJHK120 (version 01)
 276 MX-M314
 277 MX-M354

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
 x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
 Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

278 MX-6240 / SH1DN060 (version 01)
 279 MX-7040

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
 x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
 Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

280 MX-6240 / SH1HN060 (version 01)
281 MX-7040

Properties:

- Supported Languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

282 MX-6540 / SHJDN160 (version 01)

Properties:

- Supported Languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

283 MX-6540 / SHJHN160 (version 01)

Properties:

- Supported Languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
x_58_170,x_65_132,x_65_200,x_65_255,x_65_80,x_90_120,x_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

284 MX-3611 / SHJDN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

285 MX-3611 / SHJHN130 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

286 MX-M904 / SH1DP010 (version 01)

287 MX-M1054

288 MX-M1204

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

289 MX-M904 / SH1HP010 (version 01)

290 MX-M1054
291 MX-M1204

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

292 MX-M904 / SHJDP110 (version 01)
293 MX-M1054
294 MX-M1204

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

295 MX-M904 / SHJHP110 (version 01)
296 MX-M1054
297 MX-M1204

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Input tray selection
- Output tray selection
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

298 MX-C312 / SH1DN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

299 MX-C312 / SH1HN020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

300 MX-2614 / SH1DN030 (version 01)

301 MX-2615

302 MX-3114

303 MX-3115

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

304 MX-2614 / SH1HN030 (version 01)

305 MX-2615

306 MX-3114

307 MX-3115

Properties:

- Supported Languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

308 MX-2640 / SH1DN040 (version 01)
309 MX-3140
310 MX-3640

Properties:

- Supported Languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

311 MX-2640 / SH1HN040 (version 01)
312 MX-3140
313 MX-3640

Properties:

- Supported Languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

314 MX-2640 / SHJDN140 (version 01)
315 MX-3140
316 MX-3640

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

317 MX-2640 / SHJHN140 (version 01)

318 MX-3140

319 MX-3640

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

320 MX-2314 / SH1DN080 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

321 MX-2314 / SH1HN080 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

322 MX-4140 / SH1DN050 (version 01)

323 MX-4141

324 MX-5140

325 MX-5141

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

326 MX-4140 / SH1HN050 (version 01)

327 MX-4141

328 MX-5140

329 MX-5141

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

330 MX-4140 / SHJDN150 (version 01)

331 MX-4141
332 MX-5140
333 MX-5141

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

334 MX-4140 / SHJHN150 (version 01)
335 MX-4141
336 MX-5140
337 MX-5141

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

338 MX-6500 / SH1DN070 (version 01)
339 MX-7500

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported

- SNMP is not supported

340 MX-6500 / SH1HN070 (version 01)
341 MX-7500

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

342 MX-C300 / SHJHT100 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

343 MX-2616 / SH1DN030 (version 01)
344 MX-3116

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

345 MX-2616 / SH1HN030 (version 01)

346 MX-3116

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

347 MX-2514 / SHJDN130 (version 01)

348 MX-3114

349 MX-3614

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

350 MX-2514 / SHJHN130 (version 01)

351 MX-3114

352 MX-3614

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER, X_58_170, X_65_132, X_65_200, X_65_255, X_65_80, X_90_120, X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

353 MX-C250 / SH1DT000 (version 01)
354 MX-C300

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

355 MX-C250 / SH1HT000 (version 01)
356 MX-C300

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

357 MX-M364 / SH1DH030 (version 01)
358 MX-M365
359 MX-M464
360 MX-M465
361 MX-M564
362 MX-M565

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

363 MX-M364 / SH1HH030 (version 01)
364 MX-M365
365 MX-M464
366 MX-M465

367 MX-M564
368 MX-M565

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

369 MX-M365 / SHJDH130 (version 01)
370 MX-M464
371 MX-M465
372 MX-M564
373 MX-M565

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

374 MX-M365 / SHJHH130 (version 01)
375 MX-M464
376 MX-M465
377 MX-M564
378 MX-M565

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3, A4, A5, EXECUTIVE, LEGAL, LETTER,
X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120
- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

- TTF download is supported only for a European font

Delivery: 001 to 052
SAP_BASIS 620, SP SAPKB62066
SAP_BASIS 640, SP SAPKB64024
SAP_BASIS 700, SP SAPKB70018
SAP_BASIS 701, SP SAPKB70103
SAP_BASIS 710, SP SAPKB71007
SAP_BASIS 711, SP SAPKB71101

Support information:

We plan to support all new Multifunction/Printer models we introduce in the market.

Validity

Software Component	From Rel.	To Rel.	And Subsequent
SAP_BASIS	620	640	<input type="checkbox"/>
	700	701	<input type="checkbox"/>
	710	711	<input type="checkbox"/>

Support Packages & Patches

Support Packages		
Software Component	Release	Support Package
SAP_BASIS	620	SAPKB62066
	640	SAPKB64024
	700	SAPKB70018
	701	SAPKB70103
	710	SAPKB71007
	711	SAPKB71101

References

This document refers to:

SAP Notes
1097990 [List of Printer Vendor Wizard Notes](#)

This document is referenced by:

SAP Notes (1)
1097990 [List of Printer Vendor Wizard Notes](#)

Attachments

File Name	File Size (KB)	Mime Type
Sharp_DevTyps_01.zip	644	application/x-zip-compressed
Sharp_DevTyps_02.zip	851	application/x-zip-compressed
Sharp_DevTyps_05.zip	557	application/x-zip-compressed
Sharp_DevTyps_03.zip	1518	application/x-zip-compressed
Sharp_DevTyps_04.zip	1599	application/x-zip-compressed