

P22

WALTHER

Action + Fun

P 22



P 22

P 22

WALTHER®

A MEMBER OF
THE UMAREX-GROUP

TRADITION OF INNOVATION

P22 – makes “fun shooting” an experience!

Action, fun, sport, racing and high velocity denote modern leisure activities.

The compact design and style of a modern defense pistol in caliber .22 l.r. with all the advantages of its larger counterpart, provide for a platform from which one can inexpensively train as well as enjoy. Based on a modular assembly concept, the P22 system makes it possible to interchange equipment.

The barrel can easily be changed, and by installing the optional base mount, a point sight can be fitted.



- Optimal hand conformity via an interchangeable backstrap
- Compact design and light weight by means of a modern polymer frame (only 480 g incl. magazine)
- Single- and Double Action
- All control elements on left and right side
- Internal trigger lock, loaded chamber indicator, magazine disconnect, firing pin and drop safety provide the utmost protection against accidents
- Modern and innovative design
- Higher accuracy because the barrel is fixed to the frame
- Precise aiming is achieved by means of an adjustable rear sight and interchangeable front sights with contrasting dots
- By simply changing the barrel, a Standard or a Target version is possible



Technical Data	P22	P22 Target
Caliber	.22 l.r.	.22 l.r.
Action	Single and Double Action	
Barrel length	87 mm / 3.42 "	127 mm / 5"
Dimensions (L/H/W) mm	159 / 114 / 29	199 / 114 / 29
Weight g (w/o magazine)	430	525
Number of magazines	2	2
Magazine capacity	10 shot	10 shot
Action	DA / SA	DA / SA
Trigger pull g	5500 / 2000	5500 / 2000

22



P22 Standard

Barrel 87 mm

Part No. 265 92 39




P22 Target

Barrel 127 mm

Part No. 265 92 55



The P22 Target uses the same technology as the P22 Standard, however the barrel length is now 127 mm / 5" (therefore extending the line of sight by 40 mm). The longer sight radius provides for more concentrated aiming during target shooting, ergo resulting in better scores. The P22 Target also is equipped with barrel weight / non functional compensator.



Conversion Unit Target

Cal. .22 l.r.

Part No. 265 93 01



The P22 Standard with its short barrel can be converted to a Target version with a 127 mm match barrel and barrel weight. This change can be performed in seconds.

Conversion Unit Standard

Cal. .22 l.r.

Part No. 265 92 98

Makes the conversion from the Target into the Standard version possible.

Accessories

Magazine release

The magazine release, integrated into the trigger guard profile, prevents an "inadvertent" release of the magazine. The magazine release system is fully ambidextrous.



Cocked hammer and safety

The safety, in the "S" position, blocks the firing pin which prevents firing even if the trigger is pulled. The hammer indicates the status of the pistol (whether it is cocked or decocked). Decocking via a release of the hammer is possible.



Sights

The three-dot contrasting sight makes quick aiming and precise firing possible. The windage adjustable rear sight and the three interchangeable front sights of varying heights can be adapted to each aiming position.



List of contents

Plastic carry case
Spare magazine
Interchangeable backstrap
Two spare front sights
Tools
Operating instructions



Loaded chamber indicator

Manifesting itself if a round or a case is in the chamber.



Backstrap, magazine floor plate

Two interchangeable backstraps as well as different magazine floor plates allow for the reconfiguration of the pistol in order to adapt to ones individual hand.



Child safety lock with key

Great importance has been attached to the safety. With a special key the trigger of the P22 can be blocked, ergo impeding its use to unauthorized people.



A MEMBER OF
THE UMAREX-GROUP

TRADITION OF INNOVATION

Carl Walther GmbH Sportwaffen
Sales / Distribution
Donnerfeld 2
D-59757 Arnsberg
fon: +49 29 32/6 38-100
fax: +49 29 32/6 38-149

Carl Walther GmbH Sportwaffen
Service
Karistr. 33
D-89073 Ulm
fon: +49 7 31/15 39-0
fax: +49 7 31/15 39-170