

AUTHOR INDEX

- Aalders, B.G.M. (JSR; see Savage, C.J.)
- Abdallah, S. (JA, SYN; see Hamed, A.)
- Abdel-Rahman, Tarek M. (JGC; see Hughes, Peter C.)
- Abhat, A. (AIAA J; see Chi, H. Nguyen)
- Abramenko, A.N. (AIAA J; see Vasiliev, L.L.)
- Abramovich, Haim (AIAA J; see Singer, Josef)
- Abzug, Malcolm J. Vector methods in homing guidance. (JGC, EN) 253
- Acharya, M., Horstman, C.C., and Kussoy, M.I. Reynolds number effects on the turbulence field in compressible boundary layers. (AIAA J) 380
- Adams, George F. (AIAA J, TC; see Nelson, Carl W.)
- Adams, M.J. (JGC; see Diehl, R.E.)
- Adams, Michael J. (PS, V.66; see Krier, Herman)
- Adelman, Howard M., Sawyer, Patricia L., and Shore, Charles P. Optimum design of structures at elevated temperatures. (AIAA J) 622
- Adler, D. and Baron A. Prediction of a three-dimensional circular turbulent jet in crossflow. (AIAA J) 168
- Adrian, R.J. (AIAA J; see Jones, B.G.)
- Ahern, J.E. and Lawson, T.W. Design and test evaluation of a solid cryogen cooler insulation system. (PS, V.65) 307
- Ahluwalia, R.K. (JE; see Chiu, H.H.)
- Ahrens, F.W. (JE; see Chiu, H.H.)
- Akin, D.L. (JE, TN; see Miller, R.H.)
- Alber, Irwin, E. (AIAA J; see Ausherman, Darrell R.)
- Albrecht, R. (JA; see Radgowski, E.)
- Alexander, Stephen G. (JGC; see Kaplan, Marshall H.)
- Alff, W.H. (PS, V.65; see Grammer, J.R.)
- Allums, Steve L. (JE; see Hastings, Leon J.)
- Almroth, B.O. (JSR; see Ericsson, L.E.)
- Alper, Marshall E. Photovoltaics and solar thermal conversion to electricity: status and prospects. (JE) 263
- Alt, R.E. (JSR; see Roux, J.A.)
- Altstatt, M. C. (JSR, SYN; see Dietz, W. E., Jr.)
- Alvestad, Reidar (JH,ERR; see Brown, Samuel H.)
- Aly, S. L., Simpson, R. B., and Hermance, C. E. Numerical solution of the two-dimensional premixed laminar flame equations. (AIAA J) 56
- Anderson, J. B. (AIAA J; see Cattolica, R. J.)
- Anderson, J.D. and Estabrook, F.B. Application of DSA spacecraft tracking technology to experimental gravitation. (JSR) 120
- Anderson, J. D., Jr. (AIAA J; see Parthasarathy, K. N.)
- Anderson, James L. (JA,EN; see Biter, Cleon J.)
- Anderson, L. P., Jr. (PS, V.64; see Moore, G. R.)
- Anderson, Melvin S. and Stroud, W. Jefferson General panel sizing computer code and its application to composite structural panels. (AIAA J) 892
- Anderson, Seth B. Historical overview of stall/spin characteristics of general aviation aircraft. (JA) 455
- Anderson, Willard W., Groom, Nelson J., and Woolley, Charles T. Annular suspension and pointing system. (JGC) 367
- Ando, Shigenori and Ichikawa, Akio Effect of forward acceleration on aerodynamic characteristics of wings. (AIAA J, TN) 653
- Andrews, Angus Method of error budgeting of inertial navigation systems. (JGC, EN) 438
- Andrews, Earl H., Jr. and Mackley, Ernest A Design, tests, and verification of a diffuser system for a Mach 4 scramjet test facility. (JA) 641
- Andrews, James R. (PS, V.63; see Netzer, David W.)
- Antani, D. L. (JA; see McMahon, H. M.)
- Anthani, V. V. (JGC, SYN; see Apte, Y. S.)
- Antonenko, V. A. (AIAA J; see Tolubinsky, V. I.)
- Aoki, Yoshio (JA, SYN; see Shindo, Shojiro)
- Apelt, Colin J. Characteristics of the split film sensor. (AIAA J, TN) 101
- Apte, Y. S. and Athani, V. V. Optimal autostabilizer for a supersonic fighter aircraft. (JGC, SYN) 97
- Arai, Norio Transient ablation of Teflon in intense radiative and convective environments. (AIAA J) 634
- Arai, Norio and Karashima, Kei-ichi Transient thermal response of ablating bodies. (AIAA J) 191
- Archer, Steven M. and Sworder, David D. Selection of the guidance variable for a re-entry vehicle. (JGC) 130
- Ardema, Mark D. Linearization of the boundary-layer equations of the minimum time-to-climb problem. (JGC, EN) 434
- Ariaratnam, S. T. (AIAA J; see Lin, Y. K.)
- (AIAA J, TN; see Fujimori, Y.)
- Arndt, Roger E. A. (AIAA J, TN; see Yamamoto, Kingo)
- Arora, Jasbir S. and Haug, Edward J. Methods of design sensitivity analysis in structural optimization. (AIAA J) 970
- Ascani, Leonard and Lackman, Leslie Design-to-cost with advanced composites and advanced metallics. (JA) 714
- Asfar, K. R., Mook, D. T., and Nayfeh, A. H. Application of the vortex-lattice technique to arbitrary bodies. (JA) 421
- Asher, Robert B., Eller, Thomas J., Robinson, Stanley R., Shackelford, Mark D. A., and Tapley, Byron D. Mixed observable estimation of random thrust errors for solar electric propulsion spacecraft. (JGC) 49
- Ashley, Holt (AIAA J; see Edwards, John W.)
- Ashworth, B. R. and McKissick, B. T. Effects of helmet loader cues on simulator pilot performance. (JA) 787
- Aston, Graeme and Kaufman, Harold R. Ion beam divergence characteristics of three-grid accelerator systems. (AIAA J) 64
- Athani, V. V. (JGC, SYN; see Apte, Y. S.)
- Ausherman, Darrell R., Alber, Irwin E., and Baum, Eric Acoustic suppression in a pulsed chemical laser. (AIAA J) 490
- Austin, James W. and Leondes, Cornelius T. Method for designing approximate optimal controllers for nonlinear systems. (JGC, EN) 347
- Avidor, Joel M. Improved free-vortex, subsonic aerodynamic window. (AIAA J, TN) 1267
- Aydilott, J. C. (JSR; see Tegart, J. R.)
- Azad, R. S. and Hummel, R. H. Similarities of turbulence structure in a conical diffuser with other wall-bounded flows. (AIAA J) 884
- Azuma, Akira and Kawachi, Keiji Local momentum theory and its application to the rotary wing. (JA) 6
- Backhus, D.R. (JA; see Iversen, J.D.)
- Baer, Paul G. Practical interior ballistic analysis of guns. (PS, V.66) 37
- Bailey, Cecil D. Comment on "Unconstrained variational statements for initial and boundary value problems." (AIAA J, RF) 541
- Bailie, J. A. (JSR; see Ericsson, L. E.)
- Baker, R. L. An irreversible thermodynamics model for graphite sublimation in radiation environments. (PS, V.64) 210
- Balas, Mark J. Direct velocity feedback control of large space structures. (JGC, EN) 252
- Ball, J. N. Rolling tail design and behavior as affected by actuator hinge moment limits. (JA) 527
- Ballal, D. R. and Lefebvre, A. H. Combustion performance of gas turbine combustors burning alternative fuels. (JE) 50
- Ballantyne, A. (AIAA J; see Reilly, J. P.)
- Balhaus, William F. (AIAA J; see Holst, Terry L.)
- Banerjee, Sanjoy (AIAA J, TN; see Mulpuru, Sambasiva R.)
- Banks, W. H. H. and Zaturka, M. B. Unsteady flow arising from rotating fluid above a fixed plane. (AIAA J, TN) 1263
- Bannerot, Richard B. (PS, V.65; see Nabavi, Hassan)
- Barber, James R. (PS, V.65; see Sumner, Irving E.)
- Bareiss, L.E. Contamination design analysis approach for Spacelab. (JSR) 394
- Bar Itzhack, Itzhack Y. (AIAA J, RF; see Baruch, Menahem)
- Baron, A. (AIAA J; see Adler, D.)
- Barra, V. (AIAA J; see Zakkay, V.)
- Barron, Ronald M. and Wiley, J. Thomas Remarks on dusty hypersonic wedge flow. (AIAA J, TN) 317
- Baruch, Menahem Selective optimal orthogonalization of measured modes. (AIAA J, TN) 120
- Baruch, Menahem and Bar Itzhack, Itzhack Y. Reply by authors to A. Berman. (AIAA J, RF) 928
- Bassiouni, M. R. and Dosanjh, D. S. Acoustic and flow characteristics of cold high-speed coaxial jets. (AIAA J) 153
- Basu, B. C. (AIAA J, TN; see Chakrabarty, S. K.)
- Bathke, E. A. (JE; see Wells, P. B.)
- Battin, Richard H. and Fill, Thomas J. Extension of Gauss' method for the solution of Kepler's equation. (JGC) 190
- Bauer, Andrew B. Dipole modeling and nondimensionalization of airframe noise. (JA) 398
- Bauerle, G. L. (JE, SYN; see Rosemary, J. K.)
- Baum, Eric (AIAA J; see Ausherman, Darrell R.)
- Baumeister, Kenneth J. Evaluation of optimized multisectioned acoustic liners. (AIAA J) 1185
- Bayazitoglu, Yildiz and Higenyi, James Higher-order differential equations of radiative transfer: P_3 approximation. (AIAA J) 424
- Beck, C. E. (JA; see Myhre, S. H.)
- Bednarz, Joseph (JSR; see Kaplan, Marshall H.)
- Bejczy, Antal K. Smart sensors for smart hands. (PS, V.67) 275
- Benet, Charles A. Flight experience with a near-optimal attitude control system. (JGC) 416
- Bennett, J. C. Use of cylindrical hot films in unsteady flows. (AIAA J, TN) 215
- BenReuven, Moshe and Summerfield, Martin Applicability of relative quickness as a precision measure of muzzle velocity. (PS, V.66) 246
- Benz, H. F. (PS, V.67; see Snyder, W. E.)
- Berg, D. E. Surface roughness effects on a Mach 6 turbulent boundary layer. (AIAA J, SYN) 929
- Bergey, Karl H. The Lancaster-Betz limit. (JE, TN) 382
- Berglund, Carl (JSR; see Solman, F. John)

- Bergmann, Edward V., Croopnick, S. R., Turkovich, J.J., and Work, C.C. An advanced spacecraft autopilot concept (JGC) 161
- Berke, L. (AIAA J; see Khot, N.S.)
- Berman, A. Comment on "Optimal weighted orthogonalization of measured modes." (AIAA J, RF) 927
- Berman, Alex Mass matrix correction using an incomplete set of measured modes. (AIAA J, TN) 1147
- Berman, Howard and Boudreau, Jean Dispersed fly-by-wire sensor system for improved combat survivability. (JGC) 463
- Berreen, Terry and Sved, George Relative motion of particles in coplanar elliptic orbits. (JGC, EN) 443
- Bertelrud, A. Experimental and computational investigation of a swept-wing flow at subsonic speeds. (JA) 742
- Beser, Jacques Approach guidance logic for a tilt-rotor aircraft. (JGC) 528
- Bezner, E. (JGC; see Shinar, J.)
- Bilgen, E. (JE, TN; see Parachiovu, I.)
- Bill, Robert C. (JA; see Taylor, Christopher M.)
- Billig, F. S. (JSR; see Waltrup, P. J.)
- Billig, F. S., Crawford, L. J., and Gundersdorf, C. J. Advanced oceanographic instrumentation systems and measurements at St. Croix, U.S.V.I. (JH) 77
- Binder, John D. (PA, V.64; see Dirling, Ray B.)
- Binnie, W. Brian and Stengel, Robert F. Flight investigation and theory of direct side-force control. (JGC) 471
- Biolsi, Louis and Wallace, Lawrence R. Some effects of ablation on transport properties in the Jovian atmosphere. (PS, V.64) 65
- Bismarck-Nasr, Maher N. and Costa Savio, Hely R. Finite-element solution of the supersonic flutter of conical shells. (AIAA J, TN) 1148
- Biter, Cleon J. and Anderson, James L. Estimating aircraft true airspeed using temperatures from two different probes. (JA, EN) 893
- Blackwell, James A., Jr. Wind-tunnel blockage correction for two-dimensional transonic flow. (JA) 256
- Blair, A.B., Jr., Sawyer, Wallace C., and Jackson, Charlie M., Jr. Ram-air-spoiler roll stabilization device for forward-control cruciform missiles. (JGC) 40
- Blanchard, David L. "Smart" from a NEEDS perspective. (PS, V.67) 166
- Blanchard, R. L. High-accuracy calibration of electrostatic gyro strapdown navigation systems. (JGC) 361
- Bledjian, Leon, Burden, J. R., and Hanna, W. H. Development of a low-temperature phase change thermal capacitor. (PS, V.65) 255
- Block, P. J. W. Assessment of airframe noise. (JA) 834
- Bloor, M. I. G. and Evans, R. A. Use of vortex discretization in establishing weak shock diffraction patterns. (AIAA J) 1046
- Blue, M. D. (PS, V.65; see Grammer, J. R.)
- Bluford, Guion S., Jr. Numerical solution of the supersonic and hypersonic viscous flow around thin delta wings. (AIAA J) 942
- Blume, Hans-Juergen C., Swift, Calvin T., and Kendall, Bruce M. Advanced systems requirements for ocean observations via microwave radiometers. (PS, V. 67) 89
- Boasson, M. (AIAA J, TN; see Weihs, D.)
- Bogdonoff, Seymour M. (AIAA J; see Settles, Gary S.)
- Boggs, T. L., Crump, J. E., Kraeutle, K. J., and Zurn, D. E. Cinephotomicrography and scanning electron microscopy as used to study solid propellant combustion. (PS, V. 63) 20
- Bojic, Milorad Ij. and Eskinazi, S. Two-dimensional mathematical model of a nonbuoyant jet in a cross-flow. (AIAA J) 1050
- Boles, Michael A. and Stockman, Norbert O. Use of experimental separation limits in the theoretical design of V/STOL inlets. (JA) 29
- Boles, R. A. (JA; see Hackett, J. E.)
- Booton, M. and Tennyson, R. C. Buckling of imperfect anisotropic circular cylinders under combined loading. (AIAA J) 278
- Borin, S. M. (PS, V.63; see Mikheev, V. F.)
- Borrello, S. R. (PS, V.67; see Chapman, R. A.)
- Boudreau, A. H. Artificially induced boundary-layer transition on blunt-slender cones at hypersonic speeds. (JSR) 245
- Boudreau, Jean (JGC; see Berman, Howard)
- Bowers, Douglas L. Aerodynamic effects induced by a vectored high aspect ratio nonaxisymmetric exhaust nozzle. (JA) 515
- Bowles, David F., Rollins, John P., and Hawks, Roger J. Parametric performance analysis of a Darrieus wind turbine system. (JE) 140
- Bowles, Jeffrey V. (JA; see Conlon, John A.)
- Boykin, W.H., Jr. (JGC; see Williams, D.T.)
- Bracken, Jerome and Grotte, Jeffrey H. Required radar ranges for AEW aircraft. (JA) 792
- Bradshaw, P. Singularities in unsteady boundary layers. (AIAA J, TN) 790
- (AIAA J; see Mahgoub, H.E.H.)
- Brandon, Harold J., Britt, Allen H., and Dunavant, James C. Aerothermodynamic assessment of corrugated panel thermal protection systems. (PS, V.64) 387
- Brant, D.N. and Nestler, D.E. Development of an afterbody radiative and convective heating code for outer planet probes. (PS, V.64) 354
- Brashears, M.R. (JA; see Wilson, D.J.)
- Breakwell, John V. (AIAA J; see Edwards, John W.)
- (JGC, TC; see Edwards, John W.)
- Breckenridge, Roger A. and Husson, Charles Smart sensors in spacecraft: impact and trends. (PS, V.67) 3
- Breidenthal, R. Chemically reacting, turbulent shear layer. (AIAA J, TN) 310
- Bremer, Hartmut Dynamics of flexible hybrid structures. (JGC, EN) 86
- Bressel, Ellen R. (AIAA J; see Shui, Ven H)
- Breuhhaus, W.O. Comment on "Flight test of stick force stability in attitude-stabilized aircraft." (JA, TC) 639
- Brickman, R.A. (JA; see Iversen, J.D.)
- Brill, T.B. and Goetz, F. Laser Raman studies of solid oxidizer behavior. (PS, V.63) 3
- Briones, R.A. and Wuerker, R.F. Holography of solid propellant combustion. (PS, V63) 251
- Britt, Allen H. (PS, V.64; see Brandon, Harold J.)
- Broucke, R. Traveling between the Lagrange points and the moon. (JGC) 257
- Broussard, P.H., Jr. (JE; see Palowitch, E.R.)
- Brown, D.P. (JGC; see Lloyd, K.H.)
- Brown, R.S., Culick, F.E.C., and Zinn, B.T. Experimental methods for combustion admittance measurements. (PS, V.63) 191
- Brown, Samuel H. and Alvestad, Reidar Simulation of maneuvering control during underway replenishments. (JH, ERR) 68
- Brun, R. (AIAA J, TN; see Meolans, J.G.)
- Brusch, Richard G. Constrained impulsive trajectory optimization for orbit-orbit transfer. (JGC) 204
- Bryson, Arthur E., Jr. (JGC, TC; see Edwards, John W.)
- Brzustowski, T.A., Twardus, E.M., Wojcicki, S., and Sobiesiak, A. Interaction of two burning fuel droplets of arbitrary size. (AIAA J) 1234
- Buckley, T.J. (AIAA J, TN; see Muggeridge, D.B.)
- Burde, S.S. and Yovanovich, M.M. Thermal resistance at smooth-sphere/rough-flat contacts: theoretical analysis. (PS, V.65) 83
- Burden, J.R. (PS, V.65; see Bledjian, Leon)
- Burggraf, Odus, R., Rizzetta, D., Werle, M.J., and Vatsa, V.N. Effect of Reynolds number on laminar separation of a supersonic stream. (AIAA J) 336
- Burkhalter, J.E. (AIAA J, SYN; see Feldman, L.A.)
- Burkhalter, John E. (AIAA J; see Purvis, James W.)
- Bushnell, David Aiming an electromagnetic beam by bending segments of a large reflecting surface. (AIAA J) 413
- Control of surface configuration by application of concentrated loads. (AIAA J) 71
- Control of surface configuration of nonuniformly heated shells. (AIAA J) 78
- Bushnell, David and Skogh, Jorgen Mirror deformation for phase compensation of a thermally bloomed laser beam. (AIAA J) 288
- Buss, D.D. (PS, V.67; see Chapman, R.A.)
- Byers, David C. Electron bombardment thruster field and particle interfaces. (JSR, SP) 289
- Byers, James L. (JA see Coté Scott M.)
- Byskov, Esben Applicability of an asymptotic expansion for elastic buckling problems with mode interaction. (AIAA J) 630
- Calarese, Wladimiro and Wlaterick, Ronald E. Mass injection and jet flow simulation effects on transonic afterbody drag. (JA) 433
- Calico, Robert A., Jr. A new look at $C_{N_{\beta, dyn}}$. (JA, EN) 895
- Calkins, D.E. Hydrodynamic analysis of a high-speed marine towed system. (JH) 10
- Camp, Dennis W. (JA; see Frost, Walter)
- Campbell, Richard L. (JA; see Mantay, Wayne R.)
- Canavin, Joseph R. and Meirovitch, Leonard Eigensolution for large flexible spacecraft with singular gyroscopic matrices. (JGC, EN) 88
- Capone, F.J. (JA; see Willard, C.M.)
- Cardani, C. and Mantegazza, P. Calculation of eignvalue and eignvector derivatives for algebraic flutter and divergence eigenproblems. (AIAA J) 408
- Carrubba, R. V. (JE; see Flanagan, P.)
- Caspar, J. R. (JE; see Dring, R.P.)
- Cassady, P. E., Pindroth, A.L., and Newton, J.F. Performance potential of advanced GDL concepts. (AIAA J) 845
- Castruccio, P.A. End-to-end design concept. (PS, V.67) 221
- Catalano, G.D., Morton, J.B., and Humphris, R.R. Pressure and velocity measurements in a three-dimensional wall jet. (AIAA J, SYN) 332
- Catherasoo, C.J. (AIAA J; see Koochesfahani, M.M.)
- Cattolica, R.J., Gallagher, R.J., Anderson, J.B., and Talbot, L. Aerodynamic separation of gases by velocity slip in freejet expansions. (AIAA J) 344
- Caughey, D.A. and Jameson, Antony Numerical calculation of transonic potention flow about wing-body combinations. (AIAA J) 175
- Caveny, Leonard H. and Gany, Alon Breakup of Al/Al_2O_3 agglomerates in accelerating flowfields. (AIAA J) 1368
- Caywood, W.C. (JSR; see Rubinstein, N.)
- Cea, R.A. (JA; see Potonides, H.C.)
- Cebeci, Tuncer and Chang K.C. Reply by authors to A.F. Mills. (AIAA J, TC) 221
- Cebeci, Tuncer, Hirsh, R.S., and Whitelaw, J.H. On the calculation of laminar and turbulent boundary layers on longitudinally curved surfaces. (AIAA J, TN) 434

- Cebeci, Tuncer, Khalil, E.E., and Whitelaw, J.H. Calculation of separated boundary-layer flows. (AIAA J, SYN) 1291
- Celentano, A. (AIAA J; see Lederman, S.)
- Celmins, Aivars K. Mathematical modeling of recoilless rifle interior ballistics. (PS, V.66) 13
- Cermak, J.E. Applications of wind tunnels to investigation of wind-engineering problems. (AIAA J, SP) 679
- Cervantes, J.A. and Palazotto, A.N. Cutout reinforcement of stiffened cylindrical shells. (JA) 203
- Chakraborty, S.K. and Basu, B.C. Approximate analysis of strake wings at low speeds. (AIAA J, TN) 432
- Chang, K.C. (AIAA J, TC; see Cebeci, Tuncer)
- Chapman, Dean R. Computational aerodynamics development and outlook. (AIAA J, Dryden Lectureship in Research) 1293
- Chapman, Gary T. (AIAA J; see Cook, William J.)
- Chapman, R.A., Kinch, M.A., Borello, S.R., Simmons, A., Roberts, C.G., and Buss, D.D. HgCdTe charge-coupled devices. (PS, V.67) 424
- Chatfield, D.A. Einhorn, I.N., Hileman, F.D., Futrell, J.H., and Voorhees, K.J. Production and analysis of thermal decomposition products from polymeric materials. (PS, V.63) 49
- Chatterjee, Sailendra N. and Kulkarni, Satish V. Shear correction factors for laminated plates. (AIAA J, SYN) 498
- Chen, Allen W. (AIAA J, TN; see Redhed, David D.)
- Chen, C.P., Sajben, M., and Kroutil, J.C. Shock-wave oscillations in a transonic diffuser flow. (AIAA J) 1076
- Chen, Imao (JA, EN; see Pierson, Bion L.)
- Chen, J.C. Garba, J.A., and Day, F.D., III Voyager design and flight loads comparison. (JSR) 27
- Chen, J.C. Garba, J.A., and Wada, B.K. Estimation of payload loads using rigid-body interface accelerations. (JSR) 74
- Cheng, H.K. and Meng, S.Y. Lifting-line theory of oblique wings in transonic flows. (AIAA J, TN) 121
- Chi, H. Nguyen and Abhat, A. Performance evaluation of gravity-assisted copper-water heat pipes with liquid overfill. (AIAA J) 1003
- Chi, L.K. and Wen, Shih-Liang Solutions to higher-order boundary-layer equations for flow over a semi-infinite plate. (AIAA J, TN) 915
- Chick, Richard W. (JSR; see Solman, F. John)
- Chien, K.Y. (AIAA J, SYN; see Zien, T.-F.)
- Chin, Leonard (JGC, EN; see Leonides, Cornelius T.)
- Chin, Wilson, C. Kinematic wave approach to hydraulic jumps with waves. (JH) 120
- Some exact solutions to Guderley's equation. (AIAA J, TN) 438
- Stability of inviscid shear flow over flexible membranes. (AIAA J, TN) 665
- (AIAA J, TN; see Rizzetta, Donald P.)
- Chiu, H.H., Rodgers, L.W., Saleem, Z.A., Ahluwalia, R.K., Kartounes, G.T., and Ahrens, F.W. Mechanical energy storage systems: compressed air and underground pumped hydro. (JE) 131
- Chopra, Inderjit (AIAA J, TN; see Johnson, Wayne)
- Chow, W.L. (AIAA J, TN; see Liu, J.S.K.)
- Christensen, Edward, J. and Williams Bobby G. Mars gravity field derived from Viking-1 and Viking-2: the navigation result. (JGC) 179
- Christiansen, Walter H. (JE; see Yesil, Oktay)
- Chung, Benjamin T.F. (AIAA J; see Eslinger, Ralph G.)
- Chung, K.S. (AIAA J; see Tien, C.L.)
- Ciffone, Donald L. and Pedley, Barbara Measured wake-vortex characteristics of aircraft in ground effect. (JA) 102
- Clapworth, Gordon J. Singularity at the trailing edge of a swept wing. (AIAA J, TN) 313
- Clark, J.A. (JE; see Wyatt, W.R.)
- Clayton, B.R. and Massey, B.S. Exact similar solution for an axisymmetric laminar boundary layer on a circular cone. (AIAA J, TN) 785
- Clement, Warren F. (JA; see Jewell, Wayne F.)
- Clements, R.M. (AIAA J; see Oved, Y.)
- Clifton, Brian J. (JSR; see Solman, F. John)
- Coe, Charles, F. (JA; see Muhlstein, Lado, Jr.)
- Cohen, G.C. (JGC; see Cotter, C.J.)
- Coles, Donald and Wadcock, Alan J. Flying-hot-wire study of flow past an NACA 4412 airfoil at maximum lift. (AIAA J) 321
- Coll, J.B. (AIAA J, TN; see Raghunathan, S.)
- Comstock, F.L. and Uyttenhove, Hugo, J.J. Computer-implemented grading of flight simulator students. (JA) 780
- Comte-Bellot, Genevieve (AIAA J; TN see Juvé, Daniel)
- Condon, John A. and Bowles, Jeffrey V. Application of advanced high-speed turboprop technology to civil short-haul transport aircraft. (JA) 680
- Cook, William J., Presley, Leroy L., and Chapman, Gary T. Shock tube as a device for testing transonic airfoils at high Reynolds numbers. (AIAA J) 714
- Cooley, Dale E. (JA; see Felt, L.R.)
- Cooper, Basil P., Jr. Computational scheme for calculating the plume backflow region. (JSR, EN) 284
- Corke, T.C. and Nagib, H.M. Large signal-to-noise technique for unsteady pressure measurements. (AIAA J, TN) 114
- Corsiglia, V.R. (JA; see Iversen, J.D.)
- Cost, Thomas L. Weight of x-ray shields for interceptor missiles. (JSR) 172
- Costa, Savio, Hely R. (AIAA J, TN; see Bismarck-Nasr, Maher N.)
- Cote Scott M. and Byers, James L. Operational environment of Naval aircraft gas turbines. (JA) 729
- Cotter, C.J. and Cohen, G.C. Automatic rollout control of the 747 airplane. (JGC) 25
- Couch, W. (JH; see Greszczuk, L.B.)
- Covert, Eugene E. Hysteresis zone or locus—aerodynamics of bulbous based bodies at low speeds. (AIAA J, TN) 659
- Craig, J.I. (JE; see Jeter, Sheldon)
- Craven, C.E. (JA; see Wilson, D.J.)
- Crawford, L.J. (JH; see Billig, F.S.)
- Creswell, G.A. (JGC; see Ellis, J.F.)
- Crites, R.C. (AIAA J, TN; see Sajben, M.)
- Croll, Robert H. and Peterson, Carl W. A computer-controlled video instrument for wind-tunnel testing of lifting parachutes. (JA) 269
- Croopnick, S.R. (JGC; see Bergmann, Edward V.)
- Crosbie, A.L. Emittance of semi-infinite scattering medium with refractive index greater than unity. (AIAA J, TN) 117
- Crosbie, A.L. and Koewing, J.W. Two-dimensional radiative heat transfer in a planar layer bounded by nonisothermal walls. (AIAA J) 196
- Crosby, Bill (JA; see Frost, Walter)
- Crump, J.E. (PS, V.63; see Boggs, T.L.)
- Cubbage, J.M. (JA; see Hunt, J.L.)
- Cudahy, G.F., Van Kuren, J.T., and Wright, H.E. Degradation of a laser beam by a two-dimensional turbulent jet. (AIAA J) 1091
- Culick, F.E.C. (PS, V.63; see Brown, R.S.)
- Cunningham, E.P. Probability of crashing from Monte Carlo simulation. (JSR, EN) 348
- Cunnington, G.R., Jr. (PS, V.65; see Parmley, R.T.)
- Cutchins, M.A. (JA; see Moore, John Elliot, Jr.)
- Cwynar, David J. (JGC; see Kaplan, Marshall H.)
- (JSR; see Kaplan, Marshall H.)
- Dabora, E.K. (AIAA J; see Ostrowski, P.P.)
- Dalton, Charles, JH; see Zedan, M.F.)
- Daly, Kevin C., Gai, Eliezer, and Harrison, James V. Generalized likelihood test for FDI in redundant sensor configurations. (JGC) 9
- D'Amaro, L.A. and Stubbs, G.S. A new single-rotation-axis autopilot for rapid spacecraft attitude maneuvers. (JG) 339
- D'Amico, W.P. In-flight measurements of the vibration history of spin-stabilized projectiles. (JSR, EN) 444
- D'Amico, W.P. and Miller, M.C. Flight stability produced by a rapidly spinning, highly viscous liquid. (JSR, EN) 62
- Dammann, R.E. (JE, EN; see Wedel, R.K.)
- Dash, S.M. (AIAA J, TN; see Pearce, B.E.)
- Dash, S.M., Wilmoth, R.G., and Pergament, H.S. Overlaid viscous/inviscid model for the prediction of near-field jet entrainment. (AIAA J) 950
- Davis, H.O. Secondary bonding of carbon/carbon composites. (JSR) 432
- Davis, R.T. (AIAA J; see Napolitano, M.)
- (AIAA J, TN; see Srivastava, B.N.)
- Davis, S.J. (AIAA J, TN; see Rapagnani, N.L.)
- Davis, Sanford S. (AIAA J; see Kadlec, Robert A.)
- Davis, T.R. and Kuo, K.K. Experimental study of the combustion processes in granular propellant beds. (JSR) 203
- Davy, W.C., Meneses, G.P., Lundell, J.H., and Dickey, R.R. Hydrogen-helium ablation of carbonaceous materials: numerical simulation and experiment. (PS, V.64) 228
- Day, F.D., III (JSR; see Chen, J.C.)
- Daywitt, J. (AIAA J; see Salas, Manuel D.)
- DeBra, Daniel B. Control technology challenges for gravitational physics experiments in space. (JGC) 147
- (JGC; see Pelka, Eugene J.)
- Decher, R. (JE; see Mattick, A.T.)
- Deckert, James C. (JGC; see Desai, Mukund N.)
- DeHoff, Ronald L. Identification of a STOL propulsion plant model from flight data. (JGC) 235
- Delattre, Michel M.G. Data acquisition and processing in a large aerodynamic test center. (JA) 141
- Demetriades, Anthony (AIAA J; see Laderman, A.J.)
- Deminet, C. (JSR; see Kenney, J.F.)
- Denli, Nuray and Landweber, L. Thick axisymmetric turbulent boundary layer on a circular cylinder. (JH) 92
- Desai, Mukund, N., Deckert, James C., and Deyst, John J., Jr. Dual-sensor failure identification using analytic redundancy. (JGC) 213
- desJardins, Richard (PS, V.67; see Greene, Edward P.)
- Desmarais, R.N. Accurate numerical evaluation of modified Struve functions occurring in unsteady aerodynamics. (JA) 441
- Detling, J. Ray and McIntyre, Stan Unique nozzle cover for the shuttle booster separation motors. (JSR) 361
- Deyst, John J., Jr. (JGC; see Desai, Mukund N.)
- Dickey, R.R. (PS, V.64; see Davy, W.C.)
- (PS, V.64; see Lundell, J.H.)
- Dickson, John N. (AIAA J, TN; see Wang, James Ting-Shun)
- Diehl, R.E. Adams, M.J., and Rinderle, E.A., Jr. Phobos encounter trajectory and maneuver design. (JGC) 123

- Dietrich, D.A. (JA; see Keith, T.G.)
- Dietz, W.E., Jr. and Altstatt, M.C. Experimental investigation of support interference on an ogive cylinder at high incidence. (JSR, SYN) 67
- Dimatakis, P.E. (AIAA J; see Koochesfahani, M.M.)
- Dirling, Ray B., Jr. and Binder, John D. Jupiter probe heat-shield configuration optimization. (PS, V.64) 321
- Dix, R.E. (JA; see Maddox, A.R.)
- Dodds, Willard J. (JE; see Mularz, Edward J.)
- Dosanjh, D.S. (AIAA J; see Bassiouni, M.R.)
- Dowell, Earl H. (JA; see Horikawa, Hidetsugu)
- Driftmyer, R.T. (AIAA J, SYN; see Zien, T.-F.)
- Dring, R.P., Caspar, J.R., and Suo, M. Particle trajectories in turbine cascades. (JE) 161
- Drummond, J. Philip Numerical solution for perpendicular sonic hydrogen injection into a ducted supersonic airstream. (AIAA J, TN) 531
- Dueck, Ernest G. (AIAA J; see Habashi, Wagdi G.)
- Duffy, Thomas J. Concept to enhance strapdown navigation on MaRV's. (JGC, EN) 542
- Dunavant, James C. (PS, V.64; see Brandon, Harold J.)
- Dunsworth, L.C. and Reed, G.J. Ramjet engine testing and simulation techniques. (JSR) 382
- Dvorak, F.A. (AIAA J; see Kind, R.J.)
- Dvorak, F.A. and Kind, R.J. Analysis method for viscous flow over circulation-controlled airfoils. (JA) 23
- Dwoyer, D.L., Lewis, Clark H., and Gogineni, P.R. Surface curvature effects on three-dimensional blunt-body boundary layers. (AIAA J, SYN) 133
- Dwyer, H.A. (AIAA J; see Otey, G.R.)
- Dyer, T. Michal Rayleigh scattering measurements of time-resolved concentration in a turbulent propane jet. (AIAA J, TN) 912
- East, J.L., Jr. Ignition and flamespreading phenomena in granular propellant gun charges. (PS, V.66) 228
- Eaton, L.R. and Neste, S.L. Optical motion control applied to the Atmospheric Cloud Physics Laboratory (ACPL). (AIAA J) 261
- Eckert, William T. (JA; see Mort, Kenneth W.)
- Eckhoff, N.D. (JE; see Shultz, J.K.)
- Eckstrom, C.V. JA; see Murrow, H.N.)
- Edelman, Raymond and Harsha, Philip T. Comment on "Centerline formulation in the numerical computation of axisymmetric flows" and "Conservation errors in axisymmetric finite difference equations." (AIAA J, RF) 1151
- Edwards, D.K. (PS, V.65; see Rowe, W.M.)
- Edwards, John W., Ashley, Holt, and Breakwell, John V. Unsteady aerodynamic modeling for arbitrary motions. (AIAA J) 365
- Edwards, John W., Breakwell, John V., and Bryson, Arthur E., Jr. Reply by authors to R. Vepa. (JGC, TC) 447
- Egan, William J., Jr. and Shadowen, James H. Design and verification of a turbobfan swirl augmentor. (JA) 599
- Ehlers, F.E., Epton, M.A., Johnson, F.T., Magnus, A.E., and Rubbert, P.E. Improved higher-order panel method for linearized supersonic flow. (AIAA J, SYN) 225
- Eichblatt, D.L. (JA; see Romere, P.O.)
- Einhorn, I.N. (PS, V.63; see Chatfield, D.A.)
- El-Hawary, M.A. A modified one-equation model of turbulence for the calculation of free shear flows. (AIAA J, TN) 303
- Elishakoff, Isaac and Stavsky, Yehuda Asymmetric vibrations of polar orthotropic laminated annular plates. (AIAA J) 507
- Eller, Thomas J. (JGC; see Asher, Robert B.)
- Ellis, J.F. and Creswell, G.A. Interferometric attitude determination with the global positioning system. (JGC) 522
- Emanuel, George Comment on "Experimental determination of the discharge coefficients for critical flow through an axisymmetric nozzle." (AIAA J, TC) 125
- Eninger, James E. and Marcus, B.D. Marangoni effect and capacity degradation in axially grooved heat pipes. (AIAA J, TN) 797
- Eppler, Richard (JH; see Shen, Young T.)
- Epstein, A.H., Kerrebrock, J.L., and Thompkins, W.T., Jr. Shock structure in transonic compressor rotors. (AIAA J) 375
- Epton, M.A. (AIAA J, SYN; see Ehlers, F.E.)
- Erickson, Gary E. Effect of spanwise blowing on the aerodynamic characteristics of the F-5E. (JA) 695
- Eriasson, Lars E. Nonlinear hypersonic viscous crossflow effects on slender vehicle dynamics. (AIAA J) 586
- Eriasson, L.E., Almroth, B.O., and Bailie, J.A. Hypersonic aerothermoelastic characteristics of a finned missile. (JSR) 187
- Eriasson, Lars E. and Reding, J. Peter Criterion for vortex periodicity in cylinder wakes. (AIAA J, TN) 1012
- Escudier, M.P. and Merkli, P. Observations of the oscillatory behavior of a confined ring vortex. (AIAA J) 253
- Eskenazi, R. and Williams, D.S. Modular onboard adaptive imaging. (PS, V.67) 305
- Eskinazi, S. (AIAA J; see Bojić, Milorad Lj.)
- Eskinazi, S. and Goethals, R. Multiple pump stage loading of a variable-rpm wind turbine. (JE) 114
- Eslinger, Ralph G. and Chung, Benjamin T.F. Periodic heat transfer in radiating and convecting fins or fin arrays. (AIAA J) 1134
- Esposti, Degli P.L. (JSR; see Vallerani, E.)
- Estabrook, F.B. (JSR; see Anderson, J.D.)
- Evans, R.A. (AIAA J; see Bloor, M.I.G.)
- Ewald, B. Development of electron beam welded, strain-gaged wind-tunnel balances. (JA) 349
- Faeth, G.M. (JE; see Shearer, A.J.)
- Fang, B.T. Satellite-to-satellite tracking orbit determination. (JGC) 57
- Fang, J.G. (AIAA J; see Ventrice, M.B.)
- Farmer, Moses G. (JA; see Hwang, Chintsun)
- Farrenkopf, R.L. Optimal open-loop maneuver profiles for flexible spacecraft. (JGC) 491
- Favier, Daniel, Rebont, Jean, and Maresca, Christian Large-amplitude fluctuations of velocity and incidence on an oscillating airfoil. (AIAA J, TN) 1265
- Favin, Stanley (JH; see Schetz, Joseph A.)
- Feldman, Karl Thomas, Jr. and Munje, Satish Experiments with gravity-assisted heat pipes with and without circumferential grooves. (JE) 211
- Feldman, L.A. and Burkhalter, J.E. Numerical solutions of transient MHD phenomena. (AIAA J, SYN) 227
- Felt, L.R., Huttzell, Lawrence J., Noll, Thomas E., and Cooley, Dale E. Aeroseervoelastic encounters. (JA) 477
- Fenn, J.B. (AIAA J, TC; see Tang, S.P.)
- Ferman, M.A. and Unger, W.H. Fluid-structure interaction dynamics in aircraft fuel tanks. (JA) 885
- Ferziger, J.H. (AIAA J; see McMillan, O.J.)
- Fettis, Henry E. Bessel function evaluation of the clamped end bending moment of an impulsively loaded beam. (AIAA J, TN) 116
- Fey, Wayne A. Stationkeeping at constant distance. (JGC, EN) 90
- Figard, R.L. and Schetz, J.A. Studies of the aerodynamic performance of a 10 kW horizontal-axis windmill. (JE) 3
- Fill, Thomas, J. (JGC; see Battin, Richard H.)
- Fink, Martin R. Noise component method for airframe noise. (JA) 659
- Fisher, E.B. Research test techniques applied to gun interior ballistics. (PS, V.66) 281
- Fisher, H.D. Modal analysis of the transient asymmetric response of thin circular plates. (AIAA J, TN) 1274
- Fitzgerald, Robert J. Shaping filters for disturbances with random starting times. (JGC, EN) 152
- Fitzpatrick, Thomas J. (AIAA J; see Settles, Gary S.)
- Flaggs, D.L. and Vinson, J.R. Shear properties of promising adhesives for bonded joints in composite material structures. (JA) 51
- Flanagan, P., Norster, E.R., and Carrubba, R.V. Development of a gas turbine combustor utilizing a catalyst. (JE) 75
- Flax, Alexander H. Comment on a "A comparison of different forms of dirigible equations of motion." (JGC, TC) 544
- Fleeter, Sanford Aeroelasticity research for turbomachine applications. (JA) 320
- Fleeter, Sanford and Riffel, Ronald E. Time-variant aerodynamics of oscillating airfoil surfaces in a supersonic flowfield. (AIAA J) 465
- Fletcher, C.A.J. and Roberts, B.W. Electricity generation from jet-stream winds. (JE) 241
- Fletcher, L.S. (PS, V.65; see Somers, R.R., II)
- Foreman, Kenneth M. (JE; see Gilbert, Barry L.)
- Forester, Clifford K. (AIAA J; see Roberts, Donald W.)
- Foss, J.F. Measurements in a large-angle oblique jet impingement flow. (AIAA J, SYN) 801
- Foster, Edwin P. (JA; see Storaasli, Olaf O.)
- Foster, Winfred A., Jr. (JSR; see Sforzini, Richard H.)
- Fox, John H. Simple recompression model for the Korst base pressure theory. (AIAA J, TN) 311
- Francis, J.E. (PS, V.65; see Love, T.J.)
- Francis, M.S. (AIAA J; see Keese, J.E.)
- Francis, M.S., Keese, J.E., Lang, J.D., Sparks, G.W., Jr., and Sisson, G.E. Aerodynamics characteristics of an unsteady separated flow. (AIAA J) 1332
- Francis, Michael S. and Kennedy, Donald A. Formation of a trailing vortex. (JA) 148
- Frazine, D.F. (JSR; see Roux, J.A.)
- French, J.R., Stuart, J.R., and Zeldin, B. New concepts for Mercury orbiter missions. (JSR) 35
- Friedmann, P.P. (AIAA J; see Kottapalli, S.B.R.)
- Frost, Walter, Crosby, Bill, and Camp, Dennis W. Flight through thunderstorm outflows. (JA) 749
- Frost, Walter, Reddy, Ravi, Crosby, Bill, and Camp, Dennis W. C/STOL flight in wind disturbed by the presence of buildings. (JA) 856
- Fuchs, Arthur J. and Pajerski, Rosemaria S. Role of autonomous satellite navigation in the NEEDS program. (PS, V.67) 233
- Fujimori, Y. (AIAA J; see Lin, Y.K.)
- Fujimori, Y., Lin, Y.K., and Ariaratnam, S.T. Rotor blade stability in turbulent flows — part II. (AIAA J) 673
- Fung, K.-Y. (AIAA J; see Sobieczky, H.)
- Fung, Y.T., Liu, C.H., and Gunzburger, M.D. Simulation of the pressure field near a jet by randomly distributed vortex rings. (AIAA J) 553
- Furukawa, Massao Analytical studies on design optimization of movable louvers for space use. (JSR) 412

- Futrell, J.H. (PS, V.63; see Chatfield, D.A.)
- Gad-el-Hak, Mohamed and Morton, J.B. Experiments on the diffusion of smoke in isotropic turbulent flow. (AIAA J) 558
- Gai, Eliezer (JGC; see Daly, Kevin C.)
- (JGC; see Walker, Bruce K.)
- Gallagher, R.J. (AIAA J; see Cattolica, R.J.)
- Gany, Alon (AIAA J; see Caveny, Leonard H.)
- Garba, J.A. (JSR; see Chen, J.C.)
- Garg, Subhash Empirical simulation model for hydrazine attitude control thrusters. (JSR) 389
- Stability analysis of a flexible spacecraft with a sampled-data attitude sensor. (JGC) 169
- Garg, S.C., Hughes, P.C., Millar, R.A. and Vigneron, F.R. Flight results on structural dynamics from Hermes. (JSR) 81
- Gari, H.N. (JE, SYN; see Loehrke, J.C.)
- Gatski, Thomas B. Sound production due to large-scale coherent structures. (AIAA J) 614
- Geller, Edward W. Calculation of flow in the tail region of a body of revolution. (JH, EN) 127
- George, A.R. and Kim, Y.N. High-altitude long-range sonic boom propagation. (JA, EN) 637
- Gharib, M. (AIAA J; see Koochesfahani, M.M.)
- Ghia, K.N., Hankey, W.L., Jr., and Hodge, J.K. Use of primitive variables in the solution of incompressible Navier-Stokes equations. (AIAA J, TN) 298
- Gilbert, Barry L. and Foreman, Kenneth M. Experimental demonstration of the diffuser-augmented wind turbine concept. (JE) 235
- Gill, Georges S. (JSR; see Pouliquen, Marcel)
- Glaser, J. (AIAA J; see Lederman, S.)
- Glasgow, D.A. (AIAA J, TN; see Nelson, H.D.)
- Glassford, A.P.M. (JSR; see Liu, Chang-Keng)
- Adiabatic cycle analysis for the valved thermal compressor. (JE) 306
- Glaum, Fred (AIAA J, SYN; see Murphree, David L.)
- Gleason, Clifford C. (JE; see Mularz, Edward J.)
- Glick, Robert L. Temperature sensitivity and erosive burning. (JSR, EN) 58
- Glickman, R. (JGC; see Spencer, T.M.)
- Goethals, R. (JE; see Eskinazi, S.)
- Goetz, F. (PS, V.63; see Brill, T.B.)
- Gogineni, P.R. (AIAA J, SYN) see Dwoyer, D.L.)
- Goka, T. (JGC; see Sorenson, J.A.)
- Golden, Harvey and Neiers, James W. Sensor needs for agricultural applications. (PS, V.67) 27
- Goldstein, Sidney Interior ballistic modeling applied to small-arms systems. (PS, V.66) 67
- Gollahalli, S.R. (JA, EN; see Jahani, H.)
- Gonard, R. (JSR; see Langlois, G.)
- Good, W.D. (AIAA J, TN; see Smith, N.K.)
- Gooden, K. (AIAA J; see Kind, R.J.)
- Goodman, Theodore R. and Valentine Daniel T. Effect of hydrostatic pressure on underwater body cable configurations. (JH, EN) 131
- Gopinath, R. and Murthy, A.V. Pressure gradient effects on laminar boundary layers at large Prandtl numbers. (AIAA J, SYN) 1153
- Gordon, R.A., Mistretta, G.D., and Watson, J.S. A comparison of classical analytic theories for the motion of artificial satellites. (JGC) 184
- Gottesdiener, L. Experimental study of flow near the trailing edge of a flat plate in rarefied gas. (AIAA J) 1159
- Gough, P.S. Modeling of two-phase flow in guns. (PS, V.66) 176
- Gough, P.S., and Zwarts, F.J. Modeling heterogeneous two-phase reacting flows. (AIAA J) 17
- Gouldin, F.C. (AIAA J; see Smith, K.O.)
- Grammer, J.R., Alff, W.H., Blue, M.D., and Perkowitz, S. Far-infrared properties of baffle coating materials. (PS, V.65) 39
- Graves, R.A., Jr. (PS, V.64; see Kumar, Ajay)
- (AIAA J; see Kumar, Ajay)
- Gray, Robin B. (JA; see Raj, Pradeep)
- Green, Michael J. and Nicolet, William E. Aerothermodynamic environment for Jovian entry with silica heat shield. (PS, V.64) 108
- Greenberg, S.A. (JE, TN; see Wedel, R.K.)
- Greene, Edward P. and desJardins, Richard Sensor data autonomy. (PS, V.67) 246
- Greene, R.A. Airborne detection of low-level wind shear. (JA) 823
- Greenfield, M.L. (PS, V.65; see Stimpson, L.D.)
- Grems, E.G. (JE; see Jeter, Sheldon)
- Greszczuk, L.B., Hawley, A.V., and Couch, W. Application of hybrid composites to hydrofoil structures. (JH) 105
- Griggs, E.I. (JE; see Hewitt, H.C., Jr.)
- Groll, M., Munzel, W.D., Supper, W., and Savage, C.J. Development of a liquid-trap heat pipe thermal diode. (JSR) 195
- Groom, Nelson J. (JGC; see Anderson, Willard W.)
- (JGC, EN; see Joshi, Suresh M.)
- Grossman, Bernard Numerical procedure for the computation of irrotational conical flows. (AIAA J) 828
- (AIAA J, TN; see Keyfitz, Barbara)
- Grossman, R.L. (JA; see Schnell, W.C.)
- Grotte, Jeffrey H. (JA; see Bracken, Jerome)
- Grubin, Carl Quaternion singularity revisited. (JGC, EN) 255
- Guienne, P.F. The 260-ton French amphibious hovercraft—Naviplane N 500. (JH) 33
- Gundersdorf, C.J. (JH; see Billig, F.S.)
- Gunnarson, Daniel W. and McArdle, Jack C. Inlet and duct for the QSRA boundary-layer control system. (JA) 303
- Gunzburger, M.D. (AIAA J; see Fung, Y.T.)
- Gupta, M.M. (JGC; see Nikiforuk, P.N.)
- (JGC; see Ohta, H.)
- Gupta, Narendra K. and Hall, W. Earl, Jr. System identification technology for estimating re-entry vehicle aerodynamic coefficients. (JGC) 139
- Gur, I., Shinar, J., and Rom, J. Prediction of roll controllability of slender cruciform canard configurations. (JSR) 238
- Gutman, Shaul On optimal guidance for homing missiles. (JGC) 296
- Gutowski, Robert (AIAA J; see Papazian, John M.)
- Haar, L. (PS, V.66; see Powell, E. G.)
- Habashi, Wagdi G., Dueck, Ernest G., and Kenny, David P. Finite-element approach to compressor blade-to-blade cascade analysis. (AIAA J) 693
- Hackett, J.E. and Boles, R.A. Moving-ground simulation by tangential blowing. (JA) 803
- Hafez, M., South, J., and Murman, E. Artificial compressibility methods for numerical solutions of transonic full potential equation. (AIAA J) 838
- Haftka, Raphael T. (JA; see Starnes, James H., Jr.)
- Hague, D.S. and Levin, Alan D. High performance dash-on-warning air mobile missile system. (JA) 551
- Hahn, H.T. (AIAA J; see Witt, W.P., III)
- Hale, Francis J. and Steiger, Arthur R. Effect of wind on aircraft cruise performance. (JA) 382
- Hall, Dennis R. Reply by author to N.H. Kemp. (AIAA J, RF) 446
- Hall, R.B., Maher, W.E., Nichols, D.B., and Nelson, D.J. High-power laser coupling. (PS, V.65) 179
- Hall, W. Earl, Jr. (JGC; see Gupta, Narendra K.)
- Halsey, N.D. Potential flow analysis of multielement airfoils using conformal mapping. (AIAA J) 1281
- Hamed, A. and Abdallah, S. Streamlike function: a new concept in flow problems formulation. (JA, SYN) 801
- Hammond, E.F., Jr., Neff, W.S., and Shilling, W.J. A 2.5-MVA high-voltage lightweight generator. (JA) 55
- Hanagud, S. and Uppaluri, B. Reusable solid rocket motor case: optimum probabilistic fracture control. (JSR) 147
- Hankey, W.L., Jr. (AIAA J, TN; see Ghia, K.N.)
- Hankey, W.L. (AIAA J; see Shang, J.S.)
- Hanna, W.H. (PS, V.65; see Bledjian, Leon)
- Hara, Takehisa and Umoto, Juro Three-dimensional effects of electrode configuration on diagonal MHD generator performance. (JE) 16
- Harris, Christopher F. (JE, TN; see Myerson, Allan S.)
- Harris, Robert B. and Rickard, William W. Active control transport design criteria. (JA, SYN) 737
- Harrison, James V. (JGC; see Daly, Kevin C.)
- Harsha, Philip T. (AIAA J, RF; see Edelman, Raymond)
- Hastings, Leon J. and Allums, Steve L. Performance characteristics of a 1.8 x 3.7 m Fresnel lens solar concentrator. (JE, SYN) 65
- Haug, Edward J. (AIAA J; see Arora, Jasbir S.)
- Haviland, J.K. and Herling, W.W. Scaling of fluctuating pressures in jet impingement. (JA) 182
- Hawks, Roger J. (JE; see Bowles, David F.)
- Hawley, A.V. (JH; see Greszczuk, L.B.)
- Hayes, Richard M. "Smart" remote sensor needs for U.S. Coast Guard ocean environment missions. (PS, V.67)
- Hazellrigg, George A., Jr. Comment on "SPS cost considerations." (JE, TC) 125
- Hazellrigg, George A., Jr. and Lietzke, Keith R. Research and development and the price of oil. (JE) 349
- Hearn, H.C. Effect of internal physical change on catalytic thruster performance. (JSR) 343
- Heber, Charles E. (JH; see Wilson, Robert A.)
- Heffley, Robert K. (JA; see Jewell, Wayne F.)
- Hegemier, G. (JH; see Nair, S.)
- Heiney, Otto K. Ballistics applied to rapid-fire guns. (PS, V.66) 87
- Heinrich, Juan C. and Marshall, Robert S. Penalty function solution of steady-state Navier-Stokes equations. (AIAA J, TN) 789
- Heller, R.A., Kamat, M.P., and Singh, M.P. Probability of solid-propellant motor failure due to environmental temperatures. (JSR) 140
- Helms, Vernon T., III Measuring flow angle and mass flow rate in an unknown flowfield. (JSR) 20
- Hennis, L.A. and Varon, M.N. Thermal design and development of Pioneer Venus large probe. (PS, V.65) 425
- Heppenheimer, T.A. Lunar material transports: comparison of modes employing achromatic trajectories. (JSR, EN) 60
- Herling, W.W. (JA; see Haviland, J.K.)
- Hermance, C.E. (AIAA J; see Aly, S.L.)
- Hermesh, R., Katzir, S., and Kreindler, E. Optimal thrust for maximal rocket turn. (JGC) 301
- Hertzberg, A. (JE; see Mattick, A.T.)
- Hess, Ronald A. A rationale for human operator pulsive control behavior. (JGC) 221

- Hewitt, H.C., Jr. and Griggs, E.I.** Method to determine an optimal air-flow rate in solar collectors. (JE) 357
- Higenyi, James** (AIAA J; see Bayazitoglu, Yildiz)
- Higuchi, Hiroshi and Rubesin, Morris W.** Behavior of a turbulent boundary layer subjected to sudden transverse strain. (AIAA J) 931
- Hileman, F.D.** (PS, V.63; see Chatfield, D.A.)
- Hiley, P.E., Kitzmiller, D.E., and Willard C.M.** Installed performance of vectoring/reversing nonaxisymmetric nozzles. (JA) 532
- Hill, Eugene G.** (JA, SYN; see Shindo, Shojiro)
- Hinchey, M.J., and Sullivan, P.A.** Duct effects on the dynamic fan characteristics of air cushion systems. (JH, EN) 28
- Hines, R.** (JSR; see Siegelman, D.)
- Hirano, Yoichi** Optimum design of laminated plates under axial compression. (AIAA J, TN) 1017
- Hirsh, R.S.** (AIAA J, TN; see Cebeci, Tuncer)
- Hodapp, Albert E., Jr.** (JSR; see Rollstin, Larry R.)
- Hodge, J.K.** (AIAA J, TN; see Ghia, K.N.)
- Hodge, James K., Stone, Alan L., and Miller, Thomas E.** Numerical solution for airfoils near stall in optimized boundary-fitted curvilinear coordinates. (AIAA J) 458
- Hodges, Dewey H.** A theoretical technique for analyzing aeroelastic stability of bearingless rotors. (AIAA J) 400
- Direct solutions for Sturm-Liouville systems with discontinuous coefficients. (AIAA J, TN) 924
- Hokenson, Gustave** Transport physics and mathematical characteristics. (AIAA J, TN) 781
- Holst, Terry L.** Implicit algorithm for the conservative transonic full-potential equation using an arbitrary mesh. (AIAA J) 1038
- Holst, Terry L. and Ballhaus, William F.** Fast conservative schemes for the full potential equation applied to transonic flows. (AIAA J) 145
- Holzer, J.C.** (JE, SYN; Loehrke, J.C.)
- Hoogendoorn, C.J.** (AIAA J; see van Ooijen, H.)
- Hooke, Frederick H.** A new look at structural reliability and risk theory. (AIAA J) 980
- Hookway, R.O.** (JGC, EN; see Pretty, J.R.)
- Hopenfeld, J.** Simplified correlations for prediction of NO_x emissions from MHD power plants. (JE) 335
- Horikawa, Hidetsugu and Dowell, Earl H.** An elementary explanation of the flutter mechanism with active feedback controls. (JA) 225
- Horst, Albert W.** (PS, V.66; see May, Ingo W.)
- Horstman, C.C.** (AIAA J; see Acharya, M.)
- (AIAA J; see Viegas, J.R.)
- Horstman, C.C. and Hung, C.M.** Computation of three-dimensional turbulent separated flows at supersonic speeds. (AIAA J, SYN) 1155
- Hotovy, Steven G.** (AIAA J, TN; see Redhed, David D.)
- Howell, John R.** Flat-plate solar collector design and sizing. (JE, TN) 379
- Howes, D.B.** (JA; see Romere, P.O.)
- Howle, William M., Jr., and Kelly, W. Lane, IV** Information adaptive system of NEEDS. (PS, V.67) 213
- Hsu, C.T.** Comment on "Wind power limitations associated with vortices." (JE, TC) 127
- Hsu, P.W.** (JSR; see Pagano, N.J.)
- Huang, Ju-chin** (AIAA J, TN; see Nopratvarakorn, Vichien)
- Hubbairt, James E.** Study of a vortex augmentor for wind-powered turbine. (JE) 344
- (AIAA J, TN; see Neale, D.H.)
- Huck, Friedrich O. and Park, Stephen K.** Multispectral data acquisition and classification: statistical models for system design. (PS, V.67) 490
- Hughes, P.C.** (JSR; see Garg, S.C.)
- Hughes, Peter C. and Abdel-Rahman, Tarek M.** Stability of proportional-plus-derivative-plus-integral control of flexible spacecraft. (JGC) 499
- Hull, David G. and Williamson, Walton E.** Numerical derivatives for parameter optimization. (JGC, EN) 158
- Hummel, R.H.** (AIAA J; see Azad, R.S.)
- Humphris, R.R.** (AIAA J, SYN; see Catalano, G.D.)
- Hung, C.M.** (AIAA J, SYN; see Horstman, C.C.)
- Hunt, J.L., Lawing, P.L., Marcum, D.C., and Cubbage, J.M.** Performance potential and research needs of a hypersonic, air-breathing, lifting missile concept. (JA) 666
- Hurban, John M.** (PS, V.66; see Watermeier, Leland A.)
- Husain, Z.D. and Hussain, A.K.M.F.** Axisymmetric mixing layer: influence of the initial and boundary conditions. (AIAA J) 48
- Hussain, A.K.M.F.** (AIAA J; see Husain, Z.D.)
- Husson, Charles** (PS, V.67; see Breckenridge, Roger A.)
- Huttsell, L.J.** (JA; see Noll, Thomas E.)
- (JA; see Felt, Larry R.)
- Hwang, Chintsun and Pi, W.S.** Aircraft wake flow and horizontal tail buffet. (JA, EN) 282
- Some observations on the mechanism of aircraft wing rock. (JA) 366
- Hwang, Chintsun, Winther, Bertil A., Mills, George R., Noll, Thomas E., and Farmer, Moses G.** Demonstration of aircraft wing/store flutter suppression systems. (JA) 557
- Ichikawa, Akio** (AIAA J, TN; see Ando, Shigenori)
- Ikawa, Hideo** Real gas laminar boundary-layer separation prediction methodology. (AIAA J, SYN) 1157
- Iliff, Kenneth and Maine, Richard E.** Observations on maximum likelihood estimation of aerodynamic characteristics from flight data. (JGC) 228
- (JA; see Maine, Richard E.)
- Imber, Murray** Inverse problem for the solid cylinder. (AIAA J) 91
- Nonlinear heat transfer in planar solids: direct and inverse applications. (AIAA J) 204
- Imbert, M.** (AIAA J; see Zeitoun, D.)
- Inger, G.R.** Transonic shock-boundary-layer interactions in cryogenic wind tunnels. (JA, EN) 284
- Isogai, Koji** On the transonic-dip mechanism of flutter of a sweptback wing. (AIAA J, TN) 793
- Isopi, R.** New solid propellant for European apogee boost motor. (JSR, SYN) 355
- Iversen, J.D., Corsiglia, V.R., Park, S., Backhus, D.R., and Brickman, R.A.** Hot-wire, laser-anemometer, and force measurements of interacting trailing vortices. (JA) 448
- Ives, David C. and Liutermoza, John F.** Second-order-accurate calculation of transonic flow over turbomachinery cascades. (AIAA J) 870
- Jackson, Charlie M., Jr.** (JGC; see Blair, A.B., Jr.)
- Jahani, H. and Gollahalli, S.R.** Burning sprays of jet A fuel-water emulsions. (JA, EN) 798
- Jain, S.R., Krishna, P.M.M., and Pai Verneker, V.R.** Hypergolic ignition of various hydrazones with nitric acid. (JSR) 69
- James, William D.** (JA; see Olson, Lawrence E.)
- Jameson, Antony** (AIAA J; see Caughey, D.A.)
- Jarman, John W.** (PS, V.67; see Murphy, Lawrence P.)
- Jaworski, W.** (PS, V.65; see Stimpson, L.D.)
- Jenke, Leroy M.** Application of digital Fourier analysis in processing dynamic aerodynamic heating measurements. (AIAA J, SYN) 641
- Jenkins, Marion K.** (JE; see Nakamura, Takashi)
- Jeter, Sheldon, Craig, J.I., and Grems, E.G.** Orientation studies for single-axis concentrating collectors. (JE) 151
- Jewell, N.T.** (PS, V.63; see Smart, A.E.)
- Jewell, Wayne F., Heffley, Robert K., Clement, Warren F., and West, Thomas C.** Powered-lift aircraft handling qualities in presence of atmospheric disturbances. (JA) 388
- Jobe, Charles E., Kulfan, Robert M., and Vachal, John D.** Application of laminar flow control to large military transports. (JA) 170
- Wing planforms for large military transports. (JA) 425
- Jobson, Daniel J.** Onboard compensation for temporal changes in pushbroom scanner detector arrays. (PS, V.67) 481
- Johnson, B.V.** (JE; see Suo, M.)
- Johnson, D.A.** (AIAA J; see Modarress, D.)
- (JA; see Owen, F.K.)
- Johnson, E.S.** (JA; see Rowe, W.T.)
- Johnson, F.T.** (AIAA J, SYN; see Ehlers, F.E.)
- Johnson, Gordon R.** Dynamic response of axisymmetric solids subjected to impact and spin. (AIAA J) 975
- Johnson, Wayne and Chopra, Inderjit** Calculated hovering helicopter flight dynamics with a circulation-controlled rotor. (JA) 124
- Johnston, W. and Sockol, P.** Matching procedure for viscous-inviscid interactive calculations. (AIAA J, TN) 661
- Jones, B.** (PS, V.63; see Smart, A.E.)
- Jones, B.G., Adrian, R.J., Nithianandan, C.K., and Planchon, H.P., Jr.** Spectra of turbulent static pressure fluctuations in jet mixing layers. (AIAA J) 449
- Jones, E.** (AIAA J; see Parthasarathy, K.N.)
- Jones, J.** Absence of bending effects on solar-receiver-tube fatigue. (JE, TN) 187
- Jones, J. J.** (PS, V.64; see Sutton, K.)
- (PS, V.64; see Moss, James N.)
- Jordan, A.J.** (JA; see Wilson, D.J.)
- Joshi, Suresh M. and Groom, Nelson J.** Stability bounds for the control of large space structures. (JGC) 349
- Juhasz, Arpad A. and Price, Channon F.** The closed bomb technique for burning rate measurement at high pressure. (PS, V.63) 129
- Juvé, Daniel, Sunyach, Michel, and Comte-Bellot, Geneviève** Filtered azimuthal correlations in the acoustic far field of a subsonic jet. (AIAA J, TN) 112
- Kadlec, Robert A. and Davis, Sanford S.** Visualization of quasiperiodic flows. (AIAA J) 1164
- Kamat, Manohar P.** (JSR; see Heller, R.A.)
- Kamat, Manohar P. and Knight, Norman F., Jr.** Nonlinear transient analysis via energy minimization. (AIAA J, SYN) 968
- Kanonchik, L.E.** (AIAA J; see Vasiliev, L.L.)
- Kanury, A. Murty** Methods of measurements in destructive fires. (PS, V.63) 279
- Kanzawa, A.** (AIAA J; see Suzuki, M.)
- Kaplan, Marshall H., Cwynar, David J., and Alexander, Stephen G.** Simulation of Skylab orbit decay and attitude dynamics. (JGC) 511
- Kaplan, Marshall H., Cwynar, David J., and Bednarz, Joseph A.** nuclear-powered communications satellite for the 1980's. (JSR) 268

- Karam, Robert D.** Temperature distribution in louvered panels. (JSR) 92
- Karashima, Kei-ichi** (AIAA J; see Arai, Norio)
- Karlsson, K.R. and Sedin, Y.C.-J.** Axisymmetric calculations of transonic wind tunnel interference in slotted test sections. (AIAA J, TN) 917
- Kartsounes, G.T.** (JE; see Chiu, H.H.)
- Kato, Kanichiro, Mihara, Shoichiro, and Nakamura, Hidetoshi** The role of the backside parameter in height control. (JGC) 241
- Kato, Kanichiro and Yamane, Takashi** A calculation of rotor impedance for hovering articulated-rotor helicopters (JA) 15
- Calculation of rotor impedance for articulated rotor helicopters in forward flight. (JA) 470
- Numerical prediction of typical articulated rotor impedance. (JA, SYN) 417
- Katz, I.** (JSR; see Parks, D.E.)
- Katz, J.** Method for calculating wing loading during maneuvering flight along a three-dimensional curved path. (JA) 739
- Katzir, S.** (JGC; see Hermesh, R.)
- Kaufman, Harold R.** (JSR; see Wilbur, Paul J.)
- (AIAA J; see Aston, Graeme)
- Kaufman, W.B. and Tower, L.K.** Evaluation of commercially available spacecraft-type heat pipes. (JSR) 98
- Kavanagh, H.M. and Murphy, F.L.** Temperature control analysis and flight results for the Viking Orbiter 1975 Mars atmospheric water detector instrument. (PS V.65) 407
- Kawachi, Keiji** (JA; see Azuma, Akira)
- Kaza, K.R.V. and Kvaternik, R.G.** Examination of the flap-lag stability of rigid articulated rotor blades. (JA) 876
- Keese, David L.** Zero-pressure balloon design. (AIAA J) 12
- Keese, J.E.** (AIAA J; see Francis, M.S.)
- Keese, J.E., Francis, M.S., and Lang, J.D.** Technique for vorticity measurement in unsteady flow. (AIAA J) 387
- Keith, T.G., Jr., Obee, T.N., and Dietrich, D.A.** Total pressure recovery of flared fan nozzles used as inlets. (JA) 110
- Kelly, W. Lane, IV** (PS, V.67; see Howle, William M., Jr.)
- Kemp, Nelson H.** Comment on "Hypersonic free molecular heating of micron size particulate." (AIAA J, RF) 445
- Kemp, Nelson H. and Root, Robert G.** Analytical study of laser-supported combustion waves in hydrogen. (JE) 40
- Nozzle flow in a laser-heated hydrogen rocket. (JSR, SYN) 65
- Kendall, Bruce M.** (PS, V.67; see Blume, Hans-Juergen C.)
- Kennedy, Donald A.** (JA; see Francis, Michael S.)
- Kenney, J.F. and Deminet, C.** Low-pressure diffusion bonding of titanium. (JSR) 88
- Kenny, David P.** (AIAA J; see Habashi, Wagdi G.)
- Kerrebrock, J.L.** (AIAA J; see Epstein, A.H.)
- Keskar, Dinesh A.** (JA; see Queijo, M.J.)
- Keskar, Dinesh A. and Slater, Gary L.** Load factor response of digitally controlled aircraft. (JGC) 247
- Keyfitz, Barbara L., Melnik, Robert E., and Grossman, Bernard** Leading-edge singularity in transonic small-disturbance theory: numerical resolution. (AIAA J, TN) 296
- Khalil, E.E.** (AIAA J, SYN; see Cebeci, Tuncer)
- Khan, M.R., Willmert, K.D., and Thornton, W.A.** An optimality criterion method for large-scale structures. (AIAA J) 753
- Khot, N.S., Berke, L., and Venkayya, V.B.** Comparison of optimality criteria algorithms for minimum weight design of structures. (AIAA J) 182
- Kibler, James F.** (PS, V.67; see Young, George R.)
- Kim, B.S.C.** A shock-tube investigation of heat transfer in the base region of a slender cone-hemisphere. (PS, V.64) 278
- Kim, Byoung Suler and Moon, Francis** Impact induced stress waves in an anisotropic plate. (AIAA J) 1126
- Kim, Thomas J.** (AIAA J, TN; see Patsalides, Nicos M.)
- Kim, Y.N.** (JA, EN; see George, A.R.)
- Kinch, M.A.** (PS, V.67; see Chapman, R.A.)
- Kind, R.J.** (JA; see Dvorak, F.A.)
- Kind, R.J., Gooden, K., and Dvorak, F.A.** Measurements of flows with tangential injection and comparison with prediction methods. (AIAA J) 730
- King, H.M.** (PS, V.65; see Leggett, H.)
- King, Merrill K.** Erosive burning of composite solid propellants: experimental and modeling studies. (JSR) 154
- King, William S.** Estimates of critical Reynolds number for a heated flat plate in water. (JH, EN) 125
- Kirchner, Robert D.** Comment on "Wall shear stress measurements in a shock-wave boundary-layer interaction." (AIAA J, RF) 670
- Kishore, K.** Comprehensive view of the combustion models of composite solid propellants. (AIAA J, SP) 1216
- Kishore, K. and Sunitha, M.R.** Effect of transition metal oxides on decomposition and deflagration of composite solid propellant systems: a survey. (AIAA J, SP) 1118
- Kitzmilller, D.E.** (JA; see Hiley, P.E.)
- Kivel, Bennett** (AIAA J; see Shui, Ven H.)
- Klapp, A.J.** Automated ship routing. (JH) 5
- Klein, M.** (PS, V.66; see Powell, E. G.)
- Klich, Phillip J.** (JSR; see Rehder, John J.)
- Klimas, Paul C.** Inflating parachute canopy differential pressures. (JA) 861
- Knight, Charles J.** Theoretical modeling of rapid surface vaporization with back pressure. (AIAA J) 519
- (AIAA J, TN; see Tong, Kwok-On)
- Knight, Norman F., Jr.** (AIAA J; see Kamat, Manohar P.)
- Knuth, Eldon L.** (AIAA J; see Liu, Shih-Min)
- Kobayakawa, Makoto** (JA; see Okubo, Hiroshi)
- Koch, T.L.** (PS, V.67; see Thom, R.D.)
- Koewing, J.W.** (AIAA J; see Crosbie, A.L.)
- Kohlman, David L.** Flight test results for an advanced technology light airplane. (JA) 250
- Konarski, M.** (JA; see Willard, C.M.)
- Konczek, J.L.** (JA; see Shaw, R.J.)
- Koochesfahani, M.M., Catherasoo, C.J., Dimatakis, P.E., Gharib, M., and Lang, D.B.** Two-point LDV measurements in a plane mixing layer. (AIAA J) 1347
- Kornreich, P.G.** (PS, V.67; see Kowel, S.T.)
- Kosson, Robert L.** (AIAA J, TN; see Papazian, John M.)
- Kosut, Robert L.** Nonlinear optimal cue-shaping filters for motion base simulators. (JGC) 486
- Kottapalli, S.B.R., Friedmann, P.P., and Rosen, A.** Aeroelastic stability and response of horizontal axis wind turbines blades. (AIAA J) 1381
- Kowel, S.T., Kornreich, P.G., Mahapatra, A., Mehter, M., and Sebenyi, T.** Image feature analysis using DEFT sensors. (PS, V.67) 380
- Kraeutle, K.J.** Particle size analysis in solid propellant combustion research. (PS, V.63) 76
- (PS, V.63; see Boggs, T.L.)
- Kreeb, H.** (JSR; see Savage, C.J.)
- Kreindler, E.** (JGC; see Hermesh, R.)
- Krier, Herman and Adams, Michael J.** An introduction to gun interior ballistics and a simplified ballistic code. (PS, V.66) 1
- Krishna, P.M.M.** (JSR; see Jain, S.R.)
- Kroustil, J.C.** (AIAA J; see Chen, C.P.)
- Krupp, W.E.** (JA; see Van Orden, J.M.)
- Kulfan, Robert M.** (JA; see Jobe, Charles E.)
- Kulfan, Robert M. and Sigalla, Armand** Real flow limitations in supersonic airplane design. (JA, SP) 645
- Kulkarni, Satish V.** (AIAA J, SYN; see Chatterjee, Sailendra N.)
- Kumar, Ajay, Tiwari, S.N., and Graves, R.A., Jr.** Laminar and turbulent flows over a spherically blunted cone with massive surface blowing. (AIAA J) 1326
- Radiating viscous shock-layer solutions for Jovian entry at angle of attack. (PS, V.64) 147
- Kunhikrishnan, K.V.** (JA, EN; see Sarma, V.V.S.)
- Kuo, K.K.** (JSR; see Davis, T.R.)
- (AIAA J; see Razdan, M.K.)
- Kuriki, Kyoichi** The MPD thruster test on the space shuttle. (JSR) 326
- Kusoy, M.I.** (AIAA J; see Acharya, M.)
- Kutler, Paul, Pulliam, Thomas H., and Vigneron, Yvon C.** Computation of the viscous supersonic flow over external axial corners. (AIAA J) 571
- Kutsenogii, K.P.** (PS, V.63; see Mikheev, V.F.)
- Kvaternik, R.G.** (JA; see Kaza, K.R.V.)
- Lackman, Leslie** (JA; see Ascani, Leonard)
- Laderman, A.J. and Demetriades, Anthony** Turbulent shear stresses in compressible boundary layers. (AIAA J) 736
- Laitone, J.A.** Erosion prediction near a stagnation point resulting from aerodynamically entrained solid particles. (JA) 809
- Lakshminarayana, B.** (AIAA J; see Reynolds, B.)
- Lan, C. Edward** Ground effects on USB configurations. (JA, EN) 62
- Lan, C. Edward and Mehrotra, Sudhir C.** Improved Woodward's panel method for calculating edge suction forces. (JA, EN) 632
- Landweber, Louis** (JH; see Denli, Nuray)
- Lang, D.B.** (AIAA J; see Koochesfahani, M.M.)
- Lang, J.D.** (AIAA J; see Keese, J.E.)
- (AIAA J; see Francis, M.S.)
- Lang, K.-W. and Nemat-Nasser, S.** An approach for estimating vibration characteristics of nonuniform rotor blades. (AIAA J) 995
- Lang, T.J.** Optimal impulsive maneuvers to accomplish small plane changes in an elliptical orbit. (JGC) 271
- Langlois, G. and Gonard, R.** New law for crack propagation in solid propellant material. (JSR) 357
- Large, Edward** Optimal climb paths for a ballistic rocket within the atmosphere. (JSR, EN) 282
- Larkin, William J. and Thomas, Mitchell** Atmospheric flight of a variable-body. (JGC) 382
- Larson, Terry J.** (JSR; see Siemers, Paul M., III)
- Lau, C.V.** (JE; see Mattick, A.T.)
- Lauchle, Gerald C.** Horizontal buoyancy effects on the pressure distribution of a body in a duct. (JH) 61
- Laurenson, Robert M., McPherson, James I., and Shore, Charles P.** Design procedures for flutter-free surface panels. (AIAA J, SYN) 398
- Lawing, P.L.** (JA; see Hunt, J.L.)
- Lawson, T.W.** (PS, V.65; see Ahern, J.E.)
- Leadbetter, Sumner A.** (JSR; see Pinson, Larry D.)
- Lebacqz, J.V. and Radford, R.C.** Experimental investigation of

- control-display requirements for a jet-lift VTOL aircraft. (JGC) 479
- Lederman, S., Celentano, A., and Glaser, J.** Flowfield diagnostics. (AIAA J) 1106
- Lee, P.K.** Atmospheric limitations on antenna pointing performance. (JSR) 115
- Lee, Tieh-Ying** Coupled thermomechanical effects in high solids propellant. (AIAA J, TN) 1015
- Lee, Y.C.** (JGC, EN; see McVey, E.S.)
- Lefebvre, A.H.** (JE; see Ballal, D.R.)
- Leggett, H. and King, H.M.** Porcelain enamel passive thermal control coating. (PS, V.65) 327
- Lemmerman, L.A. and Sonnad, V.R.** Three-dimensional viscous-inviscid coupling using surface transpiration. (JA) 353
- Leondes, Cornelius T.** (JGC, EN; see Austin, James W.)
- Leondes, Cornelius T., Phillis, Ioannis A., and Chin, Leonard** Method of optimizing the update intervals in hybrid navigation systems. (JGC, EN) 541
- Lerner, Edwin and Markowitz, Joel** An efficient structural resizing procedure for meeting static aeroelastic design objectives. (JA) 65
- Levin, Alan D.** (JA; see Hague, D.S.)
- Lewin, J.** Ground-control system for Satcom satellites. (JSR) 273
--(AIAA J, SYN; see Dwoyer, D.L.)
--(PS, V.64; see Moore, G.R.)
--(PS, V.64; see Murray, A.L.)
- Lewis, Clark H.** (AIAA J, SYN; see Waskiewicz, John D.)
--(AIAA J, SYN; see Dwoyer, D.L.)
- Lewis, D.A., Platt, C.E. and Smith, E.B.** Aeroelastic instability in F100 labyrinth air seals. (JA) 484
- Libai, Avinoam** Optimization of a stiffened square panel subjected to compressive edge loads. (AIAA J, SYN) 1379
- Lietzke, Keith R.** (JE; see Hazelrigg, George A., Jr.)
- Ligrani, Phillip M. and Moffat, Robert J.** Artificially thickening a smooth-wall turbulent boundary layer. (AIAA J, TN) 907
- Lilley, David G.** Flowfield modeling in practical combustors: a review. (JE, SP) 193
--(JE; see Novick, A.S.)
- Lin, H.C.** (PS, V.67; see Papanicolaou, N.A.)
- Lin, Y.K.** (AIAA J; see Fujimori, Y.)
- Lin, Y.K., Fujimori, Y., and Ariaratnam, S.T.** Rotor blade stability in turbulent flows—part 1. (AIAA J) 545
- Lissaman, P.B.S.** Energy effectiveness of arbitrary arrays of wind turbines. (JE) 323
- Little, B.H., Jr. and Whipkey, R.R.** Locked vortex afterbodies. (JA) 296
- Liu, C.H.** (AIAA J; see Fung, Y.T.)
- Liu, Chang-Keng and Glassford, A.P.M.** Cost-effective method for measuring contamination effects. (JSR) 402
- Liu, C.Y. and Wang, C.T.** Interference effect of catamaran planing hulls. (JH, EN) 31
- Liu, J.S.K. and Chow, W.L.** Axisymmetric transonic turbulent base pressures. (AIAA J, SYN) 330
- Liu, Shih-Min, Sharma, Pramod K., and Knuth, Eldon L.** Satellite drag coefficients calculated from measured distributions of reflected helium atoms. (AIAA J) 1314
- Liutermoza, John F.** (AIAA J; see Ives, David C.)
- Lloyd, K.H. and Brown, D.P.** Instability of spinning projectiles during terminal guidance. (JGC) 65
- Loehrke, J.C., Holzer, J.C., Gari, H.N., and Sharp, M.K.** Stratification enhancement in liquid thermal storage tanks. (JE, SYN) 129
- Loehrke, R.I.** (JE; see Sharp, M.K.)
- Loesch, Franklin C.** Valve delay effects on bending limit cycles of a deadband system. (JGC, EN) 436
- Lombard, C.K.** (AIAA J; see Thomas, P.D.)
- Long, E.** (PS, V.67; see Lum, H.)
- Longhurst, Glen R. and Wilbur, Paul J.** 15-cm Mercury multipole thruster. (JSR) 42
- Look, D.C.** Approximate hemispherical radiative properties. (AIAA J, TN) 443
- Lord, Donald D.** A distributed microcomputer telemetry system for spacecraft applications. (PS, V.67) 255
- Loth, J.L.** Domestic hot water heating using hot air solar collectors. (JE, TN) 377
--Reply by author to C.T. Hsu. (JE, TC) 128
--Tilting wing overspeed control for vertical axis wind turbines. (JE, TN) 375
- Lottati, I.** (JGC; see Nissim, E.)
- Love, T.J. and Francis, J.E.** A linearized analysis for longitudinal fins with radiative and convective exchange. (PS, V.65) 242
- Lubow, Bruce C.** A correlation of spray height data for jets impinging on water. (JH, EN) 29
- Luckring, James M.** Aerodynamics of strake-wing interactions. (JA) 756
- Luedke, E.E.** (PS, V.65; see Rowe, W.M.)
- Lum, H.** (PS, V.67; see McCreight, C.R.)
- Lum, H., Neal, P., Wong, D., and Long, E.** Onboard data processing for the IRAS telescope system. (PS, V.67) 265
- Lundell, J.H.** (PS, V.64; see Davy, W.C.)
- Lundell, J.H. and Dickey, R.R.** Response of heat-shield materials to intense laser radiation. (PS, V.64) 193
- Lutze, Frederick H.** Unaided EVA intercept and rendezvous charts. (JSR) 426
- Lyman, Frederic A.** Experiments in coal devolatilization and combustion. (PS, V.63) 297
- Mabey, Dennis G.** Use of sound absorbing walls to reduce dynamic interference in wind tunnels. (AIAA J, SYN) 334
--(AIAA J, TN; see Raghunathan, S.)
- MacConochie, Ian O.** (JSR; see Rehder, John J.)
- Mackley, Ernest A.** (JA, SYN; see Andrews, Earl H., Jr.)
- Maddox, A.R., Dix, R.E., and Mattasits, G.R.** In-flight captive store loads compared with wind-tunnel and mathematical simulations. (JA) 289
- Maeda, Hiroshi** (JA; see Okubo, Hiroshi)
- Magnus, A.E.** (AIAA J, SYN; see Ehlers, F.E.)
- Mahapatra, A.** (PS, V.67; see Kowel, S.T.)
- Maher, W.E.** High-power laser coupling. (PS, V.65) 179
--(PS, V.65; see Hall, R.B.)
- Mahgoub, H.E.H. and Bradshaw, P.** Calculation of turbulent-inviscid flow interactions with large normal pressure gradients. (AIAA J) 1025
- Maine, Richard E.** (JGC; see Iliff, Kenneth W.)
- Maine, Richard E. and Iliff, Kenneth W.** Maximum likelihood estimation of translational acceleration derivatives from flight data. (JA) 674
- Malcolm, Gerald N.** New rotation-balance apparatus for measuring airplane spin aerodynamics in the wind tunnel. (JA) 264
- Mallya, R.** (JSR; see PaiVerneker, V.R.)
- Mantay, Wayne R., Shidler, Philip A., and Campbell, Richard L.** Some results of the testing of a full-scale Ogee-tip rotor. (JA) 215
- Mantegazza, P.** (AIAA J; see Cardani, C.)
- Marchman, James F., III** Aircraft operating environments around high-speed ships. (JH, SYN) 3
- Marcum, D.C.** (JA; see Hunt, J.L.)
- Marcus, B.D.** (AIAA J, TN; see Eninger, James E.)
- Maresca, Christian** (AIAA J, TN; see Favier, Daniel)
- Marinescu, A.** Low-thrust maneuvers near the libration points. (JGC) 119
- Markowitz, Joel** (JA; see Lerner, Edwin)
- Marshall, Robert S.** (AIAA J, TN; see Heinrich, Juan C.)
- Martin, James A.** Cost comparison of dual-fuel propulsion in advanced shuttles. (JSR) 232
- Marto, P.J. and Wagenseil, L.L.** Augmenting the condenser heat-transfer performance of rotating heat pipes. (AIAA J) 647
- Massey, B.S.** (AIAA J, TN; see Clayton, B.R.)
- Mattasits, G.R.** (JA; see Maddox, A.R.)
- Mattick, A.T., Hertzberg, A., Decher, R., and Lau, C.V.** High-temperature solar photon engines. (JE) 30
- Mattox, Douglas M.** (AIAA J, TN; see Wilcox, William R.)
- May, Ingo W. and Horst, Albert W.** Charge design considerations and their effect on pressure waves in guns. (PS, V.66) 197
- Mayo, Ronald A.** Relative quaternion state transition relation. (JGC) 44
- Mazzola, M.** (PS, V.63; see Monti, R.)
- McArdle, Jack C.** (JA; see Gunnarson, Daniel W.)
- McClendon, Ronald W.** (AIAA J, SYN; see Murphree, David L.)
- McCormick, Michael J.** The user's experience and technology transfer. (PS, V.67) 63
- McCreight, C.R. and Lum, H.** Integrated detector array preprocessing for infrared astronomical applications. (PS, V.67) 455
- McFadin, Louis W.** Application of smart sensor techniques to a solid-state array multispectral sensor. (PS, V.67) 469
- McGowan, Philip R.** (JA; see Olson, Lawrence E.)
- McGogan, J.T. and Walsh, E.J.** Real-time determination of geophysical parameters from a multibeam altimeter. (PS, V.67) 110
- McIntyre, Stan** (JSR; see Dettling, J. Ray)
- McKinnon, R.A.** (JA; see Rowe, W.T.)
- McKissick, B.T.** (JA; see Ashworth, B.R.)
- McMahon, H.M. and Antani, D.L.** Experimental study of a jet issuing from a lifting wing. (JA) 275
- McMillan, O.J. and Ferziger, J.H.** Direct testing of subgrid-scale models. (AIAA J) 1340
- McNamara, R.P.** (PS, V.63; see Strand, L.D.)
- McPherson, James I.** (AIAA J, SYN; see Laurenson, Robert M.)
- McVey, E.S. and Lee, Y.C.** Choice of method for discretization of continuous systems. (JGC, EN) 92
- Mehrota, Sudhir C.** (JA, EN; see Lan, C. Edward)
- Mehta, R.C.** Thermal analysis of a conical cathode of an MPD arc. (AIAA J, TN) 1272
- Mehta, Gopal K. and Strahle, Warren C.** Analysis of axially symmetric external burning propulsion for bluff-base bodies. (AIAA J, SYN) 269
- Mehter, M.** (PS, V.67; see Kowel, S.T.)
- Meirovitch, Leonard** (JGC, EN; see Canavin, Joseph R.)
- Meirovitch L. and Oz, H.** Observer modal control of dual-spin flexible spacecraft. (JGC) 101

- Meirovitch, L., VanLandingham, H.F., and Oz, H.** Distributed control of spinning flexible spacecraft. (JGC) 407
- Mellor, A.M.** (JE; see Schmidt, D.A.)
--(JA; see Washam, R.M.)
--(JE; see Wyatt, W.R.)
- Mellor, A.M. and Washam, R.M.** Characteristic time correlations of pollutant emissions from an annular gas turbine combustor. (JE) 250
- Melnik, Robert E.** (AIAA J, TN; see Keyfitz, Barbara L.)
- Menees, G.P.** (PS, V.64; see Davy, W.C.)
- Meng, S.Y.** (AIAA J, TN; see Cheng, H.K.)
- Meolans, J.G., Nicoli, C., and Brun, R.** Influence of the physical model on the vibration relaxation in expansion flows. (AIAA J, TN) 1260
- Merkli, P.** (AIAA J; see Escudier, M.P.)
- Merz, R.A.** Subsonic base pressure fluctuations. (AIAA J, TN) 436
- Meyer, J.W.** Kinetic model for aerosol formation in rocket contrails. (AIAA J) 135
- Mezines, S.A.** (PS)
- McPherson, James I.** (AIAA J, SYN; see Laurenson, Robert M.)
- McVey, E.S. and Lee, Y.C.** Choice of method for discretization of continuous systems. (JGC, EN) 92
- Mehrota, Sudhir C.** (JA, EN; see Lan, C. Edward)
- Mehta, R.C.** Thermal analysis of a conical cathode of an MPD arc. (AIAA J, TN) 1272
- Mehta, Gopal K. and Strahle, Warren C.** Analysis of axially symmetric external burning propulsion for bluff-base bodies. (AIAA J, SYN) 269
- Mehter, M.** (PS, V.67; see Kowel, S.T.)
- Meirovitch, Leonard** (JGC, EN; see Canavin, Joseph R.)
- Meirovitch, L. and Oz, H.** Observer modal control of dual-spin flexible spacecraft. (JGC) 101
- Meirovitch, L., VanLandingham, H.F., and Oz, H.** Distributed control of spinning flexible spacecraft. (JGC) 407
- Mellor, A.M.** (JE; see Schmidt, D.A.)
--(JA; see Washam, R.M.)
--(JE; see Wyatt, W.R.)
- Mellor, A.M. and Washam, R.M.** Characteristic time correlations of pollutant emissions from an annular gas turbine combustor. (JE) 250
- Melnik, Robert E.** (AIAA J, TN; see Keyfitz, Barbara L.)
- Menees, G.P.** (PS, V.64; see Davy, W.C.)
- Meng, S.Y.** (AIAA J, TN; see Cheng, H.K.)
- Meolans, J.G., Nicoli, C., and Brun, R.** Influence of the physical model on the vibration relaxation in expansion flows. (AIAA J, TN) 1260
- Merkli, P.** (AIAA J; see Escudier, M.P.)
- Merz, R.A.** Subsonic base pressure fluctuations. (AIAA J, TN) 436
- Meyer, J.W.** Kinetic model for aerosol formation in rocket contrails. (AIAA J) 135
- Mezines, S.A.** (PS, V.64; see Nelson, H.F.)
- Michel, Roger, Mignosi, Andre, and Quemard, Claude** The induction driven tunnel at ONERA-CERT. (JA) 134
- Mignosi, Andre** (JA; see Michel, Roger)
- Mihara, Shoichiro** (JGC; see Kato, Kanichiro)
- Mikhail, M.N.** Optimum design of wind tunnel contractions. (AIAA J) 471
- Mikheev, V.F., Zarko, V.E., Borin, S.M., Kutsenogii, K.P., and Simonenko, V.N.** Measurement of burning rates in transient combustion processes under the influence of external radiation. (PS, V.63) 173
- Miles, G.A.** (JE; see Novick, A.S.)
- Millinazzo, F.** (AIAA J; see Oved, Y.)
- Millar, R.A.** (JSR; see Garg, S.C.)
- Millar, R.A. and Vigneron, F.R.** Attitude stability of a pseudorate jet-controlled flexible spacecraft. (JGC) 111
- Miller, J.W.** (PS, V.65; see Somers, R.R., III)
- Miller, M.C.** (JSR; see D'Amico, W.P.)
- Miller, Miles C.** Wind-tunnel measurements of the surface pressure distribution on a spinning Magnus rotor. (JA) 815
- Miller, R.H.** The effect of demand on optimum launch vehicle size. (JSR, EN) 287
--On the weathervaning of wind turbines. (JE, TN) 319
- Miller, R.H. and Akin, D.L.** Space-manufactured satellite power systems. (JE, TN) 373
- Miller, Thomas E.** (AIAA J; see Hodge, James K.)
- Mills, A.F.** Comment on "Calculation of incompressible rough-wall boundary-layer flows." (AIAA J, TC) 220
- Mills, George R.** (JA; see Hwang, Chintsun)
- Millward, Adrian** Definition of yaw meter sensitivity for the "null reading" technique. (JH, EN) 130
- Minning, C.P.** Radiation shape factors between end plane and outer wall of concentric tubular enclosures. (AIAA J, TN) 1406
--Shape factors between coaxial annular disks separated by a solid cylinder. (AIAA J, TN) 318
- Mirels, Harold** Inhomogeneous broadening effects in cw chemical lasers. (AIAA J) 478
- Mistretta, G.D.** (JGC; see Gordon, R.A.)
- Mittal, M.L. and Sarma, P.R.L.** Current distribution at the end regions of a magnetohydrodynamic channel. (JE, TN) 181
- Modarress, D. and Johnson, D.A.** Investigation of turbulent boundary-layer separation using laser velocimetry. (AIAA J) 747
- Moffat, Robert J.** (AIAA J, TN; see Ligrani, Phillip M.)
- Monti, R. and Mazzola, M.** Continuous regression rate measurement in hybrid rockets. (PS, V.63) 111
- Mooij, H.A. and van Gool, M.F.C.** Reply by authors to W.O. Breuhaus. (JA, TC) 640
- Mook, D.T.** (JA; see Asfar, K.R.)
- Moon, Francis** (AIAA J; see Kim, Byoung Sung)
- Moore, John Elliott, Jr. and Cutchins, Malcolm A.** Computational scheme for structural influence coefficients of certain planar wings. (JA) 315
- Moore, G.R., Anderson, L.P., Jr., Lewis, C.H., and Murray, A.L.** Solid rocket motor plume and ablation study. (PS, V.64) 265
- Moran, D.D.** (JH; see Ochi, M.D.)
- Morrison, Phillip A.** (JGC; see Nulk, Robert A.)
- Mort, Kenneth, W., Soderman, Paul T., and Eckert, William T.** Improving large-scale testing capability by modifying the 40- by 80-ft wind tunnel. (JA) 571
- Morton, J.B.** (AIAA J, SYN; see Catalano, G.D.)
--(AIAA J; see Gad-el-Hak, Mohamed)
- Moss, James N.** (PS, V.64; see Zoby, E.V.)
- Moss, James N., Jones, Jim J., and Simmonds, Ann L.** Radiative flux penetration through a blown shock layer for Jupiter entry conditions. (PS, V.64) 22
- Mouch, Thomas N.** (JSR, EN; see Nelson, Robert C.)
- Muggeridge, D.B. and Buckley, T.J.** Dynamics of a fluid conveying fiber-reinforced shell. (AIAA J, TN) 663
--Flexural vibration of orthotropic cylindrical shells in a fluid medium. (AIAA J, TN) 1019
- Muhlstein, Lado Jr., and Coe, Charles F.** Integration time required to extract accurate data from transonic wind-tunnel tests. (JA) 620
- Muirhead, Vincent U. and Saltzman, Edwin J.** Reduction of aerodynamic drag and fuel consumption for tractor-trailer vehicles. (JE) 279
- Mularz, Edward J., Gleason, Clifford C., and Dodds, Willard J.** Combustor concepts for aircraft gas turbine low-power emissions reduction. (JE) 55
- Mulpuru, Sambasiva R. and Banerjee, Sanjoy** Conservative implicit method for shock wave calculations. (AIAA J, TN) 537
- Munje, Satish** (JE; see Feldman, Karl Thomas, Jr.)
- Munzel, W.D.** (JSR; see Groll, M.)
- Murakami, M.** Control of contamination in cryogenically cooled satellite telescopes. (JSR, SYN) 193
- Murman, E.** (AIAA J; see Hafez, M.)
- Murphree, David L., McClendon, Ronald W., Ward, Bradley W., and Glaum, Fred** Mathematical modeling of fish detection with a scanning airborne laser. (AIAA J, SYN) 745
- Murphy, Charles H.** Angular motion of spinning almost-symmetric missiles. (JGC) 504
- Murphy, F.L.** (PS, V.65; see Kavanagh, H.M.)
- Murphy, Lawrence P. and Jarman, John W.** The role of "smart" sensors in Earth resources remote sensing programs. (PS, V.67) 101
- Murray, A.L.** (PS, V.64; see Moore, G.R.)
- Murray, A.L. and Lewis, Clark H.** Heat- and mass-transfer effects on three-dimensional hypersonic viscous shock-layer flows. (PS, V.64) 165
- Murrow, H.N. and Eckstrom, C.V.** Drones for aerodynamic and structural testing (DAST) — a status report. (JA) 521
- Murthy, A.V.** (AIAA J, SYN; see Gopinath, R.)
- Murthy, V. Sreedhara** (AIAA J, RF; see Rose, William C.)
- Musker, A.J.** Explicit expression for the smooth wall velocity distribution in a turbulent boundary layer. (AIAA J, TN) 655
- Myerson, Allan S. and Harris, Christopher F.** Fuel development for open-loop combustion-driven MHD power generation. (JE, TN) 120
- Myhre, S.H. and Beck, C.E.** Repair concepts for advanced composite structures. (JA) 720
- Nabavi, Hassan and Bannerot, Richard B.** Heat-transfer considerations in groove-like solar collectors. (PS, V.65) 229
- Nagib, H.M.** (AIAA J, TN; see Corke, T.C.)
- Nair, S. and Hegemier, G.** Stability of faired underwater towing cables. (JH) 20
- Nakamura, Hidetoshi** (JGC; see Kato, Kanichiro)
- Nakamura, Takashi and Jenkins, Marion K.** Performance of disk generators for open-cycle MHD power generation. (JE) 217
- Nanbu, Kenichi** Separation factors for UF isotopes accelerated by helium expanding spherically into a vacuum. (JE, SYN) 67
- Napolitano, M., Werle, M.J., and Davis, R.T.** Numerical technique for the triple-deck problem. (AIAA J) 699
- Narayanan, M.A. Badri** Universal trends observed in the maxima of the longitudinal velocity fluctuations and the zero crossings in turbulent flows. (AIAA J, TN) 527
- Nassar, Esam M.** Rapid calculation of the resonance frequency for rotationally restrained rectangular plates. (AIAA J) 6
- Nayfeh, A.H.** (JA; see Asfar, K.R.)
- Nayfeh, A.H. and Padhye, A.** Relation between temporal and spatial stability in three-dimensional flows. (AIAA J) 1084

- Nazaroff, Gregory J. Orientation vector differential equation. (JGC, EN) 351
- Neal, P. (PS, V.67; see Lum, H.)
- Neale, D.H., Hubbarth, J.E., and Strahle, W.C. Effects of axial and radial air injection on the near wake with and without external compression. (AIAA J, TN) 301
- Neff, W.S. (JA; see Hammond, E.F., Jr.)
- Neiers, James W. (PS, V.67; see Golden, Harvey)
- Nelson, Carl W., Adams, George F., and Ward, J. Richard Comment on "Pressure dependence of burning rate of composite solid propellants." (AIAA J, TC) 222
- Nelson, D.J. (PS, V.65; see Hall, R.B.)
- Nelson, H.D. and Glasgow, D.A. Eigenrelations for general second-order systems. (AIAA J, TN) 795
- Nelson, H.F. and Mezines, S.A. Analysis of Jupiter probe heat-shield recession uncertainties. (PS, V.64) 293
- Nelson, Robert C. and Mouch, Thomas N. Cylinder/splitter-plate data illustrating high support interference. (JSR, EN) 126
- Nelson, T.F. (JA; see Potonides, H.C.)
- Nemat-Nasser, S. (AIAA J; see Lang, K.-W.)
- Nesline, F. William Missile guidance for low-altitude air defense. (JGC) 283
- Neste, S.L. (AIAA J; see Eaton, L.R.)
- Nestler, D.E. (PS, V.64; see Brant, D.N.)
- Nefi, Sudhakar and Clark, Wayne On-axis velocity component measurement with laser velocimeters. (AIAA J, TN) 1013
- Netzer, David W. and Andrews, James R. Schlieren studies of solid-propellant combustion. (PS, V.63) 235
- Neumann, R.D., Patterson, J.L., and Sliski, N.J. Aerodynamic heating to the X-24C hypersonic research configuration. (PS, V.65) 192
- Newsom, Jerry R. Control law synthesis for active flutter suppression using optimal control theory. (JGC) 388
- Newton, J.F. (AIAA J; see Cassady, P.E.)
- Nguyen, Khanh H. (JE, TN; see Pejsa, Jane H.)
- Nicholas, E.B. (JA; see Sarkos, C.P.)
- Nichols, D.B. (PS, V.65; see Hall, R.B.)
- Nicolet, William E. (PS, V.64; see Green, Michael J.)
- Nicoli, C. (AIAA J, TN; see Meolans, J.G.)
- Nikiforuk, P.N. (JGC; see Ohta, H.)
- Nikiforuk, P.N., Ohta, H., and Gupta, M.M. Design of a two-level adaptive flight control system. (JGC) 79
- Nissim, E. and Lottati, I. Active external store flutter suppression in the YF-17 flutter model. (JGC) 395
- On single-degree-of-freedom flutter induced by activated controls. (JGC) 402
- Nithianandan, C.K. (AIAA J; see Jones, B.G.)
- Nixon, David On unsteady transonic shock motions. (AIAA J, TN) 1143
- Noll, T.E. and Huttsett, L.J. Wing store active flutter suppression—correlation of analyses and wind-tunnel data. (JA) 491
- Noll, Thomas E. (JA; see Felt, Larry R.)
- (JA; see Hwang, Chintsun)
- Nopratvarakorn, Vichien and Huang, Ju-chin Quadrilateral plate element for laminated structure. (AIAA J, TN) 95
- Norris, David D. (PS, V.67; see Wellman, John B.)
- Norster, E.R. (JE; see Flanagan, P.)
- Novick, A.S., Miles, G.A., and Lilley, D.G. Modeling parameter influences in gas turbine combustor design. (JE) 257
- Numerical simulation of combustor flowfields: a primitive variable design capability. (JE) 95
- Nulk, Robert A., Pastrick, Harold L., and Morrison, Phillip A. Copperhead semiactive laser guidance system development. (JGC) 374
- Oates, Gordon C. and Presz, Walter M., Jr. Effects of nonconstant enthalpy addition on fan-nozzle combinations. (JA, EN) 891
- Obee, T.N. (JA; see Keith, T.G.)
- Obi, Wilson C. Formulas for spanwise distribution of lift on aircraft wings. (JA, EN) 733
- O'Brien, Paul J. (JA; see Tobias, Leonard)
- Ochi, M.D. and Moran, D.D. Seakeeping quality of advanced marine vehicles for design applications. (JH) 85
- Ogana, Wandera Derivation of an integral equation for three-dimensional transonic flows. (AIAA J, TN) 305
- Ogg, Jon S. and Taylor, Wilson R. Accelerated mission testing of gas turbine engines. (JA) 247
- Ohta, H. (JGC; see Nikiforuk, P.N.)
- Ohta, H., Nikiforuk, P.N., and Gupta, M.M. Design of desirable handling qualities for aircraft lateral dynamics. (JGC) 31
- Okubo, Hiroshi, Kobayakawa, Makoto, and Maeda, Hiroshi Lifting surface approach to the estimation of gust response of finite wings. (JA) 309
- Olson, Lawrence E., James, William D., and McGowan, Phillip R. Theoretical and experimental study of the drag of single- and multi-element airfoils. (JA) 462
- Olstad, W.B. (PS, V.64; see Zoby, E.V.)
- Orloff, E.I. Pyrolysis model for an alpha waste incinerator prototype. (JE) 90
- Osborn, J.R. (AIAA J; see Renie, J.P.)
- Oshima, K. (PS, V.65; see Shimoji, S.)
- Ostrovsky, Yu. N. (AIAA J; see Tolubinsky, V.I.)
- Ostrowski, P.P. and Dabora, E.K. Shock tube measurement of nitric oxide and atomic oxygen by chemiluminescent radiation. (AIAA J) 898
- Otey, G.R. and Dwyer, H.A. Numerical study of the interaction of fast chemistry and diffusion. (AIAA J) 606
- Oved, Y., Milinazzo, F., Clements, R.M., and Smy, P.R. Blast waves produced by a time-dependent energy source. (AIAA J) 601
- Owen, F.K. and Johnson, D.A. Wake vortex measurements of an ogive cylinder at $\alpha = 36$ degrees. (JA) 577
- Oz, H. (JGC; see Meirovitch, L.)
- Ozkul, Ahmet Investigation of acoustic radiation from supersonic jets by double-pulse holographic interferometry. (AIAA J) 1068
- Padhye, A. (AIAA J; see Nayfeh, A.H.)
- Pagano, N.J. and Hsu, P.W. Geometric analysis of Rosette® exit cones. (JSR) 311
- Pai Verneker, V.R. (JSR; see Jain, S.R.)
- Pai Verneker, V.R., Seetharamacharyulu, D., and Mallya, R.M. Combustion of ammonium perchlorate-aluminum mixtures. (JSR, EN) 436
- Pajerski, Rosemarna S. (PS, V.67; see Fuchs, Arthur J.)
- Palazotto, A.N. (AIAA J; see Witt, W.P., III)
- (JA; see Cervantes, J.A.)
- Palmer, Everett, A. (JA; see Tobias, Leonard)
- Palowitch, E.R. and Broussard, P.H., Jr. Automated guidance and control of longwall mining machines. (JE) 329
- Papanicolau, N.A. and Lin, H.C. A monolithic SAW-charge transfer device. (PS, V.67) 325
- Papazian, John M. (AIAA J, TN; see Wilcox, William R.)
- Papazian, John M., Gutowski, Robert, and Wilcox, William R. Bubble behavior during solidification in low gravity. (AIAA J) 1111
- Papazian, John M. and Kosson, Robert L. Effect of internal heat transport on the thermal migration of bubbles. (AIAA J, TN) 1279
- Parachivoiu, I. and Bilgen, E. Free vortices from a wing for wind turbine systems. (JE, TN) 190
- Park, Chul (PS, V.64; see Prakash, S.G.)
- Park, S. (JA; see Iversen, J.D.)
- Park, Stephen K. (PS, V.67; see Huck, Friedrich O.)
- Parks, D.E. and Katz, I. Spacecraft-generated plasma interaction with high-voltage solar array. (JSR) 258
- Parmley, R.T. and Cunnington, G.R., Jr. Demonstration of an ultralightweight, evacuated, load-bearing, high-performance microsphere insulation system. (PS, V.65) 295
- Parnes, R. On the accuracy of linear beam theory. (AIAA J, TN) 219
- Parrish, W.J. (PS, V.67; see Thom, R.D.)
- Parthasarathy, K.N., Anderson, J.D., Jr., and Jones, E. Downstream mixing gasdynamic lasers—a numerical solution. (AIAA J) 1208
- Pastrick, Harold L. (JGC; see Nulk, Robert A.)
- Patel, Rajni P. Some measurements in radial free jets. (AIAA J, TN) 657
- Patrick, W.P. (JE; see Suo, M.)
- Patsalides, Nicolas M. and Kim, Thomas J. Effect of nonhomogeneity in orthotropic curved plates. (AIAA J, TN) 1276
- Patterson, J.L. (PS, V.65; see Neumann, R.D.)
- Pearce, B.E. and Dash, S.M. Use of matched pressure initial conditions for predicting low-altitude rocket plume radiation. (AIAA J, TN) 667
- Pedley, Barbara (JA; see Ciffone, Donald L.)
- Pejisa, Jane H., Nguyen, Khanh H., and Wenzler, Stephanie A. Evaluation of control options for solar climate control systems. (JE, TN) 183
- Pelka, Eugene J. and DeBra, Daniel B. Effects of relative instrument orientation upon gravity gradiometer system performance. (JGC) 18
- Pepper, William B. Overtest results for the 7.3-m (24-ft) diameter hybrid Kevlar-29/nylon ribbon parachute. (JA) 47
- Pergament, H.S. (AIAA J; see Dash, S.M.)
- Perkowitz, S. (PS, V.65; see Grammer, J.R.)
- Pershing, Bernard M. Performance of windmills in a closely spaced array. (JE, TN) 185
- Peters, J.E. (JE; see Wyatt, W.R.)
- Petersen, H.L. (PS, V.67; see Phillips, D.H.)
- Peterson, Carl W. A survey of the utilitarian aspects of advanced flowfield diagnostic techniques. (AIAA J, SP) 1352
- (JA; see Croll, Robert H.)
- Peterson, C.W. Measurements of flowfield properties in a gasdynamic laser nozzle wake. (AIAA J) 854
- Petty, J.S. (AIAA J; see Shang, J.S.)
- Phillips, D.H. and Petersen, H.L. High-speed gallium arsenide integrated circuit development for satellite systems. (PS, V.67) 391
- Phillis, Ioannis A. (JGC, EN; see Leonides, Cornelius T.)
- Pi, W.S. (JA; see Hwang, Chintsun)
- (JA, EN; see Hwang, Chintsun)
- Pierce, J. (PS, V.66; see Serao, P.)
- Pierson, Bion L. and Chen, Imao Minimum landing-approach distance for a sailplane. (JA, EN) 287
- Pindroh, A.L. (AIAA J; see Cassady, P.E.)
- Pinson, Larry D. and Leadbetter, Sumner A. Some results from 1/8-scale shuttle model vibration studies. (JSR) 48

- Planchon, H.P., Jr. (AIAA J; see Jones, B.G.)
- Platt, C.E. (JA; see Lewis, D.A.)
- Platus, D.H. Re-entry vehicle dispersion from entry angular misalignment. (JGC) 276
- Poch, L.A. (JE; see Shultis, J.K.)
- Pomeroy, B.D. and Saleme, R.M. Conceptual design of sodium-cooled central receiver solar power plant. (JE) 299
- Porcelli, G. (JGC; see Spencer, T.M.)
- Porcelli, G. and Vogel, E. Modular, spin-stabilized, tandem solid rocket upper stage. (JSR) 338
- Potonides, H.C., Cea, R.A., and Nelson, T.F. Design and experimental studies of a type A V/STOL inlet. (JA) 543
- Pouliquen, Marcel and Gill, Georges S. Performance characteristics of the HM7 rocket engine for the Ariane launcher. (JSR) 367
- Powell, E. G., Wilmot, G., Haar, L., and Klein, M. Equations of state and thermodynamic data for interior ballistics calculations. (PS, V.66) 325
- Powell, R.W. (PS, V.64; see Sutton, K.)
- Prabhakaran, R. Application of brittle coatings to graphite fiber-reinforced plastics. (AIAA J, TN) 110
- Praharaj, S.C. Undisturbed heat-transfer data analysis on the space shuttle external tank barrel section. (PS, V.65) 215
- Prakash, S.G. and Park, Chul Shock-tube studies of atomic silicon emission in the spectral range 180 to 300 nm. (PS, V.64) 245
- Prasad, Anant Melting of solid bodies due to convective heating with the removal of melt. (JSR, EN) 445
- Pratt, David T. Coalescence/dispersion modeling of high-intensity combustion. (JE) 177
- Presley, Leroy L. (AIAA J; see Cook, William J.)
- Presz, Walter M., Jr. (JA, EN; see Oates, Gordon C.)
- Pretty, J.R. and Hookway, R.O. A comparison of different forms of dirigible equations of motion. (JGC, EN) 154
- Price, Channon F. (PS, V.63; see Juhasz, Arpad A.)
- Price, E.W. Velocity coupling in oscillatory combustion of solid propellants. (AIAA J, RF) 799
- Price, Robert D. NASA end-to-end data system program. (PS, V.67) 155
- Prussing, John E. Bounds on the solution to a universal Kepler's equation. (JGC, EN) 440
- Geometrical interpretation of the angles α and β in Lambert's problem. (JGC, EN) 442
- Przirembel, C.E.G. and Shereda, Donald E. Aerodynamics of slender bodies at high angles of attack. (JSR) 10
- Przemieniecki, J.S. and Talbot, R.J. Dynamic response analysis of structural systems using a direct integration method. (JA) 195
- Pulliam, Thomas H. (AIAA J; see Kutler, Paul)
- Purdy, K.R. (AIAA J; see Ventrice, M.B.)
- Purvis, James W. and Burkhalter, John E. Prediction of critical Mach number for store configurations. (AIAA J) 1170
- Queijo, M.J. (JA; see Wells, William R.)
- Queijo, M.J., Wells, William R., and Keskari, Dinesh A. Influence of unsteady aerodynamics on extracted aircraft parameters. (JA) 708
- Quemard, Claude (JA; see Michel, Roger)
- Raag, V. (JE; see Swerdling, M.)
- Radford, R.C. (JGC; see Lebacqz, J.V.)
- Radgowski, E. and Albrecht, R. Investigation of electrostatic discharge in aircraft fuel tanks during refueling. (JA) 506
- Rae, William H., Jr. (JA, SYN; see Shindo, Shojiro)
- Raghavan, K.S. (AIAA J; see Rao, S.S.)
- Raghunathan, S., Coll, J.B., and Mabey, D.G. Flat plate turbulent boundary layers subject to large pressure fluctuations. (AIAA J, TN) 105
- Transonic shock/boundary-layer interaction subject to large pressure fluctuations. (AIAA J, TN) 1404
- Raj, Pradeep and Gray, Robin B. Computation of three-dimensional potential flow using surface vorticity distribution. (JA) 162
- Rajaram, S. (JGC; see Goel, P.S.)
- Rakich, John V. (AIAA J, SYN; see Tannehill, J.C.)
- Ramachandra, Sridhar M. Some singular acoustic signatures observed in a jet aircraft. (JA, SYN) 513
- Ramakrishnan, S.V. and Subramanian, N.R. Flow past nonconical wings with separation. (JA, ER) 576
- Ramchand, K. (JA; see Sarma, V.V.S.)
- Ramsey, W.D. 12-cm argon/xenon ion source. (JSR) 252
- Rao, Dhanvada M. Side-force alleviation on slender, pointed forebodies at high angles of attack. (JA) 763
- Rao, S.S., and Raghavan, K.S. Dynamic response of inelastic thick plates. (AIAA J) 85
- Rapagnani, N.L. and Davis, S.J. Laser-induced I_2 fluorescence measurements in a chemical laser flowfield. (AIAA J, TN) 1402
- Raper, Richard M. (AIAA J; see Reda, Daniel C.)
- Rastogi, R.P., Singh, H.J., and Srivastava, A.K. Reply by authors to Nelson, Adams, and Ward. (AIAA J, TC) 223
- Ratwani, M.M. Analysis of cracked, adhesively bonded laminated structures. (AIAA J) 988
- Ratwani, M.M. and Wilhem, D.P. Factors affecting residual strength prediction of a cracked aircraft structure. (JA) 209
- Ravindranath, A. (AIAA J; see Reynolds, B.)
- Razdan, M.K. and Kuo, K.K. Erosive burning study of composite solid propellants by turbulent boundary-layer approach. (AIAA J) 1225
- Rebont, Jean (AIAA J, TN; see Favier, Daniel)
- Reda, Daniel C. Boundary-layer transition experiments on sharp, slender cones in supersonic free flight. (AIAA J) 803
- Reda, Daniel C. and Raper, Richard M. Measurements of transition-front asymmetries on ablating graphite nosetips in hypersonic flight. (AIAA J) 1201
- Reddy, Ravi (JA; see Frost, Walter)
- Redhed, David D., Chen, Allen W., and Hotovy, Steven G. New approach to the 3-D transonic flow analysis using the STAR-100 computer. (AIAA J, TN) 98
- Reding, J. Peter Fluctuating pressures on mildly indented nosetips. (JSR) 302
- (AIAA J, TN; see Ericsson, Lars E.)
- Redman, Reagan S. and Wolff, Calvin M. Development of a multipurpose radiometer. (JSR, EN) 350
- Reece, J.H. (PS, V.67; see Snyder, W.E.)
- Reed, G.J. (JSR; see Dunsworth, L.C.)
- Reemsnnyder, D.C. and Sagerer, D.A. Reverse thrust performance of a variable-pitch fan engine at forward velocity. (JA) 848
- Rehder, John J. and Wurster, Kathryn E. Electric vs chemical propulsion for a large-cargo orbit transfer vehicle. (JSR) 129
- Rehder, John J., Wurster, Kathryn E., MacConochie, Ian O., and Klich, Phillip J. Propulsion options for space-based orbital transfer vehicles. (JSR) 333
- Reilly, J.P., Ballantyne, A., and Woodroffe, J.A. Modeling of momentum transfer to a surface by laser-supported absorption waves. (AIAA J) 1098
- Renie, J.P., Condon, J.A., and Osborn, J.R. Oxidizer size distribution effects on propellant combustion. (AIAA J) 877
- Reshotko, Eli Drag reduction by cooling in hydrogen-fueled aircraft. (JA) 584
- Reubush, David E. Effect of over-the-wing nacelles on wing-body aerodynamics. (JA) 359
- Reynolds, B., Lakshminarayana, B., and Ravindranath, A. Characteristics of the near wake of a compressor of a fan rotor blade. (AIAA J) 959
- Rice, E.J. Optimum wall impedance for spinning modes—a correlation with cutoff ratio. (JA) 336
- Richards, B.E. and Stollery, J.L. Laminar film cooling experiments in hypersonic flow. (JA) 177
- Rickard, William W. (JA, SYN; see Harris, Robert B.)
- Rieger, Thomas J. On the emissivity of alumina/aluminum composite particles. (JSR, EN) 438
- Rietjens, L.H.Th. (JE; see Zlatanovic, M.)
- Riffel, Ronald E. (AIAA J; see Fleeter, Sanford)
- Rinderle, E.A., Jr. (JGC; see Diehl, R.E.)
- Rizza, James J. Triple-point pressure evaporation of impacted droplets. (JSR) 210
- Rizzetta, D.P. Time-dependent response of a two-dimensional airfoil in transonic flow. (AIAA J) 26
- (AIAA J; see Burggraf, Odus R.)
- Rizzetta, Donald P. and Chin, Wilson C. Effect of frequency in unsteady transonic flow. (AIAA J, TN) 779
- Roache, Patrick J. Sixth-order accurate direct solver for the Poisson and Helmholtz equations. (AIAA J, TN) 524
- Roberson, Robert E. Two decades of spacecraft attitude control. (JGC, Historical Survey Lecture) 3
- Roberts, B.W. (JE; see Fletcher, C.A.J.)
- Roberts, Charles C., Jr. Nontracking moderately focusing heat pipe solar collector. (JE, TN) 122
- Roberts, C. G. (PS, V.67; see Chapman, R.A.)
- Roberts, Donald W. and Forester, Clifford K. Parabolic procedure for flows in ducts with arbitrary cross sections. (AIAA J) 33
- Roberts, William B. Axial compressor blade optimization in the low Reynolds number regime. (AIAA J) 1361
- Roberts, William B. and Slovisky, John A. Location and magnitude of cascade shock loss by high-speed smoke visualization. (AIAA J, TN) 1270
- Robino, Charles J. (PS, V.67; see Thorley, Gene A.)
- Robinson, Paul A., Jr. Behavior of partially metallized Kapton for spacecraft charging control. (JSR) 104
- Robinson, Stanley R. (JGC; see Asher, Robert B.)
- Rodden, William P. Rebuttal to reply by author to "Comment on 'Flutter of flat finite element panels in a supersonic potential flow'." (AIAA J, RF) 446
- Rodgers, L.W. (JE; see Chiu, H.H.)
- Rollins, J.P. (JE; see Bowles, David F.)
- Rollstin, L.R. Experimental determination of the artillery shell mass-property/trajectory-drift relationship. (JSR) 108
- Rollstin, Larry R. and Hodapp, Albert E., Jr. Experimental evaluation of artillery projectile impact errors induced by principal-axis misalignment. (JSR) 316
- Rom, J. (JSR; see Gur, I.)
- Romere, P.O., Eichblatt, D.L., Underwood, J.M., and Howes, D.B. Orbiter approach and landing tests—correlation of flight and predicted performance data. (JA) 233
- Roos, Frederick W. Hot-film probe technique for monitoring shock-wave oscillations. (JA) 871
- Root, Robert G. (JSR, SYN; see Kemp, Nelson H.)
- (JE; see Kemp, Nelson H.)

- Rose, William C. and Murthy, V. Sreedhara Reply by authors to R.D. Kirchner. (AIAA J, RF) 671
- Rosemary, J.K., Bauerle, G.L., and Springer, T.H. Solar energy storage using reversible hydration-dehydration of $\text{CaO} \cdot \text{Ca(OH)}_2 \cdot \text{O}$. (JE, SYN) 321
- Rosen, A. (AIAA J; see Kottapalli, S.B.R.)
- Rotem, Assa Fatigue failure of multidirectional laminate. (AIAA J) 271
- Rotsztein, Y. (JGC; see Shinar, J.)
- Roux, J.A. (PS, V.65; see Seiber, B.A.)
- Roux, J.A., Wood, B.E., Alt, R.E., Frazine, D.F., Smith, A.M., and Scott, H.E. Optical properties of biopropellant exhaust constituents condensed at 77 K. (JSR) 373
- Rowe, W.M., Luedke, E.E., and Edwards, D.K. Thermal radiative properties of solar sail film materials. (PS, V.65) 3
- Rowe, W.T., Johnson, E.S., and McKinnon, R.A. Technology status of jet noise suppression concepts for advanced supersonic transports. (JA) 95
- Rubbert, P.E. (AIAA J, SYN; see Ehlers, F.E.)
- Rubesin, Morris W. (AIAA J, SYN; see Higuchi, Hiroshi)
- Rubinstein, N. and Caywood, W.C. Flight vibration environments defined from Mk 12 booster static tests. (JSR) 214
- Rutkowski, Michael J. Aeroelastic stability analysis of the AD-1 manned oblique-wing aircraft. (JA) 401
- Ryder, J.T. (JA; see Van Orden, J.M.)
- Sagerser, D.A. (JA; see Reemsnyder, D.C.)
- Sajben, M. (AIAA J; see Chen, C.P.)
- Sajben, M. and Crites, R.C. Real-time optical measurement of time-dependent shock position. (AIAA-J, TN) 910
- Salas, Manuel D. and Daywitt, James Structure of the conical flowfield about external axial corners. (AIAA J) 41
- Saleem, Z.A. (JE; see Chiu, H.H.)
- Salemme, R.M. (JE; see Pomeroy, B.D.)
- Saltzman, Edwin J. (JE; see Muirhead, Vincent U.)
- San Giovanni, Carlo, Jr. Performance of a ring laser strapdown attitude and heading reference for aircraft. (JGC) 320
- Sankar, N.L. (AIAA J, TN; see Tassa, Y.)
- Sarkos, C.P., Spurgeon, J.C., and Nicholas, E.B. Laboratory fire testing of cabin materials used in commercial aircraft. (JA) 78
- Sarma, P.R.L. (JE, TN; see Mittal, M.L.)
- Sarma, V.V.S., Kunhikrishnan, K.V., and Ramchand, K. A decision theory model for health monitoring of aeroengines. (JA, EN) 222
- Sarpkaya, Turgut and Schoaff, Ray L. Inviscid model of two-dimensional vortex shedding by a circular cylinder. (AIAA J) 1193
- Sato, Junzo Settling times of pressure measurements through capillary tubes. (AIAA J) 1061
- Savage, C.J. (JSR; see Groll, M.)
- Savage, C.J., Aalders, B.G.M., and Kreeb, H. A variable-conductance heat pipe radiator for MAROTS-type communication spacecraft. (JSR) 176
- Sawyer, Frank M. (AIAA J, TN; see Stetson, Kenneth F.)
- Sawyer, Patricia L. (AIAA J; see Adelman, Howard M.)
- Sawyer, Wallace C. (JGC; see Blair, A.B., Jr.)
- Schappell, R.T. and Tietz, J.C. Landmark identification and tracking experiments. (PS, V.67) 134
- Schetz, Joseph A. (JE; see Figard, R.L.)
- (AIAA J; see Swean, T.F., Jr.)
- Schetz, Joseph A. and Favin, Stanley Numerical solution of a body-propeller combination flow including swirl and comparisons with data (JH) 46
- Schlinker, Robert H. The transmission of acoustic plane waves at a jet exhaust. (JA) 188
- Schmidt, D.A. and Mellor, A.M. Characteristic time correlation for combustion inefficiency from alternative fuels. (JE) 167
- Schmidt, David K. Optimal flight control synthesis via pilot modeling. (JGC) 308
- Schmidt, L.V. Wing rock due to aerodynamic hysteresis. (JA) 129
- Schmidt, S.F. (JGC; see Sorenson, J.A.)
- Schneider, G.E. Thermal resistance due to arbitrary dirichlet contacts on a half-space. (PS, V.65) 103
- (PS, V.65; see Yovanovich, M.M.)
- Schnell, W.C. and Grossman, R.L. Vectoring nonaxisymmetric nozzle jet induced effects on a V/STOL fighter model. (JA) 863
- Schnepple, W.F., van den Berg, L., and Skinner, N. Growth of HgI_2 single crystals in Spacelab III. (JSR, EN) 441
- Schoaff, Ray L. (AIAA J, see Sarpkaya, Turgut)
- Schum, E.F. (JA, SYN; see Seiler, M.R.)
- Scott, H.E. (JSR; see Roux, J.A.)
- Scott, James N. Propagation of sound waves through a linear shear layer. (AIAA J) 237
- Sears, W.R. Adaptive wind tunnels with imperfect control. (JA) 344
- Sedin, Y.C.-J. (AIAA J, TN; see Karlsson, K.R.)
- Sedlock, Dennis (JA; see Surber, Lewis E.)
- Seebass, A.R. (AIAA J; see Sobieczky, H.)
- Seetharamacharyulu, D. (JSR; see PaiVerneker, V.R.)
- Seiber, B.A., Smith, A.M., Wood, B.E., and Roux, J.A. Solar reflectance of cryodeposits, Part I: H_2O on LN_2 -cooled black paint. (PS, V.65) 47
- Solar reflectance of cryodeposits, Part II: CO_2 on black paint and stainless steel. (PS, V.65) 66
- Seigel, Arnold E. Theory of high-muzzle velocity guns. (PS, V.66) 135
- Seiler, M.R. and Schum, E.F. Analytical experimental investigation of diffusers for VSTOL thrust-augmenting ejectors. (JA, SYN) 643
- SenGupta, G. Reduction of cabin noise during cruise conditions by stringer and frame damping. (AIAA J) 229
- Serao, P. and Pierce, J. Sensitivity of ballistic performance to propellant combustion properties. (PS, V.66) 259
- Sessions, B. (JSR; see Vallerani, E.)
- Settles, Gary S., Fitzpatrick, Thomas J., and Bogdonoff, Seymour M. Detailed study of attached and separated compression corner flowfields in high Reynolds number supersonic flow. (AIAA J) 579
- Sfeir, A.A. Investigation of three-dimensional turbulent rectangular jets. (AIAA J) 1055
- Sforzini, Richard H., Foster, Winfred A., Jr., Shackelford, Benjamin W., Jr. Effects of propellant temperature gradients on thrust imbalance of the space shuttle. (JSR) 135
- Shackelford, Benjamin W., Jr. (JSR; see Sforzini, Richard H.)
- Shackelford, Mark D.A. (JGC; see Asher, Robert B.)
- Shadowen, James H. (JA; see Egan, William J., Jr.)
- Shan, Y.Y. and Tao, C.C. Study on combustion termination of solid propellants by rapid depressurization. (JSR, SYN) 353
- Shang, J.S., Hankey, W.L., and Petty, J.S. Three-dimensional supersonic interacting turbulent flow along a corner. (AIAA J) 706
- Sharma, Pramod K. (AIAA J; see Liu, Shih-Min)
- Sharp, M.K. (JE, SYN; see Loehrke, J.C.)
- Sharp, M.K. and Loehrke, R.I. Stratified thermal storage in residential solar energy applications. (JE) 106
- Shashaty, A.J. Similarity in the modeling of cable twisting and looping. (JH, EN) 133
- Shaw, R.J., Williams, R.C., and Koncsek, J.L. Tilt nacelle aerodynamics and its application to fan blade stresses. (JA) 591
- Shearer, A.J., Tamura, H., and Faeth, G.M. Evaluation of a locally homogeneous flow model of spray evaporation. (JE) 271
- Shen, Peter Supersonic flow over a deep cavity for a laser application. (AIAA J, TN) 216
- Shen, Young T. and Eppler, Richard Section design for hydrofoil wings with flaps. (JH) 39
- Shereda, Donald E. (JSR; see Przirembel, C.E.G.)
- Sherman, M.M. and Smith, D.H. Monte Carlo statistical uncertainty analysis method for nose-tip recession predictions. (PS, V.64) 368
- Sherrieb, H.E. Ground effects testing of two-, three-, and four-jet configurations. (JA) 393
- Shevchuk, E.N. (AIAA J; see Tolubinsky, V.I.)
- Shidler, Philip A. (JA; see Mantay, Wayne R.)
- Shilling, W.J. (JA; see Hammond, E.F., Jr.)
- Shimoji, S. and Oshima, K. A new thermal network correction method by the statistical regression analysis. (PS, V.65) 344
- Shinar, J. (JSR; see Gur, I.)
- Shinar, J., Rotsztein, Y., and Bezner, E. Analysis of three-dimensional optimal evasion with linearized kinematics. (JGC) 353
- Shindo, Shojiro, Rae, William H., Jr., Aoki, Yoshio, and Hill, Eugene G. Improvement of flow quality at the University of Washington subsonic wind tunnel. (JA, SYN) 419
- Shore, Charles P. (AIAA J; see Adelman, Howard M.)
- (AIAA J, SYN; see Laurenson, Robert M.)
- Shrider, K.R. (JA; see Wilson, D.J.)
- Shui, Ven H., Singh, Param I., Kivel, Bennett, and Bressel, Ellen R. Electron attachment at high temperatures. (AIAA J) 1178
- Shultz, J.K., Poch, L.A., and Eckhoff, N.D. Optimum selection of a wind turbine generator system. (JE) 145
- Siebers, D.L. and Viskanta, R. Thermal analysis of some flat-plate solar collector designs for improving performance. (JE) 8
- Siegelman, D. and Hines, R. An approximate analysis of roll/trim dispersion. (JSR) 15
- Siemers, Paul M., III and Larson, Terry J. Space shuttle orbiter and aerodynamic testing. (JSR) 223
- Sigalla, Armand (JA, SP; see Kulfan, Robert M.)
- Simcox, Craig D. Workshop report for the 4th AIAA Aeroacoustics Conference. (JA) 35
- Simkins, T.E. Reply by author to C.D. Bailey (AIAA J, RF) 542
- Reply by author to C.V. Smith Jr. (AIAA J, TC) 127
- Simmonds, Ann L. (PS, V.64; see Moss, James N.)
- Simmons, A. (PS, V.67; see Chapman, R.A.)
- Simon, E.D. Environmental requirements for bubble pressure tests on fine-mesh screen. (JSR) 218
- Simonenko, V.N. (PS, V.63; see Mikheev, V.F.)
- Simpson, R.B. (AIAA J; see Aly, S.L.)
- Singer, Josef and Abramovich, Haim Vibration techniques for definition of practical boundary conditions in stiffened shells. (AIAA J) 762
- Singh, H.J. (AIAA J, TC; see Rastogi, R.P.)
- Singh, M.P. (JSR; see Heller, R.A.)
- Singh, Param I. (AIAA J; see Shui, Ven H.)
- Sisson, G.E. (AIAA J; see Francis, M.S.)
- Skinner, N. (JSR, EN; see Schnepple, W.F.)
- Skogh, Jörgen (AIAA J; see Bushnell, David)
- Slater, Gary L. (JGC; see Kesar, Dinesh A.)
- Sliski, N.J. (PS, V.65; see Neumann, R.D.)
- Slovisky, John A. (AIAA J, TN; see Roberts, William B.)

- Small, R.D.** Overexpanded two-dimensional transonic free jet. (AIAA J, TN) 307
- Smart, A.E., Jones, B., and Jewell, N.T.** Measurements of unsteady parameters in reheat combustion instabilities. (PS, V.63) 221
- Smith, A.M.** (JSR; see Roux, J.A.)
- (PS, V.65; see Seiber, B.A.)
- (PS, V.65; see Wood, B.E.)
- Smith, C.V., Jr.** Comment on "Unconstrained variational statements for initial and boundary-value problems." (AIAA J, TC) 126
- Smith, D.H.** (PS, V.64; see Sherman, M.M.)
- Smith, E.B.** (JA; see Lewis, D.A.)
- Smith, Harry D.** (AIAA J, TN; see Wilcox, William R.)
- Smith, J.H.B.** Comment on "Flow past nonconical wings with separation." (JA, TC) 576
- Smith, K.O. and Gouldin, F.C.** Turbulence effects on flame speed and flame structures. (AIAA J) 1243
- Smith, N.K. and Good, W.D.** Enthalpies of combustion of ramjet fuels. (AIAA J, TN) 905
- Smy, P.R.** (AIAA J; see Oved, Y.)
- Snyder, W.E., Reece, J.H., and Benz, H.F.** Pattern classification using charge transfer devices. (PS, V.67) 315
- Sobieczky, H., Yu, N.J., Fung, K-Y., and Seebass, A.R.** New method for designing shock-free transonic configurations. (AIAA J) 722
- Sobiesiak, A.** (AIAA J; see Brzustowski, T.A.)
- Sockol, P.** (AIAA J, TN; see Johnston, W.)
- Soderman, Paul T.** (JA; see Mort, Kenneth W.)
- Solman, F. John, Berglund, Carl D., Chick, Richard W., and Clifton, Brian J.** The K_a -band communication system of the Lincoln Experimental Satellites LES-8 and LES-9. (JSR) 181
- Somers, R.R., II, Miller, J.W., and Fletcher, L.S.** Thermal contact conductance of dissimilar metals. (PS, V.65) 149
- Sonnad, V.R.** (JA; see Lemmerman, L.A.)
- Sorenson, J.A., Schmidt, S.F., and Goka, T.** Application of square-root filtering for spacecraft attitude control. (JGC) 426
- Sos, J.Y.** Impact of advanced onboard processing concepts on end-to-end data systems. (PS, V.67) 184
- South, J.** (AIAA J; see Hafez, M.)
- Sparks, G.W., Jr.** (AIAA J; see Francis, M.S.)
- Spencer, T.M., Glickman, R., and Porcelli, G.** Changing inclination for shuttle payloads. (JGC) 264
- Spreiter, John R.** (AIAA J; see Stahara, Stephens S.)
- Springer, T.M.** (JE, SYN; see Rosemary, J.K.)
- Spurgeon, J.C.** (JA; see Sarkos, C.P.)
- Srivastava, A.K.** (AIAA J, TC; see Rastogi, R.P.)
- Srivastava, B.N., Werle, M.J., and Davis, R.T.** Numerical solutions of hypersonic viscous shock-layer equations. (AIAA J, TN) 107
- Stahara, Stephen S. and Spreiter, John R.** Transonic flows past nonaxisymmetric slender shapes—classical equivalence rule and analysis. (AIAA J) 245
- Starnes, James H., Jr. and Haftka, Raphael T.** Preliminary design of composite wings for buckling, strength, and displacement constraints. (JA) 564
- Stavsky, Yehuda** (AIAA J; see Elishakoff, Isaac)
- Stancil, Robert T.** Improved wave drag predictions using modified linear theory. (JA) 41
- Stefan, Karl** Performance theory for hot air balloons. (JA) 539
- Steiger, Arthur R.** (JA; see Hale, Francis J.)
- Stengel, Robert F.** In-flight simulation with pilot-center of gravity offset and velocity mismatch. (JGC, EN) 538
- (JGC; see Binnie, W. Brian) 538
- Stephens, H.E.** Supercritical airfoil technology in compressor cascades: comparison of theoretical and experimental results. (AIAA J) 594
- Stetson, Kenneth F., and Sawyer, Frank M.** Comparison of aerodynamic data obtained by static and dynamic techniques. (AIAA J, TN) 103
- Stevens, H.L.** (JA; see Willard, C.M.)
- Stiefel, Ludwig** Gun propellants. (PS, V.66) 307
- Stimpson, L.D., Greenfield, M.L., Jaworski, W., and Wolf, F.** Thermal studies for a solar sail space vehicle. (PS, V.65) 388
- Stockbridge, R.D.** (JSR; see Waltrup, P.J.)
- Stockman, Norbert O.** (JA; see Boles, Michael A.)
- Stollery, J.L.** (JA; see Richards, B.E.)
- Stone, Alan L.** (AIAA J; see Hodge James K.)
- Storaasli, Olaf O. and Foster, Edwin P.** Cost-effective use of minicomputers to solve structural problems. (JA) 775
- Strahle, Warren C.** (AIAA J, SYN; see Mehta, Gopal K.)
- (AIAA J, TN; see Neale, D.H.)
- Strand, L.D. and McNamara, R.P.** A variable-frequency driver-microwave transient regression rate measurement system. (PS, V.64) 155
- Stroud, W. Jefferson** (AIAA J; see Anderson, Melvin S.)
- Stuart, J.R.** (JSR; see French, J.R.)
- Stubbs, G.S.** (JGC; see D'Amario, L.A.)
- Stuhlinger, Ernst** First steps into space, 1946-1978. (JSR, Historical Survey Lecture) 3
- Stultz, James W.** Thermal analysis of a high-energy propulsion system for a Rover class Mars orbiter. (PS, V.65) 366
- Thermal and other tests of photovoltaic modules performed in natural sunlight. (JE) 363
- Subramanian, N.R.** Reply by author to J.H.B. Smith (JA, TC) 576
- (JA, ERR; see Ramakrishnan, S.V.)
- Subramanian, R. Shankar** (AIAA J, TN; see Wilcox, William R.)
- Sukanek, Peter C.** Conservation errors in axisymmetric finite-difference equations. (AIAA J, TN) 99
- Reply by author to R. Edelman and P.T. Harsha (AIAA J, RF) 1152
- Sullivan, P.A.** (JH, EN; see Hinchey, M.J.)
- Summerfield, Martin** (PS, V.66; see BenReuven, Moshe)
- Sumner, Irving E. and Barber, James R.** Reusable insulation systems for cryogenic Earth-based space vehicles. (PS, V.65) 275
- Sunitha, M.R.** (AIAA J, SP; see Kishore, K.)
- Sunyach, Michel** (AIAA J, TN; see Juvé, Daniel)
- Suo, M.** (JE; see Dring, R.P.)
- Suo, M., Patrick, W.P., and Johnson, B.V.** Particle trajectories near an airfoil with a film-cooled leading edge. (JE) 156
- Supper, W.** (JSR; see Groll, M.)
- Surber, Lewis E. and Sedlock, Dennis** Effects of airframe-inlet integration on half-axisymmetric and two-dimensional supersonic inlet performance. (JA) 612
- Sutton, K.** (PS, V.64; see Zoby, E.V.)
- Sutton, K., Jones, J.J., and Powell, R.W.** Effects of atmospheric structure on radiative heating for Jupiter entry probe. (PS, V.64) 3
- Suzuki, M. and Kanzawa, A.** Boundary-layer charged-particle density profiles in an atmospheric pressure plasma flow. (AIAA J) 1320
- Sved, George** (JGC, EN; see Berreen, Terry)
- Swaim, Robert L. and Yen, Wen-Yo** Effects of dynamic aeroelasticity on aircraft handling qualities. (JA, EN) 635
- Swean, T.F., Jr. and Schetz, J.A.** Flow about a propeller-driven body in temperature-stratified fluid. (AIAA J) 863
- Swerdling, M. and Raag, V.** Solar thermoelectric power generation for Mercury orbiter missions. (JE) 291
- Swift, Calvin T.** (PS, V.67; see Blume, Hans-Juergen C.)
- Sworder, David D.** (JGC; see Archer, Steven M.)
- Szebenyi, T.** (PS, V.67; see Kowel, S.T.)
- Szema, K.Y.** (PS, V.64; see Tiwari, S.N.)
- Tabakoff, W.** (JA; see Wakeman, T.)
- Tausch, David R.** Collimation of high-speed flow with thermal spread losses. (AIAA J, TN) 787
- Talbot, L.** (AIAA J; see Cattolica, R.J.)
- Talbot, R.J.** (JA; see Przemieniecki, J.S.)
- Tamura, H.** (JE; see Shearer, A.J.)
- Tang, S.P. and Fenn, J.B.** Reply by authors to G. Emanuel (AIAA J, TC) 126
- Tao, C.C.** (JSR, SYN; see Shan, Y.Y.)
- Tannehill, J.C., Vigneron, Yvon C., and Rakich, John V.** Numerical solution of two-dimensional turbulent blunt body flows with an impinging shock. (AIAA J, SYN) 1289
- Tapley, Byron D.** (JGC; see Asher, Robert B.)
- Tassa, Y. and Sankar, N.L.** Effect of suction on a shock-separated boundary layer—a numerical study. (AIAA J, TN) 1268
- Tawakley, V.B.** Minimum-ballistic-factor flat-nosed missiles. (JSR, EN) 280
- Taylor, Christopher M. and Bill, Robert C.** Thermal stresses in a plasma-sprayed ceramic gas path seal. (JA) 239
- Taylor, Wilson R.** (JA; see Ogg, Jon S.)
- Tegart, J.R. and Aydelott, J.C.** Effect of vibration on retention characteristics of screen acquisition systems. (JSR) 319
- Tennyson, R.C.** (AIAA J; see Booton, M.)
- Teschner, Winfried** Optimum thrust trajectories in general central force fields. (JGC) 517
- Thames, Frank C.** (JA; see Weston, Robert P.)
- Thom, R.D., Koch, T.L., and Parrish, W.J.** Indium antimonide infrared CCD linear imaging arrays with on-chip preprocessing. (PS, V.67) 411
- Thomas, Mitchell** (JGC; see Larkin, William J.)
- Thomas, P.D. and Lombard, C.K.** Geometric conservation law and its application to flow computations on moving grids. (AIAA J) 1030
- Thompkins, W.T., Jr.** (AIAA J; see Epstein, A.H.)
- Thorley, Gene A. and Robinove, Charles J.** Current and potential uses of aerospace technology by the U. S. Department of the Interior. (PS, V.67) 15
- Thornton, John P. and Waddington, David** Experiments with heliostats for central receiver power plants. (JE) 69
- Thornton, W.A.** (AIAA J; see Khan, M.R.)
- Tien, C.H.** (PS, V.65; see Yovanovich, M.M.)
- Tien, C.L. and Chung, K.S.** Entrainment limits in heat pipes. (AIAA J) 643
- Tien, C.L. and Vafai, K.** Statistical bounds for the effective thermal conductivity of microsphere and fibrous insulation. (PS, V.65) 135
- Tietz, J.C.** (PS, V.67; see Schappell, R.T.)
- Tiwari, S.N.** (PS, V.64; see Kumar, Ajay)
- (AIAA J; see Kumar, Ajay)
- Tiwari, S.N. and Szema, K.Y.** Effects of precursor heating on chemical and radiative nonequilibrium viscous flow around a Jovian entry body. (PS, V.64) 129
- Influence of precursor heating on viscous flow around a Jovian entry body. (PS, V.64) 80

- Tobias, Leonard, Palmer, Everett A., and O'Brien, Paul J. Simulation study of the operational effects of fuel-conservative approaches. (JA) 498
- Tolubinsky, V.I., Antonenko, V.A., Ostrovsky, Yu. N., and Shevchuk, E.N. Heat transfer in the heating zone of low-temperature heat pipes. (AIAA J) 1390
- Tong, Kwok-On and Knight, Charles J. Flow around an isolated porous tube with nonuniform wall thickness. (AIAA J, TN) 1262
- Tower, L.K. (JSR; see Kaufman, W.B.)
- Triebstein, Hermann Unsteady pressure measurements on rotor blade tips with incidence. (AIAA J) 514
- Trischka, John W. Modes of turbulent vortex shedding from a pipe-jet system in a cross-flow. (AIAA J, TN) 315
- Tsai, Morgan S. Nonlinear propagation of a wave packet in a two-dimensional lined duct. (AIAA J, SYN) 129
- Tsuchiya, Kazuo Attitude behavior of a dual-spin spacecraft composed of asymmetric bodies. (JGC) 328
- Tsui, Tien-Yu Finite-element stress analysis of axisymmetric bodies under torsion. (AIAA J, TN) 441
- Turkovich, J.J. (JGC; see Bergmann, Edward V.)
- Twardus, E.M. (AIAA J; see Brzustowski, T.A.)
- Umoto, Juro (JE; see Hara, Takehisa)
- Underwood, J.M. (JA; see Romere, P.O.)
- Unger, W.H. (JA; see Ferman, M.A.)
- Uppaluri, B. (JSR; see Hanagud, S.)
- Uyttenhove, Hugo, J.J. (JA; see Comstock, F.L.)
- Vachal, John D. (JA; see Jobe, Charles E.)
- Vafai, K. (PS, V.65; see Tien, C.L.)
- Vahey, D.W. "Smart" remote holographic processor based on the materials characteristics of LiNbO_3 . (PS, V.67) 352
- Valentine, Daniel T. (JH, EN; see Goodman, Theodore R.)
- Vallerani, E., Esposti, Degli P.L., and Sessions, B. Present capabilities of the Spacelab thermal control system. (JSR) 405
- van den Berg, L. (JSR, EN; see Schneppe, W.F.)
- Vanderplaats, Garret N. Efficient algorithm for numerical airfoil optimization. (JA) 842
- Van Driest, E.R. On isotropic two-dimensional turbulence. (AIAA J, TN) 439
- van Gool, M.F.C. (JA, TC; see Mooij, H.A.)
- Van Kuren, J.T. (AIAA J; see Cudahy, G.F.)
- VanLandingham, H.F. (JGC; see Meirovitch, L.)
- van Ooijen, H. and Hoogendoorn, C.J. Vapor flow calculations in a flat-plate heat pipe. (AIAA J) 1251
- Van Orden, J.M., Krupp, W.E., Walden, E., and Ryder, J.T. Effects of purity on fatigue and fracture of 7XXX-T76511 aluminum extrusion. (JA) 327
- Varon, M.N. (PS, V.65; see Hennis, L.A.)
- Vasiliev, L.L., Abramenko, A.N., and Kanonchik, L.E. Fluid evaporation and boiling heat transfer in the grooves of thin-film evaporators. (AIAA J) 1395
- Vatsa, V.N. (AIAA J; see Burggraf, Odus, R.)
- Veeckind, A. (JE; see Zlatanovic, M.)
- Venkayya, V.B. (AIAA J; see Khot, N.S.)
- Ventrice, M.B., Fang, J.C., and Purdy, K.R. Simulation of liquid propellant rocket engine combustion instabilities. (AIAA J) 1372
- Vepa, Rajan Comment on "Active flutter control using generalized unsteady aerodynamic theory." (JGC, TC) 446
- Verber, C.M. An integrated optical preprocessor for multichannel analog data. (PS, V.67) 367
- Veulliot, J.P. and Viviani, H. Pseudo-unsteady method for the computation of transonic potential flows. (AIAA J, SYN) 691
- Viegas, J.R. and Horstman, C.C. Comparison of multiequation turbulence models for several shock boundary-layer interaction flows. (AIAA J) 811
- Vigneron, F.R. (JSR; see Garg, S.C.)
- (JGC; see Millar, R.A.)
- Vigneron, Yvon C. (AIAA J; see Kutler, Paul)
- (AIAA J, SYN; see Tannehill, J.C.)
- Vinayagalingam, Thuraingam The pedal wind turbine. (JE, TN) 254
- Vinkler, Aharon and Wood, Lincoln J. Multistep guaranteed cost control of linear systems with uncertain parameters. (JGC) 449
- Vinson, J.R. (JA; see Flagg, D.L.)
- Viskanta, R. (JE; see Siebers, D.L.)
- Viviani, H. (AIAA J, SYN; see Veulliot, J.P.)
- Vogel, E. (JSR; see Porcelli, G.)
- Voorhees, K.J. (PS, V.63; see Chatfield, D.A.)
- Wada, B.K. (JSR; see Chen, J.C.)
- Wadcock, Alan J. (AIAA J; see Coles, Donald)
- Waddington, David (JE; see Thornton, John P.)
- Wadia, Aspi Rustom Application of the finite-element method to transonic flows with shocks. (AIAA J, TN) 1141
- Wagenseil, L.L. (AIAA J; see Marto, P.J.)
- Wahi, Mahinder K. Airplane brake-energy analysis and stopping performance simulation. (JA) 688
- Tire runway interface friction prediction model concept. (JA) 407
- Wakeman, T. and Tabakoff, W. Erosion behavior in a simulated jet engine environment. (JA) 828
- Walden, E. (JA; see Van Orden, J.M.)
- Walker, Bruce K. and Gai, Eliezer Fault detection threshold determination technique using Markov theory. (JGC) 313
- Wallace Lawrence R. (PS, V.64; see Biolsi, Louis)
- Walsh, E.J. (PS, V.67; see McGoogan, J.T.)
- Walsh, M.J. and Weinstein, L.M. Drag and heat-transfer characteristics of small longitudinally ribbed surfaces. (AIAA J, SYN) 770
- Walsh, Michael J. Criteria for asymptotic supersonic two-dimensional turbulent wakes. (AIAA J, TN) 783
- Waltrup, P.J., Billig, F.S., and Stockbridge, R.D. A procedure for optimizing the design of scramjet engines. (JSR) 163
- Wang, C.R. (AIAA J; see Zakkay, V.)
- Wang, C.T. (JH, EN; see Liu, C.Y.)
- Wang, James Ting-Shun and Dickson, John N. Elastic beams of various orders. (AIAA J, TN) 535
- Ward, Bradley W. (AIAA J, SYN; see Murphree, David L.)
- Ward, J. Richard (AIAA J, TC; see Nelson, Carl W.)
- Ward, Richard S. Galileo dual-spin attitude and articulation control system. (JGC) 420
- Washam, R.M. (JE; see Mellor, A.M.)
- Washam, R.M. and Mellor, A.M. Correlation technique for ambient effects on oxides of nitrogen. (JA) 626
- Waskiewicz, John D. and Lewis, Clark H. Hypersonic viscous flows over sphere cones at high angles of attack. (AIAA J, SYN) 131
- Watermeier, Leland A. and Hurlban, John M. An historical perspective on gun interior ballistics at the U. S. Army Ballistic Research Laboratory. (PS, V.66) 349
- Watson, J.S. (JGC; see Gordon, R.A.)
- Watson, Ralph D. Generalized velocities in the outer region of hypersonic turbulent boundary layers. (AIAA J, TN) 919
- Way, J.L. (AIAA J; see Wlezien, R.W.)
- Wayner, P.C., Jr. Effect of thin film heat transfer on meniscus profile and capillary pressure. (AIAA J) 772
- Wedel, R.K., Dammann, R.E., and Greenberg, S.A. Effect of cover material and plastic honeycomb on collector performance. (JE, TN) 62
- Weihls, D. and Boasson, M. Multiple equilibrium vortex positions in symmetric shedding from slender bodies. (AIAA J, TN) 213
- Weinstein, L.M. (AIAA J, SYN; see Walsh, M.J.)
- Wellman, John B. and Norris, David D. Onboard processing for future space-borne imaging systems. (PS, V.67) 193
- Wells, P.B. and Bathke, E.A. Transient heat conduction from buried underground radioactive nuclear waste. (JE) 227
- Wells, Steven M. (JH; see Wilson, Robert A.)
- Wells, William R. (JA; see Queijo, M.J.)
- Wells, William R. and Queijo, M.J. Simplified unsteady aerodynamic concepts with application to parameter estimation. (JA) 90
- Wen, L. Effect of optical surface properties on high-temperature solar thermal energy conversion. (JE) 82
- Wen, Shih-liang (AIAA J, TN; see Chi, L.K.)
- Wenstrand, S.C. Measurements of vertical profile of current and Richardson number near St. Croix, U.S.V.I. (JH) 69
- Wenzler, S.A. (JE, TN; see Pejsa, Jane H.)
- Werle, M.J. Supersonic laminar boundary-layer separation by slot injection. (AIAA J) 160
- (AIAA J; see Burggraf, Odus R.)
- (AIAA J; see Napolitano, M.)
- (AIAA J, TN; see Srivastava, B.N.)
- West, Thomas C. (JA; see Jewell, Wayne F.)
- Weston, Robert P. and Thames, Frank C. Properties of aspect-ratio-4.0 rectangular jets in a subsonic, crossflow. (JA) 701
- Whipkey, R.R. (JA; see Little, B.H., Jr.)
- White, Bruce D. Velocity required for intercept with perturbations. (JGC, EN) 94
- Whitelaw, J.H. (AIAA J, SYN; see Cebeci, Tuncer)
- (AIAA J, TN; see Cebeci, Tuncer)
- Whitener, P.C. Distributed load aircraft concepts. (JA) 72
- Whitfield, David L. Analytical description of the complete turbulent boundary-layer velocity profile. (AIAA J, TN) 1145
- Wilbur, Paul J. (JSR; see Longhurst, Glen R.)
- Wilbur, Paul J. and Kaufman, Harold R. Double ion production in argon and xenon ion thrusters. (JSR) 264
- Wilcox, William R. (AIAA J; see Papazian, John M.)
- Wilcox, William R., Subramanian, R., Shankar, Papazian, John M., Smith, Harry D., and Mattox, Douglas M. Screening of liquids for thermocapillary bubble movement. (AIAA J, TN) 1022
- Wiley, J. Thomas (AIAA J, TN; see Barron, Ronald M.)
- Wilhem, D.P. (JA; see Ratwani, M.M.)
- Wilkes, James M. General expression for a three-angle rotation matrix. (JGC, EN) 156
- Willard, C.M. (JA; see Hiley, P.E.)
- Willard, C.M., Capone, F.J., Konarski, M., and Stevens, H.L. Static performance of vectoring reversing nonaxisymmetric nozzles. (JA) 116
- Williams, Bobby G. (JGC; see Christensen, Edward J.)
- Williams, D.S. (PS, V.67; see Eskenazi, R.)
- Williams, D.T., and Boykin, W.H., Jr. Millimeter-wave missile seeker aimpoint wander phenomenon. (JGC) 196
- Williams, M.H. Linearization of unsteady transonic flows containing shocks. (AIAA J) 394
- Williams, R.C. (JA; see Shaw, R.J.)

- Williamson, Walton E., Jr.** Minimum and maximum endurance trajectories for gliding flight in a horizontal plane. (JGC) 457
 --Optimal trajectories for a ballistic re-entry vehicle recovery system. (JGC, EN) 536
 --(JGC, EN; see Hull, David G.)
- Willman, Warren W.** Some formal effects of nonlinearities in optimal perturbation control. (JGC, SYN) 99
- Willmert, K.D.** (AIAA J; see Khan, M.R.)
- Wilmoth, G.** (PS, V.66; see Powell, E. G.)
- Wilmoth, R.G.** (AIAA J; see Dash, S.M.)
- Wilson, D.J., Zalay, A.D., Brashears, M.R., Craven, C.E., Shrider, K.R., and Jordan, A.J.** Full-scale wake flow measurements with a mobile Laser Doppler Velocimeter. (JA) 155
- Wilson, Robert A., Wells, Steven M., and Heber, Charles E.** Powering prediction for surface effect ships based on model results. (JH) 113
- Wilson, Robert E.** Turbulent compressible boundary layer with heat-transfer effects on conditions at the sublayer. (AIAA J, TN) 777
- Winther, Bertril A.** (JA; see Hwang, Chintsun)
- Witt, W.P., III, Palazotto, A.N., and Hahn, H.T.** Numerical and experimental comparison of the notched stresses in a laminated plate. (AIAA J) 500
- Wlaterick, Ronald E.** (JA; see Calarese, Wladimiro)
- Wlezien, R.W. and Way, J.L.** Techniques for the experimental investigation of the near wake of a circular cylinder. (AIAA J) 563
- Wojcicki, S.** (AIAA J; see Brzustowski, T.A.)
- Wolf, F.** (PS, V.65; see Stimpson, L.D.)
- Wolff, Calvin M.** (JSR, EN; see Redman, Reagan S.)
- Wolkovitch, Julian** Subsonic VSTOL aircraft configurations with tandem wings. (JA) 605
- Wong, D.** (PS, V.67; see Lum, H.)
- Wood, B.E.** (JSR; see Roux, J.A.)
 --(PS, V.65; see Seiber, B.A.)
- Wood, B.E. and Smith, A.M.** Infrared reflectance and refractive index of condensed gas films on cryogenic mirrors. (PS, V.65) 22
- Wood, Lincoln J.** (JGC; see Vinkler, Aharon)
- Woodcock, Gordon R.** Reply by author to G. Hazelrigg. (JE, TC) 126
- Woodroffe, J.A.** (AIAA J; see Reilly, J.P.)
- Woolley, Charles T.** (JGC; see Anderson, Willard W.)
- Work, C.C.** (JGC; see Bergmann, Edward V.)
- Wright, H.E.** (AIAA J; see Cudahy, G.F.)
- Wright, W.H.** Launch window for a shuttle-based geosynchronous orbit mission. (JSR, EN) 439
- Wu, Peter K.S.** Convective heat flux in a laser-heated thruster. (JSR, EN) 56
- Wuerker, R.F.** (PS, V.63; see Briones, R.A.)
- Wurster, Kathryn E.** (JSR; see Rehder, John J.)
- Wyatt, W.R., Clark, J.A., Peters, J.E., and Mellor, A.M.** Size distribution and surface area measurements of gas turbine combustor smoke. (JE) 285
- Yamamoto, Kingo and Arndt, Roger E. A.** Asymmetry of a circular jet observed in near and far fields. (AIAA J, TN) 533
- Peak Strouhal frequency of subsonic jet noise as a function of Reynolds number. (AIAA J, TN) 529
- Yamane, Takashi** (JA, SYN; see Kato, Kanichiro)
- (JA; see Kato, Kanichiro)
- Yang, T.Y.** Reply by author to rebuttal by W.P. Rodden. (AIAA J, RF) 448
- Yen, Wen-Yo** (JA, EN; see Swaim, Robert L.)
- Yesil, Oktay and Christiansen, Walter H.** Optically pumped carbon dioxide laser mixtures. (JE) 315
- Yoo, Chai Hong** Optimization of triangular laced truss columns with tubular compression members for space application. (AIAA J, TN) 921
- Yoshino, Hozo** High-fidelity airplane simulation model. (JA) 374
- Young, George R. and Kibler, James F.** Earth radiation budget experiment and smart sensors. (PS, V.67) 74
- Yovanovich, M.M.** (PS, V.65; see Burde, S.S.)
- Yovanovich, M.M., Schneider, G.E., and Tien, C.H.** Thermal resistance of hollow spheres subjected to arbitrary flux over their poles. (PS, V.65) 120
- Yu, N.J.** (AIAA J; see Sobieczky, H.)
- Zabinsky, J.M.** Some propulsion and control concepts for a Navy type A V/STOL airplane. (JA) 769
- Zakkay, V., Barra, V., and Wang, C.R.** The nature of boundary-layer turbulence at a high subsonic speed. (AIAA J) 356
- Zalay, A.D.** (JA; see Wilson, D.J.)
- Zarchan, Paul** Complete statistical analysis of nonlinear missile guidance systems—SLAM. (JGC) 71
 --Representation of realistic evasive maneuvers by the use of shaping filters. (JGC) 290
- Zarko, V.E.** (PS, V.63; see Mikheev, V.F.)
- Zaturska, M.B.** (AIAA J, TN; see Banks, W.H.H.)
- Zedan, M. Fouad and Dalton, Charles** Viscous drag computation for axisymmetric bodies at high Reynolds numbers. (JH) 52
- Zeitoun, D. and Imbert, M.** Interaction between the unsteady boundary layer and inviscid hot flow in a shock tube. (AIAA J) 821
- Zeldin, B.** (JSR; see French, J.R.)
- Zien, T.-F., Chien, K.-Y., and Driftmyer, R.T.** Two-dimensional supersonic jet impingement on a flat plate. (AIAA J, SYN) 4
- Zinn, B.T.** (PS, V.63; see Brown, R.S.)
- Zlatanovic, M., Veefkind, A., and Rietjens, L.H.Th.** Performance of a closed-cycle MHD generator with molecular impurities. (JE) 23
- Zoby, E.V., Sutton, K., Olstad, W.B., and Moss, J.N.** Approximate inviscid radiating flowfield analysis for outer planet entry probes. (PS, V.64) 42
- Zondek, B.** Improved orbit estimation by satellite-mounted gravity gradiometers. (JGC) 173
- Zurn, D.E.** (PS, V.63; see Boggs, T.L.)
- Zwarts, F.J.** (AIAA J; see Gough, P.S.)