

SUBJECT INDEX

AIRCRAFT TECHNOLOGY, CONVENTIONAL, STOL/VTOL

Aerodynamics

- Adaptive wind tunnels with imperfect control. W.R. Sears (JA) 344
- Aerodynamic effects induced by a vectored high aspect ratio nonaxisymmetric exhaust nozzle. Douglas L. Bowers (JA) 515
- Aerodynamics of strake-wing interactions. James M. Luckring (JA) 756
- Airborne detection of low-level wind shear. R.A. Greene (JA) 823
- Aircraft operating environments around high-speed ships. James F. Marchman III (JH, SYN) 3
- Analysis method for viscous flow over circulation-controlled airfoils. F.A. Dvorak and R.J. Kind (JA) 23
- Application of laminar flow control to large military transports. Charles E. Jobe, Robert M. Kulfan, and John D. Vachal (JA) 170
- Application of the vortex-lattice technique to arbitrary bodies. K.R. Asfar, D.T. Mook, and A.H. Nayfeh (JA) 421
- Approximate analysis of strake wings at low speeds. S.K. Chakraborty and B.C. Basu (AIAA J, TN) 432
- Axial compressor blade optimization in the low Reynolds number regime. William B. Roberts (AIAA J) 1361
- Computation of three-dimensional potential flow using surface vorticity distribution. Pradeep Raj and Robin B. Gray (JA) 162
- Computational aerodynamics development and outlook. Dean R. Chapman (AIAA J, Dryden Lectureship in Research) 1293
- Definition of yaw meter sensitivity for the "null reading" technique. Adrian Millward (JH, EN) 130
- Effect of forward acceleration on aerodynamic characteristics of wings. Shigenori Ando and Akio Ichikawa (AIAA J, TN) 653
- Effect of over-the-wing nacelles on wing-body aerodynamics. David E. Reubush (JA) 359
- Effect of spanwise blowing on the aerodynamic characteristics of the F-5E. Gary E. Erickson (JA) 695
- Effects of airframe-inlet integration on half-axisymmetric and two-dimensional supersonic inlet performance. Lewis E. Surber and Dennis Sedlock (JA) 612
- Efficient algorithm for numerical airfoil optimization. Garret N. Vanderplaats (JA) 842
- Electricity generation from jet-stream winds. C. A. J. Fletcher and B. W. Roberts (JE) 241
- Experimental study of a jet issuing from a lifting wing. H.M. McMahon and D.L. Antani (JA) 275
- Finite-element approach to compressor blade-to-blade cascade analysis. Wagdi G. Habashi, Ernest G. Dueck, and David P. Kenny (AIAA J) 693
- Flight through thunderstorm outflows. Walter Frost, Bill Crosby, and Dennis W. Camp (JA) 749
- Flying-hot-wire study of flow past an NACA 4412 airfoil at maximum lift. Donald Coles and Alan J. Wadcock (AIAA J) 321
- Formation of a trailing vortex. Michael S. Francis and Donald A. Kennedy (JA) 148
- Formulas for spanwise distribution of lift on aircraft wings. Wilson C. Obi (JA, EN) 733
- Ground effects on USB configurations. C. Edward Lan (JA, EN) 62
- Ground effects testing of two-, three-, and four-jet configurations. H.E. Sherrieb (JA) 393
- Historical overview of stall/spin characteristics of general aviation aircraft. Seth B. Anderson (JA) 455
- Hot-wire, laser-anemometer, and force measurements of interacting trailing vortices. J.D. Iversen, V.R. Corsiglia, S. Park, D.R. Backhus, and R.A. Brickman (JA) 448
- Hysteresis zone or locus—aerodynamics of bulbous based bodies at low speeds. Eugene E. Covert (AIAA J, TN) 659
- Improved higher-order panel method for linearized supersonic flow. F.E. Ehlers, M.A. Epton, F.T. Johnson, A.E. Magnus, and P.E. Rubbert (AIAA J, SYN) 225
- Improved wave drag predictions using modified linear theory. Robert T. Stancil (JA) 41
- Improved Woodward's panel method for calculating edge suction forces. C. Edward Lan and Sudhir C. Mehrotra (JA, EN) 362
- Improving large-scale testing capability by modifying the 40- by 80-ft wind tunnel. Kenneth W. Mort, Paul T. Soderman, and William T. Eckert (JA) 571
- In-flight captive store loads compared with wind-tunnel and mathematical simulations. A.R. Maddox, R.E. Dix, and G.R. Mattasits (JA) 289
- Installed performance of vectoring/reversing nonaxisymmetric nozzles. P.E. Hiley, D.E. Kitzmiller, and C.M. Willard (JA) 532
- Inviscid model of two-dimensional vortex shedding by a circular cylinder. Turgut Sarpkaya and Ray L. Schoaff (AIAA J) 1193
- Lanchester-Betz limit. Karl H. Bergey (JE, TN) 382
- Lifting-line theory of oblique wings in transonic flows. H.K. Cheng and S.Y. Meng (AIAA J, TN) 121
- Lifting surface approach to the estimation of gust response of finite wings. Hiroshi Okubo, Makoto Kobayakawa, and Hiroshi Maeda (JA) 309
- Local momentum theory and its application to the rotary wing. Akira Azuma and Keiji Kawachi (JA) 6
- Measurements of flows with tangential injection and comparison with prediction methods. R.J. Kind, K. Gooden, and F.A. Dvorak (AIAA J) 730
- Method for calculating wing loading during maneuvering flight along a three-dimensional curved path. J. Katz (JA) 739
- Moving-ground simulation by tangential blowing. J.E. Hackett and R.A. Boles (JA) 803
- Multiple equilibrium vortex positions in symmetric shedding from slender bodies. D. Weihs and M. Boasson (AIAA J, TN) 213
- New approach to the 3-D transonic flow analysis using the STAR-100 computer. David D. Redhed, Allen W. Chen, and Steven G. Hotovy (AIAA J, TN) 98
- New rotation-balance apparatus for measuring airplane spin aerodynamics in the wind tunnel. Gerald N. Malcolm (JA) 264
- Nonlinear propagation of a wave packet in a two-dimensional lined duct. Morgan S. Tsai (AIAA J, SYN) 129
- Numerical calculation of transonic potential flow about wing-body combinations. D.A. Caughey and Antony Jameson (AIAA J) 175
- Numerical solution for perpendicular sonic hydrogen injection into a ducted supersonic airstream. J. Philip Drummond (AIAA J, TN) 531
- Numerical solution of the supersonic and hypersonic viscous flow around thin delta wings. Guion S. Bluford Jr. (AIAA J) 942
- Observations on maximum likelihood estimation of aerodynamics characteristics from flight data. Kenneth W. Iliff and Richard E. Maine (JGC) 228
- Orbiter approach and landing tests — correlation of flight and predicted performance data. P.O. Romero, D.L. Eichblatt, J.M. Underwood, and D.B. Howes (JA) 233
- Particle trajectories in turbine cascades. R.P. Dring, J.R. Caspar, and M. Suo (JE) 161
- Potential flow analysis of multielement airfoils using conformal mapping. N.D. Halsey (AIAA J) 1281
- Ram-air-spoiler roll stabilization device for forward-control cruciform missiles. A. B. Blair Jr., Wallace C. Sawyer, and Charlie M. Jackson Jr. (JGC) 40
- Real flow limitations in supersonic airplane design. Robert M. Kulfan and Armand Sigalla (JA, SP) 645
- Reduction of aerodynamic drag and fuel consumption for tractor-trailer vehicles. Vincent U. Muirhead and Edwin J. Saltzman (JE) 279
- Reverse thrust performance of a variable-pitch fan engine at forward velocity. D.C. Reemsnyder and D.A. Sagerser (JA) 848
- Side-force alleviation on slender, pointed forebodies at high angles of attack. Dhanvada M. Rao (JA) 763
- Some propulsion and control concepts for a Navy type A V/STOL airplane. J.M. Zabinsky (JA) 769
- Subsonic VSTOL aircraft configurations with tandem wings. Julian Wolkovitch (JA) 605
- Supercritical airfoil technology in compressor cascades: comparison of theoretical and experimental results. H.E. Stephens (AIAA J) 594
- Theoretical and experimental study of the drag of single- and multielement airfoils. Lawrence E. Olson, William D. James, and Phillip R. McGowan (JA) 462
- Three-dimensional viscous-inviscid coupling using surface transpiration. L.A. Lemmerman and V.R. Sonnad (JA) 353
- Tilt nacelle aerodynamics and its application to fan blade stresses. R. J. Shaw, R.C. Williams, and J.L. Koncsek (JA) 591
- Unsteady pressure measurements on rotor blade tips with incidence. Hermann Triebstein (AIAA J) 514
- Use of experimental separation limits in the theoretical design of V/STOL inlets. Michael A. Boles and Norbert O. Stockman. (JA) 29
- Vectoring nonaxisymmetric nozzle jet induced effects on a V/STOL fighter model. W. C. Schnell and R. L. Grossman (JA) 863
- Viscous drag computation for axisymmetric bodies at high Reynolds numbers. M. Fouad Zedan and Charles Dalton (JH) 52
- Wing rock due to aerodynamic hysteresis. L.V. Schmidt (JA) 129

Cabin Environment, Crew Training, and Life Support

- Computer-implemented grading of flight simulator students. F.L. Comstock and Hugo J.J. Uyttenhove (JA) 780
 Laboratory fire testing of cabin materials used in commercial aircraft. C.P. Sarkos, J.C. Spurgeon, and E.B. Nicholas (JA) 78

Civil Missions and Transportation

- Application of advanced high-speed turboprop technology to civil short-haul transport aircraft. John A. Conlon and Jeffrey V. Bowles (JA) 680

Configuration Design

- Active control transport design criteria. Robert B. Harris and William W. Rickard (JA, SYN) 737
 Application of laminar flow control to large military transports. Charles E. Jobe, Robert M. Kulfan, and John D. Vachal (JA) 170
 Distributed load aircraft concepts. P.C. Whitener (JA) 72
 Efficient algorithm for numerical airfoil optimization. Garret N. Vanderplaats (JA) 842
 Flight test results for an advanced technology light airplane. David L. Kohlman (JA) 250
 Historical overview of stall/spin characteristics of general aviation aircraft. Seth B. Anderson (JA) 455
 Locked vortex afterbodies. B.H. Little Jr. and R.R. Whipkey (JA) 296
 New method for designing shock-free transonic configurations. H. Sobieczky, N.J. Yu, K.-Y. Fung, and A.R. Seebass (AIAA J) 722
 Real flow limitations in supersonic airplane design. Robert M. Kulfan and Armand Sigalla (JA, SP) 645
 Reduction of aerodynamic drag and fuel consumption for tractor-trailer vehicles. Vincent U. Muirhead and Edwin J. Saltzman (JE) 279
 Rolling tail design and behavior as affected by actuator hinge moment limits. J.N. Ball (JA) 527
 Some propulsion and control concepts for a Navy type A V/STOL airplane. J.M. Zabinsky (JA) 769
 Subsonic VSTOL aircraft configurations with tandem wings. Julian Wolkovitch (JA) 605
 Wing planforms for large military transports. Charles E. Jobe, Robert M. Kulfan, and John D. Vachal (JA) 425

Deceleration Systems

- Airplane brake-energy analysis and stopping performance simulation. Mahinder K. Wahi (JA) 688
 Computer-controlled video instrument for wind-tunnel testing of lifting parachutes. Robert H. Croll and Carl W. Peterson (JA) 269
 Inflating parachute canopy differential pressures. Paul C. Klimas (JA) 861
 Overtest results for the 7.3-m (24-ft) diameter hybrid Kelvar-29/nylon ribbon parachute. William B. Pepper (JA) 47
 Static performance of vectoring/reversing nonaxisymmetric nozzles. C.M. Willard, F.J. Capone, M. Konarski, and H.L. Stevens (JA) 116
 Tire runway interface friction prediction model concept. Mahinder K. Wahi (JA) 407

Economics

- Effects of wind on aircraft cruise performance. Francis J. Hale and Arthur R. Steiger (JA) 382
 Electricity generation from jet-stream winds. C.A.J. Fletcher and B.W. Roberts (JE) 241

Flight Operations

- Airborne detection of low-level wind shear. R. A. Greene (JA) 823
 Comment on "Flight test of stick force stability in altitude-stabilized aircraft." W.O. Breuhaus (JA, TC) 639
 --Reply by authors to W. O. Breuhaus. H. A. Mooij and M. F. C. van Gool (JA, TC) 640
 Correlation of spray height data for jets impinging on water. Bruce C. Lubow (HJ, EN) 29
 Effects of wind on aircraft cruise performance. Francis J. Hale and Arthur R. Steiger (JA) 382
 Flight investigation and theory of direct side-force control. W. Brian Binnie and Robert F. Stengel (JGC) 471
 In-flight simulation with pilot-center of gravity offset and velocity mismatch. Robert F. Stengel (JGC, EN) 538

Fuels and Fuel Systems

- Demonstration of ultralightweight, evacuated, load-bearing, high-performance microsphere insulation system. R. T. Parmley and G.R. Cunningham Jr. (PS, V.65) 295
 Enthalpies of combustion of ramjet fuels. N.K. Smith and W.D. Good (AIAA J, TN) 905

- Investigation of electrostatic discharge in aircraft fuel tanks during refueling. E. Radgowski and R. Albrecht (JA) 506

General Aviation

- Effect of forward acceleration on aerodynamic characteristics of wings. Shigenori Ando and Akio Ichikawa (AIAA J, TN) 653
 Flight test results for an advanced technology light airplane. David L. Kohlman (JA) 250
 Historical overview of stall/spin characteristics of general aviation aircraft. Seth B. Anderson (JA) 455

Ground Effect Machines

- Duct effects on the dynamic fan characteristics of air cushion systems. M.J. Hinchey and P.A. Sullivan (JH, EN) 28
 The 260-ton French amphibious hovercraft-Naviplane N 500. P. F. Guienne (JH) 33

Guidance and Control

- Active control transport design criteria. Robert B. Harris and William W. Rickard (JA, SYN) 737
 Active external store flutter suppression in the YF-17 flutter model. E. Nissim and I. Lottati (JGC) 395
 Analysis of three-dimensional optimal evasion with linearized kinematics. J. Shinar, Y. Rotsztein and E. Bezner (JGC) 353
 Approach guidance logic for a tilt-rotor aircraft. Jacques Beser (JGC) 528
 Attitude stability of a pseudorate jet-controlled flexible spacecraft. R.A. Millar and F.R. Vigneron (JGC) 111
 Automatic rollout control of the 747 airplane. C.J. Cotter and G.C. Cohen (JGC) 25
 Choice of method for discretization of continuous systems. E.S. McVey and Y.C. Lee (JGC, EN) 92
 Comment on "A comparison of different forms of dirigible equations of motions." Alexander H. Flax (JGC, TC) 544
 Comment on "Active flutter control using generalized unsteady aerodynamic theory." Ranjan Vepa (JGC, TC) 446
 --Reply by authors to R. Vepa. John W. Edwards, John V. Breakwell, and Arthur E. Bryson Jr. (JGC, TC) 447
 Comparison of different forms of dirigible equations of motion. J.R. Pretty and R.O. Hookway (JGC, EN) 154
 Complete statistical analysis of nonlinear missile guidance systems --SLAM. Paul Zarchan (JGC) 71
 Concept to enhance strapdown navigation on MaRV's. Thomas J. Duffy (JGC, EN) 542
 Control law synthesis for active flutter suppression using optimal control theory. Jerry R. Newsom (JGC) 388
 Elementary explanation of the flutter mechanism with active feedback controls. Hidetsugu Horikawa and Earl H. Dowell (JA) 225
 Experimental investigation of control-display requirements for a jet-lift VTOL aircraft. J.V. Lebacqz and R.C. Radford (JGC) 479
 Extension of Gauss' method for the solution of Kepler's equation. Richard H. Battin and Thomas J. Fill (JGC) 190
 Flight investigation and theory of direct side-force control. W. Brian Binnie and Robert F. Stengel (JGC) 471
 Flight through thunderstorm outflows. Walter Frost, Bill Crosby, and Dennis W. Camp (JA) 749
 Generalized likelihood test for FDI in redundant sensor configurations. Kevin C. Daly, Eliezer Gai, and James V. Harrison (JGC) 9
 High-accuracy calibration of electrostatic gyro strapdown navigation systems. R.L. Blanchard (JGC) 361
 Interferometric attitude determination with the global positioning system. J.F. Ellis and G.A. Creswell (JGC) 522
 Linearization of the boundary-layer equations of the minimum time-to-climb problem. Mark D. Ardema (JGC, EN) 434
 Load factor response of digitally controlled aircraft. Dinesh A. Kesar and Gary L. Slater (JGC) 247
 Method for error budgeting of inertial navigation systems. Angus Andrews (JGC, EN) 438
 Millimeter-wave missile seeker aimpoint wander phenomenon. D.T. Williams and W.H. Boykin (JGC) 196
 Minimum and maximum endurance trajectories for gliding flight in a horizontal plane. Walton E. Williamson Jr. (JGC) 457
 Minimum landing-approach distance for a sailplane. Bion L. Pierson and Imao Chen (JA, EN) 287
 Multistep guaranteed cost control of linear systems with uncertain parameters. Aharon Vinkler and Lincoln J. Wood (JGC) 449
 Optimal autostabilizer for a supersonic fighter aircraft. Y.S. Apte and V.V. Athani (JGC, SYN) 97
 Optimal flight control synthesis via pilot modeling. David K. Schmidt (JGC) 308
 Optimal guidance for homing missiles. Shaul Gutman (JGC) 296
 Orientation vector differential equation. Gregory J. Nazarov (JGC, EN) 351
 Performance of a ring laser strapdown attitude and heading reference for aircraft. Carlo San Giovanni Jr. (JGC) 320

- Ram-air-spoiler roll stabilization device for forward-control cruciform missiles. A.B. Blair Jr., Wallace C. Sawyer, and Charlie M. Jackson Jr. (JGC) 40
- Representation of realistic evasive maneuvers by the use of shaping filters. Paul Zarchan (JGC) 290
- Role of the backside parameter in height control. Kanichiro Kato, Shoichiro Mihara, and Hidetoshi Nakamura (JGC) 241
- Selection of the guidance variable for a re-entry vehicle. Steven M. Archer and David D. Sworder (JGC) 130
- Some formal effects of nonlinearities in optimal perturbation control. Warren W. Willman (JGC, SYN) 99
- Vector methods in homing guidance. Malcolm J. Abzug (JGC, EN) 253
- Wing store active flutter suppression — correlation of analyses and wind-tunnel data. T.E. Noll and L.J. Huttzell (JA) 491

Handling Qualities, Stability and Control

- Active control transport design criteria. Robert B. Harris and William W. Rickard (JA, SYN) 737
- Aeroservoelastic encounters. Larry R. Felt, Lawrence J. Huttzell, Thomas E. Noll, and Dale E. Cooley (JA) 477
- Calculated hovering helicopter flight dynamics with a circulation-controlled rotor. Wayne Johnson and Inderjit Chopra (JA) 124
- Comment on "Flight test of stick force stability in attitude-stabilized aircraft." W.O. Breuhaus (JA, TC) 639
- Reply by authors to W.O. Breuhaus. H.A. Mooij and M.F.C. van Gool (JA, TC) 640
- C/STOL flight in wind disturbed by the presence of buildings. Walter Frost, Ravi Reddy, Bill Crosby, and Dennis W. Camp (JA) 856
- Design of desirable handling qualities for aircraft lateral dynamics. H. Ohta, P.N. Nikiforuk, and M.M. Gupta (JGC) 31
- Dispersed fly-by-wire sensor system for improved combat survivability. Howard Berman and Jean Boudreau (JGC) 463
- Effects of dynamic aeroelasticity on aircraft handling qualities. Robert L. Swaim and Wen-Yo Yen (JA, EN) 635
- Experimental investigation of control-display requirements for a jet-lift VTOL aircraft. J.V. Lebacqz and R.C. Radford (JGC) 479
- Flight investigation and theory of direct side-force control. W. Brian Binnie and Robert F. Stengel (JGC) 471
- High-fidelity airplane simulation model. Hozo Yoshino (JA) 374
- In-flight simulation with pilot-center of gravity offset and velocity mismatch. Robert F. Stengel (JGC, EN) 538
- Maximum likelihood estimation of translational acceleration derivatives from flight data. Richard E. Maine and Kenneth W. Iliff (JA) 674
- Multistep guaranteed cost control of linear systems with uncertain parameters. Aharon Vinkler and Lincoln J. Wood (JGC) 449
- New look at $C_{n\beta, dyn}$. Robert A. Calico Jr. (JA, EN) 895
- Observations on maximum likelihood estimation of aerodynamic characteristics from flight data. Kenneth W. Iliff and Richard E. Maine (JGC) 228
- Optimal autostabilizer for a supersonic fighter aircraft. Y.S. Apte and V.V. Athani (JGC, SYN) 97
- Optimal flight control synthesis via pilot modeling. David K. Schmidt (JGC) 308
- Powered-lift aircraft handling qualities in the presence of atmospheric disturbances. Wayne F. Jewell, Robert K. Heffley, Warren F. Clement, and Thomas C. West (JA) 388
- Rationale for human operator pulsive control behavior. Ronald A. Hess (JGC) 221
- Role of the backside parameter in height control. Kanichiro Kato, Shoichiro Mihara, and Hidetoshi Nakamura (JGC) 241
- Rolling tail design and behavior as affected by actuator hinge moments limits. J.N. Ball (JA) 527
- Side-force alleviation on slender, pointed forebodies at high angles of attack. Dhanvada M. Rao (JA) 763
- Some observations on the mechanism of aircraft wing rock. Chintsun Hwang and W.S. Pi (JA) 366
- Wing rock due to aerodynamic hysteresis. L.V. Schmidt (JA) 129

Helicopters

- A 2.5-MVA high-voltage lightweight generator. E.F. Hammond, Jr. W.S. Neff, and W.J. Shilling (JA) 55
- Calculated hovering helicopter flight dynamics with a circulation-controlled rotor. Wayne Johnson and Inderjit Chopra (JA) 124
- Calculation of rotor impedance for articulated-rotor helicopters in forward flight. Kanichiro Kato and Takashi Yamane (JA) 470
- Calculation of rotor impedance for hovering articulated-rotor helicopters. Kanichiro Kato and Takashi Yamane (JA) 15
- Examination of the flap-lag stability of rigid articulated rotor blades. K.R.V. Kaza and R.G. Kvaternik (JA) 876
- Local momentum theory and its application to the rotary wing. Akira Azuma and Keiji Kawachi (JA) 6
- Numerical prediction of typical articulated rotor impedance. Kanichiro Kato and Takashi Yamane (JA, SYN) 417
- Some results of the testing of a full-scale Ogee-tip rotor. Wayne R. Mantay, Phillip A. Shidler, and Richard L. Campbell (JA) 215

- Theoretical technique for analyzing aeroelastic stability of bearingless rotors. Dewey H. Hodges (AIAA J) 400

Landing Dynamics

- Airplane brake-energy analysis and stopping performance simulation. Mahinder K. Wahi (JA) 688
- Approach guidance logic for a tilt-rotor aircraft. Jacques Beser (JGC) 528
- Minimum landing-approach distance for a sailplane. Bion L. Pierson and Imao Chen (JA, EN) 287
- Tire runway interface friction prediction model concept. Mahinder K. Wahi (JA) 407

Lighter-than-Airships

- Comment on "A comparison of different forms of dirigible equations of motion." Alexander H. Flax (JGC, TC) 544
- Comparison of different forms of dirigible equations of motion. J.R. Pretty and R.O. Hookway (JGC) 154
- Performance theory for hot air balloons. Karl Stefan (JA) 539
- Viscous drag computation for axisymmetric bodies at high Reynolds numbers. M. Fouad Zedan and Charles Dalton (JH) 52
- Zero-pressure balloon design. David L. Keese (AIAA J) 12

Military Missions

- Aircraft operating environments around high-speed ships. James F. Marchman III (JH, SYN) 3
- Analysis of three-dimensional optimal evasion with linearized kinematics. J. Shinar, Y. Rotsztein, and E. Beznar (JGC) 353
- Dispersed fly-by-wire sensor system for improved combat survivability. Howard Berman and Jean Boudreau (JGC) 463
- Required radar ranges for AEW aircraft. Jerome Bracken and Jeffrey H. Grotte (JA) 792

Navigation, Communication, and Traffic Control

- Method of optimizing the update intervals in hybrid navigation systems. Cornelius T. Leondes, Ioannis A. Phillis, and Leonard Chin (JGC, EN) 541
- Performance of a ring laser strapdown attitude and heading reference for aircraft. Carlo San Giovanni Jr. (JGC) 320
- Simulation study of the operational effects of fuel-conservative approaches. Leonard Tobias, Everett A. Palmer, and Paul J. O'Brien (JA) 498

Noise

- Application of advanced high-speed turboprop technology to civil short-haul transport aircraft. John A. Conlon and Jeffrey V. Bowles (JA) 680
- Assessment of airframe noise. P.J.W. Block (JA) 834
- Dipole modeling and nondimensionalization of airframe noise. Andrew B. Bauer (JA) 398
- High-altitude long-range sonic boom propagation. A.R. George and Y.N. Kim (JA, EN) 637
- Investigation of acoustic radiation from supersonic jets by double-pulse holographic interferometry. Ahmet Ozkul (AIAA J) 1068
- Noise component method for airframe noise. Martin R. Fink (JA) 659
- Nonlinear propagation of a wave packet in two-dimensional lined duct. Morgan S. Tsai (AIAA J, SYN) 129
- Optimum wall impedance for spinning modes—a correlation with mode cutoff ratio. Edward J. Rice (JA) 336
- Reduction of cabin noise during cruise conditions by stringer and frame damping. G. SenGupta (AIAA J) 229
- Simulation of the pressure field near a jet by randomly distributed vortex rings. Y.T. Fung, C.H. Liu, and M.D. Gunzburger (AIAA J) 553
- Some singular acoustic signatures observed in a jet aircraft. Sridhar M. Ramachandra (JA, SYN) 513
- Technology status of jet noise suppression concepts for advanced supersonic transports. W.T. Rowe, E.S. Johnson, and R.A. McKinnon (JA) 95
- Transmission of acoustic plane waves at a jet exhaust. Robert H. Schlunker (JA) 188
- Workshop report for the 4th AIAA Aeroacoustics Conference. Craig D. Simcox (JA) 35

Performance

- Aerodynamic effects induced by a vectored high aspect ratio nonaxisymmetric exhaust nozzle. Douglas L. Bowers (JA) 515
- Application of advanced high-speed turboprop technology to civil short-haul transport aircraft. John A. Conlon and Jeffrey V. Bowles (JA) 680
- Application of laminar flow control to large military transports. Charles E. Jobe, Robert M. Kulfan, and John D. Vachal (JA) 170
- Effect of forward acceleration on aerodynamic characteristics of wings. Shigenori Ando and Akio Ichikawa (AIAA J, TN) 653

- Effect of spanwise blowing on the aerodynamic characteristics of the F-5E. Gary E. Erickson (JA) 695
- Effects of airframe-inlet integration on half-axisymmetric and two-dimensional supersonic inlet performance. Lewis E. Surber and Dennis Sedlock (JA) 612
- Effects of wind on aircraft cruise performance. Francis J. Hale and Arthur R. Steiger (JA) 382
- Flight test results for an advanced technology light airplane. David L. Kohlman (JA) 250
- Ground effects testing of two-, three-, and four-jet configurations. H.E. Sherrieb (JA) 393
- Linearization of the boundary-layer equations of the minimum time-to-climb problem. Mark D. Ardema (JGC, EN) 434
- Minimum landing-approach distance for a sailplane. Bion L. Pierson and Imao Chen (JA, EN) 287
- Orbiter approach and landing tests—correlation of flight and predicted performance data. P.O. Romere, D.L. Eichblatt, J.M. Underwood, and D.B. Howes (JA) 233
- Static performance of vectoring/reversing nonaxisymmetric nozzles. C.M. Willard, F.J. Capone, M. Konarski, and H.L. Stevens (JA) 116
- Wing planforms for large military transports. Charles E. Jobe, Robert M. Kulfan, and John D. Vachal (JA) 425

Powerplant Design

- Analytical and experimental investigation of diffusers for VSTOL thrust-augmenting ejectors. M.R. Seiler and E.F. Schum (JA, SYN) 643
- Operational environment of Naval aircraft gas turbines. Scott M. Coté and James L. Byers (JA) 729

Propeller and Rotor Systems

- Aeroelastic stability and response of horizontal axis wind turbine blades. S.B.R. Kottapalli, P.P. Friedman, and A. Rosen (AIAA J) 1381
- Approach for estimating vibration characteristics of nonuniform rotor blades. K.-W. Lang and S. Nemat-Nasser (AIAA J) 995
- Examination of the flap-lag stability of rigid articulated rotor blades. K.R.V. Kaza and R.G. Kvaternik (JA) 876
- Rotor blade stability in turbulent flows - part I. Y.K. Lin, Y. Fujimori, and S.T. Ariaratnam (AIAA J) 545
- Rotor blade stability in turbulent flows - part II. Y. Fujimori, Y.K. Lin, and S.T. Ariaratnam (AIAA J) 673
- Tilting wing overspeed control for vertical axis wind turbines. J.L. Loth (JE, TN) 375
- Unsteady pressure measurements on rotor blade tips with incidence. Hermann Triebstein (AIAA J) 514

Simulation

- Airplane brake-energy analysis and stopping performance simulation. Mahinder K. Wahi (JA) 688
- Approach guidance logic for a tilt-rotor aircraft. Jacques Beser (JGC) 528
- Choice of method for discretization of continuous systems. E.S. McVey and Y.C. Lee (JGC, EN) 92
- Comment on "A comparison of different forms of dirigible equations of motion." Alexander H. Flax (JGC, TC) 544
- Comparison of different forms of dirigible equations of motion. J.R. Pretty and R.O. Hookway (JGC, EN) 154
- Complete statistical analysis of nonlinear missile guidance systems —SLAM. Paul Zarchan (JGC) 71
- Computer-implemented grading of flight simulator students. F.L. Comstock and Hugo J.J. Uyttenhove (JA) 780
- C/STOL flight in wind disturbed by the presence of buildings. Walter Frost, Ravi Reddy, Bill Crosby, and Dennis W. Camp (JA) 856
- Effects of helmet loader cues on simulator pilot performance. B.R. Ashworth and B.T. McKissick (JA) 787
- High-fidelity airplane simulation model. Hozo Yoshino (JA) 374
- Identification of a STOL propulsion plant model from flight data. Ronald L. DeHoff (JGC) 235
- In-flight simulation with pilot-center of gravity offset and velocity mismatch. Robert F. Stengel (JGC, EN) 538
- Nonlinear optimal cue-shaping filters for motion base simulators. Robert L. Kosut (JGC) 486
- Powered-lift aircraft handling qualities in the presence of atmospheric disturbances. Wayne F. Jewell, Robert K. Heffley, Warren F. Clement, and Thomas C. West (JA) 388
- Representation of realistic evasive maneuvers by the use of shaping filters. Paul Zarchan (JGC) 290
- Simulation study of the operational effects of fuel-conservative approaches. Leonard Tobias, Everett A. Palmer, and Paul J. O'Brien (JA) 498

Structural Design (including Loads)

- Accelerated mission testing of gas turbine engines. Jon S. Ogg and Wilson R. Taylor (JA) 247

- Drones for aerodynamic and structural testing (DAST) — a status report. H.N. Murrow and C.V. Eckstrom (JA) 521
- General panel sizing computer code and its application to composite structural panels. Melvin S. Anderson and W. Jefferson Stroud (AIAA J) 892
- In-flight captive store loads compared with wind-tunnel and mathematical simulations. A.R. Maddox, R.E. Dix, and G.R. Mattasits (JA) 289
- Quadrilateral plate element for laminated structure. Vichien Nopratvarakorn and Ju-chin Huang (AIAA J, TN) 95
- Rolling tail design and behavior as affected by actuator hinge moment limits. J.N. Ball (JA) 527
- Weight of x-ray shields for interceptor missiles. Thomas L. Cost (JSR) 172
- Wing planforms for large military transports. Charles E. Jobe, Robert M. Kulfan, and John D. Vachal (JA) 425
- Zero-pressure balloon design. David L. Keese (AIAA J) 12

Structural Materials

- Design-to-cost with advanced composites and advanced metallics. Leonard Ascani and Leslie Lackman (JA) 714
- Effects of purity on fatigue and fracture of 7XXX-T76511 aluminum extrusion. J.M. Van Orden, W.E. Krupp, E. Walden, and J.T. Ryder (JA) 327
- Low-pressure diffusion bonding of titanium. J.F. Kenney and C. Deminet (JSR) 88
- Shear properties of promising adhesives for bonded joints in composite material structures. D.L. Flaggs and J.R. Vinson (JA) 51
- Thermal stresses in a plasma-sprayed ceramic gas path seal. Christopher M. Taylor and Robert C. Bill (JA) 239

Subsystem Design

- A 2.5-MVA high-voltage lightweight generator. E.F. Hammond Jr., W.S. Neff, and W.H. Shilling (JA) 55
- Design and experimental studies of a type A V/STOL inlet. H.C. Potonides, R.A. Cea, and T.F. Nelson (JA) 543
- Inlet and duct for the QSRA boundary-layer control system. Daniel W. Gunnarson and Jack C. McArdle (JA) 303

Testing, Flight and Ground

- Adaptive wind tunnels with imperfect control. W.R. Sears (JA) 344
- Aerodynamic heating to the X-24C hypersonic research configuration. R.D. Neumann, J.L. Patterson, and N.J. Sliski (PS, V.65) 192
- Aircraft wake flow effect and horizontal tail buffet. Chintsun Hwang and W.S. Pi (JA, EN) 282
- Automatic rollout control of the 747 airplane. C.J. Cotter and G.C. Cohen (JGC) 25
- Axisymmetric calculations of transonic wind tunnel interference in slotted test sections. K.R. Karlsson and Y. C.-J. Sedin (AIAA J, TN) 917
- Computer-controlled video instrument for wind-tunnel testing of lifting parachutes. Robert H. Croll and Carl W. Peterson (JA) 269
- Demonstration of aircraft wing/store flutter suppression systems. Chintsun Hwang, Bertil A. Winther, George R. Mills, Thomas E. Noll, and Moses G. Farmer (JA) 557
- Development of electron beam welded, strain-gaged wind-tunnel balances. Bernd Ewald (JA) 349
- Drones for aerodynamic and structural testing (DAST)—a status report. H.N. Murrow and C.V. Eckstrom (JA) 521
- Full-scale wake flow measurements with a mobile Laser Doppler Velocimeter. D.J. Wilson, A.D. Zalay, M.R. Brashears, C.E. Craven, K.R. Shrider, and A.J. Jordan (JA) 155
- Hot-film probe technique for monitoring shock-wave oscillations. Frederick W. Roos (JA) 871
- Identification of a STOL propulsion plant model from flight data. Ronald L. DeHoff (JGC) 235
- Improvement of flow quality at the University of Washington subsonic wind tunnel. Shojiro Shindo, William H. Rae Jr., Yoshio Aoki, and Eugene G. Hill (JA, SYN) 419
- Improving large-scale testing capability by modifying the 40- by 80-ft wind tunnel. Kenneth W. Mort, Paul T. Soderman, and William T. Eckert (JA) 571
- In-flight captive store loads with wind-tunnel and mathematical simulations. A.R. Maddox, R.E. Dix, and G.R. Mattasits (JA) 289
- Influence of unsteady aerodynamics on extracted aircraft parameters. M.J. Queijo, William R. Wells, and Dinesh A. Keskar (JA) 708
- Integration time required to extract accurate data from transonic wind-tunnel tests. Lado Muhlstein Jr. and Charles F. Coe (JA) 620
- Investigation of electrostatic discharge in aircraft fuel tanks during refueling. E. Radgowski and R. Albrecht (JA) 506
- Maximum likelihood estimation of translational acceleration derivatives from flight data. Richard E. Maine and Kenneth W. Iliff (JA) 674

- Measured wake-vortex characteristics of aircraft in ground effect. Donald L. Ciffone and Barbara Pedley (JA) 102
- Millimeter-wave missile seeker aimpoint wander phenomenon. D.T. Williams and W.H. Boykin Jr. (JGC) 196
- Moving-ground simulation by tangential blowing. J.E. Hackett and R.A. Boles (JA) 803
- New rotation-balance apparatus for measuring airplane spin aerodynamics in the wind tunnel. Gerald N. Malcolm (JA) 264
- Observations on maximum likelihood estimation of aerodynamic characteristics from flight data. Kenneth W. Iliff and Richard E. Maine (JGC) 228
- Orbiter approach and landing tests—correlation of flight and predicted performance data. P.O. Romere, D.L. Eichblatt, J.M. Underwood, and D.B. Howes (JA) 233
- Powered-lift aircraft handling qualities in the presence of atmospheric disturbances. Wayne F. Jewell, Robert K. Heffley, Warren F. Clement, and Thomas C. West (JA) 388
- Shock tube as a device for testing transonic airfoils at high Reynolds numbers. William J. Cook, Leroy L. Presley, and Gary T. Chapman (AIAA J) 714
- Some observations on the mechanism of aircraft wing rock. Chintsun Hwang and W.S. Pi (JA) 366
- Some results of the testing of a full-scale Ogee-tip rotor. Wayne R. Mantay, Phillip A. Shidler, and Richard L. Campbell (JA) 215
- Use of sound absorbing walls to reduce dynamic interference in wind tunnels. Dennis G. Mabey (AIAA J, SYN) 334
- Wind-tunnel blockage correction for two-dimensional transonic flow. James A. Blackwell Jr. (JA) 256

Vibration

- Approach for estimating vibration characteristics of nonuniform rotor blades. K.-W. Lang and S. Nemat-Nasser (AIAA J) 995
- Calculation of rotor impedance for articulated-rotor helicopters in forward flight. Kanichiro Kato and Takashi Yamane (JA) 470
- Calculation of rotor impedance for hovering articulated-rotor helicopters. Kanichiro Kato and Takashi Yamane (JA) 15
- Design procedures for flutter-free surface panels. Robert M. Laurenson, James I. McPherson, and Charles. P. Shore (AIAA J, SYN) 398
- Direct solutions for Sturm-Liouville systems with discontinuous coefficients. Dewey H. Hodges (AIAA J, TN) 924
- Finite-element solution of the supersonic flutter of conical shells. Maher N. Bismarck-Nasr and Hely R. Costa Savio (AIAA J, TN) 1148
- Fluid-structure interaction dynamics in aircraft fuel tanks. M.A. Ferman and W.H. Unger (JA) 885
- Numerical prediction of typical articulated rotor impedance. Kanichiro Kato and Takashi Yamane (JA, SYN) 417
- Rapid calculation of the resonance frequency for rotationally restrained rectangular plates. Esam M. Nassar (AIAA J) 6
- Reduction of cabin noise during cruise conditions by stringer and frame damping. G. SenGupta (AIAA J) 229
- Vibration statistics of thin plates with complex form. Aleksander Waberski (AIAA J, ERR) 544

ENERGY

Alternate Fuels

- Characteristic time correlation for combustion inefficiency from alternative fuels. D. A. Schmidt and A.M. Mellor (JE) 167
- Combustion performance of gas turbine combustors burning alternative fuels. D.R. Ballal and A.H. Lefebvre (JE) 50
- Drag reduction by cooling in hydrogen-fueled aircraft. Eli Reshotko (JA) 584
- Evaluation of control options for solar climate control systems. Jane H. Pejsa, Khanh H. Nguyen, and Stephanie A. Wenzler (JE, TN) 183
- Fuel development for open-loop combustion-driven MHD power generation. Allan S. Myerson and Christopher F. Harris (JE, TN) 120
- Particle trajectories in turbine cascades. R.P. Dring, J.R. Caspar, and M. Suo (JE) 161
- Research and development and the price of oil. George A. Hazelrigg Jr. and Keith R. Lietzke (JE) 349
- Size distribution and surface area measurements of gas turbine combustor smoke. W.R. Wyatt, J.A. Clark, J.E. Peters, and A.M. Mellor (JE) 285

Combustion Efficiency

- Characteristic time correlation for combustion inefficiency from alternative fuels. D. A. Schmidt and A.M. Mellor (JE) 167
- Coalescence/dispersion modeling of high-intensity combustion. David T. Pratt (JE) 177
- Experiments in coal devolatilization and combustion. Frederic A. Lyman (PS, V.63) 297
- Holography of solid propellant combustion. R.A. Briones and R.F. Wuerker (PS, V.63) 251

Conservation

- Domestic hot water heating using hot air solar collectors. J.L. Loth (JE, TN) 377
- Experiments with gravity-assisted heat pipes with and without circumferential grooves. Karl Thomas Feldman Jr. and Satish Munje (JE) 211
- Evaluation of control options for solar climate control systems. Jane H. Pejsa, Khanh H. Nguyen, and Stephanie A. Wenzler (JE, TN) 183
- Mechanical energy storage systems: compressed air and underground pumped hydro. H.H. Chiu, L.W. Rodgers, Z.A. Saleem, R.K. Ahluwalia, G.T. Kartsounes, and F.W. Ahrens (JE) 131
- Performance evaluation of gravity-assisted copper-water heat pipes with liquid overfill. H. Ngugen Chi and A. Abhat (AIAA J) 1003
- Reduction of aerodynamic drag and fuel consumption for tractor-trailer vehicles. Vincent U. Muirhead and Edwin J. Saltzman (JE) 279
- Statistical bounds for the effective thermal conductivity of microsphere and fibrous insulation. C.L. Tien and K. Vafai (PS, V.65) 135

Cryogenics

- Demonstration of an ultralightweight, evacuated, load-bearing, high-performance microsphere insulation system. R. T. Parmley and G.R. Cunningham Jr. (PS, V.65) 295
- Design and test evaluation of a solid cryogen cooler insulation system. J.E. Ahern and T.W. Lawson (PS, V.65) 307

Exploration and Recovery

- Automated guidance and control of long wall mining machines. E. R. Palowitch and P.H. Broussard Jr. (JE) 329

Hydroelectric Power

- Mechanical energy storage systems: compressed air and underground pumped hydro. H.H. Chiu, L.W. Rodgers, Z.A. Saleem, R.K. Ahluwalia, G.T. Kartsounes, and F.W. Ahrens (JE) 131
- Multiple pump stage loading of a variable-rpm wind turbine. S. Eskinazi and R. Goethals (JE) 114

Hydrogen and Unique Fuels

- Demonstration of an ultralightweight, evacuated, load-bearing, high-performance microsphere insulation system. R. T. Parmley and G.R. Cunningham Jr. (PS, V.65) 295

MHD

- Current distribution at the end regions of a magnetohydrodynamic channel. M.L. Mittal and P.R.L. Sarma (JE, TN) 181
- Fuel development for open-loop combustion-driven MHD power generation. Allan S. Myerson and Christopher F. Harris (JE, TN) 120
- Numerical solutions of transient MHD phenomena. L.A. Feldman and J.E. Burkhaltner (AIAA J, SYN) 227
- Performance of disk generators for open-cycle MHD power generation. Takashi Nakamura and Marion K. Jenkins (JE) 217
- Simplified correlations for prediction of NO_x emissions from MHD power plants. J. Hopfenfeld (JE) 335
- Three-dimensional effects of electrode configuration on diagonal MHD generator performance. Takehisa Hara and Juro Umoto (JE) 16

Microwaves

- Variable-frequency driver-microwave transient regression rate measurement system. L.D. Strand and R.P. McNamara (PS, V.63) 155

Nuclear Fission

- Pyrolysis model for an alpha waste incinerator prototype. D.I. Orloff (JE) 90
- Separation factors for UF₆ isotopes accelerated by helium expanding spherically into a vacuum. Kenichi Nanbu (JE, SYN) 67
- Transient heat conduction from buried underground radioactive nuclear waste. P.B. Wells and E.A. Bathke (JE) 227

Photovoltaic Power

- Photovoltaics and solar thermal conversion to electricity: status and prospects. Marshall E. Alper (JE) 263
- Space-manufactured satellite power systems. R.H. Miller and D.L. Akin (JE, TN) 373
- Thermal and other tests of photovoltaic modules performed in natural sunlight. James W. Stultz (JE) 363