

Chronological Index

J91-006 Laminar Flow Past Three Closely Spaced Monodisperse Spheres or Nonevaporating Drops. R. S. Ramachandran, T.-Y. Wang, C. Kleinstreuer, and H. Chiang, *North Carolina State University* (29, 1, p. 43) Article

Technical Comment by M. J. Pitt, *University of Sheffield, England, UK* (34, 6, p. 1305)

Reply (34, 6, p. 1306)

J93-145 Laminar Boundary Layers Subjected to High-Frequency Traveling-Wave Fluctuations. David Greenblatt and Steven B. Damelin, *Aerotek, South Africa* (31, 5, p. 957) Technical Note

Technical Comment by Harry P. Horton, *Queen Mary and Westfield College, University of London, England, UK* (34, 6, p. 1304)

J93-252 Skin Friction and Velocity Profile Family for Compressible Turbulent Boundary Layers. P. G. Huang, *Eloret Institute*; P. Bradshaw, *Stanford University*; and T. J. Coakley, *NASA Ames Research Center* (31, 9, p. 1600) Article

Errata (31, 11, p. 2192)

Technical Comment by Fariborz Motallebi, *Delft University of Technology, The Netherlands* (34, 4, p. 870)

Reply (34, 4, p. 873)

J95-080 Effect of Concentrated Mass on Stability of Cantilevers Under Rocket Thrust. Yoshihiko Sugiyama and Jun Matsuike, *University of Osaka Prefecture, Japan*; Bong-Jo Ryu, *Taejon National University of Technology, Korea*; and Kazuo Katayama, Shigeru Kinoi, and Norio Enomoto, *Dicel Chemical Industries, Ltd., Japan* (33, 3, p. 499) Article based on AIAA Paper 94-1622 CP942

Errata (34, 1, p. 212)

J95-084 Vibration and Buckling of Flexible Rotating Beams. Chris D. Eick, *Allied-Signal Aerospace Company*; and Marc P. Mignolet, *Arizona State University* (33, 3, p. 528) Article

Technical Comment by Alexander H. Flax (34, 3, p. 640)

Reply (34, 3, p. 641)

J95-119 Rise of Total Pressure in Frictional Flow. R. I. Issa, *Imperial College of Science, Technology, and Medicine, England, UK* (33, 4, p. 772) Technical Note

Technical Comment by B. W. van Oudheusden, *Delft University of Technology, The Netherlands* (34, 2, p. 426)

Reply (34, 2, p. 427)

J95-161 Self-Excited Wire Method for the Control of Turbulent Mixing Layers. U. Vandsburger and C. Ding, *Virginia Polytechnic Institute and State University* (33, 6, p. 1032) Article based on AIAA Paper 93-0443

Technical Comment by Peter J. Disimile, *University of Cincinnati* (34, 4, p. 869)

J95-312 Near-Wall Integration of Reynolds Stress Turbulence Closures with No Wall Damping. Charles G. Speziale, *Boston University*; and Ridha Abid, *High Technology Corporation* (33, 10, p. 1974) Technical Note

Errata (34, 1, p. 212)

J95-332 New Similarity Solutions for Hypersonic Boundary Layers with Applications to Inlet Flows. George R. Inger, *Iowa State University* (33, 11, p. 2080) Article based on AIAA Paper 94-2351

Technical Comment by Jack Pike, *England, UK* (34, 7, p. 1536)

Reply (34, 7, p. 1537)

J95-356 Flow Visualization Using Natural Condensation of Water Vapor. Michael Brendel (33, 11, p. 2234) Technical Note

Errata (34, 3, p. 643)

J96-001 Optimization of Coupled Systems: A Critical Overview of Approaches. R. J. Balling, *Brigham Young University*; and J. Sobieszczanski-Sobieski, *NASA Langley Research Center* (34, 1, p. 6) Survey Paper based on AIAA Paper 94-4330 CP9413

J96-002 Flap-Lag-Torsion Stability in Hover and Forward Flight with Three-Dimensional Wake. A. R. Manjunath, *Hindustan Aeronautics Limited, India*; S. J. Chunduru, *Florida Atlantic University*; J. Nagabhushanam, *Indian Institute of Science*; and G. H. Gaonkar, *Florida Atlantic University* (34, 1, p. 18) Article

J96-003 Application of the Finite Element Method to Acoustic Scattering Problems. J. A. Eaton and B. A. Regan, *University College Galway, Ireland* (34, 1, p. 29) Article based on AIAA Paper 93-4339

J96-004 Matching Inviscid/Boundary-Layer Flowfields. Fred R. DeJarnette and Robert A. Radcliffe, *North Carolina State University* (34, 1, p. 35) Article based on AIAA Paper 94-0128

J96-005 Three-Dimensional Unstructured Viscous Grids by the Advancing-Layers Method. Shahyar Pirzadeh, *ViGYAN, Inc.* (34, 1, p. 43) Article

J96-006 Flowfield Surveys and Computations of a Crossing-Shock Wave/Boundary-Layer Interaction. T. J. Garrison, *Louisiana State University*; G. S. Settles, *Pennsylvania State University*; N. Narayanswami and D. D. Knight, *Rutgers University*; and C. C. Horstman, *NASA Ames Research Center* (34, 1, p. 50) Article based on AIAA Paper 94-2273

J96-007 Measurements of the Triple Shock Wave/Turbulent Boundary-Layer Interaction. T. J. Garrison, *Louisiana State University*; G. S. Settles, *Pennsylvania State University*; and C. C. Horstman, *NASA Ames Research Center* (34, 1, p. 57) Article based on AIAA Paper 94-2274

J96-008 Improving Curved Subsonic Diffuser Performance with Vortex Generators. B. A. Reichert, *Kansas State University*; and B. J. Wendt, *Modern Technologies Corporation* (34, 1, p. 65) Article

J96-009 Numerical Simulation of Mixing for Turbulent Slot Injection. P. Gerlinger, J. Algermissen, and D. Brüggemann, *University of Stuttgart, Germany* (34, 1, p. 73) Article based on AIAA Paper 94-2247

J96-010 Calculation of Streaklines for Time Periodic Flows. Moshe Rosenfeld, *Tel-Aviv University, Israel* (34, 1, p. 79) Article

J96-011 Monte Carlo Computation of Rarefied Supersonic Flow into a Pitot Probe. Keith C. Kannenberg and Iain D. Boyd, *Cornell University* (34, 1, p. 83) Article

J96-012 Effects of Shear and Strain on Temporal Evolution of Laminar Diffusion Flames. Nedunchezian Swaminathan and Shankar Mahalingam, *University of Colorado* (34, 1, p. 89) Article

J96-013 Boundary-Layer-Tripping Studies of Compressible Dynamic Stall Flow. M. S. Chandrasekhara, *U.S. Naval Postgraduate School*; M. C. Wilder, *MCAT Institute*; and L. W. Carr, *U.S. Army Aeroflightdynamics Directorate* (34, 1, p. 96) Article based on AIAA Paper 94-2340

J96-014 Experimental and Numerical Study of Transonic Turbine Cascade Flow. Tibor Kiss, Joseph A. Schetz, and Hal L. Moses, *Virginia Polytechnic Institute and State University* (34, 1, p. 104) Article based on AIAA Paper 93-3064

J96-015 Analysis of Piezoelectric Structures with Laminated Piezoelectric Triangle Shell Elements. H. S. Tzou and R. Ye, *University of Kentucky* (34, 1, p. 110) Article

J96-016 Shape Control of Vibrating Simply Supported Rectangular Plates. R. C. Batra and X. Q. Liang, *Virginia Polytechnic Institute and State University*; and J. S. Yang, *Rensselaer Polytechnic Institute* (34, 1, p. 116) Article

J96-017 Development of a Polymeric Piezoelectric C-Block Actuator Using Hybrid Optimization Technique. Charles E. Seeley and Aditi Chattopadhyay, *Arizona State University*; and Diann Brei, *University of Michigan* (34, 1, p. 123) Article based on AIAA Paper 95-1109 CP952

J96-018 Actuator with Built-In Viscous Damping for Isolation and Structural Control. T. Tupper Hyde, *Massachusetts Institute of Technology*; and Eric H. Anderson, *CSA Engineering, Inc.* (34, 1, p. 129) Article

J96-019 Identification of Impact Force and Location Using Distributed Sensors. Keeyoung Choi and Fu-Kuo Chang, *Stanford University* (34, 1, p. 136) Article

J96-020 Completed Beltrami-Michell Formulation for Analyzing Mixed Boundary Value Problems in Elasticity. Surya N. Patnaik and Igor Kaljević, *Ohio Aerospace Institute*; Dale A. Hopkins, *NASA Lewis Research Center*; and Sunil Saigal, *Carnegie Mellon University* (34, 1, p. 143) Article

J96-021 Physical Programming: Effective Optimization for Computational Design. Achille Messac, *Northeastern University* (34, 1, p. 149) Article

J96-022 Integrated Optimum Design of Structure and H^∞ Control System. K. Tsujioka, I. Kajiwar, and A. Nagamatsu, *Tokyo Institute of Technology, Japan* (34, 1, p. 159) Article based on AIAA Paper 95-1483 CP952

J96-023 Frequency-Load Interaction of Geometrically Imperfect Curved Panels Subjected to Heating. L. Librescu and W. Lin, *Virginia Polytechnic Institute and State University*; and M. P. Nemeth and J. H. Starnes Jr., *NASA Langley Research Center* (34, 1, p. 166) Article based on AIAA Paper 94-1342 CP942

J96-024 Efficient Modeling of Postbuckling Delamination Growth in Composite Laminates Using Plate Elements. J. Klug, X. X. Wu, and C. T. Sun, *Purdue University* (34, 1, p. 178) Article

J96-025 Improvement of Explicit Multistage Schemes for Central Spatial Discretization. Chang-Hsien Tai, Jiann-Hwa Sheu, and Pei-Yuan Tzeng, *Chung Cheng Institute of Technology, Taiwan, ROC* (34, 1, p. 185) Technical Note

J96-026 Use of a Wake-Integral Method for Computational Drag Analysis. J. Mark Janus and Animesh Chatterjee, *Mississippi State University/National Science Foundation Engineering Research Center for Computational Field Simulation* (34, 1, p. 188) Technical Note based on AIAA Paper 95-0535

J96-027 New Mixed Van Leer Flux Splitting for Transonic Viscous Flow. Pascal Ferrand and Stéphane Aubert, *École Centrale de Lyon, France* (34, 1, p. 190) Technical Note

J96-028 Efficient, Robust Second-Order Total Variation Diminishing Scheme. S.-M. Liang, C.-J. Tsai, and L.-N. Wu, *National Cheng Kung University, Taiwan, ROC* (34, 1, p. 193) Technical Note

J96-029 Reduction of Fluctuating Pressure Loads in Shock/Boundary-Layer Interactions Using Vortex Generators: Part 2. J. W. Barter and D. S. Dolling, *University of Texas at Austin* (34, 1, p. 195) Technical Note

J96-030 Impact of Tab Location Relative to the Nozzle Exit on Jet Distortion. Mark F. Reeder and K. B. M. Q. Zaman, *NASA Lewis Research Center* (34, 1, p. 197) Technical Note based on AIAA Paper 94-3385

J96-031 Flow Oscillation over an Airfoil Near Stall. M. B. Bragg, D. C. Heinrich, and F. A. Balow, *University of Illinois at Urbana-Champaign*; and K. B. M. Q. Zaman, *NASA Lewis Research Center* (34, 1, p. 199) Technical Note

J96-032 Use of Drag Probe in Supersonic Flow. J. C. Richard and G. C. Fralick, *NASA Lewis Research Center* (34, 1, p. 201) Technical Note

J96-033 Mass Spectrometer Measurements of Test Gas Composition in a Shock Tunnel. K. A. Skinner and R. J. Stalker, *University of Queensland, Australia* (34, 1, p. 203) Technical Note

J96-034 Calibration of Preston Tubes. Dietrich W. Bechert, *DLR, German Aerospace Research Establishment* (34, 1, p. 205) Technical Note

J96-035 Alternative Control Logic for Type-II Variable-Stiffness System. Junjiro Onoda and Kenji Minesugi, *Institute of Space and Astronautical Science, Japan* (34, 1, p. 207) Technical Note

J96-036 Structure and Properties of Three-Dimensional Braided Composites Including Axial Yarns. Soheil Mohajerjashi, *Boeing Defense and Space Group* (34, 1, p. 209) Technical Note

J96-037 Infeasible Path Optimal Design Methods with Applications to Aerodynamic Shape Optimization. Carlos E. Orozco, *University of Virginia*; and Omar N. Ghattas, *Carnegie Mellon University* (34, 2, p. 217) Article based on AIAA Paper 92-4836 CP9213

J96-038 Impulsive Start of a Symmetric Airfoil at High Angle of Attack. Joseph Katz and Steven Yon, *San Diego State University*; and Stuart E. Rogers, *NASA Ames Research Center* (34, 2, p. 225) Article based on AIAA Paper 95-1872 CP955

J96-039 Skin-Friction Measurements and Calculations on a Lifting Airfoil. George G. Mateer and Daryl J. Monson, *NASA Ames Research Center*; and Florian R. Menter, *Eloret Institute* (34, 2, p. 231) Article based on AIAA Paper 95-2192 CP956

J96-040 Direct Numerical Simulation of Acoustic/Shear Flow Interactions in Two-Dimensional Ducts. Siming Mu and Shankar Mahalingam, *University of Colorado* (34, 2, p. 237) Article

J96-041 Using High-Order Accurate Essentially Nonoscillatory Schemes for Aeroacoustic Applications. Jay Casper, *Vi-GYAN, Inc.*; and Kristine R. Meadows, *NASA Langley Research Center* (34, 2, p. 244) Article based on AIAA Paper 95-0163

J96-042 Effects of Asymmetric Inflow on Near-Field Propeller Noise. Johan B. H. M. Schulten, *National Aerospace Laboratory, The Netherlands* (34, 2, p. 251) Article

J96-043 Control of Panel Response to Turbulent Boundary-Layer and Acoustic Excitations. Lucio Maestrello, *NASA Langley Research Center* (34, 2, p. 259) Article

J96-044 Experimental Studies of Supersonic Film Cooling with Shock Wave Interaction. Takeshi Kanda, Fumie Ono, and Masahiro Takahashi, Toshihito Saito, and Yoshio Wakamatsu, *National Aerospace Laboratory, Japan* (34, 2, p. 265) Article based on AIAA Paper 95-3141

J96-045 Characteristic-Based Pressure Correction at All Speeds. M. H. Kobayashi and J. C. F. Pereira, *Instituto Superior Técnico, Portugal* (34, 2, p. 272) Article

J96-046 Three-Dimensional Unstructured Adaptive Multigrid Scheme for the Navier-Stokes Equations. Mark E. Braaten and Stuart D. Connell, *General Electric Corporate R&D Center* (34, 2, p. 281) Article

J96-047 Hybrid Prismatic/Tetrahedral Grid Generation for Viscous Flows Around Complex Geometries. Yannis Kallin-

deris, Aly Khawaja, and Harlan McMorris, *University of Texas at Austin* (34, 2, p. 291) Article

J96-048 Cinematic Particle Image Velocimetry of High-Reynolds-Number Turbulent Free Shear Layer. Tom R. Oakley, Eric Loth, and Ronald J. Adrian, *University of Illinois at Urbana-Champaign* (34, 2, p. 299) Article based on AIAA Paper 94-2298

J96-049 Computation of Turbulent Axisymmetric and Nonaxisymmetric Jet Flows Using the $K-\epsilon$ Model. Andrew T. Thies and Christopher K. W. Tam, *Florida State University* (34, 2, p. 309) Article

J96-050 Experimental Investigation of Supersonic Gaseous Injection into a Supersonic Freestream. Gregory J. McCann and Rodney D. W. Bowersox, *U.S. Air Force Institute of Technology* (34, 2, p. 317) Article

J96-051 Thrust Generation due to Airfoil Flapping. Ismail H. Tuncer and Max F. Platzer, *U.S. Naval Postgraduate School* (34, 2, p. 324) Article

J96-052 Investigation of High-Order Upwinded Differencing for Vortex Convection. Brian E. Wake and Dochul Choi, *United Technologies Research Center* (34, 2, p. 332) Article based on AIAA Paper 95-1719 CP956

J96-053 Chemical Laser Modeling with Genetic Algorithms. David L. Carroll, *University of Illinois at Urbana-Champaign* (34, 2, p. 338) Article

J96-054 Suppression of Nonlinear Panel Flutter at Supersonic Speeds and Elevated Temperatures. R. C. Zhou, Chuh Mei, and Jen-Kuang Huang, *Old Dominion University* (34, 2, p. 347) Article based on AIAA Paper 94-1743 CP944

J96-055 Semiactive Vibration Suppression by Variable-Damping Members. Junjiro Onoda and Kenji Minesugi, *Institute for Space and Astronautical Science, Japan* (34, 2, p. 355) Article based on AIAA Paper 94-1770 CP944

J96-056 Postprocess Method Using Displacement Field of Higher Order Laminated Composite Plate Theory. Maenghyo Cho and Ji-Heon Kim, *Inha University, Korea* (34, 2, p. 362) Article based on AIAA Paper 95-1209 CP952

J96-057 Analysis of Cracked Aluminum Plates Repaired with Bonded Composite Patches. C. T. Sun, J. Klug, and C. Arendt, *Purdue University* (34, 2, p. 369) Article based on AIAA Paper 95-1505 CP942

J96-058 Ballistic Impact Response for Two-Step Braided Three-Dimensional Textile Composites. S. T. Jenq and J. J. Mo, *National Cheng Kung University, Taiwan, ROC* (34, 2, p. 375) Article

J96-059 Iterative Least-Squares Calculation for Modal Eigenvector Sensitivity. Jean-Guy Béliveau, *University of Vermont*; and Scott Cogan, Gérard Lallement, and Frederique Ayer, *Université de Franche-Comté, France* (34, 2, p. 385) Article

J96-060 Finite Element Model Tuning Using Automated Structural Optimization System Software. Richard G. Cobb, Robert A. Canfield, and Brad S. Liebst, *U.S. Air Force Institute of Technology* (34, 2, p. 392) Article

J96-061 Modeling Nonaxisymmetric Off-Design Shapes of Large Scientific Balloons. Frank Baginski, *George Washington University* (34, 2, p. 400) Article

J96-062 Neural Networks with Modified Backpropagation Learning Applied to Structural Optimization. Srinivas Kodiyalam, *General Electric Corporate Research and Development Center*; and Ram Gurumoorthy, *General Electric Corporate Research*

and Development Center (34, 2, p. 408) Article based on AIAA Paper 95-1370 CP952

J96-063 Prediction of the Far-Field Jet Noise Using Kirchhoff's Formulation. A. S. Lyrintzis, *Purdue University*; and R. R. Manikbadi, *NASA Lewis Research Center* (34, 2, p. 413) Technical Note based on AIAA Paper 95-0508

J96-064 Boundary Conditions for the Vorticity-Velocity Formulation of Navier-Stokes Equations. Alexander L. Ni, *Asea Brown Boveri, Ltd., Switzerland* (34, 2, p. 416) Technical Note

J96-065 Oblique-Shock/Expansion-Fan Interaction—Analytical Solution. H. Li and G. Ben-Dor, *Ben-Gurion University of the Negev, Israel* (34, 2, p. 418) Technical Note

J96-066 Automation of Some Operations of a Wind Tunnel Using Artificial Neural Networks. Arthur J. Decker and Alvin E. Buggele, *NASA Lewis Research Center* (34, 2, p. 421) Technical Note

J96-067 Shape Optimization with Buckling and Stress Constraints. M. E. Botkin, *General Motors Research and Development Center* (34, 2, p. 423) Technical Note based on AIAA Paper 94-4291 CP9413

J96-068 Application of Absorption Filter Planar Doppler Velocimetry to Sonic and Supersonic Jets. Michael W. Smith, G. Burton Northam, and J. Philip Drummond, *NASA Langley Research Center* (34, 3, p. 434) Article based on AIAA Paper 95-0299

J96-069 Demonstration and Characterization of Filtered Rayleigh Scattering for Planar Velocity Measurements. J. N. Forkey, N. D. Finkelstein, W. R. Lempert, and R. B. Miles, *Princeton University* (34, 3, p. 442) Article based on AIAA Paper 95-0298

J96-070 Quantitative Measurements of Internal Circulation in Droplets Using Flow Tagging Velocimetry. Scott R. Harris, Walter R. Lempert, Leslie Hersch, C. L. Burcham, Dudley A. Saville, and Richard B. Miles, *Princeton University*; and Kyle Gee and Richard P. Haughland, *Molecular Probes, Inc.* (34, 3, p. 449) Article based on AIAA Paper 95-0168

J96-071 Complete Three-Dimensional Multiparameter Mapping of a Supersonic Ramp Fuel Injector Flowfield. James M. Donohue and James C. McDaniel Jr., *University of Virginia* (34, 3, p. 455) Article based on AIAA Paper 95-0519

J96-072 Planar OH Density and Apparent Temperature Measurements in a Supersonic Combusting Flow. G. Laufer, T. M. Quagliaroli, R. H. Krauss, R. B. Whitehurst III, and J. C. McDaniel, *University of Virginia*; and J. Grinstead, *Princeton University* (34, 3, p. 463) Article based on AIAA Paper 95-0512

J96-073 Comparison of Planar Fluorescence Measurements and Computational Modeling of a Shock-Layer Flow. A. F. P. Houwing, *Australian National University*; J. L. Palmer, M. C. Thurber, S. D. Wehe, and R. K. Hanson, *Stanford University*; and R. R. Boyce, *University of Queensland, Australia* (34, 3, p. 470) Article based on AIAA Paper 95-0515

J96-074 Initial Experimental Study of Pulsed Electron Beam Fluorescence. F. M. Lutfy and E. P. Muntz, *University of Southern California, Los Angeles* (34, 3, p. 478) Article

J96-075 Simultaneous Water Vapor Concentration and Temperature Measurements Using 1.31 μm Diode Lasers. Mark G. Allen and William J. Kessler, *Physical Sciences, Inc.* (34, 3, p. 483) Article

J96-076 Scanned- and Fixed-Wavelength Absorption Diagnostics for Combustion Measurements Using Multiplexed Diode Lasers. D. S. Baer, V. Nagali, E. R. Furlong, and R. K. Hanson, *Stanford University*; and M. E. Newfield, *NASA Ames*

Research Center (34, 3, p. 489) Article based on AIAA Paper 95-0426

J96-077 Tunable Diode Laser Measurements on Nitric Oxide in a Hypersonic Wind Tunnel. A. Mohamed, B. Rosier, D. Henry, and Y. Louvet, *ONERA, France*; and P. L. Varghese, *University of Texas at Austin* (34, 3, p. 494) Article based on AIAA Paper 95-0428

J96-078 Infrared Emission from High Temperature $H_2O(v_2)$: A Diagnostic for Concentration and Temperature. T. E. Parker, *Colorado School of Mines*; and M. F. Miller, K. R. McManus, M. G. Allen, and W. T. Rawlins, *Physical Sciences, Inc.* (34, 3, p. 500) Article based on AIAA Paper 95-0484

J96-079 Atomic Oxygen Line Shape Measurement at 130 nm with Raman-Shifted Laser. Scott A. Meyer, *Stanford University*; Surendra P. Sharma, *NASA Ames Research Center*; Daniel Bershader, *Stanford University*; Ellis E. Whiting, *Thermophysics Institute*; Richard J. Exberger, *NASA Ames Research Center*; and John O. Gilmore, *Stanford University* (34, 3, p. 508) Article based on AIAA Paper 95-0290

J96-080 Long-Range Schmidt-Cassegrain Laser Velocimeter for Large Wind-Tunnel Applications. Stephen E. Dunagan, *NASA Ames Research Center* (34, 3, p. 515) Article based on AIAA Paper 95-0019

J96-081 Step Response of Pressure-Sensitive Paints. Bruce F. Carroll, John D. Abbitt, and Erik W. Lukas, *University of Florida*; and Martin J. Morris, *McDonnell Douglas Aerospace* (34, 3, p. 521) Article based on AIAA Paper 95-0483

J96-082 Influence of Surface Flow on Aerodynamic Loads of a Cantilever Wing. Rong F. Huang, Wen W. Shy, and Song W. Lin, *National Taiwan Institute of Technology, ROC*; and Fei-Bin Hsiao, *National Cheng Kung University, Taiwan, ROC* (34, 3, p. 527) Article

J96-083 Perspective on Unstructured Grid Flow Solvers. V. Venkatakrishnan, *Institute for Computer Applications in Science and Engineering, NASA Langley Research Center* (34, 3, p. 533) Article based on AIAA Paper 95-0667

J96-084 Validation of a Numerical Method for Extracting Liner Impedance. Willie R. Watson, *NASA Langley Research Center*; Michael G. Jones, *Lockheed Engineering and Sciences Company, Inc.*; and Sharon E. Tanner and Tony L. Parrott, *NASA Langley Research Center* (34, 3, p. 548) Article

J96-085 Implicit Time-Stepping Methods for the Navier-Stokes Equations. K. J. Badcock and B. E. Richards, *University of Glasgow, Scotland, UK* (34, 3, p. 550) Article based on AIAA Paper 95-1711 CP956

J96-086 Spectral Solution of the Viscous Blunt-Body Problem 2: Multidomain Approximation. David A. Kopriva, *Florida State University* (34, 3, p. 560) Article

J96-087 Free Shear Layer Interaction with an Expansion-Compression Wave Pair. Mahadevan Ramaswamy, Eric Loth, and J. Craig Dutton, *University of Illinois at Urbana-Champaign* (34, 3, p. 565) Article

J96-088 Recirculation Zones of Unconfined and Confined Annular Swirling Jets. H. J. Sheen, W. J. Chen, and S. Y. Jeng, *National Taiwan University, ROC* (34, 3, p. 572) Article

J96-089 Study of Aircraft Wake Vortex Behavior Near the Ground. Z. C. Zheng and Robert L. Ash, *Old Dominion University* (34, 3, p. 580) Article

J96-090 Three-Component Force Balance for Flows of Millisecond Duration. David J. Mee, William J. T. Daniel, and John M.

Simmons, *University of Queensland, Australia* (34, 3, p. 590) Article

J96-091 Viscoelastic Material Response with a Fractional-Derivative Constitutive Model. William P. Baker, Lloyd B. Eldred, and Anthony N. Palazotto, *U. S. Air Force Institute of Technology* (34, 3, p. 596) Article

J96-092 Semianalytical Differential Quadrature Solution for Free Vibration Analysis of Rectangular Plates. Charles W. Bert and Moinuddin Malik, *University of Oklahoma* (34, 3, p. 601) Article based on AIAA Paper 95-1171 CP952

J96-093 Fictitious Mass Element in Structural Dynamics. Mordechai Karpel and Daniella Raveh, *Technion-Israel Institute of Technology* (34, 3, p. 607) Article based on AIAA Paper 95-1343 CP952

J96-094 Composite Sandwich Structure Optimization with Application to Satellite Components. Srinivas Kodiyalam and Somanath Nagendra, *General Electric Corporate R&D Center*; and Joel DeStefano, *Lockheed Martin Astro Space* (34, 3, p. 614) Article

J96-095 OH Imaging in a Lean Burning High-Pressure Combustor. R. J. Locke, *NYMA, Inc.*; Y. R. Hicks and R. C. Anderson, *NASA Lewis Research Center*; and K. A. Ockunzzi, *Case Western Reserve University* (34, 3, p. 622) Technical Note based on AIAA Paper 95-0173

J96-096 Single-Pulse Temperature Measurements in Turbulent Flame Using Laser-Induced O_2 Fluorescence. J. H. Grinstead, *Princeton University*; and T. M. Quagliaroli, G. Laufer, and J. C. McDaniel Jr., *University of Virginia* (34, 3, p. 624) Technical Note based on AIAA Paper 95-0423

J96-097 Multiple-Time-Scale Turbulence Model Computations of Flow over a Square Rib. E. Zeidan and N. Djilali, *University of Victoria, Canada* (34, 3, p. 626) Technical Note

J96-098 Comparison of Baldwin-Lomax Turbulence Models for Two-Dimensional Open Cavity Computations. Chung-Jen Tam, Paul D. Orkwis, and Peter J. Disimile, *University of Cincinnati* (34, 3, p. 629) Technical Note based on AIAA Paper 95-0361

J96-099 Temporal Evolution of Three-Dimensional Vortex Breakdown from Steady, Axisymmetric Solutions. Jeffrey C. Tromp and Phillip S. Beran, *U.S. Air Force Institute of Technology* (34, 3, p. 632) Technical Note based on AIAA Paper 95-2310

J96-100 Finite Element Analysis of Laminated Composites Using an Unmixing-Mixing Viscoplastic Model. Seung-Jo Kim and Eui-Sup Shin, *Seoul National University, Korea* (34, 3, p. 634) Technical Note

J96-101 Supersonic Flutter Analysis of Stiffened Isotropic and Anisotropic Panels. Dong-Min Lee and In Lee, *Korea Advanced Institute of Science and Technology* (34, 3, p. 637) Technical Note

J96-102 Boundary-Layer Transition on Swept Cylinders at Hypersonic Speeds. Akira Murakami, *National Aerospace Laboratory, Japan*; and Egon Stanewsky and Paul Krogmann, *DLR, German Aerospace Research Establishment* (34, 4, p. 649) Article based on AIAA Paper 95-2276

J96-103 Numerical Simulation of Transient Hypersonic Flow Using the Essentially Nonoscillatory Schemes. Chien-Erh Chiu and Xiaolin Zhong, *University of California, Los Angeles* (34, 4, p. 655) Article based on AIAA Paper 95-0469

J96-104 Flow Control over a Maneuvering Delta Wing at High Angles of Attack. Sandra M. Klute, Othon K. Rediniotis, and Demetri P. Telonis, *Virginia Polytechnic Institute and State University* (34, 4, p. 662) Article based on AIAA Paper 93-3494 CP935

J96-105 Vortex Pairing as a Model for Jet Noise Generation. R. C. K. Leung, S. K. Tang, I. C. K. Ho, and N. W. M. Ko, *University of Hong Kong* (34, 4, p. 669) Article

J96-106 Viscous Drag Reduction Using Riblets on NACA 0012 Airfoil to Moderate Incidence. S. Sundaram, P. R. Viswanath, and S. Rudrakumar, *National Aerospace Laboratories, India* (34, 4, p. 676) Article

J96-107 Comparison of Temporal and Spatial Direct Numerical Simulation of Compressible Boundary-Layer Transition. Yan Guo, Leonhard Kleiser, and Nikolaus A. Adams, *Swiss Federal Institute of Technology* (34, 4, p. 683) Article based on AIAA Paper 94-2371

J96-108 Acceleration of Iterative Algorithms on Highly Clustered Grids. Kwang-Yoon Choi, *Samsung Aerospace Industries, Ltd., Korea*; and George S. Dulikravich, *Pennsylvania State University* (34, 4, p. 691) Article

J96-109 External Flow Computations Using Global Boundary Conditions. S. V. Tsynkov, E. Turkel, and S. Abarbanel, *Tel-Aviv University, Israel* (34, 4, p. 700) Article based on AIAA Paper 95-0562

J96-110 Adaptive Prismatic-Tetrahedral Grid Refinement and Redistribution for Viscous Flows. V. Parthasarathy and Y. Kallinderis, *University of Texas at Austin* (34, 4, p. 707) Article

J96-111 Grid Influence on Upwind Schemes for the Euler and Navier-Stokes Equations. X. D. Zhang, J.-Y. Trépanier, M. Reggio, A. Benmeddour, and R. Camarero, *École Polytechnique de Montréal, Canada* (34, 4, p. 717) Article based on AIAA Paper 95-0347

J96-112 Experimental Study of a Compressible Countercurrent Turbulent Shear Layer. F. S. Alvi, A. Krothapalli, and D. Washington, *Florida A&M University and Florida State University* (34, 4, p. 728) Article based on AIAA Paper 95-0580

J96-113 Numerical Simulations of Transitional Axisymmetric Coaxial Jets. M. V. Salvetti, *University of Pisa, Italy*; and P. Orlandi and R. Verzicco, *University of Rome "La Sapienza", Italy* (34, 4, p. 736) Article

J96-114 Navier-Stokes Simulations of Jet Flows on a Network of Workstations. M. Ehtesham Hayder, *NASA Lewis Research Center*; and D. N. Jayasimha, *Ohio State University* (34, 4, p. 744) Article

J96-115 Numerical Simulations of Three-Dimensional Drop Collisions. M. R. H. Nobari, *University of Michigan*; and Gréar Tryggvason, *NASA Lewis Research Center* (34, 4, p. 750) Article based on AIAA Paper 94-0835

J96-116 Comparison of Eddy Viscosity-Transport Turbulence Models for Three-Dimensional, Shock-Separated Flowfields. Jack R. Edwards, *North Carolina State University*; and Suresh Chandra, *North Carolina A&T State University* (34, 4, p. 756) Article based on AIAA Paper 94-2275

J96-117 Simulation of Multiple Shock-Shock Interference Patterns on a Cylindrical Leading Edge. Kwen Hsu and Ijaz H. Parpia, *University of Texas at Arlington* (34, 4, p. 764) Article

J96-118 Systematic Study of the Correlation Between Geometrical Disturbances and Flow Asymmetries. Yuval Levy and Lambertus Hesselink, *Stanford University*; and David Degani, *Technion-Israel Institute of Technology* (34, 4, p. 772) Article based on AIAA Paper 95-0365

J96-119 Supersonic-Inlet Boundary-Layer Bleed Flow. Gary J. Harloff and Gregory E. Smith, *NYMA, Inc.* (34, 4, p. 778) Article based on AIAA Paper 95-0038

J96-120 Nonclassical Effects on Divergence and Flutter of Anisotropic Swept Aircraft Wings. G. Karpouzian, *U.S. Naval Academy*; and L. Librescu, *Virginia Polytechnic Institute and State University* (34, 4, p. 786) Article based on AIAA Paper 93-1535 CP931

J96-121 Dynamic Effects of Piezoactuators on the Cylindrical Shell Response. Venkata R. Sonti, *Automated Analysis Corporation*; and James D. Jones, *Purdue University* (34, 4, p. 795) Article

J96-122 Three-Dimensional Analytical Solutions for Coupled Thermoelectroelastic Response of Multilayered Cylindrical Shells. Kangming Xu and Ahmed K. Noor, *University of Virginia and NASA Langley Research Center* (34, 4, p. 802) Article

J96-123 Cable-Stiffened Pantographic Deployable Structures Part 1: Triangular Mast. Z. You and S. Pellegrino, *University of Cambridge, England, UK* (34, 4, p. 813) Article

J96-124 Mode Shape Expansion Techniques for Prediction: Experimental Evaluation. Marie Levine-West, Mark Milman, and Andy Kissil, *Jet Propulsion Laboratory, California Institute of Technology* (34, 4, p. 821) Article

J96-125 Probabilistic Component Mode Synthesis of Nonterministic Substructures. Andrew M. Brown, *NASA Marshall Space Flight Center*; and Aldo A. Ferri, *Georgia Institute of Technology* (34, 4, p. 830) Article based on AIAA Paper 95-1310 CP952

J96-126 Aeroelastic Optimization of a Helicopter Rotor with Two-Cell Composite Blades. Ranjan Ganguli and Inderjit Chopra, *University of Maryland* (34, 4, p. 835) Article

J96-127 Comparison of Four Turbulence Models for Wall-Bounded Flows Affected by Transverse Curvature. Anupam Dewan and Jaywant H. Arakeri, *Indian Institute of Science* (34, 4, p. 842) Technical Note

J96-128 Performance of Eddy-Viscosity-Based Turbulence Models in Three-Dimensional Turbulent Interaction. Datta Gaitonde and J. S. Shang, *U.S. Air Force Wright Laboratory*; and J. R. Edwards, *North Carolina State University* (34, 4, p. 844) Technical Note

J96-129 Skewed Shear-Layer Mixing Within a Duct. Thomas F. Fric, *General Electric Corporate R&D Center* (34, 4, p. 847) Technical Note based on AIAA Paper 95-0869

J96-130 Supersonic Separation with Obstructions. S. B. Verma and Vijay Gupta, *Indian Institute of Technology* (34, 4, p. 849) Technical Note

J96-131 Solution-Adaptive Approach for Unsteady Flow Calculations on Quadrilateral-Triangular Meshes. C. J. Hwang and J. M. Fang, *National Cheng Kung University, Taiwan, ROC* (34, 4, p. 851) Technical Note based on AIAA Paper 95-1723 CP956

J96-132 Fluorescence Velocity Measurements in the Interior of a Hydrogen Arcjet Nozzle. P. Victor Storm and Mark A. Cappelli, *Stanford University* (34, 4, p. 853) Technical Note

J96-133 Shape and Placement of Piezoelectric Sensors for Panel Flutter Limit-Cycle Suppression. Zhihong Lai, Jen-Kuang Huang, and Chuh Mei, *Old Dominion University* (34, 4, p. 855) Technical Note

J96-134 Optimal Sensor Location in Active Control of Flexible Structures. Andrzej Maćkiewicz, *Technical University of Poznań, Poland*; Jan Holnicki-Szulc, *Polish Academy of Sciences, Poland*; and Francisco López-Almansa, *Technical University of Catalonia, Spain* (34, 4, p. 857) Technical Note

J96-135 Simplified Calculation of Eigenvector Derivatives with Repeated Eigenvalues. Da-tong Song, Wan-zhi Han, Su-

huan Chen, and Zhi-ping Qiu, *Jinlin University of Technology, PRC* (34, 4, p. 859) Technical Note

J96-136 Effects of Geometries, Clearances, and Friction on the Composite Multipin Joints. Seung Jo Kim and Jin Hee Kim, *Seoul National University, Korea* (34, 4, p. 862) Technical Note

J96-137 New Method for Deriving Eigenvalue Rate with Respect to Support Location. Zhong-sheng Liu and Hai-chang Hu, *Jilin University of Technology, PRC*; and Da-jun Wang, *Peking University, PRC* (34, 4, p. 864) Technical Note

J96-138 New Method for the Improvement of Measured Modes Through Orthogonalization. Ouqi Zhang and Aspasia Zerva, *Drexel University* (34, 4, p. 866) Technical Note

J96-139 Genetic Optimization of Target Pressure Distributions for Inverse Design Methods. Shigeru Obayashi, *Tohoku University, Japan*; and Susumu Takanashi, *National Aerospace Laboratory, Japan* (34, 5, p. 881) Article based on AIAA Paper 95-1649 CP956

J96-140 Optimized Compact Finite Difference Schemes with Maximum Resolution. Jae Wook Kim and Duck Joo Lee, *Korea Advanced Institute of Science and Technology* (34, 5, p. 887) Article

J96-141 Computation of Sound Radiating from Engine Inlets. Yusuf Özyörük and Lyle N. Long, *Pennsylvania State University* (34, 5, p. 894) Article

J96-142 Numerical Simulations of Flow Modification of Supersonic Rectangular Jets. Ronald Kolbe, Kazhikathra Kailasanath, Theodore Young, Jay Boris, and Alexandra Landsberg, *U.S. Naval Research Laboratory* (34, 5, p. 902) Article based on AIAA Paper 95-0725

J96-143 Calculation of the Radiated Sound Field Using an Open Kirchhoff Surface. Jonathan B. Freund, Sanjiva K. Lele, and Parviz Moin, *Stanford University* (34, 5, p. 909) Article

J96-144 Time-Domain Impedance Boundary Conditions for Computational Aeroacoustics. Christopher K. W. Tam and Laurent Auriault, *Florida State University* (34, 5, p. 917) Article

J96-145 Flow over an Obstacle Emerging from the Wall of a Channel. Henry A. Carlson and John L. Lumley, *Cornell University* (34, 5, p. 924) Article

J96-146 Turbulent Boundary Layer in an Adverse Pressure Gradient: Effectiveness of Riblets. J. R. Debiesschop and F. T. M. Nieuwstadt, *Delft University of Technology, The Netherlands* (34, 5, p. 932) Article

J96-147 Solution-Adaptive Cartesian Cell Approach for Viscous and Inviscid Flows. William J. Coirier, *NASA Lewis Research Center*; and Kenneth G. Powell, *University of Michigan* (34, 5, p. 938) Article

J96-148 Self-Similar Viscous Incompressible Flow Along an Unbounded Corner. V. I. Vasiliev, *Central Institute of Aviation Motors, Russia* (34, 5, p. 946) Article

J96-149 Performance of a Hypersonic Twin-Nozzle System. Alfred E. Beylich, *Rheinisch Westfälischen Technischen Hochschule Aachen, Germany* (34, 5, p. 953) Article

J96-150 Newton-Krylov Methods for Low-Mach-Number Compressible Combustion. D. A. Knoll and P. R. McHugh, *Idaho National Engineering Laboratory*; and D. E. Keyes, *Old Dominion University* (34, 5, p. 961) Article based on AIAA Paper 95-1672 CP956

J96-151 Experimental Study of a Normal Shock/Homogeneous Turbulence Interaction. S. Barre, D. Alem, and J. P. Bonnet, *Université de Poitiers, France* (34, 5, p. 968) Article

based on AIAA Paper 95-0759

Errata (34, 7, p. 1540)

J96-152 Statistical Saturation of Buoyant Flow Induced by a Fluctuating Acceleration. J. Ross Thomson, *Florida State University*; and Jorge Viñals, *Florida A&M University and Florida State University* (34, 5, p. 975) Article

J96-153 Experimental and Numerical Investigations of Dynamic Stall on a Pitching Airfoil. Philippe Wernert, *ISL, French-German Institute of Saint-Louis, France*; and Wolfgang Geissler, Markus Raffel, and Jürgen Kompenhans, *DLR, German Aerospace Research Establishment* (34, 5, p. 982) Article

J96-154 Evaluation of the Dynamic Model for Simulations of Compressible Decaying Isotropic Turbulence. Evangelos T. Spyropoulos and Gregory A. Blaisdell, *Purdue University* (34, 5, p. 990) Article based on AIAA Paper 95-0355

J96-155 Interaction of Missile Nose-Tip Vortices with a Control Surface. John W. Kiedaisch and Mukund Acharya, *Illinois Institute of Technology* (34, 5, p. 999) Article

J96-156 Laser Doppler Anemometer Measurements of Turbulent Boundary Layer over a Riblet Surface. L. Djenidi and R. A. Antonia, *University of Newcastle, Australia* (34, 5, p. 1007) Article

J96-157 Evaluation of Correlated Bias Approximations in Experimental Uncertainty Analysis. Kendall K. Brown and Hugh W. Coleman, *University of Alabama in Huntsville*; and W. Glenn Steele and Robert P. Taylor, *Mississippi State University* (34, 5, p. 1013) Article based on AIAA Paper 94-0772

J96-158 Holographic Interferometric Tomography for Limited Data Reconstruction. Don J. Cha and Soyoung S. Cha, *University of Illinois at Chicago* (34, 5, p. 1019) Article based on AIAA Paper 95-2194

J96-159 Time-Domain Analysis of Low-Speed Airfoil Flutter. K. D. Jones and M. F. Platzer, *U.S. Naval Postgraduate School* (34, 5, p. 1027) Article

J96-160 Curved Piezoactuator Model for Active Vibration Control of Cylindrical Shells. Venkata R. Sonti, *Automated Analysis Corporation*; and James D. Jones, *Purdue University* (34, 5, p. 1034) Article

J96-161 Vibratory Characteristics of Pretwisted Cantilever Trapezoids of Unsymmetric Laminates. K. M. Liew and C. W. Lim, *Nanyang Technological University, Singapore* (34, 5, p. 1041) Article

J96-162 Modal Synthesis When Modeling Damping by Use of Fractional Derivatives. Åsa Fenander, *Chalmers University of Technology, Sweden* (34, 5, p. 1051) Article based on AIAA Paper 95-1182 CP952

J96-163 Robust Design for Unconstrained Optimization Problems Using the Taguchi Method. Kwon-Hee Lee, In-Sup Eom, Gyung-Jin Park, and Wan-Ik Lee, *Hanyang University, Korea* (34, 5, p. 1059) Article

J96-164 Vibrations and Buckling of Cross-Ply Nonsymmetric Laminated Composite Beams. H. Abramovich, M. Eisenberger, and O. Shulepov, *Technion-Israel Institute of Technology* (34, 5, p. 1064) Article based on AIAA Paper 95-1459 CP952

J96-165 Scaling of the Bursting Frequency for Turbulent Boundary Layers Approaching Separation. T. G. Tillman, *United Technologies Research Center*; and A. L. Kistler, *Northwestern University* (34, 5, p. 1070) Technical Note

J96-166 Drag Reduction with the Slip Wall. D. W. Bechert, *DLR, German Aerospace Research Establishment*; and W. Hage

and M. Brusek, *Technische Universität Berlin, Germany* (34, 5, p. 1072) Technical Note

J96-167 Limitations of Traditional Finite Volume Discretizations for Unsteady Computational Fluid Dynamics. J. Russell Manson, *Bucknell University*; Gareth Pender, *Glasgow University, Scotland, UK*; and Steve G. Wallis, *Heriot-Watt University, Scotland, UK* (34, 5, p. 1074) Technical Note

J96-168 Simulating Heat Addition via Mass Addition in Variable Area Compressible Flows. W. H. Heiser, W. B. McClure, and C. W. Wood, *U.S. Air Force Academy* (34, 5, p. 1076) Technical Note

J96-169 Dusty Shock Flow with Unstructured Adaptive Finite Elements and Parcels. S. Sivier and E. Loth, *University of Illinois at Urbana-Champaign*; J. Baum, *Science Applications International Corporation*; and R. Löhner, *George Mason University* (34, 5, p. 1078) Technical Note

J96-170 Transonic Equivalence Rule Involving Lift and Shocks. H. K. Cheng and Shijun Luo, *University of Southern California* (34, 5, p. 1080) Technical Note

J96-171 Eigenvector Derivatives of Structures with Rigid Body Modes. R. M. Lin and M. K. Lim, *Nanyang Technological University, Singapore* (34, 5, p. 1083) Technical Note

J96-172 Parametric Effects on Lift Force of an Airfoil in Unsteady Freestream. Ismet Gursul, *University of Cincinnati*; Hank Lin, *University of Southern California*; and Chih-Ming Ho, *University of California, Los Angeles* (34, 5, p. 1085) Technical Note

J96-173 Iterative Method for Calculating Derivatives of Eigenvectors. Ouqi Zhang and Aspasia Zerva, *Drexel University* (34, 5, p. 1088) Technical Note

J96-174 Spatial Transformation of the Discrete Sound Field from a Propeller. X. D. Li and S. Zhou, *Beijing University of Aeronautics and Astronautics, PRC* (34, 6, p. 1097) Article based on AIAA Paper 95-0180

J96-175 Forward Motion Effects on Jet Noise, Panel Vibration, and Radiation. A. Bayliss, *Northwestern University*; L. Maestrello, *NASA Langley Research Center*; J. L. McGreevy, *Philadelphia College of Pharmacy and Science*; and C. C. Fenno Jr., *National Research Council* (34, 6, p. 1103) Article

J96-176 Two-Layer Approximate Boundary Conditions for Large-Eddy Simulations. Elias Balaras and Carlo Benocci, *von Kármán Institute for Fluid Dynamics, Belgium*; and Ugo Piomelli, *University of Maryland* (34, 6, p. 1111) Article

J96-177 Automatic Grid Generation and Flow Solution for Complex Geometries. Richard J. Smith and Leslie J. Johnston, *UMIST, England, UK* (34, 6, p. 1120) Article based on AIAA Paper 95-0214

J96-178 Comparison of Numerical and Analytical Jacobians. Kirk J. Vanden, *U.S. Air Force Wright Laboratory*; and Paul D. Orkwis, *University of Cincinnati* (34, 6, p. 1125) Article based on AIAA Paper 94-0176

J96-179 High-Enthalpy, Hypersonic Compression Corner Flow. S. G. Mallinson, S. L. Gai, and N. R. Mudford, *Australian Defence Force Academy* (34, 6, p. 1130) Article based on AIAA Paper 95-0155

J96-180 Three-Dimensional Wake Formations Behind a Family of Regular Polygonal Plates. H. Higuchi, R. W. Anderson, and J. Zhang, *Syracuse University* (34, 6, p. 1138) Article

J96-181 Investigation of Large-Scale Structures in Supersonic Planar Base Flows. K. M. Smith and J. C. Dutton, *University of*

Illinois at Urbana-Champaign (34, 6, p. 1146) Article based on AIAA Paper 95-2251

J96-182 Velocity and Turbulence Measurements in a Supersonic Base Flow with Mass Bleed. Tarun Mathur and J. Craig Dutton, *University of Illinois at Urbana-Champaign* (34, 6, p. 1153) Article based on AIAA Paper 95-0456

J96-183 Simulations of Particle Dynamics in a Confined Shear Flow. E. J. Chang and K. Kailasanath, *U.S. Naval Research Laboratory* (34, 6, p. 1160) Article based on AIAA Paper 95-0812

J96-184 Numerical Investigation of Shock Wave Reflections in Steady Flows. J. Vuillon and D. Zeitoun, *Université de Provence, France*; and G. Ben-Dor, *Ben-Gurion University of the Negev, Israel* (34, 6, p. 1167) Article

J96-185 Unsteady Pressure Loads Generated by Swept-Shock-Wave/Boundary-Layer Interactions. Sanjay Garg and Gary S. Settles, *Pennsylvania State University* (34, 6, p. 1174) Article

J96-186 Stability of Leading-Edge Vortex Pair on a Slender Delta Wing. Ming-Ke Huang and Chuen-Yen Chow, *University of Colorado* (34, 6, p. 1182) Article

J96-187 Examination of Vortex Deformation During Blade-Vortex Interaction. M. B. Horner, R. A. McD. Galbraith, and F. N. Coton, *University of Glasgow, Scotland, UK*; and J. N. Stewart and I. Grant, *Heriot-Watt University, Scotland, UK* (34, 6, p. 1188) Article

J96-188 Role of Secondary Vorticity in Parallel Blade-Vortex Interactions. Michael Rex Maixner, *U.S. Naval Postgraduate School* (34, 6, p. 1195) Article

J96-189 Numerical Investigation of Supersonic Wing-Tip Vortices. Donald P. Rizzetta, *U.S. Air Force Wright Laboratory* (34, 6, p. 1203) Article based on AIAA Paper 95-2282

J96-190 Particle Size Distribution Technique Using Conventional Laser Doppler Velocimetry Measurements. Mark S. Maurice, *U.S. Air Force Wright Laboratory* (34, 6, p. 1209) Article

J96-191 Continuous Wave Hydrogen Fluoride Overtone Lasing Saturation Effects on Fundamental Gain Suppression. P. T. Theodoropoulos, L. H. Sentman, D. L. Carroll, R. E. Waldo, S. J. Gordon, and J. W. Otto, *University of Illinois at Urbana-Champaign* (34, 6, p. 1216) Article

J96-192 Active Panel Flutter Suppression Using Self-Sensing Piezoactuators. F. Döngi, D. Dinkler, and B. Kröplin, *University of Stuttgart, Germany* (34, 6, p. 1224) Article based on AIAA Paper 95-1078 CP952

J96-193 Coupled Layerwise Analysis of Thermopiezoelectric Composite Beams. Ho-Jun Lee and Dimitris A. Saravanos, *NASA Lewis Research Center* (34, 6, p. 1231) Article

J96-194 Improved Theory for Contact Indentation of Sandwich Panels. Robin Olsson and Hugh L. McManus, *Massachusetts Institute of Technology* (34, 6, p. 1238) Article based on AIAA Paper 95-1374 CP952

J96-195 Bounding the Transient Response of Structures to Uncertain Disturbances. L. D. Peterson, *University of Colorado* (34, 6, p. 1245) Article

J96-196 Use of the Energy Flow Concept in Vibration Design. K. S. Alfredsson, B. L. Josefson, and M. A. Wilson, *Chalmers University of Technology, Sweden* (34, 6, p. 1250) Article based on AIAA Paper 95-1497 CP952

J96-197 Optimal Ritz Vectors for Component Mode Synthesis Using the Singular Value Decomposition. Etienne Balmès, *ONERA, France* (34, 6, p. 1256) Article

- J96-198 Improved Transient Response Approximation for General Damped Systems.** A. E. Sepulveda, *University of California, Los Angeles*; and H. L. Thomas, *Structural Optimization Specialists* (34, 6, p. 1261) Article
- J96-199 Stability of Gyroelastic Beams.** K. Yamanaka, G. R. Heppler, and K. Huseyin, *University of Waterloo, Canada* (34, 6, p. 1270) Article
- J96-200 Delamination Buckling and Postbuckling of Composite Cylindrical Shells.** Haozhong Gu and Aditi Chattopadhyay, *Arizona State University* (34, 6, p. 1279) Article
- J96-201 Primitive Variable Implicit Approach for Compressible Chemical Vapor Deposition.** Christopher D. Moen and Harry A. Dwyer, *University of California, Davis* (34, 6, p. 1287) Technical Note
- J96-202 Rotating Dissipation for Accurate Shock Capture.** C. de Nicola, *University of Naples "Federico II", Italy*; G. Iaccarino, *Centro Italiano Ricerche Aerospaziali, Italy*; and R. Tognaccini, *University of Naples "Federico II", Italy* (34, 6, p. 1289) Technical Note
- J96-203 Modeling Mass Entrainment in a Quasi-One-Dimensional Shock Tube Code.** C. J. Doolan and P. A. Jacobs, *University of Queensland, Australia* (34, 6, p. 1291) Technical Note
- J96-204 Hyperbolic Equation Method of Grid Generation for Enclosed Regions.** Yih Nen Jeng, *National Cheng Kung University, Taiwan, ROC*; and Yuan-Chang Liou, *Kung Shan Institute of Technology and Commerce, Taiwan, ROC* (34, 6, p. 1293) Article
- J96-205 Calculation of Interlaminar Stresses in Laminated Plates Using Walsh Transforms.** Martin Crane and J. T. Boyle, *University of Strathclyde, Scotland, UK* (34, 6, p. 1295) Technical Note
- J96-206 Iterative Calculation of the Transverse Shear Distribution in Laminated Composite Beams.** J. A. Zapfe and G. A. Lesieutre, *Pennsylvania State University* (34, 6, p. 1299) Technical Note based on AIAA Paper 95-1501 CP952
- J96-207 Determination of Rigidities of Fiber-Reinforced Plastic Laminates Using Holographic Interferometry.** T. Maeda and T. Koga, *University of Tsukuba, Japan* (34, 6, p. 1301) Technical Note based on AIAA Paper 95-1216 CP952
- J96-208 Three-Dimensional Shock/Boundary-Layer Interaction Using Reynolds Stress Equation Turbulence Model.** Ge-Cheng Zha and Doyle Knight, *Rutgers University* (34, 7, p. 1313) Article
- J96-209 Implicit Computation of Three-Dimensional Compressible Navier-Stokes Equations using $k-\epsilon$ Turbulence Closure.** G. A. Gerolymos and I. Vallet, *Université Pierre-et-Marie-Curie, France* (34, 7, p. 1321) Article
- J96-210 Computation of Unsteady Three-Dimensional Transonic Nozzle Flows Using $k-\epsilon$ Turbulence Closure.** G. A. Gerolymos and I. Vallet, *Université Pierre-et-Marie-Curie, France*; and A. Böls and P. Ott, *Ecole Polytechnique Fédérale de Lausanne, Switzerland* (34, 7, p. 1331) Article
- J96-211 Numerical Simulation of the Blast-Wave Accelerator.** Dennis Wilson, Zhiqiang Tan, and Philip L. Varghese, *University of Texas at Austin* (34, 7, p. 1341) Article based on AIAA Paper 94-1994 CP946
- J96-212 Simulating Moth Wing Aerodynamics: Towards the Development of Flapping-Wing Technology.** Michael J. C. Smith, *Purdue University* (34, 7, p. 1348) Article based on AIAA Paper 95-0743
- J96-213 Performance of Three-Dimensional Compressible Navier-Stokes Codes at Low Mach Numbers.** William E. Milholen II and Ndaona Chokani, *North Carolina State University*; and J. Al-Saadi, *NASA Langley Research Center* (34, 7, p. 1356) Article based on AIAA Paper 95-0767
- J96-214 Parallelization of Direct Simulation Monte Carlo Method Combined with Monotonic Lagrangian Grid.** C. K. Oh and R. S. Sinkovits, *U.S. Naval Research Laboratory*; B. Z. Cybyk, *U.S. Air Force Wright Laboratory*; and E. S. Oran and J. P. Boris, *U.S. Naval Research Laboratory* (34, 7, p. 1363) Article
- J96-215 Data-Parallel Lower-Upper Relaxation Method for the Navier-Stokes Equations.** Michael J. Wright, Graham V. Candler, and Marco Prampolini, *University of Minnesota* (34, 7, p. 1371) Article
- J96-216 Comparison of Maximum Entropy Direct Simulation Monte Carlo Code with Flowfield Measurements.** Michael A. Gallis and John K. Harvey, *Imperial College of Science, Technology, and Medicine, England, UK* (34, 7, p. 1378) Article
- J96-217 Investigation of the Mixing Flow Structure in Multi-lobe Mixers.** Yeng-Yung Tsui and Po-Wenn Wu, *National Chiao Tung University, Taiwan, ROC* (34, 7, p. 1386) Article
- J96-218 Modeling of Dust Entrainment by High-Speed Airflow.** M. Richard Denison and Philip A. Hookham, *Titan Corporation* (34, 7, p. 1392) Article based on AIAA Paper 95-2206
- J96-219 Near-Limit Oscillations of Spherical Diffusion Flames.** S. Cheatham and M. Matalon, *Northwestern University* (34, 7, p. 1403) Article based on AIAA Paper 96-0260
- J96-220 Unsteady Aerodynamics Associated with a Horizontal-Axis Wind Turbine.** Stephen A. Huyer, David Simms, and Michael C. Robinson, *National Renewable Energy Laboratory* (34, 7, p. 1410) Article
- J96-221 Analysis of Compressible Light Dynamic Stall Flow at Transitional Reynolds Numbers.** R. D. Van Dyken, *U.S. Naval Air Warfare Center*; and J. A. Ekaterinaris, M. S. Chandrasekhara, and M. F. Platzer, *U.S. Naval Postgraduate School* (34, 7, p. 1420) Article based on AIAA Paper 94-2255
- J96-222 Analysis of Unsteady Supersonic Viscous Flows by a Shock-Fitting Technique.** F. Nasuti and M. Onofri, *University of Rome "La Sapienza", Italy* (34, 7, p. 1428) Article based on AIAA Paper 95-2159
- J96-223 Unsteady Aerodynamic Model of Flapping Wings.** Michael S. Vest and Joseph Katz, *San Diego State University* (34, 7, p. 1435) Article based on AIAA Paper 95-0747
- J96-224 Solution for Spin-Up from Rest of Liquid with a Free Surface.** Kwan Yeop Kim and Jae Min Hyun, *Korea Advanced Institute of Science and Technology* (34, 7, p. 1441) Article
- J96-225 Trailing-Edge Jet Control of Leading-Edge Vortices of a Delta Wing.** Chiang Shih and Zhong Ding, *Florida A&M University and Florida State University* (34, 7, p. 1447) Article
Errata (34, 12, p. 2642)
- J96-226 Asymmetric Systematic Uncertainties in the Determination of Experimental Uncertainty.** W. G. Steele, *Mississippi State University*; P. K. Maciejewski, *University of Pittsburgh*; C. A. James and R. P. Taylor, *Mississippi State University*; and H. W. Coleman, *University of Alabama in Huntsville* (34, 7, p. 1458) Article based on AIAA Paper 94-2585
- J96-227 Methods for Visualizing Hypersonic Shock-Wave/Boundary-Layer Interaction Using Electrical Discharges.** Masatoshi Nishio, *Fukuyama University, Japan* (34, 7, p. 1464) Article

- J96-228 Parallel Computing for Analysis of Variable Geometry Trusses.** Mitsunori Miki, *Doshisha University, Japan*; and Takahiro Koita, *Nara Institute of Science and Technology, Japan* (34, 7, p. 1468) Article based on AIAA Paper 95-1307 CP952
- J96-229 Free Vibration of Thick Generally Laminated Cantilever Quadrilateral Plates.** Rakesh K. Kapania and Andrew E. Lovejoy, *Virginia Polytechnic Institute and State University* (34, 7, p. 1474) Article based on AIAA Paper 95-1350 CP952
- J96-230 Constrained Layer Damping of Tubular Truss Members.** Hamid R. Adib-Jahromi, Ramesh B. Malla, and Michael L. Accorsi, *University of Connecticut* (34, 7, p. 1487) Article
- J96-231 Bimodal Bound of System Reliability for Random Composite Structures.** J. S. Park, C. G. Kim, and C. S. Hong, *Korea Advanced Institute of Science and Technology* (34, 7, p. 1494) Article
- J96-232 Optimization for Minimum Sensitivity to Uncertain Parameters.** Jocelyn I. Pritchard, Howard M. Adelman, and Jaroslaw Sobieszczanski-Sobieski, *NASA Langley Research Center* (34, 7, p. 1501) Article
- J96-233 Quasistatic Optimal Actuator Placement with Minimum Worst Case Distortion Criterion.** Saki Hakim and Maurice Bernard Fuchs, *Tel-Aviv University, Israel* (34, 7, p. 1505) Article based on AIAA Paper 95-1137 CP952
- J96-234 Analytical and Experimental Comparison of Probabilistic and Deterministic Optimization.** G. Maglaras, E. Ponslet, R. T. Haftka, E. Nikolaidis, P. Sensharma, and H. H. Cudney, *Virginia Polytechnic Institute and State University* (34, 7, p. 1512) Article
- J96-235 Two-Step Component-Mode Synthesis for the Eigen-solution of Large Systems.** Anand Ramani and Charles E. Knight, *Virginia Polytechnic Institute and State University* (34, 7, p. 1519) Article
- J96-236 Viscoelastic Analysis of Thick-Walled Filament-Wound Composite Cylinders with Elevated Temperatures.** Jerome T. Tzeng and Larry S. Chien, *U.S. Army Research Laboratory* (34, 7, p. 1526) Technical Note
- J96-237 Correlation of Shock Angles Caused by Rhombic Delta Wings.** S. Koide, C. J. W. Griesel, and J. L. Stollery, *Cranfield University, Japan* (34, 7, p. 1529) Technical Note
- J96-238 Eigenvector Derivatives for Doubly Repeated Eigenvalues.** Ting-Yu Chen, *National Chung-Hsing University, Taiwan, ROC* (34, 7, p. 1531) Technical Note
- J96-239 Topology Optimization with Superelements.** R. J. Yang and C. M. Lu, *Ford Motor Company* (34, 7, p. 1533) Technical Note
- J96-240 Sensitivity Analysis of the Aeroacoustic Response of Turbomachinery Blade Rows.** Christopher B. Lorence and Kenneth C. Hall, *Duke University* (34, 8, p. 1545) Article based on AIAA Paper 95-0166
- J96-241 Structure of Coherent Instabilities in a Supersonic Shear Layer.** Steven Martens, Kevin W. Kinzie, and Dennis K. McLaughlin, *Pennsylvania State University* (34, 8, p. 1555) Article based on AIAA Paper 94-0822
- J96-242 Aeroacoustic Properties of a Supersonic Diamond-Shaped Jet.** F. S. Alvi, A. Krothapalli, D. Washington, and C. J. King, *Florida A&M University and Florida State University* (34, 8, p. 1562) Article based on AIAA Paper 95-169
- J96-243 Low-Reynolds-Number Separation on an Airfoil.** J. C. Muti Lin and Laura L. Pauley, *Pennsylvania State University* (34, 8, p. 1570) Article
- J96-244 Eigenmode Analysis in Unsteady Aerodynamics: Reduced-Order Models.** Earl H. Dowell, *Duke University* (34, 8, p. 1578) Article based on AIAA Paper 95-1450 CP952
- J96-245 Continuous Optical Discharge Stabilized by Gas Flow in Weakly Focused Laser Beam.** R. Conrad, *U.S. Army Missile Research Development and Engineering Center*; and Yu. P. Raizer and S. T. Sarzhikov, *Russian Academy of Sciences* (34, 8, p. 1584) Article
- J96-246 Fundamental Gain Suppression Mechanisms in a Continuous Wave Hydrogen Fluoride Overtone Laser.** P. T. Theodoropoulos and L. H. Sentman, *University of Illinois at Urbana-Champaign* (34, 8, p. 1589) Article
- J96-247 Heuristic Method for Evaluating Coil Performance.** John Hon, *Rockwell International/Rocketdyne*; D. N. Plummer, P. G. Crowell, and J. Erkkila, *Logicon RDA*; and G. D. Hager, C. Helms, and K. Truesdell, *U.S. Air Force Phillips Laboratory* (34, 8, p. 1595) Article based on AIAA Paper 94-2422
- J96-248 Computer-Controlled Multiparameter Flowfield Measurements Using Planar Laser-Induced Iodine Fluorescence.** James M. Donohue and James C. McDaniel Jr., *University of Virginia* (34, 8, p. 1604) Article based on AIAA Paper 93-0048
- J96-249 Electrothermoelastic Behavior of Piezoelectric Coupled Cylinders.** Mike Stam and Greg Carman, *University of California, Los Angeles* (34, 8, p. 1612) Article
- J96-250 Central and Noncentral Normal Impact on Orthotropic Composite Cylindrical Shells.** S. W. Gong, V. P. W. Shim, and S. L. Toh, *National University of Singapore* (34, 8, p. 1619) Article
- J96-251 Thick Beam Theory and Finite Element Model with Zig-Zag Sublaminar Approximations.** R. C. Averill and Y. C. Yip, *Michigan State University* (34, 8, p. 1627) Article
- J96-252 Analytical Solution for Low-Velocity Impact Response of Composite Plates.** Michael O. Pierson and Reza Vaziri, *University of British Columbia, Canada* (34, 8, p. 1633) Article
- J96-253 Structural Synthesis with Reliability Constraints Using Approximation Concepts.** Abdon E. Sepulveda, *University of California, Los Angeles* (34, 8, p. 1641) Article based on AIAA Paper 94-1414 CP942
- J96-254 Damage Localization in Structures Without Baseline Modal Parameters.** Norris Stubbs, *Texas A&M University*; Jeong-Tae Kim, *National Fisheries University of Pusan, Korea* (34, 8, p. 1644) Article
- J96-255 Effect of Ply-Drop Configuration on Delamination Strength of Tapered Composite Structures.** Anthony D. Botting, Anthony J. Vizzini, and Sung W. Lee, *University of Maryland* (34, 8, p. 1650) Article
- J96-256 Intrinsic Equations for the Nonlinear Dynamics of Space Beams.** A. Libai, *Technion-Israel Institute of Technology* (34, 8, p. 1657) Article
- J96-257 Component Mode Synthesis for Nonclassically Damped Systems.** Alexander Muravyov and Stanley G. Hutton, *University of British Columbia, Canada* (34, 8, p. 1664) Article
- J96-258 Accurate Computation of Design Sensitivities for Dynamically Loaded Structures with Displacement Constraints.** A. C. Paul, A. Dutta, and C. V. Ramakrishnan, *Indian Institute of Technology, India* (34, 8, p. 1670) Article
- J96-259 Estimation of Reciprocal Residual Flexibility from Experimental Modal Data.** Scott W. Doebling, *Los Alamos National Laboratory*; Lee D. Peterson, *University of Colorado*; and

Kenneth F. Alvin, *Sandia National Laboratories* (34, 8, p. 1678)
Article based on AIAA Paper 95-1092 CP952

J96-260 Behavior of Spinning Pretwisted Composite Plates Using a Nonlinear Finite Element Approach. Ravinder Bhumbra and John B. Kosmatka, *University of California, San Diego* (34, 8, p. 1686) Article

J96-261 One-Dimensional Finite Elements Based on the Daubechies Family of Wavelets. Richard D. Patton and Patrick C. Marks, *Mississippi State University* (34, 8, p. 1696) Article based on AIAA Papers 95-1444 and 95-1393 CP952

J96-262 Minimum Weight Design of Laminated Composite Plates Subject to Strength Constraint. T. Y. Kam, F. M. Lai, and S. C. Liao, *National Chiao Tung University, Taiwan, ROC* (34, 8, p. 1699) Article

J96-263 Generalized Hybrid Method for Fuzzy Multiobjective Optimization of Engineering Systems. S. S. Rao and Li Chen, *Purdue University* (34, 8, p. 1709) Article

J96-264 Minimization of the Mass of Multilayer Plates at Impulse Loading. A. N. Shupikov, N. V. Smetankina, and H. A. Shelduko, *National Academy of Sciences of the Ukraine* (34, 8, p. 1718) Article

J96-265 Explicit Unconditionally Stable Approaches for Built-Up Shell Structural Configurations. Xiaoqin Chen, Kumar K. Tamma, and Desong Sha, *University of Minnesota* (34, 8, p. 1725) Article

J96-266 Multiaxis Fluidic Thrust Vector Control of a Supersonic Jet Using Counterflow. D. M. Washington and F. S. Alvi, *Florida A&M University and Florida State University*; P. J. Strykowski, *University of Minnesota*; and A. Krothapalli, *Florida A&M University and Florida State University* (34, 8, p. 1734) Technical Note

J96-267 Three-Dimensional Velocity Measurements Within Görtler Vortices. J. A. Rothenflue and P. I. King, *U.S. Air Force Institute of Technology* (34, 8, p. 1736) Technical Note

J96-268 Navier-Stokes Simulation of a Cone-Derived Waverider with Multidirectional Curvature. Sheam-Chyun Lin and Ming-Chiou Shen, *National Taiwan Institute of Technology, ROC* (34, 8, p. 1739) Technical Note based on AIAA Paper 96-0313

J96-269 Momentum and Vortex Theory of Rotor Blade Wakes. Walter C. Hassenpflug, *University of Stellenbosch, South Africa* (34, 8, p. 1741) Technical Note

J96-270 Predictive Capabilities of Turbulence Models for a Confined Swirling Flow. Yong G. Lai, *CFD Research Corporation* (34, 8, p. 1743) Technical Note

J96-271 Ionizational Nonequilibrium Induced by Neutral Chemistry in Air Plasmas. Christophe O. Laux, Richard J. Gessman, and Charles H. Kruger, *Stanford University* (34, 8, p. 1745) Technical Note

J96-272 Flow Visualization of an Oscillating Airfoil with Sawtooth Trailing Edge. Roy Y. Myose and Jiro Iwata, *Wichita State University* (34, 8, p. 1748) Technical Note based on AIAA Paper 95-0308

J96-273 Vortex-Wake Characteristics of a Supersonic Transport Wing Planform at Mach 2.5. F. Y. Wang, P. M. Sforza, and R. Pascali, *Polytechnic University* (34, 8, p. 1750) Technical Note

J96-274 Dynamic Buckling of Long Thin Elastic Plate Under Rapidly Applied Shear Loading. Emil T. Dankov, *University of Cincinnati* (34, 8, p. 1752) Technical Note

J96-275 Three-Dimensional Aerodynamic Shape Optimization Using Discrete Sensitivity Analysis. Greg W. Burgreen and Oktay Baysal, *Old Dominion University* (34, 9, p. 1761) Article based on AIAA Paper 94-0094

J96-276 Effect of Inlet Reflections on Fan Noise Radiation. H. D. Meyer, *United Technologies Corporation* (34, 9, p. 1771) Article

J96-277 Sound Propagation and Radiation in a Curved Duct. P. Malbéqui and C. Glandier, *ONERA, France*; and C. Reynier, *Institut National des Sciences Appliquées de Rouen, France* (34, 9, p. 1778) Article based on AIAA Paper 93-4376

J96-278 Hybrid Computational Model for Noise Propagation Through a Fuselage Boundary Layer. Harmen Schippers, *National Aerospace Laboratory NLR, The Netherlands*; and Jeroen A. Wensing, *University of Twente, The Netherlands* (34, 9, p. 1785) Article

J96-279 Spatial Evolution of Görtler Instability in a Curved Duct of High Curvature. Philippe Petitjeans and José-Eduardo Westfreid, *Ecole Supérieure de Physique et de Chimie Industrielles, France* (34, 9, p. 1793) Article

J96-280 Three-Dimensional Hyperbolic Grid Generation with Inherent Dissipation and Laplacian Smoothing. C. H. Tai, D. C. Chiang, and Y. P. Su, *Chung Cheng Institute of Technology, Taiwan, ROC* (34, 9, p. 1801) Article

J96-281 Pseudotime Method for Shape Design of Euler Flows. Angelo Iollo, *Politecnico di Torino, Italy*; Geojoe Kuruville, *VI-GYAN, Inc.*; and Shlomo Ta'asan, *Institute for Computer Applications in Science and Engineering* (34, 9, p. 1807) Article

J96-282 Characteristic Features of Large Structures in Compressible Mixing Layers. N. L. Messersmith, *Purdue University*; and J. C. Dutton, *University of Illinois at Urbana-Champaign* (34, 9, p. 1814) Article

J96-283 Coaxial Jets from Lobed-Mixer Nozzles. R. Ramesh Kumar and Job Kurian, *Indian Institute of Technology* (34, 9, p. 1822) Article

J96-284 Uncoupled Temporally Second-Order Accurate Implicit Solver of Incompressible Navier-Stokes Equations. Moshe Rosenfeld, *Tel-Aviv University, Israel* (34, 9, p. 1829) Article based on AIAA Paper 95-1741 CP956

J96-285 Two-Dimensional Model for Spark Discharge Simulation in Air. M. Akram, *Lund Institute of Technology, Sweden* (34, 9, p. 1835) Article

J96-286 Equilibrium Vibrational Properties of Ground State Nitrogen up to 35,000 K. C. Frederick Hansen, *University of Oregon* (34, 9, p. 1843) Article

J96-287 Acoustic Response of Droplet Flames to Pressure Oscillations. C. H. Sohn and S. H. Chung, *Seoul National University, Korea*; and J. S. Kim and F. A. Williams, *University of California, San Diego* (34, 9, p. 1847) Article

J96-288 Interaction of Supersonic Wing-Tip Vortices with a Normal Shock. Iraj M. Kalkhoran, Michael K. Smart, and Alexander Betti, *Polytechnic University* (34, 9, p. 1855) Article based on AIAA Paper 95-2283

J96-289 Effect of Correlated Precision Errors on Uncertainty of a Subsonic Venturi Calibration. S. T. Hudson and W. J. Bordelon Jr., *NASA Marshall Space Flight Center*; and H. W. Coleman, *University of Alabama in Huntsville* (34, 9, p. 1862) Article based on AIAA Paper 95-0797

J96-290 Modal Control of Piezolaminated Anisotropic Rectangular Plates Part 1: Modal Transducer Theory. Scott E.

Miller, Yaakov Oshman, and Haim Abramovich, *Technion—Israel Institute of Technology* (34, 9, p. 1868) Article

J96-291 Modal Control of Piezolaminated Anisotropic Rectangular Plates Part 2: Control Theory. Scott E. Miller, Yaakov Oshman, and Haim Abramovich, *Technion—Israel Institute of Technology* (34, 9, p. 1876) Article

J96-292 Finite Element Model for Active Control of Intelligent Structures. B. Samanta, *Sultan Qaboos University, Oman*; M. C. Ray, *Jessop and Company, Ltd., India*; and R. Bhattacharyya, *Indian Institute of Technology* (34, 9, p. 1885) Article

J96-293 Multidomain Modeling and Analysis of Delaminated Stiffened Composite Shells. B. P. Naganarayana, B. Z. Huang, and S. N. Atluri, *Georgia Institute of Technology* (34, 9, p. 1894) Article

J96-294 Micromechanics of Composites with Shape Memory Alloy Fibers in Uniform Thermal Fluids. Victor Birman, *University of Missouri—Rolla*; Dimitris A. Saravanos, *Ohio Aerospace Institute*; and Dale A. Hopkins, *NASA Lewis Research Center* (34, 9, p. 1905) Article based on AIAA Paper 95-1210 CP952

J96-295 Cross-Sectional Analysis of Composite Beams Including Large Initial Twist and Curvature Effects. Carlos E. S. Cesnik and Dewey H. Hodges, *Georgia Institute of Technology*; and Vladislav G. Sutyryn, *Wayne State University* (34, 9, p. 1913) Article based on AIAA Paper 95-1500 CP952

J96-296 Optimum Placement of Piezoelectric Sensor/Actuator for Vibration Control of Laminated Beams. Young Kyu Kang, Hyun Chul Park, Woonbong Hwang, and Kyung Seop Han, *Pohang University of Science and Technology, Korea* (34, 9, p. 1921) Article

J96-297 Enriched Finite Elements for Regions with Multiple, Interacting Singular Fields. Stephane S. Pageau and Sherrill B. Biggers Jr., *Clemson University* (34, 9, p. 1927) Article

J96-298 Nonlinear Response of Long Orthotropic Tubes Under Bending Including the Brazier Effect. Brian F. Tatting and Zafer Gürdal, *Virginia Polytechnic and State University*; and Valery V. Vasiliev, *Moscow State University of Aviation Technology* (34, 9, p. 1934) Article

J96-299 Aerodynamic Lift at Reynolds Numbers Below 7×10^4 . E. V. Laitone, *University of California, Berkeley* (34, 9, p. 1941) Technical Note based on AIAA Paper 95-0434

J96-300 Enhancement of the Leading-Edge Separation Vortices by Trailing-Edge Lateral Blowing. Koji Miyaji, *University of Tokyo, Japan*; and Kozo Fujii and Keiichi Karashima, *Institute for Space and Astronautical Science, Japan* (34, 9, p. 1943) Technical Note based on AIAA Paper 94-0181

J96-301 Interface Wavelength Between Supersonic Jets and Subsonic Flowfields. Lawrence J. De Chant, *Texas A&M University*; Jonathan A. Seidel, *NASA Lewis Research Center*; and Malcolm J. Andrews, *Texas A&M University* (34, 9, p. 1946) Technical Note

J96-302 Sound Generation by a Ring Vortex-Shock Wave Interaction. A. P. Szumowski and G. B. Sobieraj, *Warsaw University of Technology, Poland* (34, 9, p. 1948) Technical Note

J96-303 Boundary-Layer Transition Due to Isolated Three-Dimensional Roughness on Airfoil Leading Edge. M. J. Cummings and M. B. Bragg, *University of Illinois at Urbana—Champaign* (34, 9, p. 1949) Technical Note

J96-304 Pressure Fluctuations in an Unstable Confined Jet. Patricia Ern and José Eduardo Wesfreid, *Ecole Supérieure de Physique et Chime Industrielles, France* (34, 9, p. 1952) Technical Note

J96-305 Kármán Vortex Development: Relation to Symmetry and Circulation of Transition Vortices. C.-K. Chyu and D. Rockwell, *Lehigh University* (34, 9, p. 1954) Technical Note

J96-306 Correlation of Shock Angles Caused by Flat Delta Wings. S. Koide, *Japan Defense Agency* (34, 9, p. 1956) Technical Note

J96-307 Counter-Rotating Structures over a Delta Wing. J. P. Hubner and N. M. Komerath, *Georgia Institute of Technology* (34, 9, p. 1958) Technical Note

J96-308 Three-Dimensional Analysis of Simply Supported Laminated Cylindrical Shells with Arbitrary Thickness. Jianping Zhou and Bingen Yang, *University of Southern California* (34, 9, p. 1960) Technical Note

J96-309 Experimental Investigation on Blade-Stiffened Panel with Stiffener-to-Skin Fiber Stitching. Chen-Wen Chang and Wen-Bin Young, *National Cheng-Kung University, Taiwan, ROC* (34, 9, p. 1964) Technical Note

J96-310 Analytical Model Updating and Model Reduction. R. M. Lin and M. K. Lim, *Nanyang Technological University, Singapore* (34, 9, p. 1966) Technical Note

J96-311 Stochastic Optimization Using the Stochastic Preconditioned Conjugate Gradient Method. David R. Oakley and Robert H. Sues, *Applied Research Associates, Inc.* (34, 9, p. 1969) Technical Note based on AIAA Paper 96-1458 CP952

J96-312 Flowfield Measurements Inside a Boundary-Layer Bleed Slot. D. O. Davis, B. P. Willis, and W. R. Hingst, *NASA Lewis Research Center* (34, 10, p. 1977) Article based on AIAA Paper 95-0032

J96-313 Effect of Fences on Airfoil Aerodynamics at -90° Degree Incidence. Paul M. Stremel, *NASA Ames Research Center* (34, 10, p. 1984) Article

J96-314 Pressure Field Around a Rectangular Supersonic Jet in Screech. Shojiro Kaji and Noriyo Nishijima, *University of Tokyo, Japan* (34, 10, p. 1990) Article based on AIAA Paper 95-020

J96-315 Tone Excitation of a Supersonic Bounded Shear Layer. Mahadevan Ramaswamy and Eric Loth, *University of Illinois at Urbana—Champaign* (34, 10, p. 1997) Article

J96-316 Aeroelastic Stability of a Beam Traveling in a Tunnel Lined with Resonators. Nobumasa Sugimoto, *University of Osaka, Japan* (34, 10, p. 2005) Article

J96-317 Recursive Numerical Algorithm for Conformal Mapping in Two-Dimensional Hydrodynamics. Boris I. Rabinovich and Yury V. Tyurin, *Research and Industrial Association HYDROTRUBOPROVOD, Russia*; Arkady A. Livshits, *Technion—Israel Institute of Technology*; and Alexander S. Leviant, *Research and Industrial Association HYDROTRUBOPROVOD, Russia* (34, 10, p. 2014) Article

J96-318 Implicit Upwind Residual-Distribution Euler and Navier-Stokes Solver on Unstructured Meshes. E. Issman, G. Degrez, and H. Deconinck, *von Kármán Institute for Fluid Dynamics, Belgium* (34, 10, p. 2021) Article based on AIAA Paper 95-1653 CP956

J96-319 Implicit High-Order Compact Algorithm for Computational Acoustics. K.-Y. Fung, *University of Miami*; Raymond S. O. Man, *University of Arizona*; and Sanford Davis, *NASA Ames Research Center* (34, 10, p. 2029) Article based on AIAA Paper 95-010

J96-320 Accurate Development of Leading-Edge Vortex Using an Embedded Conical Grid. Anand Kumar, *National Aerospace Laboratories, India* (34, 10, p. 2038) Article

J96-321 Unsteady Flow Calculations with a Multigrid Navier-Stokes Method. Feng Liu and Shanhong Ji, *University of California, Irvine* (34, 10, p. 2047) Article

J96-322 Chemical Nonequilibrium Inviscid Flow over a Blunt Cone at Incidence. M. N. Macrossan and C. Eckett, *University of Queensland, Australia* (34, 10, p. 2054) Article

J96-323 Large-Scale Structure Evolution in Supersonic Interacting Shear Layers. N. T. Clemens, S. P. Petullo, and D. S. Dolling, *University of Texas at Austin* (34, 10, p. 2062) Article based on AIAA Paper 93-0545

J96-324 Nonoscillatory Schemes for Kinetic Model Equations for Gases with Internal Energy States. J. Y. Yang, *National Taiwan University, ROC*; J. C. Huang and C. S. Wang, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (34, 10, p. 2071) Article

J96-325 Detailed Mechanism of the Unsteady Combustion Around Hypersonic Projectiles. Akiko Matsuo, *Keio University, Japan*; and Kozo Fujii, *Institute for Space and Astronautical Science, Japan* (34, 10, p. 2082) Article based on AIAA Paper 95-2565

J96-326 Higher-Order Numerical Model for Simulation of Time-Dependent Variable-Density Flows. Jyh-Cherng Sheu and Lea-Der Chen, *University of Iowa* (34, 10, p. 2090) Article

J96-327 Interaction of Swept and Unswept Normal Shock Waves with Boundary Layers. L. C. Squire, *Cambridge University, England, UK* (34, 10, p. 2099) Article

J96-328 Implementation of an Adaptive Piezoelectric Sensori-actuator. Jeffrey S. Vipperman and Robert L. Clark, *Duke University* (34, 10, p. 2102) Article

J96-329 Elastic Wave Generation by Piezoceramic Patches. Mohammad A. Moetakef, Shiv P. Joshi, and Kent L. Lawrence, *University of Texas at Arlington* (34, 10, p. 2110) Article

J96-330 Governing Equations of a Stiffened Laminated Inhomogeneous Conical Shell. Zahit Mecitoglu, *Istanbul Technical University, Turkey* (34, 10, p. 2118) Article

J96-331 Modified Trajectory Method for Practical Global Optimization Problems. A. A. Groenwold, J. A. Snyman, and N. Stander, *University of Pretoria, South Africa* (34, 10, p. 2126) Article

J96-332 Integral Formulas for Non-Self-Adjoint Distributed Dynamic Systems. Bingen Yang, *University of Southern California* (34, 10, p. 2132) Article

J96-333 Forced Random Parametric Vibration in Single-Degree-of-Freedom Systems. D. E. Huntington and C. S. Lyrantzis, *San Diego State University* (34, 10, p. 2140) Article

J96-334 Partitioned Model Reduction for Large Space Structural Control Problem. Xiaojian Liu and Junjiro Onoda, *Institute of Space and Astronautical Science, Japan* (34, 10, p. 2149) Article

J96-335 Reliability-Based Optimization: A Proposed Analytical-Experimental Study. Efstratios Nikolaidis, *Virginia Polytechnic Institute and State University*; and W. Jefferson Stroud, *NASA Langley Research Center* (34, 10, p. 2154) Article based on AIAA Paper 94-1446 CP942

J96-336 Comparison of Local and Global Approximations for Reliability Estimation. A. E. Sepulveda, *University of California, Los Angeles*; and H. Jensen, *F. Santa Maria University, Chile* (34, 10, p. 2162) Article based on AIAA Paper 95-1435 CP952

J96-337 Local Buckling of Cracked and Pin-Loaded Plates. W. Z. L. Zhuang, J. P. Baird, and H. M. Williamson, *University of New South Wales, Australia* (34, 10, p. 2171) Article

J96-338 Local Buckling of Delaminated Composite Sandwich Plates. Chien-Chang Lin and Shou-Hsiung Cheng, *National Chung-Hsing University, PRC*; and James Ting-Shun Wang, *Georgia Institute of Technology* (34, 10, p. 2176) Article

J96-339 Multiple-Actuator Control of Vortex Breakdown on a Pitching Delta Wing. Peter Vorobieff and Donald Rockwell, *Lehigh University* (34, 10, p. 2184) Technical Note

J96-340 Explicit Algebraic Stress Model of Turbulence with Anisotropic Dissipation. Xiang-Hua Xu and Charles G. Speziale, *Boston University* (34, 10, p. 2186) Technical Note

J96-341 Numerical Simulation of Viscous Flow over Rotors Using a Distributed Computing Strategy. Ashok Bangalore, Ralph L. Latham, and Lakshmi N. Sankar, *Georgia Institute of Technology* (34, 10, p. 2189) Technical Note based on AIAA Paper 95-0575

J96-342 Bow Shock/Jet Interaction in Compressible Transverse Injection Flowfields. M. R. Gruber and A. S. Nejad, *U.S. Air Force Wright Laboratory*; T. H. Chen, *Taitech, Inc.*; and J. C. Dutton, *University of Illinois at Urbana-Champaign* (34, 10, p. 2191) Technical Note

J96-343 Proving Algorithm Symmetry for Flows Exhibiting Symmetry Breaking. Raja Sengupta and Paul D. Orkwis, *University of Cincinnati* (34, 10, p. 2193) Technical Note

J96-344 Stability of Regular and Mach Reflection Wave Configurations in Steady Flows. A. Chpoun and D. Passerel, *Centre National de la Recherche Scientifique, France*; and G. Ben-Dor, *Ben-Gurion University of the Negev, Israel* (34, 10, p. 2196) Technical Note

J96-345 Correlation of Separation Angles Induced by Glancing Interactions. S. Koide, *Japan Defense Agency*; and N. Saida and R. Ogata, *Aoyama-Gakuin University, Japan* (34, 10, p. 2198) Technical Note

J96-346 Visualization and Analysis of Bow Shocks in a Supero-orbital Expansion Tube. Margaret Wegener, Tim McIntyre, Halina Rubinsztajn-Dunlop, Alexis Bishop, Ray Stalker, and Richard Morgan, *University of Queensland, Australia* (34, 10, p. 2200) Technical Note

J96-347 Accurate Numerical Integration of State-Space Models for Aeroelastic Systems with Free Play. Mark D. Conner, Lawrence N. Virgin, and Earl H. Dowell, *Duke University* (34, 10, p. 2202) Technical Note

J96-348 Deflection of Rectangular Orthotropic Plates Under Uniform Load. James A. August and Shiv P. Joshi, *University of Texas at Arlington* (34, 10, p. 2205) Technical Note

J96-349 Eigenvector Derivatives with Repeated Eigenvalues Using Generalized Inverse Technique. Fu-Shang Wei, *Kaman Aerospace Corporation*; and De-Wen Zhang, *Beijing Institute of Structure and Environment, PRC* (34, 10, p. 2206) Technical Note

J96-350 Distributed Modeling and Actuator Location for Piezoelectric Control Systems. M. Sunar, *King Fahd University of Petroleum and Minerals, Saudi Arabia*; and S. S. Rao, *Purdue University* (34, 10, p. 2209) Technical Note

J96-351 Practical Complete Modal Space and Its Applications. De-Wen Zhang, *Beijing Institute of Structure and Environment Engineering, PRC*; and Fu-Shang Wei, *Kaman Aerospace Corporation* (34, 10, p. 2211) Technical Note

J96-352 Computation of Derivatives of Repeated Eigenvalues and Corresponding Eigenvectors by Simultaneous Iteration. Alan L. Andrew, *La Trobe University, Australia*; Roger C. E. Tan, *National University of Singapore* (34, 10, p. 2214) Technical Note

- J96-353 Improvement in Model Reduction Schemes Using the System Equivalent Reduction Expansion Process.** Michael Papadopoulos, and Ephraim Garcia, *Vanderbilt University* (34, 10, p. 2217) Technical Note
- J96-354 Novel Approach to Aerodynamic Analysis Using Analytical/Numerical Matching.** Donald B. Bliss and Ronald J. Epstein, *Duke University* (34, 11, p. 2225) Article
- J96-355 Inverse Aeroacoustic Problem for a Streamlined Body Part 1: Basic Formulation.** Sheryl Patrick Grace and Hafiz M. Atassi, *University of Notre Dame*; and William K. Blake, *David Taylor Model Basin* (34, 11, p. 2233) Article
- J96-356 Inverse Aeroacoustic Problem for a Streamlined Body Part 2: Accuracy of Solutions.** Sheryl Patrick Grace and Hafiz M. Atassi, *University of Notre Dame*; and William K. Blake, *David Taylor Model Basin* (34, 11, p. 2241) Article
- J96-357 Computation of Quadrupole Noise Using Acoustic Analogy.** Meng Wang, Sanjiva K. Lele, and Parviz Moin, *Stanford University* (34, 11, p. 2247) Article
- J96-358 Algebraic Turbulence Model Simulations of Supersonic Open-Cavity Flow Physics.** Chung-Jen Tam, Paul D. Orkwis, and Peter J. Disimile, *University of Cincinnati* (34, 11, p. 2255) Article based on AIAA Paper 96-0075
- J96-359 Simulating Turbulent Flow over Thin Element and Flat Valley V-Shaped Riblets.** A. Pollard, *Queen's University at Kensington, Canada*; A. M. Savill, *Cambridge University, England, UK*; and S. Tullis and X. Wang, *Queen's University at Kensington, Canada* (34, 11, p. 2261) Article
- J96-360 Combined Laser Doppler Velocimetry and Cross-Wire Anemometry Analysis for Supersonic Turbulent Flow.** Rodney D. W. Bowersox, *U.S. Air Force Institute of Technology* (34, 11, p. 2269) Article
- J96-361 Parallelization of a Three-Dimensional Flow Solver for Euler Rotorcraft Aerodynamics Predictions.** Andrew M. Wissink, *University of Minnesota*; Anastasios S. Lyrintzis, *Purdue University*; and Roger C. Strawn, *NASA Ames Research Center* (34, 11, p. 2276) Article
- J96-362 Leading-Edge Bluntness Effects in High Enthalpy, Hypersonic Compression Corner Flow.** S. G. Mallinson, S. L. Gai, and N. R. Mudford, *University of New South Wales, England, UK* (34, 11, p. 2284) Article
- J96-363 Application of Turbulence Models for Aerodynamic and Propulsion Flowfields.** Linda D. Kral, Mori Mani, and John A. Ladd, *McDonnell Douglas Aerospace* (34, 11, p. 2291) Article based on AIAA Paper 96-0564
- J96-364 Spatial Evolution of a Monochromatically Forced Flat-Plate Wake.** D. I. Dratler and H. F. Fasel, *University of Arizona* (34, 11, p. 2299) Article
- J96-365 Counterflow Thrust Vectoring of Supersonic Jets.** P. J. Strykowski, *University of Minnesota*; and A. Krothapalli and D. J. Forliti, *Florida A&M University and Florida State University* (34, 11, p. 2306) Article
- J96-366 Efficient Foil Propulsion Through Vortex Control.** Knut Streitlien and George S. Triantafyllou, *City College of the City University of New York*; and Michael S. Triantafyllou, *Massachusetts Institute of Technology* (34, 11, p. 2315) Article
- J96-367 Computational and Experimental Investigations of Rarefied Flows in Small Nozzles.** Iain D. Boyd and Douglas B. VanGilder, *Cornell University*; and Edward J. Beiting, *The Aerospace Corporation* (34, 11, p. 2320) Article
- J96-368 Controlled Leading-Edge Suction for Management of Unsteady Separation over Pitching Airfoils.** Mah'd Alrefai and Mukund Acharya, *Illinois Institute of Technology* (34, 11, p. 2327) Article based on AIAA Paper 95-2188
- J96-369 Large-Eddy Simulations of the Vortex-Pair Breakup in Aircraft Wakes.** D. C. Lewellen and W. S. Lewellen, *West Virginia University* (34, 11, p. 2337) Article
- J96-370 Rayleigh Scattering Technique for Simultaneous Measurements of Velocity and Thermodynamic Properties.** Gregory S. Elliot and Mo Samimy, *Ohio State University* (34, 11, p. 2346) Article
- J96-371 Layerwise Mechanics and Finite Element Model for Laminated Piezoelectric Shells.** Paul Heyliger and K. C. Pei, *Colorado State University*; and Dimitris Saravanos, *Ohio Aerospace Institute* (34, 11, p. 2353) Article
- J96-372 Initial Fatigue Quality Confidence-Interval Approach for Determination of Inspection Intervals.** Andrea Pieracci, *University of Pisa, Italy* (34, 11, p. 2361) Article
- J96-373 Structural Damage Detection Using Real-Time Modal Parameter Identification Algorithm.** Tae W. Lim, *University of Kansas*; Albert Bosse, *Swales and Associates, Inc.*; and Shalom Fisher, *U.S. Naval Research Laboratory* (34, 11, p. 2370) Article
- J96-374 Large Amplitude Free Flexural Vibration of Stiffened Plates.** Abdul Hamid Sheikh, *Bengal Engineering College, India*; and Madhujit Mukhopadhyay, *Indian Institute of Technology, India* (34, 11, p. 2377) Article
- J96-375 Small Displacements About Equilibrium of a Beam Subjected to Large Static Loads.** J. H. Sällström, *Chalmers University of Technology, Sweden*; and D. H. L. Poelaert and F. L. Janssens, *European Space Agency, The Netherlands* (34, 11, p. 2384) Article
- J96-376 Efficient Eigenvector Sensitivities by a New Procedure Based on Lanczos Vectors.** I. U. Ojalvo, *Columbia University*; and L.-M. Zhang, *Nanjing University of Aeronautics and Astronautics, PRC* (34, 11, p. 2392) Article
- J96-377 Primal and Mixed Variational Principles for Dynamics of Spatial Beams.** B. M. Quadrelli and S. N. Atluri, *Georgia Institute of Technology* (34, 11, p. 2395) Article based on AIAA Paper 96-1594 CP962
- J96-378 Maysel's Formula Generalized for Piezoelectric Vibrations: Application to Thin Shells of Revolution.** Hans Irshik, *Johannes Kepler University of Linz, Austria*; and Franz Ziegler, *Technical University of Vienna, Austria* (34, 11, p. 2402) Article based on AIAA Paper 96-1279
- J96-379 Nonlinear Analysis of Imperfect Metallic and Laminated Cylinders Under Bending Loads.** Xiaozhi Huan, George J. Simitses, and Ala Tabiei, *University of Cincinnati* (34, 11, p. 2406) Article
- J96-380 Constraint Handling in Genetic Search Using Expression Strategies.** P. Hajela and J. Yoo, *Rensselaer Polytechnic Institute* (34, 11, p. 2414) Article
- J96-381 Nonlinear Dynamic Buckling of a Cylindrical Shell Panel Model.** Anthony N. Kounadis and Dimitris S. Sophianopoulos, *National Technical University of Athens, Greece* (34, 11, p. 2421) Article
- J96-382 Behavior of Heavy Particles in an Acoustically Forced Confined Shear Flow.** E. J. Chang and K. Kailasanath, *U.S. Naval Research Laboratory* (34, 11, p. 2429) Technical Note

- J96-383 Transition Correlation in Flow over a Swept Cylinder.** J. A. Masad, *High Technology Corporation* (34, 11, p. 2431) Technical Note
- J96-384 Simulation of Three-Dimensional Symmetric and Asymmetric Instabilities in Attachment-Line Boundary Layers.** Ronald D. Joslin, *NASA Langley Research Center* (34, 11, p. 2432) Technical Note
- J96-385 Transition Detection with Deposited Hot Films in Cryogenic Tunnels.** Ehud Gartenberg, *Old Dominion University*; Michael A. Scott, *NASA Langley Research Center*; and Scott D. Martinson, *NASA Langley Research Center* (34, 11, p. 2434) Technical Note
- J96-386 Calculation of Flow in Transition Duct Using Second-Order Closure and Wall Functions.** Davor Cokljat, Jonathan G. Carter, and David R. Emerson, *Council for the Central Laboratory of the Research Councils, England, UK* (34, 11, p. 2437) Technical Note
- J96-387 Adaptive Unstructured Grid Generation for Viscous Flow Applications.** David L. Marcum, *Mississippi State University* (34, 11, p. 2440) Technical Note based on AIAA Paper 95-1726 CP956
- J96-388 Improved Jet Coverage Through Vortex Cancellation.** B. A. Haven and M. Kurosaka, *University of Washington* (34, 11, p. 2443) Technical Note
- J96-389 Multiple-Source Schlieren Noise Reduction Measurements.** Terry Ray Salyer and Steven H. Collicott, *Purdue University* (34, 11, p. 2444) Technical Note based on AIAA Paper 94-0279
- J96-390 Drag of Freely Rotatable Cylinder/Splitter-Plate Body at Subcritical Reynolds Number.** John M. Cimbala and Johnathan Leon, *Pennsylvania State University* (34, 11, p. 2446) Technical Note
- J96-391 Interactions of a Vortex with an Oscillating Leading Edge.** R. W. Jeffries and D. Rockwell, *Lehigh University* (34, 11, p. 2448) Technical Note
- J96-392 Vibration Characteristics of Cantilevered Thick Cylindrical Shallow Shells.** K. M. Liew, *Nanyang Technological University, Singapore*; and C. W. Lim and S. Kitipornchai, *University of Queensland, Australia* (34, 11, p. 2451) Technical Note
- J96-393 Relationship of Anisotropic and Isotropic Materials for Antiplane Problems.** Chien-Ching Ma, *National Taiwan University, ROC* (34, 11, p. 2453) Technical Note
- J96-394 Inclusion of Transverse Shear Deformation in Optimum Design of Aircraft Wing Panels.** Phil W. L. Williams, Fred W. Williams, and David Kennedy, *University of Wales, UK* (34, 11, p. 2456) Technical Note
- J96-395 Experimental Studies of Magnetic Levitation Train Aerodynamics.** J. S. Tyll, D. Liu, J. A. Schetz, and J. F. Marchman, *Virginia Polytechnic Institute and State University* (34, 12, p. 2465) Article based on AIAA Paper 95-1917 CP955
- J96-396 Effects of Leading-Edge Lateral Blowing on Delta Wing Aerodynamics.** John S. Hong, *Institute for Defense Analyses*; and Zeki Z. Çelik and Leonard Roberts, *Stanford University* (34, 12, p. 2471) Article
- J96-397 Turbulence Measurements in a Mach 2.9 Boundary Layer Including Mild Pressure Gradients.** Rodney D. W. Bowersox and Thomas A. Buter, *U.S. Air Force Institute of Technology* (34, 12, p. 2479) Article
- J96-398 Space-Time Correlation Measurements in a Hypersonic Transitional Boundary Layer.** Roger L. Kimmel, *U.S. Air Force Wright Laboratory*; Anthony Demetriades, *Montana State University*; and Joseph C. Donaldson, *MicroCraft Technologies*
- J96-399 Stabilization of a Nozzle Boundary Layer by Local Surface Heating.** Anthony Demetriades, *Montana State University* (34, 12, p. 2490) Article
- J96-400 Boundary-Layer Stability Measurements in a Hypersonic Quiet Tunnel.** Jason T. Lachowicz and Ndaona Chokani, *North Carolina State University*; and Stephen P. Wilkinson, *NASA Langley Research Center* (34, 12, p. 2496) Article
- J96-401 Implicit Solution Method for Incompressible Navier-Stokes Equations Including Two-Layer $k-\tau$ Turbulence Model.** Jürg Küffer, Bernhard Müller, and Torstein K. Fanneløp, *Swiss Federal Institute of Technology, Switzerland* (34, 12, p. 2501) Article
- J96-402 Simulation of Turbulent Square-Duct Flow: Dissipation and Small-Scale Motion.** Asmund Huser and Sedat Biringen, *University of Colorado* (34, 12, p. 2509) Article
- J96-403 Cold Gas Simulation of a Solid Propellant Rocket Motor.** D. Couton, F. Plourde, and S. Doan-Kim, *Centre National de la Recherche Scientifique, France* (34, 12, p. 2514) Article
- J96-404 Fountain Flows Produced by Multiple Impinging Jets in a Crossflow.** Jorge M. M. Barata, *Universidade da Beira Interior, Portugal* (34, 12, p. 2523) Article based on AIAA Paper 95-0190
- J96-405 Images of Dissipation Layers to Quantify Mixing Within a Turbulent Jet.** Douglas A. Feikema, David Everest, and James F. Driscoll, *University of Michigan* (34, 12, p. 2531) Article
- J96-406 Dynamics of Isoconcentration Surfaces in Weak Shock Turbulent Mixing Interaction.** L. Vervisch and J. Réveillon, *Institut National des Sciences Appliquées de Rouen, France* (34, 12, p. 2539) Article based on AIAA Paper 96-0517
- J96-407 Computational Study of the Flowfields Associated with Oblique Shock/Vortex Interactions.** Ashish Nedungadi and Mark J. Lewis, *University of Maryland* (34, 12, p. 2545) Article based on AIAA Paper 95-2770
- J96-408 Engineering Estimation of Fluctuating Loads in Shock Wave/Turbulent Boundary-Layer Interactions.** L. Bruniak and D. S. Dolling, *University of Texas at Austin* (34, 12, p. 2554) Article
- J96-409 Second-Order Small-Disturbance Solution for Wing at Supersonic Speeds.** Shijun Luo and Hsien K. Cheng, *University of Southern California* (34, 12, p. 2562) Article based on AIAA Paper 96-2166
- J96-410 Power Dependence of Chemical Oxygen-Iodine Lasers on Iodine Dissociation.** B. D. Barmashenko and S. Rosenwaks, *Ben-Gurion University of the Negev, Israel* (34, 12, p. 2569) Article based on AIAA Paper 95-1924
- J96-411 Tunnel-Induced Gradients and Their Effect on Drag.** J. E. Hackett, *Lockheed Martin Aeronautical Systems Company* (34, 12, p. 2575) Article based on AIAA Paper 96-0562
- J96-412 Modeling Piezoceramic Actuation of Beams in Torsion.** Christopher Park and Inderjit Chopra, *University of Maryland* (34, 12, p. 2582) Article based on AIAA Paper 94-1781 CP942
- J96-413 Effect of Interfacial Imperfection on Buckling and Bending Behavior of Composite Laminates.** Zhen-qiang Cheng, *University of Science and Technology of China*; and D. Kennedy and F. W. Williams, *University of Wales, UK* (34, 12, p. 2590) Article
- J96-414 Nonlinear Analysis of Pressurized Spinning Fiber-Reinforced Tori.** Raouf A. Raouf, *U.S. Naval Academy*; and Anthony

N. Palazotto, *U.S. Air Force Institute of Technology* (34, 12, p. 2596) Article

J96-415 Stress Fields in General Composite Laminates. G. Davi, *University of Palermo, Italy* (34, 12, p. 2604) Article

J96-416 Damage Detection in Beam Structures Using Subspace Rotation Algorithm with Strain Data. K. Kahl and J. S. Sirkis, *University of Maryland* (34, 12, p. 2609) Article

J96-417 Minimum-Rank Optimal Update of Elemental Stiffness Parameters for Structural Damage Identification. Scott W. Doebling, *Los Alamos National Laboratory* (34, 12, p. 2615) Article based on AIAA Paper 96-1307 CP962

J96-418 Vibration Characteristics of Partially Covered Double-Sandwich Cantilever Beam. Qinghua Chen and Cesar Levy, *Florida International University* (34, 12, p. 2622) Article

J96-419 State-Space Modeling of Aerodynamic Forces on Plate Using Singular Value Decomposition. Kenneth D. Framp-ton and Robert L. Clark, *Duke University* (34, 12, p. 2627) Technical Note

J96-420 Modeling Influences of Inlet Swirl Profiles on Dump Combustor Flows. C. H. Lin, C. A. Lin, and J. C. Chen, *National Tsing Hua University, Taiwan, ROC* (34, 12, p. 2630) Technical Note based on AIAA Paper 96-0568

J96-421 Prediction of Aerodynamic Flows with a New Explicit Algebraic Stress Model. Ridha Abid, *High Technology Corporation*; Joseph H. Morrison, *Analytical Services and Materials, Inc.*; Thomas B. Gatski, *NASA Langley Research Center*; and Charles G. Speziale, *Boston University* (34, 12, p. 2632) Technical Note

J96-422 Development of a Rayleigh Scattering Measurement System for Hypersonic Wind-Tunnel Applications. Charles Tyler, *U.S. Air Force Wright Laboratory* (34, 12, p. 2635) Technical Note

J96-423 Vibration and Stability of Simply Supported Elliptical Plates. M. K. Sundaresan, G. Radhakrishnan, and B. Nag-eswara Rao, *Vikram Sarabhai Space Center, India* (34, 12, p. 2637) Technical Note

J96-424 Comment on the Vorticity Jump Across a Shock Wave. Morris P. Isom and Iraj M. Kalkhoran, *Polytechnic University* (34, 12, p. 2640)

Books Reviewed During 1996

Perturbation Methods in the Computer Age, by D. C. Wilcox, *DCW Industries, Inc.* (34, 2, p. 428); reviewed by George Emanuel.

Computational Fluid Dynamics on Parallel Systems, edited by S. Wagner, *Vieweg* (34, 3, p. 644); reviewed by P. L. Roe.

Direct and Large Eddy Simulation I: Selected Papers from the First ERCOFTAC Workshop, edited by P. R. Voke, L. Kleiser, and J.-P. Chollet, *Kluwer Academic Publishers* (34, 4, p. 874); reviewed by Joel H. Ferziger.

Analytical Fluid Dynamics, by George Emanuel, *CRC Press* (34, 4, p. 875); reviewed by Raimo J. Hakkinen.

Fluid Vortices, edited by Sheldon I. Green, *Kluwer Academic Publishers* (34, 4, p. 875); reviewed by Stanley A. Berger.

Random Vibration: Theory and Practice, P. H. Wirsching, T. L. Paez, and K. Ortiz (34, 5, p. 1091); reviewed by Raouf A. Ibrahim.

REAL Computing Made Real, by Forman S. Acton, *Princeton*

University Press (34, 6, p. 1307); reviewed by Gino Moretti.

Vibration Testing: Theory and Practice, by Kenneth G. McConnell, *Wiley* (34, 7, p. 1539); reviewed by William L. Hallauer Jr.

Instrumentation for Flows with Combustion, edited by A.M.K.P. Taylor, *Academic Press* (34, 8, p. 1756); reviewed by David S. Liscinsky.

Mechanical and Structural Vibrations, by Demeter G. Fertis, *Wiley* (34, 9, p. 1972); reviewed by Daniel C. Kammer.

Incompressible Flow, by Ronald L. Panton, *Wiley* (34, 10, p. 2220); reviewed by Doyle Knight.

Mechanics of Liquids and Gases, L. G. Loitsyanskiy, *Begell House, Inc.* (34, 11, p. 2459); reviewed by Paul A. Libby.

An Introduction to Combustion, by Stephen R. Turns, *McGraw-Hill* (34, 12, p. 2645); reviewed by Forman A. Williams