

Chronological Index

C94-060 Aircraft Landing Gear Positioning Concerning Abnormal Landing Cases. Hsing-Juin Lee, *National Chung-Hsing University, Taiwan, ROC*; and Cheng-Yi Chiou, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (31, 2, p. 446) Engineering Note

Technical Comment by D. H. Chester, *TASHAN, I.A.I. Ltd., Israel* (32, 4, p. 904)

Reply (32, 4, p. 904)

C94-087 Physics of Coanda Jet Detachment at High-Pressure Ratio. Kenneth C. Cornelius and Gerald A. Lucius, *Wright State University* (31, 3, p. 591) Article

Technical Comment by George Emanuel, *University of Oklahoma* (32, 2, p. 456)

C94-148 Simple Equations for Helical Vortex Wakes. D. H. Wood, *University of Newcastle, Australia* (31, 4, p. 994) Engineering Note

Technical Comment by Alexander H. Flax, *National Academy of Engineering* (32, 6, p. 1413)

Reply (32, 6, p. 1413)

C94-221 Inverse Solutions of the Prandtl-Meyer Function. O. Özcan, F. O. Edis, A. R. Aslan, and I. Pinar, *Istanbul Technical University, Turkey* (31, 6, p. 1422) Engineering Note

Technical Comment by George Emanuel, *University of Oklahoma* (32, 5, p. 1168)

Reply (32, 5, p. 1168)

C95-001 Summary of an Active Flexible Wing Program. Boyd Perry III and Stanley R. Cole, *NASA Langley Research Center*, and Gerald D. Miller, *Rockwell International Corporation* (32, 1, p. 10) Article based on AIAA Paper 92-2080 CP923

C95-002 Application of Transonic Small Disturbance Theory to the Active Flexible Wing Model. Walter A. Silva and Robert M. Bennett, *NASA Langley Research Center* (32, 1, p. 16) Article

C95-003 Simulation and Model Reduction for the Active Flexible Wing Program. Carey Buttrill, Barton Bacon, Jennifer Heeg, and Jacob Houck, *NASA Langley Research Center*, and David Wood, *Unisys Government Systems, Inc.* (32, 1, p. 23) Article

C95-004 Multiple-Function Digital Controller System for Active Flexible Wing Wind-Tunnel Model. Sherwood T. Hoadley, *NASA Langley Research Center*, and Sandra M. McGraw, *Lockheed Engineering and Sciences Company, Inc.* (32, 1, p. 32) Article based on AIAA Paper 92-2023 CP921

C95-005 On-Line Analysis Capabilities Developed to Support the Active Flexible Wing Wind-Tunnel Tests. Carol D. Wiesenman and Sherwood T. Hoadley, *NASA Langley Research Center*, and Sandra M. McGraw, *Lockheed Engineering and Sciences Company, Inc.* (32, 1, p. 39) Article

C95-006 Flutter Suppression Control Law Design and Testing for the Active Flexible Wing. Vivek Mukhopadhyay, *NASA Langley Research Center* (32, 1, p. 45) Article based on AIAA Paper 92-2095 CP923

C95-007 Design and Multifunction Tests of a Frequency Domain-Based Active Flutter Suppression System. William M. Adams Jr., *NASA Langley Research Center*, and David M. Christhif, *Lockheed Engineering and Sciences Company, Inc.* (32, 1, p. 52) Article

C95-008 Flutter Suppression for the Active Flexible Wing: A

Classical Design. M. R. Waszak, *NASA Langley Research Center*, and S. Srinathkumar, *National Aeronautical Laboratory, India* (32, 1, p. 61) Article

C95-009 Rolling Maneuver Load Alleviation Using Active Controls. Jessica A. Woods-Vedeler, *NASA Langley Research Center*, Anthony S. Pototzky, *Lockheed Engineering and Sciences Company, Inc.*; and Sherwood T. Hoadley, *NASA Langley Research Center* (32, 1, p. 68) Article based on AIAA Paper 92-2099 CP923

C95-010 Application of Navier-Stokes Aeroelastic Methods to Improve Fighter Wing Maneuver Performance. David M. Schuster, *Lockheed Engineering and Sciences Company, Inc.* (32, 1, p. 77) Article based on AIAA Paper 93-0529

C95-011 Effect of Curvature in the Numerical Simulation of an Electrothermal De-Icer Pad. J. R. Huang, Theo G. Keith Jr., and Kenneth J. De Witt, *University of Toledo* (32, 1, p. 84) Article

C95-012 Dynamic Investigation of the Angular Motion of a Rotating Body-Parachute System. D. Levin and Z. Shpund, *Technion-Israel Institute of Technology* (32, 1, p. 93) Article based on AIAA Paper 93-1205

C95-013 Tracking of Raindrops in Flow over an Airfoil. James R. Valentine and Rand A. Decker, *University of Utah* (32, 1, p. 100) Article based on AIAA Paper 93-0168

C95-014 Erosion of Dust-Filtered Helicopter Turbine Engines Part I: Basic Theoretical Considerations. Johannes P. van der Walt and Alan Nurick, *University of the Witwatersrand, South Africa* (32, 1, p. 106) Article

C95-015 Erosion of Dust-Filtered Helicopter Turbine Engines Part II: Erosion Reduction. Johannes P. van der Walt and Alan Nurick, *University of the Witwatersrand, South Africa* (32, 1, p. 112) Article

C95-016 Life Prediction of Helicopter Engines Fitted with Dust Filters. Johannes P. van der Walt and Alan Nurick, *University of the Witwatersrand, South Africa* (32, 1, p. 118) Article

C95-017 Stability Derivatives of a Flapped Plate in Unsteady Ground Effect. A. O. Nuhait and M. F. Zedan, *King Saud University, Saudi Arabia* (32, 1, p. 124) Article

C95-018 Natural Laminar Flow Wing Concept for Supersonic Transports. Berry T. Gibson and Heinz A. Gerhardt, *Northrop Grumman Corporation* (32, 1, p. 130) Article based on AIAA Paper 93-3466 CP935

C95-019 Aerodynamics of a Finite Wing with Simulated Ice. A. Khodadoust and M. B. Bragg, *University of Illinois at Urbana-Champaign* (32, 1, p. 137) Article

C95-020 Response of a Nonrotating Rotor Blade to Lateral Turbulence Part I: Theory. D. M. Tang and E. H. Dowell, *Duke University* (32, 1, p. 145) Article

C95-021 Response of a Nonrotating Rotor Blade to Lateral Turbulence Part II: Experiment. D. M. Tang and E. H. Dowell, *Duke University* (32, 1, p. 154) Article

C95-022 Aerodynamic Characteristics of External Store Configurations at Low Speeds. O. Özcan, M. F. Ünal, A. R. Aslan, Y. Bozkurt, and N. H. Aydin, *Istanbul Technical University, Turkey* (32, 1, p. 161) Article

C95-023 Real-Time Estimation of Atmospheric Turbulence Severity from In-Situ Aircraft Measurements. Larry B. Cornman, Corinne S. Morse, and Gary Cuning, *National Center for Atmospheric Research* (32, 1, p. 171) Article based on AIAA Paper 94-0268

C95-024 Neural Network Prediction of Three-Dimensional Unsteady Separated Flowfields. Scott J. Schreck, *Frank J. Seiler Research Laboratory*; and William E. Faller and Marvin W. Luttges, *University of Colorado* (32, 1, p. 178) Article based on AIAA Paper 93-3426 CP935

C95-025 Unsteady Ground Effects on Aerodynamic Coefficients of Finite Wings with Camber. A. O. Nuhait, *King Saud University, Saudi Arabia* (32, 1, p. 186) Article based on AIAA Paper 93-3423 CP935

C95-026 CFD Optimization of a Theoretical Minimum-Drag Body. Samson Cheung, Philip Aaronson, and Thomas Edwards, *NASA Ames Research Center* (32, 1, p. 193) Article based on AIAA Paper 93-3421 CP935

C95-027 Study of the Droplet Spray Characteristics of a Subsonic Wind Tunnel. Michael B. Bragg and Abdollah Khodadoust, *University of Illinois at Urbana-Champaign* (32, 1, p. 199) Article

C95-028 Digital Flutter Suppression of Active Flexible Wing Using Moment Feedback. Martin J. Klepl, *Rockwell International Corporation* (32, 1, p. 205) Engineering Note

C95-029 Maneuver Load Control Using Optimized Feedforward Commands. Doug Moore, *Rockwell International Corporation* (32, 1, p. 206) Engineering Note

C95-030 Circulation Control Wing Model Study. M. E. Franke, M. E. Pelletier, and J. W. Trainor, *U.S. Air Force Institute of Technology* (32, 1, p. 208) Engineering Note based on AIAA Paper 93-0094

C95-031 Simplified Tunnel Correction Method. Shojiro Shindo, *Kawada Industries, Inc., Japan* (32, 1, p. 210) Engineering Note

C95-032 Cobra Maneuver Unsteady Aerodynamic Considerations. Lars E. Ericsson (32, 1, p. 214) Engineering Note

C95-033 Pressure-Sensitive Paint Measurements on a Supersonic High-Sweep Oblique Wing Model. B. G. McLachlan, J. H. Bell, H. Park, R. A. Kennelly, J. A. Schreiner, S. C. Smith, and J. M. Strong, *NASA Ames Research Center*; and J. Gallery and M. Gouterman, *University of Washington* (32, 2, p. 217) Article based on AIAA Paper 92-2686

C95-034 Navier-Stokes Solutions for an Oscillating Double-Delta Wing. J. A. Ekaterinaris and Lewis B. Schiff, *NASA Ames Research Center* (32, 2, p. 228) Article based on AIAA Paper 91-1624

C95-035 Evolution of Airplane Gust Loads Design Requirements. J. R. Fuller, *Boeing Commercial Airplane Group* (32, 2, p. 235) Survey Paper

C95-036 Interpretation of Experimental High-Alpha Aerodynamics—Implications for Flight Prediction. Martin E. Beyers, *Institute for Aerospace Research, Canada* (32, 2, p. 247) Survey Paper based on AIAA Paper 94-0166

C95-037 CFD-Based Aerodynamic Approximation Concepts Optimization of a Two-Dimensional Scramjet Vehicle. Peter D. McQuade, Scott Eberhardt, and Eli Livne, *University of Washington* (32, 2, p. 262) Article

C95-038 Global Nonlinear Aerodynamic Modeling Using Multivariate Orthogonal Functions. Eugene A. Morelli, *Lockheed Engineering and Sciences Company, Inc.* (32, 2, p. 270) Article based on AIAA Paper 93-3636 CP937

C95-039 Wind-Tunnel Measurements of Hazard Posed by Lift-Generated Wakes. V. J. Rossow, J. N. Sacco, P. A. Askins, L. S. Bisbee, and S. M. Smith, *NASA Ames Research Center* (32, 2, p. 278) Article based on AIAA Paper 93-3518 CP935

C95-040 Added Mass of High-Altitude Balloons. W. J. Anderson, G. N. Shah, and Jungsun Park, *University of Michigan* (32, 2, p. 285) Article based on AIAA Paper 91-3693

C95-041 Multidisciplinary Design Integration Methodology for a Supersonic Transport Aircraft. A. R. Dovi and G. A. Wrenn, *Interdisciplinary Research Methods*; and J.-F. M. Barthelmy, P. G. Coen, and L. E. Hall, *NASA Langley Research Center* (32, 2, p. 290) Article based on AIAA Paper 92-4841 CP9213

C95-042 Analysis of Vortex Bursting Utilizing Three-Dimensional Laser Measurements. Kenneth C. Cornelius, *Wright State University* (32, 2, p. 297) Article based on AIAA Paper 90-3020 CP9010

C95-043 Wing Leading-Edge Design Concepts for Air-breathing Hypersonic Waveriders. Max L. Blosser, *NASA Langley Research Center*; Isaiah M. Blankson, *NASA Headquarters*; and Steve Schwoerke, Don Brunson, and Paul Hagseth, *Lockheed, Fort Worth Company* (32, 2, p. 307) Article based on AIAA Paper 94-0379

C95-044 Finite State Induced Flow Models Part I: Two-Dimensional Thin Airfoil. David A. Peters, *Washington University*; Swaminathan Karunamoorthy, *St. Louis University*; and Wen-Ming Cao, *Washington University* (32, 2, p. 313) Article

C95-045 Finite State Induced Flow Models Part II: Three-Dimensional Rotor Disk. David A. Peters, *Washington University*; and Cheng Jian He, *Advanced Rotorcraft Technology* (32, 2, p. 323) Article

C95-046 Multiple Order Pole Pure Lag Rational Function Approximations for Unsteady Aerodynamics. P. M. Mujumdar and N. Balan, *Indian Institute of Technology* (32, 2, p. 334) Article

C95-047 Aircraft with Single-Axis Aerodynamically Deployed Wings. Shlomo Djerassi and Shmuel Kotzev, *RAFAEL, Ministry of Defense, Israel* (32, 2, p. 343) Article based on AIAA Paper 93-3673 CP937

C95-048 Computation of Passively Controlled Transonic Wing. I. Kim and B. Sung, *Korea Aerospace Research Institute* (32, 2, p. 349) Article based on AIAA Paper 93-3474 CP935

C95-049 Impact of Aeroelastic-Propulsive Interactions on Flight Dynamics of a Hypersonic Vehicle. David L. Raney and John D. McMinn, *NASA Langley Research Center*; and Anthony S. Pototzky, *Lockheed Engineering and Sciences Company, Inc.* (32, 2, p. 355) Article based on AIAA Paper 93-1367 CP931

C95-050 Numerical Study of a Supersonic Open Cavity Flow and Pressure Oscillation Control. Yih Nen Jeng and Uon Jan Payne, *National Cheng Kung University, Taiwan, ROC* (32, 2, p. 363) Article

C95-051 Numerical Simulation of the Jet Produced by an Internal Aircraft Explosion. James A. Mundy, Donald P. Rizzetta, and Reid B. Melville, *U.S. Air Force Wright Laboratory* (32, 2, p. 370) Article based on AIAA Paper 94-1900

C95-052 Acoustic Spinning-Mode Analysis by an Iterative

Threshold Method. Daniel Blacodon, *ONERA, France* (32, 2, p. 377) Article

C95-053 Hypersonic Inviscid and Viscous Flow over a Wedge and Cone. K. K. Leung and G. Emanuel, *University of Oklahoma* (32, 2, p. 385) Article

C95-054 Possible "Impossible" Turn. David F. Rogers, *U.S. Naval Academy* (32, 2, p. 392) Article based on AIAA Paper 94-0271

C95-055 Case for Aircraft with Outboard Horizontal Stabilizers. J. A. C. Kentfield, *University of Calgary, Canada* (32, 2, p. 398) Article based on AIAA Paper 94-0498

C95-056 Effect of Geometry and Mass Distribution on Tumbling Characteristics of Flying Wings. C. M. Fremaux and D. M. Vairo, *Lockheed Engineering and Sciences Company, Inc.*; and R. D. Whipple, *NASA Langley Research Center* (32, 2, p. 404) Article

C95-057 When In-Flight Simulation is Necessary. Valerie J. Gawron and Philip A. Reynolds, *Calspan Corporation* (32, 2, p. 411) Article

C95-058 Wing Flutter Boundary Prediction Using Unsteady Euler Aerodynamic Method. Elizabeth M. Lee-Rausch and John T. Batina, *NASA Langley Research Center* (32, 2, p. 416) Article based on AIAA Paper 93-1422 CP931

C95-059 Concurrent Engineering in Design of Aircraft Structures. J. Krammer, O. Sensburg, J. Vilsmeier, and G. Berchtold, *Deutsche Aerospace, Germany* (32, 2, p. 423) Article

C95-060 Multidisciplinary Optimization in Aircraft Design Using Analytic Technology Models. Brett Malone and W. H. Mason, *Virginia Polytechnic Institute and State University* (32, 2, p. 431) Article based on AIAA Paper 91-3187

C95-061 Robust and Efficient Trimming Algorithm for Application to Advanced Mathematical Models of Rotorcraft. James Scott Gordon McVicar, *University of Glasgow, Scotland, UK*; and Roy Bradley, *Glasgow Caledonian University, Scotland, UK* (32, 2, p. 439) Engineering Note

C95-062 Performance Benefit of Second Harmonic Control in Helicopters. Amnon Katz, *University of Alabama* (32, 2, p. 442) Engineering Note

C95-063 Ice Accretion on Aircraft Wings with Thermodynamic Effects. P. Tran, M. T. Brahimi, and I. Paraschivoiu, *École Polytechnique de Montréal, Canada*; A. Pueyo, *University of Toronto, Canada*; and F. Tezok, *Bombardier Inc./Canadair, Canada* (32, 2, p. 444) Engineering Note based on AIAA Paper 94-0605

C95-064 Applicability of Newtonian and Linear Theory to Slender Hypersonic Bodies. Steven P. Kuester and John D. Anderson Jr., *University of Maryland* (32, 2, p. 446) Engineering Note

C95-065 Aerodynamic Characteristics of Vortex Flaps on a Double-Delta Planform. Lance W. Traub, *University of the Witwatersrand, South Africa* (32, 2, p. 449) Engineering Note

C95-066 Influence of Sideslip on Double Delta Wing Aerodynamics. Deborah S. Grismer, *U.S. Air Force Wright Laboratory*; Robert C. Nelson, *University of Notre Dame*; and Wayne L. Ely, *McDonnell Aircraft Company* (32, 2, p. 451) Engineering Note

C95-067 Directional Stability of a Large Receiver Aircraft in Air-to-Air Refueling. A. W. Bloy and K. A. Lea, *University of Manchester, England, UK* (32, 2, p. 453) Engineering Note

C95-068 Numerical Investigation of High Incidence Flow over a Double-Delta Wing. J. A. Ekaterinaris and R. L. Coutley, *U.S. Naval Postgraduate School*; Lewis B. Schiff, *NASA Ames Research Center*; and M. F. Platzer, *U.S. Naval Postgraduate School* (32, 3, p. 457) Article based on AIAA Paper 91-0753

C95-069 Quantifiable Vortex Features of F-106B Aircraft at Subsonic Speeds. John E. Lamar and Jay Brandon, *NASA Langley Research Center*; and Thomas D. Johnson Jr., *Lockheed Engineering and Sciences Company, Inc.* (32, 3, p. 464) Article based on AIAA Paper 93-3471 CP935

C95-070 Aerodynamic Applications of Underexpanded Hypersonic Viscous Jets. V. V. Riabov, *Worcester Polytechnic Institute* (32, 3, p. 471) Survey Paper based on AIAA Paper 94-2634

C95-071 Jet Transport Response to a Horizontal Wind Vortex. Darin R. Spilman and Robert F. Stengel, *Princeton University* (32, 3, p. 480) Article based on AIAA Paper 94-0811

C95-072 Computation of Delta-Wing Roll Manuevers. Raymond E. Gordnier, *U.S. Air Force Wright Laboratory* (32, 3, p. 486) Article based on AIAA Paper 93-2975

C95-073 Spectral Mapping of Quasiperiodic Structures in a Vortex Flow. James P. Hubner and Narayanan M. Komerath, *Georgia Institute of Technology* (32, 3, p. 493) Article based on AIAA Paper 93-2914

C95-074 Analysis of Some Interference Effects in a Transonic Wind Tunnel. Giovanni Lombardi, *University of Pisa, Italy*; and Mauro Morelli, *Council for Scientific and Industrial Research, South Africa* (32, 3, p. 501) Article

C95-075 Comparison of the Predictive Capabilities of Several Turbulence Models. Christopher L. Rumsey and Veer N. Vatsa, *NASA Langley Research Center* (32, 3, p. 510) Article based on AIAA Paper 93-0192

C95-076 Event Correlation for Networked Simulators. Amnon Katz, *University of Alabama* (32, 3, p. 515) Article

C95-077 Correlation of Unsteady Pressure and Inflow Velocity Fields of a Pitching Rotor Blade. Mihir K. Lal, S. G. Liou, G. A. Pierce, and N. M. Komerath, *Georgia Institute of Technology* (32, 3, p. 520) Article based on AIAA Paper 93-3082

C95-078 In-Flight Pressure Measurements on a Subsonic Transport High-Lift Wing Section. Long P. Yip, *NASA Langley Research Center*; Paul M. H. W. Vijgen, *High Technology Corporation*; Jay D. Hardin, *Lockheed Engineering and Sciences Company, Inc.*; and C. P. van Dam, *University of California, Davis* (32, 3, p. 529) Article

C95-079 Cooling of Aerospace Plane Using Liquid Hydrogen and Methane. Ahmed Z. Al-Garni, Ahmet Z. Şahin, Bekir S. Yılbaş, and Saad A. Ahmed, *King Fahd University of Petroleum and Minerals, Saudi Arabia* (32, 3, p. 539) Article

C95-080 Nonlinear Aerodynamic Analysis of Grid Fin Configurations. John E. Burkhalter, Roy J. Hartfield, and Todd M. Leleux, *Auburn University* (32, 3, p. 547) Article

C95-081 Actuated Forebody Strake Controls for the F-18 High-Alpha Research Vehicle. Daniel G. Murri, Gautam H. Shah, and Daniel J. DiCarlo, *NASA Langley Research Center*; and Todd W. Trilling, *Lockheed Engineering and Sciences Company, Inc.* (32, 3, p. 555) Article based on AIAA Paper 93-3675 CP937

C95-082 Prediction of Airplane States. Amnon Katz and Kenneth Graham, *University of Alabama* (32, 3, p. 563) Article

C95-083 Statistical Discrete Gust-Power Spectral Density Methods Overlap—Holistic Proof and Beyond. Robert P. Chen, *Allied-Signal Aerospace Company* (32, 3, p. 570) Article based on AIAA Paper 94-1724 CP943

C95-084 Fundamentals of Catastrophic Failure Prevention by Thrust Vectoring. B. Gal-Or, V. Sherbaum, and M. Lichtsinder, *Technion—Israel Institute of Technology* (32, 3, p. 577) Article

C95-085 Operational and Research Aspects of a Radio-Controlled Model Flight Test Program. Gerald D. Budd, *NASA Dryden Flight Research Center*; and Ronald L. Gilman and David Eichstedt, *PRC, Inc.* (32, 3, p. 583) Article

C95-086 Signal Processing of Noise Data from High-Speed Flyers. Jeffrey J. Kelly and Mark R. Wilson, *Lockheed Engineering and Sciences Company, Inc.* (32, 3, p. 590) Article based on AIAA Paper 93-0736

C95-087 Directional Control at High Angles of Attack Using Blowing Through a Chined Forebody. A. S. Arena Jr., *Oklahoma State University*; R. C. Nelson, *University of Notre Dame*; and L. B. Schiff, *NASA Ames Research Center* (32, 3, p. 596) Article based on AIAA Paper 93-3624 CP937

C95-088 Flow Physics of Critical States for Rolling Delta Wings. Lars E. Ericsson (32, 3, p. 603) Article based on AIAA Paper 93-3683 CP937

C95-089 Assessment of Technology for Aircraft Development. J. S. Shang, *U.S. Air Force Wright Laboratory* (32, 3, p. 611) Article based on AIAA Paper 94-2543

C95-090 Navier-Stokes Applications to High-Lift Airfoil Analysis. Walter O. Valarezo, *McDonnell Douglas Aerospace*; and Dimitri J. Mavriplis, *NASA Langley Research Center* (32, 3, p. 618) Article based on AIAA Paper 93-3534 CP935

C95-091 Analysis of Low Reynolds Number Airfoil Flows. J. A. Ekaterinaris, M. S. Chandrasekhara, and M. F. Platzer, *U.S. Naval Postgraduate School* (32, 3, p. 625) Article based on AIAA Paper 94-0534

C95-092 Flight Test Certification of Primary Category Aircraft Using TP101-41E Sportplane Design Standard. M. W. Anderson, *Federal Aviation Administration* (32, 3, p. 631) Article based on AIAA Paper 94-2156 CP947

C95-093 Free Vibration of Composite Beams—an Exact Method Using Symbolic Computation. J. R. Banerjee, *City University, England, UK*; and F. W. Williams, *University of Wales College of Cardiff, Wales, UK* (32, 3, p. 636) Article

C95-094 Damage Tolerance Certification of a Fighter Horizontal Stabilizer. Jia-Yen Huang, Ming-Yang Tsai, Jong-Sheng Chen, and Ching-Long Ong, *Aeronautical Research Laboratory, Taiwan, ROC* (32, 3, p. 643) Article

C95-095 Lift-Enhancing Tabs on Multielement Airfoils. James C. Ross, *NASA Ames Research Center*; Bruce L. Storms, *Sterling Software*; and Paul G. Carrannanto, *Ford Motor Company* (32, 3, p. 649) Article based on AIAA Paper 93-3504 CP935

C95-096 Structural Integrity of Fuselage Panels with Multisite Damage. Jai H. Park, Ripudaman Singh, Chang R. Pyo, and Satya N. Atluri, *Georgia Institute of Technology* (32, 3, p. 656) Article

C95-097 Pilot Study of Metal Volume Fraction Approach for Fiber/Metal Laminates. H. F. Wu and L. L. Wu, *Alcoa Technical Center*; and W. J. Slagter and J. L. Verolme, *Delft University of Technology, The Netherlands* (32, 3, p. 663) Article

C95-098 Fatigue Design of Axially Loaded Semicircular Lugs. S. K. Tsang, *Dowty Aerospace Los Angeles* (32, 3, p. 672) Article

C95-099 Optimal Trajectories for an Unmanned Air-Vehicle in the Horizontal Plane. Joseph Z. Ben-Asher, *Taas-Israel Industries, Ltd.* (32, 3, p. 677) Engineering Note based on AIAA Paper 92-4344 CP929

C95-100 Effect of Leading-Edge Extension Fences on the Vortex Wake of an F/A-18 Model. Sheshagiri K. Hebbar and Max F. Platzer, *U.S. Naval Postgraduate School*; and William D. Frink, *CAS, Inc.* (32, 3, p. 680) Engineering Note based on AIAA Paper 93-0868

C95-101 Turbulent Effects on Parachute Drag. Mayer Humi, *Worcester Polytechnic Institute* (32, 3, p. 682) Engineering Note

C95-102 Estimation of Supersonic Leading-Edge Thrust by a Euler Flow Model. C. de Nicola, R. Tognaccini, and P. Visingardi, *University of Naples, Italy*; and L. Paparone, *Centro Italiano Ricerche Aerospaziali, Italy* (32, 3, p. 684) Engineering Note based on AIAA Paper 94-1821

C95-103 Computation of Vortex Breakdown on a Rolling Delta Wing. Raymond E. Gordnier, *U.S. Air Force Wright Laboratory* (32, 3, p. 686) Engineering Note based on AIAA Paper 93-2975

C95-104 Estimating Noise Characteristics from Flight Test Data Using Optimal Fourier Smoothing. Eugene A. Morelli, *Lockheed Engineering and Sciences Company, Inc.* (32, 4, p. 689) Article based on AIAA Paper 94-0152

C95-105 Economic Parameters in the Conceptual Design Optimization of an Air-Taxi Aircraft. R. K. Pant, S. D. Gogate, and P. Arora, *Indian Institute of Technology* (32, 4, p. 696) Article based on AIAA Paper 94-4301 CP9413

C95-106 Design Analysis Methodology for Solar-Powered Aircraft. Steven A. Brandt, *U.S. Air Force Academy*; and Fred T. Gilliam, *University of Texas at Austin* (32, 4, p. 703) Article

C95-107 Natural-Laminar-Flow Airfoil for General-Aviation Applications. Michael S. Selig, *University of Illinois at Urbana-Champaign*; Mark D. Maughmer, *Pennsylvania State University*; and Dan M. Somers, *Airfoils, Inc.* (32, 4, p. 710) Article

C95-108 Numerical Analysis of the Vortical Flow Around a Delta Wing-Canard Configuration. A. Das and J. M. A. Longo, *DLR, German Aerospace Research Establishment* (32, 4, p. 716) Article

C95-109 Parameter Identification and Modeling of Longitudinal Aerodynamics. J. W. Aksteter, *Science Applications International Corporation*; E. K. Parks, *University of Arizona*; and R. E. Bach Jr., *NASA Ames Research Center* (32, 4, p. 726) Article based on AIAA Paper 94-2147 CP947

C95-110 Evaluation of Several Agility Metrics for Fighter Aircraft Using Optimal Trajectory Analysis. George W. Ryan III, *PRC, Inc.*; and David R. Downing, *University of Kansas* (32, 4, p. 732) Article based on AIAA Paper 93-3646 CP937

C95-111 Vortex Control over Sharp-Edged Slender Bodies. D. Gangulee and T. Terry Ng, *University of Toledo* (32, 4, p. 739) Article

C95-112 Subsonic Wing Planform Design Using Multidisciplinary Optimization. Sean Wakayama and Ilan Kroo, *Stanford University* (32, 4, p. 746) Article

C95-113 Unstructured Adaptive Mesh Computations of Rot-

orcraft High-Speed Impulsive Noise. Roger C. Strawn and Rupak Biswas, *NASA Ames Research Center*; and Michael Garceau, *Stanford University* (32, 4, p. 754) Article based on AIAA Paper 93-4359

C95-114 Inlet Acoustic Mode Measurements Using a Continuously Rotating Rake. Laurence J. Heidelberg, *NASA Lewis Research Center*; and David G. Hall, *NYMA, Inc.* (32, 4, p. 761) Article based on AIAA Paper 93-0598

C95-115 Monitoring Airplane Takeoff Performance: Prototype Instrument with Learning Capability. M. W. Milligan, M. M. Zhou, and H. J. Wilkerson, *University of Tennessee* (32, 4, p. 768) Article based on AIAA Paper 94-1929 CP946

C95-116 Critical Considerations for Helicopters During Runway Takeoffs. Yiyuan Zhao, *University of Minnesota*; and Robert T. N. Chen, *NASA Ames Research Center* (32, 4, p. 773) Article based on AIAA Paper 94-3695 CP948

C95-117 Near Real-Time Approach to Statistical Flight Test. Brian L. Jones, *U.S. Air Force Institute of Technology* (32, 4, p. 782) Article based on AIAA Paper 94-3511 CP949

C95-118 Flow Developments Above 50-Deg Sweep Delta Wings with Different Leading-Edge Profiles. J. J. Miao, K. T. Kuo, W. H. Liu, S. J. Hsieh, and J. H. Chou, *National Cheng Kung University, Taiwan, ROC*; and C. K. Lin, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (32, 4, p. 787) Article

C95-119 Stability Derivatives for a Hypersonic Caret-Wing Waverider. Christopher Tarpley and Mark J. Lewis, *University of Maryland* (32, 4, p. 795) Article based on AIAA Paper 93-0508

C95-120 Delta Wing Vortex Control via Recessed Angled Spanwise Blowing. H. Johari, D. J. Olinger, and K. C. Fitzpatrick, *Worcester Polytechnic Institute* (32, 4, p. 804) Article based on AIAA Paper 93-3246

C95-121 Computational Investigation of Tangential Slot Blowing on a Generic Chined Forebody. Roxana M. Agosta-Greenman, *California Polytechnic State University*; Ken Gee, *MCAT, Inc.*; Russell M. Cummings, *California Polytechnic State University*; and Lewis B. Schiff, *NASA Ames Research Center* (32, 4, p. 811) Article based on AIAA Paper 94-3475 CP949

C95-122 Experimental Investigation of Tangential Slot Blowing on a Generic Chined Forebody. Russell M. Cummings, *California Polytechnic State University*; Lewis B. Schiff, *NASA Ames Research Center*; and John D. Duino, *California Polytechnic State University* (32, 4, p. 818) Article based on AIAA Paper 94-3477 CP949

C95-123 Neural Network Approach to Fatigue-Crack-Growth Predictions Under Aircraft Spectrum Loadings. R. M. V. Pida-parti and M. J. Palakal, *Purdue University at Indianapolis* (32, 4, p. 825) Article

C95-124 Vortex Breakdown Control by Delta Wing Geometry. M. V. Lowson and A. J. Riley, *Bristol University, England, UK* (32, 4, p. 832) Article based on AIAA Paper 94-3487 CP949

C95-125 Drag Prediction at Subsonic and Transonic Speeds Using Euler Methods. C. P. van Dam, K. Nikfetrat, and K. Wong, *University of California, Davis*; and P. M. H. W. Vijgen, *High Technology Corporation* (32, 4, p. 839) Article

C95-126 Computation of a Controlled Store Separation from a Cavity. Christopher A. Atwood, *NASA Ames Research Center* (32, 4, p. 846) Article based on AIAA Paper 94-0031

C95-127 Structural Dynamic Loads in Response to Impulsive

Excitation. Mordechai Karpel and Eyal Presente, *Technion—Israel Institute of Technology* (32, 4, p. 853) Article

C95-128 Aeroelastic Effects on the B-2 Maneuver Response. B. A. Winther, D. A. Hagemeyer, R. T. Britt, and W. P. Rodden, *Northrop Grumman Corporation* (32, 4, p. 862) Article based on AIAA Paper 93-3664 CP937

C95-129 Aeroelastic Analysis of a Flexible Control Surface with Structural Nonlinearity. In Lee and Seung-Ho Kim, *Korea Advanced Institute of Science and Technology* (32, 4, p. 868) Article

C95-130 Canard Tip Vortex Splitting in a Canard-Wing Configuration: Experimental Observations. G. Lombardi, *University of Pisa, Italy* (32, 4, p. 875) Engineering Note

C95-131 Computational Study of a Conical Unit Aspect Ratio Wing at Supersonic Speeds. Brian E. McGrath, *Lockheed Engineering and Sciences Company, Inc.* (32, 4, p. 877) Engineering Note based on AIAA Paper 93-3505 CP935

C95-132 Generating Image Filters for Target Recognition by Hebbian Neural Network Learning. Alan Katz and Philip Thrift, *Texas Instruments Incorporated* (32, 4, p. 880) Engineering Note based on AIAA Paper 93-2704

C95-133 Inertia-Coupled Coordinated Roll Maneuvers of Airplanes. N. Ananthkrishnan and K. Sudhakar, *Indian Institute of Technology* (32, 4, p. 883) Engineering Note

C95-134 Effects of Spanwise Blowing on a Delta Wing with Vortex Flaps. Lance W. Traub, *University of the Witwatersrand, South Africa* (32, 4, p. 884) Engineering Note

C95-135 Probe Interference on Flow Measurements in Propeller near Slipstream. Lars H. Öhman and Vinh D. Nguyen, *National Research Council, Canada*; and David J. Barber, *De Havilland, Inc., Canada* (32, 4, p. 887) Engineering Note

C95-136 Genetic Algorithms Applied to the Aerodynamic Design of Transonic Airfoils. Domenico Quagliarella, *Centro Italiano Ricerche Aerospaziali, Italy*; and Antonio Della Cioppa, *Consiglio Nazionale delle Ricerche, Italy* (32, 4, p. 889) Engineering Note based on AIAA Paper 94-1896 CP946

C95-137 Dihedral for Spiral Stability. Amnon Katz, *University of Alabama* (32, 4, p. 891) Engineering Note

C95-138 Stable Cross-Type Parachute with Inflation Aid. Karl-Friedrich Doherr, *DLR, German Aerospace Research Establishment* (32, 4, p. 894) Engineering Note based on AIAA Paper 93-1201

C95-139 Forebody Vortex Control Using Nose-Boom Strakes. Limin Chen and T. Terry Ng, *University of Toledo*; and Brooke Smith, *Eidetics International, Inc.* (32, 4, p. 896) Engineering Note

C95-140 Shape Sensitivity Analysis of Divergence Dynamic Pressure. M. Bhardwaj and R. K. Kapania, *Virginia Polytechnic Institute and State University* (32, 4, p. 898) Engineering Note

C95-141 Improvement of Transonic Wing Buffet by Geometric Modifications. Shen-Jwu Su, *Aero Industry Development Center, Taiwan, ROC*; and Chuen-Yen Chow, *University of Colorado* (32, 4, p. 901) Engineering Note based on AIAA Paper 93-3024

C95-142 Experimental and Analytical Investigation of Transonic Limit-Cycle Oscillations of a Flaperon. C. Edward Lan and Yenpu Chen, *University of Kansas*; and Kun-Jan Lin, *Aero Industry Development Center, Taiwan, ROC* (32, 5, p. 905) Article

C95-143 Rotor Aerodynamic Loads Computation Using a Constant Vorticity Contour Free Wake Model. Todd R. Quackenbush, Daniel A. Wachspress, and Alexander H. Boschitsch, *Continuum Dynamics, Inc.* (32, 5, p. 911) Article

C95-144 Study of the Pressure Distribution on an Aircraft Tire-Wheel Interface. James A. Sherwood, *University of Massachusetts-Lowell*; and Barry K. Fussell, William R. Edwards, Todd S. Gross, and David W. Watt, *University of New Hampshire* (32, 5, p. 921) Article

C95-145 Pitch Rate and Pitch-Axis Location Effects on Vortex Breakdown Onset. Miguel R. Visbal and Raymond E. Gordnier, *U.S. Air Force Wright Laboratory* (32, 5, p. 929) Article based on AIAA Paper 94-0538

C95-146 Compressibility Effects on Vortex Breakdown Onset Above a 75-Degree Sweep Delta Wing. Miguel R. Visbal and Raymond E. Gordnier, *U.S. Air Force Wright Laboratory* (32, 5, p. 936) Article based on AIAA Paper 94-0538

C95-147 Momentum, Pressure, and Energy in the Trefftz-Plane. Gerrit Schouten, *Delft University of Technology, The Netherlands* (32, 5, p. 943) Article

C95-148 Effect of Blade-Tip Planform on Shock Wave of Advancing Helicopter Blade. Takashi Aoyama, *National Aerospace Laboratory, Japan*; Keiji Kawachi, *University of Tokyo, Japan*; and Shigeru Saito, *National Aerospace Laboratory, Japan* (32, 5, p. 955) Article

C95-149 Vortex-in-Cell Analysis of Wing Wake Roll-Up. Renato S. Ribeiro, *Empresa Brasileira de Aeronáutica, Brazil*; and Ilan Kroo, *Stanford University* (32, 5, p. 962) Article

C95-150 Aerodynamics and Acoustics of Rotor Blade-Vortex Interactions. Yung H. Yu, Chee Tung, and Judith Gallman, *NASA Ames Research Center*; Klaus J. Schultz and Berend van der Wall, *DLR, German Aerospace Research Establishment*; and Pierre Spiegel and Bertrand Michea, *ONERA, France* (32, 5, p. 970) Article based on AIAA Paper 93-4332

C95-151 Analysis of Rolled Delta Wing Flows Using Effective Sweep and Attack Angles. Eric J. Stephen, *Frank J. Seiler Research Laboratory* (32, 5, p. 978) Article

C95-152 Effects of Strakes on a Glancing Shock Wave/Turbulent Boundary-Layer Interaction. S. Koide, C. J. W. Griesel, and J. L. Stollery, *Cranfield University, England, UK* (32, 5, p. 985) Article

C95-153 Acoustics of a Counter-Rotating Shrouded Propfan: Prediction and Data. Klaus Heinig, Fritz Kennepohl, and Paul Traub, *MTU Motoren- und Turbinen-Union München GmbH, Germany* (32, 5, p. 993) Article

C95-154 Inverse Method for Airfoil Design. Alejandro C. Limache, *Universidad Nacional de Córdoba, Argentina* (32, 5, p. 1001) Article

C95-155 De-Dopplerization of Aircraft Acoustic Signals. Jeffrey J. Kelly and Mark R. Wilson, *Lockheed Engineering and Sciences Company, Inc.* (32, 5, p. 1012) Article based on AIAA Paper 93-0737

C95-156 Vortex Asymmetry and Induced Side Forces on Elliptic Cones at High Incidence. P. R. Viswanath, *National Aerospace Laboratories, India* (32, 5, p. 1018) Article

C95-157 Decomposition-Based Optimization Procedure for High-Speed Prop-Rotors Using Composite Tailoring. Aditi Chattopadhyay, Thomas R. McCarthy, and Charles E. Seeley, *Arizona State University* (32, 5, p. 1026) Article

C95-158 Wing Performance in Moderate Rain. B. E. Thompson, J. Jang, and J. L. Dion, *Rensselaer Polytechnic Institute* (32, 5, p. 1034) Article

C95-159 Analysis of Tangential Slot Blowing on F/A-18 Isolated Forebody. Ken Gee, Yehia M. Rizk, and Lewis B. Schiff, *NASA Ames Research Center* (32, 5, p. 1040) Article based on AIAA Paper 94-1831 CP946

C95-160 Matched-Filter and Stochastic-Simulation-Based Methods of Gust Loads Prediction. Robert C. Scott, *NASA Langley Research Center*; Anthony S. Pototzky, *Lockheed Engineering and Sciences Company, Inc.*; and Boyd Perry III, *NASA Langley Research Center* (32, 5, p. 1047) Article based on AIAA Paper 93-1365 CP931

C95-161 Development of Transonic Area-Rule Methodology. Wayne D. Carlsen, *George Washington University and NASA Langley Research Center* (32, 5, p. 1056) Article based on AIAA Paper 94-1841 CP946

C95-162 Experimental Investigation of a Three-Dimensional Dynamic Stall Model Oscillating in Pitch. D. M. Tang and E. H. Dowell, *Duke University* (32, 5, p. 1062) Article

C95-163 Experimental Study of Lift-Enhancing Tabs on a Two-Element Airfoil. Bruce L. Storms, *Sterling Software*; and James C. Ross, *NASA Ames Research Center* (32, 5, p. 1072) Article based on AIAA Paper 94-1868 CP946

C95-164 Evaluation of Blockage Interference on Propellers in a Perforated-Wall Wind Tunnel. M. Mokry, *National Research Council of Canada* (32, 5, p. 1079) Article

C95-165 Application of an Artificial Neural Network as a Flight Test Data Estimator. Roger L. McMillen, *Raytheon Aircraft Company*; and James E. Steck and Kamran Rokhsaz, *Wichita State University* (32, 5, p. 1088) Article

C95-166 Co- and Contrarotating Streamwise Vortices in a Turbulent Boundary Layer. Xin Zhang, *University of Southampton, England, UK* (32, 5, p. 1095) Article based on AIAA Paper 93-3035

C95-167 Analytic Sensitivity and Approximation of Skin Buckling Constraints in Wing-Shape Synthesis. Eli Livne and Radomir Milosavljevic, *University of Washington* (32, 5, p. 1102) Article

C95-168 Structural Modeling for Optimization of Low Aspect Ratio Composite Wings. L. Meirovitch and T. J. Seitz, *Virginia Polytechnic Institute and State University* (32, 5, p. 1114) Article

C95-169 Equilibrium of Bolted Joints Subjected to In-Plane External Loading. Paul D. Haines, *Mathstat Ltd.* (32, 5, p. 1124) Article

C95-170 Aeroelastic Actuation Using Elastic and Induced Strain Anisotropy. Charrissa Y. Lin and Edward F. Crawley, *Massachusetts Institute of Technology* (32, 5, p. 1130) Article based on AIAA Paper 94-1386 CP942

C95-171 Asymptotic Expression of the Forces Induced by a Strong Jet in a Crossflow. A. Dymant and J. P. Flodrops, *ONERA-IMFL, France* (32, 5, p. 1138) Engineering Note

- C95-172 Viscous Flow Past a Nacelle in Proximity to a Flat Plate.** Kamran Fouladi, *Lockheed Engineering and Sciences Company, Inc.* (32, 5, p. 1140) Engineering Note
- C95-173 Wedge-Cone Waverider Configuration for Engine-Airframe Integration.** Naruhisa Takashima and Mark J. Lewis, *University of Maryland* (32, 5, p. 1142) Engineering Note
- C95-174 Visualization of Choked Supersonic Flow-Through Engine Nacelles.** Eddie Irani, *Wichita State University* (32, 5, p. 1144) Engineering Note
- C95-175 Origin of Computed Unsteadiness in the Shear Layer of Delta Wings.** Miguel R. Visbal and Raymond E. Gordnier, *U.S. Air Force Wright Laboratory* (32, 5, p. 1146) Engineering Note
- C95-176 Oscillatory Behavior of Helicopter Rotor Airloads in the Blade Stall Regime.** K. V. Truong and J. J. Costes, *ONERA, France* (32, 5, p. 1148) Engineering Note
- C95-177 Effects of Large Blockage in Wind-Tunnel Testing.** Joseph Katz and Robert Walters, *San Diego State University* (32, 5, p. 1149) Engineering Note based on AIAA Paper 95-0438
- C95-178 Unstructured Euler Flutter Analysis of Two-Dimensional Wing-Tail Configuration.** Dartzi Pan and Jen-Chieh Cheng, *National Cheng Kung University, Taiwan, ROC* (32, 5, p. 1152) Article based on AIAA Paper 94-0284
- C95-179 Preconditioned Generalized Minimum Residual Acceleration of Panel Methods.** Santhosh P. Koruthu, *Aeronautical Development Agency, India* (32, 5, p. 1155) Engineering Note
- C95-180 Effect of Canard Oscillations on an X-31A-Like Model in Pitching Maneuver.** Sheshagiri K. Hebbar, Max F. Platzer, and Da-Ming Liu, *U.S. Naval Postgraduate School* (32, 5, p. 1157) Engineering Note based on AIAA Paper 93-3427 CP935
- C95-181 Effects of Delta Planform Tip Sail Incidence and Arrangement on Wing Performance.** Lance W. Traub, *University of the Witwatersrand, South Africa* (32, 5, p. 1160) Engineering Note
- C95-182 Wall Temperature Effects on the Stability of Laminar Boundary Layers.** C. F. Lo, R. Lafrance, and W. S. Meredith, *University of Tennessee Space Institute*; and L. S. King, *NASA Ames Research Center* (32, 5, p. 1162) Engineering Note
- C95-183 Wake Integration to Predict Wing Span Loading from a Numerical Simulation.** Donovan L. Mathias, *California Polytechnic State University*; James C. Ross, *NASA Ames Research Center*; and Russell M. Cummings, *California Polytechnic State University* (32, 5, p. 1165) Engineering Note
- C95-184 Transonic Aeroelastic Models of Highly Swept Hypersonic Lifting Surfaces.** Edmund Pendleton and Greg Moster, *U.S. Air Force Wright Laboratory*; and Donald Keller, *NASA Langley Research Center* (32, 6, p. 1169) Article based on AIAA Paper 94-1489 CP942
- C95-185 Real-Time Model of Three-Dimensional Dynamic Reattachment Using Neural Networks.** William E. Faller, Scott J. Schreck, and Hank E. Helin, *U.S. Air Force Academy* (32, 6, p. 1177) Article based on AIAA Paper 94-2337
- C95-186 Rear Fuselage Flow Studies on a Modern Transonic Transport Aircraft.** E. Coustols, S. Prudhomme, and A. Mignosi, *CERTIONERA, France*; and D. Destarac, *ONERA, France* (32, 6, p. 1183) Article
- C95-187 Dynamic Airfoil Flow Separation and Reattachment.** Lars E. Ericsson (32, 6, p. 1191) Article
- C95-188 Trailing Vortex Effects on Large Receiver Aircraft.** A. W. Bloy and M. Jouma'a, *University of Manchester, England, UK* (32, 6, p. 1198) Article
- C95-189 Flat Spin of Axisymmetric Bodies.** L. E. Ericsson; and M. E. Beyers, *Institute for Aerospace Research, Canada* (32, 6, p. 1205) Article based on AIAA Paper 94-0168
- C95-190 Neural Network Prediction and Control of Three-Dimensional Unsteady Separated Flowfields.** William E. Faller, *Johns Hopkins University*; Scott J. Schreck, *U.S. Air Force Academy*; and Marvin W. Luttgies, *University of Colorado* (32, 6, p. 1213) Article based on AIAA Paper 94-0532
- C95-191 Wing Rock Analysis of Slender Delta Wings, Review and Extension.** Lars E. Ericsson (32, 6, p. 1221) Article based on AIAA Paper 95-0317
- C95-192 Navier-Stokes Computations on Full Wing-Body Configuration with Oscillating Control Surfaces.** Shigeru Obayashi, Ing-Tsau Chiu, and Guru P. Guruswamy, *NASA Ames Research Center* (32, 6, p. 1227) Article based on AIAA Paper 93-3687 CP937
- C95-193 Grid Sensitivity and Aerodynamic Optimization of Generic Airfoils.** Ideen Sadrehaghighi, *Old Dominion University*; Robert E. Smith, *NASA Langley Research Center*; and Surendra N. Tiwari, *Old Dominion University* (32, 6, p. 1234) Article
- C95-194 Computational Inlet-Fairing Effects and Plume Characterization on a Hypersonic Powered Model.** Lawrence D. Huebner, *NASA Langley Research Center* (32, 6, p. 1240) Article based on AIAA Paper 93-3041
- C95-195 Navier-Stokes Computations and Experimental Comparisons for Multielement Airfoil Configurations.** W. Kyle Anderson, Daryl L. Bonhaus, Robert J. McGhee, and Betty S. Walker, *NASA Langley Research Center* (32, 6, p. 1246) Article based on AIAA Paper 93-0645
- C95-196 Validation of Vortex-Lattice Method for Loads on Wings in Lift-Generated Wakes.** Vernon J. Rossow, *NASA Ames Research Center* (32, 6, p. 1254) Article based on AIAA Paper 94-1839 CP946
- C95-197 Batch Simulation Environment for Integrated Batch and Piloted Air Combat Analysis.** Kenneth H. Goodrich and John W. McManus, *NASA Langley Research Center*; and Alan R. Chappell, *Lockheed Engineering and Sciences Company, Inc.* (32, 6, p. 1263) Article based on AIAA Paper 92-4145 CP211
- C95-198 Efficient Parametrization of Generic Aircraft Geometry.** Malcom I. G. Bloor and Michael J. Wilson, *University of Leeds, England, UK* (32, 6, p. 1269) Article
- C95-199 Rotor Free-Wake Modeling Using a Pseudoimplicit Relaxation Algorithm.** Ashish Bagai and J. Gordon Leishman, *University of Maryland* (32, 6, p. 1276) Article based on AIAA Paper 94-1918 CP946
- C95-200 Unsteady Characteristics of a Hypersonic Type IV Shock Interaction.** Charles A. Lind and Mark J. Lewis, *University of Maryland* (32, 6, p. 1286) Article based on AIAA Paper 94-2945
- C95-201 Practical Design of an Airship.** Yuan Mao Huang and S. W. Chang, *National Taiwan University, Taiwan, ROC* (32, 6, p. 1294) Article
- C95-202 Center of Gravity and Minimal Lift Coefficient Limits of a Gliding Parachute.** Gil Iosilevskii, *Technion-Israel Institute of Technology* (32, 6, p. 1297) Article

C95-203 Double-Delta-Wing Aerodynamics for Pitching Motions With and Without Sideslip. Deborah S. Grismer, *U. S. Air Force Wright Laboratory*; and Robert C. Nelson, *University of Notre Dame* (32, 6, p. 1303) Article

C95-204 Accuracy of a Propeller Model in Inviscid Flow. Per Lötstedt, *Saab Military Aircraft, Sweden* (32, 6, p. 1312) Article

C95-205 Computational Estimate of the Separation Effect. Vlad Arie Gatón and Mark Harmatz, *RAFAEL, Ministry of Defense, Israel* (32, 6, p. 1322) Article based on AIAA Paper 95-0061

C95-206 Aeroelastic Optimization of a Helicopter Rotor with Composite Coupling. Ranjan Ganguli and Inderjit Chopra, *University of Maryland* (32, 6, p. 1326) Article

C95-207 Multipoint Approach for Aerodynamic Modeling in Complex Flowfields. Paul T. Jaramillo and M. G. Nagati, *Wichita State University* (32, 6, p. 1335) Article based on AIAA Paper 94-3470 CP949

C95-208 Conservative Multiblock Navier-Stokes Solver for Arbitrarily Deforming Geometries. Jaakko Hoffren, Timo Siikonen, and Seppo Laine, *Helsinki University of Technology, Finland* (32, 6, p. 1342) Article

C95-209 Correlation of F/A-18 Buffeting from Wind-Tunnel and Flight Tests. D. E. Bean and B. H. K. Lee, *National Research Council, Canada* (32, 6, p. 1351) Article based on AIAA Paper 94-1800

C95-210 Surface Reflective Visualization System Study to Vortical Flow over Delta Wings. S. R. Donohoe, E. M. Houtman, and W. J. Bannink, *Delft University of Technology, The Netherlands* (32, 6, p. 1359) Article based on AIAA Paper 94-2480

C95-211 Sizing Methodology for Reaction-Driven, Stopped-Rotor Vertical Takeoff and Landing Concepts. William A. Crossley, *Arizona State University*; and John W. Rutherford, *McDonnell Douglas Helicopter Company* (32, 6, p. 1367) Article based on AIAA Paper 93-4856

C95-212 Nonlinear Analysis of Graphite/Epoxy Wing Boxes Under Pure Bending Including Lateral Pressure. Giulio Romeo and Giacomo Frulla, *Politecnico di Torino, Italy* (32, 6, p. 1375) Article

C95-213 D-Box Fixture for Testing Stiffened Panels in Com-

pression and Pressure. Damodar R. Ambur, *NASA Langley Research Center*; Jeffrey A. Cerro, *Lockheed Engineering and Sciences Company, Inc.*; and John Dickson, *Analytical Services and Materials, Inc.* (32, 6, p. 1382) Article based on AIAA Paper 94-1345 CP942

C95-214 Effects of a Closely Coupled Static and Oscillating Canard. R. M. Howard, J. M. Kersh Jr., D. C. Schmidt, and D. G. McBane, *U.S. Naval Postgraduate School* (32, 6, p. 1390) Engineering Note based on AIAA Paper 91-3222 CP918

C95-215 Network Load in Distributed Interactive Simulation. Kuo-Chi Lin, *University of Central Florida*; and Daniel E. Schab, *U.S. Naval Air Warfare Center* (32, 6, p. 1392) Engineering Note

C95-216 Vortex Burst Model for the Vortex Lattice Method. Steven A. Brandt, *U.S. Air Force Academy* (32, 6, p. 1394) Engineering Note based on AIAA Paper 94-0074

C95-217 Kill Probability in Antiaircraft Firing Theory. Marek Radomski, *Warsaw University of Technology, Poland* (32, 6, p. 1396) Engineering Note

C95-218 Simulation of DD-963 Ship Airwake by Navier-Stokes Method. Tsze C. Tai, *U.S. Naval Surface Warfare Center*; and Dean Carico, *U.S. Naval Air Warfare Center* (32, 6, p. 1399) Engineering Note based on AIAA Paper 93-3002

C95-219 Computation of Compressible, Laminar Boundary Layers on Swept, Tapered Wings. Harry P. Horton, *University of London, England, UK*; and Hans-Werner Stock, *Dornier Luftfahrt GmbH, Germany* (32, 6, p. 1402) Engineering Note

C95-220 Numerical Study of Alternate Forms of Dynamic-Stall-Vortex Suppression. M. C. Towne and T. A. Buter, *U.S. Air Force Institute of Technology* (32, 6, p. 1405) Article

C95-221 Estimation of the Moment Coefficients for Dynamically Scaled, Free-Spinning Wind-Tunnel Models. C. M. Fremaux, *Lockheed Engineering and Sciences Company, Inc.* (32, 6, p. 1407) Engineering Note

C95-222 Validation of a Multipoint Approach for Modeling Spin Aerodynamics. Paul T. Jaramillo, Yongseung Cho, and M. G. Nagati, *Wichita State University* (32, 6, p. 1409) Engineering Note