

- Linearization of unsteady transonic flows containing shocks. M.H. Williams (AIAA J) 394
- Location and magnitude of cascade shock loss by high-speed smoke visualization. William B. Roberts and John A. Slovisky (AIAA J, TN) 1270
- Mass injection and jet flow simulation effects on transonic afterbody drag. Wladimiro Calarese and Ronald E. Walterick (JA) 433
- New approach to the 3-D transonic flow analysis using the STAR-100 computer. David D. Redhed, Allen W. Chen, and Steven G. Hotovy (AIAA J, TN) 98
- New method for designing shock-free transonic configurations. H. Sobieczky, N.J. Yu, K-Y. Fung, and A.R. Seebass (AIAA J) 722
- Numerical calculation of transonic potential flow about wing-body combinations. D.A. Caughey and Antony Jameson (AIAA J) 175
- On the transonic-dip mechanism of flutter of a sweptback wing. Koji Isogai (AIAA J, TN) 793
- On unsteady transonic shock motions. David Nixon (AIAA J, TN) 1143
- Overexpanded two-dimensional transonic free jet. R.D. Small (AIAA J, TN) 307
- Prediction of critical Mach number for store configurations. James W. Purvis and John E. Burkhalter (AIAA J) 1170
- Pseudo-unsteady method for the computation of transonic potential flows. J.P. Veulliot and H. Viviand (AIAA J, SYN) 691
- Ramjet engine testing and simulation techniques. L.C. Dunsworth and G.J. Reed (JSR) 382
- Second-order-accurate calculation of transonic flow over turbomachinery cascades. David C. Ives and John F. Liuttermoza (AIAA J) 870
- Shock structure in transonic compressor rotors. A.H. Epstein, J.L. Kerrebrock, and W.T. Thompkins Jr. (AIAA J) 375
- Shock tube as a device for testing transonic airfoils at high Reynolds numbers. William J. Cook, Leroy L. Presley, and Gary T. Chapman (AIAA J) 714
- Shock-wave oscillations in a transonic diffuser flow. C.P. Chen, M. Sajben, and J.C. Krouil (AIAA J) 1076
- Singularity at the trailing edge of a swept wing. Gordon J. Clapworthy (AIAA J, TN) 313
- Some exact solutions to Guderley's equation. Wilson C. Chin (AIAA J, TN) 438
- Some observations on the mechanism of aircraft wing rock. Chintsun Hwang and W.S. Pi (JA) 366
- Structure of the conical flowfield about external axial corners. Manuel D. Salas and James Daywitt (AIAA J) 41
- Supercritical airfoil technology in compressor cascades: comparison of theoretical and experimental results. H.E. Stephens (AIAA J) 594
- Time-dependent response of a two-dimensional airfoil in transonic flow. D.P. Rizzetta (AIAA J) 26
- Transonic flows past nonaxisymmetric slender shapes—classical equivalence rule analysis. Stephen S. Stahara and John R. Spreiter (AIAA J) 245
- Transonic shock/boundary-layer interaction subject to large pressure fluctuations. S. Raghunathan, J.B. Coll, and D.G. Mabey (AIAA J, TN) 1404
- Transonic shock-boundary-layer interactions in cryogenic wind tunnels. G.R. Inger (JA, EN) 284
- Wind-tunnel blockage correction for two-dimensional transonic flow. James A. Blackwell Jr. (JA) 256
- Viscous Nonboundary-Layer Flows**
- Aerodynamics characteristics of an unsteady separated flow. M.S. Francis, J.E. Keesee, J.D. Lang, G.W. Sparks Jr., and G.E. Sisson (AIAA J) 1332
- Characteristics of the split film sensor. Colin J. Apelt (AIAA J, TN) 101
- Computation of the viscous supersonic flow over external axial corners. Paul Kutler, Thomas H. Pulliam, and Yvon C. Vigneron (AIAA J) 571
- Development of an afterbody radiative and convective heating code for outer planet probes. D.N. Brant and D.E. Nestler (PS, V.64) 345
- Direct testing of subgrid-scale models. O.J. McMillan and J.H. Ferziger (AIAA J) 1340
- Downstream mixing gasdynamic—a numerical solution. K.N. Parthasarathy, J.D. Anderson Jr., and E. Jones (AIAA J) 1208
- Effects of nonconstant enthalpy addition on fan-nozzle combinations. Gordon C. Oates and Walter M. Presz Jr. (JA, EN) 891
- Flight instability produced by a rapidly spinning, highly viscous liquid. W.P. D'Amico and M.C. Miller (JSR, EN) 62
- Flying-hot-wire study of flow past an NACA 4412 airfoil at maximum lift. Donald Coles and Alan J. Wadcock (AIAA J) 321
- Geometric conservation law and its application to flow computations on moving grids. P.D. Thomas and C.K. Lombard (AIAA J) 1030
- Hypersonic viscous flows over sphere cones at high angles of attack. John D. Waskiewicz and Clark H. Lewis (AIAA J, SYN) 131
- Laminar and turbulent flows over a spherically blunted cone with massive surface blowing. Ajay Kumar, R.A. Graves Jr., and S.N. Tiwari (AIAA J) 1326
- Laser-induced I_2 fluorescence measurements in a chemical laser flowfield. N.L. Rapagnani and S.J. Davis (AIAA J, TN) 1402
- Measurements of flowfield properties in a gasdynamic laser nozzle wake. C.W. Peterson (AIAA J) 854
- Numerical solutions of hypersonic viscous shock-layer equations. B.N. Srivastava, M.J. Werle, and R. T. Davis (AIAA J, TN) 107
- Settling times of pressure measurements through capillary tubes. Junzo Sato (AIAA J) 1061
- Sound production due to large-scale coherent structures. Thomas B. Gatski (AIAA J) 614
- Subsonic base pressure fluctuations. R.A. Merz (AIAA J, TN) 436
- Use of primitive variables in the solution of incompressible Navier-Stokes equations. K.N. Ghia, W.L. Hankey Jr., and J.K. Hodge (AIAA J, TN) 298
- Vapor flow calculations in a flat-plate heat pipe. H. van Ooijen and C.J. Hoogendoorn (AIAA J) 1251
- Wave Motion and Sloshing**
- Kinematic wave approach to hydraulic jumps with waves. Wilson C. Chin (JH) 120
- INTERDISCIPLINARY TOPICS**
- Aerospace Technology Utilization**
- Automated guidance and control of longwall mining machines. E.R. Palowitch and P.H. Broussard Jr. (JE) 329
- Current and potential uses of aerospace technology by the U.S. Department of the Interior. Gene A. Thorley and Charles J. Robinove (PS, V.67) 15
- Experimental demonstration of the diffuser-augmented wind turbine concept. Barry L. Gilbert and Kenneth M. Foreman (JE) 235
- Mars gravity field derived from Viking-1 and Viking-2: the navigation result. Edward J. Christensen and Bobby G. Williams (JGC) 179
- Workshop report for the 4th AIAA Aeroacoustics Conference. Craig D. Simcox (JA) 35
- Analytical and Numerical Methods**
- Analysis of Jupiter probe heat-shield recession uncertainties. H.F. Nelson and S.A. Mezines (PS, V.64) 293
- Automated ship routing. A.J. Klapp (JH) 5
- Bounds on the solution to a universal Kepler's equation. John E. Prussing (JGC, EN) 440
- Comparison of classical analytic theories for the motion of artificial satellites. R.A. Gordon, G.D. Mistretta, and J.S. Watson (JGC) 184
- Contamination design analysis approach for Spacelab. L.E. Bareiss (JSR) 394
- Distributed control of spinning flexible spacecraft. L. Meirovitch, H.F. VanLandingham, and H. Öz (JGC) 407
- Efficient algorithm for numerical airfoil optimization. Garret N. Vanderplaats (JA) 842
- Energy effectiveness of arbitrary arrays of wind turbines. P.B.S. Lissaman (JE) 323
- Extension of Gauss' method for the solution of Kepler's equation. Richard H. Battin and Thomas J. Fill (JGC) 190
- General expression for a three-angle rotation matrix. James M. Wilkes (JGC, EN) 156
- Geometric analysis of Rosette® exit cones. N.J. Pagano and P.W. Hsu (JSR) 311
- Linearization of the boundary-layer equations of the minimum time-to-climb problem. Mark D. Ardema (JGC, EN) 434
- Mars gravity field derived from Viking-1 and Viking-2: the navigation result. Edward J. Christensen and Bobby G. Williams (JGC) 179
- Mathematical modeling of recoilless rifle interior ballistics. Aivars K. Celmins (PS, V.66) 113
- Method for designing approximate optimal controllers for nonlinear systems. James W. Austin and Cornelius T. Leondes (JGC, EN) 347
- Method for error budgeting of inertial navigation systems. Angus Andrews (JGC, EN) 438
- Methods of design sensitivity analysis in structural optimization. Jasbir S. Arora and Edward J. Haug (AIAA J) 970
- Minimum and maximum endurance trajectories for gliding flight in a horizontal plane. Walton E. Williamson Jr. (JGC) 457
- Multistep guaranteed cost control of linear systems with uncertain parameters. Aharon Vinkler and Lincoln J. Wood (JGC) 449
- Nonlinear transient analysis via energy minimization. Manohar P. Kamat and Norman F. Knight Jr. (AIAA J, SYN) 968
- Numerical derivatives for parameter optimization. David G. Hull and Walton E. Williamson (JGC, EN) 158
- Optimum design of wind tunnel contractions. M.N. Mikhail (AIAA J) 471
- Orientation studies for single-axis concentrating collectors. Sheldon Jeter, J.I. Craig, and E.G. Grems (JE) 151

- Orientation vector differential equation. Gregory J. Nazarov (JGC, EN) 351
- Penalty function solution of steady-state Navier-Stokes equations. Juan C. Heinrich and Robert S. Marshall (AIAA J, TN) 789
- Periodic heat transfer in radiating and convecting fins or fin arrays. Ralph G. Eslinger and Benjamin T.F. Chung (AIAA J) 1134
- Relative motion of particles in coplanar elliptic orbits. Terry Berreen and George Sved (JGC, EN) 443
- Relative quaternion state transition relation. Ronald A. Mayo (JGC) 44
- Shaping filters for disturbances with random starting times. Robert J. Fitzgerald (JGC, EN) 152
- Simplified unsteady aerodynamic concepts with application to parameter estimation. William R. Wells and M.J. Queijo (JA) 90
- Some formal effects of nonlinearities in optimal perturbation control. Warren W. Willman (JGC, SYN) 99
- Streamlike function: a new concept in flow problems formulation. A. Hamed and S. Abdallah (JA, SYN) 801
- Theory of high-muzzle-velocity guns. Arnold E. Seigel (PS, V.66) 135
- Thermal resistance at smooth-sphere/rough-flat contacts: theoretical analysis. S.S. Burde and M.M. Yovanovich (PS, V.65) 83
- Thermal resistance due to arbitrary dirichlet contacts on a half-space. G.E. Schneider (PS, V.65) 103
- Three-dimensional effects of electrode configuration on diagonal MHD generator performance. Takehisa Hara and Juro Umoto (JE) 16
- Tire runway interface friction prediction model concept. Mahinder K. Wahi (JA) 407
- Vibration statistics of thin plates with complex form. Aleksander Waberski (AIAA J, ERR) 544

Atmospheric and Space Sciences

- Applications of wind tunnels to investigation of wind-engineering problems. J.E. Cermak (AIAA J, SP) 679
- Artificially thickening a smooth-wall turbulent boundary layer. Phillip M. Ligrani and Robert J. Moffat (AIAA J, TN) 907
- Atmospheric limitations on antenna pointing performance. P.K. Lee (JSR) 115
- C/STOL flight in wind disturbed by the presence of buildings. Walter Frost, Ravi Reddy, Bill Crosby, and Dennis W. Camp (JA) 856
- Earth radiation budget experiment and smart sensors. George R. Young and James F. Kibler (PS, V.67) 74
- Estimating aircraft true airspeed using temperatures from two different probes. Cleon J. Biter and James L. Anderson (JA, EN) 893
- Flight through thunderstorm outflows. Walter Frost, Bill Crosby, and Dennis W. Camp (JA) 749
- Higher-order differential equations of radiative transfer: P_3 approximation. Yildiz Bayazitoglu and James Higenyi (AIAA J) 424
- Integrated detector array preprocessing for infrared astronomical applications. C.R. McCreight and H. Lum (PS, V.67) 455
- Mars gravity field derived from Viking-1 and Viking-2: the navigation result. Edward J. Christensen and Bobby G. Williams (JGC) 179
- MPD thruster test on the space shuttle. Kyoichi Kuriki (JSR) 326
- Optical motion control applied to the Atmospheric Cloud Physics Laboratory (ACPL). L.R. Eaton and S.L. Neste (AIAA J) 261
- Two-dimensional mathematical model of a nonbuoyant jet in a crossflow. Milorad Lj. Bojić and S. Eskinazi (AIAA J) 1050
- Zero-pressure balloon design. David L. Keese (AIAA J) 12

Computer Communications, Information Processing and Software

- Application of smart sensor techniques to a solid-state array multispectral sensor. Louis W. McFadin (PS, V.67) 469
- Application of square-root filtering for spacecraft attitude control. J.A. Sorenson, S.F. Schmidt, and T. Goka (JGC) 426
- Distributed microcomputer telemetry system for spacecraft applications. Donald D. Lord (PS, V.67) 255
- Earth radiation budget experiment and smart sensors. George R. Young and James F. Kibler (PS, V.67) 74
- Impact of advanced onboard processing concepts on end-to-end data systems. J.Y. Sos (PS, V.67) 184
- Information adaptive system of NEEDS. William M. Howle Jr. and W. Lane Kelly IV (PS, V.67) 213
- Integrated optical preprocessor for multichannel analog data. C.M. Verber (PS, V.67) 367
- Onboard data processing for the IRAS telescope system. H. Lum, P. Neal, D. Wong, and E. Long (PS, V.67) 265
- Pattern classification using charge transfer devices. W.E. Snyder, J.H. Reece, and H.F. Benz (PS, V.67) 315
- Role of "smart" sensors in Earth resources remote sensing programs. Lawrence P. Murphy and John W. Jarman (PS, V.67) 101
- "Smart" from a NEEDS perspective. David L. Blanchard (PS, V.67) 166
- "Smart" remote holographic processor based on the materials characteristics of LiNbO_3 . D.W. Vahey (PS, V.67) 352
- Smart sensors for smart hands. Antal K. Bejczy (PS, V.67) 275
- Smart sensors in spacecraft: impact and trends. Roger A. Breckenridge and Charles Husson (PS, V.67) 3
- Survey of the utilitarian aspects of advanced flowfield diagnostic techniques. Carl W. Peterson (AIAA J, SP) 1352

Computer Technology

- Application of smart sensor techniques to a solid-state array multispectral sensor. Louis W. McFadin (PS, V.67) 469
- Automated ship routing. A.J. Klapp (JH) 5
- Computational aerodynamics development and outlook. Dean R. Chapman (AIAA J, Dryden Lectureship in Research) 1293
- Computer-controlled video instrument for wind-tunnel testing of lifting parachutes. Robert H. Croll and Carl W. Peterson (JA) 269
- Contamination design analysis approach for Spacelab. L.E. Bareiss (JSR) 394
- Cost-effective use of minicomputers to solve structural problems. Olaf O. Storaasli and Edwin P. Foster. (JA) 775
- Information adaptive system for NEEDS. William M. Howle Jr. and W. Lane Kelly IV (PS, V.67) 213
- Modular onboard adaptive imaging. R. Eskenazi and D.S. Williams (PS, V.67) 305
- NASA end-to-end data system program. Robert D. Price (PS, V.67) 155
- Pattern classification using charge transfer devices. W.E. Snyder, J.H. Reece, and H.F. Benz (PS, V.67) 315

Human Factors

- Effects of helmet loader cues on simulator pilot performance. B.R. Ashworth and B.T. McKissick (JA) 787
- Smart sensors for smart hands. Antal K. Bejczy (PS, V.67) 275

Lasers

- Acoustic suppression in a pulsed chemical laser. Darrell R. Ausherman, Irwin E. Alber, and Eric Baum (AIAA J) 490
- Convective heat flux in a laser-heated thruster. Peter K.S. Wu (JSR, EN) 56
- Degradation of a laser beam by a two-dimensional turbulent jet. G.F. Cudahy, J.T. Van Kuren, and H.E. Wright (AIAA J) 1091
- Downstream mixing gasdynamic lasers—a numerical solution. K.N. Parthasarathy, J.D. Anderson Jr., and E. Jones (AIAA J) 1208
- Flowfield diagnostics. S. Lederman, A. Celentano, and J. Glaser (AIAA J) 1106
- Full-scale wake flow measurements with a mobile Laser Doppler Velocimeter. D.J. Wilson, A.D. Zalay, M.R. Brashears, C.E. Craven, K.R. Shrider, and A.J. Jordan (JA) 155
- High-power laser coupling. R.B. Hall, W.E. Maher, D.B. Nichols, and D.J. Nelson (PS, V.65) 179
- Improved free-vortex, subsonic aerodynamic window. Joel M. Avidor (AIAA J, TN) 1267
- Inhomogeneous broadening effects in cw chemical lasers. Harold Mirels (AIAA J) 478
- Investigation of turbulent boundary-layer separation using laser velocimetry. D. Modarress and D.A. Johnson (AIAA J) 747
- Laser-induced I_2 fluorescence measurements in a chemical laser flowfield. N.L. Rapagnani and S.J. Davis (AIAA J, TN) 1402
- Laser Raman studies of solid oxidizer behavior. T.B. Brill and F. Goetz (PS, V.63) 3
- Mathematical modeling of fish detection with a scanning airborne laser. David L. Murphree, Ronald W. McClendon, Bradley W. Ward, and Fred Glaum (AIAA J, SYN) 745
- Measurements of flowfield properties in a gasdynamic laser nozzle wake. C.W. Peterson (AIAA J) 854
- Measured wake-vortex characteristics of aircraft in ground effect. Donald L. Ciffone and Barbara Pedley (JA) 102
- Modeling of momentum transfer to a surface by laser-supported absorption waves. J.P. Reilly, A. Ballantyne, and J.A. Woodroffe (AIAA J) 1098
- Optically pumped carbon dioxide laser mixtures. Oktay Yesil and Walter H. Christiansen (JE) 315
- Performance potential of advanced GDL concepts. P.E. Cassady, A.L. Pindroh, and J.F. Newton (AIAA J) 845
- Response of heat-shield materials to intense laser radiation. J.H. Lundell and R.R. Dickey (PS, V.64) 193
- Survey of the utilitarian aspects of advanced flowfield diagnostic techniques. Carl W. Peterson (AIAA J, SP) 1352
- Theoretical modeling of rapid surface vaporization with back pressure. Charles J. Knight (AIAA J) 519

Law, History, Policy, and Sociology

- First steps into space, 1946-1978. Ernst Stuhlinger (JSR, Historical Survey Lecture) 3

Reliability, Maintainability, and Logistics Support

- Decision theory model for health monitoring of aeroengines. V.V.S. Sarma, K.V. Kunhikrishnan, and K. Ramchand (JA, EN) 222
- Dual-sensor failure identification using analytic redundancy. Mukund N. Desai, James C. Deckert, and John J. Deyst Jr. (JGC) 213
- Fault detection threshold determination technique using Markov theory. Bruce K. Walker and Eliezer Gai (JGC) 313
- Probability of solid-propellant motor failure due to environmental temperatures. R.A. Heller, M.P. Kamat, and M.P. Singh (JSR) 140

- Repair concepts for advanced composite structures. S.H. Myhre and C.E. Beck (JA) 720
 Reusable solid rocket motor case: optimum probabilistic fracture control. S. Hanagud and B. Uppaluri (JSR) 147

Research Facilities and Instrumentation

- Applications of wind tunnels to investigation of wind-engineering problems. J.E. Cermak (AIAA J, SP) 679
 Axisymmetric calculations of transonic wind tunnel interference in slotted test sections. K.R. Karlsson and Y.C.-J. Sedin (AIAA J, TN) 917
 Cinephotomicrography and scanning electron microscopy as used to study solid propellant combustion. T.L. Boggs, J.E. Crump, K.J. Kraeutle, and D.E. Zurn (PS, V.63) 20
 Closed bomb technique for burning rate measurement at high pressure. Arpad A. Juhasz and Channon F. Price (PS, V.63) 129
 Comparison of aerodynamic data obtained by static and dynamic techniques. Kenneth F. Stetson and Frank M. Sawyer (AIAA J, TN) 103
 Continuous regression rate measurement in hybrid rockets. R. Monti and M. Mazzola (PS, V.63) 111
 Cost-effective method for measuring contamination effects. Chang-Keng Liu and A.P.M. Glassford (JSR) 402
 Data acquisition and processing in a large aerodynamic test center. Michel M.G. Delattre (JA) 141
 Definition of yaw meter sensitivity for the "null reading" technique. Adrian Millward (JH, EN) 130
 Design, tests, and verification of a diffuser system for a Mach 4 scramjet test facility. Earl H. Andrews Jr. and Ernest A. Mackley (JA, SYN) 641
 Development of electron beam welded, strain-gaged wind-tunnel balances. Bernd Ewald (JA) 349
 Effects of helmet loader cues on simulator pilot performance. B.R. Ashworth and B.T. McKissick (JA) 787
 Estimating aircraft true airspeed using temperatures from two different probes. Cleon J. Biter and James L. Anderson (JA, EN) 893
 Experimental methods for combustion admittance measurements. R.S. Brown, F.E. C. Culick, and B.T. Zinn (PS, V.63) 191
 Flowfield diagnostics. S. Lederman, A. Celentano, and J. Glaser (AIAA J) 1106
 Holography of solid propellant combustion. R.A. Briones and R.F. Wuerker (PS, V.63) 251
 Integration time required to extract accurate data from transonic wind-tunnel tests. Lado Muhlstein Jr. and Charles F. Coe (JA) 620
 Large signal-to-noise technique for unsteady pressure measurements. T.C. Corke and H.M. Nagib (AIAA J, TN) 114
 Measurement of burning rates in transient combustion processes under the influence of external radiation. V.F. Mikhchev, V.E. Zarko, S.M. Borin, K.P. Kutsenogii, and V.N. Simonenko (PS, V.63) 173
 Methods of measurements in destructive fires. A. Murty Kanury (PS, V.63) 279
 On-axis velocity component measurement with laser velocimeters. Sudhakar Neti and Wayne Clark (AIAA J, TN) 1013
 Production and analysis of thermal decomposition products from polymeric materials. D.A. Chatfield, I.N. Einhorn, F.D. Hileman, J.H. Futrell, and K.J. Voorhees (PS, V.63) 49
 Rayleigh scattering measurements of time-resolved concentration in a turbulent propane jet. T. Michal Dyer (AIAA J, TN) 912
 Real-time optical measurement of time-dependent shock position. M. Sajben and R.C. Crites (AIAA J, TN) 910
 Research test techniques applied to gun interior ballistics. E.B. Fisher (PS, V.66) 281
 Schlieren studies of solid-propellant combustion. David W. Netzer and James R. Andrews (PS, V.63) 235
 Survey of the utilitarian aspects of advanced flowfield diagnostic techniques. Carl W. Peterson (AIAA J, SP) 1352
 Technique of vorticity measurement in unsteady flow. J.E. Keesee, M.S. Francis, and J.D. Lang (AIAA J) 387
 Techniques for the experimental investigation of the near wake of a cylinder. R. W. Wlezien and J.L. Way (AIAA J) 563
 Use of cylindrical hot films in unsteady flows. J.C. Bennett (AIAA J, TN) 215
- #### Safety
- Airborne detection of low-level wind shear. R.A. Greene (JA) 823
 Laboratory fire testing of cabin materials used in commercial aircraft. C.P. Sarkos, J.C. Spurgeon, and E.B. Nicholas (JA) 78
 New look at structural reliability and risk theory. Frederick H. Hooke (AIAA J) 980
 Nonlinear transient analysis via energy minimization. Manohar P. Kamat and Norman F. Knight Jr. (AIAA J, SYN) 968
- #### Satellite Communications Systems (including Terrestrial Stations)
- Atmospheric limitations on antenna pointing performance P.K. Lee (JSR) 115
- The K_a -band communication systems of the Lincoln Experimental Satellites LES-8 and LES-9. F. John Solman, Carl D. Berglund, Richard W. Chick, and Brian J. Clifton (JSR) 181
 Method of optimizing the update intervals in hybrid navigation systems. Cornelius T. Leondes, Ioannis A. Phillis, and Leonard Chin (JGC, EN) 541
 Nuclear-powered communications satellite for the 1980's. Marshall H. Kaplan, David J. Cwynar, and Joseph Bednarz (JSR) 268
 Sensor data autonomy. Edward P. Greene and Richard desJardins (PS, V.67) 246
 Traveling between the Lagrange points and the moon. R. Broucke (JGC) 257
- #### Sensor Systems
- Advanced systems requirements for ocean observations via microwave radiometers. Hans-Juergen C. Blume, Calvin T. Swift, and Bruce M. Kendall (PS, V.67) 89
 Application of smart sensor techniques to a solid-state array multispectral sensor. Louis W. McFadin (PS, V.67) 469
 Characteristics of the split film sensor. Colin J. Apelt (AIAA J, TN) 101
 Control technology challenges for gravitational physics experiments in space. Daniel B. DeBra (JGC) 147
 Decision theory model for health monitoring of aeroengines. V.V.S. Sarma, K.V. Kunhikrishnan, and K. Ramchand (JA EN) 222
 Dual-sensor failure identification using analytic redundancy. Mukund N. Desai, James C. Deckert, and John J. Deyst Jr. (JGC) 213
 Earth radiation budget experiment and smart sensors. George R. Young and James F. Kibler (PS, V.67) 74
 Effects of relative instrument orientation upon gravity gradiometer system performance. Eugene J. Pelka and Daniel B. DeBra (JGC) 18
 End-to-end design concept. P.A. Castruccio (PS, V.67) 221
 Fault detection threshold determination technique using Markov theory. Bruce K. Walker and Eliezer Gai (JGC) 313
 Generalized likelihood test for FDI in redundant sensor configurations. Kevin C. Daly, Eliezer Gai, and James V. Harrison. (JGC) 9
 HgCdTe charge-coupled devices. R.A. Chapman, M.A. Kinch, S.R. Borrello, A. Simmons, C.G. Roberts, and D.D. Buss (PS, V.67) 424
 High-speed gallium arsenide integrated circuit development for satellite systems. D.H. Phillips and H.L. Petersen (PS, V.67) 391
 Image feature analysis using DEFT sensors. S.T. Kowel, P.G. Kornreich, A. Mahapatra, M. Mehter, and T. Szebenyi (PS, V.67) 380
 Indium antimonide infrared CCD linear imaging arrays with on-chip preprocessing. R.D. Thom, T.L. Koch, and W.J. Parrish (PS, V.67) 411
 Information adaptive system of NEEDS. William M. Howle Jr. and W. Lane Kelly IV (PS, V.67) 213
 Integrated detector array preprocessing for infrared astronomical applications. C.R. McCreight and H. Lum (PS, V.67) 455
 Integrated optical preprocessor for multichannel analog data. C.M. Verber (PS, V.67) 367
 Interferometric attitude determination with the global positioning system. J.F. Ellis and G.A. Creswell (JGC) 522
 Landmark identification and tracking experiments. R.T. Schappell and J.C. Tietz (PS, V.67) 134
 Modular onboard adaptive imaging. R. Eskenazi and D.S. Williams (PS, V.67) 305
 Monolithic saw-charge transfer device. N.A. Papanicolaou and H.C. Lin (PS, V.67) 325
 Multispectral data acquisition and classification: statistical models for system design. Friedrich O. Huck and Stephen K. Park (PS, V.67) 490
 Onboard compensation for temporal changes in pushbroom scanner detector arrays. Daniel J. Jobson (PS, V.67) 481
 Onboard data processing for the IRAS telescope system. H. Lum, P. Neal, D. Wong, and E. Long (PS, V.67) 265
 Pattern classification using charge transfer devices. W.E. Snyder, J.H. Reece, and H.F. Benz (PS, V.67) 315
 Performance of a ring leader laser strapdown attitude and heading reference for aircraft. Carlo San Giovanni Jr. (JGC) 320
 Real-time determination of geophysical parameters from a multibeam altimeter. J.T. McGoogan and E.J. Walsh (PS, V.67) 110
 Role of "smart" sensors in Earth resources remote sensing programs. Lawrence P. Murphy and John W. Jarman (PS, V.67) 101
 Sensor needs for agricultural applications. Harvey Golden and James W. Neiers (PS, V.67) 27
 "Smart" remote holographic processor based on the materials characteristics of LiNbO_3 . D.W. Vahey (PS, V.67) 352
 "Smart" remote sensor needs for U.S. Coast Guard ocean environment missions. Richard M. Hayes (PS, V.67) 44
 Smart sensors for smart hands. Antal K. Bejczy (PS, V.67) 275
 Smart sensors in spacecraft: impact and trends. Roger A. Breckenridge and Charles Husson (PS, V.67) 3
 User's experience and technology transfer. Michael J. McCormick (PS, V.67) 63

Space Processing

- Bubble behavior during solidification in low gravity. John M. Papazian, Robert Gutowski, and William R. Wilcox (AIAA J) 1111
- Comment on "SPS cost considerations." George A. Hazelrigg Jr. (JE, TC) 125
- Reply by author to G. Hazelrigg. Gordon R. Woodcock (JE, TC) 126
- Effect of internal heat transport on the thermal migration of bubbles. John M. Papazian and Robert L. Kosson (AIAA J, TN) 1279
- Growth of HgI₂ single crystals in Spacelab III. W.F. Schneppe, L. van den Berg, and N. Skinner (JSR, EN) 441
- Multispectral data acquisition and classification: statistical models for system design. Friedrich O. Huck and Stephen K. Park (PS, V.67) 490
- Optical motion control applied to the Atmospheric Cloud Physics Laboratory (ACPL). L.R. Eaton and S.L. Neste (AIAA J) 261
- Role of "smart" sensors in Earth resources remote sensing programs. Lawrence P. Murphy and John W. Jarman (PS, V.67) 101
- Space-manufactured satellite power systems. R.H. Miller and D.L. Akin (JE, TN) 373

LAUNCH VEHICLE AND MISSILE (LV/M) TECHNOLOGY

LV/M Aerodynamic Heating and Ablation

- Aerothermodynamic assessment of corrugated panel thermal protection systems. Harold J. Brandon, Allen H. Britt, and James C. Dunavant (PS, V.64) 193
- Response of heat-shield materials to intense laser radiation. J.H. Lundell and R.R. Dickey (PS, V.64) 193
- Shock-tube investigation of heat transfer in the base region of a slender cone-hemisphere. B.S.C. Kim (PS, V.64) 278

LV/M Aerodynamics

- Aerodynamics of slender bodies at high angles of attack. C.E.G. Przirembel and Donald E. Shereda (JSR) 10
- Experimental investigation of support interference on an ogive cylinder at high incidence. W.E. Dietz Jr. and M.C. Altstatt (JSR, SYN) 67
- In-flight measurements of the vibration history of spin-stabilized projectiles. W.P. D'Amico (JSR, EN) 444
- System identification technology for estimating re-entry vehicle aerodynamic coefficients. Narendra K. Gupta and W. Earl Hall Jr. (JGC) 139
- Wake vortex measurements of an ogive cylinder at α 36 degrees. F.K. Owen and D.A. Johnson (JA) 577

LV/M Configurational Design

- Experimental determination of the artillery shell mass-property/trajectory-drift relationship. L.R. Rollstin (JSR) 108
- Minimum-ballistic-factor flat-nosed missiles. V.B. Tawakley (JSR, EN) 280
- Prediction of roll controllability of slender cruciform canard configurations. I. Gur, J. Shinar, and J. Rom (JSR) 238

LV/M Dynamics and Control

- Angular motion of spinning almost-symmetric missiles. Charles H. Murphy (JGC) 504
- Atmospheric flight of a variable-bend body. William J. Larkin and Mitchell Thomas (JGC) 382
- Copperhead semiactive laser guidance system development. Robert A. Nulk, Harold L. Pastrick, and Phillip A. Morrison (JGC) 374
- Experimental evaluation of artillery projectile impact errors induced by principal-axis misalignment. Larry R. Rollstin and Albert E. Hodapp Jr. (JSR) 316
- Hysteresis zone or locus—aerodynamics of bulbous based bodies at low speeds. Eugene E. Covert (AIAA J, TN) 659
- Instability of spinning projectiles during terminal guidance. K.H. Lloyd and D.P. Brown (JGC) 65
- Missile guidance for low-altitude air defense. F. William Nesline (JGC) 283
- Modular, spin-stabilized, tandem solid rocket upper stage. G. Porcelli and E. Vogel (JSR) 338
- Optimal thrust for maximal rocket turn. R. Hermesh, S. Katzir, and E. Kreindler (JGC) 301
- Prediction of roll controllability of slender cruciform canard configurations. I. Gur, J. Shinar, and J. Rom (JSR) 238
- Re-entry vehicle dispersion from entry angular misalignment. D.H. Platus (JGC) 276

- Unique nozzle cover for the shuttle booster separation motors. J. Ray Dettling and Stan McIntyre (JSR) 361
- Valve delay effects on bending limit cycles of a deadband system. Franklin C. Loesch (JGC, EN) 436
- Velocity required for intercept with perturbations. Bruce D. White (JGC, EN) 94

LV/M Guidance

- Concept to enhance strapdown navigation on MaRV's. Thomas J. Duffy (JGC, EN) 542
- Copperhead semiactive laser guidance system development. Robert A. Nulk, Harold L. Pastrick, and Phillip A. Morrison (JGC) 374
- Method for designing approximate optimal controllers for nonlinear systems. James W. Austin and Cornelius T. Leonde (JGC, EN) 347
- Missile guidance for low-altitude air defense. F. William Nesline (JGC) 283
- Vector methods in homing guidance. Malcolm J. Abzug (JGC, EN) 253
- Velocity required for intercept with perturbations. Bruce D. White (JGC, EN) 94

LV/M Mission Studies and Economics

- Comment on "SPS cost considerations." George A. Hazelrigg Jr. (JE, TC) 125
- Reply by author to G. Hazelrigg. Gordon R. Woodcock (JE, TC) 126
- Constrained impulsive trajectory optimization for orbit-to-orbit transfer. Richard G. Brusch (JGC) 204
- Cost comparisons of dual-fuel propulsion in advanced shuttles. James A. Martin (JSR) 232
- High performance dash-on-warning air mobile missile system. D.S. Hague and Alan D. Levin (JA) 551
- Launch window for a shuttle-based geosynchronous orbit mission. W.H. Wright (JSR, EN) 439
- Probability of crashing from Monte Carlo simulation. E.P. Cunningham (JSR, EN) 348
- Stationkeeping at constant distance. Wayne A. Fey (JGC, EN) 90

LV/M Propulsion and Propellant Systems

- Cost comparisons of dual-fuel propulsion in advanced shuttles. James A. Martin (JSR) 232
- Coupled thermomechanical effects in high solids propellants. Tieh-Ying Lee (AIAA J, TN) 1015
- Effects of propellant temperature gradients on thrust imbalance of the space shuttle. Richard H. Sforzini, Winfred A. Foster Jr., and Benjamin W. Shackelford Jr. (JSR) 135
- Enthalpies of combustion of ramjet fuels. N.K. Smith and W.D. Good (AIAA J, TN) 905
- High performance dash-on-warning air mobile missile system. D.S. Hague and Alan D. Levin (JA) 551
- New law for crack propagation in solid propellant material. G. Langlois and R. Gonard (JSR) 357
- New solid propellant for European apogee boost motor. R. Isopi (JSR, SYN) 355
- Reusable insulation systems for cryogenic Earth-based space vehicles. Irving E. Sumner and James R. Barber (PS, V.65) 275
- Solid rocket motor plume and ablation study. G.R. Moore, L.P. Anderson Jr., C.H. Lewis, and A.L. Murray (PS, V.64) 265

LV/M Simulation

- General expression for a three-angle rotation matrix. James M. Wilkes (JGC, EN) 156
- Probability of crashing from Monte Carlo simulation. E.P. Cunningham (JSR, EN) 348
- Velocity required for intercept with perturbations. Bruce D. White (JGC, EN) 94

LV/M Structural Design (including Loads)

- Estimation of payload loads using rigid-body interface accelerations. J.C. Chen, J.A. Garba, and B.K. Wada (JSR) 74
- Geometric analysis of Rosette[®] exit cones. N.J. Pagano and P.W. Hsu (JSR) 311
- Probability of solid-propellant motor failure due to environmental temperatures. R.A. Heller, M.P. Kamat, and M.P. Singh (JSR) 140
- Reusable solid rocket motor case: optimum probabilistic fracture control. S. Hanagud and B. Uppaluri (JSR) 147
- Voyager design and flight loads comparison. J.C. Chen, J.A. Garba, and F.D. Day III (JSR) 27