

- | | | | |
|--------------------------------|-------------------------------------|----------------------------------|--|
| Malmberg, G., G82-002 | Nurre, G., G82-071 | Seltzer, S. M., G82-025 | Tompetrini, K., G82-071 |
| Markley, F. L., G82-075 | Ohta, H., G82-012, G82-043 | Serfaty, D., G82-039 | van Gool, M. F. C., G82-041 |
| Maurette, M., G82-101 | Okubo, H., G82-072 | Sezer, M. E., G82-076 | Vergez, P. L., G82-037 |
| Mehra, R. K., G82-089 | Platus, D. H., G82-001 | Shafer, M., G82-086 | Vigneron, F. R., G82-091 |
| Meirovitch, L., G82-009 | Poopaka, S., G82-099 | Sheela, B. B., G81-071 | Vitek, Y., G82-039 |
| Merhav, S. J., G82-038 | Powell, R. W., G82-059 | Shinar, J., G82-020 | Wagdi, M. N., G82-019 |
| Miller, M. C., G82-024 | Powers, B. G., G82-022 | Shiomi, T., G82-007 | Wagie, D. A., G82-077 |
| Misra, A. K., G82-045, G82-078 | Ramamoorthy, P., G81-071 | Shu, P., G82-006 | Wallgren, K. R., G82-050 |
| Mitchell, D. G., G82-083 | Reboulet, C., G82-101 | Shuster, M. D., G82-061, G82-075 | Wauer, J. C., G81-105 |
| Mittleman, D., G82-080 | Rew, S. D., G82-006 | Siljak, D. D., G82-076 | Well, K. H., G82-021 |
| Modi, V. J., G82-045 | Rodrigo, P., G82-101 | Skaar, S. B., G82-093 | Wells, E. M., G82-018 |
| Moe, J. L., G82-102 | Ross, D. J., G82-031, G82-047 | Skelton, R. E., G82-063 | Williamson, W. E., Jr., G82-058 |
| Mukhopadhyay, V., G82-069 | Saxena, A. K., G82-060 | Spencer, T. M., G82-066 | Wong, E. C., G82-049 |
| Neuman, F., G82-084 | Schaechter, D. B., G82-003, G82-008 | Stanford, R. H., G82-081 | Wood, L. J., G80-097, G81-071, G82-048 |
| Newsom, J. R., G82-069 | Schaefer, D. H., G82-050 | Stone, C. R., G82-073 | Zondervan, K. P., G80-097 |
| Niebur, D. P., G82-061 | Schneider, A. M., G82-082 | Swaim, R. L., G82-099 | |
| Nikiforuk, P. N., G82-012 | Sellappan, R. G., G82-060 | | |

Chronological Index

G80-092 Model-Following System with Assignable Error Dynamics and Its Application to Aircraft. Nagakatsu Kawahata, *National Aerospace Laboratory* (JGC 3, 6, p. 508) Article

Technical Comment by J. R. Broussard, *Information & Control Systems, Inc.*; and L. E. Mabiis, *The Analytic Sciences Corporation* (JGC 5, 2, p. 218)

Reply (JGC 5, 2, p. 219)

G80-097 Time-Optimal Orbit Transfer Trajectory for Solar Sail Spacecraft. T. S. Jayaraman, *Indian Space Research Organisation* (JGC 3, 6, p. 536) Article

Technical Comment by Lincoln J. Wood, *Jet Propulsion Laboratory, California Institute of Technology*; Thomas P. Bauer and Keith P. Zondervan, *California Institute of Technology* (JGC 5, 2, p. 221)

G81-016 Geometric Dilution of Precision in Global Positioning System Navigation. Bertrand T. Fang, *Computer Sciences Corporation* (JGC 4, 1, p. 92) Engineering Note

Technical Comment by P. S. Kamat, *California State University* (JGC 5, 3, p. 320)

Reply (JGC 5, 3, p. 320)

G81-071 Optimal Control via Mathematical Programming. B. B. Sheela, *ISRO Satellite Centre (India)*; and P. Ramamoorthy, *National Aeronautical Laboratory (India)* (JGC 4, 4, p. 443) Engineering Note

Technical Comment by Lincoln J. Wood, *California Institute of Technology* (JGC 5, 3, p. 318)

Reply (JGC 5, 3, p. 319)

G81-076 Optimal Feedback Slewing of Flexible Spacecraft. John A. Breakwell, *Lockheed Missiles & Space Company, Inc.* (JGC 4, 5, p. 472) Article

Technical Comment by J. L. Junkins, *Virginia Polytechnic Institute and State University* (JGC 5, 3, p. 318)

G81-079 Expanded Third-Order Markov Undulation Model. Mark A. Gerber, *The Charles Stark Draper Laboratory, Inc.* (JGC 4, 5, p. 495) Article

Technical Comment by George F. Koehler, *Dynamics Research Corporation* (JGC 5, 6, p. 599)

Technical Comment by Stephen L. Baumgartner and Warren G. Heller, *The Analytic Sciences Corporation* (JGC 5, 6, p. 599)

Reply (JGC 5, 6, p. 601)

G81-105 Airplane Performance Sensitivities to Lateral and Vertical Profiles. John C. Wauer and Juergen M. H. Bruckner, *Rockwell International*; and Curt H. Humphrey, *United Airlines* (JGC 4, 6, p. 606) Article

Errata (JGC 5, 2, p. 224)

G82-001 Ballistic Re-entry Vehicle Flight Dynamics (History of Key Technologies). D. H. Platus, *The Aerospace Corporation* (JGC 5, 1, p. 4) Article

G82-002 Optimal Thrust Vector Control for Vertical Launch of Tactical Missiles. H-O. Jonsson and G. Malmberg, *SAAB-SCANIA AB (Sweden)* (JGC 5, 1, p. 17) Article

G82-003 Estimation of Distributed Parameter Systems. David B. Schaechter, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 1, p. 22) Article

G82-004 Automated Test Set to Measure Star Scanner Accuracy with Arc-Second Resolution. M. W. Hubbard and R. A. Landis, *Ball Aerospace Systems Division* (JGC 5, 1, p. 27) Article based on AIAA Paper 80-1766 CP805

G82-005 ASPS Performance with Large Payloads Onboard the Shuttle Orbiter. Claude R. Keckler, *NASA Langley Research Center* (JGC 5, 1, p. 32) Article based on AIAA Paper 80-1779 CP805

G82-006 Attitude Motion of Asymmetric Dual-Spin Spacecraft. John E. Cochran, Ping-Huei Shu and Stephen D. Rew, *Auburn University* (JGC 5, 1, p. 37) Article based on AIAA Paper 80-1645

G82-007 Pointing Fluctuation of a Despun Antenna Due to Axial Thruster Firing. Tadashi Shiomi, *Radio Research Laboratories (Japan)* (JGC 5, 1, p. 43) Article

G82-008 Hardware Demonstration of Flexible Beam Control. David B. Schaechter, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 1, p. 48) Article based on AIAA Paper 80-1794 CP805

G82-009 Control of Self-Adjoint Distributed-Parameter Systems. L. Meirovitch and H. Baruh, *Virginia Polytechnic Institute and State University* (JGC 5, 1, p. 60) Article based on AIAA Paper 80-1707 CP805

G82-010 Computation of Partial Derivatives for Ground Tracking of Space Shuttle Orbits. W. H. Goodyear, *IBM Federal Systems Division* (JGC 5, 1, p. 67) Article based on AIAA Paper 78-1404

G82-011 Gravity Model Performance in Inertial Navigation. R. M. Edwards, *Air Force Wright Aeronautical Laboratories* (JGC 5, 1, p. 73) Article based on AIAA Paper 80-1726 CP805

G82-012 Analytical Control Law for Desirable Aircraft Lateral Handling Qualities. H. Ohta, *Nagoya University*; P. N. Nikiforuk and M. M. Gupta, *University of Saskatchewan (Canada)* (JGC 5, 1, p. 79) Article

G82-013 Estimating the Probability of Crashing for a Terrain-Following Missile. Edward P. Cunningham, *Applied Physics Laboratory, Johns Hopkins University* (JGC 5, 1, p. 86) Article

G82-014 Solution of Linear Gyroscopic Systems. F. Janssens, *ESTEC (The Netherlands)* (JGC 5, 1, p. 92) Engineering Note

G82-015 Marginal Optimization of Observation Schedules. Angus Andrews, *Rockwell International Science Center* (JGC 5, 1, p. 95) Engineering Note based on AIAA Paper 80-1787 CP805

G82-016 Space Guidance Evolution--A Personal Narrative (History of Key Technologies). Richard H. Battin, *Charles Stark Draper Laboratory, Inc.* (JGC 5, 2, p. 97) Article
Errata (JGC 5, 3, p. 320)

G82-017 Application of the Statistically Linearized Filter to Re-entry Estimation. Peter R. Hempel and James P. Cartland, *Lockheed Missiles and Space Company, Inc.* (JGC 5, 2, p. 111) Synoptic based on AIAA Paper 80-1663

G82-018 Real-Time Gravity Gradiometer Utilization to Improve INS Accuracy. E. M. Wells and J. V. Breakwell, *Stanford University* (JGC 5, 2, p. 113) Article based on AIAA Paper 80-1722 CP805

G82-019 An Adaptive Control Approach to Sensor Failure Detection and Isolation. Mohammad Nabih Wagdi, *University of Riyadh (Saudi Arabia)* (JGC 5, 2, p. 118) Article

G82-020 Efficient Combinations of Numerical Techniques Applied for Aircraft Turning Performance Optimization. D. Blank and J. Shinar, *Technion-Israel Institute of Technology* (JGC 5, 2, p. 124) Article

G82-021 Optimization of Tactical Aircraft Maneuvers Utilizing High Angles of Attack. K. H. Well, *DFVLR*; B. Faber, *Messerschmitt-Bolkow-Blohm (MBB)*; and E. Berger, *DFVLR* (JGC 5, 2, p. 131) Article based on AIAA Paper 80-1596 CP806

G82-022 An Adaptive Stick-Gain to Reduce Pilot-Induced Oscillation Tendencies. Bruce G. Powers, *NASA Dryden Flight Research Center* (JGC 5, 2, p. 138) Article

G82-023 A New Approach for Active Control of Rotorcraft Vibration. N. K. Gupta, *Integrated Systems, Inc.*; and R. W. Du Val, *NASA Ames Research Center* (JGC 5, 2, p. 143) Article based on AIAA Paper 80-1778 CP805

G82-024 Flight Instabilities of Spinning Projectiles Having Nonrigid Payloads. Miles C. Miller, *Chemical Systems Laboratory--ARRADCOM* (JGC 5, 2, p. 151) Article based on AIAA Paper 81-0223

G82-025 Parameter-Plane Analysis for Large-Scale Systems. Sherman M. Seltzer, *Control Dynamics Company*; Bernard A.

Asner Jr., *The University of Dallas*; and Robert L. Jackson, *TRW Defense and Space Systems Group* (JGC 5, 2, p. 158) Article based on AIAA Paper 80-1790 CP805

G82-026 Constrained and Unconstrained Modes: Some Modeling Aspects of Flexible Spacecraft. Hari B. Hablani, *Purdue University* (JGC 5, 2, p. 164) Article

G82-027 Passive Nutation Damping Using Large Appendages with Application to Galileo. Douglas E. Bernard, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 2, p. 174) Article based on AIAA Paper 80-1783 CP805

G82-028 Spin-Down and Active Nutation Controller for the Galileo Project. H. S. Lin, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 2, p. 181) Article based on AIAA Paper 80-1734 CP805

G82-029 Geosynchronous Satellite Perturbations Due to Earth's Triaxially and Luni-Solar Effects. Ahmed Aly Kamel, *Ford Aerospace and Communication Corporation* (JGC 5, 2, p. 189) Article based on AIAA Paper 78-1441

G82-030 A Short Efficient Analytical Satellite Theory. F. R. Hoots, *Aerospace Defense Command* (JGC 5, 2, p. 194) Article based on AIAA Paper 80-1659

G82-031 Electrostatic Velocity Adjustment of Payloads Launched by Lunar Mass-Driver. T. A. Heppenheimer, *Center for Space Science*; David J. Ross, *Phoenix Engineering, Inc.*; and Eric C. Hannah, *Hewlett-Packard Research Laboratories* (JGC 5, 2, p. 200) Article

G82-032 An Interplanetary Targeting and Orbit Insertion Maneuver Design Technique. Gerald R. Hintz, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 2, p. 210) Article based on AIAA Paper 80-1696

G82-037 Optimal Control and Estimation for Strapdown Seeker Guidance of Tactical Missiles. Paul L. Vergez, *U. S. Air Force Armament Laboratory, Eglin Air Force Base* (JGC 5, 3, p. 225) Synoptic

G82-038 A Nongyroscopic Inertial Measurement Unit. Shmuel J. Merhav, *Technion---Israel Institute of Technology* (JGC 5, 3, p. 227) Article

G82-039 Doppler-Aided Low-Accuracy Strapdown Inertial Navigation System. Itzhack Y. Bar-Itzhack, Daniel Serfaty and Yehoshua Vitek, *Technion---Israel Institute of Technology* (JGC 5, 3, p. 236) Article

G82-040 Flight Control Frequency Response Testing of the Shuttle Ascent Vehicle. D. L. Jensen, *Rockwell International* (JGC 5, 3, p. 243) Article based on AIAA Paper 80-1751 CP805

G82-041 Roll Response Criteria for Transport Aircraft with Advanced Flight Control Systems. M. F. C. van Gool, *National Aerospace Laboratory NLR (The Netherlands)* (JGC 5, 3, p. 251) Article based on AIAA Paper 80-1572 CP806

G82-042 Disturbance Estimation for a STOL Transport During Landing. J. A. Bossi, *University of Washington*; and A. E. Bryson Jr., *Stanford University* (JGC 5, 3, p. 258) Article based on AIAA Paper 81-0018

G82-043 Analysis of Minimum Noise Landing Approach Trajectory. H. Ohta, *Nagoya University (Japan)* (JGC 5, 3, p. 263) Article based on AIAA Paper 80-1598 CP806

G82-044 Maneuver Reconstruction Techniques for Open-Loop Spin-Stabilized Spacecraft. Raymond B. Frauenholz (JGC 5, 3, p. 270) Article based on AIAA Paper 80-1699

G82-045 Deployment and Retrieval of Shuttle Supported Tethered Satellites. A. K. Misra, *McGill University (Canada)*; and V. J. Modi, *The University of British Columbia (Canada)* (JGC 5, 2, p. 3) Article based on AIAA Paper 80-1693

G82-046 Minimum Energy Trap States of Dual-Spin Spacecraft. Michael G. Hollars, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 3, p. 286) Article based on AIAA Paper 80-1780 CP805

G82-047 Precision Release and Aim of Payloads Launched by Lunar Mass-Driver. T. A. Heppenheimer, *Center for Space Science*; David J. Ross, *Phoenix Engineering, Inc.*; and Eric C. Hannah, *Hewlett-Packard Research Laboratories* (JGC 5, 3, p. 291) Article

G82-048 Navigation Accuracy Analysis for a Halley Intercept Mission. Lincoln J. Wood, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 3, p. 300) Article based on AIAA Paper 81-0312

G82-049 Celestial Referenced Attitude Determination of Galileo Spacecraft. Edward C. Wong and John Y. Lai, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 3, p. 307) Article based on AIAA Paper 80-1732 CP805

G82-050 The Massively Parallel Processor. D. H. Schaefer, J. R. Fischer and K. R. Wallgren, *NASA Goddard Space Flight Center* (JGC 5, 3, p. 313) Engineering Note

G82-051 Deadband Control System Limit Cycles Analyzed by Fourier Series. Franklin Loesch, *The Aerospace Corporation* (JGC 5, 3, p. 315) Engineering Note

G82-058 Variable Node Drag Parameterization for Re-Entry Trajectory Estimation. Ronald W. Greene and Walton E. Williamson Jr., *Sandia National Laboratories* (JGC 5, 4, p. 321) Article based on AIAA Paper 81-0168

G82-059 Application of a Tip-Fin Controller to the Shuttle Orbiter for Improved Yaw Control. Richard W. Powell and Delma C. Freeman Jr., *NASA Langley Research Center* (JGC 5, 4, p. 325) Article based on AIAA Paper 81-0074

G82-060 Flight Performance and Drift Minimization of Magsat in the Lower Atmosphere. Ramasamy G. Sellappan, *RCA American Communications, Inc.*; and Ashok K. Saxena, *Fairchild Space and Electronics Company* (JGC 5, 4, p. 330) Article

G82-061 In-Flight Estimation of Spacecraft Attitude Sensor Accuracies and Alignments. M. D. Shuster, *Business and Technological Systems, Inc.*; D. M. Chitre, *Comsat Laboratories*; and D. P. Niebur, *Lockheed Missiles & Space Company, Inc.* (JGC 5, 4, p. 339) Article

G82-062 Stability of Spinning Spacecraft with Partially Liquid-Filled Tanks. Brij N. Agrawal, *International Telecommunications Satellite Organization* (JGC 5, 4, p. 344) Article based on AIAA Paper 81-0172

G82-063 Order Reduction for Models of Space Structures Using Modal Cost Analysis. Robert E. Skelton, Peter C. Hughes and Hari B. Hablani, *Purdue University* (JGC 5, 4, p. 351) Article

G82-064 Another Look at Sine-Dwell Mode Testing. J. E. Anderson, *The Aerospace Corporation* (JGC 5, 4, p. 358) Article based on AIAA Paper 81-0532 CP811

G82-065 Third-Order Solution to the Main Problem in Satellite Theory. Shannon Coffey, *Naval Research Laboratory*; and Andre Deprit, *National Bureau of Standards* (JGC 5, 4, p. 366) Article based on AIAA Paper 80-1657

G82-066 Low-Thrust Orbit Raising for Shuttle Payloads. T. M. Spencer, R. Glickman and W. Bercaw, *Ball Aerospace Systems Division* (JGC 5, 4, p. 372) Article

G82-067 A New Technique for Multirate Digital Control Design and Sample Rate Selection. Douglas P. Glasson, *The Analytic Sciences Corporation* (JGC 5, 4, p. 379) Article based on AIAA Paper 81-0022

G82-068 Control Logic for Parameter Insensitivity and Disturbance Attenuation. Arie Ashkenazi, *Ministry of Defense (Israel)*; and Arthur E. Bryson Jr., *Stanford University* (JGC 5, 4, p. 383) Article based on AIAA Paper 80-1708 CP805

G82-069 Reduced-Order Optimal Feedback Control Law Synthesis for Flutter Suppression. V. Mukhopadhyay, J. R. Newsom and I. Abel, *NASA Langley Research Center* (JGC 5, 4, p. 389) Article based on AIAA Paper 80-1613 CP806

G82-070 Minimal Order Time Sharing Filters for INS In-Flight Alignment. Itzhack Y. Bar-Itzhack, *Technion-Israel Institute of Technology* (JGC 5, 4, p. 396) Article

G82-071 Space Telescope Pointing Control System. H. Dougherty, *Lockheed Missiles & Space Company, Inc.*; K. Tompetrini and J. Levinthal, *Bendix Guidance Systems Division*; and G. Nurre, *NASA Marshall Space Flight Center* (JGC 5, 4, p. 403) Article based on AIAA Paper 80-1784 CP805

G82-072 Adaptive Filtering for an Aircraft Flying in Turbulent Atmosphere. Hiroshi Okubo, *University of Osaka Prefecture* (JGC 5, 4, p. 410) Engineering Note

G82-073 Robust Kalman Filter Design for Active Flutter Suppression Systems. W. L. Garrard, *University of Minnesota*; J. K. Mahesh and C. R. Stone, *Honeywell Systems and Research Center*; and H. J. Dunn, *NASA Langley Research Center* (JGC 5, 4, p. 412) Engineering Note

G82-074 An Algorithm for Identification and Analysis of Large Space Structures. E. D. Denman and J. Leyva-Ramos, *University of Houston* (JGC 5, 4, p. 414) Engineering Note based on AIAA Paper 81-1842 CP816

G82-075 Kalman Filtering for Spacecraft Attitude Estimation. E. J. Lefferts, *NASA Goddard Space Flight Center*; F. L. Markley, *Naval Research Laboratory*; and M. D. Shuster, *Business and Technological Systems, Inc.* (JGC 5, 5, p. 417) Survey Paper based on AIAA Paper 82-0070

G82-076 Validation of Reduced-Order Models for Control Systems Design. M. E. Sezer, *University of Petroleum & Minerals (Saudi Arabia)*; and D. D. Siljak, *University of Santa Clara* (JGC 5, 5, p. 430) Article

G82-077 Earth's Magnetic Field Models for Dumping Momentum Magnetically on GPS Satellites. Thomas J. Eller, *International Training and Education Company*; and David A. Wagie, *U. S. Air Force Academy* (JGC 5, 5, p. 438) Article based on AIAA Paper 80-1644

G82-078 Attitude Dynamics of a Satellite During Deployment of Large Plate-Type Structures. A. E. Ibrahim and A. K. Misra, *McGill University (Canada)* (JGC 5, 5, p. 442) Article based on AIAA Paper 81-0502 CP811

G82-079 Modal Analysis of Gyroscopic Flexible Spacecraft: A Continuum Approach. Hari B. Hablani, *NASA Johnson Space Center* (JGC 5, 5, p. 448) Article based on AIAA Paper 81-0504 CP811

G82-080 An Analytic Approach to Two-Fixed-Impulse Transfers Between Keplerian Orbits. Donald J. Jezewski, *NASA Lyndon B. Johnson Space Center*; and Don Mittleman, *Oberlin College* (JGC 5, 5, p. 458) Article

G82-081 Interplanetary Trajectory Optimization with Application to Galileo. Louis A. D'Amario, Dennis V. Byrnes and Richard H. Stanford, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 5, p. 465) Article

G82-082 Delta-Rho, A Perturbation Method for General and Astrodynamical Trajectories. Alan M. Schneider and Jane Anne Leyland, *University of California at San Diego* (JGC 5, 5, p. 472) Article

G82-083 Low-Order Approaches to High-Order Systems: Problems and Promises. David G. Mitchell and Roger H. Hoh, *Systems Technology, Inc.* (JGC 5, 5, p. 482) Article

G82-084 Minimum Fuel Horizontal Flight Paths in the Terminal Area. Eliezer Kreindler and Frank Neuman, *NASA Ames Research Center* (JGC 5, 5, p. 490) Article

G82-085 Maximum Likelihood Failure Detection of Aircraft Flight Control Sensors. Bernard Friedland, *The Singer Company* (JGC 5, 5, p. 498) Article

G82-086 Low-Order Equivalent Models of Highly Augmented Aircraft Determined from Flight Data. Mary Shafer, *NASA Ames Research Center* (JGC 5, 5, p. 504) Article based on AIAA Paper 80-1627 CP806

G82-087 Minimum-Time Three-Dimensional Turn to a Point of Supersonic Aircraft. Ching-Fang Lin, *The University of Wisconsin-Madison* (JGC 5, 5, p. 512) Article

G82-088 Aerodynamic Jump Prediction for Supersonic, High Fineness Ratio, Cruciform Finned Bodies. Lawrence E. Lijewski, *U. S. Air Force Armament Laboratory, Eglin Air Force Base* (JGC 5, 5, p. 521) Article based on AIAA Paper 81-0222

G82-089 Bifurcation Analysis of Nonlinear Aircraft Dynamics. James V. Carroll and Raman K. Mehra, *Scientific Systems, Inc.* (JGC 5, 5, p. 529) Article

G82-090 A Vectorial Form for the Conic Variational Equations. David Hestenes, *Jet Propulsion Laboratory, California Institute of Technology* (JGC 5, 5, p. 537) Engineering Note

G82-091 Optical Measurements and Attitude Motion of HERMES After Loss of Stabilization. F. R. Vigneron, *Department*

of Communications (Canada); and W. E. Krag, *Massachusetts Institute of Technology* (JGC 5, 5, p. 539) Engineering Note

G82-092 Discrete-Time Stability of Continuous-Time Controller Designs for Large Space Structures. Mark J. Balas, *Rensselaer Polytechnic Institute* (JGC 5, 5, p. 541) Engineering Note

G82-093 Single-Axis Spacecraft Attitude Maneuvers Using an Optimal Reaction Wheel Power Criterion. S. B. Skaar and L. G. Kraige, *Virginia Polytechnic Institute and State University* (JGC 5, 5, p. 543) Engineering Note

G82-094 Stability Relationships Between Gyrostats with Free, Constant-Speed, and Speed-Controlled Rotors. Tieshou Li and Richard W. Longman, *Columbia University* (JGC 5, 6, p. 545) Article

G82-095 Ballistic Entry Motion, Including Gravity:Constant Drag Coefficient Case. Michael E. Hough, *The Analytic Sciences Corporation* (JGC 5, 6, p. 553) Article

G82-096 Fixed Trim Re-Entry Guidance Analysis. C. Gracey, *NASA Langley Research Center*; E. M. Cliff, F. H. Lutze and H. J. Kelley, *Virginia Polytechnic Institute and State University* (JGC 6, 5, p. 558) Article based on AIAA Paper 81-1754 CP816

G82-097 Factors for Cubics and Quartics. Dunstan Graham, *Custom Computer Consultants* (JGC 5, 6, p. 564) Article

G82-098 CPU Coverage Evaluation Using Automatic Fault Injection. Raymond P. Kurlak and J. Robert Chobot, *General Electric Company* (JGC 5, 6, p. 573) Article based on AIAA Paper 81-2281 CP818

G82-099 An Analytical Pilot Rating Method for Highly Elastic Aircraft. Robert L. Swaim and Supat Poopaka, *Oklahoma State University* (JGC 5, 6, p. 578) Article based on AIAA Paper 81-1772 CP816

G82-100 Computation of a Degree of Controllability via System Discretization. George Klein, *Columbia University*; Robert E. Lindberg Jr., *Naval Research Laboratory*; and Richard W. Longman, *Columbia University* (JGC 5, 6, p. 583) Article

G82-101 Attitude Control of a Satellite with a Rotating Solar Array. J. P. Chretien, C. Reboulet and P. Rodrigo, *CERT/DERA (France)*; and M. Maurette, *Centre National d'Etudes Spatiales (France)* (JGC 5, 6, p. 589) Article

G82-102 Effective Electromagnetic Shielding in Multilayer Printed Circuit Boards. K. G. Wiles and J. L. Moe, *General Dynamics* (JGC 5, 6, p. 597) Engineering Note

G82-102 Frequency-Domain Analysis of Flexible Spacecraft Dynamics. S. C. Garg, *Ford Aerospace and Communications Corporation* (JGC 5, 1, p. 54) Article