

## Chronological Index

**G85-101 Stability of Multidimensional Linear Time-Varying Systems.** Shashi K. Shrivastava and S. Pradeep, *Indian Institute of Science* (8, 5, p. 579) Article based on AIAA Paper 84-1954 CP848

Technical Comment by Peter C. Müller, *University of Wuppertal, Federal Republic of Germany* (10, 1, p. 127)  
Reply (10, 1, p. 127)

**G86-021 Gravity Gradient Torque for an Arbitrary Potential Function.** David R. Glandorf, *Lockheed Engineering and Management Services Company* (9, 1, p. 122) Engineering Note

Technical Comment by James C. Wilcox, *TRW Space and Technology Group* (10, 2, p. 224)

**G86-062 Long-Term Evolution of Near-Geostationary Orbits.** Jozef C. Van der Ha, *European Space Operations Center, Federal Republic of Germany* (9, 3, p. 363) Article

Reply (10, 2, p. 223)

Technical Comment by P. Cefola, *The Charles Stark Draper Laboratory* (10, 2, p. 222)

**G87-001 Optimized Rotation-Axis Attitude Maneuver Controller for the Space Shuttle Orbiter.** D. C. Redding and N. J. Adams, *The Charles Stark Draper Laboratory* (10, 1, p. 4) Article

**G87-002 Comparison of Theory and Experiment for Moments Induced by Loose Internal Parts.** William P. D'Amico Jr., *U. S. Army Ballistic Research Laboratory, Aberdeen Proving Ground* (10, 1, p. 14) Article based on AIAA Paper 85-1826 CP857

**G87-003 Side Moment Exerted by a Two-Component Liquid Payload on a Spinning Projectile.** Charles H. Murphy, *U. S. Army Laboratory Command, Ballistic Research Laboratory, Aberdeen Proving Ground* (10, 1, p. 20) Article based on AIAA Paper 84-2115 CP849

**G87-004 Modeling Clear-Air Turbulence with Vortices Using Parameter-Identification Techniques.** Rajiv S. Mehta, *NASA Ames Research Center* (10, 1, p. 27) Article based on AIAA Paper 84-2083 CP849

**G87-005 Numerical Method for Rapidly Determining Satellite-Satellite and Satellite-Ground Station In-View Periods.** J. A. Lawton, *U. S. Naval Surface Weapons Center* (10, 1, p. 32) Article based on AIAA Paper 86-0086

**G87-006 Using Delta Differential One-Way Range to Determine Highly Elliptical Earth Orbits.** Raymond B. Frauenholz, *Jet Propulsion Laboratory* (10, 1, p. 37) Article

**G87-007 Meter-Level Orbit Determination of Geosynchronous Satellites by an Economical Tracking System.** Robert D. Culp, *University of Colorado*; and Ting-Hua Wang, *Chung Shan Institute of Science and Technology, Taiwan* (10, 1, p. 45) Article based on AIAA Paper 85-1919 CP856

**G87-008 An Optimal Q-Guidance Scheme for Satellite Launch Vehicles.** M. Seetharama Bhat and Shashi K. Shrivastava, *Indian Institute of Science* (10, 1, p. 53) Article

**G87-009 Analytical Solution of Optimal Trajectory-Shaping Guidance.** C. F. Lin, *Boeing Company*; and L. L. Tsai, *American GNC Corporation* (10, 1, p. 61) Article based on AIAA Paper 85-1958 CP856

**G87-010 Nonlinear Flight Test Trajectory Controllers for Aircraft.** P. K. A. Menon, M. E. Badgett and R. A. Walker, *Integrated Systems, Inc.*; and E. L. Duke, *NASA Ames-Dryden Flight Research Facility* (10, 1, p. 67) Article based on AIAA Paper 85-1890 CP856

**G87-011 Application of Eigenstructure Assignment to Flight Control Design: Some Extensions.** Kenneth M. Sobel, *Lockheed California Company*; and Eliezer Y. Shapiro, *HR Textron* (10, 1, p. 73) Article

**G87-012 Linear-Quadratic-Gaussian with Loop-Transfer-Recovery Methodology for an Unmanned Aircraft.** D. Brett Ridgely, *Massachusetts Institute of Technology*; Siva S. Banda, Timothy E. McQuade and P. J. Lynch, *Flight Dynamics Laboratory, Wright-Patterson Air Force Base* (10, 1, p. 82) Article based on AIAA Paper 85-1927 CP856

**G87-013 Investigation of Moving-Bank Multiple Model Adaptive Algorithms.** Peter S. Maybeck, *U. S. Air Force Institute of Technology, Wright-Patterson Air Force Base*; and Karl P. Hentz, *U. S. Force Institute of Technology, Wright-Patterson Air Force Base* (10, 1, p. 90) Article

**G87-014 Charge Transfer Device Star Tracker Applications.** R. A. Deters and R. L. Gutshall, *Ball Aerospace Systems Division* (10, 1, p. 97) Article based on AIAA Paper 84-1851 CP848

**G87-015 Design Study for a High-Accuracy Three-Axis Test Table.** Louis A. DeMore, Robert A. Peterson, Louis B. Conley, Howard H. Havlisek, Nikos P. Andrianos, David H. Ditto and Joseph Profeta III, *Contraves Goerz Corporation* (10, 1, p. 104) Article based on AIAA Paper 85-1893 CP856

**G87-016 Avoidance of Numerical Instabilities in Computation of Higher-Order Gravity.** Joseph Parsons and David Stewart, *Logicon, Inc.* (10, 1, p. 115) Engineering Note

**G87-017 The Minimum for Geometric Dilution of Precision in Global Positioning System Navigation.** Bertrand T. Fang, *The Analytic Sciences Corporation* (10, 1, p. 116) Engineering Note

**G87-018 Optimization of Cruise at Constant Altitude.** Colin N. Gordon, *Delco Systems Operations* (10, 1, p. 116) Engineering Note

**G87-019 Multivariable Control Robustness Examples: A Classical Approach.** Bong Wie, *The University of Texas at Austin*; and Arthur E. Bryson Jr., *Stanford University* (10, 1, p. 118) Engineering Note

**G87-020 Relationship Between Kane's Equations and the Gibbs-Appell Equations.** Edward A. Desloge, *Florida State University* (10, 1, p. 120) Engineering Note

Technical Comment by David A. Levinson, *Lockheed Palo*

*Alto Research Laboratory* (10, 6, p. 593)

Technical Comment by J. E. Keat, *Photon Research Associates, Inc.* (10, 6, p. 594)

Technical Comment by Dan E. Rosenthal, *Symbolic Dynamics* (10, 6, p. 595)

Technical Comment by Arun K. Banerjee, *Lockheed Missiles & Space Company* (10, 6, p. 597)

**G87-021 Rotation of a Triaxial Satellite Near the Lagrangian Point  $L_4$ .** Antonio Elipe, *Universidad de Zaragoza, Spain* (10, 1, p. 122) Engineering Note

**G87-024 A Look at Handling Qualities of Canard Configurations.** Seth B. Anderson, *NASA Ames Research Center* (10, 2, p. 129) Survey Paper based on AIAA Paper 85-1803 CP857

**G87-025 Dynamics of a Cantilever Beam Attached to a Moving Base.** T. R. Kane and R. R. Ryan, *Stanford University*; and A. K. Banerjee, *Lockheed Missiles and Space Company* (10, 2, p. 139) Article

**G87-026 Recursive Attitude Determination from Vector Observations: Euler Angle Estimation.** I. Y. Bar-Itzhack and M. Idan, *Technion-Israel Institute of Technology, Israel* (10, 2, p. 152) Article based on AIAA Paper 85-1959 CP856

**G87-027 Robust Controller Design Using Frequency Domain Constraints.** R. D. Hefner, *The Aerospace Corporation*; and D. L. Mingori, *University of California* (10, 2, p. 158) Article

**G87-028 A Track Correlation Algorithm for Multi-Sensor Integration.** Michitaka Kosaka, Shoji Miyamoto and Hirokazu Ihara, *Hitachi Ltd., Japan* (10, 2, p. 166) Article

**G87-029 Stability Robustness Improvement Using Constrained Optimization Techniques.** V. Mukhopadhyay, *Joint Institute for Advancement of Flight Sciences, NASA Langley Research Center* (10, 2, p. 172) Article based on AIAA Paper 85-1931 CP856

**G87-030 Investigation of Limb-Side Stick Dynamic Interaction with Roll Control.** Donald E. Johnston and Duane T. McRuer, *Systems Technology, Inc.* (10, 2, p. 178) Article based on AIAA Paper 85-1853 CP856

**G87-031 Closed-Loop Pilot Vehicle Analysis of the Approach and Landing Task.** Mark R. Anderson and David K. Schmidt, *Purdue University* (10, 2, p. 187) Article based on AIAA Paper 85-1851 CP856

**G87-032 Development and Application of a Convolution Technique for Flying Qualities Research.** H. T. Breul, T. L. Keller and R. C. Weston, *Grumman Corporate Research Center* (10, 2, p. 195) Article based on AIAA Paper 85-3062

**G87-033 Robust Controller Synthesis for a Large Flexible Space Antenna.** N. Sundararajan, *Old Dominion University Research Foundation*; S. M. Joshi and E. S. Armstrong, *NASA Langley Research Center* (10, 2, p. 201) Article

**G87-034 Configuration Tradeoffs for the Space Infrared Telescope Facility Pointing Control System.** A. J. Pue, K. Strohbehn and J. W. Hunt, *The Johns Hopkins University, Applied Physics Laboratory* (10, 2, p. 209) Article based on AIAA Paper 85-1856 CP856

**G87-035 The Closed-Form Solution of Generalized Proportional Navigation.** Ciann-Dong Yang and Fang-Bo Yeh, *National Cheng Kung University, Taiwan*; and Jen-Heng Chen, *Chung Shan Institute of Science and Technology, Taiwan* (10, 2, p. 216) Engineering Note

**G87-036 A New Method of Computing the State Transition Matrix for Linear Systems.** Thomas V. Huynh, Donald L. Hitzl and John J. Kohfeld, *Lockheed Research Laboratory* (10, 2, p. 218) Engineering Note

**G87-040 Accessibility of Near-Earth Asteroids.** C. O. Lau, *Jet Propulsion Laboratory*; and N. D. Hulkower, *TRW Inc.* (10, 3, p. 225) Article

**G87-041 Orbital Modifications Using Forced Tether-Length Variations.** Manuel Martinez-Sanchez and Sarah A. Gavit, *Massachusetts Institute of Technology* (10, 3, p. 233) Article

**G87-042 A Three-Mass Tethered System for Micro-g/Variable-g Applications.** Enrico C. Lorenzini, *Harvard-Smithsonian Center for Astrophysics* (10, 3, p. 242) Article based on AIAA Paper 86-1990 CP867

**G87-043 Design Methodology for Robust Stabilizing Controllers.** William E. Schmitendorf, *Northwestern University* (10, 3, p. 250) Article

**G87-044 Optimal Descending, Hypersonic Turn to Heading.** G. Richard Eisler, *Sandia National Laboratories*; and David G. Hull, *University of Texas at Austin* (10, 3, p. 255) Article

**G87-045 On-Line Aircraft State and Stability Derivative Estimation Using the Modified-Gain Extended Kalman Filter.** Jason L. Speyer and Edwin Z. Crues, *University of Texas at Austin* (10, 3, p. 262) Article based on AIAA Paper 85-1762 CP857

**G87-046 Aircraft Automatic Flight Control System with Model Inversion.** G. Allan Smith and George Meyer, *NASA Ames Research Center* (10, 3, p. 269) Article based on AIAA Paper 84-2627 CP8411

**G87-047 Trajectory and Attitude Determination of a Thrusting Spin-Stabilized Apogee Stage.** V. Adimurthy, P.V. Subba Raju and D.R. Manohar, *Vikram Sarabhai Space Center, India* (10, 3, p. 276) Article

**G87-048 Onboard Spin Axis Controller for a Geostationary Spin-Stabilized Satellite.** Carl Leei Chen, Loren I. Slafer and W. F. Hummel Jr., *Hughes Aircraft Company* (10, 3, p. 283) Article based on AIAA Paper 86-1984 CP869

**G87-049 Gradient-Based Combined Structural and Control Optimization.** David F. Miller and Jaedong Shim, *Wright State University* (10, 3, p. 291) Article

**G87-050 Dynamics of a Multibody System with Relative Translation on Curved, Flexible Tracks.** Dechang Li, *East China Institute of Technology, China*; and Peter W. Likins, *Lehigh University* (10, 3, p. 299) Article  
Errata (10, 6, p. 598)

**G87-051 Magnus Attenuation on a Generic Missile Configuration Using N-Vanes.** R.L. Kittyle, *U. S. Eglin Air Force Base* (10, 3, p. 307) Article based on AIAA Paper 86-2082 CP868

**G87-052 New Time-Domain Identification Technique.** Fang-Bo Yeh and Ciann-Dong Yang, *National Chen Kung University, Taiwan* (10, 3, p. 313) Engineering Note

**G87-053 Improved Method for the Initial Attitude Acquisition Maneuver.** John Weissberg and Keiken Ninomiya, *Institute of Space and Astronautical Science, Japan* (10, 3, p. 316) Engineering Note

**G87-054 Optimal Re-Entry Maneuvers with Bounded Lift Control.** L. Beiner, *Tel Aviv University, Israel* (10, 4, p. 321)

## Article

**G87-055 Time-Invariant Controllers for Target Tracking.** B. E. Gardner, *The Aerospace Corporation*; R. H. Cannon Jr. and Arthur E. Bryson Jr., *Stanford University* (10, 4, p. 330) Article based on AIAA Paper 84-1926 CP848

**G87-056 Direct Trajectory Optimization Using Nonlinear Programming and Collocation.** C. R. Hargraves and Paris S. W., *Boeing Aerospace Company* (10, 4, p. 338) Article

**G87-057 Reduced-Order Pulse-Motor Ignition Control Logic.** V. H. L. Cheng, *NASA Ames Research Center*; P. K. A. Menon, *Georgia Institute of Technology*; N. K. Gupta and M. M. Briggs, *Integrated Systems* (10, 4, p. 343) Article based on AIAA Paper 85-0500

**G87-058 Error Equations of Inertial Navigation.** George Arshal, *Federal Way, Washington* (10, 4, p. 351) Article

**G87-059 Parameter-Insensitive Technique for Aircraft Sensor Fault Analysis.** R. J. Patton and S. W. Willcox, *University of York, England*; and J. S. Winter, *Royal Aircraft Establishment, England* (10, 4, p. 359) Article

**G87-060 Optimization and Acceleration Guidance of Flight Trajectories in a Windshear.** A. Miele and T. Wang, *Rice University*; and W. W. Melvin, *Delta Airlines* (10, 4, p. 369) Article based on AIAA Paper 86-2036 CP869

**G87-061 Modern Control Theory for Design of Autopilots for Bank-to-Turn Missiles.** Douglas E. Williams and Bernard Friedland, *The Singer Company*; and Appasaheb N. Madiwale, *MIT Lincoln Laboratories* (10, 4, p. 378) Article

**G87-062 Effects of Atmosphere on Slewing Control of a Flexible Structure.** Jer-Nan Juang and Lucas G. Horta, *NASA Langley Research Center* (10, 4, p. 387) Article based on AIAA Paper 86-1001 CP863

**G87-063 Robust Multivariable Control of Large Space Structures Using Positivity.** M. D. McLaren and G. L. Slater, *University of Cincinnati* (10, 4, p. 393) Article

**G87-064 Dynamics of Gyroelastic Spacecraft.** G. M. T. D'Eleuterio and P. C. Hughes, *University of Toronto, Canada* (10, 4, p. 401) Article based on AIAA Paper 85-0731 CP851

**G87-065 Perturbation Analysis of Internal Balancing for Lightly Damped Mechanical Systems with Gyroscopic and Circulatory Forces.** P. A. Belloch, D. L. Mingori and J. D. Wei, *University of California at Los Angeles* (10, 4, p. 406) Article

**G87-066 A New Approach to the Space-Axis Rotation.** Bong Wie, *University of Texas* (10, 4, p. 411) Engineering Note

**G87-067 Closed-Form Solution for a Class of Guidance Laws.** Ciann-Dong Yang and Fang-Bo Yeh, *National Cheng Kung University, Taiwan* (10, 4, p. 412) Engineering Note

**G87-068 Time-Scale Synthesis of a Closed-Loop Discrete Optimal Control System.** D. S. Naidu and D. B. Price, *NASA Langley Research Center* (10, 5, p. 417) Article based on AIAA Paper 86-1995 CP869

**G87-069 A Homotopy Approach to the Feedback Stabilization of Linear Systems.** Pierre T. Kabamba, *University of Michigan*; Richard W. Longman and Sun Jian-Guo, *Columbia University* (10, 5, p. 422) Article

**G87-070 Development of a Takeoff Performance Monitoring System.** R. Srivatsan and David R. Downing, *University of Kansas*; and Wayne H. Bryant, *NASA Langley Research Center* (10, 5, p. 433) Article based on AIAA Paper 86-2145 CP869

**G87-071 Accelerometer Placement in Active Flutter Suppression Systems.** Bradley S. Liebst, *University of Minnesota* (10, 5, p. 441) Article

**G87-072 Interactions Between an Aircraft Structure and Active Control Systems.** R. Freymann, *DFVLR Institute of Aerelasticity, Federal Republic of Germany* (10, 5, p. 447) Article based on AIAA Paper 86-0960 CP863

**G87-073 Equations of Motion for Maneuvering Flexible Spacecraft.** Meirovitch L. and R. D. Quinn, *Virginia Polytechnic Institute and State University* (10, 5, p. 453) Article

**G87-074 Identification of Large Space Structures: A Factorization Approach.** Trevor Williams, *Kingston Polytechnic, England* (10, 5, p. 466) Article

**G87-075 Sensor-Failure Detection Method for Flexible Structures.** H. Baruh and K. Choe, *Rutgers University* (10, 5, p. 474) Article

**G87-076 Mass Property Estimation for Control of Asymmetrical Satellites.** E. V. Bergmann, *The Charles Stark Draper Laboratory, Inc.*; B. K. Walker, *University of Cincinnati*; and D. R. Levy, *U. S. Air Force Space Division* (10, 5, p. 483) Article based on AIAA Paper 85-1857 CP856

**G87-077 A Common-Period Four-Satellite Continuous Global Coverage Constellation.** J. E. Draim, *Science and Technology Associates Inc.* (10, 5, p. 492) Article

**G87-078 Method for Robust Design of Multivariable Feedback Systems.** A. Dickman, *Tadiran, Ltd., Israel* (10, 5, p. 500) Engineering Note

**G87-079 Testing Matrices of Definiteness and Application Examples that Spawn the Need.** Thomas H. Kerr, *Intermetrics Inc.* (10, 5, p. 503) Engineering Note

**G87-080 Symmetric Kinematic Transformation Pair Using Euler Parameters.** I. M. Ross and R. G. Melton, *Pennsylvania State University* (10, 5, p. 506) Engineering Note

**G87-081 Model Reference Adaptive Control for Large Structural Systems.** I. H. Mufti, *National Research Council, Canada* (10, 5, p. 507) Engineering Note

**G87-082 Analysis of the Geometric Dilution of Precision Using the Eigenvalue Approach.** Mitchitaka Kosaka, *Systems Development Laboratory, Hitachi Ltd., Japan* (10, 5, p. 509) Engineering Note

**G87-083 Fault-Tolerant Clock Synchronization Validation Methodology.** Ricky W. Butler, Daniel L. Palumbo and Sally C. Johnson, *NASA Langley Research Center* (10, 6, p. 513) Article

**G87-084 Evaluation Method of Polynomial Models' Prediction Performance for Random Clock Error.** Michitaka Kosaka, *Hitachi, Ltd., Japan* (10, 6, p. 523) Article

**G87-085 Limited Evaluation of the Longitudinal Flying Qualities of a Centerstick Aircraft with Variations in Stick Feel Parameters.** William M. Quinn Jr., *U. S. Air Force Headquarters, Pentagon*; and Malcolm A. Cutchins, *Auburn*

*University* (10, 6, p. 528) Article

**G87-086 Eigensystem Synthesis for Active Flutter Suppression on an Oblique-Wing Aircraft.** Gorbux S. Alag, *Western Michigan University*; and John J. Burken, *NASA Ames Research Center* (10, 6, p. 535) Article based on AIAA Paper 86-2243 CP869

**G87-087 Distributed Systems Approach to the Identification of Flexible Structures.** K. Y. Lee, *Pennsylvania State University*; and S. A. Hossian, *TRW Space and Technology* (10, 6, p. 540) Article

**G87-088 Dynamics of Earth-Orbiting Flexible Satellites with Multibody Components.** L. Vu-Quoc and J. C. Simo, *Stanford University* (10, 6, p. 549) Article

**G87-089 Spacecraft Attitude Determination Using a Second-Order Nonlinear Filter.** S. Vathsal, *NASA Goddard Space Flight Center* (10, 6, p. 559) Article

**G87-090 Fuel-Optimal Rendezvous Near a Point in General Keplerian Orbit.** Thomas Carter, *Eastern Connecticut State University*; and Mayer Humi, *Worcester Polytechnic University* (10, 6, p. 567) Article

**G87-091 Energy Management of Three-Dimensional Minimum-Time Intercept.** Hindrikus G. Visser, Henry J. Kelley and Eugene M. Cliff, *Virginia Polytechnic Institute and State University* (10, 6, p. 574) Article based on AIAA Paper 85-1781 CP857

**G87-092 Re-examination of Eigenvector Derivatives.** K. B. Lim and J. L. Junkins, *Texas A&M University*; and B. P. Wang, *University of Texas* (10, 6, p. 581) Article

**G87-093 Sensitivity of Closed-Loop Eigenvalues and Robustness.** A. Adamian and J. S. Gibson, *University of California at Los Angeles* (10, 6, p. 588) Engineering Note

## Notice to Subscribers

We apologize that this issue was mailed to you late. As you may know, AIAA recently relocated its headquarters staff from New York, N.Y. to Washington, D.C., and this has caused some unavoidable disruption of staff operations. We will be able to make up some of the lost time each month and should be back to our normal schedule, with larger issues, in just a few months. In the meanwhile, we appreciate your patience.

U.S. Postal Service STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION <i>Required by 39 U.S.C. 3685</i>		
1A. TITLE OF PUBLICATION Journal of Guidance, Control and Dynamics		1B. PUBLICATION NO. 4 4 0 1 0
		2. DATE OF FILING 9/28/87
3. FREQUENCY OF ISSUE Bi-Monthly	3A. NO. OF ISSUES PUBLISHED ANNUALLY 6	3B. ANNUAL SUBSCRIPTION PRICE \$20.00
4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP+4 Code; (Not printers) 370 L'Enfant Promenade SW, Washington, DC 20024		
5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OF GENERAL BUSINESS OFFICES OF THE PUBLISHER (Not printer) same as above		
6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (This item MUST NOT be blank)		
PUBLISHER (Name and Complete Mailing Address) American Institute of Aeronautics and Astronautics same as above		
EDITOR (Name and Complete Mailing Address) Donald C. Fraser -- same as above		
MANAGING EDITOR (Name and Complete Mailing Address) William O'Connor -- same as above		
7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)		
FULL NAME		COMPLETE MAILING ADDRESS
American Institute of Aeronautics and Astronautics, Inc.		same as above
8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)		
FULL NAME		COMPLETE MAILING ADDRESS
none		
9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 433.12 DMM only) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one):		
(1) <input checked="" type="checkbox"/> HAS NOT CHANGED DURING PRECEDING 12 MONTHS		
(2) <input type="checkbox"/> HAS CHANGED DURING PRECEDING 12 MONTHS		
If changed, publisher must submit explanation of change with this statement.		
10. EXTENT AND NATURE OF CIRCULATION (See instructions on reverse side)	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES (Net Press Run)	3650	3700
B. PAID AND/OR REQUESTED CIRCULATION 1. Sales through dealers and carriers, street vendors and counter sales	---	---
2. Mail Subscription (Paid and/or requested)	3277	3284
C. TOTAL PAID AND/OR REQUESTED CIRCULATION (Sum of 10B1 and 10B2)	3277	3284
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	56	56
E. TOTAL DISTRIBUTION (Sum of C and D)	3333	3340
F. COPIES NOT DISTRIBUTED Office use, left over, unaccounted, spoiled after printing	317	360
2. Return from News Agents	---	---
G. TOTAL (Sum of E, F1 and 2 - should equal net press run shown in A)	3650	3700
11. I certify that the statements made by me above are correct and complete		
SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER OR OWNER Chris Troll, Controller		