

# Chronological Index

**G94-146 Matrix Method for Eigenstructure Assignment: The Multi-Input Case with Application.** S. Pradham and V. J. Modi, *The University of British Columbia, Canada*; M. S. Bhat, *Indian Institute of Science*; and A. K. Misra, *McGill University, Canada* (17, 5, p. 983) Article

Technical Comment by Jae Weon Choi, *Pusan National University, Korea*; Jang Gyu Lee, *Seoul National University, Korea*; and Hideto Suzuki and Takashi Suzuki, *NASDA/Tsukuba Space Center, Japan* (19, 4, p. 983)

Reply (19, 4, p. 983)

**G95-010 Integrated Development of the Equations of Motion for Elastic Hypersonic Flight Vehicles.** Karl D. Bilimoria, *Arizona State University*; and David K. Schmidt, *University of Maryland* (18, 1, p. 73) Article based on AIAA Paper 92-4605

Technical Comment by Nivriti Vithoba Kadam, *Defense Research and Development Laboratory, India* (19, 5, p. 1198)

Reply (19, 5, p. 1199)

**G95-029 Hubble Space Telescope Pointing Control System Design Improvement Study Results.** Angelia P. Buckley, *NASA Marshall Space Flight Center* (18, 2, p. 194) Article

Technical Comment by Bong Wie, *Arizona State University* (19, 2, p. 504)

**G96-001 Guidance, Navigation, and Control from Instrumentation to Information Management.** Eli Gai, *Charles Stark Draper Laboratory, Inc.* (19, 1, p. 10) Survey Paper

**G96-002 Linear Quadratic Flight Control for Ejection Seats.** Kevin A. Wise and Joseph S. Brinker, *McDonnell Douglas Aerospace* (19, 1, p. 15) Article based on AIAA Paper 95-3320

**G96-003 Full Envelope Flight Control System Design Using Qualitative Feedback Theory.** Odell R. Reynolds, M. Pachter, and C. H. Houppis, *U.S. Air Force Institute of Technology* (19, 1, p. 23) Article

Errata (19, 2, p. 504)

**G96-004 Multiple Control Effector Rate Limiting.** Wayne C. Durham and Kenneth A. Bordignon, *Virginia Polytechnic Institute and State University* (19, 1, p. 30) Article

**G96-005 Performance Enhancement for a Missile in the Presence of Saturating Actuators.** Armando A. Rodriguez, *Arizona State University*; and James R. Cloutier, *U.S. Air Force Armament Directorate* (19, 1, p. 38) Article

**G96-006 Atmospheric Re-Entry Control for Low Lift/Drag Vehicles.** Alberto Cavallo, *Seconda Università di Napoli, Italy*; and Ferdinando Ferrara, *Centro Italiano Ricerche Aerospaziali, S.p.A., Italy* (19, 1, p. 47) Article

**G96-007 Double Averaging Approach to the Study of Spinup Dynamics of Flexible Satellites.** Andre P. Mazzoleni, *Texas Christian University*; Christopher D. Hall, *U.S. Air Force Institute of Technology*; and Mark C. Stabb, *Structural Dynamics Research Corporation* (19, 1, p. 54) Article

**G96-008 Nonlinear Control of a Dual-Spin Spacecraft During Despin Through Precession Phase Lock.** R. J. Kinsey, *The Aerospace Corporation*; D. L. Mingori, *University of California, Los Angeles*; and R. H. Rand, *Cornell University* (19, 1, p. 60) Article

**G96-009 Satellite Pitch Dynamics in the Elliptic Problem of Three Bodies.** Joshua Ashenberg, *Technion—Israel Institute of Technology* (19, 1, p. 68) Article

**G96-010 General Formulation for  $N$ -Body Tethered Satellite System Dynamics.** M. Keshmiri and A. K. Misra, *McGill University, Canada*; and V. J. Modi, *University of British Columbia, Canada* (19, 1, p. 75) Article

**G96-011 Deployment/Retrieval Control of a Tethered Subsatellite Under Effect of Tether Elasticity.** Kentaroh Kokubun and Hironori A. Fujii, *Tokyo Metropolitan Institute of Technology, Japan* (19, 1, p. 84) Article

**G96-012 Analysis of the Dereverberated Transfer Function in Finite Dimensions.** Khoichi Matsuda and Hironori A. Fujii, *Tokyo Metropolitan Institute of Technology, Japan* (19, 1, p. 91) Article

**G96-013 Nonlinear Trajectory Tracking Guidance with Application to a Launch Vehicle.** Ping Lu, *Iowa State University* (19, 1, p. 99) Article

**G96-014 Strategic Intercept Midcourse Guidance Using Modified Zero Effort Miss Steering.** Brett Newman, *Old Dominion University* (19, 1, p. 107) Article based on AIAA Paper 93-3890

**G96-015 Four-Dimensional Guidance of Atmospheric Vehicles.** Ilie Stiharu-Alexe and Jules O'Shea, *École Polytechnique de Montréal* (19, 1, p. 113) Article

**G96-016 Minimum-Time Control Characteristics of Flexible Structures.** Lucy Y. Pao, *University of Colorado* (19, 1, p. 123) Article

**G96-017 Exact Time-Optimal Control of the Wave Equation.** T. Singh and H. Alli, *State University of New York at Buffalo* (19, 1, p. 130) Article

**G96-018 Control of a Flexible Beam Using Back Electromotive Force of Motor.** Hironori A. Fujii, Shinji Hatano, and Khoichi Matsuda, *Tokyo Metropolitan Institute of Technology, Japan* (19, 1, p. 135) Article

**G96-019 Fuel Optimal Propulsive Maneuver of an Experimental Structure Exhibiting Spacelike Dynamics.** J. L. Meyer and L. Silverberg, *North Carolina State University* (19, 1, p. 141) Article

**G96-020 F8 Neurocontroller Based on Dynamic Inversion.** Debashis Sadhukhan and Salah Feteih, *Florida A&M University and Florida State University* (19, 1, p. 150) Article

**G96-021 Nonlinear  $H_\infty$  Optimal Control for Agile Missiles.** Kevin A. Wise and Jack L. Sedwick, *McDonnell Douglas Aerospace* (19, 1, p. 157) Article

**G96-022 Optimal Feedback Control of a Nonlinear System: Wing Rock Example.** Shyh-Pyng Shue, M. E. Sawan, and Kamran Rokhsaz, *Wichita State University* (19, 1, p. 166) Article

**G96-023 Design of Stabilizing Control Laws for Mechanical Systems Based on Lyapunov's Method.** Toshiyuki Ohtsuka and Hironori A. Fujii, *Tokyo Metropolitan Institute of Technology, Japan* (19, 1, p. 172) Article

**G96-024 Robust Control Design Framework for Substructure Models.** Kyong B. Lim, *NASA Langley Research Center* (19, 1, p. 181) Article

**G96-025 Feedback Design for Unstable Plants with Saturating Nonlinearities: Single-Input, Single-Output.** R. A. Hess and S. A. Snell, *University of California, Davis* (19, 1, p. 191) Article based on AIAA Paper 95-0336

Errata (19, 5, p. 1200)

- G96-026 Global Structure Modeling Using Force-State Component Identification.** Brett P. Masters, Edward F. Crawley, and Marthinus C. van Schoor, *Massachusetts Institute of Technology* (19, 1, p. 198) Article
- G96-027 Optimization of Generalized Potential in Mission Function Control: Analytical and Experimental Results.** Hironori A. Fujii, Masaki Takinami, and Khoichi Matsuda, *Tokyo Metropolitan Institute of Technology, Japan* (19, 1, p. 207) Article
- G96-028 Robust Fault Detection Filter Design.** Randal K. Douglas and Jason L. Speyer, *University of California, Los Angeles* (19, 1, p. 214) Article
- G96-029 Sensitivity Analysis Algorithm for the State Chi-Square Test.** Ren Da and Ching-Fang Lin, *American GNC Corporation* (19, 1, p. 219) Article
- G96-030 Optimal Time Re-Entry of Vehicles by Asymptotic Matching.** O. Sero-Guillaume, D. Bernardin, T. Felici, and D. Zouaoui, *Centre National de la Recherche Scientifique, France*; and M. Antonicelli, *Aerospatiale, France* (19, 1, p. 223) Article
- G96-031 Finite Difference Scheme for Automatic Costate Calculation.** Hans Seywald and Renjith R. Kumar, *Analytical Mechanics Associates, Inc.* (19, 1, p. 231) Article
- G96-032 Optimal Aircraft Terrain-Following Flight with Nonlinear Engine Dynamics.** Ping Lu and Bion L. Pierson, *Iowa State University* (19, 1, p. 240) Engineering Note
- G96-033 Long Flight-Time Range-Optimal Aircraft Trajectories.** Hans Seywald, *Analytical Mechanics Associates, Inc.* (19, 1, p. 242) Engineering Note
- G96-034 Numerical Computation of Orbit Error Covariance Functions.** Kondapalli Rama Rao, *Instituto Nacional de Pesquisas Espaciais, Brazil* (19, 1, p. 245) Engineering Note
- G96-035 Nonlinear Transformation Methods for Gravity-Turn Descent.** Colin R. McInnes, *University of Glasgow, Scotland, UK* (19, 1, p. 247) Engineering Note
- G96-036 Analytical Solution for Dynamic Analysis of a Flexible L-Shaped Structure.** Hyochoong Bang, *Korea Aerospace Research Institute* (19, 1, p. 248) Engineering Note
- G96-037 Pseudoholonomic Behavior of Planar Space Robots.** Ranjan Mukherjee, *U.S. Naval Postgraduate School* (19, 1, p. 251) Engineering Note
- G96-038 Prescribed Pole Placement with Optimal Weight Selection for Single-Input Controllable Systems.** Shyh-Pyng Shue, M. E. Sawan, and Kamran Rokhsaz, *Wichita State University* (19, 1, p. 253) Engineering Note
- G96-039 Approximate Pole Placement for Acceleration Feedback Control of Flexible Structures.** C. J. Goh and W. Y. Yan, *University of Western Australia* (19, 1, p. 256) Engineering Note
- G96-040 Nearly Nominal Linear-Quadratic-Gaussian Compensators for Reduced-Order Control Design Initialization.** Emmanuel G. Collins Jr., *Florida A&M University and Florida State University*; Wassim H. Haddad, *Georgia Institute of Technology*; and Sidney S. Yang, *Rockwell International* (19, 1, p. 259) Engineering Note
- G96-041 New Iterative Method to Solve Optimal Control Problems with Terminal Constraints.** Marco Antonio Leonel Caetano, *Universidade Estadual Paulista, Brazil*; and Takashi Yoneyama, *Instituto Tecnológico de Aeronáutica, Brazil* (19, 1, p. 262) Engineering Note
- G96-042 New Approach to Halo Orbit Determination and Control.** David Cielaszyk and Bong Wie, *Arizona State University* (19, 2, p. 266) Article based on AIAA Paper 94-3728 CP9411
- G96-043 Orbital Planar Maneuvers Using Two and Three-Four (Through Infinity) Impulses.** Roger A. Broucke, *University of Texas at Austin*; and Antonio F. B. A. Prado, *National Institute for Space Research, Brazil* (19, 2, p. 274) Article
- G96-044 Approximate Initial Lagrange Costates for Continuous-Thrust Spacecraft.** James D. Thorne and Christopher D. Hall, *U.S. Air Force Institute of Technology* (19, 2, p. 283) Article
- G96-045 Nonlinear Vibrations in the Tethered Satellite System-Mission 1.** S. Bergamaschi, P. Zanetti, and C. Zottarel, *University of Padova, Italy* (19, 2, p. 289) Article based on AIAA Paper 94-3735 CP9411
- G96-046 Dynamics and Stability of a Freely Precessing Spacecraft Containing a Nutation Damper.** C. O. Chang and L. Z. Liu, *National Taiwan University, ROC*; and K. T. Alfriend, *U.S. Naval Postgraduate School* (19, 2, p. 297) Article
- G96-047 Formulation of Stability Conditions for Systems Containing Driven Rotors.** I. Michael Ross, *U.S. Naval Postgraduate School* (19, 2, p. 305) Article
- G96-048 Effect of Actuator Nonlinearities on Aeroservoelasticity.** Richard Taylor and Roger W. Pratt, *Loughborough University, England, UK*; and Brian D. Caldwell, *British Aerospace plc., England, UK* (19, 2, p. 309) Article
- G96-049 Integrated Controls-Structures Design Methodology: Redesign of an Evolutionary Test Structure.** Peiman G. Maghami, *NASA Langley Research Center*; Sandeep Gupta, *ViGYAN, Inc.*; and Kenny B. Elliot and Suresh M. Joshi, *NASA Langley Research Center* (19, 2, p. 316) Article
- G96-050 Experimental Validation of an Integrated Controls-Structures Design Methodology.** Peiman G. Maghami, *NASA Langley Research Center*; Sandeep Gupta, *ViGYAN, Inc.*; and Kenny B. Elliot and Suresh M. Joshi, *NASA Langley Research Center* (19, 2, p. 324) Article
- G96-051 Mixed-Strategy Guidance in Future Ship Defense.** Y. Lipman and J. Shinar, *Technion—Israel Institute of Technology* (19, 2, p. 334) Article
- G96-052 Dynamic Programming Approach for Burnout-to-Apogee Guidance of Precision Munitions.** Clark R. Dohrmann, G. Richard Eisler, and Rush D. Robinett, *Sandia National Laboratories* (19, 2, p. 340) Article
- G96-053 Low-Thrust Flyby Guidance and an Extended Optimal Spacing Rule.** Jun'ichiro Kawaguchi and Hiroki Matsuo, *Institute for Space and Astronautical Science, Japan* (19, 2, p. 347) Article
- G96-054 Designs of Learning Controllers Based on Autoregressive Representation of a Linear System.** Minh Q. Phan, *Princeton University*; and Jer-Nan Juang, *NASA Langley Research Center* (19, 2, p. 355) Article
- G96-055 Adaptation of Centers of Approximation for Nonlinear Tracking Control.** Andrew J. Kurdila and Jerry L. Petersen, *Texas A&M University* (19, 2, p. 363) Article
- G96-056 Improved Tunnel Display for Curved Trajectory Following: Control Considerations.** Arthur J. Grunwald, *Technion—Israel Institute of Technology* (19, 2, p. 370) Article
- G96-057 Improved Tunnel Display for Curved Trajectory Fol-**

**lowing: Experimental Evaluation.** Arthur J. Grunwald, *Technion—Israel Institute of Technology* (19, 2, p. 378) Article

**G96-058 Extra-Insensitive Input Shapers for Controlling Flexible Spacecraft.** William Singhose, *Massachusetts Institute of Technology*; and Steve Derezinski and Neil Singer, *Convolve, Inc.* (19, 2, p. 385) Article

**G96-059 Multiobjective Optimization of Structures with and Without Control.** Franklin Y. Cheng and Dan Li, *University of Missouri—Rolla* (19, 2, p. 392) Article

**G96-060 Frequency Domain Performance Bounds for Uncertain Positive Real Systems.** David C. Hyland, *Harris Corporation*; Emmanuel G. Collins Jr., *Florida A&M University and Florida State University*; and Wassim M. Haddad and Vijaya-Sekhar Chellaboina, *Georgia Institute of Technology* (19, 2, p. 398) Article

**G96-061 Reduced-Order Compensation Using the Hyland–Bernstein Optimal Projection Equations.** Emmanuel G. Collins Jr., *Florida A&M University and Florida State University*; Wassim M. Haddad, *Georgia Institute of Technology*; and Sidney S. Ying, *Collins Commercial Avionics, Rockwell* (19, 2, p. 407) Article

**G96-062 Should Controls Be Eliminated While Solving Optimal Control Problems via Direct Methods?** Renjith R. Kumar and Hans Seywald, *Analytical Mechanics Associates, Inc.* (19, 2, p. 418) Article

**G96-063 Efficient Class of Optimized Coning Compensation Algorithms.** M. B. Ignagni, *Honeywell Technology Center* (19, 2, p. 424) Article

**G96-064 Design and Robustness Analysis of Gain-Scheduled Control System for Parabolic Flight.** F. Amato, G. Ambrosino, and M. Mattei, *University of Naples “Federico II,” Italy*; and L. Verde, *Centro Italiano Ricerche Aerospaziali, Italy* (19, 2, p. 430) Article

**G96-065 Methodology for Alerting-System Performance Evaluation.** James K. Kuchar, *Massachusetts Institute of Technology* (19, 2, p. 438) Article

**G96-066 Integrated Aircraft–Controller Design Using Linear Matrix Inequalities.** R. J. Niewoehner and I. I. Kaminer, *U.S. Naval Postgraduate School* (19, 2, p. 445) Article

**G96-067 Capture Conditions for Merging Trajectory Segments to Model Realistic Aircraft Descents.** Yiyuan Zhao, *University of Minnesota*; and Rhonda A. Slattery, *NASA Ames Research Center* (19, 2, p. 453) Article

**G96-068 Advanced Helicopter Flight Control Using Two-Degree-of-Freedom  $H^\infty$  Optimization.** D. J. Walker and I. Postlethwaite, *Leicester University, England, UK* (19, 2, p. 461) Article

**G96-069 Stability Augmentation Design of a Large Flexible Transport Using Nonlinear Parameter Optimization.** Greta N. Ward, *The Boeing Company*; and Uy-Loi Ly, *University of Washington* (19, 2, p. 469) Article based on AIAA Paper 94-3590 CP948

**G96-070 Nonlinear Inverse Dynamics Control of Aircraft Using Spoilers.** X. D. Sun, *University of York, England, UK*; and K. G. Woodgate and J. C. Allwright, *Imperial College, England, UK* (19, 2, p. 475) Article based on AIAA Paper 94-3592 CP948

**G96-071 Inverse and Optimal Control for Precision Aerobatic Maneuvers.** K. Y. Lou, *Defense Science Organization, Singapore*; and A. E. Bryson, *Stanford University* (19, 2, p. 483) Article based on AIAA Paper 95-3328 CP957

**G96-072 Unified Development of Lateral-Directional Departure Criteria.** F. H. Lutze, W. C. Durham, and W. H. Mason, *Virginia Polytechnic Institute and State University* (19, 2, p. 489) Article

**G96-073 Near-Optimal Low-Thrust Lunar Trajectories.** Craig A. Kluever and Kun-Rong Chang, *University of Missouri—Columbia/Kansas City* (19, 2, p. 494) Engineering Note

**G96-074 Analytical Missile Guidance Laws with a Time-Varying Transformation.** S. N. Balakrishnan, *University of Missouri—Rolla* (19, 2, p. 496) Engineering Note

**G96-075 Linear Quadratic Pursuit–Evasion Games with Terminal Velocity Constraints.** Joseph Z. Ben-Asher, *Tel-Aviv University, Israel* (19, 2, p. 499) Engineering Note

**G96-076 Dense–Sparse Discretization for Optimization and Real-Time Guidance.** Renjith R. Kumar and Hans Seywald, *Analytical Mechanics Associates, Inc.* (19, 2, p. 501) Engineering Note

**G96-077 Attitude Determination and Control of Clementine During Lunar Mapping.** Glenn Creamer, *Swales and Associates, Inc.*; and Paul DeLaHunt, Steve Gates, and Marv Levenson, *U.S. Naval Research Laboratory* (19, 3, p. 505) Article

**G96-078 Stability Analysis on Earth Observing System AM-1 Spacecraft Earth Acquisition.** Xipu Li, Arthur J. Throckmorton, and Jeffrey B. Boka, *Lockheed Martin Astro Space* (19, 3, p. 512) Article

**G96-079 Finite Element Modeling of One-Dimensional Viscoelastic Structures Using Anelastic Displacement Fields.** George A. Lesieutre and Emanuele Bianchini, *Pennsylvania State University*; and Andrea Maiani, *Centro Italiano Ricerche Aerospaziali, Italy* (19, 3, p. 520) Article

**G96-080 Dynamic Modal Truncation–Relaxation.** S. Djerassi and G. J. Iddan, *RAFAEL, Ministry of Defense, Israel* (19, 3, p. 528) Article based on AIAA Paper 94-3574 CP948

**G96-081 Synchronization of Twin-Gyro Precession Under Cross-Coupled Adaptive Feedforward Control.** Li-Farn Yang and Wen-Hua Chang, *National Chung Cheng University, Taiwan, ROC* (19, 3, p. 534) Article

**G96-082 Flexible-Body Dynamics Modeling of a Vehicle Moving on the Rails of a Structure.** Achille Messac, *Northeastern University* (19, 3, p. 540) Article

**G96-083 Near-Optimal Highly Robust Guidance for Aeroassisted Orbital Transfer.** A. Miele and T. Wang, *Rice University* (19, 3, p. 549) Article

**G96-084 Minimizing Interceptor Size Using Neural Networks for Terminal Guidance Law Synthesis.** Ronald G. Cottrell, *Nichols Research Corporation*; and Thomas L. Vincent and Seyed Hossein Sadati, *University of Arizona* (19, 3, p. 557) Article

**G96-085 Root-Mean-Square Miss Distance of a Proportional Navigation Missile Against Sinusoidal Target.** Ernest J. Ohlmeyer, *U.S. Naval Surface Warfare Center* (19, 3, p. 563) Article

**G96-086 Analytical Solution of Three-Dimensional Realistic True Proportional Navigation.** Ciann-Dong Yang and Chi-Ching Yang, *National Cheng Kung University, Taiwan, ROC* (19, 3, p. 569) Article

**G96-087 Wave Approach for Control of Orientation and Vibration of a Flexible Structure.** Hironori A. Fujii, Kazunari Nakajima, and Koichi Matsuda, *Tokyo Metropolitan Institute of Technology, Japan* (19, 3, p. 578) Article

- G96-088 Sampled-Data System with Computation Time Delay: Optimal W-Synthesis Method.** Cheolkeun Ha, *University of Ulsan, Korea*; and Uy-Loi Ly, *University of Washington* (19, 3, p. 584) Article
- G96-089 Direct Optimization Using Collocation Based on High-Order Gauss-Lobatto Quadrature Rules.** Albert L. Herman and Bruce A. Conway, *University of Illinois at Urbana-Champaign* (19, 3, p. 592) Article
- G96-090 Quantitative Performance Robustness Linear Quadratic Optimal System Design.** Chih-Min Lin and Ze-Rong Shi, *Yuan-Ze Institute of Technology, Taiwan, ROC* (19, 3, p. 600) Article
- G96-091 Robust Control Design Strategy with Parameter-Dominated Uncertainty.** Moshe Idan and Guy E. Shaviv, *Technion-Israel Institute of Technology* (19, 3, p. 605) Article
- G96-092 Inertial Space Optimal Trajectories of Aerial Three-Dimensional Pursuit-Evasion Differential Game.** A. Segal, *Israel Aircraft Industries*; and T. Miloh, *Tel-Aviv University, Israel* (19, 3, p. 612) Article
- G96-093 Parametric Robustness Evaluation of a  $H_\infty$  Missile Autopilot.** Gilles Ferreres, *Aérospatiale Missiles, France*; and Mohammed M'Saad, *Laboratoire d'Automatique de Grenoble, France* (19, 3, p. 621) Article
- G96-094  $H_\infty$  Control of an Earth Observation Satellite.** Sandrine Le Ballois, *IUP Génie Électrique, France*; and Gilles Duc, *École Supérieure d'Électricité, France* (19, 3, p. 628) Article
- G96-095 Direct Optimization of Gain Scheduled Controllers via Genetic Algorithms.** Stuart C. Kramer, *U.S. Air Force Institute of Technology*; and Robert C. Martin IV, *U.S. Air Force Wright Laboratory* (19, 3, p. 636) Article
- G96-096 Optimal Recursive Iterative Algorithm for Discrete Nonlinear Least-Squares Estimation.** Gordon T. Haupt, N. Jeremy Kasdin, George M. Keiser, and Bradford W. Parkinson, *Stanford University* (19, 3, p. 643) Article
- G96-097 Mixed  $H_2/H_\infty$  Optimal Control for an Elastic Aircraft.** Yigang Fan, Eugene M. Cliff, Frederick H. Lutze, and Mark R. Anderson, *Virginia Polytechnic Institute and State University* (19, 3, p. 650) Article
- G96-098 Design of an Autoland Controller for an F-14 Aircraft Using  $H_\infty$  Synthesis.** R. J. Niewoehner and Isaac I. Kaminer, *U.S. Naval Postgraduate School* (19, 3, p. 656) Article
- G96-099 Nonlinear Flutter Analysis of Missiles with Pneumatic Fin Actuators.** E. Yehezkely and M. Karpel, *Technion-Israel Institute of Technology* (19, 3, p. 664) Article
- G96-100 Experimental Evaluation of an Adaptive Controller for a Wind-Driven Pitch Manipulator.** J. C. Magill, N. M. Komerath, and J. F. Dorsey, *Georgia Institute of Technology* (19, 3, p. 671) Article based on AIAA Paper 94-3657 CP948
- G96-101 Characterization of Periodic Motions in Aircraft Lateral Dynamics.** N. Ananthkrishnan and K. Sudhakar, *Indian Institute of Technology* (19, 3, p. 680) Article
- G96-102 Variational Solutions for the Heat-Rate-Limited Aeroassisted Orbital Transfer Problem.** Hans Seywald, *Analytical Mechanics Associates, Inc.* (19, 3, p. 686) Article
- G96-103 Adaptive Orbit Determination for Interplanetary Spacecraft.** P. Daniel Burkhart, *Jet Propulsion Laboratory, California Institute of Technology*; and Robert H. Bishop, *University of Texas at Austin* (19, 3, p. 693) Article
- G96-104 Spacecraft Euler Parameter Tracking of Large-Angle Maneuvers via Sliding Mode Control.** Rush D. Robinett and Gordon G. Parker, *Sandia National Laboratories* (19, 3, p. 702) Engineering Note
- G96-105 Spinup Maneuver and Nonlinear Active Nutation Damping.** Hwa-Suk Oh, *Electronics and Telecommunications Research Institute, Korea* (19, 3, p. 704) Engineering Note
- G96-106 Scanning Horizon Sensor Attitude Correction for Earth Oblateness.** Jonathan A. Tekawy, Patrick Wang, and Charles W. Gray, *The Aerospace Corporation* (19, 3, p. 706) Engineering Note
- G96-107 Detumbling and Reorienting Underactuated Rigid Spacecraft.** Victoria Coverstone-Carroll, *University of Illinois at Urbana-Champaign* (19, 3, p. 708) Engineering Note
- G96-108 Modeling of the Planar Motion of a Flexible Structure.** Michael S. Holmes, A. Ray, and David R. Mudgett, *Pennsylvania State University* (19, 3, p. 710) Engineering Note
- G96-109 Self-Sensing Magnetostrictive Actuator for Vibration Suppression.** Lowell Dale Jones and Ephraim Garcia, *Vanderbilt University* (19, 3, p. 713) Engineering Note
- G96-110 Precise Trajectory Tracking Control of Elastic Joint Manipulator.** Hamza Diken, *Istanbul Technical University, Turkey* (19, 3, p. 715) Engineering Note
- G96-111 Exponential Criterion-Based Guidance Law for Acceleration Constrained Missile and Maneuvering Target.** Ilan Rusnak, *RAFAEL, Ministry of Defense, Israel* (19, 3, p. 718) Engineering Note
- G96-112 Analytical Solution of Generalized Three-Dimensional Proportional Navigation.** Ciann-Dong Yang and Chi-Ching Yang, *National Cheng Kung University, Taiwan, ROC* (19, 3, p. 721) Engineering Note
- G96-113 Method for Improving Autopilot Lag Compensation in Intercept Guidance.** Thomas R. Blackburn, *Hughes Missile Systems Company* (19, 3, p. 724) Engineering Note
- G96-114 Passivity Motivated Controller Design for Flexible Structures.** Declan Hughes and John T. Wen, *Rensselaer Polytechnic Institute* (19, 3, p. 726) Engineering Note
- G96-115 Optimal Sensor Placement for Modal Identification Using System-Realization Methods.** Daniel C. Kammer, *University of Wisconsin-Madison* (19, 3, p. 729) Engineering Note
- G96-116 Sliding Control Using Output Feedback.** C. M. Kwan, *Automation and Robotics Research Institute* (19, 3, p. 731) Engineering Note
- G96-117 Parametric Uncertainty Reduction in Robust Missile Autopilot Design.** Jeff B. Burl, *Michigan Technological University*; and David L. Krueger, *U.S. Naval Strategic Weapons Facility* (19, 3, p. 733) Engineering Note
- G96-118 Frequency Domain Control of Single Input/Single Output Distributed Parameter Systems.** S. M. Yang and Y. C. Liu, *National Cheng Kung University, Taiwan, ROC* (19, 3, p. 736) Engineering Note
- G96-119 Optimal Control of a Rigid Body with Dissimilar Actuators.** Eric M. Queen, *NASA Langley Research Center*; and Larry Silverberg, *North Carolina State University* (19, 3, p. 738) Engineering Note

**G96-120 Line-of-Sight Guidance for Descent to a Minor Solar System Body.** Colin R. McInnes and Gianmarco Radice, *University of Glasgow, Scotland, UK* (19, 3, p. 740) Engineering Note

**G96-121 New Numerical Method Improving the Integration of Time in KS Regularization.** J. M. Ferrándiz, *Universidad de Alicante, Spain*; and J. Vigo-Aguiar, *Universidad de Salamanca, Spain* (19, 3, p. 742) Engineering Note

**G96-122 Periodic Optimal Flight.** Jason L. Speyer, *University of California, Los Angeles* (19, 4, p. 745) Article based on AIAA Paper 95-0001

**G96-123 Motion Control of a Free-Floating Variable Geometry Truss Part 1: Kinematics.** Shengyang Huang, *Toyota Technological Institute, Japan*; M. C. Natori, *Institute of Space and Astronautical Science, Japan*; and Kohichi Miura, *Nihon University, Japan* (19, 4, p. 756) Article

**G96-124 Motion Control of a Free-Floating Variable Geometry Truss Part 2: Inverse Kinematics.** Shengyang Huang, *Toyota Technological Institute, Japan*; M. C. Natori, *Institute of Space and Astronautical Science, Japan*; and Kohichi Miura, *Nihon University, Japan* (19, 4, p. 764) Article

**G96-125 Stabilization and Optimality Results for the Attitude Control Problem.** Panagiotis Tsiotras, *University of Virginia* (19, 4, p. 772) Article

**G96-126 Efficient Computation of Closed-Loop Frequency Response for Large-Order Flexible Systems.** Peiman G. Maghami, *NASA Langley Research Center*; and Daniel P. Giesy, *Lockheed Martin Engineering and Sciences* (19, 4, p. 780) Article

**G96-127 Derivation of Zero-Gravity Structural Control Models from Analysis and Ground Experimentation.** Roger M. Glaese and David W. Miller, *Massachusetts Institute of Technology* (19, 4, p. 787) Article

**G96-128 Adaptive Control of a Zero-Stiffness Suspension System.** Li-Farn Yang, Rueih-Chir Tzeng, and Chun-Pao Kuo, *National Chung Cheng University, Taiwan, ROC* (19, 4, p. 794) Article

**G96-129 Compact Finite Burn Targeting and Reconstruction Algorithm.** S. L. Hast, D. L. Oltrogge, and M. J. Hart, *The Aerospace Corporation* (19, 4, p. 801) Article

**G96-130 Active Control of Flexible Structures by Use of Segmented Piezoelectric Elements.** J. Callahan and H. Baruh, *Rutgers University* (19, 4, p. 808) Article

**G96-131 Attitude Control for Low Lift/Drag Re-Entry Vehicles.** Alberto Cavallo and Giuseppe De Maria, *Seconda Università di Napoli, Italy*; and Ferdinando Ferrara, *Centro Italiano Ricerche Aerospaziali, Italy* (19, 4, p. 816) Article

**G96-132 Development and Flight Test of Terrain-Referenced Guidance with Lader Forward Sensor.** Richard E. Zelenka, *NASA Ames Research Center*; Raymond F. Clark, *U.S. Army Command/Control and Systems Integration Directorate*; André Zirkler and Ron Saari, *Unixpros*; and Robert G. Branigan, *U.S. Army Night Vision and Electronic Sensor Systems Directorate* (19, 4, p. 823) Article

**G96-133 Effect of Common Process Noise on Two-Sensor Track Fusion.** R. K. Saha, *Nova Research Corporation* (19, 4, p. 829) Article

**G96-134 Indirect Identification of Linear Stochastic Systems with Known Feedback Dynamics.** Jen-Kuang Huang, *Old Dominion University*; Min-Hung Hsiao, *Taipei Institute of Technol-*

*ogy, Taiwan, ROC*; and David E. Cox, *NASA Langley Research Center* (19, 4, p. 836) Article

**G96-135 Measurement Reconstruction Approach for Distributed Multisensor Fusion.** Lucy Y. Pao, *University of Colorado* (19, 4, p. 842) Article based on AIAA Paper 94-3549 CP948

**G96-136 Reaching Conditions for Variable Structure Control with Output Feedback.** S. V. Yallapragada, *Qualcomm Inc.*; B. S. Heck, *Georgia Institute of Technology*; and J. D. Finney, *ABB Power T&D Company* (19, 4, p. 848) Article

**G96-137 Optimally Scaled  $H_\infty$  Full Information Control Synthesis with Real Uncertainty.** Gary J. Balas and Rick Lind, *University of Minnesota*; and Andy Packard, *University of California, Berkeley* (19, 4, p. 854) Article

**G96-138 Nonlinear Receding-Horizon State Estimation by Real-Time Optimization Technique.** Toshiyuki Ohtsuka, *University of Tsukuba, Japan*; and Hironori A. Fujii, *Tokyo Metropolitan Institute of Technology, Japan* (19, 4, p. 863) Article

**G96-139 Adaptive Control of Feedback Linearizable Nonlinear Systems with Application to Flight Control.** Sahjendra N. Singh, *University of Nevada*; and Marc Steinberg, *U.S. Naval Air Warfare Center* (19, 4, p. 871) Article

**G96-140 Synthesis of Optimal  $H_\infty$  Controllers via  $H_2$ -Based Loop-Shaping Design.** Ciann-Dong Yang and Chia-Yuan Chang, *National Cheng Kung University, Taiwan, ROC* (19, 4, p. 878) Article

**G96-141  $\mu$  Synthesis Using Linear Quadratic Gaussian Controllers.** Ciann-Dong Yang and Chia-Yuan Chang, *National Cheng Kung University, Taiwan, ROC* (19, 4, p. 886) Article

**G96-142 Adaptive-Critic-Based Neural Networks for Aircraft Optimal Control.** S. N. Balakrishnan and Victor Biega, *University of Missouri-Rolla* (19, 4, p. 893) Article

**G96-143 Optimized Feedforward Design Scheme Unifying Regulator and Command Generator Tracker.** Dohyeon Kim and Youdan Kim, *Seoul National University, Korea* (19, 4, p. 899) Article based on AIAA Paper 95-3265 CP957

**G96-144 Control of Wing Rock Using Adaptive Feedback Linearization.** Mogen M. Monahemi and Miroslav Krstic, *University of Maryland* (19, 4, p. 905) Article

**G96-145 Multivariable Control of the J-85 Turbojet Engine for Full Flight Envelope Operation.** Shih-Tin Lin and Chun-Mo Lee, *National Chung-Hsing University, Taiwan, ROC* (19, 4, p. 913) Article

**G96-146 Universal Formulation for the N-Body Problem.** Pedro E. Zadunaisky, *Comision Nacional de Actividades Espaciales and Universidad de Buenos Aires, Argentina*; and Claudia M. Giordano, *Universidad Nacional de La Plata, Argentina* (19, 4, p. 921) Article

**G96-147 Transfer Orbits in the Earth-Moon System Using a Regularized Model.** Antonio Fernando Bertachini de Almeida Prado, *National Institute for Space Research, Brazil*; and Roger Broucke, *University of Texas at Austin* (19, 4, p. 929) Article

**G96-148 On-Orbit Thruster Calibration.** Peter J. Wiktor, *Engineering Arts* (19, 4, p. 934) Article

**G96-149 Flight Envelopes for Hypersonic Aerorendezvous at Constant Altitude.** Yen-Hsun Chen and Shyuan-Jye Chen, *National Central University, Taiwan, ROC*; Jeng-Shing Chern, *Chung Shan Institute of Science and Technology, Taiwan, ROC*; and Zuu-

Chang Hong, *National Central University, Taiwan, ROC* (19, 4, p. 941) Article based on AIAA Paper 94-3472 CP949

**G96-150 Adaptive Attitude Control for an Artificial Satellite with Mobile Bodies.** Katsuhiko Yamada and Shoji Yoshikawa, *Mitsubishi Electric Corporation, Japan* (19, 4, p. 948) Article

**G96-151 Fuel-Efficient Pulse Command Profiles for Flexible Spacecraft.** William Singhose, Kristen Bohlke, and Warren Seering, *Massachusetts Institute of Technology* (19, 4, p. 954) Article

**G96-152 Optimal Sensor Placement of Large Flexible Space Structures.** Emerson Tongco and Deirdre Meldrum, *University of Washington* (19, 4, p. 961) Engineering Note

**G96-153 Novel Approach to Reconfigurable Control Systems Design.** Nitin Dhayagude and Zhiqiang Gao, *Cleveland State University* (19, 4, p. 963) Engineering Note

**G96-154 Pole Assignment for Optimal Regulators with a Non-negative Definite Weighting Matrix.** Y. Ochi and B. Wie, *Arizona State University*; and K. Kanai, *National Defense Academy, Japan* (19, 4, p. 967) Engineering Note based on AIAA Paper 95-3300 CP957

**G96-155 Asymptotic Linear Quadratic Control for Lightly Damped Structures.** Mark E. Campbell and Edward F. Crawley, *Massachusetts Institute of Technology* (19, 4, p. 969) Engineering Note

**G96-156 Real-Time Optimal State Feedback Control for Tethered Subsatellite System.** Kentaro Kokubun, Seiichi Anazawa, and Hironori A. Fujii, *Tokyo Metropolitan Institute of Technology, Japan* (19, 4, p. 972) Engineering Note

**G96-157 Regional Pole Placement Method for Discrete-Time Systems.** Hardev Singh, D. Subbaram Naidu, and Kevin L. Moore, *Idaho State University* (19, 4, p. 974) Engineering Note

**G96-158 Dynamic Boundary Evaluation Method for Approximate Optimal Lunar Trajectories.** Matthew L. Rivas and Bion L. Pierson, *Iowa State University* (19, 4, p. 976) Engineering Note

**G96-159 Nonlinear Autopilot Design for Bank-to-Turn Steering of a Flight Vehicle.** Liang-Boon Wee, *Defence Science Organization, Singapore* (19, 4, p. 978) Engineering Note

**G96-160 Motion of a Spacecraft with Magnetic Damper.** Carlos M. Roithmayr, *NASA Johnson Space Center*; Anren Hu, *Dynacs Engineering Company*; and Richard Chipman, *Grumman Corporation* (19, 4, p. 980) Engineering Note

**G96-161 Ground-Based Simulation of Space Manipulators Using Test Bed with Suspension System.** Hironori A. Fujii, Kenji Uchiyama, and Hideharu Yoneoka, *Tokyo Metropolitan Institute of Technology, Japan*; and Tsugito Maruyama, *Fujitsu Laboratories, Ltd.*, *Japan* (19, 5, p. 985) Article

**G96-162 New Method for Accurate and Consistent Identification of Modal Parameters.** R. M. Lin and S.-F. Ling, *Nanyang Technological University, Singapore* (19, 5, p. 992) Article

**G96-163 Vibration Control of Flexible Structures Using a Combined  $H_\infty$  Filter Approach.** Mitsumasa Sato, *Kawasaki Heavy Industries, Japan*; and Masayuki Suzuki, *Nagoya University, Japan* (19, 5, p. 1000) Article

**G96-164 New Pulse-Modulation Technique for Guidance and Control of Automated Spacecraft.** Sam W. Thurman, *Jet Propulsion Laboratory, California Institute of Technology*; and Henryk Flashner, *University of Southern California* (19, 5, p. 1007) Article

**G96-165 Closed-Form Optimal Guidance Law for Missiles of Time-Varying Velocity.** Hangju Cho and Chang Kyung Ryo, *Agency for Defense Development, Korea*; and Min-Jea Tahk, *Korea Advanced Institute of Science and Technology* (19, 5, p. 1017) Article

**G96-166 New Optimal Approach to Global Positioning System/Differential Global Positioning System Integrity Monitoring.** Igor V. Nikiforov, *Université de Technologie de Troyes, France* (19, 5, p. 1023) Article based on AIAA Paper 95-3192 CP957

**G96-167 REQUEST: A Recursive QUEST Algorithm for Sequential Attitude Determination.** Itzhack Y. Bar-Itzhack, *NASA Goddard Space Flight Center* (19, 5, p. 1034) Article

**G96-168 Robust Control of Passive-Jointed Robot and Experimental Validation Using Sliding Mode.** Paul I. Ro and Chih-Chen Yih, *North Carolina State University* (19, 5, p. 1039) Article

**G96-169 Robust Digital Autopilot Design for Spacecraft Equipped with Pulse-Operated Thrusters.** Sam W. Thurman, *Jet Propulsion Laboratory, California Institute of Technology*; and Henryk Flashner, *University of Southern California* (19, 5, p. 1047) Article

**G96-170 Gain-Scheduled Bank-to-Turn Autopilot Design Using Linear Parameter Varying Transformations.** Lance H. Carter and Jeff S. Shamma, *University of Texas at Austin* (19, 5, p. 1056) Article

**G96-171 Moving Mass Trim Control for Aerospace Vehicles.** Rush D. Robinett III, Beverly R. Sturgis, and Shawn A. Kerr, *Sandia National Laboratories* (19, 5, p. 1064) Article

**G96-172 High-Performance Active Control of Dynamically Complex Space Structures.** D. J. Phillips, J. A. King, L. D. Davis, and D. C. Hyland, *Harris Corporation* (19, 5, p. 1071) Article

**G96-173 Robust  $H_\infty$  Stabilizing Controllers for a Seeker Scan Loop System.** H. Y. Hwang, *Agency for Defense Development, Korea*; and W. E. Schmitendorf, *University of California, Irvine* (19, 5, p. 1081) Article

**G96-174 Discrete-Time, Mixed-Norm Control Synthesis Applied to Aircraft Terrain Following.** David R. Jacques, D. Brett Ridgely, and Robert A. Canfield, *U.S. Air Force Institute of Technology* (19, 5, p. 1088) Article

**G96-175 Quantitative Feedback Theory with a Scheduled Gain for Full Envelope Longitudinal Control.** S. Antony Snell and Perry W. Stout, *University of California, Davis* (19, 5, p. 1095) Article based on AIAA Paper 95-3254 CP957

**G96-176 Closed-Loop, Estimator-Based Model of Human Posture Following Reduced Gravity Exposure.** Dava J. Newman, Karl U. Schultz, and Jennifer L. Rochlis, *Massachusetts Institute of Technology* (19, 5, p. 1102) Article

**G96-177 Development and Flight Testing of Quantitative Feedback Theory Pitch Rate Stability Augmentation System.** Paul L. Fontenrose and Charles E. Hall Jr., *North Carolina State University* (19, 5, p. 1109) Article

**G96-178 Comparison and Combination of Learning Controllers: Computational Enhancement and Experiments.** Gina J. Lee-Glauser, *Clarkson University*; Jer-Nan Juang, *NASA Langley Research Center*; and Richard W. Longman, *Columbia University* (19, 5, p. 1116) Article

**G96-179 Optimal Power-Limited Rendezvous with Upper and Lower Bounds on Thrust.** Thomas E. Carter, *Eastern Connecticut*

*State University*; and Cyrus J. Pardis, *Worcester Polytechnic Institute* (19, 5, p. 1124) Article

**G96-180 Robust Predictor-Corrector Guidance for Aeroassisted Orbital Transfer.** A. Miele and T. Wang, *Rice University* (19, 5, p. 1134) Article

**G96-181 Powered Swingby.** Antonio Fernando Bertachini de Almeida Prado, *National Institute for Space Research, Brazil* (19, 5, p. 1142) Article

**G96-182 Control and Flight Performance of Tethered Satellite Small Expendable Deployment System-II.** E. C. Lorenzini and S. B. Bortolami, *Harvard-Smithsonian Center for Astrophysics*; C. C. Rupp, *NASA Marshall Space Flight Center*; and F. Angrilli, *University of Padua, Italy* (19, 5, p. 1148) Article

**G96-183 Momentum Transfer in Two-Rotor Gyrostats.** Christopher D. Hall, *U.S. Air Force Institute of Technology* (19, 5, p. 1157) Article

**G96-184 Analytical Vibration and Resonant Motion of a Stretched Spinning Nonlinear Tether.** Albert C. J. Luo, Ray P. S. Han, and G. Tyc, *University of Manitoba, Canada*; V. J. Modi, *University of British Columbia, Canada*; and A. K. Misra, *McGill University, Canada* (19, 5, p. 1162) Article

**G96-185 Fuel Slosh in Skewed Tanks.** M. J. Abzug, *ACA Systems* (19, 5, p. 1172) Article

**G96-186 Vibration Control of a Flexible Beam Using Shape Memory Alloy Actuators.** Seung-Bok Choi and Chae-Cheon Cheong, *Inha University, Korea* (19, 5, p. 1178) Engineering Note

**G96-187 Near-Optimal Operation of Dual-Fuel Launch Vehicles.** M. D. Ardema, and H.-C. Chou, *Santa Clara University*; and J. V. Bowles, *NASA Ames Research Center* (19, 5, p. 1180) Engineering Note

**G96-188 Effect of Damping on the Structure of the Time-Optimal Control Profile.** T. Singh, *State University of New York at Buffalo* (19, 5, p. 1182) Engineering Note

**G96-189 Decoupling of the Longitudinal Modes of Advanced Aircraft.** M. G. Skarpetis, *National Technical University of Athens, Greece*; and F. N. Koumboulis, *University of Thessaly, Greece* (19, 5, p. 1184) Engineering Note

**G96-190 Global Stabilization of Flexible Multibody Spacecraft Using Quaternion-Based Nonlinear Control Law.** A. G. Kelkar, *Kansas State University*; and S. M. Joshi, *NASA Langley Research Center* (19, 5, p. 1186) Engineering Note

**G96-191 Optimal Output Trajectory Redesign for Invertible Systems.** S. Devasia, *University of Utah* (19, 5, p. 1189) Engineering Note

**G96-192 Instrumentation Analysis Using Parameter Estimation of Simulated Data.** Justin Wakefield Thomas, *Science Applications International Corporation*; and Charles E. Hall Jr., *North Carolina State University* (19, 5, p. 1191) Engineering Note

**G96-193 Altitude for Maximum Angular Velocity About the Earth During Hypersonic Cruise.** Nikos Markopoulos and Kenneth D. Mease, *Princeton University* (19, 5, p. 1193) Engineering Note

**G96-194 Periodic Motion in the Tethered Satellite System.** Shaohua Yu, *Chinese Academy of Sciences, PRC* (19, 5, p. 1195) Engineering Note

**G96-195 Spacecraft Attitude Estimation Using Global Posi-**

**tioning System: Methodology and Results for RADCAL.** Penina Axelrad and Lisa M. Ward, *University of Colorado* (19, 6, p. 1201) Article

**G96-196 Optimal Planar Evasive Aircraft Maneuvers Against Proportional Navigation Missiles.** Shaw Y. Ong, *Singapore Technologies Aerospace, Ltd., Singapore*; and Bion L. Pierison, *Iowa State University* (19, 6, p. 1210) Article

**G96-197 Removing Bias from Discrete Time Models Based on Finite Interval Response Data.** Myles L. Baker and D. Lewis Mingori, *University of California, Los Angeles* (19, 6, p. 1216) Article based on AIAA Paper 94-3640 CP948

**G96-198 Global-Local Observer Markov Parameter Identification for System Realization.** Michael Papadopoulos and Ephraim Garcia, *Vanderbilt University*; and Robert H. Tolson, *George Washington University and NASA Langley Research Center* (19, 6, p. 1221) Article

**G96-199 Lyapunov Stability Analysis of Daisy Chain Control Allocation.** James M. Buffington and Dale F. Enns, *University of Minnesota* (19, 6, p. 1226) Article based on AIAA Paper 95-3341 CP957

**G96-200 Mixed Linear-Quadratic/Eigenstructure Strategy for Design of Stability Augmentation Systems.** Giovanni Mengali, *University of Pisa, Italy* (19, 6, p. 1231) Article

**G96-201 Application of Real Structured Singular Values to Flight Control Law Validation.** Piero Miotto and James D. Paduano, *Massachusetts Institute of Technology* (19, 6, p. 1239) Article

**G96-202 Application of Multivariable Linear Control Design to Marine Towed Systems.** J. W. Kamman, *Western Michigan University*; S. D. Patek, *Massachusetts Institute of Technology*; and S. A. Hoeckley, *Coastal Systems Station* (19, 6, p. 1246) Article

**G96-203 Method for Automatic Costate Calculation.** Hans Seywald and Renjith R. Kumar, *Analytical Mechanics Associates, Inc.* (19, 6, p. 1252) Article based on AIAA Paper 96-3699

**G96-204 Homotopy Algorithm for Fixed Order Mixed  $H_2/H_\infty$  Design.** Mark Whorton, *NASA Marshall Space Flight Center*; and Harold Buschek and Anthony J. Calise, *Georgia Institute of Technology* (19, 6, p. 1262) Article

**G96-205 Stability and Flying Qualities Robustness of a Dynamic Inversion Aircraft Control Law.** Joseph S. Brinker and Kevin A. Wise, *McDonnell Douglas Aerospace* (19, 6, p. 1270) Article

**G96-206 Reduction of Coolant Fuel Losses in Hypersonic Flight by Optimal Trajectory Control.** Gottfried Sachs and Michael Dinkelmann, *Technical University of Munich, Germany* (19, 6, p. 1278) Article based on AIAA Paper 95-3371 CP957

**G96-207 Modified Recursive Maximum Likelihood Adaptive Filter for Nonlinear Aircraft Flight-Path Reconstruction.** Q. P. Chu, J. A. Mulder, and P. T. L. M. van Woerkom, *Delft University of Technology, The Netherlands* (19, 6, p. 1285) Article

**G96-208 First Results of Reduced Dynamics with DORIS on TOPEX/Poseidon and SPOT.** Béatrice Barotto and Jean-Paul Berthias, *Centre National d'Etudes Spatiales, France* (19, 6, p. 1296) Article based on AIAA Paper 94-3778 CP9411

**G96-209 Preliminary Study of Optimal Thrust-Limited Path-Constrained Maneuvers.** Russel S. Wenzel, *Lockheed Martin Missiles and Space Company, Inc.*; and John E. Prussing, *University of Illinois at Urbana-Champaign* (19, 6, p. 1303) Article

**G96-210 Optimality and Guidance for Planar Multiple-Burn Orbit Transfers.** C.-H. Chuang, Troy D. Goodson, and Laura A. Ledsinger, *Georgia Institute of Technology*; and John Hanson, *NASA Marshall Space Flight Center* (19, 6, p. 1310) Article

**G96-211 Explicit, Near-Optimal Guidance for Power-Limited Transfers Between Coplanar Circular Orbits.** Nikos Markopoulos, *Georgia Institute of Technology* (19, 6, p. 1317) Article based on AIAA Paper 95-3359 CP957

**G96-212 Attitude Determination Studies for the Earth Observation System AM1 (EOS-AM1) Mission.** P. Kudva, *McDonnell Douglas Aerospace*; and A. Throckmorton, *Lockheed Martin Missiles and Space* (19, 6, p. 1326) Article based on AIAA Paper 94-3561 CP948

**G96-213 Preliminary Star Catalog Development for the Earth Observation System AM1 (EOS-AM1) Mission.** P. Kudva, *McDonnell Douglas Aerospace*; and A. Throckmorton, *Lockheed Martin Missiles and Space* (19, 6, p. 1332) Article based on AIAA Paper 94-3619 CP948

**G96-214 Mercury Sun-Synchronous Polar Orbits Using Solar Sail Propulsion.** Manfred E. Leipold, *German Aerospace Research Establishment, Germany*; and Otto Wagner, *Technical University of Munich, Germany* (19, 6, p. 1337) Article

**G96-215 Eigenvector Scaling for Mode Localization in Vibrating Systems.** Franz J. Shelley and William W. Clark, *University of Pittsburgh* (19, 6, p. 1342) Article

**G96-216 Sensor Placement for Time-Domain Modal Parameter Estimation.** Chinchao Liu and Frederick A. Tasker, *University of Maryland Baltimore County* (19, 6, p. 1349) Article

**G96-217 Multivariable High-Authority Control of Plate-Like Active Structures.** Kenneth B. Lazarus, Edward F. Crawley, and Charrissa Y. Lin, *Massachusetts Institute of Technology* (19, 6, p. 1357) Article

**G96-218 Position Tracking Control of a Smart Flexible Structure Featuring a Piezofilm Actuator.** Seung-Bok Choi, Chae-

Cheon Cheong, and Chul-Hee Lee, *Inha University, Korea* (19, 6, p. 1364) Article

**G96-219 Hankel Singular Values of Flexible Structures in Discrete Time.** K. B. Lim, *NASA Langley Research Center*; and W. Gawronski, *Jet Propulsion Laboratory, California Institute of Technology* (19, 6, p. 1370) Article based on AIAA Paper 96-3757

**G96-220 State-Space System Identification from Closed-Loop Frequency Response Data.** Jen-Kuang Huang, Hyun Chang Lee, and Marco P. Schoen, *Old Dominion University*; and Min-Hung Hsiao, *Taipei Institute of Technology, Taiwan, ROC* (19, 6, p. 1378) Engineering Note

**G96-221 Sliding Mode Control Using Modified Rodrigues Parameters.** John L. Crassidis, *Catholic University of America*; and F. Landis Markley, *NASA Goddard Space Flight Center* (19, 6, p. 1381) Engineering Note

**G96-222 Application of a Learning Control Algorithm to a Rotor Blade Tab.** Janusz P. Narkiewicz, *Warsaw University of Technology, Poland*; and George T. S. Done, *City University, England, UK* (19, 6, p. 1383) Engineering Note

**G96-223 Antiwindup Controllers for Systems with Input Nonlinearities.** Wassim M. Haddad and Vikram Kapila, *Georgia Institute of Technology* (19, 6, p. 1387) Engineering Note

**G96-224 Explicit Guidance for Aeroassisted Orbital Plane Change.** Der-Ming Ma, *Tamkang University, Taiwan, ROC* (19, 6, p. 1390) Engineering Note based on AIAA Paper 94-3527 CP949

**G96-225 Determination of Equilibrium Points for an Aircraft Dynamic Model.** Giulio Avanzini, *University of Rome "La Sapienza," Italy*; and Guido de Matteis, *Politecnico di Torino, Italy* (19, 6, p. 1392) Engineering Note

**G96-226 Variable Structure Controller Design for Robust Tracking and Model Following.** Kuo-Kai Shyu and Chih-Yuan Liu, *National Central University, Taiwan, ROC* (19, 6, p. 1395) Engineering Note