

References

- ¹Parsons, J.S., Goodson, R.E., and Goldschmied, F.R., "Shaping of Axisymmetric Bodies for Minimum Drag in Incompressible Flow," *Journal of Hydraulics*, Vol. 8, July 1974, pp. 100-107.
- ²Thwaites, B., editor, *Incompressible Aerodynamics*, Oxford at the Clarendon Press, Oxford, England, 1960.
- ³Carmichael, B.H., "Underwater Vehicle Drag Reduction Through Choice of Shape," AIAA Paper 66-657, June 1966.
- ⁴Rosenhead, L., ed., *Laminar Boundary Layers*, Oxford at the Clarendon Press, Oxford, England, 1963, p. 303.
- ⁵Granville, P.S., "The Calculations of Viscous Drag of Bodies of Revolution," Rept. 849, 1953, The David Taylor Model Basin, Naval Ship and Research Development Center, Washington, D.C.
- ⁶Schlichting, H., *Boundary Layer Theory*, 6th Ed., New York: McGraw-Hill, 1968.
- ⁷Stratford, B.S., "An Experimental Flow with Zero Skin Friction Throughout its Region of Pressure Rise," *Journal of Fluid Mechanics*, Vol. 5, Pt. 1, Jan. 1959.
- ⁸Goldschmied, F.R., "Integrated Hull Design, Boundary-Layer Control, and Propulsion of Submerged Bodies," *Journal of Hydraulics*, Vol. 1, July 1967, pp. 2-11.

Reply by Authors to P. R. Payne

Jerome S. Parsons* and Raymond E. Goodson†
Purdue University, Lafayette, Ind.

and

Fabio R. Goldschmied‡
Westinghouse Electric Corporation, Pittsburgh, Pa.

FIRST, P.R. Payne's compliments on our paper are appreciated. The paper's achievements are based on combining the optimization algorithm and a state-of-the-art hydrodynamics model which exists in the open literature. Recognizing that more work is needed in the drag modeling area, the optimization algorithm has been developed independent of the hydrodynamics code so that model in op-

Received December 3, 1974.

Index categories: Hydrodynamics; Marine Vessel Design (Including Loads); Marine Vessel Systems, Submerged.

*Graduate Research Assistant, Automatic Control Center, School of Mechanical Engineering; presently Member of the Technical Staff, Bell Telephone Laboratories, Whippany, N.J.

†Professor and Director of Automatic Control Center, School of Mechanical Engineering; presently Chief Scientist, U.S. Department of Transportation, Washington, D.C.

‡Advisory Scientist, Research Laboratories. Associate Fellow AIAA.

timization improvements can be easily incorporated into the method. For example, the transition criterion is critical in any drag model. In this regard, the third author has recently presented a new transition prediction algorithm to be used in this optimization procedure.¹

Second, Payne gently chided us for forgetting to credit his earlier work. We are not aware of any previous efforts by Payne and his associates in the area of automatic design of optimum bodies for minimum drag. Payne, moreover, does not quote any publication documenting such work which we might have used.

Finally, the third author believes it is misleading to be classified as "an advocate of boundary-layer suction"; rather, he is an advocate of the optimum integration of hull design, boundary-layer control, and jet propulsion (Payne's Ref. 8). Such integrated design is another problem that may be handled by the optimization strategy of the present paper.

References

- ¹Goldschmied, F.R., "Transition Prediction Algorithm for Axisymmetric Submerged Bodies," U.S. Navy Ordnance Hydroballistic Advisory Committee Meeting, Newport, R.I., Oct. 1974.

Addition to the Reply by Author to a Comment by P. R. Payne

D. W. Sallet*
University of Maryland, College Park, Md.

THE reply by Sallet which was published in this journal (Vol. 8, No. 3, July 1974, p. 123) was in response to a different comment by Payne, and was not in response to the comment which is printed immediately preceding the reply. In the original version of Payne's comment, from which the reply was drafted and which was approximately 1/5 the length of the printed version, Payne gave a short conclusion to which the author's reply was addressed. In essence this conclusion is now reflected in the two paragraphs on p. 121 below Eq. (7). It is misleading to the reader if the discussor changes his discussion after he has read the reply by the author. At the very least, the discussor should notify the author that the comment was changed.

Received December 23, 1974.

Index categories: Hydrodynamics; Jets, Wakes, and Viscid-Inviscid Flow Interactions; Marine Mooring Systems and Cable Mechanics.

*Associate Professor. Department of Mechanical Engineering.