

Chronological Index

B85-046 Study of an Asymmetric Flap Nozzle as a Thrust-Vectoring Device. C. C. Wu, *California State University, Los Angeles*; and W. L. Chow, *University of Illinois* (1, 4, p. 286) Article based on AIAA Paper 84-1360

Technical Comment by J. M. Hardy, *Societe Nationale d'Etude et de Constructions de Moteurs d'Aviation (SNECMA), France* (3, 1, p. 96)

Reply (3, 1, p. 96)

B87-001 Pollutant Formation in Heterogeneous Mixtures of Fuel Drops and Air. K. K. Rink and A. H. Lefebvre, *Purdue University* (3, 1, p. 5) Article based on AIAA Paper 86-1526

B87-002 Mean Drop Sizes from Pressure-Swirl Nozzles. X. F. Wang and A. H. Lefebvre, *Purdue University* (3, 1, p. 11) Article

B87-003 Different Modes of Crack Propagation in Burning Solid Propellants. K. K. Kuo, J. Moreci and J. Mantzaras, *Pennsylvania State University* (3, 1, p. 19) Article based on AIAA Paper 85-1176

B87-004 Experiment on Multiple Fuel Supplies to Air Breathing Rocket Combustors. Nobuo Chinzei, Goro Masuya, Kenji Kudo, Atsuo Murakami and Tomoyuki Komuro, *National Aerospace Laboratory, Japan* (3, 1, p. 26) Article

B87-005 Measurement of MPD Thruster Erosion Using Surface Layer Activation. J. E. Polk, W. von Jaskowsky, A. J. Kelley and R. G. Jahn, *Princeton University* (3, 1, p. 33) Article

B87-006 Euler Solutions for Highly Loaded Turbine Cascades. B. N. Srivastava, *Avco Everett Research Laboratory Inc.*; and R. Bozzola, *Avco Lycoming Division* (3, 1, p. 39) Article

B87-007 Selection of Burn-Resistant Materials for Oxygen-Driven Turbopumps. Len Schoenman, *Aerojet TechSystems Company* (3, 1, p. 46) Article based on AIAA Paper 84-1287

B87-008 Afterbody Flowfield Computations at Transonic and Supersonic Mach Numbers. Uriel C. Goldberg, Joseph J. Gorski and Sukumar R. Chakravarthy, *Rockwell International Science Center* (3, 1, p. 56) Article based on AIAA Paper 85-1639 and 85-4081

B87-009 Boundary-Layer Effects on the Flowfield about Isolated Flow-Through Nacelles. William B. Compton III, *NASA Langley Research Center*; and John L. Whitesides, *George Washington University, NASA Langley Research Center* (3, 1, p. 63) Article based on AIAA Paper 85-1623

B87-010 Numerical Simulation of Nonequilibrium Plasma in an MHD Generator. Y. Yoshikawa and S. Kabashima, *Tokyo Institute of Technology, Japan* (3, 1, p. 71) Article

B87-011 Fatigue Criterion to System Design, Life, and Reliability. Erwin V. Zaretsky, *NASA Lewis Research Center* (3, 1, p. 76) Article based on AIAA Paper 85-1140

B87-012 Proximity Transducer Technique for Bearing Health Monitoring. P. Y. Kim, *National Research Council, Canada* (3, 1, p. 84) Article

B87-013 Reduction of Plasma Loss to Discharge Chamber Walls in a Ring-Cusp Ion Thruster. Yoshihiro Arakawa and Chinami Hamatani, *University of Tokyo, Japan* (3, 1, p. 90) Technical Note

B87-014 Off-Design Analysis of Counter-Rotating Propeller Configurations. K. D. Korkan and J. A. Gazzaniga, *Texas A&M University* (3, 1, p. 91) Technical Note

B87-015 Flow Generated by Ramp Tabs in a Rocket Nozzle Exhaust. J. M. Simmons, C. M. Gourlay and B. A. Leslie, *University of Queensland, Australia* (3, 1, p. 93) Technical Note based on AIAA Paper 86-0282

B87-018 Development of Test Facility and Optical Instrumentation for Turbulent Combustion Research. D. R. Ballal, A. J. Lightman and P. P. Yaney, *University of Dayton* (3, 2, p. 97) Article based on AIAA Paper 86-0045

B87-019 Prediction of the Structure of Fuel Sprays in Cylindrical Combustion Chambers. Jian-Shun Shuen, *Sverdrup Technology Inc./NASA Lewis Research Center* (3, 2, p. 105) Article

B87-020 Temperature and Concentration Measurements in a Solid Fuel Ramjet Combustion Chamber. G. Schulte, R. Pein and A. Högl, *Institute for Chemical Propulsion and Engineering, Federal Republic of Germany* (3, 2, p. 114) Article

B87-021 Theory of Onset in Magnetoplasmadynamic Thrusters. J. L. Lawless and V.V. Subramaniam, *Carnegie-Mellon University* (3, 2, p. 121) Article based on AIAA Paper 85-2039

B87-022 Data Analysis of Diagonally Connected Magnetohydrodynamic Power Generator Experiments. Carlson C. P. Pian, *Avco Research Laboratory* (3, 2, p. 128) Article

B87-023 Microwave Electrothermal Thruster Performance in Helium Gas. S. Whitehair and J. Asmussen, *Michigan State University*; and S. Nakanishi, *Analex Corporation* (3, 2, p. 136) Article

B87-024 Enhancement of Mixing in Reacting Fuel-Rich Plumes Issued from Elliptical Nozzles. K. C. Schadow, K. J. Wilson and M. J. Lee, *U. S. Naval Weapons Center*; and E. Gutmark, *University of Southern California* (3, 2, p. 145) Article

B87-025 Design of Compressed Truncated Perfect Nozzles. Joe D. Hoffman, *Purdue University* (3, 2, p. 150) Article based on AIAA Paper 85-1172

B87-026 Experimental Investigation of Unsteady Fan Flow Interaction with Downstream Struts. W. F. Ng, W. F. O'Brien and T. L. Olsen, *Virginia Polytechnic Institute and State University* (3, 2, p. 157) Article based on AIAA Paper 86-1870

B87-027 Experimental Study of the Aerodynamics of Incipient Torsional Stall Flutter. F. O. Carta and P. F. Lorber, *United Technologies Research Center* (3, 2, p. 165) Article based on AIAA Paper 86-0901

B87-028 Magnetogasdynamic Effects on Acoustic Waves in

MHD Generators. A. Currue Munce Jr., Morton Mitchner and J. Kent Koester, *Stanford University* (3, 2, p. 171) Article

B87-029 Technology for the Design of High Temperature Rise Combustors. D. W. Bahr, *General Electric Company* (3, 2, p. 179) Article based on AIAA Paper 85-1292

B87-030 Electrostatic Spray Modification in Gas Turbine Combustion. J. A. Miller, O. Biblarz, A. Zajdman, W. W. Manning II and J. A. Mavroudis, *U. S. Naval Postgraduate School* (3, 2, p. 187) Article

B87-031 Consideration of Two-Dimensional Flow Effects on Nozzleless Rocket Performance. Merrill K. King, *Atlantic Research Corporation* (3, 3, p. 194) Synoptic based on AIAA Paper 84-1313

B87-032 Concept and Technique for Probing Channel Flows with Abrupt Perturbations. M. Sajben and J. C. Kroutil, *McDonnell Douglas Research Laboratories* (3, 3, p. 196) Article based on AIAA Paper 86-0311

B87-033 High-Resolution Patternator for the Characterization of Fuel Sprays. John B. McVey, Sid Russell and Jan B. Kennedy, *United Technologies Research Center* (3, 3, p. 202) Article based on AIAA Paper 86-1726

B87-034 Application of Spatially Precise Laser Diagnostics to Fundamental and Applied Combustion Research. Alan C. Eckbreth, *United Technologies Research Center* (3, 3, p. 210) Article based on AIAA Paper 86-0138

B87-035 Effects of Multiple Rows and Noncircular Orifices on Dilution Jet Mixing. J.D. Holdeman, *NASA Lewis Research Center*; R. Srinivasan, E.B. Coleman, G.D. Meyers and C.D. White, *Garrett Turbine Engine Company* (3, 3, p. 219) Article based on AIAA Paper 85-1104

B87-036 Characteristics and Evaporation History of Fuel Spray Injected into Crossflowing Airstreams. Jun Yong Zhu, *Beijing Institute of Aeronautics and Astronautics, China*; and Ju Shan Chin, *Purdue University* (3, 3, p. 227) Article based on AIAA Paper 86-1528

B87-037 Modified Maximum Principal Stress Criterion for Propellant Liner Bond Failures. T. L. Kuhlmann, R. L. Peeters and K. W. Bills Jr., *Aerojet Strategic Propulsion Company* (3, 3, p. 235) Article based on AIAA Paper 85-1439

B87-038 Small Centrifugal Pumps for Low-Thrust Rockets. R. B. Furst, R. M. Burgess and N. C. Gulbrandsen, *Rockwell International/Rocketdyne Division*; and D. D. Scheer, *NASA Lewis Research Center* (3, 3, p. 241) Article based on AIAA Paper 85-1302

B87-039 Ring-Shaped Discharge Structures in a Closed Cycle MHD Disk Generator. Hiroshi Fukuda and Shigeharu Kabashima, *Tokyo Institute of Technology, Japan* (3, 3, p. 249) Article

B87-040 Numerical Study of Laser Sustained Hydrogen Plasmas in a Forced Convective Flow. San-Mou Jeng and Dennis R. Keefer, *The University of Tennessee Space Institute* (3, 3, p. 255) Article based on AIAA Paper 86-1524

B87-041 Computation of Confined Turbulent Coaxial Jet Flows. M. Nallasamy, *Sverdrup Technology, Inc.* (3, 3, p. 263) Article based on AIAA Paper 86-0128

B87-042 Numerical Simulation of the Flowfield in a Motored Two-Dimensional Wankel Engine. T. I. -P. Shih, *University of Florida*; J. H. Schock, H. L. Nguyen and J. D. Stegeman,

NASA Lewis Research Center (3, 3, p. 269) Article

B87-043 Euler Analysis of Transonic Propeller Flows. J. M. Barton and O. Yamamoto, *Sverdrup Technology, Inc.*; and L. J. Bober, *NASA Lewis Research Center* (3, 3, p. 277) Article based on AIAA Paper 85-1263

B87-044 Effects of Alternative Fuels on Ignition Limits of the

J85 Annular Combustor. T. A. Jarymowycz and A. M. Mellor, *Drexel University* (3, 3, p. 283) Article

B87-045 Numerical Studies of Recirculating Ducted Flows. J. J. Lee and R. J. Schulz, *University of Tennessee* (3, 4, p. 289) Synoptic based on AIAA Paper 86-0130

B87-046 Suppression of Oscillations in Confined Disk-Stabilized Flames. S. Sivasegaram and J. H. Whitelaw, *Imperial College of Science and Technology, England* (3, 4, p. 291) Article

B87-047 Direct Measurement of High Frequency, Solid Propellant, Pressure-Coupled Admittances. J. R. Wilson and M. M. Micci, *The Pennsylvania State University* (3, 4, p. 297) Article based on AIAA Paper 85-113

B87-048 Combustion of Magnesium/Polytetrafluoroethylene. N. Kubota, *Japan Defense Agency*; and C. Serizawa, *Nippon Oil & Fats Company Ltd., Japan* (3, 4, p. 303) Article based on AIAA Paper 86-1592

B87-049 Dual-Interrupted-Thrust Pulse Motor. J. L. C. Carrier, T. Constantinou, P. G. Harris and D. L. Smith, *Defence Research Establishment Valcartier, Canada* (3, 4, p. 308) Article based on AIAA Paper 86-1576

B87-050 Advanced Technology Payoffs for Future Small Propulsion Systems. M. A. Turk and P. K. Zeiner, *Garrett Turbine Engine Company* (3, 4, p. 313) Article based on AIAA Paper 86-1545

B87-051 Generalized Theory of Rocket Propulsion for Future Space Travel. Michael A. Minovitch, *Phaser Telepropulsion, Inc.* (3, 4, p. 320) Article based on AIAA Paper 85-1370

B87-052 Performance of High-Area-Ratio Nozzle for a Small Rocket Thruster. Raymond Kushida, Jerry Hermel, Steve Apfel and Michael Zydowicz, *Hughes Aircraft Company* (3, 4, p. 329) Article based on AIAA Paper 86-1573

B87-053 A Navier-Stokes Nozzle Analysis Technique. Jeffrey J. Brown, *Boeing Commercial Airplane Company* (3, 4, p. 334) Article based on AIAA Paper 86-1613

B87-054 Swirling Supersonic Nozzle Flow. J. C. Dutton, *University of Illinois at Urbana-Champaign* (3, 4, p. 342) Article

B87-055 Scalar Field Measurements in Reciprocating Engines. H. G. Green and J. H. Whitelaw, *Imperial College of Science and Technology, England* (3, 4, p. 350) Article

B87-056 A Method for Calculating Axisymmetric Afterbody Flows. A. J. Peace, *Aircraft Research Association Ltd, England* (3, 4, p. 357) Article

B87-057 Combination Solar Photovoltaic Heat Engine Energy Converter. Donald L. Chubb, *NASA Lewis Research Center* (3, 4, p. 365) Article

B87-058 Experimental Investigation of Erosive Burning Solid Propellants. Aparecida M. Kawamoto, *Space Activity Institute,*

Brazil; and Gordiano F. A. Filho, *Aeronautical Technology Institute, Brazil* (3, 4, p. 375) Technical Note

B87-059 Characteristic Times for Lean Blowoff in Turbine Combustors. W. S. Derr and A. M. Mellor, *Drexel University* (3, 4, p. 377) Technical Note

B87-060 Acoustic Mode Determination in Solid Rocket Motor Stability Analysis. François Vuillot, *Office National d'Etudes et de Recherches Aérospatiales, France* (3, 4, p. 381) Technical Note

B87-061 Navier-Stokes Simulations of Rotor/Stator Interaction Using Patched and Overlaid Grids. M. M. Rai, *NASA Ames Research Center* (3, 5, p. 387) Article based on AIAA Paper 85-1519

B87-062 Explicit Multigrid Algorithms for Quasi-Three-Dimensional Viscous Flows in Turbomachinery. R. V. Chima, *NASA Lewis Research Center* (3, 5, p. 397) Article based on AIAA Paper 86-0418

B87-063 Cascade Viscous Flow Analysis Using the Navier-Stokes Equations. R. L. Davis, Ron-Ho Ni and James E. Carter, *United Technologies Corporation* (3, 5, p. 406) Article based on AIAA Paper 86-0033

B87-064 Calculation of Three-Dimensional Viscous Flows in Turbomachinery with an Implicit Relaxation Method. C. Hah, *General Electric Company* (3, 5, p. 415) Article based on AIAA Paper 86-0555

B87-065 Evolution and Application of CFD Techniques for Scramjet Engine Analysis. M. E. White, *The Johns Hopkins University Applied Physics Laboratory*; J. P. Drummond and A. Kumar, *NASA Langley Research Center* (3, 5, p. 423) Article based on AIAA Paper 86-0160

B87-066 Numerical Solutions of Scramjet Nozzle Flows. J. A. Schetz, F. S. Billig and S. Favini, *The Johns Hopkins University Applied Physics Laboratory* (3, 5, p. 440) Article based on AIAA Paper 85-1270

B87-067 Numerical Investigation of Two-Dimensional H₂-Air Flameholding over Ramps and Rearward-Facing Steps. Thomas R. A. Bussing and Earll M. Murman, *Massachusetts Institute of Technology* (3, 5, p. 448) Article based on AIAA Paper 85-1250

B87-068 Parabolized Navier-Stokes Analysis of Ducted Supersonic Combustion Problems. N. Sinha and S. M. Dash, *Science Applications International Corporation* (3, 5, p. 455) Article based on AIAA Paper 86-0004

B87-069 Analytical Study of Swirler Effects in Annular Propulsive Nozzles. Joe D. Hoffman, H. Doyle Thompson and David L. Marcum, *Purdue University* (3, 5, p. 465) Synoptic based on AIAA Paper 86-0587

B87-070 Simple Viscous-Inviscid Aerodynamic Analysis of Two-Dimensional Augmentors. D. A. Tavella and L. Roberts,

Stanford University (3, 5, p. 467) Article based on AIAA Paper 84-0281

B87-071 Ramjet Diffuser Flowfield Response to Large-Amplitude Combustor Pressure Oscillations. T. Hsieh and A. B. Wardlaw Jr., *U. S. Naval Surface Weapons Center*; and T. Coakley, *NASA Ames Research Center* (3, 5, p. 472) Article based on AIAA Paper 84-1363

B87-072 High-Intensity Point Perturbation in a Two-Temperature MHD Plasma. Bor-Chyuan Lin and Jean F. Louis, *Massachusetts Institute of Technology* (3, 5, p. 478) Technical Note

B87-073 Electric Power From Vertical-Axis Wind Turbines. K. J. Touryan, *Flow Industries Inc. and Moriah Research Center*; J. H. Strickland and D. E. Berg, *Sandia National Laboratories* (3, 6, p. 481) Survey Paper

B87-074 Role of Fuel Chemical Properties on Combustor Radiative Heat Load. T. J. Rosfjord, *United Technologies Research Center* (3, 6, p. 494) Article

B87-075 Fuel Thermal Stability Effects on Spray Characteristics. D. Nickolaus and A.H. Lefebvre, *Purdue University* (3, 6, p. 502) Article

B87-076 Numerical Analysis of SSE Preburner Injector Atomization and Combustion Processes. P. Y. Liang, R. J. Jensen and Y. M. Chang, *Rockwell International/Rocketdyne Division* (3, 6, p. 508) Article

B87-077 Liquid-Fueled Supersonic Combustion Ramjets: A Research Perspective. P. J. Waltrup, *Applied Physics Laboratory, Johns Hopkins University* (3, 6, p. 515) Article

B87-078 Numerical Simulations of Acoustic Vortex Interactions in a Central Dump Ramjet Combustor. K. Kailasanah, J. H. Gardner, J. P. Boris and E. S. Oran, *U. S. Naval Research Laboratory* (3, 6, p. 525) Article

B87-079 Comparison of Theory and Experiment for Propfan Inlets. V. Lyman and J. P. Hancock, *Lockheed-Georgia Company* (3, 6, p. 534) Article

B87-080 Methods and Results of Diagnosis in a Closed-Cycle MHD Blowdown Generator. E. M. van Veldhuizen and H. J. Flinsenberg, *Eindhoven University of Technology, The Netherlands* (3, 6, p. 542) Article

B87-081 Superconducting Magnet for a Helium-Driven Disk MHD Generator. T. Okamura and S. Kabashima, *Tokyo Institute of Technology, Japan*; and S. Shioda, *Tokyo Institute of Technology Japan* (3, 6, p. 552) Article

B87-082 Results of NASA's Energy Efficient Engine Program. C. C. Ciepluch, *NASA Lewis Research Center*; D. Y. Davis, *General Electric Company*; and D. E. Gray, *Pratt and Whitney* (3, 6, p. 560) Article