

## Chronological Index

**B90-001 Effect of Idealized Asymmetric Inhibitor Stubs on Circumferential Flow in the Space Shuttle SRM.** Alok K. Majumdar, R. Harold Whitesides and Susan L. Jenkins, *SRS Technologies*; and David L. Bacchus, *NASA Marshall Space Flight Center* (6, 1, p. 5) Article based on AIAA Paper 88-3319

**B90-002 Prediction of Self-Pressurization Rate of Cryogenic Propellant Tankage.** John I. Hochstein and Hyun-Chul Ji, *Washington University*; and John C. Aydelott, *NASA Lewis Research Center* (6, 1, p. 11) Article

**B90-003 Performance and Endurance Tests of a Laboratory Model Multipropellant Resistojet.** W. Earl Morren, Margaret V. Whalen and James S. Sovey, *NASA Lewis Research Center* (6, 1, p. 18) Article

**B90-004 Negative Matter Propulsion.** Robert L. Forward, *Forward Unlimited* (6, 1, p. 28) Article based on AIAA Paper 88-3168

**B90-005 Laser-Sustained Argon Plasmas for Thermal Rocket Propulsion.** D. K. Zerkle, S. Schwartz, A. Mertogul, X. Chen, H. Krier and J. Mazumder, *University of Illinois at Urbana-Champaign* (6, 1, p. 38) Article based on AIAA Paper 88-2773

**B90-006 Erosion of Nozzle Throat Inserts and Silica-Phenolic Ablative Liner Morphology.** Gangadhar De and M. Narendranath, *Vikram Sarabhai Space Centre, India*; and B. K. Sarkar, *Central Glass and Ceramics Research Institute, India* (6, 1, p. 46) Article

**B90-007 Calculated Chemical and Vibrational Nonequilibrium Effects in Hypersonic Nozzles.** Oussama Rizkalla, Wallace Chinitz and John I. Erdos, *General Applied Science Laboratories, Inc.* (6, 1, p. 50) Article based on AIAA Paper 88-3263

**B90-008 Parametric Studies of Advanced Turboprops.** J. G. Maser and D. G. Fertis, *University of Akron*; R. A. Aiello and C. C. Chamis, *NASA Lewis Research Center* (6, 1, p. 58) Article based on AIAA Paper 88-2266 CP882

**B90-009 Electrical Power System for Low-Earth-Orbit Spacecraft Applications.** P. R. K. Chetty, *Fairchild Space Company* (6, 1, p. 63) Article based on AIAA Paper 87-9191

**B90-010 Study of the SP-100 Radiator Heat Pipes Response to External Thermal Exposure.** Mohamed S. El-Genk and Jong T. Seo, *University of New Mexico* (6, 1, p. 69) Article

**B90-011 Nonaxisymmetric Instabilities in a Dump Combustor with a Swirling Inlet Flow.** M. Samimy, *Ohio State University*; A. S. Nejad, *Aeropropulsion Laboratory, Wright-Patterson AFB*; C. A. Langenfeld, *Ohio State University*; and S. C. Favaloro, *Aeropropulsion Laboratory, Wright-Patterson AFB* (6, 1, p. 78) Article

**B90-012 Vortex Modeling of Gaseous Jets in a Compressible Crossflow.** S. D. Heister and A. R. Karagozian, *University of*

*California, Los Angeles* (6, 1, p. 85) Article based on AIAA Paper 88-3720

**B90-013 Effect of Compressibility on Strain in Forward Stagnation Region.** S. M. Correa, *General Electric Company* (6, 1, p. 93) Technical Note

**B90-014 Multicomponent Spray Computations in a Modified Centerbody Combustor.** M. S. Raju and W. A. Sirignano, *University of California, Irvine* (6, 2, p. 97) Article

**B90-015 Studies of a Turbulent Premixed Flame Using CARS-LDV Diagnostics.** Tzong H. Chen, Larry P. Goss and Darryl D. Trump, *Arvin/Calspan*; and W. John Schmoll, *University of Dayton Research Institute* (6, 2, p. 106) Article based on AIAA Paper 88-3194

**B90-016 Hydrogen Chloride Vapor Pressure over Metal Chloride Aerosols from Rocket Exhausts.** Peter Brimblecombe and Simon L. Clegg, *University of East Anglia, England, UK* (6, 2, p. 115) Article

**B90-017 Modeling of a Small Hydrazine Thruster Plume in the Transition Flow Regime.** I. D. Boyd and J. P. W. Stark, *University of Southampton, England, UK* (6, 2, p. 121) Article based on AIAA Paper 88-2681

**B90-018 Space Transportation Main Engines for Two-Stage Shuttles.** James A. Martin, *NASA Langley Research Center* (6, 2, p. 127) Article based on AIAA Paper 88-2929

**B90-019 Experimental and Theoretical Investigations of Turbulent Flow in a Side-Inlet Rectangular Combustor.** T.-M. Liou, S.-M. Wu and Y.-H. Hwang, *National Tsing Hua University, Taiwan, ROC* (6, 2, p. 131) Article

**B90-020 Experiments on a Repetitively Pulsed Electrothermal Thruster.** R. L. Burton, D. Fleischer, S. A. Goldstein and D. A. Tidman, *GT-Devices, Inc.* (6, 2, p. 139) Article based on AIAA Paper 87-1043

**B90-021 Status of Xenon Ion Propulsion Technology.** J. R. Beattie, J. N. Matossian and R. R. Robson, *Hughes Research Laboratories* (6, 2, p. 145) Article based on AIAA Paper 87-1003

**B90-022 Swirling Flow in Thrust Nozzles.** H. Doyle Thompson and Joe D. Hoffmann, *Purdue University* (6, 2, p. 151) Article

**B90-023 Use of Swirl for Flow Control in Propulsion Nozzles.** K. Knowles, *Royal Military College of Science, England, UK*; and P. W. Carpenter, *University of Exeter, England, UK* (6, 2, p. 158) Article based on AIAA Paper 88-3003

**B90-024 Improved Method for the Lateral Vibration Analysis of a Rotor System.** Eric K. L. Yee and Y. G. Tsuei, *University of Cincinnati* (6, 2, p. 165) Article

**B90-025 Effect of Shaft Rotation on the Incompressible Flow in a Labyrinth Seal.** J. A. Demko, *General Dynamics*; G. L. Morrison and D. L. Rhode, *Texas A&M University* (6, 2, p. 171) Article

**B90-026 Analysis of Fully Stalled Compressor.** Wojciech Rostafinski, *NASA Lewis Research Center* (6, 2, p. 177) Article based on AIAA Paper 86-1123

**B90-027 Performance Tests of Tornado-Type Wind Turbine Models.** C. T. Hsu and Ali Minachi, *Iowa State University* (6, 2, p. 181) Article

**B90-028 Characteristics of Multiple Shock Wave/Turbulent Boundary-Layer Interactions in Rectangular Ducts.** Bruce F. Carroll, *University of Florida*; and J. Craig Dutton, *University of Illinois at Urbana-Champaign* (6, 2, p. 186) Article based on AIAA Paper 88-3805 CP888  
Errata (6, 4, p. 512)

**B90-029 System Design Optimization for Megawatt Space Nuclear Power Applications.** M. S. El-Genk, A. G. Parlos, J. M. McGhee and S. Lapin, *University of New Mexico*; D. Buden and J. Mims, *Science Applications International Corporation* (6, 2, p. 194) Article

**B90-030 Regenerative Internal Combustion Engine Part I: Theory.** Francisco Ruiz, *Illinois Institute of Technology* (6, 2, p. 203) Article based on AIAA Paper 88-3063

**B90-031 Regenerative Internal Combustion Engine Part II: Practical Configurations.** Francisco Ruiz, *Illinois Institute of Technology* (6, 2, p. 209) Article based on AIAA Paper 88-3064

**B90-032 Small Gas Turbine Using a Second-Generation Pulse Combustor.** J. A. C. Kentfield and M. J. O'Blenses, *University of Calgary, Canada* (6, 2, p. 214) Article based on AIAA Paper 87-2156

**B90-033 Thermal Instabilities of the Anode in a Magneto-plasmadynamic Thruster.** V. V. Subramaniam, *Ohio State University*; and J. L. Lawless, *Space Power Inc.* (6, 2, p. 221) Technical Note

**B90-034 Investigation of Cowl Vent Slots for Supercritical Stability Enhancement in Dual-Mode Ramjet Inlets.** M. E. White, J. R. Stevens, D. M. Van Wie, L. A. Mattes and J. L. Keirse, *Johns Hopkins University* (6, 3, p. 225) Synoptic based on AIAA Paper 88-2956

**B90-035 Prediction of Turbulent Combustion Flowfields Behind a Backward-Facing Step.** Fang H. Tsau and Warren C. Strahle, *Georgia Institute of Technology* (6, 3, p. 227) Article based on AIAA Paper 88-0340

**B90-036 Higher-Order Effects in Boundary-Layer Premixed Combustion.** C. Treviño, W. Stüttgen and N. Peters, *Institut für Technische Mechanik, FRG* (6, 3, p. 237) Article

**B90-037 Light-Diffraction Particle Size Measurements in Small Solid-Propellant Rockets.** E. D. Youngborg, T. E. Pruitt, M. J. Smith and D. W. Netzer, *Naval Postgraduate School* (6, 3, p. 243) Article

**B90-038 Combustion Characteristics of Low Flame Temperature, Chlorine-Free Composite Solid Propellants.** P. A. O. G. Korting, F. W. M. Zee and J. J. Meulenbrugge, *Prins Maurits*

*Laboratory TNO, the Netherlands* (6, 3, p. 250) Article based on AIAA Paper 87-1803

**B90-039 Computational Fluid Dynamics Capability for the Solid-Fuel Ramjet Projectile.** Michael J. Nusca, *U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground*; Sukumar R. Chakravarthy and Uriel C. Goldberg, *Rockwell International Science Center* (6, 3, p. 256) Article

**B90-040 Combustion of PMMA in a Solid Fuel Ramjet.** P. A. O. G. Korting, *Prins Maurits Laboratory TNO, the Netherlands*; C. W. M. van der Geld, *Eindhoven University of Technology, the Netherlands*; T. Wijchers, *Delft University of Technology, the Netherlands*; and H. F. R. Schöyer, *ESA/ESTEC, the Netherlands* (6, 3, p. 263) Article

**B90-041 Effect of Nozzle and Cathode Configuration on Arcjet Performance.** William D. Deininger, Thomas J. Pivrotto and John R. Brophy, *California Institute of Technology* (6, 3, p. 271) Article based on AIAA Paper 87-1082

**B90-042 Navier-Stokes Analyses of the Redistribution of Inlet Temperature Distortions in a Turbine.** Man Mohan Rai, *NASA Ames Research Center*; and Robert P. Dring, *United Technologies Research Center* (6, 3, p. 276) Article based on AIAA Paper 87-2146

**B90-043 Design of an Air-Cooled Metallic High-Temperature Radial Turbine.** Philip H. Snyder, *General Motors Corporation*; and Richard J. Roelke, *NASA Lewis Research Center* (6, 3, p. 283) Article based on AIAA Paper 88-2872

**B90-044 Eliminating the TF30 P-111 + Engine Rotor-Instability Problem.** J. T. Akin and V. S. Fehr, *Pratt & Whitney*; and D. L. Evans, *Oklahoma City Air Logistics Center* (6, 3, p. 289) Article based on AIAA Paper 88-3166

**B90-045 Experimental Studies of Combustor Dilution Zone Aerodynamics, Part I: Mean Flowfields.** S. J. Stevens and J. F. Carrotte, *University of Technology, England, UK* (6, 3, p. 297) Article based on AIAA Paper 87-1827

**B90-046 Reliability and Vulnerability Studies of the SP-100 Dual-Loop Thermoelectric-Electromagnetic Pump.** Mohamed S. El-Genk and William J. Rider, *University of New Mexico* (6, 3, p. 305) Article

**B90-047 Numerical Simulations of an Oblique Detonation Wave Engine.** Jean-Luc Cambier, *ANALATOM, Inc.*; Henry Adelman and Gene P. Menees, *NASA Ames Research Center* (6, 3, p. 315) Article

**B90-048 Practical Active Control System for Combustion Oscillations.** P. J. Langhorne, *University of Otago, New Zealand*; A. P. Dowling and N. Hooper, *Cambridge University, England, UK* (6, 3, p. 324) Article

**B90-049 Turbine Combustor Preliminary Design Approach.** A. M. Mellor and K. J. Fritsky, *Drexel University* (6, 3, p. 334) Article

**B90-050 Prediction of Ignition Transients in Solid Rocket Motors Employing Canted Pyrogen Igniters.** C. Jasper Lal, V. Santha and M. S. Padmanabhan, *Vikram Sarabhai Space Centre, India* (6, 3, p. 344) Technical Note

**B90-051 Cesium Density Measurements with a Laser Diode in an MHD Generator.** E. M. van Veldhuizen, *Eindhoven*

*University of Technology, the Netherlands* (6, 3, p. 345) Technical Note

**B90-052 Steady Flow Combustion Model for Solid-Fuel Ramjet Projectiles.** Michael J. Nusca, *U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground* (6, 3, p. 348) Technical Note based on AIAA Paper 89-2797

**B90-053 Investigation of Supersonic Mixing Layers.** N. L. Messersmith, S. G. Goebel, J. P. Renie, J. C. Dutton and H. Krier, *University of Illinois at Urbana-Champaign* (6, 4, p. 353) Synoptic based on AIAA Paper 88-0702

**B90-054 Transverse Fuel-Injection Model for a Scramjet Propulsion System.** Thomas R. A. Bussing and Gary L. Lidstone, *Boeing Advanced Systems* (6, 4, p. 355) Synoptic based on AIAA Paper 87-2078

**B90-055 Enhancement of Fine-Scale Turbulence for Improving Fuel-Rich Plume Combustion.** K. C. Schadow, E. Gutmark, T. P. Parr, D. M. Parr and K. J. Wilson, *Naval Weapons Center*; and G. B. Ferrell, *Texas Technical University* (6, 4, p. 357) Article

**B90-056 Laser Doppler Velocimetry Investigation of Swirler Flowfields.** K. D. Kihm, *Texas A&M University*; Norman Chigier, *Carnegie-Mellon University*; and Frank Sun, *Parker Hannifin Corporation* (6, 4, p. 364) Article

**B90-057 Symmetry Assessment of an Air-Blast Atomizer Spray.** V. G. McDonnell, C. D. Cameron and G. S. Samuelsen, *UCI Combustion Laboratory, University of California, Irvine* (6, 4, p. 375) Article

**B90-058 Separated-Flow Considerations for Pressure-Atomized Combusting Monopropellant Sprays.** T.-W. Lee, L.-K. Tseng and G. M. Faeth, *University of Michigan* (6, 4, p. 382) Article based on AIAA Paper 89-0049

**B90-059 Erosive and Strand Burning of Stick Propellants, Part I: Measurements of Burning Rates and Thermal-Wave Structures.** W. H. Hsieh, J. M. Char, C. Zanotti and K. K. Kuo, *Pennsylvania State University* (6, 4, p. 392) Article

**B90-060 Erosive and Strand Burning of Stick Propellants, Part II: Theoretical Modeling of Erosive-Burning Processes.** W. H. Hsieh and K. K. Kuo, *Pennsylvania State University* (6, 4, p. 400) Article

**B90-061 Multistep Dump Combustor Design to Reduce Combustion Instabilities.** K. C. Schadow, E. Gutmark, K. J. Wilson and R. A. Smith, *Naval Weapons Center* (6, 4, p. 407) Article based on AIAA Paper 88-2854

**B90-062 Reaction Physics and Mission Capabilities of the Magnetically Insulated Inertial Confinement Fusion Reactor.** T. Kamash and D. L. Galbraith, *University of Michigan* (6, 4, p. 412) Article based on AIAA Paper 88-2926

**B90-063 Phase Distortion in a Propulsive Laser Beam Due to Aero-Optical Phenomena.** Marco A. S. Minucci, *Instituto de Estudos Avancados, Brazil*; and Leik N. Myrabo, *Rensselaer Polytechnic Institute* (6, 4, p. 416) Article based on AIAA Paper 88-2972

**B90-064 Counter-Rotating Propeller Analysis Using a Frequency Domain Panel Method.** Jinsoo Cho and Marc H. Williams, *Purdue University* (6, 4, p. 426) Article

**B90-065 Viscous Flow Around a Propeller-Shaft Configuration with Infinite-Pitch Rectangular Blades.** H. T. Kim and F. Stern, *Iowa Institute of Hydraulic Research, University of Iowa* (6, 4, p. 434) Article

**B90-066 Nonlinear Finite-Element Analysis to Predict Fan-Blade Damage Due to Soft-Body Impact.** N. F. Martin Jr., *Pratt & Whitney* (6, 4, p. 445) Article based on AIAA Paper 88-3163

**B90-067 Finite-Element Analysis of Large Spur and Helical Gear Systems.** S. Sundararajan and B. G. Young, *Pratt & Whitney-Canada* (6, 4, p. 451) Article

**B90-068 Numerical Simulation of the Growth of Instabilities in Supersonic Free Shear Layers.** W. Tang, N. M. Komerath and L. N. Sankar, *Georgia Institute of Technology* (6, 4, p. 455) Article based on AIAA Paper 89-0376

**B90-069 Reverse Flow in Multistage Axial Compressors.** R. N. Gamache, *Arnold Engineering Development Center, Arnold AFB*; and E. M. Greitzer, *Massachusetts Institute of Technology* (6, 4, p. 461) Article based on AIAA Paper 86-1747

**B90-070 Three-Component LDA Measurements in an Axial-Flow Compressor.** Christopher J. Chesnakas and Clinton L. Dancy, *Virginia Polytechnic Institute and State University* (6, 4, p. 474) Article based on AIAA Paper 88-2811

**B90-071 Voltage-Current Characteristics of the Insulator Gaps in a Slagging Magnetohydrodynamic Generator.** C. C. P. Pian, I. Sadovnik, S. W. Petty and A. W. McClaine, *Avco Research Laboratory, Inc.* (6, 4, p. 482) Article

**B90-072 Investigation of Very High Bypass Ratio Engines for Subsonic Transports.** R. A. Zimbrick and J. L. Colehour, *Boeing Commercial Airplanes* (6, 4, p. 490) Article based on AIAA Paper 88-2953

**B90-073 Influence of Fuel Composition on Flame Radiation in Gas Turbine Combustors.** Ju Shan Chin, *Beijing University of Aeronautics and Astronautics, China*; and Arthur H. Lefebvre, *Purdue University* (6, 4, p. 497) Article

**B90-074 Experimental Studies of Combustor Dilution Zone Aerodynamics, Part II: Jet Development.** S. J. Stevens and J. F. Carrotte, *University of Technology, England, UK* (6, 4, p. 504) Article based on AIAA Paper 88-3274

**B90-076 Influence of Far-Field Boundary on the Calculated Flowfield and Performance of Rotors.** R. Ganesh Rajagopalan and L. N. Wilson, *Iowa State University* (6, 5, p. 513) Synoptic based on AIAA Paper 87-2284 CP875

**B90-077 Burning Rate of a Trimodal Composite Rocket Propellant.** Lazic Zivorad, *Military Technical Institute, Yugoslavia* (6, 5, p. 515) Article

**B90-078 Critical Analysis of Crack Growth Data.** C. T. Liu, *Air Force Aeronautics Laboratory, China*, (6, 5, p. 519) Article based on AIAA Paper 88-3344

**B90-079 Numerical Simulations of Oscillatory Cold Flows in an Axisymmetric Ramjet Combustor.** Suresh Menon and Wen-Huei Jou, *Quest Integrated, Inc.* (6, 5, p. 525) Article based on AIAA Paper 87-1421

**B90-080 Modes of Oscillation in a Nonreacting Ramjet Combustor Flow.** Wen-Huei Jou and Suresh Menon, *Quest*

*Integrated, Inc.* (6, 5, p. 535) Article based on AIAA Paper 87-1422

**B90-081 Observations of Breakup Processes of Liquid Jets Using Real-Time X-Ray Radiography.** J. M. Char, K. K. Kuo and K. C. Hsieh, *Pennsylvania State University* (6, 5, p. 544) Article based on AIAA Paper 87-2137

**B90-082 Investigations of Particle Size and Number Density in Advanced Energy Systems.** C. S. Wang, *Argonne National Laboratory*; and J. S. Lindner, *Mississippi State University* (6, 5, p. 552) Article

**B90-083 Role of Current Driven Instabilities in the Operation of Plasma Contactors Used with Electrodynamic Tethers.** A. Gioulekas and D. E. Hastings, *Massachusetts Institute of Technology* (6, 5, p. 559) Article based on AIAA Paper 87-0572

**B90-084 Fusion as Electric Propulsion.** Robert W. Bussard, *Pacific-Sierra Research Corporation* (6, 5, p. 567) Article based on AIAA Paper 88-3167

**B90-085 Approach to the Parametric Design of Ion Thrusters.** Paul J. Wilbur, *Colorado State University*; John R. Beattie and J. Hyman, *Hughes Research Laboratories* (6, 5, p. 575) Article

**B90-086 Pyrometry for Turbine Blade Development.** E. Suarez and H. R. Przirembel, *Pratt and Whitney* (6, 5, p. 584) Article based on AIAA Paper 88-3036

**B90-087 Periodic Rotor-Blade Aerodynamics Including Loading Effects.** Steven R. Manwaring and Sanford Fleeter, *Purdue University* (6, 5, p. 590) Article

**B90-088 Turbine Blading Designed for High Heat Load Space Propulsion Applications.** K. C. Civinskis and R. J. Boyle, *NASA Lewis Research Center*; and H. V. McConaughy, *NASA Marshall Space Flight Center* (6, 5, p. 598) Article based on AIAA Paper 88-3091

**B90-089 Oscillating Cascade Aerodynamics by an Experimental Influence Coefficient Technique.** Daniel H. Buffum, *NASA Lewis Research Center*; and Sanford Fleeter, *Purdue University* (6, 5, p. 612) Article based on AIAA Paper 88-2815

**B90-090 Stator/Rotor Interaction in a Transonic Turbine.** Michael B. Giles, *Massachusetts Institute of Technology* (6, 5, p. 621) Article based on AIAA Paper 88-3093

**B90-091 Thermal Analysis of Engine Inlet Anti-Icing Systems.** Kamel M. Al-Khalil, Theo G. Keith Jr. and Kenneth J. DeWitt, *University of Toledo*; James K. Nathman, *Analytical Methods, Inc.*; and Donald A. Dietrich, *General Electric Company* (6, 5, p. 628) Article based on AIAA Paper 89-0759

**B90-092 Heat Pump Systems for Enhancement of Heat Rejection from Spacecraft.** Gershon Grossman, *L'Garde, Inc.* (6, 5, p. 635) Article

**B90-093 Aerodynamic Interference of Vertical Axis Wind Turbines.** R. Ganesh Rajagopalan and Ted L. Rickerl, *Iowa State University*; and Paul C. Klimas, *Sandia National Laboratories* (6, 5, p. 645) Article based on AIAA Paper 88-2534 CP886

**B90-094 Isothermal Combustion for Improved Performance in Air-Breathing Engines.** Kumar N. R. Ramohalli, *University of Arizona* (6, 5, p. 654) Article based on AIAA Paper 87-1999

**B90-095 Three-Dimensional Combustor Performance Validation with High-Density Fuels.** N. K. Rizk and H. C. Mongia, *General Motors Corporation* (6, 5, p. 660) Article based on AIAA Paper 89-0219

**B90-096 Analysis of Crystalline Phase Aluminum Oxide Particles from Solid Propellant Exhausts.** K. M. Dill and R. A. Reed, *Sverdrup Technology, Inc.*; V. S. Calia, *Grumman Aerospace Corporation*; and R. J. Schulz, *University of Tennessee Space Institute* (6, 5, p. 668) Technical Note

**B90-097 Subatmospheric Burning Rates and Critical Diameters for AP/HTPB Propellant.** Martin S. Miller and Hughes E. Holmes, *U.S. Army Ballistic Research Laboratory* (6, 5, p. 671) Technical Note

**B90-098 Laboratory Testing of a Gas Turbine Vaporizer.** C. E. Polymeropoulos, V. Sernas and S. Sabadics, *Rutgers University* (6, 6, p. 673) Article

**B90-099 Flowfield Measurements in an Unstable Ramjet Burner.** D. M. Reuter, U. G. Hegde and B. T. Zinn, *Georgia Institute of Technology* (6, 6, p. 680) Article based on AIAA Paper 88-2855

**B90-100 Burning Rate Characteristics of GAP Propellants.** N. Kubota, *Defense Agency, Japan*; T. Sonobe, A. Yamamoto and H. Shimizu, *Nippon Oil & Fats Co., Ltd., Japan* (6, 6, p. 686) Article based on AIAA Paper 88-3251

**B90-101 Internal Flow Field Studies in a Simulated Cylindrical Port Rocket Chamber.** R. Dunlap, A. M. Blackner, R. C. Waugh, R. S. Brown and P. G. Willoughby, *United Technologies* (6, 6, p. 690) Article

**B90-102 Prediction of the Launch Pulse for Gas-Generator-Launched Missiles.** C. T. Edquist, *Martin Marietta Astronautics Group* (6, 6, p. 705) Article based on AIAA Paper 88-3290

**B90-103 Viscous Loss Assessment in Rocket Engines.** Hodayun Kehtarnavaz, Douglas E. Coats and Anthony L. Dang, *Software and Engineering Associates, Inc.* (6, 6, p. 713) Article

**B90-104 Combustion Mechanisms of Nitramine-Based Propellants with Additives.** Jean Duterque and Guy Lengellé, *Office National d'Etudes et de Recherches Aérospatiales, France* (6, 6, p. 718) Article

**B90-105 Flow Measurements in a Model Ramjet Secondary Combustion Chamber.** Lazar T. Chittilapilly, S. Venkateswaran, P. J. Paul and H. S. Mukunda, *Indian Institute of Science* (6, 6, p. 727) Article

**B90-106 Comparison of Combustion Experiments and Theory in Polyethylene Solid Fuel Ramjets.** P. J. M. Elands, P. A. O. G. Kortling and T. Wijchers, *Prins Maurits Laboratory TNO, the Netherlands*; and F. Dijkstra, *Delft University of Technology, the Netherlands* (6, 6, p. 732) Article based on AIAA Paper 88-3043

**B90-107 Aerodynamic Design for Supersonic Nozzles of Arbitrary Cross Section.** A. Haddad, *Cranfield Institute of Technology, England, UK*; and J. B. Moss, *Cranfield Institute of Technology, England, UK* (6, 6, p. 740) Article

**B90-108 Fundamental Concepts of Vectored Propulsion.** Benjamin Gal-Or, *Technion—Israel Institute of Technology* (6, 6, p. 747) Article

**B90-109 Pressure-Time History of Pylon Wake on a Pusher Propeller in Flight.** Saeed Farokhi, *University of Kansas* (6, 6, p. 758) Article based on AIAA Paper 89-2052

**B90-110 Numerical Investigation of Hot Streaks in Turbines.** Björn Krouthén and Michael B. Giles, *Massachusetts Institute of Technology* (6, 6, p. 769) Article based on AIAA Paper 88-3015

**B90-111 Mixing of an Acoustically Pulsed Air Jet with a Confined Crossflow.** P. J. Vermeulen, Ching-Fatt Chin and Wai Keung Yu, *University of Calgary, Canada* (6, 6, p. 777) Article based on AIAA Paper 88-3296

**B90-112 Experimental Measurements of the Flow in a Scramjet Inlet at Mach 4.** William J. Yanta, Arnold S. Collier, W. Charles Spring III and Christopher F. Boyd, *Naval Surface Warfare Center*; and J. Craig McArthur, *North Carolina State University* (6, 6, p. 784) Article based on AIAA Paper 88-0271

U.S. Postal Service STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION <small>Required by 39 U.S.C. 3685</small>			
1A. Title of Publication  Journal of Propulsion and Power		1B. PUBLICATION NO.  7 5 0 3 7 0	
2. Date of Filing  11/2/90		3. Frequency of Issue  Bi-monthly	
3A. No. of Issues Published Annually  6		3B. Annual Subscription Price  \$26.00	
4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Code) (Not printers)  370 L'Enfant Promenade S.W., Washington, D.C. 20024			
5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (Not printer)  Same as above.			
6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (This item MUST NOT be blank)			
Publisher (Name and Complete Mailing Address)  American Institute of Aeronautics and Astronautics, Inc. Same as above.			
Editor (Name and Complete Mailing Address)  R. H. Woodward Waesche -- Same as above.			
Managing Editor (Name and Complete Mailing Address)  Heather Brennan -- Same as above.			
7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)			
Full Name		Complete Mailing Address	
American Institute of Aeronautics and Astronautics, Inc.		Same as above.	
8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state)			
Full Name		Complete Mailing Address	
None.			
9. For Completion by Nonprofit Organizations Authorized to Mail at Special Rates (DMM Section 423.12 only) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)			
(1) <input checked="" type="checkbox"/> Has Not Changed During Preceding 12 Months		(2) <input type="checkbox"/> Has Changed During Preceding 12 Months <small>(If changed, publisher must submit explanation of change with this statement.)</small>	
10. Extent and Nature of Circulation <small>(See instructions on reverse side)</small>		Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total No. Copies (Net Press Run)		2,423	2,400
B. Paid and/or Requested Circulation			
1. Sales through dealers and carriers, street vendors and counter sales		-----	-----
2. Mail Subscription (Paid and/or requested)		1,858	1,911
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)		1,858	1,911
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies		116	118
E. Total Distribution (Sum of C and D)		1,974	2,029
F. Copies Not Distributed			
1. Office use, left over, unaccounted, spoiled after printing		449	371
2. Return from News Agents		-----	-----
G. TOTAL (Sum of E, F1 and 2--should equal net press run shown in A)		2,423	2,400
11. I certify that the statements made by me above are correct and complete		Signature and Title of Editor, Publisher, Business Manager, or Owner  <i>David Quackenbush</i> David Quackenbush, Controller	