

Chronological Index

B90-004 Negative Matter Propulsion. Robert L. Forward, *Forward Unlimited* (6, 1, p. 28) Article based on AIAA Paper 88-3168

Technical Comment by Geoffrey A. Landis, *Sverdrup Technology, Inc., NASA Lewis Research Center* (7, 2, p. 304)

B91-001 Radiative Structures of Lycopodium-Air Flames in Low Gravity. A. L. Berlad and V. Tangirala, *University of California, San Diego*; H. Ross and L. Facca, *NASA Lewis Research Center* (7, 1, p. 5) Article based on AIAA Paper 89-0500

B91-002 High Temperature Kinetics of Solid Boron Gasification by $B_2O_3(g)$: Chemical Propulsion Implications. R. Zvuloni, A. Gomez and D. E. Rosner, *Yale University* (7, 1, p. 9) Article

B91-003 Slag Mass Accumulation in Spinning Solid Rocket Motors. V. E. Haloulakos, *McDonnell Douglas Space Systems Company* (7, 1, p. 14) Article

B91-004 Application of Etched Disk Stacks in Surface Tension Propellant Management Devices. G. P. Purohit and L. D. Loudenback, *Hughes Aircraft Company* (7, 1, p. 22) Article based on AIAA Paper 88-2919

B91-005 Dual Mixture Ratio H_2O_2 Engine for Single Stage to Orbit Application. C. D. Limerick, *Pratt & Whitney* (7, 1, p. 31) Article based on AIAA Paper 87-1942

B91-006 Ignition and Combustion of Boron Particles in the Flowfield of a Solid Fuel Ramjet. B. Natan and A. Gany, *Technion-Israel Institute of Technology* (7, 1, p. 37) Article based on AIAA Paper 87-2937

B91-007 Computational Fluid Dynamics Prediction of the Reacting Flowfield Inside a Subscale Scramjet Combustor. Tawit Chitsomboon, *ViGYAN, Inc.*; and G. Burton Northam, *NASA Langley Research Center* (7, 1, p. 44) Article based on AIAA Paper 88-3259

B91-008 Experimental Evaluation of Resistojet Thruster Plume Shields. Lynnette M. Carney, *NASA Lewis Research Center*; and Allan B. Bailey, *Calspan Corporation, Arnold AFB* (7, 1, p. 49) Article

B91-009 Structure of Self-Field Accelerated Plasma Flows. Manuel Martinez-Sanchez, *Massachusetts Institute of Technology* (7, 1, p. 56) Article based on AIAA Paper 87-1065

B91-010 Performance of Double-Stage-Discharge Hall Ion Thruster. Yoshiki Yamagiwa, *Shizuoka University, Japan*; and Kyoichi Kuriki, *Institute of Space and Astronautical Science, Japan* (7, 1, p. 65) Article

B91-011 Performance and Lifetime Assessment of Magnetoplasdynamic Arc Thruster Technology. James S. Sovey and Maris A. Mantieniks, *NASA Lewis Research Center* (7, 1, p. 71) Article based on AIAA Paper 88-3211

B91-012 Three-Dimensional Viscous Flow Computations of High Area Ratio Nozzles for Hypersonic Propulsion. D. R. Reddy and G. J. Harloff, *Sverdrup Technology Inc., NASA Lewis Research Center Group* (7, 1, p. 84) Article based on AIAA Paper 88-0474

B91-013 Experimental Investigation of Propfan Aeroelastic Response in Off-Axis Flow with Mistuning. Oral Mehmed, *NASA Lewis Research Center*; and Durbha V. Murthy, *University of Toledo* (7, 1, p. 90) Article based on AIAA Paper 88-3153

B91-014 Viscous-Inviscid Analysis of Dual-Jet Ejectors. T. S. Lund, *Joint Institute for Aeronautics and Acoustics, Stanford University* (7, 1, p. 99) Article based on AIAA Paper 87-1381

B91-015 Hypersonic Turbomachinery-Based Air-Breathing Engines for the Earth-to-Orbit Vehicle. Kimio Sakata, Mitsuhiro Minoda, Ryoji Yanagi and Hiroyuki Nouse, *National Aerospace Laboratory, Japan* (7, 1, p. 108) Article based on AIAA Paper 88-2947

B91-016 Analysis of Slot Injection in Hypersonic Flow. J. A. Schetz, F. S. Billig and S. Favini, *Johns Hopkins University, Applied Physics Laboratory* (7, 1, p. 115) Article

B91-017 Solar Array Orientations for a Space Station in Low Earth Orbit. Geoffrey A. Landis and Cheng-yi Lu, *NASA Lewis Research Center* (7, 1, p. 123) Technical Note

B91-018 Finite Element Analysis of Plasma Flows in Cusped Discharge Chambers. Yoshihiro Arakawa, *University of Tokyo*; and Paul J. Wilbur, *Colorado State University* (7, 1, p. 125) Technical Note

B91-019 Fixing the Field Joint That Failed on the Challenger. Allan J. McDonald, *Thiokol Corporation* (7, 2, p. 130) Article based on AIAA Paper 89-2404

B91-020 Space Shuttle Redesigned Solid Rocket Motor Field Joint Verification. M. Perry, N. Eddy, L. Gruet and J. Maw, *Thiokol Corporation* (7, 2, p. 139) Article based on AIAA Paper 89-2775

B91-021 Redesigned Solid Rocket Motor Case-to-Nozzle Joint Development. Roger V. Cook, Robert A. Morstadt, Steven V. Hicken and Michael J. O'Malley, *Thiokol Corporation* (7, 2, p. 146) Article based on AIAA Paper 89-2773

B91-022 Seal Testing of Large Diameter Rocket Motors. N. Bruce Moore and John W. Hellums, *Cameron Offshore Engineering*; Thomas Bechtel, *NASA Marshall Space Flight Center*; Ken Kittredge and Craig Crossfield, *Teledyne Brown Engineering* (7, 2, p. 156) Article

B91-023 Effects of Grain and Aft-Dome Configuration on Aft-End SRB Internal Flows. R. H. W. Waesche, *Atlantic Research Corporation*; J. F. Marchman and S. Kuppa, *Virginia Polytechnic Institute and State University* (7, 2, p. 163) Article based on AIAA Paper 89-2421

B91-024 Effects of Grain Slots on Flow in a Solid Rocket Motor. R. H. W. Waesche, *Atlantic Research Corporation*; J. F. Marchman and S. Kuppa, *Virginia Polytechnic Institute and State University* (7, 2, p. 171) Article based on AIAA Paper 89-2970 CP8910

B91-025 Calculation of the Two-Phase Aft-Dome Flowfield in Solid Rocket Motors. Ravi K. Madabhushi, Jayant S. Sabnis, Frederick J. de Jong and Howard J. Gibeling, *Scientific Research Associates, Inc.* (7, 2, p. 178) Article based on AIAA Paper 89-2780

B91-026 Simple Modeling of Particle Trajectories in Solid Rocket Motors. G. Carrier, F. Fendell, D. Brent, C. Kimbrough, S. Loucks, E. Hess and P. Acosta, *TRW Space & Technology Group* (7, 2, p. 185) Article based on AIAA Paper 90-0452

B91-027 Hydrogen-Rich Exhaust Gas Handling Studies. S. E. Stephens, *Sverdrup Technology, Inc., Arnold AFB*; J. L. Jordan, *Sverdrup Technology, Inc., Stennis Space Center*; and R. J. Schulz, *University of Tennessee Space Institute* (7, 2, p. 196) Article based on AIAA Paper 88-3019

B91-028 Airblast Atomization at Conditions of Low Air Velocity. J. E. Beck and A. H. Lefebvre, *Purdue University*; and T. R. Koblisch, *TEXTRON Corporation* (7, 2, p. 207) Article based on AIAA Paper 89-0217

B91-029 Computations of Turbulent Evaporating Sprays. S. K. Aggarwal and S. Chitre, *University of Illinois at Chicago* (7, 2, p. 213) Article

B91-030 Structure of the Near-Injector Region of Non-evaporating Pressure-Atomized Sprays. G. A. Ruff, L. P. Bernal and G. M. Faeth, *University of Michigan* (7, 2, p. 221) Article based on AIAA Paper 89-0050

B91-031 Acoustic Boundary Layers in Solid Propellant Rocket Motors Using Navier-Stokes Equations. F. Vuillot and G. Avalon, *Office National d'Etudes et de Recherches Aéropatiales, France* (7, 2, p. 231) Article based on AIAA Paper 88-2940

B91-032 Subsonic and Supersonic Combustion Using Non-circular Injectors. E. Gutmark, K. C. Schadow and K. J. Wilson, *Naval Weapons Center* (7, 2, p. 240) Article

B91-033 Combustion Behavior and Thermophysical Properties of Metal-Based Solid Fuels. D. M. Chen, W. H. Hsieh, T. S. Snyder, V. Yang, T. A. Litzinger and K. K. Kuo, *Pennsylvania State University* (7, 2, p. 250) Article based on AIAA Paper 88-3041

B91-034 Theory of the Modified Two-Stream Instability in a Magnetoplasmdynamic Thruster. Daniel E. Hastings and Eli Niewood, *Massachusetts Institute of Technology* (7, 2, p. 258) Article

B91-035 Test-Cell Pressure Effects on the Performance of Resistojets. D. H. Manzella, *Sverdrup Technology Inc.*; P. F. Penko, *NASA Lewis Research Center*; K. J. De Witt and T. G. Keith Jr., *University of Toledo* (7, 2, p. 269) Article based on AIAA Paper 88-3286

B91-036 Mach 4 Testing of Scramjet Inlet Models. Takeshi Kanda, Tomoyuki Komuro, Goro Masuya, Kenji Kudo, Atsuo Murakami, Kouichiro Tani, Yoshio Wakamatsu and Nobuo Chinzei, *National Aerospace Laboratory, Kakuda Research Center, Japan* (7, 2, p. 275) Article based on AIAA Paper 89-2680

B91-037 Three-Dimensional Finite Element Method Analysis of Turbulent Flow over Self-Propelled Slender Bodies. Russell H. Thomas and Joseph A. Schetz, *Virginia Polytechnic Institute and State University*; and Dominique H. Pelletier, *Ecole Polytechnique, Canada* (7, 2, p. 281) Article based on AIAA Paper 88-3089 CP8910

B91-038 Experimental Investigation of Loading Effects on Compressor Trailing-Edge Flowfields. Duane C. McCormick and Robert W. Paterson, *United Technologies Research Center*; and Harris D. Weingold, *Pratt & Whitney, Commercial Engine Business* (7, 2, p. 288) Article based on AIAA Paper 88-0365

B91-039 Computational Analysis of Underexpanded Jets in the Hypersonic Regime. Andrew T. Hsu, *Sverdrup Technology, Inc., NASA Lewis Research Center*; and Meng-Sing Liou, *NASA Lewis Research Center* (7, 2, p. 297) Technical Note

B91-040 Propellant Feed System of a Regeneratively Cooled Scramjet. Takeshi Kanda, Goro Masuya and Yoshio Wakamatsu, *National Aerospace Laboratory, Japan* (7, 2, p. 299) Technical Note

B91-041 Initial Development of a Pulsed Electrothermal Thruster. Rodney L. Burton and Shih-Ying Wang, *GT-Devices, Inc.* (7, 2, p. 301) Technical Note based on AIAA Paper 89-2265

B91-043 Model for Airblast Atomization. N. K. Rizk and H. C. Mongia, *General Motors Corporation* (7, 3, p. 305) Article based on AIAA Paper 89-2321

B91-044 Analytical Modeling of Effects of Wires on Solid Motor Ballistics. Merrill K. King, *Atlantic Research Corporation* (7, 3, p. 312) Article

B91-045 PHEDRE—Numerical Model for Combustion Stability Studies Applied to the Ariane Viking Engine. M. Habiballah, D. Lourme and F. Pit, *Office National d'Etudes et de Recherches Aéropatiales, France* (7, 3, p. 322) Article

B91-046 Three-Dimensional Navier-Stokes Simulation of Space Shuttle Main Propulsion 17-Inch Disconnect Valves. M. Kandula and D. G. Pearce, *Lockheed Engineering and Sciences Company* (7, 3, p. 330) Article

B91-047 Regression and Combustion Characteristics of Boron Containing Fuels for Solid Fuel Ramjets. A. Karadimitris, C. Scott II and D. Netzer, *Naval Postgraduate School*; and A. Gany, *Technion—Israel Institute of Technology* (7, 3, p. 341) Article

B91-048 Experimental and Computational Investigation of Isothermal Swirling Flow in an Axisymmetric Dump Combustor. S. C. Favaloro, *Aeronautical Research Laboratory, Australia*; A. S. Nejad and S. A. Ahmed, *Aero-Propulsion and Power Laboratory, Wright-Patterson AFB* (7, 3, p. 348) Article based on AIAA Paper 89-0620

B91-049 Burning and Flameholding Characteristics of a Miniature Solid Fuel Ramjet Combustor. Amnon Netzer and Alon Gany, *Technion—Israel Institute of Technology* (7, 3, p. 357) Article based on AIAA Paper 88-3044

B91-050 Contamination Test of a Cesium Field Ion Thruster. J. Mitterauer, *Technische Universität Wien, Austria* (7, 3, p. 364) Article based on AIAA Paper 89-2278

B91-051 Conceptual Designs for Antiproton Space Propulsion Systems. Brice N. Cassenti, *United Technologies Research Center* (7, 3, p. 368) Article based on AIAA Paper 89-2333

B91-052 Integrated Aerofin/Thrust Vector Control for Tactical Missiles. Steven R. Wassom and Lawrence C. Faupell, *Thiokol Corporation*; and Tim Perley, *Versatron Corporation* (7, 3, p. 374) Article

B91-053 Scarfed Nozzles for Thrust-Vector Adjustment. Jay S. Lilley and Jerrold H. Arszman, *U. S. Army Missile Command, Redstone Arsenal* (7, 3, p. 382) Article

B91-054 Numerical Investigation of the Flow Within a Turbofan Lobed Mixer. P. Koutmos and J. J. McGuirk, *Imperial College, England, UK*; C. H. Priddin, *Rolls-Royce plc, England, UK*; and M. N. Sodha, *Imperial College, England, UK* (7, 3, p. 389) Article

- B91-055 Turbulent Flow Predictions for Afterbody/Nozzle Geometries Including Base Effects.** A. J. Peace, *Aircraft Research Association Ltd., England, UK* (7, 3, p. 396) Article based on AIAA Paper 89-1865
- B91-056 Influence of Thickness and Camber on the Aeroelastic Stability of Supersonic Throughflow Fans.** John K. Ramsey, *NASA Lewis Research Center* (7, 3, p. 404) Article
- B91-057 Improved Methods of Characterizing Ejector Pumping Performance.** Joe Der Jr., *Northrop Corporation* (7, 3, p. 412) Article based on AIAA Paper 89-0008
- B91-058 Combined Tangential-Normal Injection into a Supersonic Flow.** P. S. King, R. H. Thomas and J. A. Schetz, *Virginia Polytechnic Institute and State University*; and F. S. Billig, *Applied Physics Laboratory, Johns Hopkins University* (7, 3, p. 420) Article based on AIAA Paper 89-0622
- B91-059 Parametric Study of Airframe-Integrated Scramjet Cooling Requirement.** Takeshi Kanda, Goro Masuya, Yoshio Wakamatsu, Nobuo Chinzei and Akio Kanmuri, *National Aerospace Laboratory, Japan* (7, 3, p. 431) Article
- B91-060 Rapid Methodology for Design and Performance Prediction of Integrated Supersonic Combustion Ramjet Engine.** Hideo Ikawa, *Northrop Corporation* (7, 3, p. 437) Article based on AIAA Paper 89-2682
- B91-061 Three-Dimensional Analysis of Gas Turbine Combustors.** N. K. Rizk and H. C. Mongia, *General Motors Corporation* (7, 3, p. 445) Article based on AIAA Paper 89-2888
- B91-062 Large-Scale Advanced Propeller Blade Pressure Distributions: Prediction and Data.** N. Nallasamy, O. Yamamoto and S. Warsi, *Sverdrup Technology, Inc.*; and L. J. Bober, *NASA Lewis Research Center* (7, 3, p. 452) Article based on AIAA Paper 89-2696
- B91-063 Performance Characteristics of an Underexpanded Multiple Jet Ejector.** M. S. Chandrasekhara, *Naval Postgraduate School*; A. Krothapalli, *Florida State University*; and D. Baganoff, *Stanford University* (7, 3, p. 462) Technical Note based on AIAA Paper 87-0248
- B91-064 Transient Flow Thrust Prediction for an Ejector Propulsion Concept.** Colin K. Drummond, *NASA Lewis Research Center* (7, 4, p. 465) Synoptic based on AIAA Paper 89-2906
- B91-065 Gas Property Effects on Dropsizes of Simulated Fuel Sprays.** Robert D. Ingebo, *NASA Lewis Research Center* (7, 4, p. 467) Article based on AIAA Paper 89-2322
- B91-066 Burner Geometry Effects on Combustion and NO_x Emission Characteristics Using a Variable Geometry Swirl Combustor.** A. K. Gupta, M. S. Ramavajjala and J. Chomiak, *University of Maryland*; and N. Marchionna, *Textron Lycoming* (7, 4, p. 473) Article based on AIAA Paper 89-0488
- B91-067 Spray Patternation at High Pressure.** J. M. Cohen and T. J. Rosfjord, *United Technologies Research Center* (7, 4, p. 481) Article based on AIAA Paper 89-2323
- B91-068 Turbulent Mixing and Atomization in a Confined Shear Layer.** R. C. Prior Jr., K. V. Tallio and A. M. Mellor, *Vanderbilt University* (7, 4, p. 488) Article
- B91-069 Combustion Behavior of Boron-Based BAMO/NMMO Fuel-Rich Solid Propellants.** Wen-Hsin Hsieh, Arie Peretz, I.-Te Huang and Kenneth K. Kuo, *Pennsylvania State University* (7, 4, p. 497) Article based on AIAA Paper 89-2884
- B91-070 Use of Water and Mercury Droplets to Simulate Al₂O₃ Collision/Coalescence in Rocket Motors.** Mark Salita, *Thiokol Corporation* (7, 4, p. 505) Article
- B91-071 Development of the Explorer Solid Rocket Motor.** F. L. Sola, *Jet Propulsion Laboratory, California Institute of Technology* (7, 4, p. 513) Article
- B91-072 Relating Deformation to Hot Spots in Shock-Loaded Crystals of Ammonium Perchlorate.** Harold W. Sandusky, Brian C. Glancy and Dorn W. Carlson, *Naval Surface Warfare Center*; Wayne L. Elban, *Loyola College*; and Ronald W. Armstrong, *University of Maryland* (7, 4, p. 518) Article
- B91-073 Numerical Modeling of Crack-Defect Interaction.** C. T. Liu, *Astronautics Laboratory (AFSC), Edwards AFB* (7, 4, p. 526) Article based on AIAA Paper 89-2646
- B91-074 Analysis of Nozzle Lip and Backflow Expansion of a Small Hydrazine Thruster.** Iain D. Boyd and J. P. W. Stark, *University of Southampton, England, UK* (7, 4, p. 531) Article
- B91-075 LOX/Propane and LOX/Ethanol Combustion Chamber Heat Transfer.** Leonard Schoenman, *Aerojet TechSystems* (7, 4, p. 538) Article based on AIAA Paper 87-1875
- B91-076 Variable-Mixture-Ratio and Other Rocket Engines for Advanced Shuttles.** James A. Martin, *NASA Langley Research Center*; and Detlef Manski, *DLR German Aerospace Research Establishment, Germany* (7, 4, p. 549) Article based on AIAA Paper 89-2282
- B91-077 Response of Gravity Level Fluctuations on the Gravity Probe-B Spacecraft Propellant System.** R. J. Hung and C. C. Lee, *University of Alabama in Huntsville*; and F. W. Leslie, *NASA Marshall Space Flight Center* (7, 4, p. 556) Article
- B91-078 Limits on Steady Diffuse Mode Operation of the Cathode in Magnetoplasma Dynamic Thrusters.** V. V. Subramaniam and K. S. Hoyer, *Ohio State University*; and J. L. Lawless, *Space Power, Inc.* (7, 4, p. 565) Article
- B91-079 State-of-the-Art of Radio-Frequency Ion Thrusters.** K. H. Groh and H. W. Loebt, *Giessen University, Germany* (7, 4, p. 573) Article based on AIAA Paper 89-2381
- B91-080 Analysis of Performance of a Hot Gas Injection Thrust Vector Control System.** R. Balu, *Vikram Sarabhai Space Centre, India*; A. G. Marathe, P. J. Paul and H. S. Mukunda, *Indian Institute of Science, India* (7, 4, p. 580) Article
- B91-081 Optimum Geometries for Scarfed Perfect Nozzles.** Jay S. Lilley, *U.S. Army Missile Command, Redstone Arsenal* (7, 4, p. 586) Article
- B91-082 Panel Method for Counter-Rotating Propfans.** Shih H. Chen, *Rockwell International*; and Marc H. Williams, *Purdue University* (7, 4, p. 593) Article based on AIAA Paper 87-1890
- B91-083 Finite-Element Analysis of Ring Gear/Casing Spline Contact.** S. Sundararajan and S. Amin, *Pratt & Whitney Canada* (7, 4, p. 602) Article based on AIAA Paper 88-2981
- B91-084 Assessment of Modeling and Discretization Accuracy for High-Speed Afterbody Flows.** Robert E. Childs and Steven C. Caruso, *Nielsen Engineering & Research, Inc.* (7, 4, p. 607) Article based on AIAA Paper 89-0531
- B91-085 Survey of Validation Data Base for Shockwave Boundary-Layer Interactions in Supersonic Inlets.** A. Hamed, *University of Cincinnati*; and J. S. Shang, *Wright Research and Development Center, Wright Patterson AFB* (7, 4, p. 617) Article based on AIAA Paper 89-2939

B91-086 Experimental Transition Investigation of a Free-Shear Layer Above a Cavity at Mach 3.5. Rudolph A. King, Theodore R. Creel Jr. and Dennis M. Bushnell, *NASA Langley Research Center* (7, 4, p. 626) Article based on AIAA Paper 89-1813

B91-087 Flow Characteristics Inside MHD Seawater Thrusters. Ezzat Doss, *Argonne National Laboratory*; and Gabriel Roy, *Office of Naval Research* (7, 4, p. 635) Article

B91-088 Surface Fatigue Life of M50NiL and AISI 9310 Gears and Rolling-Contact Bars. Dennis P. Townsend, *NASA Lewis Research Center*; and Eric N. Bamberger, *General Electric Company* (7, 4, p. 642) Article based on AIAA Paper 89-2819

B91-089 Turbo/Air-Augmented Rocket: A Combined Cycle Propulsion System. A. R. Ganji, *San Francisco State University*; M. Khadem and S. M. Khandani, *Berkeley Applied Science and Engineering* (7, 4, p. 650) Article based on AIAA Paper 89-2444

B91-090 Modeling Droplet Size Distribution from Impinging Jets. H. S. Couto and D. Bastos-Netto, *INPE—Brazilian Space Research Institute* (7, 4, p. 654) Technical Note

B91-091 Experimental Study on Autoignition in a Scramjet Combustor. Yukinori Sato and Masami Sayama, *Ishikawajima-Harima Heavy Industries Company, Ltd., Japan*; Goro Masuya, Tomoyuki Komuro, Kenji Kudou, Atsuo Murakami, Kouichiro Tani and Nobuo Chinzei, *National Aerospace Laboratory, Kakuda Research Center, Japan* (7, 5, p. 657) Synoptic based on AIAA Paper 89-7058

B91-092 Characteristics of Diluent-Caused Lifted Gas Jet Flames. A. Prasad, S. Gundavelli and S. R. Gollahalli, *University of Oklahoma* (7, 5, p. 659) Article

B91-093 Study of Flow Induced by Nonuniform Lateral Injection. M.-K. Tsai and T.-M. Liou, *National Tsing Hua University, Taiwan, ROC* (7, 5, p. 668) Article

B91-094 Estimates of Oxides of Nitrogen Formed in a Scramjet Inlet. L. M. Chiappetta and J. J. Sangiovanni, *United Technologies Research Center* (7, 5, p. 678) Article based on AIAA Paper 89-0197

B91-095 Gas and Drop Behavior in Reacting and Non-Reacting Air-Blast Atomizer Sprays. Vincent G. McDonell and Scott Samuelsen, *University of California, Irvine* (7, 5, p. 684) Article

B91-096 Experimental Investigation of Velocity Coupling in Combustion Instability. Y. Ma, W. K. Van Moorhem and R. W. Shorthill, *University of Utah* (7, 5, p. 692) Article based on AIAA Paper 90-0038

B91-097 Constant-Fractional-Lag Model for Axisymmetric Two-Phase Flow. Yan-Chow Ma, Francis Fendell and David Brent, *TRW Space & Technology Group* (7, 5, p. 700) Article

B91-098 Sensitivity of Propulsion System Selection to Space Station Freedom Performance Requirements. George R. Schmidt, *Booz-Allen & Hamilton, Inc.* (7, 5, p. 708) Article based on AIAA Paper 89-2835

B91-099 Liquid Oxygen Cooling of Hydrocarbon Fueled Rocket Thrust Chambers. Elizabeth A. Roncace, *NASA Lewis Research Center* (7, 5, p. 717) Article based on AIAA Paper 89-2739

B91-100 Study of Two-Phase Flow for a Ramjet Combustor. D. Laredo, Y. Levy and Y. M. Timnat, *Technion—Israel Institute of Technology* (7, 5, p. 724) Article

B91-101 Energy Deposition in Low-Power Coaxial Plasma Thrusters. R. M. Myers, A. J. Kelly and R. G. Jahn, *Princeton University* (7, 5, p. 732) Article

B91-102 Five-Kilowatt Arcjet Power Electronics. R. P. Gruber, R. W. Gott and T. W. Haag, *NASA Lewis Research Center* (7, 5, p. 740) Article based on AIAA Paper 89-2725

B91-103 Antiproton Powered Propulsion with Magnetically Confined Plasma Engines. Michael R. LaPointe, *Sverdrup Technology, Inc.* (7, 5, p. 749) Article based on AIAA Paper 89-2334

B91-104 Cathode Phenomena in a Low-Power Magnetoplasmadynamic Thruster. R. M. Myers, N. Suzuki, A. J. Kelly and R. G. Jahn, *Princeton University* (7, 5, p. 760) Article based on AIAA Paper 88-3206

B91-105 Application of an Efficient Hybrid Scheme for Aeroelastic Analysis of Advanced Propellers. R. Srivastava and Lakshmi N. Sankar, *Georgia Institute of Technology*; T. S. R. Reddy, *University of Toledo*; and D. L. Huff, *NASA Lewis Research Center* (7, 5, p. 767) Article based on AIAA Paper 90-0028

B91-106 Hot Wire Measurements Downstream of a Propfan. T. G. Tillman and J. C. Simonich, *United Technologies Research Center* (7, 5, p. 776) Article

B91-107 Characteristics of Excited Shear Layers. M. Nallasamy, *Sverdrup Technology, Inc.* (7, 5, p. 784) Article based on AIAA Paper 89-0213

B91-108 Adaptive Grid Embedding Navier-Stokes Technique for Cascade Flows. Roger L. Davis and John F. Dannenhoffer III, *United Technologies Research Center* (7, 5, p. 792) Article based on AIAA Paper 89-0204

B91-109 Unsteady Aerodynamic Analysis of Ducted Fans. Marc H. Williams, *Purdue University*; Jinsoo Cho, *Belcan Technologies, Inc.*; and William N. Dalton, *General Motors Corporation* (7, 5, p. 800) Article

B91-110 Measurements of Particles Rebound Characteristics on Materials Used in Gas Turbines. W. Tabakoff, *University of Cincinnati* (7, 5, p. 805) Article based on AIAA Paper 89-1693

B91-111 High-Temperature Solid-Lubricated Bearing Development—Dry Powder-Lubricated Traction Testing. Hooshang Heshmat, *Mechanical Technology, Inc.* (7, 5, p. 814) Article based on AIAA Paper 90-2047

B91-112 Feasibility Study of Air-Breathing Turboengines for Horizontal Takeoff and Landing Space Planes. M. Minoda and K. Sakata, *National Aerospace Laboratory, Japan*; T. Tamaki, T. Saitoh and A. Yasuda, *Ishikawajima-Harima Heavy Industries, Ltd., Japan* (7, 5, p. 821) Article based on AIAA Paper 89-2296

B91-113 Operational Characteristics of the Thermally Choked Ram Accelerator. A. P. Bruckner, C. Knowlen, A. Hertzberg and D. W. Bogdanoff, *University of Washington* (7, 5, p. 828) Article

B91-114 Morphology of Standing Oblique Detonation Waves. David T. Pratt, *University of Washington*; Joseph W. Humphrey, *Advanced Projects Research, Inc.*; and Dennis E. Glenn, *Science Applications International, Inc.* (7, 5, p. 837) Article based on AIAA Paper 87-1785

B91-115 Ignition and Flammability Characteristics of Solid Fuel Ramjets. R. C. Wooldridge and D. W. Netzer, *Naval Postgraduate School* (7, 5, p. 846) Technical Note

B91-116 Aerating Fuel Nozzle Design Influences on Airflow Features. T. J. Rosfjord, *United Technologies Research Center*; and W. A. Eckerle, *Cummins Engine Company* (7, 6, p. 849) Article based on AIAA Paper 88-3140

B91-117 Review of Propulsion Applications and Numerical Simulations of the Pulsed Detonation Engine Concept. S. Eidelman, W. Grossmann and I. Lottati, *Science Applications International Corporation* (7, 6, p. 857) Article based on AIAA Paper 89-2446

B91-118 Unsteady Blade-Surface Pressures on a Large-Scale Advanced Propeller: Prediction and Data. M. Nallasamy, *Sverdrup Technology, Inc.*; and J. F. Groeneweg, *NASA Lewis Research Center* (7, 6, p. 866) Article based on AIAA Paper 90-2402

B91-119 Thermal Imaging of Afterburning Plumes. E. Ajdari, E. Gutmark, T. P. Parr, K. J. Wilson and K. C. Schadow, *Naval Weapons Center* (7, 6, p. 873) Article based on AIAA Paper 89-0062

B91-120 Numerical Modeling for Primary Atomization of Liquid Jets. S. G. Chuech, A. J. Przekwas and A. K. Singhal, *CFD Research Corporation* (7, 6, p. 879) Article based on AIAA Paper 89-0163

B91-121 Analysis of Ballistic Anomalies in Solid Rocket Motors. S. D. Heister and E. M. Landsbaum, *The Aerospace Corporation* (7, 6, p. 887) Article

B91-122 Current Assessment Methodology for Electrostatic Discharge Hazards of Energetic Materials. J. Covino and F. E. Hudson, *Naval Weapons Center* (7, 6, p. 894) Article

B91-123 Burning Rate Correlation with Effect of Thermal Radiation Considered. Jinqi Yin, Buxue Chen and Kexiu Wang, *Northwestern Polytechnical University, PRC*; and Feng Ren, *Shaanxi Institute of Power Machinery, PRC* (7, 6, p. 904) Article

B91-124 Multidimensional Interior Ballistic Two-Phase Flow and the Chambrage Problem. R. Heiser and E. Meineke, *Fraunhofer-Institut für Kurzzeitdynamik, Ernst-Mach-Institut, Germany* (7, 6, p. 909) Article based on AIAA Paper 89-2556

B91-125 Combustion Stability Analysis of Preburners During Engine Shutdown. Kair-Chuan Lim and Paul E. George, *University of Tennessee* (7, 6, p. 915) Article based on AIAA Paper 87-1776

B91-126 Compatibility of Hydrocarbon Fuels with Booster Engine Combustion Chamber Liners. S. D. Rosenberg and M. L. Gage, *Aerojet Propulsion Division* (7, 6, p. 922) Article based on AIAA Paper 88-3215

B91-127 Evaluation of Innovative Rocket Engines for Single-Stage Earth-to-Orbit Vehicles. Detlef Manski, *DLR Germany Aerospace Research Establishment, Germany*; and James A. Martin, *NASA Langley Research Center* (7, 6, p. 929) Article based on AIAA Paper 88-2819

B91-128 Modeling of Impulsive Propellant Reorientation. John I. Hochstein, T. P. Korakianitis and Alfredo E. Patag, *Washington University*; and David J. Chato, *NASA Lewis Research Center* (7, 6, p. 938) Article based on AIAA Paper 89-0628

B91-129 Mechanism of Explosion Induced by Contact of Hypergolic Liquids. Wataru Daimon, *Nihon University, Japan*; Yoshifumi Gotoh, *Mitsubishi Electric Corporation, Japan*; and Itsuro Kimura, *Tokai University* (7, 6, p. 946) Article

B91-130 One-Dimensional Analysis of Liquid-Fueled Combustion Instability. R. Bhatia and W. A. Sirignano, *University of California, Irvine* (7, 6, p. 953) Article based on AIAA Paper 90-0271

B91-131 Comparison of Heat Transfer Correlations for Cryogenic Engine Thrust Chamber Design. N. Sugathan, *Indian Space Research Organization, India*; K. Srinivasan and S. Srinivasa Murthy, *Indian Institute of Technology, India* (7, 6, p. 962) Article

B91-132 Characteristics of Ring-Cusp Discharge Chambers. J. N. Matossian and J. R. Beattie, *Hughes Research Laboratories* (7, 6, p. 968) Article

B91-133 Design and Performance of an Annular Magneto-plasmadynamic Thruster. D. J. Heimerdinger, *Institute for Defense Analyses*; and M. Martinez-Sanchez, *Massachusetts Institute of Technology* (7, 6, p. 975) Article

B91-134 Random Vibrations of Bladed-Disk Assemblies Under Cyclostationary Excitation. Sveinn V. Olafsson and Efstratios Nikolaidis, *Virginia Polytechnic Institute and State University* (7, 6, p. 981) Article

B91-135 Navier-Stokes Analysis of Flow and Heat Transfer Inside High-Pressure-Ratio Transonic Turbine Blade Rows. C. Hah, *NASA Lewis Research Center*; and R. J. Selva, *Cray Research, Inc.* (7, 6, p. 990) Article based on AIAA Paper 90-0343

B91-136 Stage-by-Stage Poststall Compression System Modeling Technique. M. W. Davis Jr., *Sverdrup Technology, Inc., Arnold AFB*; and W. F. O'Brien, *Virginia Polytechnic Institute and State University* (7, 6, p. 997) Article based on AIAA Paper 87-2088

B91-137 Enhanced Mixing of Supersonic Jets. T. G. Tillman, W. P. Patrick and R. W. Paterson, *United Technologies Research Center* (7, 6, p. 1006) Article based on AIAA Paper 88-3002

B91-138 Euler Flow Analysis of Turbine Powered Simulator and Fanjet Engine. Naoki Hirose and Keisuke Asai, *National Aerospace Laboratory, Japan*; Katuya Ikawa and Ryuma Kawamura, *Nihon University, Japan* (7, 6, p. 1015) Article based on AIAA Paper 89-1835

B91-139 Tangential Mass Addition for Shock/Boundary-Layer Interaction Control in Scramjet Inlets. M. E. White, R. E. Lee, M. W. Thompson and A. Carpenter, *Applied Physics Laboratory, Johns Hopkins University*; and W. J. Yanta, *Naval Surface Warfare Center* (7, 6, p. 1023) Article based on AIAA Paper 89-7086

B91-140 Inviscid Analysis of a Dual Mode Scramjet Inlet. Yeu-Chuan Hsia, Benjamin J. Gross and J. Paul Ortwerth, *Rockwell International Corporation* (7, 6, p. 1030) Article based on AIAA Paper 89-2681

B91-141 Experimental Investigation of Factors Affecting the Cathode Wall Slag-Layer Resegmentation Frequency. C. C. P. Pian, S. W. Petty and A. W. McClaine, *Avco Research Laboratory, Inc.* (7, 6, p. 1036) Article

B91-142 Jet Engine Fault Detection with Discrete Operating Points Gas Path Analysis. A. Stamatis, K. Mathioudakis, G. Berios and K. Papailiou, *National Technical University of Athens, Greece* (7, 6, p. 1043) Article based on AIAA Paper 89-7133

B91-143 Transmission Overhaul and Component Replacement Predictions Using Weibull and Renewal Theory. M. Savage, *University of Akron*; and D. G. Lewicki, *NASA Lewis Research Center* (7, 6, p. 1049) Article based on AIAA Paper 89-2919

B91-144 Engineering Model for Analysis of Scramjet Combustor Performance with Finite-Rate Chemistry. Maria V. Pulsonetti, John Erdos and Kevin Early, *General Applied Science Laboratories, Inc.* (7, 6, p. 1055) Article based on AIAA Paper 88-3258

B91-145 Isothermal Modeling of Gas Turbine Combustors: Computational Study. P. Koutmos and J. J. McGuirk, *Imperial College of Science, Technology, and Medicine, England, UK* (7, 6, p. 1064) Article

B91-146 Real-Gas Effect on the Magnetoplasmodynamic Arcjet. M. Sumida and K. Toki, *Institute of Space and Astronautical Science, Japan* (7, 6, p. 1072) Technical Note based on AIAA Paper 87-1066

B91-147 Sensitivity of Shock/Shock Interactions to Upstream Variations. Charles A. Lind and Mark J. Lewis, *University of Maryland* (7, 6, p. 1074) Technical Note based on AIAA Paper 90-2217

B91-148 Influence of Metal Agglomeration and Heat Feedback on Composite Propellant Burning Rate. M. Quinn Brewster and Brian E. Hardt, *University of Illinois at Urbana-Champaign* (7, 6, p. 1076) Technical Note

B91-149 Effect of Gas/Particle Coupling on Combustion Efficiency in Aluminized Solid Rockets. Eric G. Bradley and M. Quinn Brewster, *University of Illinois at Urbana-Champaign* (7, 6, p. 1078) Technical Note

B91-150 Analyses of Magnetohydrodynamic Propulsion with Seawater for Underwater Vehicles. T. F. Lin and J. B. Gilbert, *Pennsylvania State University*; and G. D. Roy, *Office of Naval Research* (7, 6, p. 1081) Technical Note

U.S. Postal Service STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION <small>Required by 39 U.S.C. 3685</small>		
1A. Title of Publication Journal of Propulsion and Power	1B. PUBLICATION NO. 7 5 0 3 1 7 0	2. Date of Filing 9/27/91
3. Frequency of Issue Bimonthly	3A. No. of Issues Published Annually 6	3B. Annual Subscription Price \$28.00
4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Code) (Not printers) 370 L'Enfant Promenade S.W., Washington, D.C. 20024		
5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (Not printers) Same as above.		
6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (This item MUST NOT be blank)		
Publisher (Name and Complete Mailing Address) American Institute of Aeronautics and Astronautics, Inc. Same as above.		
Editor (Name and Complete Mailing Address) R. H. Woodward Waesche -- Same as above.		
Managing Editor (Name and Complete Mailing Address) Heather Brennan -- Same as above.		
7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)		
Full Name American Institute of Aeronautics and Astronautics, Inc.		Complete Mailing Address Same as above.
8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state)		
Full Name None.		Complete Mailing Address
9. For Completion by Nonprofit Organizations Authorized to Mail at Special Rates (DMM Section 423.12 only) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)		
(1) <input checked="" type="checkbox"/> Has Not Changed During Preceding 12 Months (2) <input type="checkbox"/> Has Changed During Preceding 12 Months (If changed, publisher must submit explanation of change with this statement.)		
10. Extent and Nature of Circulation (See instructions on reverse side)	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total No. Copies (Net Press Run)	2483	2500
B. Paid and/or Requested Circulation		
1. Sales through dealers and carriers, street vendors and counter sales	----	----
2. Mail Subscription (Paid and/or requested)	1912	2002
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)	1912	2002
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies	96	93
E. Total Distribution (Sum of C and D)	2008	2095
F. Copies Not Distributed	475	405
1. Office use, left over, unaccounted, spoiled after printing		
2. Return from News Agents	----	----
G. TOTAL (Sum of E, F1 and 2--should equal net press run shown in A)	2483	2500
11. I certify that the statements made by me above are correct and complete Signature and Title of Editor, Publisher, Business Manager, or Owner Norma J. Brennan, Director, Journals		