

Chronological Index

B96-032 Development of Equations of State for Compressible Liquids. K. Kolcio and A. J. Helmicki, *University of Cincinnati* (12, 1, p. 213) Technical Note

Technical Comment by G. Emanuel, *University of Oklahoma* (14, 6, p. 1068)

B98-001 Reacting Flow Establishment in Ram Accelerators: A Numerical Study. S. Yungster, K. Radhakrishnan, and M. J. Rabinowitz, *NASA Lewis Research Center* (14, 1, p. 10) Article

B98-002 Control of Flame-Holding in Supersonic Airflow by Secondary Air Injection. Shuhei Takahashi, Naohiro Sato, Mitsuhiro Tsue, and Michikata Kono, *University of Tokyo, Japan*; and Masahiko Nakamura, Hiroshi Kondo, and Yasushige Ujiie, *Nihon University, Japan* (14, 1, p. 18) Article based on AIAA Paper 96-4585

B98-003 Improved Physics Model for the Gasdynamic Mirror Fusion Propulsion System. Terry Kammash and David L. Galbraith, *University of Michigan* (14, 1, p. 24) Article

B98-004 Modeling Plasma Processes in 1-Kilowatt Hydrazine Arcjet Thrusters. Thomas W. Megli, Junqing Lu, Herman Krier, and Rodney L. Burton, *University of Illinois at Urbana-Champaign* (14, 1, p. 29) Article

B98-005 Thermal Decomposition of 3,3'-Bis-Azidomethyl-Oxetane. Young Joo Lee, Ching-Jen Tang, Gautam Kudva, and Thomas A. Litzinger, *Pennsylvania State University* (14, 1, p. 37) Article

B98-006 Droplet Combustion, Microexplosion, and Sooting Characteristics of Several Energetic Liquid Propellants. T. X. Li, D. L. Zhu, and C. K. Law, *Princeton University* (14, 1, p. 45) Article

B98-007 Characterization of Fuel Regression in a Radial Flow Hybrid Rocket. J. R. Caravella Jr., S. D. Heister, and E. J. Wernimont, *Purdue University* (14, 1, p. 51) Article based on AIAA Paper 96-3096

B98-008 Characteristics of a Trapped-Vortex Combustor. K.-Y. Hsu and L. P. Goss, *Innovative Scientific Solutions, Inc.*; and W. M. Roquemore, *U.S. Air Force Wright Laboratory* (14, 1, p. 57) Article based on AIAA Paper 95-0810

B98-009 Assessment of a Radiative Heat Transfer Model for Gas Turbine Combustor Preliminary Design. Peter J. Stuttaford and Philip A. Rubini, *Cranfield University, England, UK* (14, 1, p. 66) Article based on AIAA Paper 97-0294

B98-010 Digital Simulator for Steady-State Performance Prediction of Military Turbofan Engine. Vivek Sanghi, B. K. Lakshmanan, and V. Sundararajan, *Gas Turbine Research Establishment, India* (14, 1, p. 74) Article

B98-011 Influence of Inlet Pressure Distortion on a Convertible Engine Fan. Tarik Kaya, *International Space University, France* (14, 1, p. 82) Article

B98-012 Numerical Investigation of Inlet Buzz Flow. Pong-Jeu Lu and Ling-Tzong Jain, *National Cheng Kung University, Taiwan, ROC* (14, 1, p. 90) Article

B98-013 Method for Noise Suppressing Nozzle Calculation and First Results of Its Implementation. S. Bosniakov, S. Fonov, V. Jitenev, A. Shenkin, V. Vlasenko, and N. Yatskevich, *Central Aerohydrodynamic Institute (TsAGI), Russia* (14, 1, p. 101) Article

B98-014 Experimental Analysis of the Turbulent Shear Stresses for Distorted Supersonic Boundary Layers. Joel J. Luker, Chad S. Hale, and Rodney D. W. Bowersox, *U.S. Air Force Institute of Technology* (14, 1, p. 110) Article

B98-015 Solar Cell Temperature on Mars. E. Matz, J. Applebaum, and Y. Taitel, *Tel-Aviv University, Israel*; and D. J. Flood, *NASA Lewis Research Center* (14, 1, p. 119) Article

B98-016 Mars Dust-Removal Technology. Geoffrey A. Landis, *Ohio Aerospace Institute* (14, 1, p. 126) Article

B98-017 Jet-Engine Test Cell Augmenter Performance. C. A. Kodres and G. L. Murphy, *U.S. Naval Facilities Engineering Service Center* (14, 2, p. 129) Article

B98-018 Comparison of Physical and Aerodynamic Ramps as Fuel Injectors in Supersonic Flow. Raymond P. Fuller and Pei-Kuan Wu, *Taitech, Inc.*; Abdollah S. Nejad, *U.S. Air Force Research Laboratory*; and Joseph A. Schetz, *Virginia Polytechnic Institute and State University* (14, 2, p. 135) Article

B98-019 Investigation of Cryogenic Propellant Flames Using Computerized Tomography of Emission Images. Gerald Herding, Ray Snyder, Carlos Rolon, and Sébastien Candel, *Centre National de la Recherche Scientifique, France* (14, 2, p. 146) Article

B98-020 Competitive Reactivity of Stabilizers and Ballistic Modifiers During Simulated Aging of Propellants. M. H. Sammour, *Egyptian Armed Forces* (14, 2, p. 152) Article

B98-021 Leading-Edge Flame Detachment: Effect on Pressure-Coupled Combustion Response. C. A. Beiter and E. W. Price, *Georgia Institute of Technology* (14, 2, p. 160) Article

B98-022 Ignition Dynamics of Boron Particles in a Shock Tube. Herman Krier, R. L. Burton, M. J. Spalding, and T. J. Rood, *University of Illinois at Urbana-Champaign* (14, 2, p. 166) Article based on AIAA Paper 97-3234

B98-023 Spray Structures of Liquid Jets Atomized in Subsonic Crossflows. Pei-Kuan Wu, Kevin A. Kirkendall, and Raymond P.

Fuller, *Taitech, Inc.*; and Abdollah S. Nejad, *U.S. Air Force Research Laboratory* (14, 2, p. 173) Article

B98-024 Three-Dimensional Turbine Rotor Forcing Functions and Linear Theory Analysis. David A. Johnston and Sanford Fleeter, *Purdue University* (14, 2, p. 183) Article

B98-025 Measured Rotor Wake and Potential Forcing Functions, Including Blade Row Interactions. Robert T. Johnston, John M. Feiereisen, and Sanford Fleeter, *Purdue University* (14, 2, p. 191) Article based on AIAA Paper 94-2975

B98-026 Blading Response to Potential Field Interactions in Axial- and Radial-Flow Turbomachinery. Albert J. Sanders and Sanford Fleeter, *Purdue University* (14, 2, p. 199) Article

B98-027 Preliminary Estimation of Engine Gas-Flow-Path Size and Weight. Vivek Sanghi, S. Kishore Kumar, and V. Sundararajan, *Gas Turbine Research Establishment, India*; and S. K. Sane, *Indian Institute of Technology* (14, 2, p. 208) Article

B98-028 Wake Decay: Effect of Freestream Swirl. J. M. Brookfield, I. A. Waitz, and J. Sell, *Massachusetts Institute of Technology* (14, 2, p. 215) Article

B98-029 Aerodynamic Shape Optimization of a Subsonic Inlet Using Three-Dimensional Euler Computation. D. R. Reddy, *NASA Lewis Research Center*; E. S. Reddy, *NYMA, Inc.*; and R. E. Moody, *The Boeing Company* (14, 2, p. 225) Article

B98-030 Overexpanded Two-Dimensional Convergent-Divergent Nozzle Performance, Effects of Three-Dimensional Flow Interactions. A. Hamed and C. Vogiatzis, *University of Cincinnati* (14, 2, p. 234) Article

B98-031 Aerodynamics Performance Prediction of Thrust-Vectoring Nozzles. A. Matesanz, A. Velázquez, and M. Rodríguez, *SENER, Spain* (14, 2, p. 241) Article

B98-032 Propellant Utilization in Hall Thrusters. Y. Raitses and J. Ashkenazy, *Soreq Nuclear Research Center, Israel*; and M. Guelman, *Technion—Israel Institute of Technology* (14, 2, p. 247) Article

B98-033 Quasisteady Ablative Magnetoplasmadynamic Thruster Performance with Different Propellants. Giorgio Paccani and Ugo Chiarotti, *University of Rome "La Sapienza," Italy*; and William D. Deininger, *FiatAvio Comprensorio BPD, Italy* (14, 2, p. 254) Article

B98-034 Laser Propulsion System for Space Vehicles. Aviad Brandstein, *Israeli Air Force*; and Yeshayahou Levy, *Technion—Israel Institute of Technology* (14, 2, p. 261) Article

Errata (14, 6, p. 1069)

B98-035 Rocket Propulsion Strategy Based on Kinetic Energy Management. Merrill K. King, *NASA Headquarters* (14, 2, p. 270) Technical Note

B98-036 Study on Trapped-Vortex Combustor—Effect of Injection on Flow Dynamics. Viswanath R. Katta, *Innovative Scientific Solutions, Inc.*; and W. M. Roquemore, *U.S. Air Force Research Laboratory* (14, 3, p. 273) Article based on AIAA Paper 97-3256

B98-037 Transition Characteristics of Flowfield in a Simulated Solid-Rocket Motor. Tong-Miin Liou, Wan-Yih Lien, and Po-Wen Hwang, *National Tsing Hua University, Taiwan, ROC* (14, 3, p. 282) Article

B98-038 Determination of Pressure Dependence of Burning Rate in Solid Motors Using Ultrasonic Technique. Desh Deepak, R. Jeenu, P. Sridharan, and M. S. Padmanabhan, *Vikram Sarabhai Space Centre, India* (14, 3, p. 290) Article

B98-039 Effect of Catalyst Addition on Subatmospheric Burning Surface Temperature of Composite Propellants. S. Krishnan and R. D. Swami, *Indian Institute of Technology* (14, 3, p. 295) Article

B98-040 Temperature and Species Measurements in a Low-Thrust Hydrogen/Oxygen Rocket Engine. Wilhelmus A. de Groot, *NYMA, Inc.* (14, 3, p. 301) Article

B98-041 Model of Turbulent Mixing and Reaction for H₂-Air Combustion. Marc A. Cremer, *Reaction Engineering International*; and Patrick A. McMurtry, *University of Utah* (14, 3, p. 309) Article

B98-042 Methodology to Solve Flowfields of Plug Nozzles for Future Launchers. Francesco Nasuti and Marcello Onofri, *University of Rome "La Sapienza," Italy* (14, 3, p. 318) Article based on AIAA Paper 97-2941

B98-043 Transport-Property Measurements in the Plume of an SPT-100 Hall Thruster. Lyon B. King, Alec D. Gallimore, and Colleen M. Marrese, *University of Michigan* (14, 3, p. 327) Article

B98-044 Surface Modification Measurements in the T5 Ion Thruster Plume. L. Najeeb Ahmed and Mark W. Crofton, *The Aerospace Corporation* (14, 3, p. 336) Article

B98-045 Load Oscillations Caused by Unstart of Hypersonic Wind Tunnels and Engines. Takashi Shimura, Tohru Mitani, Noboru Sakuranaka, and Muneo Izumikawa, *National Aerospace Laboratory, Japan* (14, 3, p. 348) Article based on AIAA Paper 96-3242

B98-046 Symmetry Approach to Extension of Flutter Boundaries via Mistuning. B. Shapiro, *California Institute of Technology* (14, 3, p. 354) Article

B98-047 Numerical Simulation of Incompressible Two-Blade Rotor Flowfields. John A. Ekaterinaris, *Risoe National Laboratory, Denmark* (14, 3, p. 367) Article based on AIAA Paper 97-0398

B98-048 Stability Behavior of a Shaft-Disk System Subjected to Longitudinal Force. Lien-Wen Chen and Hong-Cheng Sheu, *National Cheng Kung University, Taiwan, ROC* (14, 3, p. 375) Article

B98-049 Heat Transfer in Counterswirled Coaxial Jet Mixing. J. L. Sanger, *Woodworker's Supply*; and P. A. Dellenback, *University of Wyoming* (14, 3, p. 384) Article

B98-050 Sound-Pressure-Level Variations in a Supersonic Rectangular Cavity at Yaw. Peter J. Disimile and Paul D. Orkwis, *University of Cincinnati* (14, 3, p. 392) Article

B98-051 Application of Two-Variable Fuzzy-PI Control in an Aeroengine. Fang Zhongxiang and Wu Chihua, *Northwestern Polytechnical University, PRC* (14, 3, p. 399) Article

B98-052 Analysis of Ar-Cs Magnetohydrodynamics Disk Generator with Strong Interaction. Motoo Ishikawa, Takuro Shiomi, and Yoshitaka Inui, *Kyoto University, Japan*; and Hiroyuki Yamasaki, *Tokyo Institute of Technology, Japan* (14, 3, p. 403) Article

B98-053 Modified Fracture Mechanics Approach in Structural Analysis of Solid-Rocket Motors. Sook-Ying Ho, *Aeronautical and Maritime Research Laboratory, Australia*; and Gérard Carè, *G+D Computing Pty. Ltd., Australia* (14, 4, p. 409) Article

B98-054 Experimental Study on Boron-Potassium Nitrate Initiated by Shock. Liqiong Wang and Changgen Feng, *Beijing Institute of Technology, PRC*; and Changsheng Han, *China Academy of Engineering Physics, PRC* (14, 4, p. 416) Article

B98-055 Measurement System for Determining Solid Propellant Burning Rate Using Transmission Microwave Interferometry. Vladica S. Bozic, Djordje D. Blagojevic, and Bozidar A. Anicin, *Belgrade University, Yugoslavia* (14, 4, p. 421) Article based on AIAA Paper 97-2842

B98-056 Experimental Database Describing Pulse-Triggered Nonlinear Instability in Solid Rocket Motors. P. G. Harris, *Defence Research Establishment Valcartier, Canada*; and A. De Champlain, *Laval University, Canada* (14, 4, p. 429) Article

B98-057 Modeling and Estimation for Electromechanical Thrust Vector Control of Rocket Engines. Dale E. Schinstock, Douglas A. Scott, and Tim A. Haskew, *University of Alabama* (14, 4, p. 440) Article

B98-058 Investigation of a Solid Fuel Scramjet Combustor. Adela Ben-Yakar, Benveniste Natan, and Alon Gany, *Technion—Israel Institute of Technology* (14, 4, p. 447) Article

B98-059 Flame-Holding Configurations for Kerosene Combustion in a Mach 1.8 Airflow. Michael G. Owens, Sharam Tehranian, and Corin Segal, *University of Florida*; and Viatcheslav A. Vinogradov, *Central Institute of Aviation Motors, Russia* (14, 4, p. 456) Article

B98-060 New Model for Intense Self-Similar Vortices. Georgios H. Vatistas, *Concordia University, Canada* (14, 4, p. 462) Article

B98-061 Shock-Loss Model for Transonic and Supersonic Axial Compressors with Curved Blades. M. T. Schobeiri, *Texas A&M University* (14, 4, p. 470) Article

B98-062 Properties of Laminar Premixed Hydrocarbon/Air Flames at Various Pressures. M. I. Hassan, K. T. Aung, O. C. Kwon, and G. M. Faeth, *University of Michigan* (14, 4, p. 479) Article

B98-063 Strategies for Pulsed Detonation Engine Performance Optimization. J.-L. Cambier, *FFA, Aeronautical Research Institute of Sweden*; and J. K. Tegnér, *FOA, Sweden* (14, 4, p. 489) Article based on AIAA Paper 97-2743

B98-064 Reflections on Free-Piston Stirling Engines, Part 1: Cyclic Steady Operation. F. de Monte, *University of L'Aquila, Italy*; and G. Benvenuto, *University of Genoa, Italy* (14, 4, p. 499) Article

B98-065 Reflections on Free-Piston Stirling Engines, Part 2: Stable Operation. F. de Monte, *University of L'Aquila, Italy*; and G. Benvenuto, *University of Genoa, Italy* (14, 4, p. 509) Article

B98-066 Generic Magnetic Fusion Rocket Model. John F. Santarius, *University of Wisconsin*; and B. Grant Logan, *Lawrence Livermore National Laboratory* (14, 4, p. 519) Article based on AIAA Paper 93-2029

B98-067 Simplified Approach to Performance Evaluation of Nuclear and Electrical Propulsion Systems. Fernando de Souza Costa and João Andrade de Carvalho Jr., *National Space Research Institute, Brazil* (14, 4, p. 525) Article

B98-068 Vortex Formation and Stability in a Scaled Gas-Core Nuclear Rocket Configuration. L. E. Thode, M. C. Cline, and S. D. Howe, *Los Alamos National Laboratory* (14, 4, p. 530) Article based on AIAA Paper 97-2955

B98-069 Slingatron Mass Launchers. Derek A. Tidman, *Slingatron Technologies, Inc.* (14, 4, p. 537) Article

B98-070 Effect of Propellant Temperature on Efficiency in the Pulsed Plasma Thruster. Gregory G. Spanjers, Jamie B. Malak, Robert J. Leiweke, and Ronald A. Spores, *U.S. Air Force Research Laboratory* (14, 4, p. 545) Article

B98-071 Propellant Losses Because of Particulate Emission in a Pulsed Plasma Thruster. Gregory G. Spanjers, Jason S. Lotspeich, Keith A. McFall, and Ronald A. Spores, *U.S. Air Force Research Laboratory* (14, 4, p. 554) Article

B98-072 Arcjet Anode Plasma Measurements Using Electrostatic Probes. Nicholas T. Tiliakos, Rodney L. Burton, and Herman Krier, *University of Illinois at Urbana-Champaign* (14, 4, p. 559) Article

560) Article based on AIAA Paper 97-3201

B98-073 Beamlet Profiles from Multiple-Hole Ion-Extraction Systems. Yukio Hayakawa, Shoji Kitamura, and Katsuhiro Miyazaki, *National Aerospace Laboratory, Japan* (14, 4, p. 568) Article based on AIAA Paper 96-3199

B98-074 Condensed-Phase Chemical Interaction Between Ammonium Perchlorate and Hydroxy-Terminated Polybutadiene. I. Jojic and M. Q. Brewster, *University of Illinois at Urbana-Champaign* (14, 4, p. 575) Technical Note

B98-075 Modeling the Effect of Unsteady Chamber Conditions on Atomization Processes. K. M. Rump and S. D. Heister, *Purdue University* (14, 4, p. 576) Technical Note based on AIAA Paper 97-3298

B98-076 Near-Critical Liquid Oxygen Droplet Measurements. M. Ferraro, R. J. Kujala, J.-L. Thomas, M. J. Glogowski, and M. M. Micci, *Pennsylvania State University* (14, 4, p. 579) Technical Note

B98-077 General Numerical Model for Liquid Jet Atomization Applications. Yen-Sen Chen and Huan-Min Shang, *Engineering Sciences, Inc.*; Chien-Pin Chen, *University of Alabama in Huntsville*; and Ten-See Wang, *NASA Marshall Space Flight Center* (14, 4, p. 581) Technical Note

B98-078 Cycles for Earth-to-Orbit Propulsion. Detlef Manski, Christoph Goertz, and Hagen-D. Saßnick, *DLR, German Aerospace Center*; James R. Hulka, *Aerojet*; and B. David Goracke and Daniel J. H. Levack, *The Boeing Company* (14, 5, p. 588) Article

B98-079 Combined Rocket and Airbreathing Propulsion Systems for Space-Launch Applications. Russell Daines, *Brigham Young University*; and Corin Segal, *University of Florida* (14, 5, p. 605) Article

B98-080 Preliminary Analysis of an Airbreathing and Rocket Combined-Cycle Engine. Feng Qi and Jue Wang, *China Academy of Launch Vehicle Technology*; and Chien-Pin Chen, *University of Alabama in Huntsville* (14, 5, p. 613) Article

B98-081 Advanced Rocket Nozzles. Gerald Hagemann, *DLR, German Aerospace Center*; Hans Immich, *Daimler-Benz AG, Germany*; Thong Van Nguyen, *GenCorp Aerojet*; and Gennady E. Dumnov, *Keldysh Research Center, Russia* (14, 5, p. 620) Article

B98-082 Dynamic Amplification of Fluid Pressure in a Propellant Feed Line. T. V. Nguyen and W. E. Huffman, *GenCorp Aerojet* (14, 5, p. 635) Article

B98-083 Propellant Technologies: Far-Reaching Benefits for Aeronautical and Space-Vehicle Propulsion. Bryan Palaszewski, *NASA Lewis Research Center*; Leonid S. Ianovski, *Central Institute of Aviation Motors, Russia*; and Patrick Carrick, *U.S. Air Force Research Laboratory* (14, 5, p. 641) Article

B98-084 Propellant Management in Booster and Upper-Stage

Propulsion Systems. Mark F. Fisher, *NASA Marshall Space Flight Center* (14, 5, p. 649) Article

B98-085 Liquid-Propellant Rocket Engine Health-Monitoring Techniques. Yulin Zhang, Jianjun Wu, Minchao Huang, Hengwei Zhu, and Qizhi Chen, *National University of Defense Technology, PRC* (14, 5, p. 657) Article

B98-086 Quality Issues in Propulsion. John P. McCarty, *McCarty Group, Inc.*; and Garry M. Lyles, *NASA Marshall Space Flight Center* (14, 5, p. 664) Article

B98-087 Status and Issues Related to In-Space Propulsion Systems. R. L. Sackheim and D. C. Byers, *TRW Space and Electronics Group* (14, 5, p. 669) Article

B98-088 Nontoxic Orbital Maneuvering and Reaction Control Systems for Reusable Spacecraft. Eric Hurlbert, John Applewhite, and Tien Nguyen, *NASA Johnson Space Center*; Brian Reed, *NASA Lewis Research Center*; and Zhang Baojiong and Wang Yue, *Shanghai Academy of Spaceflight Technology, PRC* (14, 5, p. 676) Article

B98-089 Spacecraft Electric Propulsion—An Overview. M. Martinez-Sanchez, *Massachusetts Institute of Technology*; and J. E. Pollard, *The Aerospace Corporation* (14, 5, p. 688) Article

B98-090 Electric Propulsion for Solar System Exploration. John R. Brophy and Muriel Noca, *Jet Propulsion Laboratory, California Institute of Technology* (14, 5, p. 700) Article

B98-091 Ion Thruster Development Trends and Status in the United States. Paul J. Wilbur, *Colorado State University*; Vincent K. Rawlin, *NASA Lewis Research Center*; and J. R. Beattie, *Hughes Space and Communication Company* (14, 5, p. 708) Article

B98-092 Pulsed Plasma Thruster. R. L. Burton, *University of Illinois at Urbana-Champaign*; and P. J. Turchi, *Ohio State University* (14, 5, p. 716) Article

B98-093 Main Physical Features and Processes Determining the Performance of Stationary Plasma Thrusters. Vladimir Kim, *Moscow Aviation Institute, Russia* (14, 5, p. 736) Article

B98-094 Scaling of Thrust in Self-Field Magnetoplasmadynamic Thrusters. Edgar Choueiri, *Princeton University* (14, 5, p. 744) Article

B98-095 Technology and Application Aspects of Applied Field Magnetoplasmadynamic Propulsion. Gerd Krülle, *DLR, German Aerospace Center*; Monika Auweter-Kurtz, *University of Stuttgart, Germany*; and Akihiro Sasoh, *Tohoku University, Japan* (14, 5, p. 754) Article

B98-096 High-Power Hydrogen Arcjet Thrusters. Monika Auweter-Kurtz, Thomas Götz, Harald Habiger, Frank Hammer, Helmut Kurtz, Martin Riehle, and Christian Sleziona, *University of Stuttgart, Germany* (14, 5, p. 764) Article

- B98-097 Experimental Performance of Field Emission Microthrusters.** Salvo Marcuccio, Angelo Genovese, and Mariano Andrenucci, *Centrosazio, Italy* (14, 5, p. 774) Article
- B98-098 Research as a Key in the Design Methodology of Liquid-Propellant Combustion Devices.** M. Habiballah and L. Vingert, *ONERA, France*; V. Duthoit, *Société Européenne de Propulsion, France*; and P. Vuillermoz, *Centre National d'Études Spatiales, France* (14, 5, p. 782) Article
- B98-099 Investigation of Heat Transfer and Coking Characteristics of Hydrocarbon Fuels.** Keming Liang, Baoye Yang, and Zhongli Zhang, *China Aerospace Industry Corporation* (14, 5, p. 789) Article
- B98-100 Liquid-Propellant Rocket Engine Injector Dynamics.** Vladimir G. Bazarov, *Moscow State Aviation Institute*; and Vigor Yang, *Pennsylvania State University* (14, 5, p. 797) Article
- B98-101 Mixing and Spray Formation in Coaxial Jets.** Emmanuel Villiermaux, *Centre National de la Recherche Scientifique, France* (14, 5, p. 807) Article
- B98-102 Effects of Periodic Atomization on Combustion Instability in Liquid-Fueled Propulsion Systems.** W. E. Anderson, K. L. Miller, H. M. Ryan, S. Pal, and R. J. Santoro, *Pennsylvania State University*; and J. L. Dressler, *Fluid Jet Associates* (14, 5, p. 818) Article
- B98-103 Experimental Investigation of Shear Coaxial Cryogenic Jet Flames.** S. Candel, G. Herding, R. Snyder, P. Scoufflaire, and C. Rolon, *École Centrale Paris*; L. Vingert, M. Habiballah, F. Grisch, M. Péalat, and P. Bouchardy, *ONERA, France*; D. Stepowski, A. Cessou, and P. Colin, *Université de Rouen, France* (14, 5, p. 826) Article
- B98-104 Atomization and Breakup of Cryogenic Propellants Under High-Pressure Subcritical and Supercritical Conditions.** Wolfgang O. H. Mayer and Axel H. A. Schik, *DLR, German Aerospace Center*; Bruno Vielle, Christian Chauveau, and Iskender Gökalp, *Centre National de la Recherche Scientifique, France*; and Douglas G. Talley and Rodger D. Woodward, *U.S. Air Force Research Laboratory* (14, 5, p. 835) Article
- B98-105 Modeling High-Pressure Mixing and Combustion Processes in Liquid Rocket Engines.** Joseph C. Oefelein and Vigor Yang, *Pennsylvania State University* (14, 5, p. 843) Article
- B98-106 Technical Issues Related to Propulsion Systems for Launch Vehicles.** Pingxin Hu, Ningchang Zhu, Baojiong Zhang, and Guoqiu Liu, *China Aerospace Corporation* (14, 5, p. 858) Technical Note
- B98-107 Wall Pressure Measurements for a Sonic Jet Injected Transversely into a Supersonic Crossflow.** D. E. Everett, *Whirlpool Corporation*; M. A. Woodmansee and J. C. Dutton, *University of Illinois at Urbana-Champaign*; and M. J. Morris, *Bradley University* (14, 6, p. 861) Article
- B98-108 Numerical Simulation of Hypersonic Shock-Induced Combustion Ramjets.** R. Dubeout, J. P. Sislian, and R. Oppitz, *University of Toronto, Canada* (14, 6, p. 869) Article based on AIAA Paper 94-3098
- B98-109 Experimental Investigation of a Supersonic Combustion Solid Fuel Ramjet.** Abraham Cohen-Zur and Benveniste Natan, *Technion-Israel Institute of Technology* (14, 6, p. 880) Article based on AIAA Paper 97-3237
- B98-110 Automated Optimal Design of Two-Dimensional Supersonic Missile Inlets.** Michael Blaize, Doyle Knight, and Khaled Rasheed, *Rutgers University* (14, 6, p. 890) Article
- B98-111 Three-Dimensional Flow Theory of Turbomachinery, Part 1: Basic Methodology.** Jianzhong Xu, Manchu Ge, Xiaolu Zhao, and Zhengming Wang, *Chinese Academy of Sciences, PRC* (14, 6, p. 899) Article
- B98-112 Three-Dimensional Flow Theory of Turbomachinery, Part 2: Design and Analysis System.** Jianzhong Xu, Manchu Ge, Xiaolu Zhao, and Zhengming Wang, *Chinese Academy of Sciences, PRC* (14, 6, p. 907) Article
- B98-113 Numerical Prediction of Unsteady Transitional Boundary Layer Caused by Rotor-Stator Interaction.** Dongjin Kang and Budugur Lakshminarayana, *Pennsylvania State University* (14, 6, p. 916) Article based on AIAA Paper 97-2752
- B98-114 Potential Field Interactions in a Low-Speed Centrifugal Compressor.** Albert J. Sanders and Sanford Fleeter, *Purdue University* (14, 6, p. 925) Article
- B98-115 Effects of Compression, Staging, and Braid Angle on Braided Rope Seal Performance.** Bruce M. Steinetz, *NASA Lewis Research Center*; and Michael L. Adams, *Modern Technologies Corporation* (14, 6, p. 934) Article based on AIAA Paper 97-2872
- B98-116 Mixer-Ejector Noise-Suppressor Model.** David E. Tew, Brian S. Teeple, and Ian A. Waitz, *Massachusetts Institute of Technology* (14, 6, p. 941) Article
- B98-117 Ram Accelerator Operating Limits, Part 1: Identification of Limits.** A. J. Higgins, C. Knowlen, and A. P. Bruckner, *University of Washington* (14, 6, p. 951) Article
- B98-118 Ram Accelerator Operating Limits, Part 2: Nature of Observed Limits.** A. J. Higgins, C. Knowlen, and A. P. Bruckner, *University of Washington* (14, 6, p. 959) Article
- B98-119 Effects of Unmixedness in Piloted-Lean Premixed Gas-Turbine Combustors.** J. C. Barnes and A. M. Mellor, *Vanderbilt University* (14, 6, p. 967) Article
- B98-120 Quantifying Unmixedness in Lean Premixed Combustors Operating at High-Pressure, Fired Conditions.** J. C. Barnes and A. M. Mellor, *Vanderbilt University* (14, 6, p. 974) Article

B98-121 Possible Chemical Mechanisms for Boron Hydride Acceleration of Nitramine Decomposition: Literature Review. Michael A. Schroeder, *U.S. Army Research Laboratory* (14, 6, p. 981) Article

B98-122 Molecular-Beam Mass-Spectrometry to Ammonium Dinitramide Combustion Chemistry Studies. Oleg P. Korobeinichev, Leonid V. Kuibida, Alexander A. Paletsky, and Andrey G. Shmakov, *Russian Academy of Sciences* (14, 6, p. 991) Article based on AIAA Paper 98-0445

B98-123 Ignition and Combustion of Aluminum Particles in $H_2/O_2/N_2$ Combustion Products. Robert O. Foelsche, Rodney L. Burton, and Herman Krier, *University of Illinois at Urbana-Champaign* (14, 6, p. 1001) Article

B98-124 Monte Carlo Simulation of Neutral Xenon Flows in Electric Propulsion Devices. Iain D. Boyd, Douglas B. Van Gilder, and Xiaoming Liu, *Cornell University* (14, 6, p. 1009) Article

B98-125 Microwave Plume Measurements of a Closed Drift Hall Thruster. Shawn Ohler, Brian E. Gilchrist, and Alec Gallimore, *University of Michigan* (14, 6, p. 1016) Article based on AIAA Paper 95-2931

B98-126 Development and Demonstration of a Cathodeless Electron Cyclotron Resonance Ion Thruster. Hitoshi Kuninaka and Shin Satori, *Institute of Space and Astronautical Science, Japan* (14, 6, p. 1022) Article

B98-127 Numerical Method of Cesium Ion Beams in Field Emission Electric Propulsion Thrusters. Mariano Andrenucci, *University of Pisa, Italy*; Alessandro Ciucci and Salvo Marcuccio, *Centrosazio, Italy*; and Giuseppe Barsotti, *University of Pisa, Italy* (14, 6, p. 1027) Article

B98-128 Spot Mode Transition and the Anode Fall of Pulsed Magnetoplasmdynamic Thrusters. Kevin D. Diamant, Edgar Y. Choueiri, and Robert G. Jahn, *Princeton University* (14, 6, p. 1036) Article

B98-129 Electrode Configuration Effect on the Performance of a Two-Dimensional Magnetoplasmdynamic Arcjet. I. Funaki, K. Toki, and K. Kuriki, *Institute of Space and Astronautical Science, Japan* (14, 6, p. 1043) Article

B98-130 Pulsed Portable Magnetohydrodynamic Power System Program. Daniel W. Swallom, Victor M. Goldfarb, Judy S. Gibbs, and Isaac Sadovnik, *Textron Systems Corporation*; Vladimir A. Zeigarnik, *IVTAN Association of the Russian Academy of Sciences*; Alexander G. Blokh, *Nizhny Novgorod Machine Building Plant, Russia*; and Jury P. Babakov, *Federal Center of Dual Technologies "Soyuz," Russia* (14, 6, p. 1049) Article

B98-131 Reusable Orbital Transfer Vehicle Applications of an Integrated Solar Upper Stage. Patrick E. Frye, *The Boeing Company*; and Fred G. Kennedy III, *U.S. Air Force Research Laboratory* (14, 6, p. 1059) Article based on AIAA Paper 97-2981

B98-132 Rocket-Based Combined Cycle Propulsion System Testing. H. Douglas Perkins, Scott R. Thomas, and James R. DeBonis, *NASA Lewis Research Center* (14, 6, p. 1065) Technical Note based on AIAA Paper 97-0565


Statement of Ownership, Management, and Circulation
 (Required by 39 USC 3685)

1. Publication Title Journal of Propulsion and Power		2. Publication Number 0 7 4 8 - 4 6 5 8		3. Filing Date 11/1/98
4. Issue Frequency Bi-Monthly		5. Number of Issues Published Annually 6		6. Annual Subscription Price \$45/\$75
7. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and ZIP+4) American Institute of Aeronautics and Astronautics 1801 Alexander Bell Drive, Reston, VA, 20191				Contact Person Adrian Chindgren Telephone 703.264.7576
8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer) (above)				
9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do not leave blank)				
Publisher (Name and complete mailing address) Norma Brennan (address above)				
Editor (Name and complete mailing address) F.H. Woodward Waesche, SAIC, 1410 Spring Hill Road, McLean, VA, 22102				
Managing Editor (Name and complete mailing address) Adrian Chindgren- AIAA (address above)				
10. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, give the names and addresses of the individual owners. If owned by a partnership or other unincorporated firm, give its name and address as well as those of each individual owner. If the publication is published by a nonprofit organization, give its name and address.)				
Full Name American Institute of Aeronautics and Astronautics		Complete Mailing Address 1801 Alexander Bell Drive Reston, VA, 20191		
11. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box <input checked="" type="checkbox"/> None				
Full Name		Complete Mailing Address		
12. Tax Status (For completion by nonprofit organizations authorized to mail at special rates) (Check one) The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes: <input checked="" type="checkbox"/> Has Not Changed During Preceding 12 Months <input type="checkbox"/> Has Changed During Preceding 12 Months (Publisher must submit explanation of change with this statement)				

PS Form 3526, September 1995

(See instructions on Reverse)

13. Publication Title Journal of Propulsion and Power		14. Issue Date for Circulation Data Below November-December 1998	
15. Extent and Nature of Circulation		Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
a. Total Number of Copies (Net press run)		1850	1800
b. Paid and/or Requested Circulation (1) Sales Through Dealers and Carriers, Street Vendors, and Counter Sales (Not mailed) (2) Paid or Requested Mail Subscriptions (Include advertiser's proof copies and exchange copies)		1256	1271
c. Total Paid and/or Requested Circulation (Sum of 15b(1) and 15b(2))		1256	1271
d. Free Distribution by Mail (Samples, complimentary, and other free)		85	50
e. Free Distribution Outside the Mail (Carriers or other means)			
f. Total Free Distribution (Sum of 15d and 15e)		85	50
g. Total Distribution (Sum of 15c and 15f)		1341	1321
h. Copies not Distributed (1) Office Use, Leftovers, Spoiled (2) Returns from News Agents		509	479
i. Total (Sum of 15g, 15h(1), and 15h(2))		1850	1800
Percent Paid and/or Requested Circulation (15c / 15g x 100)		68%	71%
16. Publication of Statement of Ownership <input type="checkbox"/> Publication required. Will be printed in the Nov-Dec 1998 issue of this publication. <input type="checkbox"/> Publication not required.			
17. Signature and Title of Editor, Publisher, Business Manager, or Owner <i>Norma Brennan, Publications Director</i>			Date

I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including multiple damages and civil penalties).

Instructions to Publishers

- Complete and file one copy of this form with your postmaster annually on or before October 1. Keep a copy of the completed form for your records.
- In cases where the stockholder or security holder is a trustee, include in items 10 and 11 the name of the person or corporation for whom the trustee is acting. Also include the names and addresses of individuals who are stockholders who own or hold 1 percent or more of the total amount of bonds, mortgages, or other securities of the publishing corporation. In item 11, if none, check the box. Use blank sheets if more space is required.
- Be sure to furnish all circulation information called for in item 15. Free circulation must be shown in items 15d, e, and f.
- If the publication had second-class authorization as a general or requester publication, this Statement of Ownership, Management, and Circulation must be published; it must be printed in any issue in October or, if the publication is not published during October, the first issue printed after October.
- In item 16, indicate the date of the issue in which this Statement of Ownership will be published.
- Item 17 must be signed.

Failure to file or publish a statement of ownership may lead to suspension of second-class authorization.

PS Form 3526, September 1995 (Reverse)