

# Chronological Index

**B06-007TC Comment on “Numerical Studies on Specific Impulse of Partially Filled Pulse Detonation Rocket Engines,”** W. H. Heiser, *U.S. Air Force Academy, Colorado* (23, 1, p. 254) Technical Comment

**B06-007R Reply by the Authors to W. H. Heiser,** Akiko Matsuo, *Keio University, Japan*; Takuma Endo, *Hiroshima University, Japan*; and Jiro Kasahara, *University of Tsukuba, Japan* (23, 1, p. 254-255) Reply

**B07-001 Scramjets and Surfboards: Some Forgotten History.** Edward A. Fletcher, *University of Minnesota* (23, 1, p. 15) History of Key Technologies

**B07-002 Energetics of Propellant Options for High-Power Hall Thrusters.** Alex Kieckhafer and Lyon B. King, *Michigan Technological University* (23, 1, p. 21) Article

**B07-003 Microwave Electrothermal Thruster Performance.** Kevin D. Diamant, Byron L. Zeigler, and Ronald B. Cohen, *The Aerospace Corporation* (23, 1, p. 27) Article

**B07-004 Performance Characteristics of a Cluster of 5-kW Laboratory Hall Thrusters.** Mitchell L. Walker, *Georgia Institute of Technology*; and Alec D. Gallimore, *University of Michigan* (23, 1, p. 35) Article

**B07-005 Performance and Flatness of a Multiple-Cathode, Rectangular Ion Thruster Discharge Chamber.** Joshua L. Rovey and Alec D. Gallimore, *University of Michigan* (23, 1, p. 44) Article based on AIAA Paper 2005-4407

**B07-006 Modeling and Performance Analysis of the Pulsed Inductive Thruster.** Pavlos G. Mikellides and Chris Neilly, *Arizona State University* (23, 1, p. 51) Article

**B07-007 Whole Ion Optics Gridlet Simulations Using a Hybrid-Grid Immersed-Finite-Element Particle-in-Cell Code.** R. Kafafy and J. Wang, *Virginia Polytechnic Institute and State University* (23, 1, p. 59) Article

**B07-008 Computational Study of Primary Electron Confinement by Magnetic Fields in the Discharge Chamber of an Ion Engine.** Sudhakar Mahalingam and James A. Menart, *Wright State University* (23, 1, p. 69) Article

**B07-009 Laser Propulsion for Ground Launch.** David P. Resendes, Sérgio Mota, and José T. Mendonça, *Instituto Superior Técnico, Portugal*; Berry Sanders, *TNO Prins Maurits Laboratory, The Netherlands*; Joao Encarnação, *Delft University of Technology, The Netherlands*; and Jose Gonzalez del Amo, *ESA, Trinidad and Tobago* (23, 1, p. 73) Article

**B07-010 Magnetohydrodynamic Vortex Containment for Gas Core Nuclear Propulsion, Part 1: Concept Overview.** Raymond J. Sedwick, Daniel A. Zayas, and Jack L. Kerrebrock, *Massachusetts Institute of Technology* (23, 1, p. 81) Article

**B07-011 Magnetohydrodynamic Vortex Containment, Part 2: Equilibrium of Uranium Fluoride Fuel in Hydrogen Propellant.** Raymond J. Sedwick and Daniel A. Zayas, *Massachusetts Institute of Technology* (23, 1, p. 90) Article

**B07-012 Simple Numerical Modeling for Gasdynamic Design of Wave Rotors.** Koji Okamoto and Toshio Nagashima, *University of Tokyo, Japan* (23, 1, p. 99) Article

**B07-013 Parametric Investigation of Thrust Augmentation by Ejectors on a Pulsed Detonation Tube.** Jack Wilson, *QSS Group, Inc.*; Alexandru Sgondea, *QSS Group, Inc.*; Daniel E. Paxson and Bruce N. Rosenthal, *NASA John H. Glenn Research Center at Lewis Field* (23, 1, p. 108) Article based on AIAA Paper 2005-4208

**B07-014 Experimental and Theoretical Investigation of Base-Flow Buffeting on Ariane5 Launch Vehicles.** Henry Y. Wong, *Advanced Operations and Engineering Services and European Space Research and Technology, The Netherlands*; Jos Meijer, *National Aerospace Laboratory*; and Richard Schwane, *European Space Research and Technology Center of European Space Agency* (23, 1, p. 116) Article based on AIAA Paper 2005-4548

**B07-015 Simulation of Flow and Mixing from a Cryogenic Rocket Injector.** V. Gautam and A. K. Gupta, *University of Maryland* (23, 1, p. 123) Article

**B07-016 Combustion Stability Boundaries of the Subscale Rocket Chamber with Impinging Jet Injectors.** Chae Hoon Sohn, *Chosun University, Republic of Korea*; Woo Seok Seol, *Korea Aerospace Research Institute, Republic of Korea*; Alexander A. Shibarov and Valery P. Pikalov, *Research Institute of Chemical Machine Building (NIICHIMMASH), Russia* (23, 1, p. 131) Article

**B07-017 Interaction Between Solid Rocket Motor Internal Flow and Structure During Flight.** Kirk W. Dotson and Brian H. Sako, *The Aerospace Corporation* (23, 1, p. 140) Article based on AIAA Paper 2004-4183

**B07-018 Acoustic Instability of the Slab Rocket Motor.** Sean R. Fischbach, Joseph Majdalani, and Gary A. Flandro, *University of Tennessee Space Institute* (23, 1, p. 146) Article based on AIAA Paper 2004-4061

**B07-019 Modeling of Propellants Containing Ultrafine Aluminum.** T. L. Jackson, John Buckmaster, and Xiaojian Wang, *University of Illinois* (23, 1, p. 158) Article

**B07-020 Laser-Driven Decomposition and Combustion of BTTN/GAP.** Jianquan Li and Thomas A. Litzinger, *Pennsylvania State University* (23, 1, p. 166) Article based on AIAA Paper 2005-3765

**B07-021 Regression Rates Study of Mixed Hybrid Propellants.** Robert A. Frederick, Jr. Marlow D. Moser, Richard Knox, and Joshua Whitehead, *University of Alabama in Huntsville Propulsion Research Center* (23, 1, p. 175) Article based on AIAA Paper 2004-3824

**B07-022 Combustion Behaviors Resulting from Bimodal Aluminum Size Distributions in Thermites.** Kevin Moore and Michelle L. Pantoya, *Texas Tech University*; and Steven F. Son, *Los Alamos National Laboratory* (23, 1, p. 181) Article

**B07-023 Combined Numerical and Experimental Investigation of a Hobby-Scale Pulsejet.** T. Geng, A. Kiker, Jr. R. Ordon, A. V. Kuznetsov, T. F. Zeng, and W. L. Roberts, *North Carolina State University* (23, 1, p. 186) Article based on AIAA Paper 2005-4378

**B07-024 Development of a Dynamometer for Measuring Small Internal-Combustion Engine Performance.** Shyan Menon, Nathan Moulton, and Christopher Cadou, *University of Maryland at College Park* (23, 1, p. 194) Article

**B07-025 Experimental Characterization of an Isothermal Swirler Flowfield.** Mark A. Woodmansee, *General Electric Optimization and Control*; Irven C. Ball, *General Electric Aircraft Engines*; and Kenneth W. Barlow, *Naval Air Systems Command* (23, 1, p. 203) Article based on AIAA Paper 2002-2864

**B07-025E Erratum on “Experimental Characterization of an Isothermal Swirler Flowfield”** by Mark Woodmansee, Irven C. Ball, and Kenneth W. Barlow (23, 4, p. 895) Erratum

**B07-026 Finite Element Simulation of Blade Row Viscous Interactions: Vane Vibratory Stress Prediction.** Kishore Ramakrishnan, Patrick B. Lawless, and Sanford Fleeter, *Purdue University* (23, 1, p. 212) Article based on AIAA Paper 2004-0193

- B07-027 Variation of Vortex Structure in a Compressor Cascade at Different Incidences.** Hualiang Zhang, Songtao Wang, and Zhongqi Wang, *Harbin Institute of Technology, China (ROC)* (23, 1, p. 221) Article
- B07-028 Turbulence Measurements and Analysis in a Multistage Axial Turbine.** Luca Porreca, Marc Hollenstein, Anestis I. Kalfas, and Reza S. Abhari, *Swiss Federal Institute of Technology, Switzerland* (23, 1, p. 227) Article
- B07-029 PIV Study of Wake-Rotor Interactions in a Transonic Compressor at Various Operating Conditions.** Jordi Estevadeordal, *Innovative Scientific Solutions, Inc.*; Steven E. Gorrell and William W. Copenhaver, *U.S. Air Force Research Laboratory* (23, 1, p. 235) Article
- B07-030 Method for Aerodynamic Analysis of Wind Turbines at Peak Power.** Sven Schmitz and Jean-Jacques Chattot, *University of California, Davis* (23, 1, p. 243) Technical Note based on AIAA Paper 2005-4850
- B07-031 Performance Analysis of an Infinite Array Linear Clustered Plug Nozzle.** Marco Geron, Renato Paciorri, Francesco Nasuti, and Filippo Sabetta, *University of Rome "La Sapienza," Italy* (23, 1, p. 246) Technical Note based on AIAA Paper 2003-4910
- B07-032 Quadrant Analysis of a Mixer-Ejector Nozzle for Supersonic Transport Applications.** Dennis A. Yoder, Nicholas J. Georgiadis, and John D. Wolter, *NASA John H. Glenn Research Center at Lewis Field* (23, 1, p. 250) Technical Note
- B07-033 Computational Approach for Predicting Stall Inception in Multistage Axial Compressors.** Roger L. Davis, *University of California, Davis*; and Jixian Yao, *General Electric Global Research* (23, 2, p. 257) Article based on AIAA Paper 2005-4026
- B07-034 Investigation of Mistuning Effects on Cascade Flutter Using a Coupled Method.** Mani Sadeghi and Feng Liu, *University of California, Irvine* (23, 2, p. 266) Article
- B07-035 Analytical Approach for Investigating Bristle/Backplate Hysteresis Phenomenon in Brush Seals.** Haifang Zhao and Robert J. Stango, *Marquette University* (23, 2, p. 273) Article based on AIAA Paper 2005-3983
- B07-036 Roughness and Secondary Flow Effects on Turbine Vane External Heat Transfer.** M. Stripf, A. Schulz, and H.-J. Bauer, *Universität Karlsruhe, Germany* (23, 2, p. 283) Article based on AIAA Paper 2005-1116
- B07-037 Visualization of Wave Rotor Inner Flow Dynamics.** Koji Okamoto and Toshio Nagashima, *University of Tokyo, Japan* (23, 2, p. 292) Article
- B07-038 Conceptual Study of a Rocket-Ramjet Combined-Cycle Engine for an Aerospace Plane.** Takeshi Kanda, Kouichiro Tani, and Kenji Kudo, *Japan Aerospace Exploration Agency, Japan* (23, 2, p. 301) Article
- B07-039 Optimal Classification Criteria of Hypersonic Inlet Start/Unstart.** Daren Yu, Juntao Chang, Wen Bao, and Zongxia Xie, *Harbin Institute of Technology, China (ROC)* (23, 2, p. 310) Article
- B07-040 Combustion and Ignition of Thermally Cracked Kerosene in Supersonic Model Combustors.** Xuejun Fan, Gong Yu, Jianguo Li, Xinian Lu, and Xinyu Zhang, *Chinese Academy of Sciences, China (ROC)*; and Chih-Jen Sung, *Case Western Reserve University* (23, 2, p. 317) Article based on AIAA Paper 2005-3714
- B07-041 Single-Cycle Unsteady Nozzle Phenomena in Pulse Detonation Engines.** Zachary C. Owens and Ronald K. Hanson, *Stanford University* (23, 2, p. 325) Article based on AIAA Paper 2005-3649
- B07-041TC Comment on "Single-Cycle Unsteady Nozzle Phenomena in Pulse Detonation Engines,"** W. H. Heiser, *U.S. Air Force Academy, Colorado*; D. T. Pratt, *University of Washington, Seattle, Washington*; and J. D. Mattingly, *Mattingly Consulting, Bothell, Washington* (23, 6, p. 1327) Technical Comment
- B07-042 Detonation Transition Limit at an Abrupt Area Change Using a Reflecting Board.** Masashi Wakita, Ryusuke Numakura, Yusuke Itoh, Shigetoshi Sugata, Tsuyoshi Totani, and Harunori Nagata, *Hokkaido University, Japan* (23, 2, p. 338) Article
- B07-043 Effect of Pulse Length and Ejector Radius on Unsteady Ejector Performance.** Jack Wilson, *QSS Group, Inc.* (23, 2, p. 345) Article based on AIAA Paper 2005-3829
- B07-044 Vortex Structure Produced by a Laterally Inclined Supersonic Jet in Transonic Crossflow.** Steven J. Beresh, John F. Henfling, Rocky J. Erven, and Russell W. Spillers, *Sandia National Laboratories* (23, 2, p. 353) Article based on AIAA Paper 2005-4653
- B07-045 Measurements in an Acoustically Driven Coaxial Jet Under Sub-, Near-, and Supercritical Conditions.** Dustin W. Davis and Bruce Chehroudi, *ERC, Inc.* (23, 2, p. 364) Article
- B07-046 Acoustic Simulation of Coaxial Hot Air Jets Using Cold Helium-Air Mixture Jets.** Dimitri Papamoschou, *University of California, Irvine* (23, 2, p. 375) Article based on AIAA Paper 2005-0208
- B07-047 Experimental Study of Near-Field Flow Structure in Hollow Cone Pressure Swirl Sprays.** J. L. Santolaya, L. A. Afsa, E. Calvo, I. García, and L. M. Cerecedo, *Zaragoza University, Spain* (23, 2, p. 382) Article
- B07-048 Investigation of Spray Behavior Downstream of an Aeroengine Injector with Acoustic Excitation.** P. Gajan, A. Strzelecki, B. Platet, and R. Lecourt, *ONERA, France*; and F. Giuliani, *Graz University of Technology, Austria* (23, 2, p. 390) Article
- B07-049 Transient Fluid Flow in Short-Pulse Operation of Bipropellant Thrusters.** Brian B. Brady, *The Aerospace Corporation* (23, 2, p. 398) Article
- B07-050 Magnetohydrodynamic Vortex Containment, Part 3: 1-D Axisymmetric Flow Model.** Raymond J. Sedwick and Daniel A. Zayas, *Massachusetts Institute of Technology* (23, 2, p. 404) Article
- B07-051 Magnetohydrodynamic Vortex Containment, Part 4: System Performance Assessment.** Raymond J. Sedwick and Daniel A. Zayas, *Massachusetts Institute of Technology* (23, 2, p. 414) Article
- B07-052 Near-Blowoff Dynamics of a Bluff-Body Stabilized Flame.** Suraj Nair, Woodward Industrial Controls; and Tim C. Lieuwen, *Georgia Institute of Technology* (23, 2, p. 421) Article
- B07-053 Laminar Flame Speeds of Preheated iso-Octane/O<sub>2</sub>/N<sub>2</sub> and n-Heptane/O<sub>2</sub>/N<sub>2</sub> Mixtures.** K. Kumar, *Case Western Reserve University*; J. E. Freeh, *NASA John H. Glenn Research Center at Lewis Field*; C. J. Sung and Y. Huang, *Case Western Reserve University* (23, 2, p. 428) Article
- B07-054 Theoretical and Experimental Performance of a Proton Exchange Membrane Fuel Cell at High-Altitude Conditions.** Joseph W. Pratt, Jacob Brouwer, and G. Scott Samuelsen, *National Fuel Cell Research Center, University of California, Irvine* (23, 2, p. 437) Article
- B07-055 Mean Flow Approximations for Solid Rocket Motors with Tapered Walls.** Oliver C. Sams IV, Joseph Majdalani, and Tony Saad, *University of Tennessee Space Institute* (23, 2, p. 445) Article
- B07-056 Decomposition of Aluminum Hydride Under Solid Rocket Motor Conditions.** Tim Bazyn, Herman Krier, Nick Glumac, Nagraj Shankar, X. Wang, and Thomas L. Jackson, *University of Illinois at Urbana-Champaign* (23, 2, p. 457) Article
- B07-057 Solid Propellant Grain Design and Burnback Simulation Using a Minimum Distance Function.** Michael A. Willcox, M. Quinn Brewster, K. C. Tang, and D. Scott Stewart, *University of Illinois at Urbana-Champaign* (23, 2, p. 465) Article based on AIAA Paper 2005-4350

- B07-058 Investigation of Metallized and Nonmetallized Hydroxyl Terminated Polybutadiene/Hydrogen Peroxide Hybrid Rockets.** E. Farbar, *Carleton University*; J. Louwers, *Cesaroni Technology, Inc., Canada*; and T. Kaya, *Carleton University, Canada* (23, 2, p. 476) Article
- B07-059 Direct Experimental Evidence of Electromagnetic Inertia Manipulation Thrusting.** Hector H. Brito, *Instituto Universitario Aeronautico, Argentina*; and Sergio A. Elaskar, *CONICET, Universidad Nacional de Cordoba, Argentina* (23, 2, p. 487) Article based on AIAA Paper 2003-4989
- B07-060 Sub-Milli-Newton Class Miniature Microwave Ion Thruster.** Yoshinori Nakayama, *National Defense Academy, Japan*; Ikko Funaki and Hitoshi Kuninaka, *Japan Aerospace Exploration Agency, Japan* (23, 2, p. 495) Article
- B07-061 Modeling a Two-Stage High-Power Anode Layer Thruster and Its Plume.** Michael Keidar, Yongjun Choi, and Iain D. Boyd, *University of Michigan* (23, 2, p. 500) Article
- B07-062 Effects of Equation of State and Transport on Pulsed Plasma Accelerator Modeling.** J. T. Cassibry, *University of Alabama* (23, 2, p. 507) Article based on AIAA Paper 2004-2361
- B07-063 Ground Chamber Measurements of the Electromagnetic Emissions from the Hayabusa Ion Engine.** Kazutaka Nishiyama, Yukio Shimizu, Ikko Funaki, and Hitoshi Kuninaka, *Japan Aerospace Exploration Agency, Japan*; and Kyoichiro Toki, *Tokyo University of Agriculture and Technology, Japan* (23, 3, p. 513) Article
- B07-064 Thermal Model of the Hollow Cathode Using Numerically Simulated Plasma Fluxes.** Ira Katz, Ioannis G. Mikellides, Dan M. Goebel, and Sarah E. Hornbeck, *Jet Propulsion Laboratory, California Institute of Technology* (23, 3, p. 522) Article
- B07-065 Hall Thruster Cluster Operation with a Shared Cathode.** Mitchell L. Walker and Alec D. Gallimore, *University of Michigan* (23, 3, p. 528) Article
- B07-066 Numerical Analysis of Hall Thruster Firing Tests.** Alexander Bober, *Technion—Israel Institute of Technology, Israel* (23, 3, p. 537) Article
- B07-067 Powered Flight of Electron Cyclotron Resonance Ion Engines on Hayabusa Explorer.** Hitoshi Kuninaka, Kazutaka Nishiyama, Ikko Funaki, Tetsuya Yamada, Yukio Shimizu, and Jun'ichiro Kawaguchi, *Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency, Japan* (23, 3, p. 544) Article based on AIAA Paper 2006-4318
- B07-068 LaB<sub>6</sub> Hollow Cathodes for Ion and Hall Thrusters.** Dan M. Goebel, Ron M. Watkins, and Kristina K. Jameson, *Jet Propulsion Laboratory, California Institute of Technology* (23, 3, p. 552) Article based on AIAA Paper 2005-4239
- B07-069 Test Gas Vitiating Effects in a Dual-Mode Scramjet Combustor.** C. P. Goynes, J. C. McDaniel, Jr., R. H. Krauss, and W. B. Whitehurst, *University of Virginia* (23, 3, p. 559) Article based on AIAA Paper 2003-6960
- B07-070 Experimental Investigations of the Performance and Unsteady Behavior of a Supersonic Intake.** Christian M. Hirschen, Dirk Herrmann, and Ali Gülhan, *DLR, German Aerospace Center, Germany* (23, 3, p. 566) Article
- B07-071 Solid Rocket Motor Internal Ballistics Simulation Using Three-Dimensional Grain Burnback.** Michael A. Willcox, M. Quinn Brewster, K. C. Tang, D. Scott Stewart, and Igor Kuznetsov, *University of Illinois at Urbana-Champaign* (23, 3, p. 575) Article
- B07-072 Autoignition Correlations for Pipeline Natural Gas at Low and Intermediate Temperatures.** Junhua Chen, Vincent McDonnell, and Scott Samuelsen, *University of California, Irvine* (23, 3, p. 585) Article
- B07-073 OH Planar Laser-Induced Fluorescence and Emission Imaging in High Pressure LO<sub>x</sub>/Methane Flames.** Sebastien Candel, Ghislain Singla, Philippe Scoffaire, and Carlos Rolon, *Ecole Central Paris, CNRS, France*; and Lucien Vingert, *ONERA, France* (23, 3, p. 593) Article
- B07-074 Effect of Ambient Gas Density on Spray Characteristics of Swirling Liquid Sheets.** Dongjun Kim, Ji-Hyuk Im, Hyeonseok Koh, and Youngbin Yoon, *Seoul National University, Republic of Korea* (23, 3, p. 603) Article
- B07-075 Thickness of Liquid Film Formed by Impinging Jets on a Concave Wall.** Takao Inamura, Shin Amagasaki, and Hideki Yanaoka, *Hiroaki University, Japan* (23, 3, p. 612) Article
- B07-076 Jets in Crossflow Mixing Analysis Using Computational Fluid Dynamics and Mathematical Optimization.** R. M. Morris, J. A. Snyman, J. P. Meyer, and *University of Pretoria, South Africa* (23, 3, p. 618) Article
- B07-077 Online Vibration Monitoring of Ball Bearing Damage Using an Experimental Test Rig.** Fred K. Choy, *University of Akron*; Lei Wang, *The Timken Company*; Jianyou Zhou and Minel J. Braun, *University of Akron* (23, 3, p. 629) Article
- B07-078 Model Fidelity Requirements for Closed-Brayton-Cycle Space Power Systems.** Michael J. Barrett, *NASA Glenn Research Center at Lewis Field*; and Paul K. Johnson, *Analex Corporation* (23, 3, p. 637) Technical Note
- B07-079 Manufacturing and Performance of Nanometric Al/MoO<sub>3</sub> Energetic Materials.** Kevin C. Walter, *Scientific Applications & Research Associates, Inc.*; David R. Pesiri, *Los Alamos National Laboratory*; and Dennis E. Wilson, *Energetic Materials and Products, Inc.* (23, 4, p. 645) Article
- B07-080 Polymer-Grafted Metal Nanoparticles for Fuel Applications.** Charles Dubois, Pierre G. Lafleur, and Cedric Roy, *Ecole Polytechnique de Montreal, Canada*; Patrick Brousseau and Robert A. Stowe, *Defence Research and Development Canada-Valcartier, Canada* (23, 4, p. 651) Article
- B07-081 Hazard Characterization of Uncoated and Coated Aluminium Nanopowder Compositions.** Queenie S. Kwok, Chris Badeen, Kelly Armstrong, Richard Turcotte, David E. G. Jones, and Valéry Y. Gertsman, *Natural Resources Canada, Canada Centre for Mineral and Energy Technology, Canada* (23, 4, p. 659) Article
- B07-082 Characterization of Nanometer- to Micron-Sized Aluminium Powders: Size Distribution from Thermogravimetric Analysis.** Curtis E. Johnson, Stephen Fallis, Andrew P. Chafin, Thomas J. Groshens, and Kelvin T. Higa, *U.S. Naval Air Systems Command*; Ismail M. Ismail and Tom W. Hawkins, *U.S. Air Force Research Laboratory* (23, 4, p. 669) Article
- B07-083 Kinetic Analysis of Thermite Reactions in Al-MoO<sub>3</sub> Nanocomposites.** Mirko Schoenitz, Swati M. Umbrajkar, and Edward L. Dreizin, *New Jersey Institute of Technology* (23, 4, p. 683) Article
- B07-084 Multimillion Atom Reactive Simulations of Nanostructured Energetic Materials.** Priya Vashishta, Rajiv K. Kalia, and Aiichiro Nakano, *University of Southern California*; Barrie E. Homan and Kevin L. McNesby, *U.S. Army Research Laboratory* (23, 4, p. 688) Article
- B07-085 Molecular Dynamics Characterization of the Response of Ni/Al Nanolaminates Under Dynamic Loading.** Shijin Zhao and Timothy C. Germann, *Los Alamos National Laboratory*; and Alejandro Strachan, *Purdue University* (23, 4, p. 693) Article
- B07-086 Processing and Ignition Characteristics of Aluminum-Bismuth Trioxide Nanothermite System.** Jan A. Puszynski, Christopher J. Bulian, and Jacek J. Swiatkiewicz, *South Dakota School of Mines and Technology* (23, 4, p. 698) Article



- B07-087 Reaction Propagation of Four Nanoscale Energetic Composites (Al/MoO<sub>3</sub>, Al/WO<sub>3</sub>, Al/CuO, and Bi<sub>2</sub>O<sub>3</sub>).** V. Eric Sanders, Blaine W. Asay, Timothy J. Foley, Bryce C. Tappan, Adam N. Pacheco, and Steven F. Son, *Los Alamos National Laboratory* (23, 4, p. 707) Article
- B07-088 Combustion of Nanoscale Al/MoO<sub>3</sub> Thermite in Microchannels.** S. F. Son, B. W. Asay, and T. J. Foley, *Los Alamos National Laboratory*; R. A. Yetter, M. H. Wu, and G. A. Risha, *Pennsylvania State University* (23, 4, p. 715) Article
- B07-089 Energetic Nanocomposite Lead-Free Electric Primers.** Kelvin T. Higa, *U.S. Naval Air Warfare Center* (23, 4, p. 722) Article
- B07-090 Computer Model of Aluminum Agglomeration on Burning Surface of Composite Solid Propellant.** Vishal Srinivas and Satyanarayanan R. Chakravarthy, *Indian Institute of Technology Madras, India* (23, 4, p. 728) Article based on AIAA Paper 2005-0743
- B07-091 Development of Scalable Space-Time Averaged Regression Rate Expressions for Hybrid Rockets.** Arif Karabeyoglu and Brian J. Cantwell, *Stanford University*; and Greg Zilliac, *NASA Ames Research Center* (23, 4, p. 737) Article based on AIAA Paper 2005-3544
- B07-092 Effect of Supercritical Fuel Injection on Cycle Performance of Pulsed Detonation Engine.** Timothy M. Helfrich and Paul I. King, *U.S. Air Force Institute of Technology*; John L. Hoke, *Innovative Scientific Solutions, Inc.*; and Frederick R. Schauer, *U.S. Air Force Research Laboratory* (23, 4, p. 748) Article based on AIAA Paper 2006-5133
- B07-093 Friction Stir Welding of GRCop-84 for Combustion Chamber Liners.** Carolyn K. Russell and Robert Carter, *NASA Marshall Space Flight Center*; David L. Ellis, *NASA John H. Glenn Research Center at Lewis Field*; and Richard Goudy, *Spin Tech* (23, 4, p. 756) Article
- B07-094 Atomization and Flames in LOX/H<sub>2</sub>- and LOX/CH<sub>4</sub>- Spray Combustion.** Baoyang Yang, *Northwestern Polytechnical University, China (ROC)*; Francesco Cuoco, *Avio S.p.A, Italy*; and Michael Oswald, *Institute of Space Propulsion, Germany* (23, 4, p. 763) Article
- B07-095 Simulation of Transverse Gaseous Injection Through Diamond Ports into Supersonic Freestream.** Ravichandra Srinivasan and Rodney D. W. Bowersox, *Texas A&M University* (23, 4, p. 772) Article
- B07-096 Experimental Study of the Unstable-Unstarted Condition of a Hypersonic Inlet at Mach 6.** Hui-jun Tan and Rong-wei Guo, *Nanjing University of Aeronautics and Astronautics, China (ROC)* (23, 4, p. 783) Article
- B07-097 Vitiation Effects on Scramjet Engine Performance in Mach 6 Flight Conditions.** Sadatake Tomioka, Tetsuo Hiraiwa, Kan Kobayashi, and Muneo Izumikawa, *Japan Aerospace Exploration Agency, Japan*; Tomoyuki Kishida and Hiroyuki Yamasaki, *Tokyo Institute of Technology, Japan* (23, 4, p. 789) Article based on AIAA Paper 2006-5038
- B07-098 Flow-Control-Enabled Aggressive Turbine Transition Ducts and Engine System Analysis.** R. Florea, L. Bertuccioli, and G. Tillman, *United Technologies Research Center* (23, 4, p. 797) Article based on AIAA Paper 2006-3512
- B07-099 Rate-Based Model Predictive Control of Turbofan Engine Clearance.** Jonathan A. DeCastro, *ASRC Aerospace Corporation* (23, 4, p. 804) Article based on AIAA Paper 2006-5107
- B07-100 Aerodynamic Inverse Design for Viscous Flow in Turbomachinery Blading.** Kasra Daneshkhah and Wahid Ghaly, *Concordia University, Canada* (23, 4, p. 814) Article
- B07-101 Performance and Active Thermal Control of a 2-kW Hall Thruster with Segmented Electrodes.** Alex Kieckhafer, Dean Massey, and Lyon B. King, *Michigan Technological University* (23, 4, p. 821) Article
- B07-102 Characterization of an Ion Thruster Neutralizer.** John E. Foster, George J. Williams, and Michael J. Patterson, *NASA John H. Glenn Research Center at Lewis Field* (23, 4, p. 828) Article based on AIAA Paper 2005-3881
- B07-103 Effects of Cathode Configuration on Hall Thruster Cluster Plume Properties.** Brian E. Beal and Alec D. Gallimore, *University of Michigan*; and William A. Hargus, *U.S. Air Force Research Laboratory* (23, 4, p. 836) Article based on AIAA Paper 2005-3678
- B07-104 Alternate Direct-Drive Option for Electric Propulsion.** Ivana Hrbud, *Purdue University* (23, 4, p. 845) Article
- B07-105 Modeling of the Pulsed Inductive Thruster Operating with Ammonia Propellant.** Pavlos G. Mikellides and Nalin Ratnayake, *Arizona State University* (23, 4, p. 854) Article
- B07-106 Noble-Gas Binary Mixtures for Closed-Brayton-Cycle Space Reactor Power Systems.** Mohamed S. El-Genk and Jean-Michel Tournier, *University of New Mexico* (23, 4, p. 863) Article
- B07-107 Conceptual Design of Americium Nuclear Battery for Space Power Applications.** Y. Ronen, M. Kurtzhand, L. Droizman, and E. Shwageraus, *Ben-Gurion University of the Negev, Israel* (23, 4, p. 874) Article
- B07-108 Demonstration of Microcoil Heaters for Microthrusters.** Kirk L. Williams and Johan Köhler, *Uppsala University, Sweden*; Kerstin Jonsson, *Nanospace AB, Sweden*; and Mats Boman, *Uppsala University, Sweden* (23, 4, p. 881) Technical Note
- B07-109 Effects of Pressure on Performance of Mesoscale Burner Arrays for Gas-Turbine Applications.** A. Bardos, K.M. Walters, M.G. Boutross, S. Lee, C. F. Edwards, and C. T. Bowman, *Stanford University* (23, 4, p. 884) Technical Note
- B07-110 Performance of a Low-Power Cylindrical Hall Thruster.** Kurt A. Polzin, Thomas E. Markusic, Boris J. Stanojevic, and Amado DeHoyos, *NASA Marshall Space Flight Center*; Yevgeny Raitses, Artem Smirnov, and Nathaniel J. Fisch, *Princeton Plasma Physics Laboratory* (23, 4, p. 886) Technical Note
- B07-111 Axial Temperature Behavior of a Heat Exchanger Tube for Microwave Thermal Rockets.** Alexander R. Bruccoleri, Dartmouth College; Kevin Parkin, *NASA Ames Research Center*; and Martin Barmatz, *Jet Propulsion Laboratory, California Institute of Technology* (23, 4, p. 889) Technical Note
- B07-112 Overview on the Aircraft Particle Emissions Experiment (APEX).** Chouwen C. Wey, *U.S. Army Research Laboratory*; Bruce A. Anderson, *NASA Langley Research Center*; Changlie Wey, *QSS Group, Inc.*; Richard C. Miake-Lye, *Aerodyne Research Inc.*; Philip Whitefield, *University of Missouri-Rolla*; and Robert Howard, *Arnold Engineering Development Center, Arnold Air Force Base* (23, 5, p. 898) Article
- B07-113 Nitrogen Oxide (NO/NO<sub>2</sub>/HONO) Emissions Measurements in Aircraft Exhausts.** Joda Wormhoudt, Scott C. Herndon, Paul E. Yelvington, and Richard C. Miake-Lye, *Aerodyne Research Inc.*; and Changlie Wey, *QSS Group, Inc.* (23, 5, p. 906) Article
- B07-114 Chemical Speciation of Hydrocarbon Emissions from a Commercial Aircraft Engine.** Paul E. Yelvington, Scott C. Herndon, Joda C. Wormhoudt, John T. Jayne, and Richard C. Miake-Lye, *Aerodyne Research Inc.*; W. Berk Knighton, *Montana State University*; and Changlie Wey, *QSS Group, Inc.* (23, 5, p. 912) Article
- B07-115 Physical Characterization of Aerosol Emissions from a Commercial Gas Turbine Engine.** Prem Lobo, Donald E. Hagen, Philip D. Whitefield, and Darryl J. Alofs, *University of Missouri-Rolla* (23, 5, p. 919) Article
- B07-116 Modeling Jet Engine Aerosols in the Postcombustor Flow Path and Sampling System.** Thomas Wey and Nan-Suey Liu, *NASA John H. Glenn Research Center at Lewis Field* (23, 5, p. 930) Article

- B07-117 Postcombustion Evolution of Soot Properties in an Aircraft Engine.** Pierre Dakhel, Stephen P. Lukachko, and Ian A. Waitz, *Massachusetts Institute of Technology*; Richard C. Miake-Lye and Robert C. Brown, *Aerodyne Research Inc.* (23, 5, p. 942) Article
- B07-118 Quantification of Aircraft Engine Hydrocarbon Emissions Using Proton Transfer Reaction Mass Spectrometry.** Walter B. Knighton and Todd M. Rogers, *Montana State University*; Bruce E. Anderson, *NASA Langley Research Center*; Scott C. Herndon, Paul E. Yelvington, and Richard C. Miake-Lye, *Aerodyne Research Inc.* (23, 5, p. 949) Article
- B07-119 Evolution of Carbonaceous Aerosol and Aerosol Precursor Emissions Through a Jet Engine.** K D. Brundish, A R. Clague, and C W. Wilson, *QinetiQ, England, U.K.*; R C. Miake-Lye, R C. Brown, and J Wormhoudt, *Aerodyne Research Inc.*; S P. Lukachko, A T. Chobot, C K. Yam, and I A. Waitz, *Massachusetts Institute of Technology*; D E. Hagen, O. Schmid, and P. D. Whitefield, *University of Missouri-Rolla* (23, 5, p. 959) Article
- B07-120 Progress Toward Large-Eddy Simulations for Prediction of Realistic Nozzle Systems.** James R. DeBonis, *NASA John H. Glenn Research Center at Lewis Field* (23, 5, p. 971) Survey Paper based on AIAA Paper 2006-487
- B07-121 Three-Dimensional Nonreflecting Boundary Conditions for Swirling Flow in Turbomachinery.** Pierre Moinier and Michael Giles, *Oxford University, U.K.*; and John Coupland, *Rolls-Royce plc, U.K.* (23, 5, p. 981) Article
- B07-122 Characterization and Performance Enhancement of Submerged Inlet with Flush-Mounted Planar Side Entrance.** Shu Sun, Rongwei Guo, and Yizhao Wu, *Nanjing University of Aeronautics and Astronautics, China (ROC)* (23, 5, p. 987) Article
- B07-123 Influence of Jet-Induced Transition on Separating Low-Pressure Turbine Boundary Layers.** D. Reimann, M. Bloxham, K. L. Crapo, J. D. Pluim, and J. P. Bons, *Brigham Young University* (23, 5, p. 996) Article based on AIAA Paper 2006-2852
- B07-124 Internal Flowfield Investigation of a Hypersonic Inlet at Mach 6 with Bleed.** Jürgen Häberle and Ali Gülhan, *DLR, German Aerospace Center, Germany* (23, 5, p. 1007) Article based on AIAA Paper 2006-8139
- B07-125 Mach-8 Tests of a Combined-Cycle Engine Combustor.** Kanenori Kato, Takeshi Kanda, Kenji Kudo, and Atsuo Murakami, *Japan Aerospace Exploration Agency, Japan* (23, 5, p. 1018) Article
- B07-126 Numerical Study of an Electron-Beam-Confined Faraday Accelerator.** Bernard Parent, *Nagaoka University of Technology, Japan*; Sergey Macheret and Mikhail Shneider, *Princeton University*; and Nobuhiro Harada, *Nagaoka University of Technology, Japan* (23, 5, p. 1023) Article based on AIAA Paper 2006-2890
- B07-127 Homogeneous-Dilution Model of Partially Fueled Simplified Pulse Detonation Engines.** Takuma Endo, Tomoaki Yatsufusa, and Shiro Taki, *Hiroshima University, Japan*; Akiko Matsuo, *Keio University, Japan*; Kazuaki Inaba, *Tokyo University of Science, Japan*; and Jiro Kasahara, *University of Tsukuba, Japan* (23, 5, p. 1033) Article based on AIAA Paper 2004-1214
- B07-128 Voltage-Modulated Flow Rate for Precise Thrust Control in Colloid Electrospray Propulsion.** Matthew S. Alexander, Katharine L. Smith, Mark D. Paine, and John P. Stark, *University of London, England, U.K.* (23, 5, p. 1042) Article
- B07-129 Emissive Membrane Ion Thruster Concept.** Paul J. Wilbur, *Colorado State University*; Merrill Wilson and Kent Hutchings, *Ceramatec, Inc.*; and John D. Williams, *Colorado State University* (23, 5, p. 1049) Article
- B07-130 Analytical Ion Thruster Discharge Performance Model.** Dan M. Goebel, Richard E. Wirz, and Ira Katz, *Jet Propulsion Laboratory, California Institute of Technology* (23, 5, p. 1055) Article based on AIAA Paper 2006-4486
- B07-131 Experimental Characterization of a Micro-Hall Thruster.** Tsuyohito Ito, Nicolas Gascon, W S. Crawford, and Mark A. Cappelli, *Stanford University* (23, 5, p. 1068) Article
- B07-132 Realistic Specific Power Expectations for Advanced Radioisotope Power Systems.** Lee S. Mason, *NASA John H. Glenn Research Center at Lewis Field* (23, 5, p. 1075) Article based on AIAA Paper 2006-4193
- B07-133 System Modeling of Explosively Actuated Valves.** Adam M. Braud and Keith A. Gonthier, *Louisiana State University*; and Michele E. Decroix, *Los Alamos National Laboratory* (23, 5, p. 1080) Article based on AIAA Paper 2005-3843
- B07-134 Experimental Investigation of a Pressure Swirl Atomizer Spray.** T. Marchione, *University of Cambridge, England, U.K.*; C. Allouis, *Istituto di Ricerche Sulla Combustione (IRC), Italy*; A. Amoresano, *University of Naples "Federico II," Italy*; and F. Beretta, *Istituto di Ricerca Sulla Combustione (IRC), Italy* (23, 5, p. 1096) Article
- B07-135 Combustion Instability with a Single-Element Swirl Injector.** Kevin Miller, James Sisco, Nicholas Nugent, and William Anderson, *Purdue University* (23, 5, p. 1102) Article based on AIAA Paper 2005-4298
- B07-136 Passive Control of Forced Combustion Instability in a Swirl-Stabilized Spray Combustor.** M. Linck and A. K. Gupta, *University of Maryland* (23, 5, p. 1113) Article
- B07-137 Experiments and Simulations of the Freezing of Jet Fuel in Forced Flow.** Rajee Assudani, Jamie S. Ervin, and Lee Riehl, *University of Dayton* (23, 5, p. 1123) Article
- B07-138 Airframe-Configuration Effect on Condition of Airflow to Engine in Hypersonic Flow.** Takeshi Kanda, Kanenori Kato, Masatoshi Kodaera, Kenji Kudo, and Atsuo Murakami, *Japan Aerospace Exploration Agency, Japan* (23, 5, p. 1134) Technical Note based on AIAA Paper 2003-3420
- B07-139 Burning-Rate Calculations of Wide-Distribution Ammonium Perchlorate Composite Propellants.** Muhammad Mazhar Iqbal and Wang Liang, *Northwestern Polytechnical University, China (ROC)* (23, 5, p. 1136) Technical Note based on AIAA Paper 2006-1161
- B07-140 Thrust Termination Dynamics of Solid Propellant Rocket Motors.** A. M. Tahsini and M. Farshchi, *Sharif University of Technology, Iran* (23, 5, p. 1141) Technical Note
- B07-141 Hydrogen from Steam Reforming of Coal-Derived Methanol.** Hyung Chul Yoon and Paul Anders Erickson, *University of California, Davis* (23, 5, p. 1143) Technical Note based on AIAA Paper 2005-5567
- B07-142 Hydrogen Peroxide Gas Generator with Dual Catalytic Beds for Nonpreheating Startup.** Hayoung Lim, Sungyong An, and Sejin Kwon, *Korea Advanced Institute of Science and Technology, Republic of Korea*; and Seongmin Rang, *Doosan Heavy Industries and Construction, Republic of Korea* (23, 5, p. 1147) Technical Note based on AIAA Paper 2006-4548
- B07-143 Experimental Study of a Combined-Cycle Engine Combustor in Ejector-Jet Mode.** Takeshi Kanda, Kanenori Kato, Kouichiro Tani, Kenji Kudo, and Atsuo Murakami, *Japan Aerospace Exploration Agency, Japan* (23, 6, p. 1153) Article based on AIAA Paper 2006-0223
- B07-144 Hypersonic Inlet Studies for a Small Scale Rocket-Based Combined-Cycle Engine.** Giulio Riva, Adolfo Reggiori, and Giambattista Daminelli, *CNR-IENI, Italy* (23, 6, p. 1160) Article

- B07-145 Flowfield Studies of Diamond-Shaped Fuel Injector in a Supersonic Flow.** Kan Kobayashi, *Japan Aerospace Exploration Agency, Japan*; Rodney D. Bowersox and Ravichandra Srinivasan, *Texas A&M University*; Campbell D. Carter, *U.S. Air Force Research Laboratory*; and Kuang-Yu Hsu, *Innovative Scientific Solutions, Inc.* (23, 6, p. 1168) Article based on AIAA Paper 2007-5416
- B07-146 Flow Choking by Drag and Combustion in Supersonic Engine Testing.** Tohru Mitani, Kouichiro Tani, and Hiroshi Miyajima, *Japan Aerospace Exploration Agency, Japan* (23, 6, p. 1177) Article
- B07-147 Design and Characterization of a Hypervelocity Expansion Tube Facility.** A. Dufrene, M. Sharma, and J. M. Austin, *University of Illinois at Urbana-Champaign* (23, 6, p. 1185) Article based on AIAA Paper 2007-1327
- B07-148 Effect of Recess on the Spray Characteristics of Liquid-Liquid Swirl Coaxial Injectors.** Dongjun Kim, Poongyoo Han, Ji-Hyuk Im, Youngbin Yoon, and Vladimir G. Bazarov, *Seoul National University, Republic of Korea* (23, 6, p. 1194) Article
- B07-149 Nonlinear Response of Plain-Orifice Injectors to Non-acoustic Pressure Oscillations.** Megan E. MacDonald, James V. Canino, and Stephen D. Heister, *Purdue University* (23, 6, p. 1204) Article based on AIAA Paper 2006-4706
- B07-150 Experimental Investigation of Waterhammer in Simplified Feed Lines of Satellite Propulsion Systems.** Renaud Lecourt, *ONERA, France*; and Johan Steelant, *ESA, The Netherlands* (23, 6, p. 1214) Article
- B07-151 Analysis of Thermal Effects in Cavitating Liquid Hydrogen Inducers.** Ashvin Hosangadi, Vineet Ahuja, and Ronald J. Ungewitter, *Combustion Research and Flow Technology, Inc.*; and Judy Busby, *Barber-Nichols, Inc.* (23, 6, p. 1225) Article
- B07-152 Effect of Hot-Streak Counts on Turbine Blade Heat Load and Forcing.** L. He and V. Menshikova, *University of Durham, U.K.*; and B. R. Haller, *Siemens Industrial Turbomachinery, U.K.* (23, 6, p. 1235) Article
- B07-153 Effect of Chamber Pressure and Propellant Composition on Erosion Rate of Graphite Rocket Nozzle.** Ragini Acharya and Kenneth K. Kuo, *Pennsylvania State University* (23, 6, p. 1242) Article based on AIAA Paper 2006-0363
- B07-154 Effect of Aluminum on Heat Flux from a Simulated Rocket Propellant Flame.** R. B. White, S. W. Dean, and M. L. Pantoya, *Texas Tech University*; D. A. Hirschfeld, *New Mexico Institute of Mining and Technology*; W. Gill and W. W. Erikson, *Sandia National Laboratory* (23, 6, p. 1255) Article
- B07-155 Microscale Thrusters with Pulsed Optical Lattices/Gas Nonresonant Dipole Interaction.** Mikhail N. Shneider, *Princeton University*; Cedrick Ngalande and Sergey F. Gimelshein, *University of Southern California* (23, 6, p. 1263) Article based on AIAA Paper 2006-0768
- B07-156 Erosion Processes of the Discharge Cathode Assembly of Ring-Cusp Gridded Ion Thrusters.** Alec D. Gallimore, *University of Michigan*; Joshua L. Rovey, *Starfire Industries, LLC*; and Daniel A. Herman, *QSS Group, Inc.* (23, 6, p. 1271) Article based on AIAA Paper 2006-3558
- B07-157 Measurements of Current Distribution on a Two-Grid-Ion-Extraction-System Gridlet.** Yukio Hayakawa, *Japan Aerospace Exploration Agency, Japan* (23, 6, p. 1279) Article based on AIAA Paper 2006-5003
- B07-158 Electromagnetic Pumps for Liquid Metal-Fed Electric Thrusters.** Kurt A. Polzin and Thomas E. Markusic, *NASA Marshall Space Flight Center* (23, 6, p. 1285) Article
- B07-159 Ignition and Oxidation of Lean CO/H<sub>2</sub> Fuel Blends in Air.** Danielle M. Kalitan, *University of Central Florida*; John D. Mertens, *Trinity College*; Mark W. Crofton, *The Aerospace Corporation*; and Eric L. Petersen, *University of Central Florida* (23, 6, p. 1291) Article based on AIAA Paper 2005-3767
- B07-160 Impeller-Diffuser Interaction in Centrifugal Compressors: Numerical Analysis of Radiver Test Case.** P. Boncinelli, *Ministry of Education, Italy*; M. Ermini and S. Bartolacci, *General Electric Oil & Gas, Italy*; and A. Arnone, *University of Florence, Italy* (23, 6, p. 1304) Article based on AIAA Paper 2006-3453
- B07-161 Development and Ground Tests of a 100-Millinewton Hydrogen Peroxide Monopropellant Microthruster.** Chih-Kuang Kuan, *National Cheng-Kung University, Taiwan (ROC)*; Guan-Bang Chen, *Diwan University, Taiwan (ROC)*; and Yei-Chin Chao, *National Cheng-Kung University, Taiwan (ROC)* (23, 6, p. 1313) Article based on AIAA Paper 2006-5240
- B07-162 Simulation of an Electrostatically Driven Microinjector.** G. Krishnan, J. W. Daily, and J. Nabity, *University of Colorado at Boulder* (23, 6, p. 1321) Article based on AIAA Paper 2004-0305