

Chronological Index

- B95-017 Atomization Characteristics of Impinging Liquid Jets.** H. M. Ryan, W. E. Anderson, S. Pal, and R. J. Santoro, *Pennsylvania State University* (11, 1, p. 135) Article
Technical Comment by Essam A. Ibrahim, *Alabama A&M University* (25, 6, p. 1361)
- B07-059 Direct Experimental Evidence of Electromagnetic Inertia Manipulation Thrusting.** Hector H. Brito, *Instituto Universitario Aeronautico, Argentina*; and Sergio A. Elaskar, *CONICET, Universidad Nacional de Cordoba, Argentina* (23, 2, p. 487) Article based on AIAA Paper 2003-4989
Technical Comment by Ricardo L. Mirani, *Instituto Universitario Aeronautico, Argentina* (25, 2, p. 543)
- B09-001 Flame Stabilization in High-Pressure Liquid Oxygen/Methane Rocket Engine Combustion.** Johannes Lux and Oskar Haidn, *DLR, German Aerospace Center, Germany* (25, 1, p. 15) Article
- B09-002 Effect of Recess in High-Pressure Liquid Oxygen/Methane Coaxial Injection and Combustion.** Johannes Lux and Oskar Haidn, *DLR, German Aerospace Center, Germany* (25, 1, p. 24) Article
- B09-003 Cryogenic Flow and Atomization from a Coaxial Injector.** Vivek Gautam and Ashwani K. Gupta, *University of Maryland* (25, 1, p. 33) Article
- B09-004 Chemical Erosion of Refractory-Metal Nozzle Inserts in Solid-Propellant Rocket Motors.** Piyush Thakre and Vigor Yang, *Pennsylvania State University* (25, 1, p. 40) Article based on AIAA Paper 2008-1030
- B09-005 Large Eddy Simulation of Flow Development in Chamber with Surface Mass Injection.** Changjin Lee and Yang Na, *Konkuk University, ROK* (25, 1, p. 51) Article based on AIAA Paper 2007-5357
- B09-006 Fracture Mechanics of Composite Solid Rocket Propellant Grains: Material Testing.** Giuseppe S. Tussiwand, *MBDA Bayern-Chemie, Germany*; Victor Saouma, *University of Colorado at Boulder*; Robert Terzenbach, *MBDA Bayern-Chemie, Germany*; and Luigi De Luca, *Politecnico di Milano, Italy* (25, 1, p. 60) Article
- B09-007 Diffusion Flame Calculations for Composite Propellants Using a Vorticity-Velocity Formulation.** Matthew L. Gross and Merrill W. Beckstead, *Brigham Young University* (25, 1, p. 74) Article
- B09-008 Feasibility of an Onboard Surface Hall Magnetohydrodynamic Power Generator in Reentry Flight.** Takayasu Fujino and Motoo Ishikawa, *University of Tsukuba, Japan* (25, 1, p. 83) Article based on AIAA Paper 2007-4248
- B09-009 Environmental Testing of NASA's Evolutionary Xenon Thruster Prototype Model 1 Reworked Ion Engine.** John S. Snyder and John R. Anderson, *Jet Propulsion Laboratory, California Institute of Technology*; Jonathan L. Van Noord and George C. Soulas, *NASA John H. Glenn Research Center at Lewis Field* (25, 1, p. 94) Article
- B09-010 Deep Space 1 Flight Spare Ion Thruster 30,000-Hour Life Test.** Anita Sengupta, John A. Anderson, Charles Garner, and John R. Brophy, *Jet Propulsion Laboratory, California Institute of Technology*; Kim de Groh and Bruce Banks, *NASA John H. Glenn Research Center at Lewis Field*; and Tina A. Karniotis, *Sherwin-Williams Company* (25, 1, p. 105) Article based on AIAA Paper 2004-3608
- B09-011 Thrust Performance of Microwave Rocket Under Repetitive-Pulse Operation.** Yasuhisa Oda, Teppei Shibata, and Kimiya Komurasaki, *University of Tokyo, Japan*; Koji Takahashi, Atsushi Kasugai, and Keishi Sakamoto, *Japan Atomic Energy Agency, Japan* (25, 1, p. 118) Article
- B09-012 Microwave and Direct-Current Discharges in High-Speed Flow: Fundamentals and Application to Ignition.** Valeriy M. Shibkov, Andrew F. Aleksandrov, Vladimir A. Chernikov, Alexey P. Ershov, and Lidia V. Shibkova, *Moscow State University, Russia* (25, 1, p. 123) Article
- B09-013 Oscillatory Flows of Rectangular Hypersonic Inlet Unstart Caused by Downstream Mass-Flow Choking.** Hui-jun Tan and Shu Sun, *Nanjing University of Aeronautics and Astronautics, China (PRC)*; and Zhi-long Yin, *Hongdu Aviation Industry Group, China (PRC)* (25, 1, p. 138) Article
- B09-014 Pressure Measurements and Attenuation in a Hybrid Multitube Pulse Detonation Turbine System.** Adam Rasheed, Anthony H. Furman, and Anthony J. Dean, *General Electric Global Research* (25, 1, p. 148) Article based on AIAA Paper 2006-1235
- B09-015 Analytic Model for Single-Cycle Detonation Tube with Diverging Nozzles.** Ethan A. Barbour and Ronald K. Hanson, *Stanford University* (25, 1, p. 162) Article
- B09-016 Performance Validation of a Single-Tube Pulse Detonation Rocket System.** Jiro Kasahara, Akira Hasegawa, Toyoshi Nemoto, and Hiroyuki Yamaguchi, *University of Tsukuba, Japan*; Takashi Yajima, *IHI Aerospace Engineering, Japan*; and Takayuki Kojima, *Japan Aerospace Exploration Agency, Japan* (25, 1, p. 173) Article based on AIAA Paper 2007-5007
- B09-017 Aerothermal Analysis of a Partially Shrouded Axial Turbine.** Luca Porreca, Anestis I. Kalfas, and Reza S. Abhari, *Swiss Federal Institute of Technology, Switzerland* (25, 1, p. 181) Article based on AIAA Paper 2007-1299
- B09-018 Effects of Floating-Ring Seal Clearance on the Pump Performance for Turbopumps.** Chang-Ho Choi, Jun-Gu Noh, Dae-Jin Kim, Soon-Sam Hong, and Jinhan Kim, *Korea Aerospace Research Institute, ROK* (25, 1, p. 191) Article
- B09-019 Experimental Investigation of Embedded Crossflow Fan for Airfoil Propulsion/Circulation Control.** Ryan K. Dygert and Thong Dang, *Syracuse University* (25, 1, p. 196) Article based on AIAA Paper 2007-368
- B09-020 Computational Analyses of Offset-Stream Nozzles for Noise Reduction.** Vance F. Dippold and Lancert E. Foster, *NASA John H. Glenn Research Center at Lewis Field*; and Michael R. Wiese, *Analytical Services and Materials* (25, 1, p. 204) Article based on AIAA Paper 2007-3589
- B09-021 Time Delay Analysis of Turbofan Engine Direct and Indirect Combustion Noise Sources.** Jeffrey H. Miles, *NASA John H. Glenn Research Center at Lewis Field* (25, 1, p. 218) Article based on AIAA Paper 2008-50
- B09-022 Shroud and Ejector Augmenters for Subsonic Propulsion and Power Systems.** Michael J. Werle and Walter M. Presz Jr., *FloDesign, Inc.* (25, 1, p. 228) Article
- B09-023 Reduced-Order Model for Combustion Instability in a Two-Dimensional Duct with a Flameholder.** Sarma L. Rani, *CFD Research Corporation* (25, 1, p. 237) Article based on AIAA Paper 2007-5649
- B09-024 Thermoanalytical Screening of Nitrogen-Rich Compounds for Ballistic Requirements of Gun Propellant.** R. S. Damse, Mrinal Ghosh, N. H. Naik, and A. K. Sikder, *High Energy Material Research Laboratory, India* (25, 1, p. 249) Article
- B09-025 Spray Structure in Near-Injector Region of Aerated Jet in Subsonic Crossflow.** Jaiho Lee and Khaled A. Sallam, *Oklahoma State University*; Kuo-Cheng Lin, *Taitech, Inc.*; and Campbell D. Carter, *U.S. Air Force Research Laboratory* (25, 2, p. 258) Article based on AIAA Paper 2008-1043

- B09-026 Measurement of Flow Properties and Thrust on Scramjet Nozzle Using Pressure-Sensitive Paint.** Christian M. Hirschen, Ali Gülhan, Walter Beck, and Ulrich Henne, *DLR, German Aerospace Center, Germany* (25, 2, p. 267) Article
- B09-027 Probabilistic Aspects of Scramjet Design.** Gerrit Schütte and Stephan Staudacher, *Institute of Aircraft Propulsion Systems, Germany* (25, 2, p. 281) Article based on AIAA Paper 2008-1811
- B09-028 Experiments on Electrically Controlled Flameholding on a Plane Wall in a Supersonic Airflow.** Sergey Leonov and Dmitry Yarantsev, *Russian Academy of Sciences, Russia*; and Campbell Carter, *U.S. Air Force Research Laboratory* (25, 2, p. 289) Article
- B09-029 Effects of Upstream Injection on Scramjet Performance Using an Entropy-Based Method.** Matthew McGilvray and Richard G. Morgan, *University of Queensland, Australia* (25, 2, p. 295) Article
- B09-030 Influence of Heat Capacity Ratio on Pressure and Nozzle Flow of a Scramjets.** Christian Hirschen and Ali Gülhan, *DLR, German Aerospace Center, Germany* (25, 2, p. 303) Article based on AIAA Paper 2006-8095
- B09-031 New Simulation Strategy for an Oscillating Cascade in Turbomachinery Using Immersed-Boundary Method.** Xiaofeng Sun and Guohua Zhong, *Beijing University of Aeronautics and Astronautics, China (PRC)* (25, 2, p. 312) Article
- B09-032 Reacting Mixing-Layer Computations in a Simulated Turbine-Stator Passage.** Felix Cheng, William Sirignano, and Feng Liu, *University of California, Irvine* (25, 2, p. 322) Article
- B09-033 Gas Turbine Fault Diagnosis Using Fuzzy-Based Decision Fusion.** Andreas Kyriazis and Kostas Mathioudakis, *National Technical University of Athens, Greece* (25, 2, p. 335) Article
- B09-034 Twin-Fluid Atomization and Novel Lifted Swirl-Stabilized Spray Flames.** Martin B. Linck and Ashwani K. Gupta, *University of Maryland* (25, 2, p. 344) Article
- B09-035 Experimental Evaluation of a Low Pressure-Swirl Atomizer Applied Engineering Design Procedure.** Heraldo Couto, *Center for Technology in Energy, Brazil*; Pedro T. Lacava, *Aeronautical Technology Institute, Brazil*; Demetrio Bastos-Netto, *Center for Technology in Energy, Brazil*; and Amílcar P. Pimenta, *Aeronautical Technology Institute, Brazil* (25, 2, p. 358) Article
- B09-036 Experimental Investigation of Thermoacoustic Coupling for Low-Swirl Lean Premixed Flames.** Yun Huang and Albert Ratner, *University of Iowa* (25, 2, p. 365) Article
- B09-037 Combustion-Noise Characterization of a Turbofan Engine with a Spectral Estimation Method.** Daniel Blacodon, *ONERA, France* (25, 2, p. 374) Article based on AIAA Paper 2008-2940
- B09-038 Influence of Electrode Shape on Performance of Pulsed Magnetoplasmadynamic Thruster SIMP-LEX.** Tony Schönherr, Anuscheh Nawaz, Georg Herdrich, Hans-Peter Röser, and Monika Auweter-Kurtz, *Universität Stuttgart, Germany* (25, 2, p. 380) Article
- B09-039 Langmuir Probe Studies of Magnetic Confinement in an Ion Thruster Discharge Plasma.** Anita Sengupta, Dan M. Goebel, and Allison G. Owens, *Jet Propulsion Laboratory, California Institute of Technology* (25, 2, p. 387) Article based on AIAA Paper 2005-4069
- B09-040 Numerical Study of Plasma Behavior in a Magnetoplasmadynamic Thruster Around Critical Current.** Kenichi Kubota, *Tokyo Institute of Technology, Japan*; Ikko Funaki, *Japan Aerospace Exploration Agency, Japan*; and Yoshihiro Okuno, *Tokyo Institute of Technology, Japan* (25, 2, p. 397) Article
- B09-041 Impulse Generation on Aluminum Target Irradiated with Nd:YAG Laser Pulse in Ambient Gas.** Takeharu Sakai, *Nagoya University, Japan* (25, 2, p. 406) Article based on AIAA Paper 2008-1080
- B09-042 Jupiter Power Generation with Electrodynastic Tethers at Constant Orbital Energy.** Claudio Bombardelli, *ESA, The Netherlands*; Enrico C. Lorenzini, *University of Padova, Italy*; and Juan R. Sanmartin, *Universidad Politécnica de Madrid, Spain* (25, 2, p. 415) Article
- B09-043 Comparison of Several Zero-Boil-Off Pressure Control Strategies for Cryogenic Fluid Storage in Microgravity.** Charles H. Panzarella, *Equity Engineering Group*; and Mohammad Kassemi, *NASA John H. Glenn Research Center at Lewis Field* (25, 2, p. 424) Article
- B09-044 Experimental Verification for Acoustic Damping Enhancement by Gaps in Injector-Formed Baffles.** Kwang Jin Lee, Hong Jip Kim, Seonghyeon Seo, and Hwan Seok Choi, *Korea Aerospace Research Institute, ROK* (25, 2, p. 435) Article based on AIAA Paper 2005-4446
- B09-045 Film Cooling of Accelerated Flow in a Subscale Combustion Chamber.** Richard Arnold, Dmitry Suslov, and Oskar J. Haidn, *DLR, German Aerospace Center, Germany* (25, 2, p. 443) Article
- B09-046 High-Pressure Supercritical Turbulent Cryogenic Injection and Combustion: A Single-Phase Flow Modeling Proposal.** François-Xavier Demoulin, *Université de Rouen, France*; Stephan Zurbach, *Société Nationale d'Etude et de Construction de Moteurs d'Aviation, France*; and Arnaud Mura, *Ecole Nationale Supérieure de Mécanique et d'Aérotechnique, France* (25, 2, p. 452) Article
- B09-047 Effect of Bulk Density on Reaction Propagation in Nanothermites and Micron Thermites.** Michelle L. Pantoya, *Texas Tech University*; Valery I. Levitas, *Iowa State University*; John J. Granier, *Texas Tech University*; and Jack B. Henderson, *Netzsch Instruments, Inc.* (25, 2, p. 465) Article
- B09-048 Production, Characterization, and Combustion of Nanoaluminum in Composite Solid Propellants.** K. Jayaraman, K. V. Anand, David S. Bhatt, Satyanarayanan R. Chakravarthy, and R. Sarathi, *Indian Institute of Technology-Madras, India* (25, 2, p. 471) Article
- B09-049 Nanoaluminum as a Solid Propellant Fuel.** Valery Babuk, Ildar Dolotkazin, Alexey Gamsov, and Andrey Glebov, *Baltic State Technical University, Russia*; Luigi DeLuca and Luciano Galfetti, *Politecnico di Milano, Italy* (25, 2, p. 482) Article
- B09-050 High-Temperature Heterogeneous Reaction Kinetics of Tungsten Oxidation by CO₂, CO, and O₂.** Justin L. Sabourin and Richard A. Yetter, *Pennsylvania State University* (25, 2, p. 490) Article
- B09-051 Flowfield Structure in a Fin-Slot Solid Rocket Motor (Part I).** Jeffrey D. Moore, Robert B. Wehrman, Kenneth K. Kuo, Peter J. Ferrara, and Ryan W. Houim, *Pennsylvania State University* (25, 2, p. 499) Article based on AIAA Paper 2006-4772
- B09-052 Aluminum Combustion Driven Instabilities in Solid Rocket Motors.** Stany Gallier and Franck Godfroy, *SNPE Matériaux Energétiques, France* (25, 2, p. 509) Article
- B09-053 Submerged Combustion and Two-Phase Exhaust Jet Instabilities.** Martin B. Linck, Ashwani K. Gupta, and Kenneth H. Yu, *University of Maryland* (25, 2, p. 522) Article
- B09-054 Compatibility of Glycidyl Azide Polymer with Hydroxyl Terminated Polybutadiene and Plasticizers.** S. K. Manu and T. L. Varghese, *Vikram Sarabhai Space Centre, India*; Suresh Mathew, *Mahatma Gandhi University, India*; and K. N. Ninan, *Vikram Sarabhai Space Centre, India* (25, 2, p. 533) Technical Note
- B09-055 Thrust Measurement of a Pure Magnetic Sail Using Parallelogram-Pendulum Method.** Kazuma Ueno, *Graduate University for Advanced Studies, Japan*; Ikko Funaki, *Japan Aerospace Exploration Agency, Japan*; Toshiyuki Kimura and Hideyuki Horisawa, *Tokai University, Japan*; and Hiroshi Yamakawa, *Kyoto University, Japan* (25, 2, p. 536) Technical Note

- B09-056 Wall-Propelled, In-Tube Propulsion with Repetitive-Pulse Laser Ablation.** Akihiro Sasoh, Shingo Suzuki, and Atsushi Matsuda, *Nagoya University, Japan* (25, 2, p. 540) Technical Note based on AIAA Paper 2008-3888
- B09-057 Experimental Study of a Mach 3 Bump-Compression Flowfield.** Benjamin J. Tillotson, Eric Loth, and J. C. Dutton, *University of Illinois at Urbana-Champaign*; James Mace and Bruce Haeffele, *Boeing Phantom Works* (25, 3, p. 545) Article based on AIAA Paper 2006-11
- B09-058 Shock-Tunnel Experiments with a Mach 12 Rectangular-to-Elliptical Shape-Transition Scramjet at Offdesign Conditions.** Milinda V. Suraweera and Michael K. Smart, *University of Queensland, Australia* (25, 3, p. 555) Article based on AIAA Paper 2008-0100
- B09-059 Suitability of C2-, C3-Hydrocarbon Fuels for Plasma Ignition in High-Speed Flow.** Kenichi Takita, Ryuta Ohashi, and Naoyuki Abe, *Tohoku University, Japan* (25, 3, p. 565) Article
- B09-060 Swept-Leading-Edge Pylon Effects on a Scramjet Pylon-Cavity Flameholder Flowfield.** Andrew B. Freeborn and Paul I. King, *Air Force Institute of Technology*; and Mark R. Gruber, *U.S. Air Force Research Laboratory* (25, 3, p. 571) Article based on AIAA Paper 2008-4709
- B09-061 Mixing and Combustion Characteristics of Kerosene in a Model Supersonic Combustor.** K. Kumaran and V. Babu, *Indian Institute of Technology, India* (25, 3, p. 583) Article
- B09-062 Investigation of Self-Sustaining Waves in Metastable Systems: Deflagration to Detonation Transition.** Nickolay N. Smirnov, Valeriy F. Nikitin, and Shaban Alyari Shurekhdeli, *Lomonosov Moscow State University, Russia* (25, 3, p. 593) Article
- B09-063 Experimental Investigation of a Novel Combustor Model for Gas Turbines.** Mário Costa, Mário Melo, and João Sousa, *Instituto Superior Técnico, Portugal*; and Yeshayahou Levy, *Technion – Israel Institute of Technology, Israel* (25, 3, p. 609) Article
- B09-064 Adaptive Instability Suppression Controls Method For Aircraft Gas Turbine Engine Combustors.** George Kopasakis, John C. DeLaat, and Clarence T. Chang, *NASA John H. Glenn Research Center at Lewis Field* (25, 3, p. 618) Article
- B09-065 Performance Evaluation of a Fast Mobility-Based Particle Spectrometer for Aircraft Exhaust.** Donald E. Hagen, Prem Lobo, Philip D. Whitefield, Max B. Trueblood, and Darryl J. Alofs, *Missouri University of Science and Technology*; and Otmar Schmid, *Helmholtz Zentrum Munchen, Germany* (25, 3, p. 628) Article
- B09-066 Multiple-Point Adaptive Performance Simulation Tuned to Aeroengine Test-Bed Data.** Yi-Guang Li, Luca Marinai, Vassilios Pachidis, E. Lo Gatto, and P. Philidis, *Cranfield University, Great Britain* (25, 3, p. 635) Article
- B09-067 Development and Application of an Arbitrary Lagrangian Eulerian Solver for Turbomachinery Aeromechanics.** Kishore Ramakrishnan, Dana Gottfried, Patrick B. Lawless, and Sanford Fleeter, *Purdue University* (25, 3, p. 642) Article based on AIAA Paper 2006-0627
- B09-068 Experimental Investigations of Pressure Distortions on the High-Pressure Compressor Operating Behavior.** Niko Reuss and Christian Mundt, *University of the Bundeswehr Munich, Germany* (25, 3, p. 653) Article
- B09-069 Shock/Boundary-Layer/Tip-Clearance Interaction in a Transonic Rotor Blade.** Roberto Biollo and Ernesto Benini, *University of Padova, Italy* (25, 3, p. 668) Article
- B09-070 Flow Characteristics of Tip Injection on Compressor Rotating Spike via Time-Accurate Simulation.** Jen-Ping Chen and Benjamin P. Johnson, *The Ohio State University*; Michael D. Hathaway, *U.S. Army Research Laboratory*; and Robert S. Webster, *University of Tennessee, Chattanooga* (25, 3, p. 678) Article
- B09-071 Experimental and Numerical Study of Jet Mixing from a Shock-Containing Nozzle.** Qing Xiao, *University of Strathclyde, Great Britain*; Her Mann Tsai, *National University of Singapore, Singapore*; Dimitri Papamoschou and Andrew Johnson, *University of California, Irvine* (25, 3, p. 688) Article based on AIAA Paper 2007-1319
- B09-072 Optimization of Second Throat Ejectors for High-Altitude Test Facility.** R. Manikanda Kumaran, P. K. Vivekanand, and T. Sundararajan, *Indian Institute of Technology Madras, India*; K. Kumaresan and D. Raja Manohar, *Indian Space Research Organization, India* (25, 3, p. 697) Article
- B09-073 Compressible Flow Structures Interaction with a Two-Dimensional Ejector: A Cold-Flow Study.** Konstantinos Kontis and Hossein Zare-Behtash, *University of Manchester, Great Britain* (25, 3, p. 707) Article
- B09-074 Design of Quiet Propeller for an Electric Mini Unmanned Air Vehicle.** Ohad Gur and Aviv Rosen, *Technion-Israel Institute of Technology, Israel* (25, 3, p. 717) Article based on AIAA Paper 2008-3073
- B09-075 Thrust Measurement of the Hybrid Electric Thruster TIHTUS by a Baffle Plate.** Hannah Böhrk, *DLR, German Aerospace Center, Germany*; and Monika Auweter-Kurtz, *Universitat Hamburg, Germany* (25, 3, p. 729) Article based on AIAA Paper 2007-5297
- B09-076 Plume Profiles of a Planar Crossed-Field Thruster with Hall Current Injection.** Joshua L. Rovey, Matthew Giacomini, Robert Stubbers, and Brian Jurczyk, *Starfire Industries, LLC* (25, 3, p. 737) Article
- B09-077 Validating a Plasma Momentum Flux Sensor to an Inverted Pendulum Thrust Stand.** Benjamin W. Longmier, *University of Houston*; Bryan M. Reid and Alec D. Gallimore, *University of Michigan*; Franklin R. Chang-Diaz, Jared P. Squire, and Tim W. Glover, *Ad Astra Rocket Company*; Greg Chavers, *NASA Marshall Space Flight Center*; and Edgar A. Bering, *University of Houston* (25, 3, p. 746) Article based on AIAA Paper 2008-4739
- B09-078 Ground Test Investigation of Temperature Distribution in Four Parallel High-Altitude Engines.** Wenbo Qin and Huier Cheng, *Shanghai Jiao Tong University, China (PRC)*; and Peng Li, *Institute of Shanghai Aerospace System Engineering, China (PRC)* (25, 3, p. 753) Article
- B09-079 Circumferential Film Cooling Effectiveness in a LOX/H2 Subscale Combustion Chamber.** Richard Arnold, Dmitry Suslov, and Oskar Haidn, *DLR, German Aerospace Center, Germany* (25, 3, p. 760) Article based on AIAA Paper 2008-5242
- B09-080 Computational Analysis of the Oxidizer Preflow in an Upper-Stage Rocket Engine.** Roland Schmehl and Johan Steelant, *ESA, The Netherlands* (25, 3, p. 771) Article
- B09-081 Performance Characteristics of an Annular Conical Aerospoke Nozzle with Freestream Effect.** Shashi B. Verma, *National Aerospace Laboratories, India* (25, 3, p. 783) Article based on AIAA Paper 2008-5290
- B09-082 Passive Control of Pressure Oscillations in Solid Rocket Motors: Cold-Flow Experiments.** Jerome Anthoine and Marcos R. Lema, *von Karman Institute for Fluid Dynamics, Belgium* (25, 3, p. 792) Article based on AIAA Paper 2008-4602
- B09-083 Pyrolysis/Evaporation Study of Succinic Acid/Polyvinyl Acetate for Reducing Nozzle Throat Erosion.** Kenneth K. Kuo, Ragini Acharya, Eric Boyd, and Stefan Thynell, *Pennsylvania State University* (25, 3, p. 801) Article based on AIAA Paper 2007-5775
- B09-084 Flame-Spreading Behavior in a Fin-Slot Solid Propellant Rocket Motor Grain (Part II).** Jeffrey D. Moore, Kenneth K. Kuo, and Peter J. Ferrara, *Pennsylvania State University* (25, 3, p. 808) Article based on AIAA Paper 2007-5780
- B09-085 Predicting Hybrid Propellant Regression Rate Using Response Surfaces.** Robert A. Frederick, *University of Alabama in Huntsville*; and Joshua J. Whitehead, *ATK Launch Systems* (25, 3, p. 815) Article based on AIAA Paper 2005-3545

- B09-086 Buzz Instability in a Mixed-Compression Air Intake.** P. Vivek and Sanjay Mittal, *Indian Institute of Technology Kanpur, India* (25, 3, p. 819) Technical Note
- B09-087 Development of a Specific Impulse Balance for Capillary Discharge Pulsed Plasma Thrusters.** Taylor C. Lilly and Andrew Ketsdever, *University of Colorado*; Anthony P. Pancotti, *ERC, Inc.*; and Marcus Young, *U.S. Air Force Research Laboratory* (25, 3, p. 823) Technical Note based on AIAA Paper 2008-4740
- B09-088 Condensation-Induced Surface Boiling of Alcohol Fuel Droplets in Combustion Chambers.** Daniel E. Rosner and Manuel Arias-Zugasti, *Yale University* (25, 3, p. 826) Technical Note
- B09-089 Liquid Monopropellant Combustion in Mesoscale Vortex Chamber.** Ming-Hsun Wu, *National Cheng Kung University, Taiwan (ROC)*; Yanxing Wang, Richard A. Yetter, and Vigor Yang, *Pennsylvania State University* (25, 3, p. 829) Technical Note
- B09-090 Review of Recent Developments in Wave Rotor Combustion Technology.** Pezhman Akbari and Razi Nalim, *Indiana University—Purdue University at Indianapolis* (25, 4, p. 833) Article based on AIAA Paper 2007-5055
- B09-091 Reaction Mechanism of Aluminum-Particle-Air Detonation.** Fan Zhang and Keith Gerrard, *Defence R&D Canada—Suffield, Canada*; and Robert C. Ripley, *Martec, Ltd., Canada* (25, 4, p. 845) Article
- B09-092 Temperature Measurements in a Gas-Turbine-Combustor Sector Rig Using Swept-Wavelength Absorption Spectroscopy.** Laura A. Kranendonk, Andrew W. Caswell, and Christopher L. Hagen, *University of Wisconsin*; Craig T. Neuroth, Dale T. Shouse, and James R. Gord, *U.S. Air Force Research Laboratory*; and Scott T. Sanders, *University of Wisconsin* (25, 4, p. 859) Article
- B09-093 Oxygen/Hydrogen-Planar-Laser-Induced Fluorescence Measurements and Accuracy Investigation in High-Pressure Combustion.** Aravind Vaidyanathan, *Iowa State University*; Jonas P. Gustavsson and Corin Segal, *University of Florida* (25, 4, p. 864) Article
- B09-094 Preliminary Investigation on Lithium Hydride as Fuel for Solid-Fueled Scramjet Engines.** Domenico Simone and Claudio Bruno, *University of Rome “La Sapienza,” Italy* (25, 4, p. 875) Article
- B09-095 In-Stream Hypermixer Fueling Pylons in Supersonic Flow.** Jason C. Doster and Paul I. King, *Air Force Institute of Technology*; Mark R. Gruber and Campbell D. Carter, *U.S. Air Force Research Laboratory*; Michael D. Ryan, *Universal Technology Corporation*; and Kuang-Yu Hsu, *Innovative Scientific Solutions, Inc.* (25, 4, p. 885) Article based on AIAA Paper 2008-4501
- B09-096 Effect of Chamber Backpressure on Swirl Injector Fluid Mechanics.** R. J. Kenny, *NASA Marshall Space Flight Center*; James R. Hulka, *Jacobs Engineering*; Marlow D. Moser, *University of Alabama in Huntsville*; and Noah O. Rhys, *Yetispace, Inc.* (25, 4, p. 902) Article
- B09-097 Experimental Characterization of a Two-Phase Flowfield in a Solid Rocket Motor Model.** Balazs Toth and Jerome Anthoine, *von Karman Institute for Fluid Dynamics, Belgium*; and Johan Steelant, *ESA, The Netherlands* (25, 4, p. 914) Article based on AIAA Paper 2008-5050
- B09-098 Rotational Flowfields in Porous Channels with Arbitrary Headwall Injection.** Tony Saad and Joe Majdalani, *University of Tennessee Space Institute* (25, 4, p. 921) Article based on AIAA Paper 2007-4120
- B09-099 Effect of Tabs on Rectangular Jet Plume Development.** Parviz Behrouzi and James J. McGuirk, *Loughborough University, Great Britain* (25, 4, p. 930) Article
- B09-100 Tip-Clearance Effects on Hot-Streak Migration in Low-Pressure Stage of Vaneless Counter-Rotating Turbine.** Qingjun Zhao, HuiShe Wang, Xiaolu Zhao, and Jianzhong Xu, *Chinese Academy of Sciences, China (PRC)* (25, 4, p. 940) Article
- B09-101 Creation of Onset Voltage Hash by Anode Spots in a Magnetoplasmadynamic Thruster.** Luke Uribarri and Edgar Y. Choueiri, *Princeton University* (25, 4, p. 949) Article based on AIAA Paper 2008-5080
- B09-102 Zero-Dimensional Time-Dependent Model of High-Pressure Ablative Capillary Discharge for Plasma Thrusters.** Leonid Pekker, *ERC, Inc.* (25, 4, p. 958) Article based on AIAA Paper 2008-3891
- B09-103 Regenerable Field Emission Cathode for Spacecraft Neutralization.** Jason M. Makela, Robert L. Washeleski, and Lyon B. King, *Michigan Technological University* (25, 4, p. 970) Article based on AIAA Paper 2008-5205
- B09-104 System-Level Feasibility Assessment of Microwave Power Beaming for Small Satellites.** Jarret M. Lafleur and Joseph H. Saleh, *Georgia Institute of Technology* (25, 4, p. 976) Article based on AIAA Paper 2008-5714
- B09-105 Emissions Reductions in Diesel and Kerosene Flames Using a Novel Fuel Injector.** Heena V. Panchasara, Daniel E. Sequera, Willard C. Schreiber, and Ajay K. Agrawal, *University of Alabama* (25, 4, p. 984) Technical Note
- B09-106 Bayesian Framework for Calibration of Gas Turbine Simulator.** Piyush M. Tagade, *Institute of Technology, Bombay, India*; K. Sudhakar and S. K. Sane, *Indian Institute of Technology, Bombay, India* (25, 4, p. 987) Technical Note based on AIAA Paper 2008-1809
- B09-107 SMART-1 from Conception to Moon Impact.** Giuseppe D. Racca, *ESA, The Netherlands* (25, 5, p. 993) Article
- B09-108 Performance Modeling of a Thrust Vectoring Device for Hall Effect Thrusters.** L. Garrigues, C. Boniface, G. J. Hagelaar, and J. P. Boeuf, *University of Toulouse, France*; and O. Duchemin, *Société Nationale d'Étude et de Construction de Moteurs d'Aviation, France* (25, 5, p. 1003) Article
- B09-109 Operation of an Annular Helicon Plasma Source.** Douglas D. Palmer and Mitchell L. Walker, *Georgia Institute of Technology* (25, 5, p. 1013) Article based on AIAA Paper 2008-4926
- B09-110 Simulation of Combustion Instabilities in Liquid Rocket Engines with Acoustic Perturbation Equations.** Jutta Pieringer and Thomas Sattelmayer, *Technical University of Munich, Germany*; and Felix Fassl, *Astrium GmbH, Germany* (25, 5, p. 1020) Article
- B09-111 Thermophysical Properties Measurements of Rocket Propellants RP-1 and RP-2.** Stephanie L. Outcalt and Arno Laesecke, *National Institute of Standards and Technology*; and Karin J. Brumback, *Yale University* (25, 5, p. 1032) Article
- B09-112 Scaling and Evaluation of Pt/Al₂O₃ Catalytic Reactor for Hydrogen Peroxide Monopropellant Thruster.** Sungyong An and Sejin Kwon, *Korea Advanced Institute of Science and Technology, ROK* (25, 5, p. 1041) Article based on AIAA Paper 2008-5109
- B09-113 Study of Restricted Shock Separation Phenomena in a Thrust Optimized Parabolic Nozzle.** S. B. Verma and O. Haidn, *DLR, German Aerospace Center, Germany* (25, 5, p. 1046) Article based on AIAA Paper 2006-1431
- B09-114 Flame Spectra of a Turbulent Liquid-Fueled Swirl-Stabilized Lean-Direct Injection Combustor.** Tongxun Yi and Domenic A. Santavicca, *Pennsylvania State University* (25, 5, p. 1058) Article
- B09-115 Nano Additives and Plateau Burning Rates of Ammonium-Perchlorate-Based Composite Solid Propellants.** Matthew A. Stephens and Eric L. Petersen, *Texas A&M University*; David L. Reid, Rodolphe Carro, and Sudipta Seal, *University of Central Florida* (25, 5, p. 1068) Article based on AIAA Paper 2008-4790
- B09-116 Mitigation of Graphite Nozzle Erosion by Boundary-Layer Control in Solid Propellant Rocket Motors.** Piyush Thakre and Vigor Yang, *Pennsylvania State University* (25, 5, p. 1079) Article


- B09-117 Characterization of Nanothermite Material for Solid-Fuel Microthruster Applications.** Steven J. Apperson, Andrey V. Bezmelnitsyn, Rajagopalan Thiruvengadathan, Keshab Gangopadhyay, and Shubhra Gangopadhyay, *University of Missouri*; Wendy A. Balas, Paul E. Anderson, and Steven M. Nicolich, *U.S. Army* (25, 5, p. 1086) Article
- B09-118 Comparison of Several Optimization Strategies for Robust Turbine Blade Design.** Andy J. Keane, *University of Southampton, Great Britain* (25, 5, p. 1092) Article
- B09-119 Vane Clocking in a Three-Stage Compressor: Frequency Domain Data Analysis.** Nicole L. Key, Patrick B. Lawless, and Sanford Fleeter, *Purdue University* (25, 5, p. 1100) Article based on AIAA Paper 2007-5060
- B09-120 Infrared Thermography and Pitot Pressure Measurements of a Scramjet Nozzle Flowfield.** C. Hirschen and A. Gülhan, *DLR, German Aerospace Center, Germany* (25, 5, p. 1108) Article
- B09-121 Chemical Properties of Aircraft Engine Particulate Exhaust Emissions.** Timothy B. Onasch, John T. Jayne, Scott Herndon, Douglas R. Worsnop, and Richard C. Miake-Lye, *Aerodyne Research, Inc.*; I. P. Mortimer, *Johns Hopkins University*; and Bruce E. Anderson, *NASA Langley Research Center* (25, 5, p. 1121) Article
- B09-122 Comparative Study of Plastics as Propellants for Laser Ablation Plasma Thrusters.** Muddassir M. Gualini, *Poytecnico di Torino, Italy*; Shakeel A. Khan, *Federal Urdu University of Arts, Sciences, & Technology, Pakistan*; and Salman Iqbal, *International Islamic University, Pakistan* (25, 5, p. 1138) Technical Note
- B09-123 Multi-Objective Optimization of Rocket-Based Combined-Cycle Engine Performance Using a Hybrid Evolutionary Algorithm.** Dario Pastrone and Matteo Rosa Sentinella, *Politecnico di Torino, Italy* (25, 5, p. 1140) Technical Note based on AIAA Paper 2008-5170
- B09-124 Vortical Structure of Reacting Flow in a Sudden-Expansion Combustor with Solid Fuel.** F.C. Hsiao, *National Tsing Hua University, Taiwan (ROC)*; Y.H. Lai and J.T. Yang, *National Taiwan University, Taiwan (ROC)* (25, 5, p. 1145) Technical Note
- B09-125 Singular Spectrum Analysis Applied to Time-Series Measurements in a Self-Excited Tube Combustor.** Andrew C. Noble, Krishna K. Venkatesan, Galen B. King, and Normand M. Laurendeau, *Purdue University*; and Michael W. Renfro, *University of Connecticut* (25, 5, p. 1148) Technical Note
- B09-129 Assessment of Technologies for the Silent Aircraft Initiative.** Cesare A. Hall, *University of Cambridge, Great Britain*; Emily Schwartz, *Stanford University*; and James I. Hileman, *Massachusetts Institute of Technology* (25, 6, p. 1153) Article
- B09-130 Methodology and Historical Perspective of a Hall Thruster Efficiency Analysis.** Daniel L. Brown, C. W. Larson, and Brian E. Beal, *U.S. Air Force Research Laboratory*; and Alec D. Gallimore, *University of Michigan* (25, 6, p. 1163) Article
- B09-131 Numerical Simulation of SMART-1 Hall-Thruster Plasma Interactions.** Martin Tajmar, Rene Sedmik, and Carsten Scharlemann, *Austrian Research Centers, GmbH, Austria* (25, 6, p. 1178) Article
- B09-132 Dawn Ion Propulsion System: Initial Checkout after Launch.** John R. Brophy, Charles E. Garner, and Steven C. Mikes, *Jet Propulsion Laboratory, California Institute of Technology* (25, 6, p. 1189) Article based on AIAA Paper 2008-4917
- B09-133 Catalyzed Ignition of Using Methane/Hydrogen Fuel in a Microtube for Microthruster Applications.** Christopher A. Mento, Chih-Jen Sung, and Alfonso F. Ibarreta, *Case Western Reserve University*; and Steven J. Schneider, *NASA John H. Glenn Research Center at Lewis Field* (25, 6, p. 1203) Article
- B09-134 Air-Hydrogen Heat Exchangers for Advanced Space Launchers.** Patrick Hendrick, Nicolas Heintz, and Didier Bizzarri, *Free University of Brussels, Belgium*; Francisco Romera, *IberEspacio, Spain*; James Murray, *Techspace Aero, Belgium*; and Philippe Ngendakumana, *University of Liège, Belgium* (25, 6, p. 1211) Article
- B09-135 A Quasi-One-Dimensional Model of Hydrogen-Fueled Scramjet Combustors.** Cristian H. Birzer and Con J. Doolan, *The University of Adelaide, Australia* (25, 6, p. 1220) Article based on AIAA Paper 2007-4314
- B09-136 Catalytic Cracking and Heat Sink Capacity of Aviation Kerosene Under Supercritical Conditions.** X. J. Fan, F. Q. Zhong, G. Yu, and J. G. Li, *Chinese Academy of Science, China (PRC)*; and C. J. Sung, *Case Western Reserve University* (25, 6, p. 1226) Article based on AIAA Paper 2008-5130
- B09-137 Simulation of Supersonic Combustion in Three Dimensional Configurations.** P. G. Keistler and H. A. Hassan, *North Carolina State University*; and X. Xiao, *Corvid Technologies* (25, 6, p. 1233) Article
- B09-138 Resonant Response of Mistuned Bladed Disks Including Aerodynamic Damping Effects.** Yoon S. Choi, Sanford Fleeter, and Dana A. Gottfried, *Purdue University* (25, 6, p. 1240) Article based on AIAA Paper 2007-0020
- B09-139 Computational Simulation of Cylindrical Film Hole with Jet Pulsation on Flat Plates.** Olga Kartuzova, Daniel Danila, and Mounir B. Ibrahim, *Cleveland State University*; and Ralph J. Volino, *U. S. Naval Academy* (25, 6, p. 1249) Article
- B09-140 Forced Flame Response of Turbulent Liquid-Fueled Lean-Direct-Injection Combustion to Fuel Modulations.** Tongxun Yi and Domenic A. Santavicca, *Pennsylvania State University* (25, 6, p. 1259) Article
- B09-141 Transient Three-Dimensional Side-Load Analysis of a Film-Cooled Nozzle.** Ten-See Wang and Michael J. Guidos, *NASA Marshall Space Flight Center* (25, 6, p. 1272) Article based on AIAA Paper 2008-4297
- B09-142 Thrust Measurement of a Multicycle Partially Filled Pulse Detonation Rocket Engine.** Jiro Kasahara and Masao Hirano, *University of Tsukuba, Japan*; Akiko Matsuo and Yu Daimon, *Keio University, Japan*; and Takuma Endo, *Hiroshima University, Japan* (25, 6, p. 1281) Article
- B09-143 Performance of a Monopropellant Thruster Prototype Using Advanced Hydrogen Peroxide Catalytic Beds.** L. Torre, A. Pasini, L. Romeo, and A. Cervone, *ALTA SpA, Italy*; and L. d'Agostino, *University of Pisa, Italy* (25, 6, p. 1291) Article based on AIAA Paper 08-4937
- B09-144 Numerical Investigation of Roll Torque Induced by Solid Rocket Motor Internal Flow.** Toru Shimada, *Japan Aerospace Exploration Agency, Japan*; Nobuhiro Sekino and Mihoko Fukunaga, *IHI Aerospace Company, Ltd., Japan* (25, 6, p. 1300) Article based on AIAA Paper 2008-4891
- B09-145 Single-Phase Internal Flowfield Validation with an Experimental Solid Rocket Motor Model.** B. Toth, M. R. Lema, P. Rambaud, and J. Anthoine, *von Karman Institute for Fluid Dynamics, Belgium*; and J. Steelant, *ESA, The Netherlands* (25, 6, p. 1311) Article
- B09-146 Acoustics, Vortex Shedding, and Low-Frequency Dynamics Interaction in an Unstable Hybrid Rocket.** Carmine Carmicino, *University of Naples, Italy* (25, 6, p. 1322) Article
- B09-147 Hardware-in-the-Loop Testing of a Fuel Cell Aircraft Powerplant.** Thomas H. Bradley, *Colorado State University*; Blake A. Moffitt, Dmintri N. Mavris, and Thomas F. Fuller, *Georgia Institute of Technology*; and David E. Parekh, *United Technologies Research Center* (25, 6, p. 1336) Article
- B09-148 Optimum Design of Turboprop Engines Using Genetic Algorithm.** Adel Ghenaïet and Boulekraa Tayeb, *Polytechnic School, Algeria* (25, 6, p. 1345) Technical Note

B09-149 Measurement of Flame Transfer Functions in Swirl-Stabilized, Lean-Premixed Combustion. J. A. Ranalli, C. R. Martin, P. R. Black, U. Vandsburger, and R. West, *Virginia Polytechnic Institute and State University* (25, 6, p. 1350) Technical Note

B09-150 Simplified Theory for Ignition Times of Hypergolic Gelled Propellants. Forman A. Williams, *University of California, San Diego* (25, 6, p. 1354) Technical Note

B09-151 Transient Behavior of H₂O₂ Thruster: Effect of Injector Type and Ullage Volume. Sungyong An, *Korea Advanced Institute of Science and Technology, ROK*; Rachid Brahmi and Charles Kappenstein, *University of Poitiers, France*; and Sejin Kwon, *Korea Advanced Institute of Science and Technology, ROK* (25, 6, p. 1357) Technical Note based on AIAA Paper 2009-5230

1. Publication Title			2. Publication Number			3. Filing Date		
Journal of Propulsion and Power			7 5 0 - 3 7 0			10/1/09		
4. Issue Frequency			5. Number of Issues Published Annually			6. Annual Subscription Price		
Bimonthly			6			\$ 60/ \$ 945		
7. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and ZIP+4®)						Contact Person		
American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston, VA 20191						Becky Rivard		
8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer)						Telephone (include area code)		
American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191						703-264-7630		
9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do not leave blank)								
Publisher (Name and complete mailing address)								
Rodger Williams, American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191								
Editor (Name and complete mailing address)								
Vigor Yang, George Institute of Technology, Atlanta, GA 30332								
Managing Editor (Name and complete mailing address)								
Becky Rivard, American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191								
10. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, give the names and addresses of the individual owners. If owned by a partnership or other unincorporated firm, give its name and address as well as those of each individual owner. If the publication is published by a nonprofit organization, give its name and address.)								
Full Name			Complete Mailing Address					
American Institute of Aeronautics and Astronautics			1801 Alexander Bell Drive Suite 500, Reston VA 20191					
11. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box <input checked="" type="checkbox"/> None								
Full Name			Complete Mailing Address					
12. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates) (Check one)								
<input checked="" type="checkbox"/> The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes:								
<input type="checkbox"/> Has Not Changed During Preceding 12 Months								
<input type="checkbox"/> Has Changed During Preceding 12 Months (Publisher must submit explanation of change with this statement)								

13. Publication Title		14. Issue Date for Circulation Data Below	
Journal of Propulsion and Power		Jul-09	
15. Extent and Nature of Circulation		Average No. Copies Each Issue During Preceding 12 Months	No. Copies of Single Issue Published Nearest to Filing Date
a. Total Number of Copies (Net press run)		1433	1400
b. Paid Circulation (By Mail and Outside the Mail)	(1) Mailed Outside-County Paid Subscriptions Stated on PS Form 3541 (include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)	657	623
	(2) Mailed In-County Paid Subscriptions Stated on PS Form 3541 (include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)	0	0
	(3) Paid Distribution Outside the Mails Including Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Paid Distribution Outside USPS®	359	328
	(4) Paid Distribution by Other Classes of Mail Through the USPS (e.g. First-Class Mail®)	42	35
c. Total Paid Distribution (Sum of 15b (1), (2), (3), and (4))		1058	986
d. Free or Nominal Rate Distribution (By Mail and Outside the Mail)	(1) Free or Nominal Rate Outside-County Copies Included on PS Form 3541	1	1
	(2) Free or Nominal Rate In-County Copies Included on PS Form 3541	0	0
	(3) Free or Nominal Rate Copies Mailed at Other Classes Through the USPS (e.g. First-Class Mail)	0	0
	(4) Free or Nominal Rate Distribution Outside the Mail (Carriers or other means)	0	0
e. Total Free or Nominal Rate Distribution (Sum of 15d (1), (2), (3) and (4))		1	1
f. Total Distribution (Sum of 15c and 15e)		1059	987
g. Copies not Distributed (See Instructions to Publishers #4 (page #3))		374	413
h. Total (Sum of 15f and g)		1433	1400
i. Percent Paid (15c divided by 15f times 100)		99.9	99.9
16. Publication of Statement of Ownership			
<input type="checkbox"/> If the publication is a general publication, publication of this statement is required. Will be printed in the <u>Nov./Dec.</u> 2009 issue of this publication. <input type="checkbox"/> Publication not required.			
17. Signature and Title of Editor, Publisher, Business Manager, or Owner			Date
 Managing Director of Technical Publications			09/17/09
I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including civil penalties).			