

Chronological Index

- B10-001 Resonant Response of Mistuned Bladed Disks Including Aerodynamic Damping Effects.** Yoon S. Choi, Dana A. Gottfried, and Sanford Fleeter, *Purdue University* (26, 1, p. 16) Article based on AIAA Paper 2003-4977
- B10-002 Unsteady Blade Loading with Clocking in Multistage Axial Compressors, Part 1.** Huixia Jia, *Zhejiang Sci-Tech University*, China (PRC); Guang Xi, *Xi'an Jiaotong University*, China (PRC); Lutz Müller, Ronald Mailach, and Konrad Vogeler, *Technische Universität Dresden*, Germany (26, 1, p. 25) Article
- B10-003 Unsteady Blade Loading with Clocking in Multistage Axial Compressors, Part 2.** Lutz Müller, Ronald Mailach, and Konrad Vogeler, *Technische Universität Dresden*, Germany; Huixia Jia, *Zhejiang Sci-Tech University*, China (PRC); and Guang Xi, *Xi'an Jiaotong University*, China (PRC) (26, 1, p. 36) Article
- B10-004 Sensitivity of Turbine Efficiency and Flow Structures to Varying Purge Flow.** P. Schuepbach and R. S. Abhari, *ETH Zurich*, Switzerland; M. G. Rose, *University of Stuttgart*, Germany; and J. Gier, *MTU Aero Engines, GmbH*, Germany (26, 1, p. 46) Article
- B10-005 Supersonic Boundary-Layer Combustion: Effects of Upstream Entropy and Shear-Layer Thickness.** Rainer M. Kirchhartz, David J. Mee, Raymond J. Stalker, Peter A. Jacobs, and Michael K. Smart, *University of Queensland*, Australia (26, 1, p. 57) Article
- B10-006 Feedback Combustion Control Using Chemi-Ionization Probe in Supersonic Flow of Combustion Products.** Saurabh Keshav, Yuri Utkin, and Igor V. Adamovich, *Ohio State University* (26, 1, p. 67) Article based on AIAA Paper 2008-1056
- B10-007 Theoretical Analysis of Dynamic Response of a Vaporizing Droplet to Acoustic Oscillations.** Roger Prud'homme, *Pierre et Marie Curie University/Centre National de la Recherche Scientifique*, France; Mohammed Habiballah, Lionel Matuszewski, Yves Mauriot, and Aurélie Nicole, *Office National d'Etudes et de Recherches Aérospatiales*, France (26, 1, p. 74) Article
- B10-008 Scalar Filtered Density Function for Large Eddy Simulation of a Bunsen Burner.** S. L. Yilmaz, *National Energy Technology Laboratory*; M. B. Nik, *University of Pittsburgh*; P. Givi and Peter A. Strakey, *National Energy Technology Laboratory* (26, 1, p. 84) Article
- B10-009 Theoretical and Experimental Study of the Dynamics of a Liquid Swirl Injector.** Qing-fei Fu, Li-Jun Yang, and Xiang-Dong Wang, *Beijing University of Aeronautics and Astronautics*, China (PRC) (26, 1, p. 94) Article
- B10-010 Sidewall Boundary Layers of the Bidirectional Vortex.** Joshua W. Batterson and Joseph Majdalani, *University of Tennessee Space Institute* (26, 1, p. 102) Article based on AIAA Paper 2007-4123
- B10-011 Optimization of System Parameters for Liquid Rocket Engines with Gas-Generator Cycles.** Guobiao Cai, Jie Fang, Yuntao Zheng, and Xiaoyan Tong, *Beijing University of Aeronautics and Astronautics*, China (PRC); Jun Chen and Jue Wang, *Beijing Aerospace Propulsion Institute*, China (PRC) (26, 1, p. 113) Article based on AIAA Paper 2005-3743
- B10-012 Closed-Vessel and Thermal Studies on Triple-Base Gun Propellants Containing CL-20.** C. N. Divekar, R. R. Sanghavi, U. R. Nair, T. K. Chakraborty, A. K. Sikder, and Amarjit Singh, *High Energy Materials Research Laboratory*, India (26, 1, p. 120) Article
- B10-013 Ion Thruster Grid Design Using an Evolutionary Algorithm.** Cody C. Farnell and John D. Williams, *Colorado State University* (26, 1, p. 125) Article
- B10-014 Ignition and Plume Characteristics of Low-Current Cerium and Lanthanum Hexaboride Hollow Cathodes.** Dustin J. Warner and Richard D. Branam, *Air Force Institute of Technology*; and William A. Hargus, *U.S. Air Force Research Laboratory* (26, 1, p. 130) Article based on AIAA Paper 2008-1086
- B10-015 Near-Plume Laser-Induced Fluorescence Velocity Measurements of a Medium Power Hall Thruster.** William A. Hargus and Christopher S. Charles, *U.S. Air Force Research Laboratory* (26, 1, p. 135) Article based on AIAA Paper 2008-5004
- B10-016 Sputter Erosion Sensor for Anode Layer-Type Hall Thrusters Using Cavity Ring-Down Spectroscopy.** Naoji Yamamoto, *Kyushu University*, Japan; Lei Tao, Binyamin Rubin, John D. Williams, and Azer P. Yalin, *Colorado State University* (26, 1, p. 142) Article
- B10-017 Numerical Rebuilding of SMART-1 Hall Effect Thruster Plasma Plume.** A. Passaro, A. Vicini, F. Nania, and L. Biagioni, *Alta, S.p.A.*, Italy (26, 1, p. 149) Article
- B10-018 Hybrid Particle-in-Cell Simulations of Magnetic Sail in Laboratory Experiment.** Yoshihiro Kajimura, *Kyoto University*, Japan; Hideyuki Usui, *Kobe University*, Japan; Ikko Funaki, *Japan Aerospace Exploration Agency*, Japan; Kazuma Ueno, *Graduate University for Advanced Studies*, Japan; Masanori Nunami, *National Institute for Fusion Science*, Japan; Iku Shinohara, *Japan Aerospace Exploration Agency*, Japan; Masao Nakamura, *Osaka Prefecture University*, Japan; and Hiroshi Yamakawa, *Kyoto University*, Japan (26, 1, p. 159) Article
- B10-019 High-Power Brayton Rotating Unit for Reactor and Solar Dynamic Power Systems.** Mohamed S. El-Genk and Bruno M. Gallo, *University of New Mexico* (26, 1, p. 167) Article
- B10-020 Implications of a Military Turbofan's High-Pressure Turbine Erosion for Blade's Creep Life-Consumption.** Muhammad Naeem and Irfan Ul-Haq, *Institute of Space Technology*, Pakistan (26, 1, p. 177) Technical Note
- B10-021 Isolator/Combustion Chamber Interactions During Supersonic Combustion.** Qiuya Tu and Corin Segal, *University of Florida* (26, 1, p. 182) Technical Note
- B10-022 One- and Three-Dimensional Wall Heat Flux Calculations in a O₂/H₂ System.** Aravind Vaidyanathan, *Iowa State University*; Jonas Gustavsson and Corin Segal, *University of Florida* (26, 1, p. 186) Technical Note
- B10-023 Laser Ablation Propulsion Tractor Beam System.** John E. Sinko, *Global Center of Excellence* (26, 1, p. 189) Technical Note
- B10-024 Modeling of Fixed-Exit Porous Bleed Systems for Supersonic Inlets.** John W. Slater and John D. Saunders, *NASA John H. Glenn Research Center at Lewis Field* (26, 2, p. 193) Article based on AIAA Paper 2008-94
- B10-025 Simulation of Shock/Boundary-Layer Interactions with Bleed Using Immersed-Boundary Methods.** Santanu Ghosh, Jung-II Choi, and Jack R. Edwards, *North Carolina State University* (26, 2, p. 203) Article based on AIAA Paper 2009-1330
- B10-026 Effect of Swirl on Shock Structure in Underexpanded Supersonic Airflow.** A. Abdelhafez and A. K. Gupta, *University of Maryland* (26, 2, p. 215) Article
- B10-027 Chemical Nonequilibrium, Heat Transfer, and Friction in a Detonation Tube with Nozzles.** Ethan A. Barbour and Ronald K. Hanson, *Stanford University* (26, 2, p. 230) Article

- B10-028 Investigation of Rocket Exhaust Diffusers for Altitude Simulation.** Hong-Gye Sung, Hyo-Won Yeom, Sangkyu Yoon, Seong-Jin Kim, and Jingon Kim, *Korea Aerospace University*, South Korea (26, 2, p. 240) Article based on AIAA Paper 2008-0855
- B10-029 Performance Evaluation of Second-Throat Diffuser for High-Altitude-Test Facility.** R. M. Kumaran and T. Sundararajan, *Indian Institute of Technology*, India; and D. R. Manohar, *Indian Space Research Organization*, India (26, 2, p. 248) Article
- B10-030 Combustion Dynamics and Stability of a Fuel-Rich Gas Generator.** Seonghyeon Seo, Seong-Ku Kim, and Hwan-Seok Choi, *Korea Aerospace Research Institute*, South Korea (26, 2, p. 259) Article
- B10-031 Improved Spray Model for Viscous Annular Sheets in a Swirl Injector.** Yoonwan Moon, Dongjun Kim, and Youngbin Yoon, *Seoul National University*, South Korea (26, 2, p. 267) Article
- B10-032 Ignition Delay Time Measurements of Normal Alkanes and Simple Oxygenates.** D. F. Davidson, S. C. Ranganath, K.-Y. Lam, M. Liaw, Z. Hong, and Ronald K. Hanson, *Stanford University* (26, 2, p. 280) Article
- B10-033 Optimization of Secondary-Air Addition in a Continuous One-Dimensional Spray Combustor.** Justin A. Sirignano, *Princeton University*; Luis Rodriguez, Anthanasios Sideris, and William A. Sirignano, *University of California, Irvine* (26, 2, p. 288) Article
- B10-034 Influence of Configuration on Materials Selection for Actively Cooled Combustors.** N. Vermaak, *University of California, Santa Barbara*; L. Valdevit, *University of California, Irvine*; and A. G. Evans, *University of California, Santa Barbara* (26, 2, p. 295) Article
- B10-035 Core Noise Diagnostics of Turbofan Engine Noise Using Correlation and Coherence Functions.** Jeffrey H. Miles, *NASA John H. Glenn Research Center at Lewis Field* (26, 2, p. 303) Article based on AIAA Paper 2009-1237
- B10-036 Emissions Characteristics of Military Helicopter Engines with JP-8 and Fischer–Tropsch Fuels.** Edwin Corporan, *U.S. Air Force Research Laboratory*; Matthew J. DeWitt, Christopher D. Klingshirn, and Richard Striebig, *University of Dayton Research Institute*; and Meng-Dawn Cheng, *Oak Ridge National Laboratory* (26, 2, p. 317) Article
- B10-037 Effects of Axial Gap on the Vane–Rotor Interaction in a Low Aspect Ratio Turbine Stage.** P. Gaetani, G. Persico, and C. Osnaghi, *Politecnico di Milano*, Italy (26, 2, p. 325) Article
- B10-038 Harmonic Balance Analysis of Blade Row Interactions in a Transonic Compressor.** Kivanc Ekici, *University of Tennessee*; Kenneth C. Hall and Robert E. Kiel, *Duke University* (26, 2, p. 335) Article based on AIAA Paper 2009-1240
- B10-039 Rotor Wake Variability in a Multistage Compressor.** Nicole L. Key, Patrick B. Lawless, and Sanford Fleeter, *Purdue University* (26, 2, p. 344) Article based on AIAA Paper 2007-19
- B10-040 Ultrasonically Aided Electrospray Source for Charged Particles Approaching Monodisperse Distributions.** W. Song and U. Shumlak, *University of Washington* (26, 2, p. 353) Article
- B10-041 Barium Oxide Depletion from Hollow-Cathode Inserts: Modeling and Comparison with Experiments.** Michele Coletti and Stephen B. Gabriel, *University of Southampton*, Great Britain (26, 2, p. 364) Article
- B10-042 Electrostatic Plasma Brake for Deorbiting a Satellite.** Pekka Janhunen, *Finnish Meteorological Institute*, Finland (26, 2, p. 370) Article
- B10-043 Experimental and Numerical Studies of Diamond-Shaped Injector in a Supersonic Flow.** Kan Kobayashi, *Japan Aerospace Exploration Agency*, Japan; Rodney D. Bowersox, Ravichandra Srinivasan, and Nathan R. Tichenor, *Texas A&M University*; Campbell D. Carter, *U.S. Air Force Research Laboratory*; and Michael D. Ryan, *Universal Technology Corporation* (26, 2, p. 373) Technical Note based on AIAA Paper 2009-1420
- B10-044 Rheological Matching of Gel Propellants.** Shai Rahimi and Arie Peretz, *Rafael Advanced Defense Systems, Ltd.*, Israel; and Benveniste Natan, *Israel Institute of Technology*, Israel (26, 2, p. 376) Technical Note
- B10-045 Effect of the Combined Burning-Surface/Particle Motion on Aluminum Agglomeration.** Vladimir Marvin, Liubov Marvinina, and Benveniste Natan, *Technion–Israel Institute of Technology*, Israel (26, 2, p. 379) Technical Note
- B10-046 Thomson-Scattering Diagnostics of Plasmas Produced in Miniature Microwave Discharge Ion Engine.** Tomita Kentaro, Yamamoto Naoji, Yamasaki Naoto, Tsuru Teppei, Uchino Kiichiro, and Nakashima Hideki, *Kyusyu University*, Japan (26, 2, p. 381) Technical Note
- B10-047 Three-Body Dynamics and Self-Powering of an Electrodynamic Tether in a Plasmasphere.** Davide Curreli and Enrico C. Lorenzini, *University of Padova*, Italy; Claudio Bombardelli, Manuel Sanjurjo-Rivo, and Jesus Pelaez, *Universidad Politécnica de Madrid*, Spain; Daniel Scheeres, *University of Colorado at Boulder*; and Martin Lara, *Real Instituto y Observatorio de la Armada en San Fernando*, Spain (26, 3, p. 385) Article
- B10-048 Dynamic Simulation of a Space Reactor System with Closed Brayton Cycle Loops.** Mohamed S. El-Genk, Jean-Michael P. Tournier, and Bruno M. Gallo, *University of New Mexico* (26, 3, p. 394) Article
- B10-049 Multiphysics Computational Analysis of a Solid-Core Nuclear Thermal Engine Thrust Chamber.** Ten-See Wang and Francisco Canabal, *NASA Marshall Space Flight Center*; Yen-Sen Chen, *Engineering Sciences, Inc.*, Taiwan (ROC); and Gary Cheng, *University of Alabama at Birmingham* (26, 3, p. 407) Article based on AIAA Paper 2007-4144
- B10-050 Acoustic Analysis of Hybrid Rocket Combustion Chambers.** Dario Pastrone, Lorenzo Casalino, and Matteo Rosa Sentinella, *Politecnico di Torino*, Italy; and Carmine Carmicino, *Università di Napoli “Federico II,”* Italy (26, 3, p. 415) Article based on AIAA Paper 2007-5368
- B10-051 Optimal Design of Hybrid Rocket Motors for Launchers Upper Stages.** Lorenzo Casalino and Dario Pastrone, *Politecnico di Torino*, Italy (26, 3, p. 421) Article based on AIAA Paper 2008-4541
- B10-052 Film Cooling in a High-Pressure Subscale Combustion Chamber.** Richard Arnold, *DLR, German Aerospace Center*; Dmitry I. Suslov and Oskar J. Haidn, *DLR, German Aerospace Center*, Germany (26, 3, p. 428) Article based on AIAA Paper 2009-0453
- B10-053 Comparison of Catalyst Support Between Monolith and Pellet in Hydrogen Peroxide Thrusters.** Sungyong An and Jeongsub Lee, *Korea Advanced Institute of Science and Technology*, South Korea; Rachid Brahmi and Charles Kappenstein, *University of Poitiers*, France; and Sejin Kwon, *Korea Advanced Institute of Science and Technology*, South Korea (26, 3, p. 439) Article
- B10-054 Reduced-Order Model for H₂O₂ Catalytic Reactor Performance Analysis.** Angelo Pasini, Lucio Torre, Luca Romeo, Angelo Cervone, and Luca d’Agostino, *Alta, S.p.A.*, Italy (26, 3, p. 446) Article based on AIAA Paper 08-5025
- B10-055 Characterization of Fine Nickel-Coated Powder as Potential Fuel Additive.** Shashank L. Vummidi, Yasmine Aly, Mirko Schoenitz, and Edward L. Dreizin, *New Jersey Institute of Technology* (26, 3, p. 454) Article
- B10-056 Performance of Ammonium-Perchlorate-Based Composite Propellant Containing Nanoscale Aluminum.** Matthew Stephens, Thomas Sammet, and Eric Petersen, *Texas A&M University*; Rodolphe Carro and Steven Wolf, *University of Central Florida*; and Christopher Smith, *Space Launch Corporation* (26, 3, p. 461) Article based on AIAA Paper 2005-4470
- B10-057 Simultaneous Pressure and Optical Measurements of Nanoaluminum Thermites: Investigating the Reaction Mechanism.** Kyle Sullivan and Michael Zachariah, *University of Maryland* (26, 3, p. 467) Article

- B10-058 Ultrasonic Signal Denoising for Robust Measurement of Solid-Propellant Burning Rates.** Su-Kyun Jeon, Sung-Jin Song, Hak-Joon Kim, Sun-Feel Ko, and Hyun-Taek Oh, *Sungkyunkwan University*, South Korea; In-Chul Kim, Ji-Chang Yoo, and Jung Yong Jung, *Agency for Defense Development*, South Korea (26, 3, p. 473) Article
- B10-059 Analysis of Gas-Dynamic Effects in Explosively Actuated Valves.** Blaise H. Paul and Keith A. Gonthier, *Louisiana State University* (26, 3, p. 479) Article
- B10-060 Experimental Study on Flow Transition in Dual Bell Nozzles.** Chloé Nürnberger-Génin and Stark Ralf, *DLR, German Aerospace Center*, Germany (26, 3, p. 497) Article based on AIAA Paper 2009-4855
- B10-061 Raman Scattering Measurements of Gaseous Ethylene Jets in a Mach 2 Supersonic Crossflow.** Kuo-Cheng Lin, *Taitech, Inc.*; Michael Ryan, *Universal Technology Corporation*; Campbell Carter, Mark Gruber, and Charbel Raffoul, *U.S. Air Force Research Laboratory* (26, 3, p. 503) Article based on AIAA Paper 2009-1423
- B10-062 Assessment of Seeder Performance for Particle Velocimetry in a Scramjet Combustor.** Jason C. Howison and Christopher P. Goyné, *University of Virginia* (26, 3, p. 514) Article
- B10-063 Linear Response of Laminar Premixed Flames to Flow Oscillations: Unsteady Stretch Effects.** Preetham ., *GE Global Research*; Sai K. Thumuluru, Tim Lieuwen, and H. Santosh, *Georgia Institute of Technology* (26, 3, p. 524) Article based on AIAA Paper 2007-176
- B10-064 Hybrid Reynolds-Averaged and Large-Eddy Simulation of Normal Injection into a Supersonic Crossflow.** David M. Peterson and Graham V. Candler, *University of Minnesota* (26, 3, p. 533) Article
- B10-065 Reduced-Order Modeling of Two-Dimensional Supersonic Flows with Applications to Scramjet Inlets.** Derek J. Dalle, Matthew L. Fotia, and James F. Driscoll, *University of Michigan* (26, 3, p. 545) Article
- B10-066 Role of Tip Clearance Flow in Rotating Instabilities and Nonsynchronous Vibrations.** Huu Duc Vo, *École Polytechnique de Montreal*, Canada (26, 3, p. 556) Article based on AIAA Paper 2006-629
- B10-067 Modeling, Simulation, and Controller Design for an Air-Breathing Combustion System.** Kumar P. Bharani Chandra, *Coral Digital Technologies Pvt. Ltd.*, India; Nitin K. Gupta, *IDeA Research & Development (P), Ltd.*, India; Narayan Ananthkrishnan, *Korea Advanced Institute of Science and Technology*, India; Ik S. Park and Hyun G. Yoon, *Chungnam National University*, South Korea (26, 3, p. 562) Article based on AIAA Paper 2009-708
- B10-068 Direct Numerical Simulations of Transitional/ Turbulent Wake of a Flat Plate.** Man M. Rai, *NASA Ames Research Center* (26, 3, p. 575) Article based on AIAA Paper 2006-4460
- B10-069 Direct Numerical Simulations of Transitional and Turbulent Flow on a Turbine Airfoil.** Man M. Rai, *NASA Ames Research Center* (26, 3, p. 587) Article based on AIAA Paper 2008-5215
- B10-070 Miniature Microwave Discharge Ion Thruster Driven by 1 Watt Microwave Power.** Hiroyuki Koizumi and Hitoshi Kuninaka, *Japan Aerospace Exploration Agency*, Japan (26, 3, p. 601) Technical Note
- B10-071 Blade Bowing Effect on Aerodynamic Performance of a Highly Loaded Turbine Cascade.** Chunqing Tan, Hualiang Zhang, and Haisheng Chen, *Chinese Academy of Sciences*, China (PRC); and Atsumasa Yamamoto, *Japan Aerospace Exploration Agency*, Japan (26, 3, p. 604) Technical Note
- B10-072 Review: Laser-Ablation Propulsion.** Claude Phipps, *Phononic Associates, LLC*; Mitat Birkan, *U.S. Air Force Office of Scientific Research*; Willy Bohn, *BohnLaser Consult*, Germany; Hans-Albert Eckel, *DLR, German Aerospace Center*, Germany; Hideyuki Horisawa, *Tokai University*, Japan; Thomas Lippert, *Paul Scherrer Institut*, Switzerland; Max Michaelis, *University of KwaZulu-Natal*, South Africa; Yuri Rezunkov, *Sosnovy Bor*, Russia; Akihiro Sasoh, *Nagoya University*, Japan; Wolfgang Schall, Germany; Stefan Scharring, *DLR, German Aerospace Center*, Germany; and John Sinko, *Kratos Defense and Security Solutions, Inc.*, Japan (26, 4, p. 609) Survey Paper
- B10-073 Aerodynamic Heating of Reentry Body Equipped with Onboard-Surface Hall Magnetohydrodynamic Generator.** Takayasu Fujino, Tomoyuki Yoshino, and Motoo Ishikawa, *University of Tsukuba*, Japan (26, 4, p. 638) Article based on AIAA Paper 2008-4225
- B10-074 Batteries for Venus Surface Operation.** Geoffrey A. Landis, *NASA John H. Glenn Research Center at Lewis Field*; and Rachel Harrison, *University of Massachusetts* (26, 4, p. 649) Article based on AIAA Paper 2008-5796
- B10-075 Effects of Wavy Surface Roughness on the Performance of Micronozzles.** Federico La Torre, Sasa Kenjeres, and Chris R. Kleijn, *Delft University of Technology*, The Netherlands; and Jean-Luc P. Moerel, *TNO Defence, Security and Safety*, The Netherlands (26, 4, p. 655) Article
- B10-076 Determining Vacuum-Arc Thruster Performance Using a Cathode-Spot Model.** J. Lun, R. T. Dobson, and W. H. Steyn, *University of Stellenbosch*, South Africa (26, 4, p. 663) Article
- B10-077 Particle-Based Plasma Simulations for an Ion Engine Discharge Chamber.** Sudhakar Mahalingam, *Tech-X Corporation*; and James A. Menart, *Wright State University* (26, 4, p. 673) Article based on AIAA Paper 2008-4733
- B10-078 Instability Characteristics of a Gaseous-Oxygen/Methane Pentad Injector.** Robert E. Byrd and Robert A. Frederick, *University of Alabama in Huntsville* (26, 4, p. 689) Article based on AIAA Paper 2008-4655
- B10-079 Heat Flux and Pressure Profiles in an Oxygen/Hydrogen Multielement Rocket Combustor.** Mauritz A. deRidder and William E. Anderson, *Purdue University* (26, 4, p. 696) Article
- B10-080 Engineering Model for Self-Pressurizing Saturated-N₂O-Propellant Feed Systems.** Stephen A. Whitmore and Spencer N. Chandler, *Utah State University* (26, 4, p. 706) Article
- B10-081 Size Distribution of Particles in Combustion Products of Aluminized Composite Propellant.** R Jeenu, Kiran Pinumalla, and Desh Deepak, *Vikram Sarabhai Space Centre*, India (26, 4, p. 715) Article
- B10-082 Microstructure Effects in Aluminized Solid Rocket Propellants.** L. T. DeLuca, L. Galfetti, G. Colombo, F. Maggi, and A. Bandera, *Politecnico di Milano*, Italy; V. A. Babuk, *Baltic State Technical University*, Russia; and V. P. Sinditskii, *Mendeleev University of Chemical Technology*, Russia (26, 4, p. 724) Article
- B10-083 Combustion of Silicon/Teflon/Viton and Aluminum/Teflon/Viton Energetic Composites.** Cole D. Yarrington and Steven F. Son, *Purdue University*; and Timothy J. Foley, *Los Alamos National Laboratory* (26, 4, p. 734) Article based on AIAA Paper 2009-760
- B10-084 Exhaust of Underexpanded Jets from Finite Reservoirs.** M. M. Orescanin and J. M. Austin, *University of Illinois* (26, 4, p. 744) Article
- B10-085 Swirling Airflow Through a Nozzle: Choking Criteria.** A. Abdelhafez and A. K. Gupta, *University of Maryland* (26, 4, p. 754) Article
- B10-086 Theoretical Model of the Transient Combustion of Organic-Gellant-Based Gel Fuel Droplets.** Alina Kunin, Benveniste Natan, and J. B. Greenberg, *Technion—Israel Institute of Technology*, Israel (26, 4, p. 765) Article based on AIAA Paper 2008-4871

- B10-087 Semi-Empirical Model for Reaction Progress in Nanothermite.** Adam Trebs and Timothy J. Foley, *Los Alamos National Laboratory* (26, 4, p. 772) Article
- B10-088 Shock-Tube Experiments and Kinetic Modeling of Toluene Ignition.** Subith S. Vasu, David F. Davidson, and Ronald K. Hanson, *Stanford University* (26, 4, p. 776) Article
- B10-089 Particle Image Velocimetry Characterization of High-Speed Centrifugal Compressor Impeller-Diffuser Interaction.** Kirk Gallier, *General Electric Gas Turbines*; Patrick B. Lawless and Sandy Fleeter, *Purdue University* (26, 4, p. 784) Article based on AIAA Paper 2007-5019
- B10-090 Hydroxyl-Tagging-Velocimetry Measurements of a Supersonic Flow over a Cavity.** Michael D. Lahr, Robert W. Pitz, and Zachary W. Douglas, *Vanderbilt University*; and Campbell D. Carter, *U.S. Air Force Research Laboratory* (26, 4, p. 790) Article based on AIAA Paper 2006-40
- B10-091 Extended Quantitative Fluorescence Imaging for Multi-component and Staged Injection into Supersonic Crossflows.** Hidemi Takahashi, Shuzo Ikegami and Goro Masuya, *Tohoku University*, Japan; and Mitsutomo Hirota, *Muroran Institute of Technology*, Japan (26, 4, p. 798) Article
- B10-092 Rotating Stall Suppression in Axial Compressors with Casing Plasma Actuation.** Huu Duc Vo, *École Polytechnique de Montreal*, Canada (26, 4, p. 808) Article based on AIAA Paper 2007-3845
- B10-093 Controlling Separation on a Simulated Compressor Blade Using Vortex-Generator Jets.** Simon Evans, Howard Hodson, Tom Hynes, and Christian Wakelam, *University of Cambridge*, Great Britain; and Sven-Juergen Hiller, *MTU Aero Engines, GmbH*, Germany (26, 4, p. 819) Article based on AIAA Paper 2008-4317
- B10-094 Flow Control in a Compressor Cascade at High Incidence.** Simon Evans, *Worcester Polytechnic Institute*; Howard Hodson and Tom Hynes, *University of Cambridge*, Great Britain; and Christian Wakelam, *Universität der Bundeswehr München*, Germany (26, 4, p. 828) Article
- B10-095 Film Effectiveness Measurements on the Pressure Surface of a Transonic Airfoil.** Paul M. Kodzwa, *Institute for Defense Analyses*; and John K. Eaton, *Stanford University* (26, 4, p. 837) Article
- B10-096 Influence of Intake Orientation on Ramjet Performance.** Dirk Herrmann and Ali Gülhan, *DLR, German Aerospace Center*, Germany (26, 4, p. 848) Article
- B10-097 Numerical Simulation of Supersonic Nonpremixed Turbulent Combustion in a Scramjet Combustor Model.** Arnaud Mura and Jean-François Izard, *École Nationale Supérieure de Mécanique et d'Aérotechnique*, France (26, 4, p. 858) Article
- B10-098 Numerical Study of Supersonic Combustion Processes with Central Strut Injection.** Marius C. Banica, Tobias Scheuermann, Jaechul Chun, Bernhard Weigand, and Jens von Wolfersdorf, *Universität Stuttgart*, Germany (26, 4, p. 869) Technical Note
- B10-099 Empirical Equation for Self-starting Limit of Supersonic Inlets.** Bo Sun, *Nanjing University of Science and Technology*, China (PRC); and Kun-yuan Zhang, *Nanjing University of Aeronautics and Astronautics*, China (PRC) (26, 4, p. 874) Technical Note
- B10-100 Exergy Analysis of a Hybrid Pulse Detonation Power Device.** Rafaela Bellini and Frank K. Lu, *University of Texas at Arlington* (26, 4, p. 875) Technical Note
- B10-101 Study of Detonation Interactions Inside a Two-Dimensional Ejector Using Detonation Transmission Tubing.** H. Zare-Behtash, N. Gongora-Orozco, and K. Kontis, *University of Manchester*, Great Britain; and G. Jagadeesh, *Indian Institute of Science*, India (26, 4, p. 878) Technical Note
- B10-102 Turboprop Cycle Optimization Using Repulsive Particle Swarm Algorithm.** Tayeb Boulkeraa and Adel Ghenaïet, *Bordj el Bahri*, Algeria (26, 4, p. 882) Technical Note
- B10-103 Operating Radio Frequency Antennas Immersed in Vacuum: Implications for Ground-Testing Plasma Thrusters.** Michael D. West, Christine Charles, and Rod W. Boswell, *Australian National University*, Australia (26, 4, p. 892) Technical Note
- B10-104 Liquid-Propellant Rocket Engine Throttling: A Comprehensive Review.** Matthew J. Casiano, *NASA Marshall Space Flight Center*; James R. Hulka, *Jacobs Engineering*; and Vigor Yang, *Georgia Institute of Technology* (26, 5, p. 897) Survey Paper based on AIAA Paper 2009-5135
- B10-105 Large-Eddy Simulation of Flame-Turbulence Interactions in a Shear Coaxial Injector.** Matthieu Masquelet and Suresh Menon, *Georgia Institute of Technology* (26, 5, p. 924) Article based on AIAA Paper 2008-5030
- B10-106 Nozzle-Geometry Effects on Upwind-Surface Properties of Turbulent Liquid Jets in Gaseous Crossflow.** A. R. Osta and K. A. Sallam, *Oklahoma State University* (26, 5, p. 936) Article based on AIAA Paper 2009-1374
- B10-107 Inclined Jet in Crossflow Interacting with a Vortex Generator.** K. B. M. Q. Zaman, *NASA John H. Glenn Research Center at Lewis Field*; D. L. Rigby, *ASRC Aerospace, Inc.*; and J. D. Heidmann, *NASA John H. Glenn Research Center at Lewis Field* (26, 5, p. 947) Article based on AIAA Paper 2010-0088
- B10-108 Linear Stability Analysis of a Conical Liquid Sheet.** Qing-fei Fu, Li-jun Yang, Yuan-yuan Qu, and Bin Gu, *Beijing University of Aeronautics and Astronautics*, China (PRC) (26, 5, p. 955) Article
- B10-109 High-Performance Rocket Nozzle Concept.** Luca Boccaletto, *ESA*, The Netherlands; and Jean-Paul Dussauge, *Université de Provence*, France (26, 5, p. 969) Article
- B10-110 Numerical Analysis of Quasi-Steady-Combustion Characteristics in a Solid Rocket Motor.** Sung Nam Lee and Seung Wook Baek, *Korea Advanced Institute of Science and Technology*, South Korea; and Kyung Moo Kim, *Korea Agency for Defence Development*, South Korea (26, 5, p. 980) Article
- B10-111 Assessing the Mixedness of Composite Solid Rocket Propellants Using Fluorescent Particles.** Thomas E. Sammet, Matthew A. Stephens, and Eric L. Petersen, *Texas A&M University*; and Benjamin A. Corbin, *University of Central Florida* (26, 5, p. 987) Article based on AIAA Paper 2008-5054
- B10-112 Model for Melt-Layer Front in Ammonium Perchlorate Propellant Combustion.** Taeyong Jung and Jack J. Yoh, *Seoul National University*, South Korea (26, 5, p. 993) Article
- B10-113 Calculating an Admittance Function from Pulsed Tubular Grain Motor Tests.** C. W. Rousseau and J. H. Knoetze, *University of Stellenbosch*, South Africa (26, 5, p. 998) Article based on AIAA Paper 2008-4599
- B10-114 Exploring the Effects of Nanostructured Particles on Liquid Nitromethane Combustion.** Justin L. Sabourin, Richard A. Yetter, and Venkata Sharat Parimi, *Pennsylvania State University* (26, 5, p. 1006) Article
- B10-115 Thrust Augmentation of Solid Rocket Motors Using Beamed Microwave Energy.** Barry Cornella and Andrew Ketsdever, *University of Colorado at Colorado Springs*; Natalia E. Gimelshein and Sergey F. Gimelshein, *ERC, Inc.* (26, 5, p. 1016) Article based on AIAA Paper 2009-4962
- B10-116 Influencing Factors on Propulsive Performances of Water Droplets for Laser Propulsion.** Xiuqian LI, Yanji Hong, Ming Wen, and Cunyan Cui, *Academy of Equipment Command and Technology*, China (PRC); and Guoqiang He, *Northwestern Polytechnic University*, China (PRC) (26, 5, p. 1025) Article

- B10-117 Development of a Magnesium and Zinc Hall-Effect Thruster.** Jason M. Makela, Robert L. Washeleski, Dean R. Massey, and Lyon B. King, *Michigan Technological University*; and Mark A. Hopkins, *Aerophysics, Inc.* (26, 5, p. 1029) Article
- B10-118 Effect of Anode Temperature on Hall Thruster Performance.** Carl F. Book and Mitchell L. Walker, *Georgia Institute of Technology* (26, 5, p. 1036) Article
- B10-119 Magnetic Ion Beam Deflection in the Helicon Double-Layer Thruster.** Wes Cox, Christine Charles, and Rod W. Boswell, *Australian National University*, Australia; Robert Laine and Matthew Perren, *Astrium-EADS*, France (26, 5, p. 1045) Article
- B10-120 Effects of Magnetohydrodynamic Interaction-Zone Position on Shock-Wave/Boundary-Layer Interaction.** Wei-Yi Su, *Nanjing University of Aeronautics and Astronautics*, China (PRC); Xin-Yu Chang, *Chinese Academy of Sciences*, China (PRC); and Kun-Yuan Zhang, *Nanjing University of Aeronautics and Astronautics*, China (PRC) (26, 5, p. 1053) Article
- B10-121 Unstart Detection in a Simplified-Geometry Hypersonic Inlet-Isolator Flow.** S. Srikant, *University of Texas at Austin*; J. L. Wagner, *Sandia National Laboratories*; A. Valdivia, M. R. Akella, and N. Clemens, *University of Texas at Austin* (26, 5, p. 1059) Article
- B10-122 Investigation of a Fluidic Shock Control Method for Hypersonic Inlets.** Hui-Jun Tan, Cheng-Hong Li, and Yue Zhang, *Nanjing University of Aeronautics and Astronautics*, China (PRC) (26, 5, p. 1072) Article
- B10-123 Numerical Investigation of the Supersonic Combustion of Kerosene in a Strut-Based Combustor.** K. Kumaran, Prabhat Ranjan Behera, and V. Babu, *Indian Institute of Technology*, India (26, 5, p. 1084) Article
- B10-124 Effects of Pylon-Aided Fuel Injection on Mixing in a Supersonic Flowfield.** Hidemi Takahashi, Qiuya Tu, and Corin Segal, *University of Florida* (26, 5, p. 1092) Article
- B10-125 Molecular Weight and Shock-Wave Effects on Transverse Injection in Supersonic Flow.** Joseph A. Schetz, Luca Maddalena, and Scott K. Burger, *Virginia Polytechnic Institute and State University* (26, 5, p. 1102) Article based on AIAA Paper 2009-7315
- B10-126 Numerical Simulation of Gaseous Hydrocarbon Fuel Injection in a Hypersonic Inlet.** Yen-W. Wang and Jean P. Sislian, *University of Toronto*, Canada (26, 5, p. 1114) Article based on AIAA Paper 2008-2533
- B10-127 Numerically Simulated Comparative Performance of a Scramjet and Shramjet at Mach 11.** Jonathan Chan and Jean P. Sislian, *University of Toronto*, Canada; and Derrick Alexander, *Martec, Ltd.*, Canada (26, 5, p. 1125) Article
- B10-128 Effect of a Microturbine Combustor Type on Emissions at Lean-Premixed Conditions.** M. Adzic, V. Fotev, M. Zivkovic, and A. Milivojevic, *University of Belgrade*, Serbia (26, 5, p. 1135) Article based on AIAA Paper 2006-4741
- B10-129 Separating Direct and Indirect Turbofan Engine Combustion Noise Using the Correlation Function.** Jeffrey H. Miles, *NASA John H. Glenn Research Center at Lewis Field* (26, 5, p. 1144) Article based on AIAA Paper 2010-19
- B10-130 Physical Hypothesis for the Combustion Instability in Cryogenic Liquid Rocket Engines.** Bruce Chehroudi, *Advanced Technology Consultants* (26, 6, p. 1153) Article
- B10-131 Acoustic Characterization of an Ethylene-Fueled Scramjet Combustor with a Cavity Flameholder.** Kuo-Cheng Lin, *Taitech, Inc.*; Kevin Jackson, Robert Behdadnia, and Thomas A. Jackson, *U.S. Air Force Research Laboratory*; Fuhua Ma and Vigor Yang, *Pennsylvania State University* (26, 6, p. 1161) Article based on AIAA Paper 2007-5382
- B10-132 Spray Generated by an Airblast Atomizer Under Elevated Ambient Pressures.** Mouldi Chrigui, Ilia V. Roisman, Feras Z. Batarseh, Amsini Sadiki, and Cam Tropea, *Technical University of Darmstadt*, Germany (26, 6, p. 1170) Article
- B10-133 Energy Content and Alternative Jet Fuel Viability.** James I. Hileman, Pearl E. Donohoo, and Russell W. Stratton, *Massachusetts Institute of Technology* (26, 6, p. 1184) Article
- B10-134 Comparative Study of Spray Characteristics of Gas-Centered and Liquid-Centered Swirl Coaxial Injectors.** Ji-Hyuk Im, Seongho Cho, and Youngbin Yoon, *Seoul National University*, South Korea; and Insang Moon, *Korea Aerospace Research Institute*, South Korea (26, 6, p. 1196) Article
- B10-135 Experimental Study of Fluid Jet Mixing at Supercritical Conditions.** Arnab Roy and Corin Segal, *University of Florida* (26, 6, p. 1205) Article
- B10-136 Linear Stability Analysis of a Non-Newtonian Liquid Sheet.** Li-Jun Yang, Yuan-yuan Qu, Qing-Fei Fu, and Bin Gu, *Beijing University of Aeronautics and Astronautics*, China (PRC); and Feng Wang, *Northwestern Polytechnical University*, China (PRC) (26, 6, p. 1212) Article
- B10-137 Numerical Investigation of Transverse Jets Through Multiport Injector Arrays in a Supersonic Crossflow.** Adrian S. Pudsey and Russell R. Boyce, *University of Queensland*, Australia (26, 6, p. 1225) Article based on AIAA Paper 2008-2517
- B10-138 Experimental Study of Cavity-Strut Combustion in Supersonic Flow.** K.-Y. Hsu, *Innovative Scientific Solutions, Inc.*; C. D. Carter, M. R. Gruber, T. Barhorst, and S. Smith, *U.S. Air Force Research Laboratory* (26, 6, p. 1237) Article based on AIAA Paper 2007-5394
- B10-139 Inlet Starting of High-Contraction Axisymmetric Scramjets.** Hideaki Ogawa, Alexander L. Grainger, and Russell R. Boyce, *University of Queensland*, Australia (26, 6, p. 1247) Article based on AIAA Paper 2009-7401
- B10-140 Parametric Study of the Generation of Shocks in Near-Critical Turbofan Nozzles.** Matthew T. Kube-McDowell, Anastasios S. Lyrantzis, and Gregory A. Blaisdell, *Purdue University* (26, 6, p. 1259) Article
- B10-141 Leading-Edge Endwall Suction and Midspan Blowing to Reduce Turbomachinery Losses.** Matthew J. Bloxham and Jeffrey P. Bons, *Ohio State University* (26, 6, p. 1268) Article based on AIAA Paper 2008-4319
- B10-142 Hybrid Reynolds-Averaged Navier-Stokes/Kinetic-Eddy Simulation of Stall Inception in Axial Compressors.** Mina Zaki, Lakshmi N. Sankar, and Suresh Menon, *Georgia Institute of Technology* (26, 6, p. 1276) Article based on AIAA Paper 2009-5374
- B10-143 Torsion Pendulum Investigation of Electromagnetic Inertia Manipulation Thrusting.** Ricardo L. Marini and Eugenio S. Galian, *Instituto Universitario Aeronáutico*, Argentina (26, 6, p. 1283) Article
- B10-144 Asymptotic Solution for the Current Profile of Passive Bare Electrodynamic Tethers.** Claudio Bombardelli, Jesus Pelaez, and Manuel Sanjurjo, *Technical University of Madrid*, Spain (26, 6, p. 1291) Article
- B10-145 Laser Pulsejet with Beam Concentration by Multiple Reflections in a Sharp-Cone Nozzle.** Koichi Mori, *Nagoya University*, Japan; and Hiroshi Katsurayama, *Yamaguchi University*, Japan (26, 6, p. 1305) Article
- B10-146 Energy-Loss Mechanisms of a Low-Discharge-Voltage Hall Thruster.** Jerry L. Ross, Jason D. Sommerville, and Lyon B. King, *Michigan Technological University* (26, 6, p. 1312) Technical Note based on AIAA Paper 2008-4722
- B10-147 Wind Turbine Wall-Blockage Performance Corrections.** M. J. Werle, *FloDesign Wind Turbine Corporation* (26, 6, p. 1317) Technical Note

B10-148 Discharge Coefficient of Expanded Exit Holes for Film Cooling of Turbine Blades. Fariborz Forghan, *Advanced Consulting Engineering*; Uichiro Narusawa and Hameed Metghalchi, *Northeastern University* (26, 6, p. 1322) Technical Note

B10-149 Ejector Thrust Augmentation. W. H. Heiser, *U.S. Air Force Academy* (26, 6, p. 1325) Technical Note

Submit by Email Print Form

UNITED STATES POSTAL SERVICE® (All Periodicals Publications Except Requester Publications)

1. Publication Title
Journal of Propulsion and Power

2. Publication Number
7 5 0 3 7 0

3. Filing Date
Sep 30, 2010

4. Issue Frequency
Bimonthly

5. Number of Issues Published Annually
6

6. Annual Subscription Price
\$ 60/ \$ 990

7. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and ZIP+4®)
American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston, VA 20191

Contact Person
Becky Rivard
Telephone (Include area code)
703-264-7630

8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer)
American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191

9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do not leave blank)
Publisher (Name and complete mailing address)
Rodger Williams, American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191
Editor (Name and complete mailing address)
Douglas G. Talley, U.S. Air Force Research Laboratory, Edwards Air Force Base, CA 93524-7660
Managing Editor (Name and complete mailing address)
Becky Rivard, American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191

10. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, give the names and addresses of the individual owners. If owned by a partnership or other unincorporated firm, give its name and address as well as those of each individual owner. If the publication is published by a nonprofit organization, give its name and address.)

Full Name	Complete Mailing Address
American Institute of Aeronautics and Astronautics	1801 Alexander Bell Drive Suite 500, Reston VA 20191

11. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box ☒ None

Full Name	Complete Mailing Address

12. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates) (Check one)
☒ Has Not Changed During Preceding 12 Months
☐ Has Changed During Preceding 12 Months (Publisher must submit explanation of change with this statement)


13. Publication Title
Journal of Propulsion and Power

14. Issue Date for Circulation Data Below
Jul-10

15. Extent and Nature of Circulation

		Average No. Copies Each Issue During Preceding 12 Months	No. Copies of Single Issue Published Nearest to Filing Date
a. Total Number of Copies (Net press run)		1450	1300
b. Paid Circulation (By Mail and Outside the Mail)	(1) Mailed Outside-County Paid Subscriptions Stated on PS Form 3541 (Include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)	596	521
	(2) Mailed In-County Paid Subscriptions Stated on PS Form 3541 (Include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)	0	0
	(3) Paid Distribution Outside the Mails Including Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Paid Distribution Outside USPS®	339	320
	(4) Paid Distribution by Other Classes of Mail Through the USPS (e.g. First-Class Mail®)	39	52
c. Total Paid Distribution (Sum of 15b (1), (2), (3), and (4))		974	893
d. Free or Nominal Rate Distribution (By Mail and Outside the Mail)	(1) Free or Nominal Rate Outside-County Copies included on PS Form 3541	1	1
	(2) Free or Nominal Rate In-County Copies included on PS Form 3541	0	0
	(3) Free or Nominal Rate Copies Mailed at Other Classes Through the USPS (e.g. First-Class Mail)	0	0
	(4) Free or Nominal Rate Distribution Outside the Mail (Carriers or other means)	0	0
e. Total Free or Nominal Rate Distribution (Sum of 15d (1), (2), (3) and (4))		1	1
f. Total Distribution (Sum of 15c and 15e)		975	894
g. Copies not Distributed (See Instructions to Publishers #4 (page #3))		475	406
h. Total (Sum of 15f and g)		1450	1300
i. Percent Paid (15c divided by 15f times 100)		99.9	99.9

16. Publication of Statement of Ownership
☐ If the publication is a general publication, publication of this statement is required. Will be printed in the Nov / Dec 2010 issue of this publication.
☐ Publication not required.

17. Signature and Title of Editor, Publisher, Business Manager, or Owner
 Managing Director of Technical Publications
 Date
 Sep 17, 2009

I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including civil penalties).