

Chronological Index

A81-001 Automated Technique for Developing Low-Drag Nose Shapes for Supersonic Missiles. Robert J. Krieger, *McDonnell Douglas Astronautics Company* (JSR 18, 1, p. 3) Synoptic based on AIAA Paper 80-0361

A81-002 Electronic Damping of Orthogonal Bending Modes in a Cylindrical Mast - Theory. Charles J. Swigert, *Hughes Aircraft Company*; and Robert L. Forward, *Hughes Research Laboratories* (JSR 18, 1, p. 5) Article

A81-003 Electronic Damping of Orthogonal Bending Modes in a Cylindrical Mast - Experiment. Robert L. Forward, *Hughes Research Laboratories* (JSR 18, 1, p. 11) Article

A81-004 Effect of Mach Number on Slender Vehicle Dynamics. Lars E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (JSR 18, 1, p. 18) Article based on AIAA Paper 80-0362

A81-005 Simulation of Jet Plume Interference Effects During the Launch Phase of Missiles. H. H. Korst, T. L. Butler and M. B. Briski, *University of Illinois at Urbana-Champaign* (JSR 18, 1, p. 24) Article based on AIAA Paper 79-1292

A81-006 Spacecraft Outgas Ambient Flow Interaction. G. A. Bird, *University of Sydney* (JSR 18, 1, p. 31) Article

A81-007 Aerodynamics of a Turbojet-Boosted Launch Vehicle Concept. W. J. Small and G. D. Riebe, *NASA Langley Research Center*; and A. H. Taylor, *Kentron International* (JSR 18, 1, p. 36) Article based on AIAA Paper 80-0360

A81-008 K_a-Band, Multibeam, Contiguous-Coverage Satellite Antennas for the U.S. Peter Foldes, *General Electric Company* (JSR 18, 1, p. 44) Article based on AIAA Paper 80-0557 CP802

A81-009 Closed-Form Solution for Ballistic Vehicle Motion. Frank J. Barbera, *Kaman Sciences Corporation* (JSR 18, 1, p. 52) Article based on AIAA Paper 79-1672 CP7911

A81-010 Orbit Determination and Prediction Methods for Satellite-Aided Search and Rescue. W. B. Graham and F. R. Vigneron, *Communications Research Centre* (JSR 18, 1, p. 58) Article based on AIAA Paper 80-0240

A81-011 Approximate Convective-Heating Equations for Hypersonic Flows. E. V. Zoby, J. N. Moss and K. Sutton, *NASA Langley Research Center* (JSR 18, 1, p. 64) Article based on AIAA Paper 79-1078

A81-012 Design, Analysis, and Tests of a Shuttle-Type Heat-Pipe-Cooled Leading Edge. Charles J. Camarda, *NASA Langley Research Center*; and Robert V. Masek, *McDonnell Douglas Astronautics Company East* (JSR 18, 1, p. 71) Article

A81-013 Plasma Collection by High-Voltage Spacecraft at Low Earth Orbit. I. Katz, M. J. Mandell, G. W. Schnuelle, D. E. Parks and P. G. Steen, *Systems, Science and Software* (JSR 18, 1, p. 79) Article based on AIAA Paper 80-0042

A81-014 Outer Zone Energetic Electron Spectral Measurements. J. B. Reagan, R. W. Nightingale, E. E. Gaines and W. L. Imhof, *Lockheed Palo Alto Research Laboratory*; and E. G. Stassinopoulos, *National Space Science Data Center* (JSR 18, 1, p. 83) Article based on AIAA Paper 80-0390

A81-015 Primitive-Variable Model Applications to Solid-Fuel Ramjet Combustion. Charles A. Stevenson and David W. Netzer, *Naval Postgraduate School* (JSR 18, 1, p. 89) Article

A81-016 Matrix Difference Equation Analysis of Vibrating Circumferentially Periodic Structures, P.H. Denke and G.R. Eide, *Douglas Aircraft Company, McDonnell Douglas Corporation* (JSR 18, 1, p. 95) Engineering Note

A81-017 Steady and Unsteady Vortex-Induced Asymmetric Loads on Slender Vehicles. L. E. Ericsson and J.P. Reding, *Lockheed Missiles and Space Company, Inc.* (JSR 18, 2, p. 97) Survey Paper based on AIAA Paper 80-0181

A81-018 Satellite Communication Technology - Challenges for the 1980's. D. K. Sachdev, *INTELSAT, Washington, D. C.* (JSR 18, 2, p. 110) Survey Paper based on AIAA Paper 80-0548 CP802

A81-019 Secondary Flows in a Rocket Launcher Tube. John J. Bertin, *The University of Texas at Austin*; Edward S. Idar III, *Los Alamos Scientific Laboratory*; and David L. Booker, *Redstone Arsenal* (JSR 18, 2, p. 119) Article based on AIAA Paper 80-0372

A81-020 Light Transmission Measurements in Solid Fuel Ramjet Combustors. Michael E. Hewett and David W. Netzer, *Naval Postgraduate School* (JSR 18, 2, p. 127) Article

A81-021 Demand-Assigned TDMA System for a Digitally Integrated Services Network. Yoshio Watanabe, Shuichi Samejima, Shuzo Kato and Kenji Kohiyama, *Yokosuka Electrical Communication Laboratory, NTT* (JSR 18, 2, p. 133) Article based on AIAA Paper 80-0489 CP802

A81-022 Orbital Analysis for the Upper-Atmosphere Research Satellite Missions. Edwin F. Harrison, *NASA Langley Research Center*; and Gary G. Gibson, *Kentron International, Inc.* (JSR 18, 2, p. 138) Article based on AIAA Paper 80-0236

A81-023 Operational Factors Affecting Microgravity Levels in Orbit. R. E. Olsen and J. Mockovciak Jr., *Grumman Aerospace Corporation* (JSR 18, 2, p. 141) Article based on AIAA Paper 80-0317

A81-024 Aerodynamic Design Criteria for Supersonic Climb-Cruise Missiles. Robert J. Krieger, *McDonnell Douglas Astronautics Company* (JSR 18, 2, p. 145) Article based on AIAA Paper 79-1671 CP7911

A81-025 Correlation of Artificially Induced Boundary-Layer Transition Data at Hypersonic Speeds. A. H. Boudreau, *Sverdrup/ARO, Inc.* (JSR 18, 2, p. 152) Article

A81-026 Entry and Landing Probe for Titan. J. P. Murphy and J. N. Cuzzi, *NASA Ames Research Center*; A. J. Butts and P. C. Carroll, *Martin Marietta Aerospace Company* (JSR 18, 2, p. 157) Article based on AIAA Paper 80-0117

A81-027 Satellites for the Detection of Nonsolar Planets. Lothar W. Bandermann and Richard H. Pohle, *Lockheed Palo Alto Research Laboratories*; James P. Murphy, John W. Vorreiter and David C. Black, *NASA Ames Research Center* (JSR 18, 2, p. 164) Article based on AIAA Paper 79-0949 CP797

A81-028 TIROS-N-- Operational Environmental Satellite of the 80's. A. Schnapf, *RCA Astro-Electronics* (JSR 18, 2, p. 172) Article based on AIAA Paper 80-0529 CP802

A81-029 Landsat D Telecommunications Payload: Earth Imaging Data via TDRS. H. B. Poza, *TRW Defense and Space Systems Group* (JSR 18, 2, p. 178) Article based on AIAA Paper 80-0528 CP802

A81-030 Electrostatic Potential of an Equatorial Satellite. Nellore S. Venkataraman, *Instituto de Pesquisas Espaciais Conselho Nacional de Desenvolvimento Científico e Tecnológico CNPq* (JSR 18, 2, p. 186) Engineering Note

A81-031 Computerized Process for Calculation of Discrete Test Loads. H.A. Tutty and R. S. Lahey, *Lockheed California Company* (JSR 18, 2, p. 188) Engineering Note based on AIAA Paper 80-0808 CP804

A81-032 Technology Status of Liquid Fluorine-Hydrazine Rocket Engine. Marshall A. Appel and Gerhard W. Kruger, *California Institute of Technology* (JSR 18, 2, p. 190) Engineering Note based on AIAA Paper 80-1171

A81-033 Nozzleless Boosters for Integral-Rocket-Ramjet Missile Systems. I. M. Procinsky and Catherine A. McHale, *Atlantic Research Corporation* (JSR 18, 3, p. 193) Article based on AIAA Paper 80-1277

A81-034 Automated Approach to Design of Solid Rockets. Richard H. Sforzini, *Auburn University* (JSR 18, 3, p. 200) Article based on AIAA Paper 80-1135

A81-035 Nonlinear Viscoelastic Design of Case-Bonded CMDDB Grains. G. Meili, G. Dubroca, M. Pasquier and J. Thepenier, *Societe Nationale des Poudres et Explosifs* (JSR 18, 3, p. 206) Article

A81-036 HTPB Propellant Aging. A. G. Christiansen, L. H. Layton and R. L. Carpenter, *Thiokol Corporation* (JSR 18, 3, p. 211) Article

A81-037 Effect of Duty Cycle on Catalytic Thruster Degradation. H. C. Hearn, *Lockheed Missiles and Space Company* (JSR 18, 3, p. 216) Article

A81-038 Feasibility of Recovering a One-Million-Pound Booster (Deceleration System). Royce A. Toni, *Irvin Industries Canada Limited*; and Clinton V. Eckstrom, *NASA Langley Research Center* (JSR 18, 3, p. 222) Article

A81-039 Numerical Study of Re-entry Vehicle Aerodynamics in Steady Coning Motion. T. C. Lin, *TRW Defense and Space Systems Group* (JSR 18, 3, p. 228) Article

A81-040 Wind-Tunnel Measurements of Sabot-Discard Aerodynamics. Edward M. Schmidt, *U. S. Army Ballistics Research Laboratory* (JSR 18, 3, p. 235) Article

A81-041 Effect of Aeroelastic Considerations on Seasat-A Payload Shroud Design. Peter J. Reding and Lars E. Ericsson, *Lockheed Missiles and Space Company, Inc.* (JSR 18, 3, p. 241) Article

A81-042 Changes in Electromagnetic Properties of the Upper Atmosphere due to Rocket Effluents. Paul A. Bernhardt, *Stanford University* (JSR 18, 3, p. 248) Article

A81-043 Fate of Argon-Ion Injection in the Magnetosphere. Y. T. Chiu, *The Aerospace Corporation* (JSR 18, 3, p. 254) Article

A81-044 Present and Future Aspects of Japanese CS Program. Ken-ichi Tsukamoto, *Radio Research Laboratories*; Hiroaki Fuketa, *Yokosuka Electrical Communication Laboratory, NTT*; and Yoh Ichikawa, *National Space Development Agency of Japan* (JSR 18, 3, p. 259) Article

A81-045 30/20-GHz Band Earth Stations. Hiroaki Fuketa, Minoru Kuramoto, Takeo Inoue and Haruhiko Kato, *Nippon Telegraph and Telephone Public Corporation* (JSR 18, 3, p. 268) Article

A81-046 Scanning-Spot-Beam Satellite for Domestic Service. Y. S. Yeh, *Bell Laboratories* (JSR 18, 3, p. 274) Article

A81-047 Prefiltered Quadrature Phase-Shift Keying: A Bandwidth- and Power-Efficient Modulation. M. U. Chang, *Hughes Aircraft Company*; and M.C. Austin, *Sperry Univac* (JSR 18, 3, p. 279) Article

A81-048 Simple Rate-Independent Model for Damage. Morton E. Gurtin, *Carnegie-Mellon University*; and Eugene C. Francis, *United Technologies Corporation* (JSR 18, 3, p. 285) Engineering Note based on AIAA Paper 80-1176

A81-049 Void Characteristics of a Liquid-Filled Cylinder Undergoing Spinning and Coning Motions. Miles C. Miller, *ARRADCOM* (JSR 18, 3, p. 286) Engineering Note

A81-050 Origin of the Electron-Bombardment Ion Thruster (History of Key Technologies). Harold R. Kaufman, *Colorado State University* (JSR 18, 4, p. 289) Article

A81-051 Small-Scale Supersonic Inlet Test Facility. M. Haas and A. J. Karanian, *United Technologies Research Center* (JSR 18, 4, p. 293) Synoptic based on AIAA Paper 80-1145

A81-052 Time Delay Computer for Precise Control in Recording Transient Events. Paul A. Weber, *U. S. Air Force, Wright Patterson AFB*; and William C. Elrod, *Air Force Institute of Technology, AFIT/ENY, Wright-Patterson AFB* (JSR 18, 4, p. 295) Synoptic based on AIAA Paper 80-1143

A81-053 Characterization of Particulates in the Exhaust Plume of Large Solid-Propellant Rockets. Leon D. Strand, James M. Bowyer, Giulio Varsi, Eric G. Laue and Robert Gauldin, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 18, 4, p. 297) Article based on AIAA Paper 80-0354

A81-054 Contamination Effect of MMH/N₂O₄ Rocket Plume Product Deposit. Chang-Keng Liu and A.P.M. Glassford, *Lockheed Palo Alto Research Laboratories* (JSR 18, 4, p. 306) Article

A81-055 Vortex Shedding as a Source of Acoustic Energy in Segmented Solid Rockets. R. S. Brown, R. Dunlap, S. W. Young and R. C. Waugh, *United Technologies* (JSR 18, 4, p. 312) Article based on AIAA Paper 80-1092

A81-056 Experiments of Surface Tension Separator for Propellant Feed System. S. Enya, T. Kisaragi, J. Ochiai and Y. Sasao, *Ishikawajima-Harima Heavy Industries Company, Ltd.*; and K. Kuriki, *Institute of Space and Aeronautical Science, University of Tokyo* (JSR 18, 4, p. 320) Article based on AIAA Paper 80-1097

A81-057 Long-Life Bipropellant System Demonstration, Viking Orbiter Propulsion System. D.D. Schmit, J. W. Anderson and F. C. Vote, *Jet Propulsion Laboratory* (JSR 18, 4, p. 327) Article based on AIAA Paper 80-1173

A81-058 Propellant Failure: A Fracture-Mechanics Approach. A. J. Kinloch and R. A. Gledhill, *Ministry of Defence (United Kingdom)* (JSR 18, 4, p. 333) Article based on AIAA Paper 80-1180

A81-059 Cooling of High-Pressure Rocket Thrust Chambers with Liquid Oxygen. H. G. Price, *NASA Lewis Research Center* (JSR 18, 4, p. 338) Article based on AIAA Paper 80-1260

A81-060 Propulsion Subsystem for the Multimission Modular Spacecraft (MMS). R. Finston and L. M. Spicer, *Hughes Aircraft Company, Space and Communications Group* (JSR 18, 4, p. 344) Article based on AIAA Paper 80-1291

A81-061 Critical Considerations in the Design of Supersonic Combustion Ramjet (Scramjet) Engines. P. J. Waltrup, F. S. Billig and M. C. Evans, *The Johns Hopkins University Applied Physics Laboratory* (JSR 18, 4, p. 350) Article based on AIAA Paper 80-1284

A81-062 Sources of Orbital Debris and the Projected Environment for Future Spacecraft. D. J. Kessler, *NASA Johnson Space Center* (JSR 18, 4, p. 357) Article based on AIAA Paper 80-0855

A81-063 Probability of Collisions in the Geostationary Ring. Martin Hechler and Jozef C. Van der Ha, *European Space Operations Centre, ESA (Federal Republic of Germany)* (JSR 18, 4, p. 361) Article

A81-064 Procedure for Obtaining Aerodynamic Properties of Spacecraft. Richard M. Fredo and Marshall H. Kaplan, *The Pennsylvania State University* (JSR 18, 4, p. 367) Article

A81-065 Recovered Transient Load Analysis for Payload Structural Systems. J. C. Chen, K. P. Zagzebski and J. A. Garba, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 18, 4, p. 374) Article based on AIAA Paper 80-0803 CP804

A81-066 Fault-Tolerant Communications Processor. J. J. Stiffler, *Raytheon Company* (JSR 18, 4, p. 380) Article based on AIAA Paper 79-1948 CP7913

A81-067 Predicted Vortex Shedding from Noncircular Bodies in Supersonic Flow. Michael R. Mendenhall, *Nielsen Engineering & Research, Inc.* (JSR 18, 5, p. 385) Article based on AIAA Paper 80-1559 CP806

A81-068 Lateral Forces on a Slender Body and Their Alleviation at High Incidence. D. Almosnino and J. Rom, *Technion-Israel Institute of Technology* (JSR 18, 5, p. 393) Article based on AIAA Paper 80-1558 CP806

A81-069 Viscous Effects on Missile Aerodynamics at Low Angles of Attack. Lars E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (JSR 18, 5, p. 401) Article based on AIAA Paper 80-1378

A81-070 Prediction of Nozzle Side Forces Which Occur During Staging. J. A. Sadunas and E. P. French, *Rockwell International*; and W. L. Daines, *Hercules, Inc.* (JSR 18, 5, p. 406) Article based on AIAA Paper 80-1219

A81-071 Bond Stress Transducer Design for Solid Propellant Rocket Motors. E. C. Francis and R. E. Thompson, *United Technologies Corporation* (JSR 18, 5, p. 411) Article based on AIAA Paper 80-1278

A81-072 Propellant Vortexing in a Spinning Spacecraft. G. F. Pasley, *Hughes Aircraft Company* (JSR 18, 5, p. 418) Article

A81-073 Simulation and Modeling of Jet Plumes in Wind Tunnel Facilities. H. H. Korst and R. A. White, *University of Illinois at Urbana-Champaign*; S. E. Nyberg and J. Agrell, *The Aeronautical Research Institute of Sweden* (JSR 18, 5, p. 427) Article based on AIAA Paper 80-0430 CP801

A81-074 Wave Dynamics of Unsteady Compressible Flow Networks. V. E. Haloulakos, *McDonnell Douglas Astronautics Company* (JSR 18, 5, p. 435) Article based on AIAA Paper 80-1447

A81-075 Structural Analysis and Testing of the Space Shuttle Orbiter Window System. H. Dote and K. T. Theodore, *Rockwell International Space Systems Group* (JSR 18, 5, p. 440) Article based on AIAA Paper 80-0810 CP804

A81-076 Tracking Gain Expression of a Strong Signal-to-Noise Monopulse Radar. A. P. Wang, *Arizona State University* (JSR 18, 5, p. 446) Article

A81-077 Electromagnetic Propulsion Without Ionization. James E. Cox, *Consultant* (JSR 18, 5, p. 449) Article based on AIAA Paper 80-1235

A81-078 Measurement of the Charge-Exchange Plasma Flow from an Ion Thruster. M. R. Carruth Jr., *Jet Propulsion Laboratory, California Institute of Technology*; and M. E. Brady, *Boeing Aerospace Company* (JSR 18, 5, p. 457) Article based on AIAA Paper 80-1388

A81-079 Modification of Spacecraft Potentials by Plasma Emission. Richard Christopher Olsen, *The University of Alabama in Huntsville* (JSR 18, 5, p. 462) Article

A81-080 Plasma Processes in Inert-Gas Thrusters. Harold R. Kaufman and Raymond S. Robinson, *Colorado State University* (JSR 18, 5, p. 470) Article based on AIAA Paper 79-2055 CP7912

A81-081 Magnetospheric Radiation Environment in a 12-Hour Circular Orbit. J. B. Blake, *The Aerospace Corporation* (JSR 18, 5, p. 477) Article

A81-082 Information Adaptive System: An Investigation of Onboard Data Processing. Barry D. Meredith, W. Lane Kelly and Roger A. Breckenridge, *NASA Langley Research Center* (JSR 18, 5, p. 478) Engineering Note based on AIAA Paper 80-1906

A81-083 Design Approach for Estimating Body Slot Effects on Wing-Body-Tail Lift. William D. Washington, *U. S. Army Missile Command, Redstone Arsenal*; R. E. Wittmeyer and W. H. Appich Jr., *Martin Marietta Corporation* (JSR 18, 6, p. 481) Synoptic based on AIAA Paper 80-0260

A81-084 Aluminum Oxide Particle Size for Solid Rocket Motor Performance Prediction. R. W. Hermesen, *United Technologies Corporation* (JSR 18, 6, p. 483) Article based on AIAA Paper 81-0035

A81-085 Past and Present INTELSAT TWTA Life Performance. R. Strauss, *COMSAT Laboratories*; and J. R. Owens, *INTELSAT* (JSR 18, 6, p. 491) Article based on AIAA Paper 80-0486 CP811

A81-086 Selection of an Optimized Integrated Propulsion System. H. Macklis, R. L. Sackheim and B. Vogt, *TRW Defense and Space Systems Group* (JSR 18, 6, p. 499) Article based on AIAA Paper 80-1211

A81-087 Charging Results from the Surface Potential Monitor. P. F. Mizera, *The Aerospace Corporation* (JSR 18, 6, p. 506) Article based on AIAA Paper 80-0334

A81-088 Laboratory Study of the Charging of Spacecraft Materials. M. S. Leung and H. K. A. Kan, *The Aerospace Corporation* (JSR 18, 6, p. 510) Article

A81-089 Design and Off-Design Performance Calculation of Space Radiators. Masao Furukawa, *National Space Development Agency of Japan* (JSR 18, 6, p. 515) Article

A81-090 Modification of Spacecraft Potentials by Thermal Electron Emission on ATS-5. Richard Christopher Olsen, *The University of Alabama in Huntsville* (JSR 18, 6, p. 527) Article

A81-091 Ball-Obturation of a Spinning Tubular Projectile. R. H. Nunn and J. W. Bloomer II, *Naval Postgraduate School* (JSR 18, 6, p. 533) Article

A81-092 Jet Effects on Near Wake of an Axisymmetric Bluff Body. S. L. Gai, and K. Kapoor, *Indian Institute of Technology* (JSR 18, 6, p. 540) Article

A81-093 Gust Model Based on the Bivariate Gamma Probability Distribution. O. E. Smith, *NASA Marshall Space Flight Center*; and S. I. Adelfang, *Computer Sciences Corporation* (JSR 18, 6, p. 545) Article based on AIAA Paper 81-0299

A81-094 Remote Control Canard Missile with a Free-Rolling Tail Brake Torque System. A. B. Blair Jr., *NASA Langley Research Center* (JSR 18, 6, p. 550) Article based on AIAA Paper 81-0146

A81-095 Structural Sizing Considerations for Large Space Platforms. Walter L. Heard Jr., Harold G. Bush, Joseph E. Walz and John J. Rehder, *NASA Langley Research Center* (JSR 18, 6, p. 556) Article based on AIAA Paper 80-0680

A81-096 Gas Gun Study of Polyethylene Buffers for Spall Fracture Reduction in Missile Materials. Willis Mock Jr. and William H. Holt, *Naval Surface Weapons Center* (JSR 18, 6, p. 565) Engineering Note