

Chronological Index

A84-001 Radiant Heating Tests of Several Liquid-Metal Heat-Pipe Sandwich Panels. Charles J. Camarda, *NASA Langley Research Center*; and Al Basiulis, *Hughes Aircraft Company* (21, 1, p. 4) Synoptic based on AIAA Paper 83-0319

A84-002 Engineering Approximation of Beam Flutter. L. E. Ericsson, *Lockheed Missiles & Space Company* (21, 1, p. 6) Article based on AIAA Paper 81-1672

A84-003 Numerical Solution of Space Shuttle Orbiter Flowfield. John V. Rakich, *NASA Ames Research Center*; Ethiraj Venkatapathy, J. C. Tannehill and Prabhu, Dinesh, *Iowa State University* (21, 1, p. 9) Article based on AIAA Paper 82-0028

A84-004 Computational Study of Nose Bluntness Effects for Spinning Shells at Supersonic Speeds. Walter B. Sturek, Bernard Guidos and Charles J. Nietubicz, *U.S. Army Ballistic Research Laboratory* (21, 1, p. 16) Article based on AIAA Paper 82-1341

A84-005 Determination of the Pitching Characteristics of Tumbling Bodies by the Free-Rotation Method. Takashi Yoshinaga, Kenji Inoue and Atsushi Tate, *National Aerospace Laboratory, Japan* (21, 1, p. 21) Article

A84-006 Three-Dimensional Nonequilibrium Viscous Shock-Layer Flow over the Space Shuttle Orbiter. M. D. Kim, S. Swaminathan and Clark H. Lewis, *Virginia Polytechnic Institute and State University* (21, 1, p. 29) Article based on AIAA Paper 83-0487

A84-007 Acoustic Emission Techniques for Locating Internal Leakage of Redundant Components. H. Wichmann and D. Phillips, *The Marquardt Company* (21, 1, p. 36) Article based on AIAA Paper 82-1255

A84-008 Application of the Saderholm Erosive Burning Model to Nozzleless Solid Propellant Rocket Motors. Clark D. Mikkelsen, *U. S. Army Missile Command*; and G. Patrick Roys, *Morton-Thiokol* (21, 1, p. 41) Article based on AIAA Paper 82-1146

A84-009 Modeling Slag Deposition in the Space Shuttle Solid Rocket Motor. S. Boraas, *Morton-Thiokol, Inc.* (21, 1, p. 47) Article based on AIAA Paper 82-1061

A84-010 Design and Development of the INTELSAT V Graphite-Epoxy Central Thrust Tube. N. Barberis, *Ford Aerospace & Communications Corporation*; M. Zilani and C. Gabriel, *Societe Nationale Industrielle Aerospatiale* (21, 1, p. 55) Article based on AIAA Paper 82-0677 CP823

A84-011 Superplastic Forming and Diffusion Bonding of Inconel 718. W. T. Chandler, A. K. Ghosh and W. M. Mahoney, *Rockwell International* (21, 1, p. 61) Article based on AIAA Paper 82-1249

A84-012 Two-Stage Earth-to-Orbit Vehicles with Dual-Fuel Orbiter Propulsion. James A. Martin, *NASA Langley Research Center* (21, 1, p. 65) Article based on AIAA Paper 82-1150

A84-013 Concepts and Status of Laser-Supported Rocket Propulsion. Ronald J. Glumb and Herman Krier, *University of Illinois at Urbana-Champaign* (21, 1, p. 70) Article

A84-014 Rocket Vehicle Targeting for the PLACES Ionospheric Plasma Test Series. L. R. Rollstin, *Sandia National Labo-*

ratories, Albuquerque (21, 1, p. 80) Article based on AIAA Paper 82-1723 CP828

A84-015 Comparison of Potential Electric Propulsion Systems for Orbit Transfer. R. M. Jones, *Jet Propulsion Laboratory, California Institute of Technology* (21, 1, p. 88) Article based on AIAA Paper 82-1871

A84-016 Thrust Measurement of an Ion Engine System. Hiroshi Murakami, Masahiro Hirata and Isao Kudo, *Electrotechnical Laboratory (Japan)* (21, 1, p. 96) Article based on AIAA Paper 82-1915

A84-017 Absorption of Electromagnetic Radiation in an Advanced Propulsion System. Anil Gulati and Charles L. Merkle, *The Pennsylvania State University* (21, 1, p. 101) Article based on AIAA Paper 82-1950

A84-018 Unified Multiple-Beam Uplink Configuration for EHF Satellite Communications. Reuben E. Eaves, *COMSAT Corporation*; and Dean P. Kolba, *M.I.T. Lincoln Laboratory* (21, 1, p. 108) Article based on AIAA Paper 82-0485 CP821

A84-019 Analytical Results of BSE Beam Pointing and Attitude Control Performance. Sachio Shimoseko and Hidetoshi Murakami, *Radio Research Laboratories (Japan)*; Ryo Mochizuki and Seiki Yokoyama, *Nippon Hoso Kyokai*; Makoto Kajikawa and Katsuyoshi Arai, *National Space Development Agency of Japan* (21, 1, p. 113) Article based on AIAA Paper 82-0550 CP821

A84-020 Heating Distributions for a 0.006-Scale Shuttle Orbiter over a Range of Hypersonic Flow Conditions. Charles G. Miller, *NASA Langley Research Center* (21, 1, p. 120) Engineering Note based on AIAA Paper 82-0826

A84-021 A Novel Concept for Reducing Thermal Contact Resistance. R. S. Cook, K. H. Token and R. L. Calkins, *McDonnell Aircraft Company* (21, 1, p. 122) Engineering Note based on AIAA Paper 82-0886

A84-022 Despin of a Liquid-Filled Cylinder Caused by Coning. Roger F. Gans, *ARRADCOM-U. S. Army Ballistic Research Laboratory* (21, 1, p. 124) Engineering Note

A84-023 Three-Dimensional Wake Model for Low Earth Orbit. I. Katz, D. L. Cooke, D. E. Parks and M. J. Mandell, *S-CUBED*; and A. G. Rubin, *Air Force Geophysics Laboratory* (21, 1, p. 125) Engineering Note

A84-024 Design of a Minimum Acceleration Mortar Charge. G. R. Simpers and K. P. Hall, *Naval Ordnance Station, Indian Head* (21, 1, p. 127) Engineering Note based on AIAA Paper 82-1147

A84-025 Recent Evolution of Carbon-Carbon Nozzles for the Apogee Boost Motor. P. J. Donguy, *Societe Europeenne de Propulsion (France)* (21, 2, p. 129) Synoptic based on AIAA Paper 82-1187

A84-026 Investigation of Freejets Issued from Small Solid-Propellant Rocket Engines. J. Allegre, *Societe d' Etudes et de Services pour Souffleries et Installations Aerothermodynamiques (France)*; M. Raffin, *Societe d'Etudes et de Services pour Souffleries et Installations Aerothermodynamiques (France)*; and J.-C. Lengrand, *Laboratoire d'Aerothermique du Centre National de la Recherche Scientifique (France)* (21, 2, p. 131) Article

A84-027 Hypersonic Mach Number and Real Gas Effects on Space Shuttle Orbiter Aerodynamics. J. R. Maus, B. J. Griffith and K. Y. Szema, *Calspan Field Services, Incorporated*; and J. T. Best, *Arnold Engineering Development Center* (21, 1, p. 136) Article based on AIAA Paper 83-0343

A84-028 The Search for Optimum Configurations for Re-entry Vehicles. Tony C. Lin and Wallis R. Grabowsky, *TRW Electronics and Defense Sector*; and Kevin E. Yelmgren, *Ballistic Missile Office, Norton Air Force Base* (21, 2, p. 142) Article

A84-029 Advanced Passive Radiator for Spaceborne Cryogenic Cooling. Steven Bard, *Jet Propulsion Laboratory, California Institute of Technology* (21, 2, p. 150) Article

A84-030 Surface Step Induced Gap Heating in the Shuttle Thermal Protection System. D. H. Petley, D. M. Smith, C. L. W. Edwards, A. B. Carlson and H. H. Hamilton, *NASA Langley Research Center* (21, 2, p. 156) Article based on AIAA Paper 83-0120

A84-031 Predictive Surveillance Technique for Air-Launched Rocket Motors. G. J. Svob, *Aerojet Tactical Systems Company*; and K. W. Bills Jr., *Aerojet Strategic Propulsion Company* (21, 2, p. 162) Article based on AIAA Paper 82-1097
Errata (21, 4, p. 416)

A84-032 Dual-Chamber Rocket Motor Operating Characteristics. J. F. McFillin Jr., S. T. Van Brocklin, J. E. Beakley and D. W. Netzer, *Naval Postgraduate School* (21, 2, p. 168) Article

A84-033 Dynamic Analysis of Structures with Friction Forces at Sliding Junctures. David Hunt and William Adams, *The Aerospace Corporation*; and Tim Bock, *MacNeal-Schwendler Corporation* (21, 2, p. 175) Article

A84-034 Electric Thruster Performance for Orbit Raising and Maneuvering. Harold R. Kaufman and Raymond S. Robinson, *Colorado State University* (21, 2, p. 180) Article based on AIAA Paper 82-1247

A84-035 Roundtrip Interstellar Travel Using Laser-Pushed Lightsails. Robert L. Forward, *Hughes Research Laboratories* (21, 2, p. 187) Article

A84-036 Capacitor Bank Charging by Series-Parallel Switching of Solar Arrays. K. Ijichi, *INTELSAT*; and W. J. Billerbeck, *COMSAT Laboratories* (21, 2, p. 196) Article based on AIAA Paper 82-1878

A84-037 The Shuttle Upper Atmosphere Mass Spectrometer Experiment. R. C. Blanchard, Roy J. Duckett and Edwin W. Hinson, *NASA Langley Research Center* (21, 2, p. 202) Article based on AIAA Paper 82-1334

A84-038 NATO III Satellite Communications System Control. N. Sanli, *NATO Integrated Communications System (Belgium)*; S. C. Lo, S. L. Kota and M. H. Aronson, *Ford Aerospace & Communications Corporation* (21, 2, p. 209) Article based on AIAA Paper 82-0487 CP821

A84-039 Drag of a Tubular Projectile with Internal Blockage. R. H. Nunn and W. A. Bry, *Naval Postgraduate School* (21, 2, p. 216) Engineering Note

A84-040 Space Shuttle Heating Analysis with Variation in Angle of Attack and Catalyticity. R. N. Gupta, J. N. Moss, A. L. Simmonds, J. L. Shinn and E. V. Zoby, *NASA Langley Research Center* (21, 2, p. 217) Engineering Note based on AIAA Paper 83-0486

A84-041 Thermodynamic Considerations in Bipropellant Blowdown Systems. H. C. Hearn, *Lockheed Missiles & Space Company* (21, 2, p. 219) Engineering Note

A84-042 Investigation of Pyrotechnic MTV Compositions for Rocket Motor Igniters. Arie Peretz, *Armament Development Authority (Israel)* (21, 2, p. 222) Engineering Note based on AIAA Paper 82-1189

A84-043 Test of a Probe Used to Sense Altitude Through Measurement of Pressure. Allen E. Fuhs and Kenneth D. Tillotson, *Naval Postgraduate School* (21, 3, p. 225) Synoptic based on AIAA Paper 82-1361

A84-044 Comparison of Shuttle Orbiter Surface Pressures with Wind Tunnel and Theoretical Predictions. P. F. Bradley, P. M. Siemers III and K. J. Weilmuenster, *NASA Langley Research Center* (21, 3, p. 227) Article based on AIAA Paper 83-0119

A84-045 Supersonic Missile Aerodynamic and Performance Relationships for Long-Range Mission Profiles. Robert J. Krieger, *McDonnell Douglas Astronautics Company* (21, 3, p. 234) Article based on AIAA Paper 82-1289

A84-046 Transient Ablation of Blunt Bodies at Angles of Attack. Norio Arai and Takashi Tani, *Tokyo Noko University*; and Kiyoshi Sato, *Institute of Space and Astronautical Science (Japan)* (21, 3, p. 241) Article based on AIAA Paper 83-0583

A84-047 Honeycomb Sandwich Structure for Future Space Transportation Systems with Integral Cryogenic Tankage. John L. Shideler, *NASA Langley Research Center*; Allan R. Swegle, *Boeing Aerospace Company*; and Roger A. Fields, *NASA Dryden Flight Research Facility* (21, 3, p. 246) Article based on AIAA Paper 82-0653 CP823

A84-048 Mechanical Properties of the Shuttle Orbiter Thermal Protection System Strain Isolator Pad. James Wayne Sawyer, *NASA Langley Research Center* (21, 3, p. 253) Article based on AIAA Paper 82-0789 CP823

A84-049 Measurement and Analysis of High-Frequency Pressure Oscillations in Solid Rocket Motors. P. M. J. Hughes, *Energy, Mines and Resources Canada*; and E. Cerny, *University of Montreal* (21, 3, p. 261) Article based on AIAA Paper 82-1241

A84-050 Vapor Flow into a Capillary Propellant-Acquisition Device. F. T. Dodge and E. B. Bowles, *Southwest Research Institute* (21, 3, p. 267) Article based on AIAA Paper 83-1380

A84-051 Effects of Thermal Cycling on Mechanical Properties of Graphite Polyimide. Stephen S. Tompkins, *NASA Langley Research Center*; and Sharon L. Williams, *Kentron Technical Center* (21, 3, p. 274) Article based on AIAA Paper 82-0710 CP823

A84-052 Fracture Mechanics Evaluation of Filament Wound Case Materials Subjected to Operational Environments. H. Bau and S. W. Beckwith, *Hercules Aerospace Division* (21, 3, p. 281) Article based on AIAA Paper 82-1070

A84-053 Experimental Studies of Scaling Laws for Plasma Collection at High Voltages. Andrei Konradi, Bernard McIntyre and Andrew E. Potter, *NASA Johnson Space Center* (21, 3, p. 287) Article

A84-054 Theoretical Analysis of Infrared Radiation Shields of Spacecraft. David L. Shealy, *University of Alabama in Birmingham* (21, 3, p. 293) Article

A84-055 Space Shuttle Contamination Measurements from Flights STS-1 Through STS-4. H. K. F. Ehlers, S. Jacobs and L. J. Leger, *NASA Johnson Space Center*; and E. Miller, *NASA Marshall Space Flight Center* (21, 3, p. 301) Article based on AIAA Paper 83-0331

A84-056 Nodal Crossing Changes for Sun Synchronous Satellites with Solar Electric Propulsion. V. V. Fosnight, *TRW Electronics and Defense*; and Robb M. Fosnight, *Redondo Beach, California* (21, 3, p. 309) Article based on AIAA Paper 82-1873

A84-057 Critical Bending Moment of Double-Slit Tubing. Fred Rimrott, *University of Toronto*; and Sherry Draisey, *Spar Aerospace Limited (Canada)* (21, 3, p. 316) Engineering Note

A84-058 A Simple Estimation Procedure of Roll-Rate Derivatives for Finned Vehicles. Sheo Prakash, *Instituto de Atividades Espaciais (Brazil)*; and D. D. Khurana, *Vikram Sarabhai Space Centre (India)* (21, 3, p. 318) Engineering Note

A84-059 J-Series Ion Thruster Isolator Failure Analysis. J. W. Campbell and R. T. Bechtel, *NASA Marshall Space Flight Center*; and J. R. Brophy, *Colorado State University* (21, 4, p. 321) Synoptic based on AIAA Paper 82-1907

A84-060 Flowfield Produced by Rocket Exhaust Impingement of a Multitube Launcher. Stanley A. Bouslog, John J. Bertin and William B. Wingert III, *The University of Texas at Austin* (21, 4, p. 323) Article based on AIAA Paper 82-0946

A84-061 Ballistic Re-entry Vehicle Dispersion Due to Precession Stoppage. T. C. Lin and W. R. Grabowsky, *TRW Electronics and Defense Sector*; K. E. Yelmgren, *Ballistic Missile Office, Norton Air Force Base*; and M. Landa, *Aerospace Corporation* (21, 4, p. 330) Article based on AIAA Paper 82-1307

A84-062 Space Shuttle Base Heating. Terry F. Greenwood and Young C. Lee, *NASA Marshall Space Flight Center*; Robert L. Bender, *REMTECH, Inc.*; and Robert E. Carter, *Lockheed Missiles & Space Company* (21, 4, p. 339) Article based on AIAA Paper 83-1544

A84-063 HM60 Cryogenic Rocket Engine for Future European Launchers. M. F. Pouliquen, *Societe Europeenne de Propulsion* (21, 4, p. 346) Article based on AIAA Paper 82-1250

A84-064 Experimental and Computer Model Results on an Ion Thruster Charge-Exchange Plasma. S. B. Gabriel, *Jet Propulsion Laboratory, California Institute of Technology*; and H. R. Kaufman, *Colorado State University* (21, 4, p. 354) Article based on AIAA Paper 82-1946

A84-065 Performance Data Comparison of the Inert Gas RIT 10. K. H. Groh, H. W. Loeb and H. W. Velten, *University of Giessen (FRG)* (21, 4, p. 360) Article based on AIAA Paper 82-1932

A84-066 Analytical Model Accuracy Requirements for Structural Dynamic Systems. Jay-Chung Chen, *Jet Propulsion Laboratory, California Institute of Technology* (21, 4, p. 366) Article based on AIAA Paper 82-0734 CP823

A84-067 Measurements of Vehicle Glow on the Space Shuttle. S. R. Mende and R. Nobles, *Lockheed Palo Alto Research Laboratory*; P. M. Banks, *STAR Laboratory/SEL*; O. K. Garriott and J. Hoffman, *NASA Johnson Space Center* (21, 4, p. 374) Article

A84-068 OSS-1: A Pathfinder Mission for Space Science on the Space Shuttle. Werner M. Neupert, *NASA Goddard Space Flight Center* (21, 4, p. 382) Article based on AIAA Paper 83-0249

A84-069 Plasma Diagnostics Package Initial Assessment of the Shuttle Orbiter Plasma Environment. Stanley D. Shawhan, Gerald B. Murphy and Jolene S. Pickett, *University of Iowa* (21, 4, p. 387) Article based on AIAA Paper 83-0253

A84-070 Measurements of Electromagnetic Interference on OV102 Columbia Using the Plasma Diagnostics Package. Stanley D. Shawhan and Gerald B. Murphy, *University of Iowa*; and Dwight L. Fortna, *NASA Goddard Space Flight Center* (21, 4, p. 392) Article

A84-071 Radio Frequency Fields Generated by the S-Band Communication Link on OV102. Gerald B. Murphy and Stanley D. Shawhan, *University of Iowa* (21, 4, p. 398) Synoptic

A84-072 Results from a "Small Box" Real-Time Molecular Contamination Monitor on STS-3. R. Triolo, R. Kruger and R. McIntosh, *NASA Goddard Space Flight Center*; C. Maag, *Jet Propulsion Laboratory*; and P. A. Porzio, *U. S. Air Force* (21, 4, p. 400) Article based on AIAA Paper 83-0251

A84-073 Thermal Canister Experiment on OSS-1. Stanford Ollendorf, *NASA Goddard Space Flight Center* (21, 4, p. 405) Article

A84-074 Contamination by Fibers on Space Shuttle Flight OSS-1 Microabrasion Foil Experiment. D. G. Dixon, W. C. Carey and J. A. M. McDonnell, *University of Kent at Canterbury (UK)* (21, 4, p. 410) Engineering Note

A84-075 Flat Spin of Circular Cylinders Induced by Artificial Roughness. Takashi Yoshinaga, Atsushi Tate and Kenji Inoue, *National Aerospace Laboratory (Japan)* (21, 4, p. 411) Engineering Note

A84-076 Reynolds Number Effects on the Aerodynamics of a Body with Square Cross-Section. D. C. Daniel, *Air Force Armament Laboratory, Eglin Air Force Base*; G. J. Zollars and T. R. Yechout, *United States Air Force Academy* (21, 4, p. 413) Engineering Note

A84-077 One-Dimensional Analysis of a Sleeved-Piston Gas Gun. Meziane Harhad, *Southern University*; and Robert W. Courter, *Louisiana State University* (21, 4, p. 415) Engineering Note

A84-079 A Survey of Payload Integration Methods. R. C. Engels, *University of Tennessee Space Institute*; R. R. Craig Jr., *The University of Texas at Austin*; and H. W. Harcrow, *Martin Marietta Aerospace* (21, 5, p. 417) Survey Paper

A84-080 Influence of Particulates on Infrared Emission from Tactical Rocket Exhausts. H. F. Nelson, *Air Force Rocket Propulsion Laboratory* (21, 5, p. 425) Article based on AIAA Paper 82-0913

A84-081 Re-examination of the Maximum Normalized Vortex-Induced Side Force. J. P. Reding and L. E. Ericsson, *Lockheed Missiles & Space Company* (21, 5, p. 433) Article based on AIAA Paper 83-0458

A84-082 Effect of Simulated Mission Loads on Orbiter Thermal Protection System Undensified Tiles. P. A. Cooper, R. Miserentino, J. W. Sawyer and J. D. Leatherwood, *NASA Langley Research Center* (21, 5, p. 441) Article based on AIAA Paper 82-0790 CP823

- A84-083 On Passive Damping Mechanisms in Large Space Structures.** H. Ashley, *Stanford University* (21, 5, p. 448) Article based on AIAA Paper 82-0639 CP823
- A84-084 Analytical and Experimental Vibration and Buckling Characteristics of a Pretensioned Stayed Column.** W. K. Belvin, *NASA Langley Research Center* (21, 5, p. 456) Article based on AIAA Paper 82-0775 CP823
- A84-085 Response of Large Space Structures with Stiffness Control.** J.-C. Chen, *Jet Propulsion Laboratory, California Institute of Technology* (21, 5, p. 463) Article based on AIAA Paper 83-0344
- A84-086 Modal Analysis of a Deployable Truss Using the Finite Element Method.** D. V. Hutton, *Washington State University* (21, 5, p. 468) Article
- A84-087 Simplification of Power Electronics for Ion Thruster Neutralizers.** R. P. Gruber, *NASA Lewis Research Center* (21, 5, p. 473) Article based on AIAA Paper 82-1880
- A84-088 Thrust and Efficiency of the K-III MPD Thruster.** T. Yoshikawa and Y. Kagaya, *Osaka University (Japan)*; and K. Kuriki, *Institute of Space and Astronautical Science (Japan)* (21, 5, p. 481) Article based on AIAA Paper 82-1887
- A84-089 Improved Ion Containment Using a Ring-Cusp Ion Thruster.** J. S. Sovey, *NASA Lewis Research Center* (21, 5, p. 488) Article based on AIAA Paper 82-1928
- A84-090 Radiation Effects on Vibrational Heating of Polymers.** I. S. Habib, *The University of Michigan* (21, 5, p. 496) Article based on AIAA Paper 83-1505
- A84-091 Combustion of RDX/AP Composite Propellants at Low Pressures.** T. Kuwahara, *Nissan Motor Company, Ltd. (Japan)*; and N. Kubota, *Japan Defense Agency* (21, 5, p. 502) Article based on AIAA Paper 82-1114
- A84-092 Influence of Scattering on Infrared Signatures of Rocket Plumes.** H. F. Nelson, *University of Missouri-Rolla* (21, 5, p. 508) Engineering Note
- A84-093 Ultralight Reactive Metal Foams in Space: A Novel Concept.** F. H. Cocks, *Duke University* (21, 5, p. 510) Engineering Note
- A84-095 Evaluation of Missile Aerodynamic Characteristics Using Rapid Prediction Techniques.** J. Sun and R. M. Cummings, *Hughes Aircraft Company* (21, 6, p. 513) Article
- A84-096 Effects of Slip and Chemical Reaction Models on Three-Dimensional Nonequilibrium Viscous Shock-Layer Flows.** S. Swaminathan, D. J. Song and Clark H. Lewis, *Virginia Polytechnic Institute and State University* (21, 6, p. 521) Article
- A84-097 Analysis of Surface Pressure Distributions on Two Elliptic Missile Bodies.** Jerry M. Allen and James L. Pittman, *NASA Langley Research Center* (21, 6, p. 528) Article
- A84-098 Assessing the Orbiter Thermal Environment Using Flight Data.** S. D. Williams, *Lockheed Engineering and Management Services Company, Inc.*; and Donald M. Curry, *NASA Lyndon B. Johnson Space Center* (21, 6, p. 534) Article
- A84-099 A Rectilinear Guidance Strategy for Short Orbital Transfers.** S. Alan Stern, *Martin Marietta Aerospace* (212, 6, p. 542) Article
- A84-100 Viscoelastic Creep Behavior of Filament-Wound Case Materials.** S. W. Beckwith, *Hercules* (21, 6, p. 546) Article
- A84-101 Impulse Measurement of a Pulsed-Plasma Engine on Engineering Test Satellite-IV.** M. Hirata and H. Murakami, *Electrotechnical Laboratory: Sakura-mura (Japan)* (21, 6, p. 553) Article
- A84-102 Theory of Ion Acceleration with Closed Electron Drift.** Harold R. Kaufman, *Colorado State University* (21, 6, p. 558) Article
- A84-103 100 kWe Magnetoplasmadynamic Thruster System Design.** L. K. Rudolph, *Martin Marietta Corporation*; and D. Q. King, *Jet Propulsion Laboratory, California Institute of Technology* (21, 6, p. 563) Article
- A84-104 Augmenting the Space Shuttle with a Space Station and Tug.** Jess M. Sponable and Aaron R. DeWispelare, *USAF* (21, 6, p. 573) Article
- A84-105 LOX/Hydrocarbon Auxiliary Propulsion for the Space Shuttle Orbiter.** G. F. Orton and T. D. Mark, *McDonnell Douglas Astronautics Company* (21, 6, p. 580) Article
- A84-106 Extruded Composite Propellant Technology Development.** C. E. Haff Jr., *Naval Ordnance Station, Indian Head* (21, 6, p. 587) Article
- A84-107 Space Flight Test of Electric Thruster System MDT-2A.** Shi-Ming An, Han-Ji Wu and Xue-Zhang Feng, *SSTC Academia Sinica, Beijing (China)*; and Wen-Xi Liu, *SSTC Academia Sinica, Beijing (China)* (21, 6, p. 593) Engineering Note
- A84-108 Aspects of Nonseparating Apogee Motors.** K. K. Biswas, *Vikram Sarabhai Space Center (India)* (21, 6, p. 594) Engineering Note
- A84-109 A Shuttle Derived Utility Vehicle for Delivery of Small Payloads to Orbit.** I. O. MacConochie and J. A. Martin, *NASA Langley Research Center*; E. R. Hischke, *NASA Johnson Space center*; and E. P. Brien, *Kentron Technical Center* (21, 6, p. 596) Engineering Note
- Errata (21, 5, p. 512)