

Chronological Index

A87-042 Neutralization of Beam-Emitting Spacecraft by Plasma Injection. S. Sasaki, N. Kawashima, K. Kuriki, M. Yanagisawa and T. Obayashi, *Institute of Space and Astronautical Science, Japan*; W. T. Roberts and D. L. Reasoner, *NASA Marshall Space Flight Center*; P. R. Williamson, *Stanford University et al* (24, 3, p. 227) Article
Errata (25, 1, p. 96)

A87-065 BUNVIS-RG: Exact Frame Buckling and Vibration Program, with Repetitive Geometry and Substructuring. M. S. Anderson, *NASA Langley Research Center*; and F. W. Williams, *University of Wales Institute of Science and Technology* (24, 4, p. 353) Article based on AIAA Paper 86-0868 CP863
Errata (25, 1, p. 96)

A87-073 Design Nomograms for Metallic Rocket Motor Cases Reinforced with a Viscoelastic Fiber Overwind. A. Groves and J. Margetson, *Ministry of Defence, Royal Armament Research and Development Establishment, England*; and P. Stanley, *Simon Engineering Laboratories, University of Manchester, England* (24, 5, p. 411) Article
Errata (25, 1, p. 96)

A88-001 Transition Effects on Slender Cone Pitch Damping. L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (25, 1, p. 4) Article based on AIAA Paper 87-0493

A88-002 Side Force Computations for Slender Bodies by a Far-Field Approach. Y. Y. Chan, *National Research Council, Canada* (25, 1, p. 9) Article

A88-003 Ascent Aeromaneuvering Capabilities of Transatmospheric Vehicles. Gene P. Menees and Michael E. Tauber, *NASA Ames Research Center*; John T. Wilson, *Sterling Software*; and Henry G. Adelman, *Eloret Institute* (25, 1, p. 19) Article based on AIAA Paper 87-0513

A88-004 Vortical Flow over an Elliptical-Body Missile at High Angles of Attack. Richard W. Newsome and Mary S. Adams, *NASA Langley Research Center* (25, 1, p. 24) Article based on AIAA Paper 86-0559

A88-005 Structural Analysis of Fiber-Reinforced Metallic Rocket Motor Cases Using Finite-Element and Photoelastic Techniques. J. Margetson and A. Groves, *Royal Armament Research and Development Establishment, England, UK*; and T. E. Thorpe, *University of Manchester, England, UK* (25, 1, p. 31) Article

A88-006 Atomic-Oxygen Durability of Impact-Damaged Solar Reflectors. Daniel A. Gulino, *NASA Lewis Research Center* (25, 1, p. 39) Article based on AIAA Paper 87-0104

A88-007 Transfer Matrix Analysis of Cable-Stiffened Hoop Platforms. C. L. Zaretzky and R. G. Loewy, *Rensselaer Polytechnic Institute* (25, 1, p. 45) Article

A88-008 Velocity Distributions of Oxygen Atoms Incident on Spacecraft Surfaces. P. N. Peters and R. C. Sisk, *NASA Marshall Space Flight Center*; and J. C. Gregory, *University of Alabama* (25, 1, p. 53) Article

A88-009 Real-Time, Automatic Vehicle-Potential Determination from ESA Measurements: The Count-Ratio Algorithm. S. L. Spiegel, *University of Lowell*; N. A. Saffekos and M. S. Gussenhoven, *Boston College*; R. J. Raistrick and H. A. Cohen, *U. S. Air Force Geophysics Laboratory, Hanscom AFB* (25, 1, p. 59) Article

A88-010 Exposed High-Voltage Source Effect on the Potential of an Ionospheric Satellite. A. C. Tribble, N. D'Angelo, G. B. Murphy, J. S. Pickett and J. T. Steinberg, *University of Iowa* (25, 1, p. 64) Article

A88-011 Bubble Shapes in a Liquid-Filled Rotating Container Under Low Gravity. R. J. Hung, *University of Alabama*; and F. W. Leslie, *NASA Marshall Space Flight Center* (25, 1, p. 70) Article based on AIAA Paper 87-0616

A88-012 Reducing the Cost and Risk of Orbit Transfer. James R. Wertz and Thomas L. Mullikin, *Microcosm, Inc.*; and Robert F. Brodsky, *TRW, Inc.* (25, 1, p. 75) Article based on AIAA Paper 87-0172

A88-013 Orbiter Environment at S- and K_u-Band Frequencies. G. B. Murphy, *University of Iowa*; and W. D. Cutler, *The Aerospace Corporation* (25, 1, p. 81) Article

A88-014 Inviscid Laval-Nozzle Flowfield Calculation. Stefan Riedelbauch and Claus Weiland, *Messerschmitt-Bölkow-Blohm GmbH, FRG* (25, 1, p. 88) Engineering Note

A88-015 Rule for Optimizing the Performance of Canted, Scarfed Nozzles. Robert L. Glick, *Talley Defense Systems*; and Jay S. Lilley, *U. S. Army Missile Command, Redstone Arsenal* (25, 1, p. 90) Engineering Note

A88-016 Comparing Hydrogen and Hydrocarbon Booster Fuels. James A. Martin, *NASA Langley Research Center* (25, 1, p. 92) Engineering Note

A88-018 Electron Collection by Multiple Objects within a Single Sheath. V. A. Davis, M. J. Mandell and I. Katz, *S-CUBED, A Division of Maxwell Laboratories* (25, 1, p. 94) Engineering Note

A88-022 FLUINT: General Fluid System Analysis with SINDA '85. Brent A. Cullimore, *Martin Marietta Space Systems*; and Chin H. Lin, *NASA Johnson Space Center* (25, 2, p. 97) Synoptic based on AIAA Paper 87-1466

A88-023 Oxygen Plasma Effects on Several Liquid Droplet Radiator Fluids. Daniel A. Gulino and Carolyn E. Coles, *NASA Lewis Research Center* (25, 2, p. 99) Article based on AIAA Paper 87-0080

A88-024 Upstream Influence and Separation Scales in Fin-Induced Shock Turbulent Boundary-Layer Interaction. D. S. Dolling and P. E. Rodi, *University of Texas at Austin* (25, 2, p. 102) Article

A88-025 Two-Dimensional Deployable Truss Structures for Space Applications. Junjiro Onoda, *Institute of Space and Astronautical Science, Japan* (25, 2, p. 109) Article based on AIAA Paper 87-0868 CP872

A88-026 Shuttle Solid Rocket Booster Bolted Field Joint Shape Optimization. Jean-François M. Barthelemy, *NASA Langley Research Center*; Kwan J. Chang, *PRC Kentron*; and James L. Rogers Jr., *NASA Langley Research Center* (25, 2, p. 117) Article based on AIAA Paper 87-0702 CP872

A88-027 Optical Environment of the Spacelab 1 Mission. Marsha R. Torr, *NASA Marshall Space Flight Center*; D. G. Torr, *University of Alabama*; and J. K. Owens, *NASA Marshall Space Flight Center* (25, 2, p. 125) Article based on AIAA Paper 85-7024 CP859

- A88-028 Ionization-Induced Instability in an Electron-Collecting Sheath.** David L. Cook, *U. S. Air Force Geophysics Laboratory, Hanscom AFB*; and Ira Katz, *S-CUBED, A Division of Maxwell Laboratories* (25, 2, p. 132) Article based on AIAA Paper 85-7028 CP859
- A88-029 Variations of Water Vapor Concentration in the Shuttle Environment.** D. E. Hunton and W. Swider, *U. S. Air Force Geophysics Laboratory, Hanscom AFB* (25, 2, p. 139) Article
- A88-030 Two-Phase Alkali-Metal Experiments in Reduced Gravity.** Zenen I. Antoniuk, *Battelle, Pacific Northwest Laboratory* (25, 2, p. 146) Article
- A88-031 Electrostatic Charging and Arc Discharges on Satellite Dielectrics Simulated by Electron Beam.** Haruhisa Fujii, Yoshikazu Shibuya, Toshio Abe and Ritaroh Kasai, *Mitsubishi Electric Corporation, Japan*; and Hironobu, Nishimoto, *National Space Development Agency of Japan* (25, 2, p. 156) Article based on AIAA Paper 86-1191 CP866
- A88-032 Results of Apparent Atomic Oxygen Reactions with Spacecraft Materials During Shuttle Flight STS-41G.** D. G. Zimcik, *Communications Research Centre, Canada*; and C. R. Maag, *Jet Propulsion Laboratory, California Institute of Technology* (25, 2, p. 162) Article based on AIAA Paper 85-7020 CP859
- A88-033 Gaseous Environment of the Shuttle Early in the Spacelab 2 Mission.** Jolene S. Pickett, Gerald B. Murphy and William S. Kurth, *University of Iowa* (25, 2, p. 169) Article based on AIAA Paper 85-6054 CP859
- A88-034 Hollow Cathodes as Electron Emitting Plasma Contactors: Theory and Computer Modeling.** V. A. Davis, I. Katz, M. J. Mandell and D. E. Parks, *S-CUBED, A Division of Maxwell Laboratories* (25, 2, p. 175) Article based on AIAA Paper 87-0569
- A88-035 Design of an Interim Space Rescue Ferry Vehicle.** James D. Halsell Jr., *U. S. Air Force Flight Test Center, Edwards AFB*; Joseph W. Widhalm, *U. S. Air Force Institute of Technology, Wright-Patterson AFB*; and Charles E. Whitsett, *NASA Johnson Space Center* (25, 2, p. 180) Article
- A88-036 Vacuum Reduction of Extraterrestrial Silicates.** Douglas R. Sparks, *General Motors Corporation* (25, 2, p. 187) Engineering Note
- A88-037 Effects of Cross Section and Nose Geometry on Slender-Body Supersonic Aerodynamics.** G. R. Hutt and A. J. Howe, *University of Southampton, England, UK* (25, 2, p. 189) Engineering Note
- A88-038 Optimum Configuration of High-Lift Aeromaneuvering Orbital Transfer Vehicles in Viscous Flow.** Carol B. Davies, *Sterling Software*; and Chul Park, *NASA Ames Research Center* (25, 3, p. 193) Article based on AIAA Paper 85-1059
- A88-039 Oxygen Chemisorption Compressor Study for Cryogenic Joule-Thomson Refrigeration.** Jack A. Jones and Gary D. Blue, *Jet Propulsion Laboratory, California Institute of Technology* (25, 3, p. 202) Article based on AIAA Paper 87-1558
- A88-040 Nonsteady Plume-Wall Interactions in Rocket Launch Tubes.** M. J. Marongiu, H. H. Korst and R. A. White, *University of Illinois at Urbana-Champaign* (25, 3, p. 209) Article based on AIAA Paper 87-1601
- A88-041 Theory of Idealized Two-Dimensional Ballute in Newtonian Hypersonic Flow.** Chul Park, *NASA Ames Research Center* (25, 3, p. 217) Article based on AIAA Paper 86-0301
- A88-042 Comparison of Predictions and Experimental Data for Hypersonic Pitching Motion Stability.** R. A. East and G. R. Hutt, *University of Southampton, England, UK* (25, 3, p. 225) Article
- A88-043 Real-Time, Automatic Vehicle-Potential Determination from ESA Measurements: The Distribution Function Algorithm.** Stanley L. Spiegel, *University of Lowell*; and Herbert A. Cohen, *U. S. Air Force Geophysics Laboratory, Hanscom AFB* (25, 3, p. 234) Article
- A88-044 Severe Spacecraft-Charging Event on SCATHA in September 1982.** H. C. Koons, P. F. Mizera, J. L. Roeder and J. F. Fennell, *The Aerospace Corporation* (25, 3, p. 239) Article based on AIAA Paper 87-0475
- A88-045 Solar Dynamic Concentrator Durability in Atomic Oxygen and Micrometeoroid Environments.** Daniel A. Gulino, *NASA Lewis Research Center* (25, 3, p. 244) Article based on AIAA Paper 87-0104
- A88-046 Space Shuttle Performance with a Heads-Up Ascent.** S. W. Millard, *NASA Johnson Space Center* (25, 3, p. 250) Article based on AIAA Paper 86-0193
- A88-047 Aerodynamic Design and Performance of a Bent-Axis Geometry Vehicle.** W. H. Rutledge, G. F. Polansky and E. L. Clark, *Sandia National Laboratories* (25, 4, p. 257) Article based on AIAA Paper 87-2491 CP876
- A88-048 Performance Comparisons of Maneuvering Vehicles Returning from Orbit.** Michael E. Tauber and Lily Yang, *NASA Ames Research Center* (25, 4, p. 263) Article based on AIAA Paper 87-2490 CP876
- A88-049 Supersonic Aeroelastic Applications of Harmonic Potential Panel Method to Oscillating Flexible Bodies.** Pablo Garcia-Fogeda and D. D. Liu, *Arizona State University* (25, 4, p. 271) Article based on AIAA Paper 86-0864 CP863
- A88-050 High-Voltage Solar Cell Modules in Simulated Low-Earth-Orbit Plasma.** Heinz Thiemann, *Physikalisch Technische Studien GmbH, FRG*; and Klaus-Peter Bogus, *ESA Technical Directorate, The Netherlands* (25, 4, p. 278) Article
- A88-051 Gas Neutralizer Flowfield Modeling and Experiments.** R. A. Martin and M. C. Cline, *Los Alamos National Laboratory*; E. P. Muntz and T. Farnham, *University of Southern California* (25, 4, p. 286) Article based on AIAA Paper 87-1517
- A88-052 Measurements of Shuttle Window Transmission Characteristics with the SPEAM Experiment.** W. F. J. Evans, D. I. Wardle, J. B. Kerr and C. T. McElroy, *Atmospheric Environment Service, Canada*; and M. Garneau, *National Research Council of Canada* (25, 4, p. 294) Article based on AIAA Paper 85-6064 CP859
- A88-053 Scientific Missions for Earth Orbital Tether Systems.** William J. Webster Jr., *NASA Goddard Space Flight Center* (25, 4, p. 299) Article
- A88-054 Quality Assurance Requirements for a Large Li/SOCl₂ Battery for Spacecraft Applications.** O. M. Uy and R. H. Maurer, *Johns Hopkins University* (25, 4, p. 304) Article based on AIAA Paper 87-9062

A88-055 Economic Tradeoffs Between SBS and ACTS for Providing Customer Premise Service. Theodore J. Sheskin, *Cleveland State University* (25, 4, p. 309) Article based on AIAA Paper 86-0685 CP862

A88-056 Using Electrical Probes to Measure Ion Velocities in Pyrotechnic Plasmas. D. L. Cohen, *Massachusetts Institute of Technology* (25, 4, p. 315) Engineering Note

A88-057 Effect of Geometric and Material Nonlinearities on the Propellant Grains Stress Analysis. M. K. Jana, K. Renganathan and G. Venkateswara Rao, *Vikram Sarabhai Space Center, India* (25, 4, p. 317) Engineering Note

A88-058 Space Vehicle Glow and Its Impact on Spacecraft Systems. H. B. Garrett, A. Chutjian and S. Gabriel, *Jet Propulsion Laboratory, California Institute of Technology* (25, 5, p. 321) Survey Paper

A88-059 Ross-Stirling Spacecraft Refrigerator. G. Walker, *University of Calgary, Canada*; M. Scott and S. Zylstra, *General Pneumatics Corporation* (25, 5, p. 341) Synoptic based on AIAA Paper 87-9411

A88-060 High Angle-of-Attack Hypersonic Aerodynamics. Gary J. Harloff, *Sverdrup Technology, Inc.* (25, 5, p. 343) Synoptic based on AIAA Paper 87-2545 CP875

A88-061 Fin Gaps and Body Slots: Effects and Modeling for Projectiles and Missiles. Ameer G. Mikhail, *U. S. Army Ballistic Research Laboratory, Aberdeen Proving Ground* (25, 5, p. 345) Article based on AIAA Paper 87-0447

A88-062 Modeling and Analysis of Nonlinear Sleeve Joints of Large Space Structures. Aldo A. Ferri, *Georgia Institute of Technology* (25, 5, p. 354) Article

A88-063 Spacelab 1 Experiments on Interactions of an Energetic Electron Beam with Neutral Gas. J. A. Marshall, C. S. Lin and J. L. Burch, *Southwest Research Institute*; T. Obayashi, *Institute of Space and Astronautical Science, Japan*; and C. Beghin, *Laboratoire de Physique et chimie de l'Environnement, France* (25, 5, p. 361) Article

A88-064 Modular, Ion-Propelled, Orbit-Transfer Vehicle. J. Hermel, R. A. Meese, W. P. Rogers and R. O. Kushida, *Hughes Aircraft Company*; J. R. Beattie and J. Hyman Jr., *Hughes Research Laboratories* (25, 5, p. 368) Article based on AIAA Paper 86-1394

A88-065 Nuclear-Electric Reusable Orbital Transfer Vehicle. Leonard D. Jaffe, *Jet Propulsion Laboratory, California Institute of Technology* (25, 5, p. 375) Article based on AIAA Paper 87-1102

A88-066 Interference Effects Associated with a Plate-Supported Half-Model in Hypersonic Flow. G. R. Hutt and R. A. East, *University of Southampton, England, UK* (25, 5, p. 382) Engineering Note

A88-067 Sideslip Effects on Fin-Fin Interference in Supersonic Missile Aerodynamics. A. A. Jenn, *McDonnell Douglas Astronautics Company*; and H. F. Nelson, *University of Missouri-Rolla* (25, 6, p. 385) Article based on AIAA Paper 88-0214

A88-068 Transonic Euler Solutions on a Blunt, Body-Wing-Canard Configuration. Lawrence E. Lijewski, *U. S. Air Force Armament Laboratory, Eglin AFB* (25, 6, p. 393) Article based on AIAA Paper 87-2273 CP875

A88-069 Impulsive Loading from a Bare Explosive Charge in Space. Joseph Falcovitz and Allen E. Fuhs, *Naval Postgraduate School* (25, 6, p. 400) Article

A88-070 Identification of the Zero-g Shape of a Space Beam. Gary J. Balas and Charles D. Babcock, *California Institute of Technology* (25, 6, p. 405) Article based on AIAA Paper 87-0872 CP872

A88-071 Model for Radiation Contamination by Outgassing from Space Platforms. Stephen J. Young and Ronald R. Herm, *The Aerospace Corporation* (25, 6, p. 413) Article based on AIAA Paper 87-0102

A88-072 Characteristics of Satellite Breakups from Radar Cross Section and Plane Change Angle. Gautam D. Badhwar and Andrew E. Potter, *NASA Johnson Space Center*; Phillip D. Anz-Meador and Robert C. Reynolds, *Lockheed Engineering & Sciences Co.* (25, 6, p. 420) Article

A88-073 Arcjet Propulsion System for an SP-100 Flight Experiment. William D. Deininger, *Jet Propulsion Laboratory, California Institute of Technology*; and Robert J. Vondra, *W. J. Schafer Associates* (25, 6, p. 427) Article based on AIAA Paper 87-1037

A88-074 Improved Method for Calculating Booster to Launch Pad Interface Transient Forces. Edwin E. Henkel and Raymond Mar, *Rockwell International* (25, 6, p. 433) Article

A88-075 Sulfide Corrosion of Silver Contacts During Satellite Storage. Reinhold Bauer, *The Aerospace Corporation* (25, 6, p. 439) Engineering Note

U.S. Postal Service STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Required by 39 U.S.C. 3685)		
1A. Title of Publication <i>Journal of Spacecraft and Rockets</i>	1B. PUBLICATION NO. 2 8 2 0 8 0	2. Date of Filing 10/25/88
3. Frequency of Issue Bimonthly	3A. No. of Issues Published Annually 6	3B. Annual Subscription Price \$23.00
4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Code) (Not printers) 370 L'Enfant Promenade, S. W. Washington, D. C. 20024		
5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (Not printer) Same as above		
6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (This item MUST NOT be blank) Publisher (Name and Complete Mailing Address) American Institute of Aeronautics and Astronautics, Inc. (Same as above) Editor (Name and Complete Mailing Address) Frank J. Redd (Same as above) Managing Editor (Name and Complete Mailing Address) William F. O'Connor (Same as above)		
7. Owners (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)		
Full Name American Institute of Aeronautics and Astronautics, Inc.	Complete Mailing Address Same as above	
8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state)		
Full Name None	Complete Mailing Address	
9. For Completion by Nonprofit Organizations Authorized to Mail at Special Rates (DMM Section 432.72 only) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one) (1) <input checked="" type="checkbox"/> Not Changed During Preceding 12 Months (2) <input type="checkbox"/> Yes Changed During Preceding 12 Months (If changed, publisher must submit explanation of change with this statement.)		
10. Extent and Nature of Circulation (See instructions on reverse side)	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total No. Copies (Net Press Run)	3617	3800
B. Paid and/or Requested Circulation 1. Sales through dealers and carriers, street vendors and counter sales	---	---
2. Mail Subscription (Paid and/or requested)	3198	3356
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)	3198	3356
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies	153	153
E. Total Distribution (Sum of C and D)	3351	3509
F. Copies Not Distributed 1. Office use, left over, unaccounted, spoiled after printing	266	291
2. Return from News Agents	---	---
G. TOTAL (Sum of E, F1 and F2—should equal net press run shown in 10A)	3617	3800
11. I certify that the statements made by _____ Signature and Title of Editor, Publisher, Business Manager, or Owner Controller		