

Chronological Index

- A92-121 Proposed Radiometric Measurement of the Wake of a Blunt Aerobrake.** A. W. Strawa and C. Park, *NASA Ames Research Center*; and W. C. Davy, B. S. Babikian and D. K. Prabhu, *Eloret Institute* (29, 6, p. 765) Article based on AIAA Paper 91-1408
Errata (30, 3, p. 384)
- A93-001 Analysis of Inviscid and Viscous Hypersonic Flows past a Two-Stage Spacecraft.** Wolfgang Schröder and Gerhard Hartmann, *Deutsche Aerospace AG, Germany* (30, 1, p. 8) Article
- A93-002 Stagnation Flowfield Analysis for an Aeroassisted Vehicle.** Roop N. Gupta, *NASA Langley Research Center* (30, 1, p. 14) Article
- A93-003 New Approximate Method for Calculating Real Gas Effects on Missile Configurations.** Frank G. Moore, M. J. Armistead, and S. H. Rowles, *Naval Surface Warfare Center Dahlgren Division*; and F. R. DeJarnette, *North Carolina State University* (30, 1, p. 22) Article
- A93-004 Navier-Stokes Solutions with Surface Catalysis for Martian Atmospheric Entry.** Y.-K. Chen, *Eloret Institute*; W. D. Henline and D. A. Stewart, *NASA Ames Research Center*; and G. V. Candler, *North Carolina State University* (30, 1, p. 32) Article
- A93-005 Adaptive, Unstructured, Finite Element, Multimaterial, Thermal Analysis.** I-Shih Chang, *The Aerospace Corporation* (30, 1, p. 43) Article based on AIAA Paper 92-2940
- A93-006 Parametric Analysis of Radiative Structure in Aerobrake Shock Layers.** Robert B. Greendyke, *ViGYAN, Inc.* (30, 1, p. 51) Article based on AIAA Paper 92-2970
- A93-007 Vibrational Relaxation of Anharmonic Oscillators in Expanding Flows.** Stephen M. Ruffin and Chul Park, *NASA Ames Research Center* (30, 1, p. 59) Article
- A93-008 Effect of Nose Shape on Three-Dimensional Streamlines and Heating Rates.** Basil Hassan and Fred R. DeJarnette, *North Carolina State University*; and E. Vincent Zoby, *NASA Langley Research Center* (30, 1, p. 69) Article based on AIAA Paper 91-5032
- A93-009 Diamond Technology for Infrared Seeker Windows.** K. V. Ravi, *Lockheed Missiles and Space Company, Inc.* (30, 1, p. 79) Article based on AIAA Paper 92-2801
- A93-010 Solar Furnace Satellite for Large Diameter Crystal Growth in Space.** Tony Overfelt, Mark Wells, and John Blake, *Vanderbilt University* (30, 1, p. 87) Article
- A93-011 Low-Gravity Propellant Gauging System for Accurate Predictions of Spacecraft End-of-Life.** M. V. Chobotov and G. P. Purohit, *Hughes Space and Communications Company* (30, 1, p. 92) Article
- A93-012 Analysis and Sizing of Mars Aerobrake Structure.** I. S. Raju, *Analytical Services & Materials, Inc.*; and W. J. Craft, *North Carolina A&T State University* (30, 1, p. 102) Article
- A93-013 Adaptive Truss Manipulator Space Crane Concept.** Gun-Shing Chen and Ben K. Wada, *Jet Propulsion Laboratory, California Institute of Technology* (30, 1, p. 111) Article
- A93-014 Low Earth Orbit Simulation and Materials Characterization.** R. A. Synowicki, Jeffrey S. Hale, and John A. Woollam, *University of Nebraska at Lincoln* (30, 1, p. 116) Article
Errata (30, 6, p. 788)
- A93-015 Historical Growth of Quantities Affecting On-Orbit Collision Hazard.** Darren S. McKnight, *Kaman Sciences Corporation*; and Phillip D. Anz-Meador, *Lockheed Engineering and Sciences Company* (30, 1, p. 120) Article
- A93-016 Transfer Matrix Vibration Analysis of Cable-Supported Hoop Platforms: Additional Results.** Hee-Dae Kim and Robert G. Loewy, *Rensselaer Polytechnic Institute* (30, 1, p. 125) Technical Note
- A93-017 How Shall We Go To Mars? A Review of Mission Scenarios.** Gerald Walberg, *North Carolina State University* (30, 2, p. 129) Survey Paper based on AIAA Paper 92-0841
- A93-018 Heatshield Erosion in a Dusty Martian Atmosphere.** Periklis Papadopoulos, *Stanford University*; Michael E. Tauber, *NASA Ames Research Center*; and I-Dee Chang, *Stanford University* (30, 2, p. 140) Article based on AIAA Paper 92-0855
- A93-019 Numerical Study of the Flow Establishment Time in Hypersonic Shock Tunnels.** J. Y. Lee and M. J. Lewis, *University of Maryland* (30, 2, p. 152) Article based on AIAA Paper 91-1706
- A93-020 Flat Surface Heat-Transfer Correlations for Martian Entry.** M. E. Tauber, *NASA Ames Research Center*; L. Yang, *Sterling Software*; and J. Paterson *NASA Ames Research Center* (30, 2, p. 164) Article
- A93-021 Görtler Instability and Hypersonic Quiet Nozzle Design.** Fang-Jenq Chen and Stephen P. Wilkinson, *NASA Langley Research Center*; and Ivan E. Beckwith, *George Washington University* (30, 2, p. 170) Article based on AIAA Paper 91-1648
- A93-022 Electrodynamic Interactions Between a Space Station and the Ionospheric Plasma Environment.** J. Wang, D. E. Hastings, and M. Martinez-Sanchez, *Massachusetts Institute of Technology* (30, 2, p. 176) Article based on AIAA Paper 91-0114
- A93-023 Computer Particle Simulation of High-Voltage Solar Array Arcing Onset.** Mengu Cho and Daniel E. Hastings, *Massachusetts Institute of Technology* (30, 2, p. 189) Article
- A93-024 Influence of Gravity on the Directional Solidification of Indium Antimonide.** R. Derebail, W. R. Wilcox, and L. L. Regel, *Clarkson University* (30, 2, p. 202) Article based on AIAA Paper 92-0841
- A93-025 Spacecraft Thermal Blanket Cleaning: Vacuum Baking or Gaseous Flow Purging.** John J. Scialdone, *Nasa Goddard Space Flight Center* (30, 2, p. 208) Article based on AIAA Paper 92-0201
- A93-026 Particle Sightings by the Infrared Telescope on Spacelab 2.** J. P. Simpson, F. C. Witteborn, and A. Graps, *NASA Ames Research Center*; G. G. Fazio, *Smithsonian Astrophysical Observatory*; and D. G. Koch, *NASA Ames Research Center* (30, 2, p. 216) Article

A93-027 Interception of Comets and Asteroids on Collision Course with Earth. Johnndale C. Solem, *Los Alamos National Laboratory* (30, 2, p. 222) Article

A93-028 Land Mobile Satellite Communication System Using the Geostationary Platform. M. Kohmura, Y. Otsu, K. Miyasaka, and H. Uda, *Space Communications Research Corporation, Japan* (30, 2, p. 229) Article

A93-029 Pressurant Effects on Cryogenic Liquid Acquisition Devices. J. S. Meserole and O. S. Jones, *Boeing Defense and Space Systems Group* (30, 2, p. 236) Article based on AIAA Paper 89-2844

A93-030 Aerostructural Safety Factor Criteria Using Deterministic Reliability. Vincent Verderaine, *NASA Marshall Space Flight Center* (30, 2, p. 244) Article based on AIAA Paper 92-1583

A93-031 Development of an Automated Film-Reading System for Ballistic Ranges. Leslie A. Yates, *Eloret Institute* (30, 2, p. 248) Article based on AIAA Paper 92-4000

A93-032 Effects of Payload Heat Flux on Space Radiator Area. Brian G. Hager and Won Soon Chang, *Wright Laboratory, Wright-Patterson AFB*; and Alexander R. Feild, *Lockheed Missiles & Space Company, Inc.* (30, 2, p. 255) Technical Note

A93-033 Development and Flight History of the SERT II Spacecraft. William R. Kerslake and Louis R. Ignaczak, *NASA Lewis Research Center* (30, 3, p. 258) Survey Paper based on AIAA Paper 92-3516

A93-034 Mach 10 Bow-Shock Behavior of a Forward-Facing Nose Cavity. Lawrence D. Huebner, *NASA Langley Research Center*; and Lajpat R. Utreja, *Dynacs Engineering Company, Inc.* (30, 3, p. 291) Article

A93-035 Aerodynamic Effects of Body Roughness. Asher Sigal, *Technion—Israel Institute of Technology* (30, 3, p. 298) Article based on AIAA Paper 90-2850 CP906

A93-036 Aerodynamic Computations for a Transonic Projectile at Angle of Attack by Total Variation Diminishing Schemes. Herng Lin and Ching-Chang Chieng, *National Tsing Hua University, Taiwan, ROC* (30, 3, p. 304) Article

A93-037 Extension of Unsteady Embedded Newtonian Theory. L. E. Ericsson and H. H. C. King, *Lockheed Missiles & Space Company, Inc.* (30, 3, p. 316) Article

A93-038 Experimental Studies on Spacecraft Arcing. M. R. Carruth Jr., J. A. Vaughn, and R. T. Bechtel, *NASA Marshall Space Flight Center*; and P. A. Gray, *Sverdrup Technologies* (30, 3, p. 323) Article based on AIAA Paper 92-0820

A93-039 Turbulence Indicators for Space Shuttle Launches. Michael Susko, *NASA Marshall Space Flight Center* (30, 3, p. 328) Article based on AIAA Paper 92-0718

A93-040 Cycler Orbit Between Earth and Mars. Dennis V. Byrnes, *Jet Propulsion Laboratory, California Institute of Technology*; James M. Longuski, *Purdue University*; and Buzz Aldrin, *Starcraft Enterprises* (30, 3, p. 334) Article

A93-041 Experimental Technique to Investigate the Interstellar Gas: Preliminary Analysis. D. L. Lind, J. Geiss, F. Bühler, and O. Eugster, *Utah State University* (30, 3, p. 337) Article

A93-042 Vehicles Knowledge-Based Design Environment. April Gillam, *The Aerospace Corporation* (30, 3, p. 342) Article

A93-043 High Temporal Resolution Velocity Estimates from a Wind Profiler. Timothy L. Wilfong, *Universities Space Research Association*; Steve A. Smith, *NASA Marshall Space Flight Center*; and Robert L. Creasey, *Universities Space Research Association* (30, 3, p. 348) Article based on AIAA Paper 92-0719

A93-044 Monolithic V-Band High-Electron Mobility Transistor Downconverter Component Development for Satellite Communication Links. H. Wang, Y. Hwang, L. Shaw, B. Nelson, S. Chen, and W. Jones, *TRW Space & Electronics Group* (30, 3, p. 355) Article based on AIAA Paper 92-1906

A93-045 Advanced Pogo Stability Analysis for Liquid Rockets. Bohdan W. Oppenheim and Sheldon Rubin, *The Aerospace Corporation* (30, 3, p. 360) Article

A93-046 Complete Method of Ratios. Salvatore Alfano, *Phillips Laboratory, Kirtland AFB*; and David Negron Jr., *Cheyenne Mountain AFB* (30, 3, p. 374) Article

A93-047 Measurements in the Wake of Blunt Aerobrake Models at 1.8 and 4.9 km/s. A. W. Strawa, *NASA Ames Research Center*; W. C. Davy and R. Kruse, *Eloret Institute* (30, 3, p. 380) Technical Note

A93-048 Startup Hydraulic Transients in Liquid-Propellant-Delivery Systems. F. E. Fendell, *TRW Space & Electronics Group* (30, 3, p. 382) Technical Note

A93-049 Solution Strategy for Three-Dimensional Configurations at Hypersonic Speeds. K. James Weilmuenster and Peter A. Gnoffo, *NASA Langley Research Center* (30, 4, p. 385) Article based on AIAA Paper 92-2921

A93-050 Low-To-High Altitude Predictions of Three-Dimensional Ablative Re-Entry Flowfields. Bilal A. Bhutta and Clark H. Lewis, *VRA, Inc.* (30, 4, p. 395) Article

A93-051 Enhancements to Viscous-Shock-Layer Technique. Roop N. Gupta, *NASA Langley Research Center*; Kam-Pui Lee, *ViGYAN, Inc.*; and Ernest V. Zoby, *NASA Langley Research Center* (30, 4, p. 404) Article based on AIAA Paper 92-2897

A93-052 Determining Mars Parking Orbits that Ensure Tangential Periapsis Burns at Arrival and Departure. Prasun N. Desai, *NASA Langley Research Center*; and James J. Buglia, *Flight Mechanics and Control Incorporated* (30, 4, p. 414) Article based on AIAA Paper 92-4582 CP9210

A93-053 Influence of Interplanetary Trajectory Selection on Earth Atmospheric Entry Velocity of Mars Missions. Scott A. Striepe, Robert D. Braun, and Richard W. Powell, *NASA Langley Research Center*; and Wallace T. Fowler, *University of Texas at Austin* (30, 4, p. 420) Article

A93-054 Influence of Interplanetary Trajectory Selection on Mars Atmospheric Entry Velocity. Scott A. Striepe, Robert D. Braun, and Richard W. Powell, *NASA Langley Research Center*; and Wallace T. Fowler, *University of Texas at Austin* (30, 4, p. 426) Article

A93-055 Mars Environmental Survey Probe Aerobrake Preliminary Design Study. M. Tauber, W. Henline, and M. Chargin, *NASA Ames Research Center*; P. Papadopoulos, *Stanford University*; Y. Chen, *Eloret Institute*; L. Yang, *Sterling Software*; and K. Hamm, *NASA Ames Research Center* (30, 4, p. 431) Article based on AIAA Paper 92-2952

A93-056 Thermally Induced Bending Vibrations of a Flexible Rolled-Up Solar Array. Earl A. Thornton and Yool A. Kim, *University of Virginia* (30, 4, p. 438) Article

A93-057 Shuttle Entry Aerothermodynamic Flight Research: The Orbiter Experiments Program. David A. Throckmorton, *NASA Langley Research Center* (30, 4, p. 449) Article based on AIAA Paper 92-3987

A93-058 Window Cooling Technology Program. R. A. Hodge and P. Raghuraman, *Aerojet Propulsion Division*; and A. L. Murray, *Aerotherm Corporation* (30, 4, p. 466) Article based on AIAA Paper 92-2803

A93-059 Infrared Thermographic Techniques for Arc-Jet Testing. Susan M. White, *NASA Ames Research Center*; and Douglas Burleigh, *General Dynamics* (30, 4, p. 477) Article based on AIAA Paper 91-0696

A93-060 Effect of Parking Orbit Period on Aerocapture for Manned Mars Mission. James Evans Lyne, *University of Tennessee* (30, 4, p. 484) Article based on AIAA Paper 93-103

A93-061 Solar Array Module Plasma Interactions Experiment (SAMPIE): Science and Technology Objectives. G. Barry Hillard and Dale C. Ferguson, *NASA Lewis Research Center* (30, 4, p. 488) Article

A93-062 Surface Analyses of Composites Exposed to the Space Environment on the Long Duration Exposure Facility Satellite. Joseph J. Mallon, Joseph C. Uht, and Carol S. Hemminger, *The Aerospace Corporation* (30, 4, p. 495) Article

A93-063 Mechanical Design and Simulation of a Microgravity Isolation Mount for Columbus. R. G. Owen, D. I. Jones, and A. R. Owens, *University of Wales, England, UK*; and A. A. Robinson, *European Space Research and Technology Centre, The Netherlands* (30, 4, p. 502) Article based on AIAA Paper 90-3628

A93-064 High Velocity Atomic Oxygen/Surface Accommodation Studies. R. H. Krech, M. J. Gauthier, and G. E. Caledonia, *Physical Sciences Inc.* (30, 4, p. 509) Article based on AIAA Paper 91-1339

A93-065 Interactive Displays for Trajectory Planning and Proximity Operations. Adam R. Brody and Stephen R. Ellis, *NASA Ames Research Center*; A. Grunwald, *Technion, Israel*; and Richard F. Haines, *NASA Ames Research Center* (30, 4, p. 514) Article

A93-066 Significance of Logistics in Spacecraft Docking (Berthing) Maneuvers. Adam R. Brody, *Sterling Software* (30, 4, p. 519) Technical Note based on AIAA Paper 91-4094

A93-067 21st Century Space Transportation System Design Approach: HL-20 Personnel Launch System. Howard W. Stone and William M. Piland, *NASA Langley Research Center* (30, 5, p. 521) Article

A93-068 Aerodynamic Characteristics of the HL-20. George M. Ware and Christopher I. Cruz, *NASA Langley Research Center* (30, 5, p. 529) Article based on AIAA Paper 91-3215 CP918

A93-069 Six-Degree-of-Freedom Guidance and Control-Entry Analysis of the HL-20. Richard W. Powell, *NASA Langley Research Center* (30, 5, p. 537) Article

A93-070 Effect of Lift-to-Drag Ratio in Pilot Rating of the HL-20 Landing Task. E. Bruce Jackson and Robert A. Rivers, *NASA Langley Research Center*; and Melvin L. Bailey, *Lockheed Engineering & Sciences Company* (30, 5, p. 543) Article

A93-071 Aerodynamic Heating Environment Definition/Thermal Protection System Selection for the HL-20. K. E. Wurster and H. W. Stone, *NASA Langley Research Center* (30, 5, p. 549) Article

A93-072 HL-20 Computational Fluid Dynamics Analysis. K. James Weilmuenster and Francis A. Greene, *NASA Langley Research Center* (30, 5, p. 558) Article

A93-073 Preliminary Structural Evaluation and Design of the HL-20. Lance B. Bush, *NASA Langley Research Center*; James C. Robinson, *Old Dominion University Research Foundation*; and Deborah M. Wahls, *NASA Langley Research Center* (30, 5, p. 567) Article

A93-074 HL-20 Concept: Design Rationale and Approach. Carl F. Ehrlich Jr., *Rockwell International* (30, 5, p. 573) Article

A93-075 Design for Effective Development and Prototyping of the HL-20. David M. Urie and Paul A. Floreck, *Lockheed Advanced Development Company*; and John A. McMorris and John D. Elvin, *Lockheed Missiles and Space Company* (30, 5, p. 582) Article

A93-076 HL-20 Subsystem Design. H. W. Stone, *NASA Langley Research Center*; and I. O. MacConochie, *Lockheed Engineering and Sciences Company* (30, 5, p. 590) Article

A93-077 HL-20 Operations and Support Requirements for the Personnel Launch System Mission. W. Douglas Morris and Nancy H. White, *NASA Langley Research Center*; and Ronald G. Caldwell, *Rockwell International Corporation* (30, 5, p. 597) Article

A93-078 Human Factors Evaluation of the HL-20 Full-Scale Model. Kelli F. Willshire, Lisa C. Simonsen, and William L. Willshire, *NASA Langley Research Center* (30, 5, p. 606) Article

A93-079 Titan III Feasibility for HL-20 Prototype Missions. Scott W. Benson, *NASA Lewis Research Center*; Brian A. Beaver, *Analex Corporation*; Amy L. Edelman, *NASA Lewis Research Center*; and Elizabeth H. Sholes, *Martin Marietta Astronautics Group* (30, 5, p. 615) Article

A93-080 Evaluation of the National Launch System as a Booster for the HL-20. James B. Duffy, *Rockwell International*; Jack W. Lehner and Bill Pannell, *NASA Marshall Space Flight Center* (30, 5, p. 622) Article

A93-081 Ascent Abort Capability for the HL-20. J. C. Naftel and T. A. Talay, *NASA Langley Research Center* (30, 5, p. 628) Article

A93-082 Experimental Study of Tail-Span Effects on a Canard-Controlled Missile. A. B. Blair Jr., James L. Dillon, and Carolyn B. Watson, *NASA Langley Research Center* (30, 5, p. 635) Article

A93-083 Winged Booster Performance with Combined Rocket and Airbreathing Propulsion. Roger A. Lepsch Jr. and J. Christopher Naftel, *NASA Langley Research Center* (30, 6, p. 641) Article based on AIAA Paper 92-3500

A93-084 Thermo-Chemical Nonequilibrium Effects on the Aerothermodynamics of Aerobraking Vehicles. Basil Hassan, Graham V. Candler, and David R. Olynick, *North Carolina State University* (30, 6, p. 647) Article

A93-085 Aerobrake Design Studies for Manned Mars Missions. M. Tauber, M. Chargin, and W. Henline, *NASA Ames Research Center*; A. Chiu and L. Yang, *Sterling Software*; and K. R. Hamm Jr. and H. Miura, *NASA Ames Research Center* (30, 6, p. 656) Article based on AIAA Paper 91-1344

A93-086 Calculations and Comparisons of the Flowfield About an Ogive Cylinder at $M = 3.5$. T. Hsieh, F. J. Priolo, and A. B. Wardlaw, *Naval Surface Warfare Center* (30, 6, p. 665) Article based on AIAA Paper 90-2853

A93-087 Supersonic/Hypersonic Flowfield Predictions over Typical Finned Missile Configurations. Bilal A. Bhutta and Clark H. Lewis, *VRA, Inc.* (30, 6, p. 674) Article

A93-088 Comparison of Missile Flight-Test Drag with Aerodynamic Predictions. Donald W. Eastman, *The Boeing Company* (30, 6, p. 682) Article based on AIAA Paper 92-0076

A93-089 Unsteady Flow Separation on Slender Bodies at High Angles of Attack. L. E. Ericsson, *Lockheed Missiles and Space Company, Inc.* (30, 6, p. 689) Article

A93-090 New Semiempirical Method for Computing Nonlinear Missile Aerodynamics. F. G. Moore, L. Devan, and T. Hymer, *Naval Surface Warfare Center Dahlgren Division* (30, 6, p. 696) Article based on AIAA Paper 92-0034

A93-091 Fin-Planform Effects on Lift and Center of Pressure for Supersonic Missiles. H. F. Nelson and M. V. Talpallikar, *University of Missouri-Rolla* (30, 6, p. 707) Article

A93-092 Magellan Special Radar Flight Experiments. Mark J. Rokey, *Jet Propulsion Laboratory, California Institute of Technology* (30, 6, p. 715) Article

A93-093 Visible Spectra of Thruster Plumes from the Space Shuttle Primary Reaction Control System. Rodney A. Viereck, *Phillips Laboratory, Hanscom AFB*; Lawrence S. Bernstein, *Spectral Sciences Incorporated*; Stephen B. Mende, *Lockheed Palo Alto Research Laboratory*; Edmond Murad, *Phillips Laboratory, Hanscom AFB*; Gary R. Swenson, *Lockheed Palo Alto Research Laboratory*; and Charles P. Pike, *Phillips Laboratory, Hanscom AFB* (30, 6, p. 724) Article

A93-094 Nonequilibrium Infrared Emission Model for the Wake Flow of Re-Entry Vehicles. Robert L. Sundberg, James W. Duff, and Lawrence S. Bernstein, *Spectral Sciences Inc.* (30, 6, p. 731) Article based on AIAA Paper 92-2916

A93-095 Large-Field Laser Holographic Focusing Schlieren System. Glen P. Doggett and Ndaona Chokani, *North Carolina State University* (30, 6, p. 742) Article based on AIAA Paper 92-3936

A93-096 Mass Savings Domain of Plasma Propulsion for LEO to GEO Transfer. Edgar Y. Choueiri, Arnold J. Kelly, and Robert G. Jahn, *Princeton University* (30, 6, p. 749) Article

A93-097 Analysis of HAVE SLED II Flight Test Water Outgassing. James W. Duff, Steven C. Richtsmeier, and Lawrence S. Bernstein, *Spectral Sciences, Inc.*; and Hsiao Hua K. Burke and Maryanne Pietrzyk, *MIT Lincoln Laboratory* (30, 6, p. 755) Article

A93-098 Rapid Generation of Site/Satellite Timetables. Salvatore Alfano, *Phillips Laboratory* (30, 6, p. 760) Article

A93-099 Dust Contamination of the Spacecraft Environment by Exposure to Plasma. J. Goree, *University of Iowa*; and Y. T. Chiu, *Lockheed Research and Development Division* (30, 6, p. 765) Technical Note

A93-100 Plasma Current Collection of Z-93 Thermal Paint. G. Barry Hillard, *NASA Lewis Research Center* (30, 6, p. 767) Technical Note

A93-101 Interaction of Rocket Plumes with the Outer Hypersonic Flowfield During the Re-Entry Maneuver. Alexander Karl and Claus Weiland, *MBB Space Group, Germany* (30, 6, p. 769) Technical Note

A93-102 Thermoviscoplastic Response of Engine-Cowl Leading Edge Subjected to an Oscillating Shock-Shock Interaction. Ajay K. Pandey, *Lockheed Engineering and Sciences Company* (30, 6, p. 771) Technical Note

A93-103 Hypervelocity Stagnation-Point Heating Rate Discrepancies. Ernest V. Zoby and Roop N. Gupta, *NASA Langley Research Center*; and Kam-Pui Lee, *ViGYAN, Inc.* (30, 6, p. 773) Technical Note

A93-104 Leeside Shock-Layer Transition and the Space Shuttle Orbiter. David A. Throckmorton, *NASA Langley Research Center* (30, 6, p. 774) Technical Note

A93-105 Determination of a Missile Polar Mass Moment of Inertia. Hsing-Juin Lee and Yang-Chung Lee, *National Chung-Hsing University, Taiwan, ROC*; and Hsing-Wei Lee, *Chung-Cheng Institute of Technology, Taiwan, ROC* (30, 6, p. 777) Technical Note

A93-106 New Design Formulas for a Flex-Bearing Joint. Gajbir Singh and G. Venkateswara Rao, *Vikram Sarabhai Space Center, India* (30, 6, p. 779) Technical Note

A93-107 Drag Reduction of a Noncircular Missile by Base Burning. A. Ahmed, *Texas A&M University*; and G. W. Zumwalt, *Wichita State University* (30, 6, p. 781) Technical Note

A93-108 Solar Sail Trajectories at the Lunar L_2 Lagrange Point. Colin R. McInnes, *University of Glasgow, Scotland, UK* (30, 6, p. 782) Technical Note

A93-109 Dynamic Response Spectra for an Aerospace Payload and its Attachments. Gina Lee-Glauser and Goodarz Ahmadi, *Clarkson University* (30, 6, p. 784) Technical Note

A93-110 Shaped Discharge Ports for Draining Liquids. K. Ramamurthi and T. John Tharakan, *Liquid Propulsion Systems Centre, India* (30, 6, p. 786) Technical Note



**Statement of Ownership,
Management and
Circulation**
(Required by 39 U.S.C. 3685)

1A. Title of Publication Journal of Spacecraft and Rockets		1B. PUBLICATION NO. 2 8 2 9 4 0		2. Date of Filing 9/30/93
3. Frequency of Issue Bimonthly		3A. No. of Issues Published Annually 6		3B. Annual Subscription Price \$33.00
4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Code) (Not printers) 370 L'Enfant Promenade, S.W., Washington, D.C. 20024				
5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (Not printer) same as above				
6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (This item MUST NOT be blank)				
Publisher (Name and Complete Mailing Address) American Institute of Aeronautics and Astronautics, Inc. (same as above)				
Editor (Name and Complete Mailing Address) E. Vincent Zoby (same as above)				
Managing Editor (Name and Complete Mailing Address) Richard F. Babione (same as above)				
7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)				
Full Name American Institute of Aeronautics and Astronautics, Inc.		Complete Mailing Address same as above		
8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state)				
Full Name none		Complete Mailing Address		
9. For Completion by Nonprofit Organizations Authorized To Mail at Special Rates (DMM Section 424.12 only) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)				
(1) ☒ Has Not Changed During Preceding 12 Months				
(2) ☐ Has Changed During Preceding 12 Months (If changed, publisher must submit explanation of change with this statement.)				
10. Extent and Nature of Circulation (See instructions on reverse side)		Average No. Copies Each Issue During Preceding 12 Months		Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total No. Copies (Net Press Run)		2850		2900
B. Paid and/or Requested Circulation		---		---
1. Sales through dealers and carriers, street vendors and counter sales				
2. Mail Subscription (Paid and/or requested)		2395		2446
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)		2395		2446
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies		148		118
E. Total Distribution (Sum of C and D)		2543		2513
F. Copies Not Distributed		307		387
1. Office use, left over, unaccounted, spoiled after printing				
2. Return from News Agents		---		---
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)		2850		2900
11. I certify that the statements made by me above are correct and complete		Signature and Title of Editor, Publisher, Business Manager, or Owner <i>Norma J. Brennan</i> Division Director, Journals		