

Chronological Index

- A96-001 Spike-Nosed Projectiles with Vortex Rings: Steady and Nonsteady Flow Simulations.** Ameer G. Mikhail, *U.S. Army Research Laboratory* (33, 1, p. 8) Article
- A96-002 Code Validation for High-Speed Flow Simulation Over Satellite Launch Vehicle.** J. L. F. Azevedo and P. Moraes Jr., *Instituto de Aeronáutica e Espaço, Brazil*; and C. R. Maliska, C. H. Marchi, and A. F. C. Silva, *Universidade Federal de Santa Catarina, Brazil* (33, 1, p. 15) Article based on AIAA Paper 93-3046
- A96-003 Grid-Resolved Analysis of Base Flowfield for Four-Engine Clustered Nozzle Configuration.** Ten-See Wang, *NASA Marshall Space Flight Center* (33, 1, p. 22) Article
- A96-004 Base-Bleed Experiments with a Cylindrical Afterbody in Supersonic Flow.** Tarun Mathur and J. Craig Dutton, *University of Illinois at Urbana-Champaign* (33, 1, p. 30) Article
- A96-005 Grid Fin Aerodynamics for Missile Applications in Subsonic Flow.** John E. Burkhalter and Harris M. Frank, *Auburn University* (33, 1, p. 38) Article
- A96-006 Systems Design of a Satellite Link Protocol.** John Murphy, Edward Chow, and Richard Markley, *Jet Propulsion Laboratory, California Institute of Technology* (33, 1, p. 45) Article
- A96-007 Three-Dimensional Computational Analysis of Complex Launch Vehicle Configurations.** Grant Palmer and Pieter Buning, *NASA Ames Research Center*; Herb Yanowitz, *EER Systems Corporation*; and Ethiraj Venkatapathy, *Thermosciences Institute* (33, 1, p. 49) Article based on AIAA Paper 94-1863 CP946
- A96-008 Moving-Mass Roll Control System for Fixed-Trim Re-Entry Vehicle.** Thomas Petsopoulos and Frank J. Regan, *U.S. Naval Surface Warfare Center*; and Jewel Barlow, *University of Maryland* (33, 1, p. 54) Article
- A96-009 Aerothermal Study of Mars Pathfinder Aeroshell.** Roop N. Gupta, *NASA Langley Research Center*; K. P. Lee, *VI-GYAN, Inc.*; and Carl D. Scott, *NASA Johnson Space Center* (33, 1, p. 61) Article
- A96-010 Atmospheric Research with the Small Expendable Deployer System: Preliminary Analysis.** Michele Grassi, *University of Naples "Federico II," Italy*; and Mario L. Cosmo, *Smithsonian Astrophysical Observatory* (33, 1, p. 70) Article
- A96-011 Analysis of the Solwind Fragmentation Event Using Theory and Computations.** Arjun Tan, *Alabama A&M University*; Gautam D. Badhwar, *NASA Johnson Space Center*; and Firooz A. Allahdadi and David F. Medina, *U.S. Air Force Phillips Laboratory* (33, 1, p. 79) Article
- A96-012 Arcjet Development for Amateur Radio Satellite.** Ernst W. Messerschmid, *University of Stuttgart, Germany*; Dieter M. Zube, *Technical University of Dresden, Germany*; Karl Meiner, *AMSAT Deutschland e.V., Germany*; and Helmut L. Kurtz, *University of Stuttgart, Germany* (33, 1, p. 86) Article
- A96-013 Thunderstorm III 4-Megahertz Burst-Mode Data Acquisition System.** Steven D. Baker, Michael C. Kelley, and Timothy F. Wheeler, *Cornell University* (33, 1, p. 92) Article
- A96-014 System Optimization of Ablative Pulsed Plasma Thrusters for Stationkeeping.** Edgar Y. Choueiri, *Princeton University* (33, 1, p. 96) Article
- A96-015 Microgravity Isolation System Design: A Modern Control Synthesis Framework.** R. David Hampton, *McNeese State University*; Carl R. Knospe, *University of Virginia*; and Carlos M. Grodsinsky, *NASA Lewis Research Center* (33, 1, p. 101) Article
- A96-016 Microgravity Isolation System Design: A Modern Control Analysis Framework.** R. David Hampton, *McNeese State University*; Carl R. Knospe, *University of Virginia*; and Carlos M. Grodsinsky, *NASA Lewis Research Center* (33, 1, p. 110) Article
- A96-017 Microgravity Isolation System Design: A Case Study.** R. David Hampton, *McNeese State University*; Carl R. Knospe, *University of Virginia*; and Carlos M. Grodsinsky, *NASA Lewis Research Center* (33, 1, p. 120) Article
- A96-018 Versatile Fluid-Mixing Device for Cell and Tissue Microgravity Research Applications.** William W. Wilfinger, Carol S. Baker, Elaine L. Kunze, Allen T. Phillips, and Roy H. Hammerstedt, *Pennsylvania State University* (33, 1, p. 126) Article
- A96-019 Spacecraft Interaction with Atmospheric Species in Low Earth Orbit.** Edmond Murad, *U.S. Air Force Phillips Laboratory* (33, 1, p. 131) Article
- A96-020 Frequency-Domain Electromagnetic Characteristics of a 26-Kilowatt Ammonia Arcjet.** L. K. Johnson, A. Rivera, and M. Lundquist, *The Aerospace Corporation*; T. M. Sanks and A. Sutton, *U.S. Air Force Phillips Laboratory*; and D. R. Bromaghim, *SPARTA, Inc.* (33, 1, p. 137) Article
- A96-021 Local Effects of Solid Rocket Motor Exhaust on Stratospheric Ozone.** Martin Ross, *The Aerospace Corporation* (33, 1, p. 144) Article
- A96-022 Heat Capacity of Confined Helium Very Near the Lambda Point.** D. R. Swanson, J. A. Nissen, X. Qin, P. R. Williamson, and J. A. Lipa, *Stanford University*; T. C. P. Chui and U. E. Israelsson, *Jet Propulsion Laboratory, California Institute of Technology*; and F. M. Gasparini, *State University of New York at Buffalo* (33, 1, p. 154) Article
- A96-023 United States and Russian Thermal Control Coating Results in Low Earth Orbit.** A. C. Tribble, R. Lukins, and E. Watts, *Rockwell International*; and V. A. Borisov, S. A. Demidov, V. A. Denisenko, A. A. Gorodetskiy, V. K. Grishin, S. F. Nauma, V. K. Sergeev, and S. P. Sokolova, *S.P. Korolev Space Corporation Energia, Russia* (33, 1, p. 160) Article
- A96-024 Trapped-Electron Fluxes Measured by International Ultraviolet Explorer and AE-8 Model Predictions.** Richard Arquilla, *Computer Sciences Corporation* (33, 1, p. 167) Engineering Note
- A96-025 Influence of Sonic-Line Location on Mars Pathfinder Probe Aerothermodynamics.** Peter A. Gnoffo, K. James Weilmuenster, Robert D. Braun, and Christopher I. Cruz, *NASA Langley Research Center* (33, 2, p. 169) Article
- A96-026 Flap Efficiency and Heating of a Winged Re-Entry Vehicle.** J. M. A. Longo and R. Radespiel, *DLR, German Aerospace Research Establishment* (33, 2, p. 178) Article
- A96-027 Cone-Derived Waverider Flowfield Simulation Including Turbulence and Off-Design Conditions.** Yijian Shi, Bor-Jang Tsai, and John B. Miles, *University of Missouri-Columbia*; and Kakkattukuzhy M. Isaac, *University of Missouri-Rolla* (33, 2, p. 185) Article
- A96-028 Midcourse Guidance for a Short-Range Attack Missile Using Error Compensation.** Dinesh V. Muzumdar and David G. Hull, *University of Texas at Austin* (33, 2, p. 191) Article

A96-029 Investigation of Space Launch Vehicle Catastrophic Failures. I-Shih Chang, *The Aerospace Corporation* (33, 2, p. 198) Article

A96-030 Phugoid Motion for Grazing-Entry Trajectories at Near-Circular Speeds. Nguyen X. Vinh, Vincent T. Coppola, and L. de-Olivé Ferreira, *University of Michigan* (33, 2, p. 206) Article

A96-031 Decomposition Algorithm for Performance Optimization of a Launch Vehicle. M. Rahn and U. M. Schöttle, *Stuttgart University, Germany* (33, 2, p. 214) Article

A96-032 In-Orbit Deployment Performance of Large Satellite Antennas. Akira Meguro, *Nippon Telegraph and Telephone Corporation, Japan* (33, 2, p. 222) Article

A96-033 Parametric and Classical Resonance in Passive Satellite Aerostabilization. Renjith R. Kumar, Daniel D. Mazanek, and Michael L. Heck, *Analytical Mechanics Associates, Inc.* (33, 2, p. 228) Article

A96-034 Electric-Propulsion Spacecraft Optimization for Lunar Missions. Craig A. Kluever and Kun-Rong Chang, *University of Missouri-Columbia/Kansas City* (33, 2, p. 235) Article

A96-035 Vehicle Glow Measurements on Space Transportation System Flight 62. G. R. Swenson and R. L. Rairden, *Lockheed Martin Corporation*; D. E. Jennings, *NASA Goddard Space Flight Center*; and M. Ahmadjian, *U.S. Air Force Phillips Laboratory* (33, 2, p. 240) Article

A96-036 Experimental Validation of Particle Model Drift Theories. M. Lauriente, *NASA Goddard Space Flight Center*; A. L. Vampola and P. Inamti, *University Research Foundation*; and D. Bilitza, *Hughes STX* (33, 2, p. 250) Article

A96-037 Low-Frequency Waves in the Plasma Environment Around the Shuttle. Boris V. Vayner and Dale C. Ferguson, *NASA Lewis Research Center* (33, 2, p. 255) Article

A96-038 Space-Debris Identification Using Optical Calibration of Common Spacecraft Materials. Robert D. Culp and Ian J. Gravseth, *University of Colorado* (33, 2, p. 262) Article

A96-039 Gravitational Effects on Closed-Cellular-Foam Microstructure. David A. Noever and Raymond J. Cronise, *NASA Marshall Space Flight Center*; and Francis C. Wessling, Samuel P. McMannus, John Mathews, and Darayas Patel, *University of Alabama in Huntsville* (33, 2, p. 267) Article

A96-040 Ground Modal Tests of Space-Structure Components Using Boundary Masses. Mordechai Karpel and Daniella Raveh, *Technion-Israel Institute of Technology*; and Sergio Ricci, *Polytecnico di Milano, Italy* (33, 2, p. 272) Article

A96-041 Microencapsulated Phase-Change Material Suspensions for Heat Transfer in Spacecraft Thermal Systems. J. C. Mulligan, *North Carolina State University*; and D. P. Colvin and Y. G. Bryant, *Triangle Research and Development Corporation* (33, 2, p. 278) Article based on AIAA Paper 94-2004

A96-042 Vibration of Geometrically Imperfect Panels Subjected to Thermal and Mechanical Loads. L. Librescu and W. Lin, *Virginia Polytechnic Institute and State University*; and M. P. Nemeth and J. H. Starnes Jr., *NASA Langley Research Center* (33, 2, p. 285) Article

A96-043 Damping Augmentation for Three-Cable Suspension System for Structural Testing. Li-Farn Yang, *National Chung Cheng University, Taiwan, ROC* (33, 2, p. 292) Article

A96-044 Effects on Operations of Highly Adaptive Missions. Mark J. Rokey and Stephen D. Wall, *Jet Propulsion Laboratory, California Institute of Technology* (33, 2, p. 298) Article

A96-045 Model for Predicting Hypersonic Laminar Near-Wake Flowfields. Kenneth K. Muramoto, *Lockheed Missiles and Space Company, Inc.* (33, 2, p. 305) Engineering Note

A96-046 Transonic Drag Effect on Vibration Characteristics of Single-Stage Space Vehicles. Ashok Joshi, *Indian Institute of Technology* (33, 2, p. 308) Engineering Note

A96-047 Russian RD-704 for Single-Stage Vehicles. James A. Martin, Thongsay Vongpaseuth, and G. Venkatasubramanyam, *University of Alabama* (33, 2, p. 309) Engineering Note based on AIAA Paper 95-2952

A96-048 Draining of Liquid from Tanks of Square or Rectangular Cross Sections. B. H. Lakshmana Gowda, *Indian Institute of Technology* (33, 2, p. 311) Engineering Note

A96-049 Numerical Investigation of Laminar-Turbulent Transition on Re-Entry Capsules. E. Laurien, *Technical University of Braunschweig, Germany* (33, 3, p. 313) Article based on AIAA Paper 95-0775

A96-050 Computational Fluid Dynamics Validation Using Multiple Interferometric Views of a Hypersonic Flowfield. R. R. Boyce, J. W. Morton, and A. F. P. Houwing, *Australian National University*; C. Mundt, *Deutsche Aerospace, Germany*; and D. J. Bone, *Commonwealth Scientific and Industrial Research Organization, Australia* (33, 3, p. 319) Article

A96-051 Hypersonic Nozzle-Afterbody Experiment: Flow Visualization and Boundary-Layer Measurements. Earl R. Keener, *Eloret Institute*; and Frank W. Spaid, *McDonnell Douglas Corporation* (33, 3, p. 326) Article

A96-052 Hypersonic Nozzle-Afterbody Experiment: Flowfield Surveys. Frank W. Spaid, *McDonnell Douglas Corporation*; and Earl R. Keener, *Eloret Institute* (33, 3, p. 333) Article

A96-053 Experimental Verification of Interference-Free Testing Concept for Vehicles with Propulsive Jets. J. Olsson and J. Agrell, *Aeronautical Research Institute of Sweden*; and R. A. White and H. H. Korst, *University of Illinois at Urbana-Champaign* (33, 3, p. 339) Article based on AIAA Paper 94-2570

A96-054 Experimental Investigation of Side-Jet Steering for Supersonic and Hypersonic Missiles. Julius Brandeis and Jacob Gill, *RAFAEL, Ministry of Defense, Israel* (33, 3, p. 346) Article based on AIAA Paper 95-0316

A96-055 Experimental and Numerical Study of Hypersonic Forward-Facing Cavity Flow. W. A. Engblom, B. Yüceil, D. B. Goldstein, and D. S. Dolling, *University of Texas at Austin* (33, 3, p. 353) Article

A96-056 Response of a Tactical Missile to Convected Aerodynamic Excitation. Mark S. Ewing, *University of Kansas* (33, 3, p. 360) Article

A96-057 Aeroprediction Code for Angles of Attack Above 30 Degrees. F. G. Moore, R. M. McInville, and T. Hymer, *U.S. Naval Surface Warfare Center* (33, 3, p. 366) Article

A96-058 Supersonic Base-Flow Computation Using Higher-Order Closure Turbulence Models. C. C. Chuang, *Chung Shan Institute of Science and Technology, Taiwan, ROC*; and C. C. Chieng, *National Tsing Hua University, Taiwan, ROC* (33, 3, p. 374) Article

A96-059 Mars Sample Return: A Direct and Minimum-Risk Design. P. F. Wercinski, *NASA Ames Research Center* (33, 3, p. 381) Article

A96-060 Computational Pollutant Environment Assessment from Propulsion-System Testing. Ten-See Wang and Paul McConnaughey, *NASA Marshall Space Flight Center*; Yen-Sen Chen,

Engineering Sciences, Inc.; and Saif Warsi, *Sverdrup Technology, Inc.* (33, 3, p. 386) Article

A96-061 Optical Radiations from Interaction of Effluent Gases with the Low-Orbital Atmosphere. David L. A. Rall and Irving L. Kofsky, *PhotoMetrics, Inc.*; Charles P. Pike and David J. Knecht, *U.S. Air Force Phillips Laboratory*; and Theodore P. Zehn-pfennig, *Visidyne, Inc.* (33, 3, p. 393) Article

A96-062 Dynamic Continuum Modeling of Truss-Type Space Structures Using Spectral Elements. Usik Lee and Joonkeun Lee, *Inha University, Korea* (33, 3, p. 404) Article

A96-063 Multicriterion Preliminary Design of a Tetrahedral Truss Platform. K. Chauncey Wu and Mark S. Lake, *NASA Langley Research Center* (33, 3, p. 410) Article

A96-064 Two-Dimensional Deployable Hexapod Truss. Jun-jiro Onoda, *Institute of Space and Astronautical Science, Japan*; Dan-Ying Fu, *Beijing Institute of Space Machine and Electricity, PRC*; and Kenji Minesugi, *Institute of Space and Astronautical Science, Japan* (33, 3, p. 416) Article

A96-065 Combining Genetic and Deterministic Algorithms for Locating Actuators on Space Structures. Hiroshi Furuya, *Tokyo Institute of Technology, Japan*; and Raphael T. Haftka, *University of Florida* (33, 3, p. 422) Article based on AIAA Paper 95-1400 CP952

A96-066 Satellite Active and Passive Vibration Control During Liftoff. Gina J. Lee-Glauser, *NASA Langley Research Center*; and Goodarz Ahmadi and Jeffrey B. Layton, *Clarkson University* (33, 3, p. 428) Article based on AIAA Paper 95-1235 CP952

A96-067 Mass-Diameter and Characteristic-Length Ratio Functions for Orbital Debris. Ian J. Gravseth, *University of Colorado*; Timothy D. Maclay, *Kaman Sciences Corporation*; and Robert D. Culp, *University of Colorado* (33, 3, p. 433) Article

A96-068 Data Analysis and Model Comparison for Solar Array Module Plasma Interactions Experiment. Carmen Perez de la Cruz and Daniel E. Hastings, *Massachusetts Institute of Technology*; and Dale Ferguson and Barry Hillard, *NASA Lewis Research Center* (33, 3, p. 438) Article

A96-069 Compressibility and Pressure-Gradient Correction Assessment for Turbulent Hypersonic Flows. Jiasen Hu and Arthur Rizzi, *Royal Institute of Technology, Sweden* (33, 3, p. 447) Engineering Note based on AIAA Paper 95-2313

A96-070 Dual-Code Solution Strategy for Hypersonic Flows. William A. Wood and Richard A. Thompson, *NASA Langley Research Center*; and Scott Eberhardt, *University of Washington* (33, 3, p. 449) Engineering Note

A96-071 Reevaluation of Flight-Derived Surface Recombination-Rate Expressions for Oxygen and Nitrogen. R. N. Gupta, *NASA Langley Research Center* (33, 3, p. 451) Engineering Note

A96-072 Effect of Transpiration Cooling on Nozzle Heat Transfer. F. Chen, W. J. Bowman, and R. Bowersox, *U.S. Air Force Institute of Technology* (33, 3, p. 453) Engineering Note

A96-073 Recent Aerothermodynamic Flight Measurements During Shuttle Orbiter Re-Entry. John J. Bertin, *U.S. Air Force Academy*; Stanley A. Bouslog and Kuo-Chi Wang, *Lockheed Martin Engineering and Sciences*; and Charles H. Campbell, *NASA Johnson Space Center* (33, 4, p. 457) Article

A96-074 Hypersonic Aerodynamic Characteristics of a Proposed Single-Stage-to-Orbit Vehicle. K. James Weilmuenster, P. A. Gnoffo, F. A. Greene, C. J. Riley, and H. H. Hamilton II, *NASA Langley Research Center*; and S. J. Alter, *Lockheed Engineering Sciences Company* (33, 4, p. 463) Article

A96-075 Bent-Biconic Single-Stage-to-Orbit Vehicle Conceptual Study. Chul Park, Gene P. Menees, Jeffrey V. Bowles, and Scott L. Lawrence, *NASA Ames Research Center*; and Carol B. Davies, *Sterling Software* (33, 4, p. 470) Article

A96-076 Experimental and Computational Wake Structure Study for a Wide-Angle Cone. A. Danckert and H. Legge, *DLR, German Aerospace Research Establishment* (33, 4, p. 476) Article

A96-077 Numerical Study of Multidirectional-Curvature Waverider with Finlets. Sheam-Chyun Lin and Ming-Chiou Shen, *National Taiwan Institute of Technology, ROC* (33, 4, p. 483) Article

A96-078 Multipayload Modeling for the Upper Atmosphere Research Satellite. C. R. Larson, *Rockwell International*; S. E. Woodard, *NASA Langley Research Center*; and L. Tischner, E. Tong, M. Schmidt, J. Cheng, E. Fujii, and S. Ghofranian, *Rockwell International* (33, 4, p. 489) Article based on AIAA Paper 95-0622

A96-079 Heat Transfer in Two-Phase Solid-Rocket Plumes. H. F. Nelson and John C. Fields, *University of Missouri-Rolla* (33, 4, p. 494) Article based on AIAA Paper 95-2131

A96-080 Payload Environment and Gas Release Effects on Sounding Rocket Neutral Pressure Measurements. Jolene S. Pickett, David D. Morgan, and Robert L. Merlino, *University of Iowa*; Mark L. Adrian, *University of Alabama in Huntsville*; and Glenn A. Berg and W. John Raitt, *Utah State University* (33, 4, p. 501) Article

A96-081 Performance Aspects of Plug Cluster Nozzles. Michael Fick and Robert H. Schmucker, *Technical University of Munich, Germany* (33, 4, p. 507) Article based on AIAA Paper 95-2694

A96-082 Solid-Rocket-Motor Contribution to Large-Particle Orbital Debris Population. Gregory W. Ojakangas, *University of Minnesota at Duluth*; B. Jeffrey Anderson, *NASA Marshall Space Flight Center*; and Phillip D. Anz-Meador, *Viking Science and Technology, Inc.* (33, 4, p. 513) Article

A96-083 Three-Dimensional Modeling of Dual Ion-Thruster Plumes for Spacecraft Contamination. R. I. Samanta Roy and D. E. Hastings, *Massachusetts Institute of Technology* (33, 4, p. 519) Article

A96-084 Ion-Thruster Plume Modeling for Backflow Contamination. R. I. Samanta Roy and D. E. Hastings, *Massachusetts Institute of Technology*; and N. A. Gatsonis, *Worcester Polytechnic Institute* (33, 4, p. 525) Article

A96-085 Numerical Study of Spacecraft Contamination and Interactions by Ion-Thruster Effluents. R. I. Samanta Roy and D. E. Hastings, *Massachusetts Institute of Technology*; and N. A. Gatsonis, *Worcester Polytechnic Institute* (33, 4, p. 535) Article

A96-086 Large-Angle Articulated Beam Truss Design Methodology Considering Offset Joint Modeling. Gregory Thorwald and Martin M. Mikulas Jr., *University of Colorado* (33, 4, p. 543) Article

A96-087 Review of Debris-Cloud Modeling Techniques. S. P. Barrows and G. G. Swinerd, *University of Southampton, England, UK*; and R. Crowther, *Defence Research Agency, England, UK* (33, 4, p. 550) Article

A96-088 Measured Spacecraft Instrument and Structural Interactions. Ansel J. Butterfield, *Bionetics Corporation*; and Stanley E. Woodard, *NASA Langley Research Center* (33, 4, p. 556) Article

A96-089 Development and Verification of a Cryogenic Brilliant Eyes Thermal Storage Unit. D. S. Glaister, K. D. Bell, and

M. Bello, *The Aerospace Corporation*; and F. Edelstein, *Grumman Aerospace Corporation* (33, 4, p. 563) Article

A96-090 Deployment of Dishes with Surface Discontinuities. G. Greschik, *University of Colorado* (33, 4, p. 569) Article

A96-091 SLOSH Dynamics Coupled with Spacecraft Attitude Dynamics Part 1: Formulation and Theory. R. J. Hung, Y. T. Long, and Y. M. Chi, *University of Alabama in Huntsville* (33, 4, p. 575) Article

A96-092 SLOSH Dynamics Coupled with Spacecraft Attitude Dynamics Part 2: Orbital Environment Application. R. J. Hung, Y. T. Long, and Y. M. Chi, *University of Alabama in Huntsville* (33, 4, p. 582) Article

A96-093 Virtual Aerodynamical Coefficients of a Rotating Satellite. Joshua Ashenberg, *Technion—Israel Institute of Technology* (33, 4, p. 594) Engineering Note

A96-094 Analysis of Concepts for Single Stage to Orbit. Hiroki Shirasu, Jephrey L. South, and James A. Martin, *University of Alabama* (33, 4, p. 597) Engineering Note based on AIAA Paper 95-2953

A96-095 Device to Suppress Vortexing During Draining from Cylindrical Tanks. B. H. Lakshmana Gowda, P. J. Joshy, and S. Swarnamani, *Indian Institute of Technology* (33, 4, p. 598) Engineering Note

A96-096 Launch-Vehicle Simulations Using a Concurrent, Implicit Navier-Stokes Solver. Stephen Taylor and Johnson C. T. Wang, *California Institute of Technology* (33, 5, p. 601) Article

A96-097 Transition Regime Aerodynamic Heating of Missiles. P. K. Swaminathan and Jeff C. Taylor, *Johns Hopkins University, Applied Physics Laboratory*; Didier F. G. Rault, *NASA Langley Research Center*; and R. E. Erlandson and C.-I. Meng, *Johns Hopkins University, Applied Physics Laboratory* (33, 5, p. 607) Article

A96-098 Prediction of Hypersonic Shock-Wave/Turbulent Boundary-Layer Interactions. Brian R. Smith, *Lockheed Martin Tactical Aircraft Systems* (33, 5, p. 614) Article

A96-099 Comparison of Catalytic Wall Conditions for Hypersonic Flow. M. Barbato, *Centre for Advanced Studies, Research and Development in Sardinia, Italy*; D. Giordano and J. Muylaert, *European Space Agency, The Netherlands*; and C. Bruno, *Università di Roma I, Italy* (33, 5, p. 620) Article

A96-100 High-Enthalpy and Perfect-Gas Heating Measurements on a Blunt Cone. Brian R. Hollis and John N. Perkins, *North Carolina State University* (33, 5, p. 628) Article

A96-101 Orbital Re-Entry Experiment Vehicle Ground and Flight Dynamic Test Results Comparison. Takashi Yoshinaga, Atsushi Tate, and Mitsunori Watanabe, *National Aerospace Laboratory, Japan*; and Takayuki Shimoda, *National Space Development Agency, Japan* (33, 5, p. 635) Article

A96-102 Aerodynamic Analysis of Commercial Experiment Transporter Re-Entry Capsule. William A. Wood, Peter A. Gnoffo, and Didier F. G. Rault, *NASA Langley Research Center* (33, 5, p. 643) Article

A96-103 Improved Missile Control Effectiveness Payoffs. Leon H. Schindel and Lisa Lam, *U.S. Naval Surface Warfare Center* (33, 5, p. 647) Article based on AIAA Paper 95-1898 CP955

A96-104 Computational Study of Supersonic Lateral Jet Flow Interactions. N. Qin, *Cranfield University, England, UK*; and G. W. Foster, *Defence Research Agency, England, UK* (33, 5, p. 651) Article based on AIAA Paper 95-2151

A96-105 In-Flight Flexure and Spin Lock-In for Antitank Kinetic Energy Projectiles. Ameer G. Mikhail, *U.S. Army Research Laboratory* (33, 5, p. 657) Article based on AIAA Paper 95-3429 CP958

A96-106 Method for Calculating Force Coefficients of Bodies of Revolution. A. Dubinsky and T. Elperin, *Ben-Gurion University of the Negev, Israel* (33, 5, p. 665) Article

A96-107 Mars Pathfinder Atmospheric Entry: Trajectory Design and Dispersion Analysis. David A. Spencer, *Jet Propulsion Laboratory, California Institute of Technology*; and Robert D. Braun, *NASA Langley Research Center* (33, 5, p. 670) Article based on AIAA Paper 95-379

A96-108 Interaction of Solid-Rocket Exhaust with the Atmosphere. David J. Knecht, Charles P. Pike, and Edmond Murad, *U.S. Air Force Phillips Laboratory*; and David L. A. Rall, *Photometrics, Inc.* (33, 5, p. 677) Article

A96-109 Space-Station Breadboard Beta Gimbal Assembly: Thermal-Vacuum Testing and Analyses. Shek-se P. Ip, *Rockwell International* (33, 5, p. 686) Article based on AIAA Paper 95-2018

A96-110 Numerical Study of Low-Thrust Nozzles for Satellites. S. M. Liang, K. L. Huang, and K. C. Chen, *National Cheng Kung University, Taiwan, ROC* (33, 5, p. 693) Article

A96-111 Space Station Based Tethered Interferometer for Natural Disaster Monitoring. Antonio Moccia, *University of Naples "Federico II," Italy*; and Marco D'Errico and Sergio Vetrilla, *Second University of Naples, Italy* (33, 5, p. 700) Article

A96-112 Microgravity Experiment Acceleration Tolerability on Space Orbiting Laboratories. R. Monti and R. Savino, *University of Naples "Federico II," Italy* (33, 5, p. 707) Article

A96-113 Experimental Assessment of the Influence of Heat Pipes on a Nutating Satellite. Jehangir J. Pocha and Neil Bingham, *Matra Marconi Space, England, UK* (33, 5, p. 717) Article

A96-114 Visual Utility for the Localization of Corona-Accelerated Nuclei. J. Spagnuolo Jr., Cecilia Cheng, U. M. Schwuttke, and Felipe Hervias, *Jet Propulsion Laboratory, California Institute of Technology* (33, 5, p. 722) Article

A96-115 Small Solar Probe. J. C. Preble and A. C. Tribble, *Rockwell International Corporation* (33, 5, p. 729) Article

A96-116 Spacecraft Charging Anomaly on a Low-Altitude Satellite in an Aurora. P. C. Anderson and H. C. Koons, *The Aerospace Corporation* (33, 5, p. 734) Article

A96-117 Evaluation of the United Kingdom Ion Thruster. Mark W. Crofton, *The Aerospace Corporation* (33, 5, p. 739) Article

A96-118 Hypersonic Nonequilibrium Parallel Multiblock Navier-Stokes Solver. Salvatore Borrelli, Antonio Schettino, and Pasquale Schiano, *Centro Italiano Ricerche Aerospaziali* (33, 5, p. 748) Engineering Note

A96-119 Lower-Upper Symmetric Gauss-Seidel Scheme Exhibiting Asymmetric Vortices over Slender Bodies. Soo Jung Hwang and Oh Hyun Rho, *Seoul National University, Korea* (33, 5, p. 750) Engineering Note based on AIAA Paper 95-1799 CP955

A96-120 Dual Fuel Solar Thermal Stage: Ideal Analysis. Jesse F. Stewart, *University of Washington*; and James A. Martin, *University of Alabama* (33, 5, p. 752) Engineering Note

A96-121 Martian Surface Wind Speeds Described by the Weibull Distribution. Ralph D. Lorenz, *University of Arizona* (33, 5, p. 754) Engineering Note

A96-122 Navier-Stokes Calculations for Rotating Configurations: Implementation for Rockets. Sara Yaniv, *Israel Military Industries, Ltd.* (33, 5, p. 756) Engineering Note

A96-123 Liquid Crystal Thermography for Heat Transfer Measurement in Hypersonic Flows: A Review. G. T. Roberts and R. A. East, *University of Southampton, England, UK* (33, 6, p. 761) Survey Paper

A96-124 Computation of the Roll Characteristics of a Finned Projectile. Paul Weinacht and Walter B. Sturek, *U.S. Army Research Laboratory* (33, 6, p. 769) Article

A96-125 Predictions of Counterfire Impact Results Obtained at 12 Kilometers per Second. Raymond P. Young Jr. and Mark E. Smith, *Arnold Engineering and Development Center* (33, 6, p. 776) Article

A96-126 Coning Instability of Spacecraft During Periods of Thrust. R. X. Meyer, *University of California, Los Angeles* (33, 6, p. 781) Article

A96-127 Roll Torques Produced by Fixed-Nozzle Solid Rocket Motors. R. N. Knauber, *Lockheed Martin Vought Systems* (33, 6, p. 789) Article based on AIAA Paper 95-2874

A96-128 Thrust Misalignments of Fixed-Nozzle Solid Rocket Motors. R. N. Knauber, *Lockheed Martin Vought Systems* (33, 6, p. 794) Article based on AIAA Paper 95-2874

A96-129 Computational and Experimental Investigations of Ionization near Hypersonic Vehicles. V. A. Gorelov, M. K. Gladyshev, A. Y. Kireev, A. S. Korolev, and I. V. Yegorov, *Central Aerohydrodynamic Institute, Russia*; and V. N. Byzov, *Flight Research Institute, Russia* (33, 6, p. 800) Article based on AIAA Paper 95-1940

A96-130 Navier-Stokes Heating Calculations for Benchmark Thermal Protection System Sizing. David R. Olynick and W. D. Henline, *NASA Ames Research Center* (33, 6, p. 807) Article

A96-131 Formulation and Analysis of Launch Vehicle Maneuvering Loads. K. W. Dotson, *The Aerospace Corporation*; and S. B. Tiwari, *Lockheed Martin Corporation* (33, 6, p. 815) Article

A96-132 Weight Optimization for Honeycomb Radiators with Embedded Heat Pipes. David G. T. Curran and Tung T. Lam, *The Aerospace Corporation* (33, 6, p. 822) Article based on AIAA Paper 95-2136

A96-133 Nonlinear Dynamical Characteristics Analysis of Tethered Subsatellite in the Presence of Offset. Xingyu Gou, Xingrui Ma, and Chengxun Shao, *Harbin Institute of Technology, PRC* (33, 6, p. 829) Article

A96-134 Deployment and Retraction of a Cable-Driven Rigid Panel Solar Array. P. Kumar and S. Pellegrino, *University of*

Cambridge, England, UK (33, 6, p. 836) Article based on AIAA Paper 95-1367

A96-135 Space-Based Electrostatic Antenna Design with Pointing and Beam Width Control. Larry Silverberg and Robert Stanley, *North Carolina State University* (33, 6, p. 843) Article

A96-136 Analysis of Nonlinear Mechanisms in a Precision Deployable Structure Using Measured Flexibility. Jason D. Hinkle and Lee D. Peterson, *University of Colorado*; and Scott W. Doebling, *Los Alamos National Laboratory* (33, 6, p. 848) Article based on AIAA Paper 95-1472 CP952

A96-137 Reliability Analysis of Transmission Requirements in Communication Satellite Systems. Marina Ruggieri, *University of Rome "Tor Vergata," Italy*; and Corradino Corradi, *University of L'Aquila, Italy* (33, 6, p. 853) Article

A96-138 Near-Optimal Low-Thrust Orbit Transfers Generated by a Genetic Algorithm. Gerald A. Rauwolf, *Hughes Space and Communications Company*; and Victoria L. Coverstone-Carroll, *University of Illinois at Urbana-Champaign* (33, 6, p. 859) Article

A96-139 Solar Force Modeling of Block IIR Global Positioning System Satellites. Henry F. Fliegel and Thomas E. Gallini, *The Aerospace Corporation* (33, 6, p. 863) Article

A96-140 Alignment and Initial Operation of an Advanced Solar Simulator. Donald A. Jaworske, Kent S. Jefferies, and Lee S. Mason, *NASA Lewis Research Center* (33, 6, p. 867) Article

A96-141 Five-Electron-Volt Atomic Oxygen Pulsed-Beam Characterization by Quadrupolar Mass Spectrometry. Bertrand Cazaubon, Alain Paillous, and Jean Siffre, *Centre d'Etudes et de Recherches de Toulouse-ONERA, France*; and Roger Thomas, *Laboratoire de Physique et Chimie de l'Environnement, France* (33, 6, p. 870) Article

A96-142 Radiation-Induced Anomalies in Satellites. E. G. Stassinopoulos, *NASA Goddard Space Flight Center*; G. J. Brucker, *Radiation Effects Consultants*; J. N. Adolphsen, *Unisys*; and J. Barth, *NASA Goddard Space Flight Center* (33, 6, p. 877) Article

A96-143 Tradeoffs Between Science Objectives and Ground System Capability. Randii R. Wessen, *Jet Propulsion Laboratory, California Institute of Technology* (33, 6, p. 883) Article

A96-144 Stability of a Deformed Finite Length Inviscid Liquid Column. M. J. Lyell, *West Virginia University* (33, 6, p. 887) Engineering Note

A96-145 Elastic Response of Accelerating Launch Vehicles Subjected to Varying Control Pulses. Ashok Joshi, *Indian Institute of Technology* (33, 6, p. 889) Engineering Note

Books Reviewed During 1996

Thread of the Silkworm, by Iris Chang, *Basic Books* (33, 3, p. 456); reviewed by Earl A. Thornton.

No Downlink—A Dramatic Narrative About the Challenger Accident and Our Time, by Claus Jensen, *Farrar Straus Giroux* (33, 5, p. 759); reviewed by Earl A. Thornton.

The Challenger Launch Decision—Risky Technology, Culture and Deviance at NASA, by Diane Vaughn, *The University of Chi-*

cago Press (33, 5, p. 759); reviewed by Earl A. Thornton.

Can Democracies Fly in Space?—The Challenge of Revitalizing the U.S. Space Program, by W. D. Kay, *Praeger Publishers* (33, 6, p. 891); reviewed by Earl A. Thornton.

The Future of the Space Industry—Private Enterprise and Public Policy, by Roger Handburg, *Quorum Books*, (33, 6, p. 891); reviewed by Earl A. Thornton.