- by Atom Transfer Radical Polymerization," Macromolecules, 33, 5399 (2000a).
- Shen, Y., S. Zhu, and R. H. Pelton, "Atom Transfer Radical Polymerization of Methyl Methacrylate by Silica Gel Supported Copper Bromide/Multidentate Amine," *Macromolecules*, **33**, 5427
- Shen, Y., S. Zhu, and R. H. Pelton, "Packed Column Reactor for Continuous Atom Transfer Radical Polymerization: Methyl Methacrylate Polymerization Using Silica Gel Supported Catalyst," Macromol. Rapid Commun., 21, 956 (2000c).
- Shen, Y., S. Zhu, and R. H. Pelton, "Supported Atom Transfer Radical Polymerization of Methyl Methacrylate Mediated by CuBr-tetraethyldiethylenetriamine Grafted onto Silica Gel," J. Polym. Sci. Polym. Chem., 39, 1051 (2001a).
- Shen, Y., S. Zhu, and R. H. Pelton, "Effects of Supporting Spacer on the Supported Atom Transfer Radical Polymerization of Methyl Methacrylate," Macromolecules, 34, 5812 (2001b).
- Shen, Y., and S. Zhu, "Atom Transfer Radical Polymerization of Methyl Methacrylate Mediated by Copper Bromide-Tetraethyldi-

- ethylenetriamine Grafted on Soluble and Recoverable Poly(ethyl-
- ene-b-Ethylene Glycol) Supports," *Macromolecules*, **35**, 8603 (2001). Wang, J., and K. Matyjaszewski, "Controlled/Living Radical Polymerization. Halogen Atom Transfer Radical Polymerization Promoted By a Cu(I)/(Cu(II) Redox Process," Macromolecules, 28, 7901
- Zeng, F., Y. Shen, S. Zhu, and R. H. Pelton, "Synthesis and Characterization of Comb-Branched Polyelectrolytes: 1. Preparation of Cationic Macromonomer of 2-(Dimethylamino)ethyl Methacrylate by Atom Transfer Radical Polymerization," Macromolecules, 33, 1628 (2000).
- Zhu, S., "Modeling of Molecular Weight Development in Atom Transfer Radical Polymerization," Macromol. Theory Simul., 8, 29 (1999).
- Zhu, S., Y. Shen, and R. H. Pelton, "Supported Controlled Radical Polymerization and Continuous Packed Column Reactor Technology," U.S. Patent No. 2,307,438 (2000).

Manuscript received June 1, 2001, and revision received Apr. 16, 2002.

Errata

For the article titled, "Electromagnetics, Heat Transfer, and Thermokinetics in Microwave Sterilization" by H. Zhang, A. K. Datta, I. A. Taub, and C. Doona (pp. 1957-1968, September 2001), the authors require a second reproduction of Figures 7 and 16 for clarification of details.




Figure 7. Electric fields in food sample, plexiglass, and teflon vessel for the assembly in Figure 2 during heating stage 1 of 0.7% salt ham.




Figure 16. Horizontal section of cylindrical food at equal vertical intervals showing the change in heating potential from initial time to after 130 s of continuous heating.

Lighter shades of gray represent increased magnitude of heating potential.