

# INDEX

## A

- Accelerating rate calorimeter, reactive chemicals, 88–89
- Adsorption isotherms
  - Scheutjens-Fleur lattice model, 173–174
  - self-consistent field theory, 188
- Antisymmetric stress, 66
- Autoignition temperatures, reactive chemicals, 90

## B

- Bridging flocculation, 217
- Brinkman equation, 29–30
- Brittleness, low temperature, 105
- Bromotrifluoromethane, as extinguishing agent, 100
- Brownian motion
  - dilute suspensions, 26
  - momentum tracer methods, 60, 62–63
  - suspensions, 4
- Bulk conductance, suspensions, 33
- Buried tanks, chemical plant design, 81–81

## C

- Cell models, 5
  - suspensions, 21–22
- Centrosymmetric particles, suspensions, 45
- Charge neutralization, 217
- Chemical plant design, 73–74
  - adequate redundancy of instrument and control systems, 110–114
  - adequate space between process plants, tanks, and roads, 76–77
  - avoiding catastrophic failure of engineering materials, 104–110

- buffer zones, 77, 83
- buried tanks, 81–81
- clear responsibility for safety in design and operation, 75
- continuous analog measurement, 111
- critical instrument system, 113
- diking for flammable liquids, 78–79
- distance from residential areas, 83
- dry quick-disconnect couplings, 124
- emergency block valves, 118–120
- enclosed flares, 103–104
- expertise in, 74
- fail-safe valves, 113–114
- flexible or expansion joints, 127
- gaskets, 121–123
- glass and transparent devices, 126–127
- hazard identification, 74–75
- improving batch process productivity, 91–92
- incinerating hazardous waste materials, 102–104
- incorporation of emergency planning into, 76
- in situ* production and consumption of hazardous raw materials, 101–102
- inventory reduction
  - by changing mixing intensity, 92–93
  - by changing process chemistry, 90–92
- liquid storage, 78–79
- liquified gas storage, 84–85
- low inventory in distillation processes, 93–94
- minimizing inventory in heat exchangers, 94–96
- open structures, plants using flammable or combustible materials, 80–81
- piping, 120–121
- plastic and plastic lined pipe, 124–125
- pressure relief systems, 114–118

- Chemical plant design (*continued*)  
 process and storage area construction, 83  
 pumps suitable for hazardous service,  
   128–133  
   deadhead pumps, 133  
   metallurgy, 128  
   seal-less pumps, 128–129  
   types of seals, 129–132  
 reactive chemicals testing, 87–90  
 reactive hazard evaluations, 86  
 redesigning obsolete plants, 84  
 reduction of possibility of losses from dust  
   explosions, 96–100  
 review alternatives early in, 75–76  
 safe and rapid isolation of piping systems  
   or equipment, 118–120  
 shutdown, 112–113  
 single point signals, 111  
 spring-loaded check valves, 124  
 static mixer reactors, 93  
 strong vessels to withstand maximum  
   pressure of process upsets, 125–126  
 substituting less hazardous materials in  
   processes, transportation, and  
   storage, 100–101  
 total containment, 83–84  
 triangular spacing between major process  
   components, 77  
 understanding reactive chemicals and  
   systems involved, 86–90  
 using minimum storage inventory of  
   hazardous material, 78  
 valves, 123–124  
 worst case thinking, 86–87
- Chemical potential, 176  
 Clusters, suspensions, 35  
 Coarse-graining, 148  
 Coefficient  $k_1$ , 23–24  
 Collision sphere, 40  
 Colloids, *see* Polymer–colloid–solvent  
   mixtures  
 Combustible materials, open structures for  
   plants, 80–81  
 Containment, dust explosions, 97  
 Continuity equation, averaged, suspensions,  
   7, 29  
 Continuum-mechanical principle of material-  
   frame indifference, 67  
 Control systems, redundant, chemical plant  
   design, 110–114  
 Copolymers, 138–139
- Critical instrument system, 113  
 Cubic arrays, spatially periodic suspensions,  
   48–51
- ## D
- Deadheaded pumps, 133  
 Deflagration pressure containment, 125–126  
 Derjaguin approximation, 204, 213  
 Diblock copolymer, 138–139  
 DIERS, 114–115  
 Differential scanning calorimetry, reactive  
   chemicals, 88  
 Differential thermal analysis, reactive  
   chemicals, 88  
 Diisopropyl peroxydicarbonate, 102  
 Dilute suspensions, rheological models,  
   23–27  
 Distillation processes, low inventory, 93–94  
 Double-seal pumps, 129, 131  
 Drude equations, 189–190  
 Dry quick-disconnect couplings, 124  
 Dust explosions  
   combustion process, 96  
   containment, 97  
   inerting, 98–99  
   reactive chemicals, 90  
   reducing possibility of losses, 96–100  
   suppression systems, 99–100  
   venting, 97–98
- ## E
- Emergency block valves, 118–120  
 Emergency planning, incorporation into  
   chemical plant design, 76  
 Empirical models, suspensions, 19–21  
 Enclosed flares, 103–104  
 Engineering materials  
   avoiding catastrophic failure, 104–110  
   metals, 105–108  
   nonmetals, 108–109  
   plastic materials, 109–110  
   Resista-Clad, 107–108  
 Environmental Protection Agency, buried  
   tank requirements, 82  
 Evolution equation, 54–55  
 Expansion joints, 127  
 Explosion doors, 98  
 Explosion suppression systems, 99–100

Extinguishing agent, used in dust explosions, 100

## F

Fail-safe valves, 113–114  
 Falling-ball suspension viscometry, 63–64  
 Fiberglass reinforced plastics, 110  
 Fickian diffusion tensors, 26–27  
 Fire-safe ball valve, 123  
 Flammable limits, reactive chemicals, 90  
 Flammable liquids, diking for, 78–79  
 Flammable materials, open structures for plants, 80–81  
 Flares, 103–104  
 Flash point, reactive chemicals, 90  
 Flixborough disaster, 78, 84  
 Flory–Huggins equation-of-state, 180–181  
 Flory–Huggins free energy of mixing, 152  
 Flory–Huggins mean-field theories, 152–153, 164, 191–193  
 Force–torque vector, 54  
 Fractal suspensions, 64–66  
 Free energy, randomly adsorbing homopolymers, 158

## G

Gaskets, chemical plant design, 121–123  
 Glass devices, 126–127  
 Glass-lined steel, 108–109  
 Grand resistance matrix, 45, 51–52

## H

Halon 1301, as extinguishing agent, 100  
 Hazardous materials  
   *in situ* production and consumption, 101–102  
   substitution in processes, transportation, and storage, 100–101  
   using minimum storage inventory, 78  
 Hazardous waste materials, incineration, 102–104  
 Hazards, identification, 74–75  
 Heat exchangers, 94–96  
 Helmholtz free-energy, 155–156, 175–176  
   self-consistent field theory, 191  
 Higee distillation process, 94  
 High pressure systems, 125

Homopolymer, *see also* Scheutjens–Fleer lattice model; Self-consistent field theory  
 conformation in solution, 137–138  
 randomly adsorbing, 157–197  
   adsorbed amount and free energy, 165–167  
   adsorbing boundary condition, 159  
   adsorption energies and critical energy, 160  
   apparent surface volume fraction, 165  
   apparent viscosity, 220–222  
   architecture, 157  
   comparison with scattering measurements, 167–169  
   configurations, 157–158, 159  
   equilibrium and excluded volume, 161  
   Flory–Huggins theory, 164  
   free energy, 158, 163  
   fundamental scaling prediction, 165  
   individual ideal chains, 158–161  
   interaction potentials, 166  
   lattice models and matrix methods, 161–164  
   matrix of transition probabilities, 162  
   random walks, 159  
   scaling and renormalization group theories, 164–169  
   self-similarity, 164–165  
   structure factors, 167–168  
   surface tension, 165  
   tail length, 160  
 Hydrodynamic force, suspensions, 8  
 Hydrodynamic thickness, 174–175, 191–192  
 Hydrogen embrittlement, metals, 106

## I

Incineration, hazardous waste materials, 102–104  
 Inerting, dust explosions, 98–99  
*In situ* manufacturing, 101–102  
 Institute for Emergency Relief Systems, 114–115  
 Instrument systems, redundant, chemical plant design, 110–114  
 Interaction potential  
   nonadsorbing polymers, 207–208  
   polymer–colloid–solvent mixtures, 215  
   randomly adsorbing, polymers, 166  
   Scheutjens–Fleer lattice model, 176–178

Interaction potential (*continued*)  
 terminally anchored polymers, 202, 204  
 versus gap half-width, 193–196  
 Internal spin field, 66  
 Inventory reduction  
   by changing mixing intensity, 92–93  
   by changing process chemistry, 90–92  
   distillation processes, 93–94  
   heat exchangers, 94–96  
   storage, hazardous materials, 78

**L**

Lattice models, 161–164  
 Leaks, buried tanks, detection, 82  
 Leibniz packing, 64–65  
 Liouville equation, 15, 25  
 Liquid storage, design, 78–79  
 Liquified gases, storage, 84–85  
 Local gradient operator, 59  
 Low Reynolds number hydrodynamics,  
   many-body problem, 10–13

**M**

Macroscopic stress, suspensions, 17  
 Macroscopic velocity gradient, 16  
 Magnetic fluids, vortex viscosity, 66–67  
 Many-body problem  
   low Reynolds number hydrodynamics,  
     10–13  
   statistical formulation, 13–15  
 Matrix method, 161–164  
 Mechanical energy dissipation rate, dilute  
   suspensions, 23  
 Menger sponge, modified, 65–66  
 Metallurgy, pumps, 128  
 Metals, 105–108  
   hydrogen embrittlement, 106  
   low temperature brittleness, 105  
   nitrate stress corrosion, 107  
   stress-crack corrosion, 105–106  
 Method of induced forces, 12  
 Microrheology, suspensions, 20  
 Midland, MI explosion, 80–81  
 Momentum tracer methods, 57–64  
   Brownian motion, 60, 62–63  
   falling-ball suspension viscometry, 63–64  
   local gradient operator, 59  
   molecular diffusion, 60

no-slip boundary condition, 62  
 rigid-particle case, 62  
 second-order total moment, 60–61  
 steady-state unit cell equations, 61  
 Stokes equations, 59–60  
 suspension-scale kinematic viscosity,  
   58–69  
 tensor fields, 61  
 transport equation, 61  
 Momentum transport, suspensions, 34

**N**

Neuron-scattering experiments,  
   homopolymer, randomly adsorbing,  
     167–169  
 Nitrate stress corrosion, metals, 107  
 Nonmetals, 108–109

**O**

Osmotic pressure  
   scaling theory, 146–148  
   self-consistent field theory, 192

**P**

Particle stress, suspensions, 8  
 Partitioned matrix relation, 9  
 Percolation models, 34–36  
 Percolation theory, 32–34  
 Phase function, suspensions, 28–29  
 Phase separations, polymer–colloid–solvent  
   mixtures, 211–214  
 Phosgene, 100–101  
 Piping, chemical plant design, 120–121  
 Plastic lined pipe, 124–125  
 Plastic materials, 109–110  
 Plastic pipe, 125  
 Polyelectrolytes, 217  
 Polymer–colloid–solvent mixtures  
   bridging flocculation, 217  
   charge neutralization, 217  
   copolymers, 138–139  
   Derjaguin approximation, 213  
   grafted layer, 219–220  
   homopolymers, *see* Homopolymers  
   initial number density of polystyrene  
     lattices, 218  
   interaction potential, 215

- maximum attraction limit, 213
  - minimum layer thickness, 216
  - nonadsorbing polymer, *see* Polymers, nonadsorbing
  - PEO effects, 217–218
  - phase separations, 211–214
  - polymeric flocculation, 216–219
  - polymeric stabilization, 214–216
  - polymer properties, 140
  - polystyrene latices, 211–212
  - ratio of equivalent hard sphere volume fraction to effective volume fraction, 220
  - retarded dispersion potential between spheres, 215–216
  - rheology, 219–224
  - stability boundary, 213–214
  - terminally anchored, *see* Polymers, terminally anchored
  - thermodynamics, 140–156
    - dilute limit, 142
    - excluded volume parameter, 141
    - Flory mean-field theories, 152–153
    - higher-order interactions, 142
    - polymer volume fraction, 143
    - random-walk model, 141
    - renormalization-group theories, 148–151
    - scaling theory, 144–148
    - self-consistent, mean-field theories, 153–156
    - semidilute regime, 143–144
    - temperature-concentration diagram, 143–144
    - universal models, 140–141
  - Polymeric flocculation, polymer–colloid–solvent mixtures, 216–219
  - Polymeric stabilization, polymer–colloid–solvent mixtures, 214–216
  - Polymers
    - nonadsorbing, 205–211
      - configuration density function, 205
      - delineation of regimes, 209–210
      - depletion layers, 205–208, 210–211
      - interaction between spheres, 205–206
      - interaction potential, 207–208
      - minimum in potential energy, 207, 211
      - overlap of depletion layers, 205–206
      - rheological effects, 222
      - terminally anchored chains, 209–211
    - properties in solution, 142
    - terminally anchored, 197–205
      - boundary condition, 198
      - conformation, 197–198
      - density profiles, 203
      - Derjaguin approximation, 204
      - end segment probability, 199
      - experimental results, 204–205
      - free energy, 201
      - interaction potential, 202, 204
      - interactions between layers, 202–204
      - isolated layers, 197–202
      - segment density profiles, 200–201
      - solvent quality effect on thickness, 199–200
  - Poly(methyl methacrylate) spheres, 219–220
  - Polystyrene latices
    - equilibrium phase behavior, 211–212
    - initial number density, 218
    - polymer–colloid–solvent mixtures, 211–212
    - steady shear viscosities, 222–223
  - Pressure-relief systems
    - ARC, 116
    - chemical plant design, 114–118
    - isolation of safety valves, 118
    - two-phase flow, 115, 118–119
    - VSP, 116
- Q**
- Quarter-turn valves, 123–124
- R**
- Random copolymer, 138–139
  - Random-walk model, 141
  - Reactive chemicals
    - accelerating rate calorimeter, 88–89
    - autoignition temperatures, 90
    - differential scanning calorimetry, 88
    - differential thermal analysis, 88
    - dust explosions, 90
    - flammable limits, 90
    - flash point, 90
    - shock sensitivity, 89
    - testing, 87–90
  - Reactive hazard evaluations, 86
  - Renormalization-group theories, 148–151
    - excluded-volume field, 149
    - free-energy density, 149–150

- Renormalization-group theories (*continued*)  
 osmotic pressure, 150–151  
 scaling, 164–169  
 semidilute solutions, 149
- Resista-Clad, 107–108
- Rheological models of suspensions, 1–67, *see*  
*also* Momentum tracer methods;  
 Spatially periodic suspensions  
 antisymmetric stress, 66  
 averaged continuity equation, 29  
 averaging Stokes equations, 29  
 bond percolation problems, 32–33  
 Brinkman equation, 29–30  
 Brownian motion, 4  
 bulk conductance, 33  
 cell models, 5, 21–22  
 clusters, 35  
 coefficient  $k_1$ , 23–24  
 complicating effects, 4  
 continuum-mechanical principle of  
   material-frame indifference, 67  
 contribution of Brownian motion, 26  
 critical concentration, 35–36  
 dilute suspensions, 23–27  
 empirical models, 19–21  
 evolution equation, 54–55  
 Fickian diffusion tensors, 26–27  
 fixed particles, 30  
 force-torque vector, 54  
 fractal suspensions, 64–66  
 infinite viscosity prediction, 19–20  
 inner zone dissipation, 22  
 internal spin field, 66  
 Leibniz packing, 64–65  
 Liouville equation, 25  
 long-time mean structure, 56  
 mechanical energy dissipation, 23  
 modified Menger sponge, 65–66  
 momentum transport, 34  
 Monte Carlo techniques, 31  
 notation and scope, 5–6  
 particle-particle interactions, 23–24  
 percolation models, 32–36  
   application, 34–36  
   theory, 32–34  
 percolation-theory approaches, 5  
 phase function, 28–29  
 relative viscosity, 22, 56  
 repulsive interparticle forces, 57  
 sedimentation velocity, 26–27  
 shear-induced collisions, 34  
 shearing in macro-couette apparatus, 35  
 spatially periodic model, 35–36  
 statistical models  
   formal expansions, 28–31  
   numerical calculations, 31–32  
 Stokesian dynamics, 54–57  
 Stokes problem, 25  
 suspension of spheres, 30  
 three-phase systems, 22  
 volume fraction, 21  
 vortex viscosity, 66–67  
 wave vector-dependent viscosity, 31
- Rheology  
 microrheology of suspensions, 20  
 polymer–colloid–solvent mixtures,  
   219–224  
 suspensions, 44–47
- Root-mean-square layer thickness, 173
- S**
- Scaling, renormalization group theories,  
 164–169
- Scaling theory, 144–148  
 correlation length, 145–147  
 crossover from dilute to semidilute,  
   145–146  
 density fluctuations, 145  
 osmotic pressure, 146–148
- Scheutjens–Fleer lattice model, 169–179  
 adsorbed amount, 171  
 adsorbed layer structure, 172–174  
 adsorbed polystyrene, 178  
 adsorption isotherms, 173–174  
 chemical potential, 176  
 conclusions, 179  
 depth of attractive minimum, 176–177  
 force measurements, 176–178  
 Helmholtz free energy, 175–176  
 interaction potential energy, 176–178  
 interactions between layers, 174–178  
 lattice sites, 170  
 layer thickness, 173–175  
 motivation and formulation, 169–172  
 nonlocal segment–solvent interactions, 171  
 segment distribution, 172–173  
 volume-fraction profiles, 172
- Seal-less pumps, 128–129
- Sedimentation velocity, 26–27
- Self-consistent field theory, 179–197  
 accuracy, 196–197

- adsorbed amount versus chain length, 188–189
- adsorption isotherms, 188
- chemical potential, 193
- configuration integral, 186–187
- continuous and discontinuous surface functions, 180
- depth of attractive minima, 194–195
- Drude equations, 189–190
- ellipsometric thickness as function of chain length, 190–191
- equation-of-state, 193
- Flory–Huggins equation-of-state, 180–181
- ground state solutions, 183–184
- Helmholtz free energy, 191
- hydrodynamic thickness, 191–192
- interaction potential energy versus gap half-width, 193–196
- interactions between layers, 191–195
- isolated layers, 187–191
- Laplace transforms, 185
- matched asymptotic expansion, 184–187
- mixed boundary condition, 181–182
- motivation and formulation, 179–183
- osmotic pressure, 192
- Ploehn–Russel model, 196
- sticky surface model, 180
- volume fraction profiles, 187–188
- Self-consistent, mean-field theories, 153–156
  - configuration integral, 154
  - equilibrium spatial distribution, 156
  - Helmholtz free energy, 155–156
- Shear-induced particle diffusion, 20
- Shock sensitivity, reactive chemicals, 89
- Shutdown, large continuous processes, 112–113
- Silica, apparent viscosity of dispersions, 220–222
- Single mechanical seals, 129–130
- Sleeve-type plug-cocks, 123
- Spatially periodic model, 35–36
- Spatially periodic suspensions, 36–53
  - adherence condition, 52
  - centrosymmetric particles, 45
  - coefficients, 49
  - collision sphere, 40
  - cubic arrays, 48–51
  - description, 38–39
  - dilute arrays, 49
  - ergodic character of process, 47, 53
  - extension to  $N$  particles in unit cell, 51–53
  - extrapolation to infinite suspension, 53
  - force/torque balance, 52
  - generic formula, 46
  - grand resistance matrix, 45, 51–52
  - interaction of vector with unit square, 43–44
  - kinematical problems, 36–37
  - kinematics, 38–44
  - lattice configuration, 42–43
  - lattice deformation, 39
  - macroscopic velocity gradient dyadic, 39
  - maximum density, 41–42
  - nonstatic, sheared systems, 40
  - no-slip boundary condition, 44
  - perfect crystal problem, 37
  - rheology, 44–47
  - self-coincidence symmetry operations, 38–39
  - simple shear flow, 42–43
  - star body, 41
  - Stokes equations, 45, 48
  - time dependence of particle configuration, 50
  - touching-sphere limit, 50
  - trajectory equation, 52
  - translational velocity, 44
  - two-dimensional, incompressible linear flow, 40
  - velocity field, 44
- Spiral wound gaskets, 121–122
- Spring-loaded check valves, 124
- Static mixer reactors, 93
- Sticky surface model, 180
- Stokes equations
  - averaging, 29
  - momentum tracer methods, 59–60
  - quasistatic, 7
  - spatially periodic suspensions, 45, 48
- Stokesian dynamics, 54–57
- Stokes problem, 25
- Stress coefficients, 56
- Stress-crack corrosion, metals, 105–106
- Stress tensor, suspensions, 8
- Suspensions, *see also* Rheological models of suspensions
  - basic equations and properties, 6–10
  - conditional probability density, 15
  - configuration-dependent tensorial quantity, 15
  - continuity equation, 7
  - homogeneous, volume averages, 16–17

hydrodynamic force, 8  
 incorporation of Brownian motion, 15  
 Liouville equation, 15  
 macroscopic stress, 17  
 macroscopic velocity gradient, 16  
 many-body problem, low Reynolds-number hydrodynamics, 10–13  
*method of induced forces*, 12  
 microrheology, 20  
 particle-specific probability densities, 14  
 particle stress, 8  
 partitioned matrix relation, 9  
 position-independent velocity gradient, 6  
 quasistatic Stokes equation, 7  
 shear-induced particle diffusion, 20  
 statistical formulation, multiparticle problem, 13–15  
 stress coefficients, 56  
 stress tensor, 8  
 torque, 8  
 two-body methods, 10–12  
 two-sphere systems, 10  
 velocity field, 7–8  
 volumetric particulate number density, 14  
 Suspension theories, major reviews, 2–3  
 Styrene-butadiene latex, preparation, 91

## T

Tandem-seal pumps, 131–132  
 Teflon, 109–110  
   envelope gaskets, 123  
 Tensor fields, momentum tracer methods, 61  
 Torque, suspensions, 8

Total containment, chemical plant design, 83–84  
 Trajectory equation, 52  
 Transparent devices, 126–127  
 Transport equation, momentum tracer methods, 61  
 Triblock copolymer, 138–139

## U

Underground storage tanks, standards, 82  
 Unit cell equations, steady-state, 61

## V

Vacuum relief systems, 126  
 Valves, chemical plant design, 123–124  
 Venting, dust explosions, 97–98  
 Vent panels, 98  
 Viscosity  
   apparent, adsorbing homopolymer, 220–222  
   kinematic, 58–60  
   relative, 56  
   steady shear, polystyrene latices, 222–223  
   vortex, magnetic fluids, 66–67  
   wave vector-dependent, 31  
 Vortex viscosity, magnetic fluids, 66–67

## W

Worst case thinking, chemical plant design, 86–87