

INDEX

A

- Acceptable separation valve set, 342, 369
 - generating, flowsheet modifications, 369–371
- Advanced System for Computations in Engineering Design, 7–8
- Alanine, synthesis, algorithm application, 181–182
- Ammonia, synthesis, application of algorithm for construction of direct mechanisms, 161–166
- Aniline
 - production, reaction-based hazard identification, 217–221
 - reaction path to, 220
- Artificial intelligence, 437–438
- Aspiration levels, identification and refinement, 411
- Axiomatic theory of design, 95

B

- Branch-and-bound algorithm
 - relative efficiency, 564–566
 - specification, 563–564
- Branch-and-bound strategy, 557–563
 - dominance test, 561–562
 - equivalence test, 562–563
 - flowshop problem, 559
 - formal statement of branching, 558–559
 - lower-bound function, 559–561
- Branching, as state updating, 566–568

C

- Chebyshev approximation problem, 467–468
- Chemical plants, purging from offending chemicals, 342–343
 - sources and routes, flowsheet modifications, 371

- Chemical structures, LCR modeling elements, 14–17
- Chlorine, removal from refrigerants, 298–299
- Chloropropane, interactive design, 292
- Classification decision trees, inductive construction, 392–394
- Computational model, design principles, 117–122
 - constraint propagation, 118–119
 - context-based design, 122
 - hierarchical planning, 118
 - specification refinement into implementations, 118
 - unified transformational design, 120–122
- ConceptDesigner*, 139–144
 - architecture, 139–143
 - design plan module, 140–141
 - implementation, 143–144
 - modeling objects module, 142
 - user interface module, 142–143
- Conceptual process designs, 93–145; *see also* HDL
 - automation issues, 98–103
 - benefits of mechanized models, 100
 - CAD drawbacks, 99
 - designer, 101
 - high-level, design-oriented languages, 101–102
 - human–computer interface, 103
 - object-oriented representation, 102–103
 - planner, 100–101
 - scheduler, 101
- ConceptDesigner*, 139–144
 - generic design process, 104
 - hierarchical approach, 103–122
 - computational model, 117–122
 - goal structures and transformational model, 107–117
 - intermediate milestones, 105–106
 - planning of process design evolution, 104–107
 - previous approaches and limitations, 97–98
 - underdefined problem, 96–97
- Constraint transformation algorithm, 339

D

Decision making, supervisory control layer, 381–382

Decision trees, inductive learning through, 541–543

Decision unit, 419–420

Deductive reasoning, identification of reaction-based hazards, 221–253

constraints, 223–224

fault-tree construction, 238–241

input variables, 225–226

level-1-gate, 238–239

methodological framework, 222–224

preventive mechanism assessment, 235–238

reaction quench, 241–253

recursive tracing of variable-influence links, 223–224

technology type, 233–235

top-level events, 235–237

unforeseen disturbances, 235–236

variable-influence diagram construction, 227–232

variable-influence pathway characterization, 232–235

variables as causes or effects, 225–227

Design errors, 189

Dilation parameter, discretized, 512

Discrete decision process, 555–557, 595

Domain theory, 596

Dominance test, 561–562

Drug design, interactive, 301–304

Dyadic wavelet transform, 512

E

Electrical resistivity, polymer packaging materials, 287

Engineering design, 94–95

Engineering science of knowledge-based design, 95–96

Equivalence test, 562–563

Ethane, pyrolysis, LCR modeling, 64–72

Excitation, persistency, 446

F

Failure handling, object-oriented, 138

Fault-tree, construction, 238–241

Feature extraction, data compression, 530

First intractability theorem, 337

Flowshop problem, 552–535

branch-and-bound strategy, 559

example, 570–573

lower-bound function, 568–570

solution methodology, 553–555

specific explanation structure, 599–601

Functional estimation problem, 441–451

approximation properties, 449–450

decisions involved in, 445–448

error bounds, 450–451

expected risk functional, 444–445

generalization

error, sources, 448

versus generality tradeoff, 447

ill-posed, 442

inductiveness, 442

learning algorithm, 465–471

derivation of model, 467–468

error bound derivation, 409–471

structural adaptation algorithm variations, 468–469

learning problem, formulation, 451–465

algorithm derivation, 453–454

error threshold selection, 457–459

expected risk functional convergence, 459–461

functional space representation, 462–465

function space selection, 454–457

localization in space and frequency, 455

multiresolution analysis, 462–464

multiresolution decomposition of input space, 455–457

problem statement, 452–453

wavelet properties, 464–465

mathematical description, 444–448

neural network solution, 449–451

overfitting, 447

radial basis function networks, 451–452

regression function, 480–481

smoothness of approximating curve, 442–443

G

Generalization algorithm, 605

Generalization error, sources, 448

Generate-and-test paradigm, 267–270

combinatorial explosion, 269–270

design constraints, 268–270

Glass transition temperature, polymer packaging materials, 287
 Group contributions, additivity, 291–292
 Group vectors, 292

H

Hazard analysis
 incompleteness of methodologies, 192–193
 predictive, 190–192
 proposed methodology, 194–195
 traditional approaches, premises, 193–194
 Hazards
 appearance when transferring process from laboratory to commercial scale, 188–189
 identification, 189–190
 algorithm, inductive, 211–214
 equipment-based methodologies, 214–215
 methods, 190–191
 modeling language role, 198–205
 reaction-based, 195–209; *see also*
 Deductive reasoning; Inductive reasoning
 mapping of equipment into thermodynamic state space, 204–205
 MODEL.LA, 200–204
 system foundations, 196–198
 preventive mechanisms, assessment, 235–238
 HDL, 122–139; *see also ConceptDesigner*
 design alternative, management, 138–139
 design tasks, semantic relationships, 132–134
 human–machine interaction, 134–138
 modeling design tasks, 129–134
 modeling elements, 123–127
 Compound, 126
 Flowsheet, 125–126
 Generic Unit, 124
 Generic Variable, 126
 Port, 125
 Project, 126
 Reaction, 126–127
 semantic relationships, 127–129
 Stream, 125
 multifaceted modeling of process design state, 123–129
 object-oriented failure handling, 138
 task elements, 129–131

Hierarchical Design Language; *see* HDL
 Horn clauses, in branching structure analysis, 586–588
 synthesis, 585–586
 Human–computer interface, 103
 Human–machine interaction, 134–138
 Hybrid phenomena theory, 9–10

I

Inductive learning, through decision trees, 541–543
 Inductive reasoning, identification of reaction-based hazards, 209–221
 algorithm, 211–214
 aniline production, 217–221
 identification of root causes, 214–217
 methodology, 210–212
 properties, 214–217
 Inflection points, detection, 518–519
 Influence graphs, construction, 340–341
 Interval arithmetic, metacontributions and, 273–275

K

Kraft pulp plant
 bottom-up approach, 428–430
 decision variables, 427
 final decision policy comparison, 430–431
 operational analysis, 426–431
 overview, 418
 top-down approach, 428

L

Laminar mechanisms, 154
 Language for Chemical Reasoning; *see* LCR
 LCR, 13–35, 199
 assumptions, 58
 case study, ethane pyrolysis, 64–72
 initialization, 65–67
 pathway generation, 65, 67–72
 contextual reaction models, creation, 58–64
 communication between, 60–62
 structural compatibility, 62–64
 explanation of notation, 34
 generation of reactions creating thermodynamic states, 205–209

LCR (*Continued*)

- infeasible species. generation, 206–207
 - model class decomposition digraph, 50–53
 - modeling elements, 13–26
 - ab-initio operator, 19, 24–25
 - atom, 14–16
 - bond, 15–16
 - chemical behavior, 18–19, 22–24
 - chemical structures, defining, 14–17
 - composite-operator, 19–20, 25–26
 - context, 21
 - quantitative relationships, description, 21
 - reaction-environment, 19
 - reactions and pathways, 20–21
 - reactive behavior of chemicals, defining, 17–20
 - subclasses, 21–26
 - modeling object
 - atom-bond-configuration, 15–17, 22, 207, 209
 - pathway, 207, 209
 - modeling object extension, 36–50
 - ab-initio-operator hierarchical tree, 42–46
 - atom-bond-configuration hierarchical tree, 36–39
 - chemical behavior hierarchical tree, 39–42
 - composite-operator hierarchical tree, 47–50
 - reaction pathways, generation and representation, 53–58
 - semantic relations among modeling elements, 26–33
 - aggregation/disaggregation, 30–31
 - commutativity, 32
 - entity-attribute, 27
 - merging, 32–33
 - properties, 31–33
 - specialization, 27–28
 - specification, 28–30
 - transitivity, 32
 - syntax, 33–35
- Learning, 377–432, 438; *see also* Functional estimation problem
- with categorical performance metrics, 389–396
 - classification decision trees, 392–394
 - classification techniques, 390
 - methodology, 391
 - operating strategies for octane number, 394–396
 - problem statement, 389–391
 - search procedure, 391–396
 - complex systems with internal structure, 417–431
 - bottom-up approach, 424–425
 - conventional and alternative problem definitions, 420–423
 - final problem statement, 423
 - as networks of interconnected subsystems, 419–420
 - problem statement, 417–423
 - pulp plant operational analysis, 426–431
 - search procedures, 424–426
 - top-down approach, 425–426
 - continuous performance metrics, 396–408
 - alternative problem statements and solutions, 398–401
 - methodology and search procedures, 403–405
 - problem statement, 396–398
 - pulp digester, 405–408
 - Taguchi loss functions as continuous quality cost models, 401–403
 - data available on routine basis, 382–383
 - empirical; *see* Neural networks
 - explanation-based, 594–598
 - domain theory, 596
 - explanation
 - construction, 598–601
 - generalization, 601–607
 - with original bindings, 601–602
 - with unified bindings, 604–605
 - with uniquized bindings, 603, 605
 - operationality criterion, 597–598
 - proof structure generalizations, 606–607
 - specific explanation, 599–601
 - target concept definition, 595–596
 - training example, 596
 - variable generalization, 601–606
 - framework to describe procedures, 384–388
 - departures from previous approaches, 385–388
 - generic formalism, 385
 - hyperrectangles as solution format, 386
 - interval analysis nomenclature, 386–387
 - inductive through decision trees, 541–543
 - plants lacking credible first-principles models, 382
 - primary goal of approaches, 380
 - problem definition flexibility, 383
 - problem statement, 381
 - prototypical application examples, 383–384

- supervisory control layer of decisionmaking, 381–382
 - systems with multiple operational objectives, 408–416
 - aspiration level identification and refinement, 411
 - categorical performance variables, 409–413
 - continuous performance variables, 409
 - operational analysis of plasma etching unit, 413–416
 - problem definition, 411
 - Learning algorithm, 465–471
 - applications, 471–479
 - two-dimensional function
 - with distinguished localized features, 477–479
 - estimation, 471–474
 - reaction and flowrate of heat transfer fluid in continuous-stirred-tank reactor, 474–477
 - derivation of
 - error bound, 409–471
 - model, 467–468
 - structural adaptation algorithm variations, 468–469
 - Learning scheme, 452
 - Lysine, synthesis, algorithm application, 182–183
- M**
- Management of operational quality, 379
 - MCDD, 50–53
 - Metacontribution, 272–274
 - interval arithmetic and, 273–275
 - Metagroups, 271–272
 - Methanol, synthesis, application of algorithm for construction of direct mechanisms, 163–173
 - Modal truth criterion, for quantitative constraints, 344–345
 - MODASS, 8–9
 - Model class decomposition digraph, 50–53
 - Modeling, 438
 - computer-aided, 2–3
 - MODELing ASSistant, 8–9
 - Modeling languages, 1–89; *see also* HDL; LCR; MODEL.LA
 - domain-specific, 11
 - MODEL.LA, 73–78
 - requirements, 13
 - role in hazards identification, 198–205
 - Modeling systems
 - ASCEND, 7–8
 - in chemistry, 10–13
 - critique of, 10
 - hybrid phenomena theory, 9–10
 - MODASS, 8–9
 - OMOLA, 8
 - premises, 3–6
 - automatic generation and modification of models, 5–6
 - declarative knowledge articulation, 3–4
 - hierarchical and multiview representation of entities, 4–5
 - separation of declarative and procedural knowledge, 4
 - simulation and reasoning, 6
 - process simulation, 7–10
 - MODEL.LA, 73–78, 199
 - computer-aided implementation, 87–89
 - Generic-Variable*, 331–332
 - hazards identification, reaction-based, 200–204
 - hierarchies of modeling subclasses, 76–78
 - modeling elements, 73–75, 329
 - Modeling-Scope*, 332
 - modeling object attributes, 202–204
 - phenomena-based modeling of processing systems, 78–89
 - chemical engineering science
 - hierarchies of modeling elements, 79–83
 - formal construction, 82, 845
 - multifaceted modeling, 82, 84, 86–87
 - semantic relationships, 75–76
 - syntax, 78
 - Model truth criterion, 336–337
 - Molecular abstractions
 - formation strategies, 278–279
 - successive, searching through, 275–278
 - Molecular stoichiometry, 174
 - Molecule, design, 257–308
 - automatic synthesis, 267–290
 - generate-and-test paradigm, 267–270
 - polymers as packaging materials, 284, 286–290
 - refrigerant design, 283–285
 - search algorithm, 271–283
 - desired chemical, 262–264
 - final evaluation, 266–267

Molecule, design (*Continued*)

- general framework, 264–267
- interactive synthesis, 290–304
 - extraction solvents, 299–301
 - illustration, 291–296
 - pharmaceuticals, 301–304
 - refrigerants, 296–299
- search space dimensionality reduction, 293–294
- utilization, 295–296
- Molecule-Designer*, 304–307
 - optimization formulations, 259
 - physical properties, estimation, 260–262
 - previous work, 260–264
 - problem formulation, 264
 - procedure, 265
 - representation and enumeration of molecules, 265–266
 - screening of molecules, 266
 - selection of desired chemicals, 262
 - target transformation, 264–265
- Molecule-Designer*, 304–307
 - description, 304–305
 - group-contribution section, 305
 - interactive design section, 306
 - molecule evaluation, 307
 - problem formulation section, 305
 - target transformation section, 305–307

N

- Neural networks, 437–482; *see also* Functional estimation problem
 - applications in process control, 439
 - as nonlinear regression techniques, 439
 - universal approximation property, 439
- Nodes, 200
 - terminal, 211–212
- Nonmonotonic planning, 323, 334–351
 - algorithm for downward propagation of temporal constraints, 338–339
 - constraint generation on temporal ordering of primitive operations, 341–342
 - Constraint Transformation Algorithm, 339
 - constraint violation identification, 341
 - construction of hierarchical models and definition of operating states, 351–358
 - goal state definition, 358
 - initial state
 - completeness, 356–357
 - consistency, 356–357

- object-oriented description, 352, 354
- operating state definition, 353, 356–357
- features, 335–336
- handling constraints
 - on mixing of chemicals, 339–343
 - quantitative, 343–348
 - on temporal ordering of operational goals, 337–339
- identification of clobberers of quantitative constraints, 345–347
- influence graphs, construction, 340–341
- operator models and complexity, 336–337
- plan modification operation selection, 347–348
- procedure, 334–335
- purging plant from offending chemicals, 342–343
- switchover procedure, 359–368
 - abstraction of operators, 362–363
 - constraints, 360
 - constraints-2 and -3 transformation, 366
 - constraint-4 transformation, 366–367
 - initial and goal states, 361–362
 - mixing constraint transformation, 363–365
 - operating situation requiring, 359–360
 - purge/evacuation procedure generation, 364–366
 - synthesis, 367–368
- synthesis of operating procedures, 348–351
 - plan synthesis, 350–351
 - problem formulation, 349–350
- truth criterion, quantitative constraints, 344–345
- Numerical computing, intelligent, 549–608
 - ancestral equality, 574–575
 - branch-and-bound framework, 555–570
 - branch as state updating, 566–568
 - brand-and-bound algorithm
 - relative efficiency, 564–566
 - specification, 563–564
 - brand-and-bound strategy, 557–563
 - discrete decision process, 555–557
 - flowshop lower-bounding scheme, 568–570
 - definition, 551
 - discrete decision processes, 595
 - explanation-based learning; *see* Learning, explanation-based
 - flowshop problem, 552–535
 - example, 570–573
 - solution methodology, 553–555

- identification of control information, 551–552
 - problem-solving experience
 - definition and analysis, 573–578
 - logical analysis, 578–579
 - representation, 581–593
 - horn clauses, in branching structure analysis, 586–588
 - synthesis, 585–586
 - predicates for problem analysis, 589, 591
 - for problem analysis, 588–593
 - for problem solving, 583–588
 - sufficient theory expression, 591–593
 - successive filtering of branching structure, 573
 - sufficient theories for state-space formulation, 579–581
- O**
- Object-oriented MOdeling LAnguage, 8
 - Object-oriented programming, conceptual process designs, 102–103
 - Occam's razor, 442
 - Octane number, operating strategies for, 394–396
 - OMOLA, 8
 - Operating procedures, 313–375; *see also* Nonmonotonic planning
 - branch-and-bound paradigm, 323
 - domain-dependent planning theory, 316
 - domain-independent planning theory, 316
 - hierarchical modeling, 324–334
 - conditional operators, 327
 - functional operators, 327
 - maintaining consistency among descriptions, 332, 334
 - operating state description, 330–333
 - operations, 325–329
 - process behavior, 329–334
 - process topology description, 329–330
 - STRIPS-operator, 325–326
 - nonmonotonic planning, 323
 - planning methodology components, 318–324
 - constraint character, 321–322
 - problem statement, 319–321
 - search procedures, 322–324
 - previous approaches to synthesis, 316–318
 - revamping process designs to ensure feasibility, 368–374
 - ASVS generation, flowsheet modifications, 369–371
 - case studies, 372–374
 - purge source and route flowsheet modifications, 371–372
 - set of constraints, 315–316
 - state transition networks, 317
 - Operationality criterion, 597–598
 - Organic synthesis, computer-aided, 11–12
 - Oxygen, permeability, polymer packaging materials, 287, 290
- P**
- Performance metrics
 - categorical, 389–396
 - systems with multiple operational objectives, 409–410
 - continuous, 396–408
 - systems with multiple operational objectives, 409
 - Pharmaceuticals, interactive design, 301–304
 - Physical properties
 - estimation, 260–262
 - impact on economics of processes, 258–259
 - Plasma etching unit, operational analysis, 413–416
 - categorical performance variables, 415
 - continuous performance variables, 415–416
 - system characterization, 413–415
 - Polymers, as packaging materials, automatic design, 284, 286–290
 - constraints, 286
 - electrical resistivity, 287
 - glass transition temperature, 287
 - oxygen permeability, 287, 290
 - physical properties, 286
 - thermal conductivity, 287
 - Process data, compression, 493–494
 - Process trends, 485–546; *see also* Wavelet decomposition
 - ad hoc treatment, 490–492
 - compression of process data, 493–494
 - content, 488–490
 - data compression, 527–535
 - example, 532–535
 - inaccuracies due to end effects, 531
 - in real time, 530–531
 - selecting mother wavelet and compression criteria, 531–532
 - through feature extraction, 530

Process trends (Continued)

- through orthonormal wavelets, 527–529
 - formal representation, 495–507
 - episodes, 498–499
 - from quantitative to qualitative, 496–498
 - scale space filtering, 500–507
 - second-order zero crossings, 505–506
 - structure of scale, 503–505
 - triangular episode, 499–500
 - generalization, 525–526
 - generating multiscale descriptions, 523–525
 - hierarchy of process operational tasks, 490
 - multiscale representation, 500–502
 - representation, 491–492
 - temporal pattern recognition, 492–493, 535–545
 - generating generalized descriptions, 538–540
 - inductive learning through decision trees, 541–543
 - learning input–output mappings, 537
 - pattern matching of multiscale descriptions, 540
 - pattern recognition with single input variable, 543–545
 - qualitatively equivalent patterns, 538
- Pulp digester, continuous performance metrics applications, 405–408

Q

- Quality cost models, Taguchi loss functions, 401–403
- Quality loss coefficient, 402
- Quantitative reasoning; *see* Symbolic and quantitative reasoning

R

- Radial basis function networks, 451–452
- Reaction pathways; *see also* Symbolic and quantitative reasoning
 - hierarchical structure, 148–149
 - synthesis, 149–150
- Reaction quench, reaction-based hazard identification, 241–253
 - breaking cause-and-effect relationship loop, 245
 - elements, 241
 - fault tree implementation, 252–253
 - root cause diagram construction, 247–248

- structural incidence matrix, 242–243
- system boundary, 243–244
- technology types, 247–249
- topological fault tree, 249–251
- variable-influence diagram, 245–247
- Reactive behavior, chemicals, LCR modeling elements, 17–20
- Reasoning; *see also* Deductive reasoning; Inductive reasoning
 - models, 6
 - in time; *see* Process trends
- Refrigerants
 - automatic design, 283–285
 - interactive design, 296–299
- Regression, 438
 - function, 480–481

S

- Scale space filtering
 - process trends, 500–507
 - properties, 506–507
- Scale-up, 189
- Search algorithm, 271–283
 - evaluation, 279–283
 - interval arithmetic and metacontributions, 273–275
 - metagroups, 271–272
 - metamolecule evaluation, 272–273
 - searching through successive molecular abstractions, 275–278
 - molecular abstraction formulation strategies, 278–279
- Second intractability theorem, 337
- Sodium chromoglycate, 302
- Solvents, extraction, interactive design, 299–301
- Streams, 200
- STRIPS-Operator, 325–329
- Structural adaptation algorithm, variations, 468–469
- Structural incidence matrix, 227–230
 - reactor-quench example, 242–243
- Structural minimization, 454
- Sufficient theory
 - expression, 591–593
 - state-space formulation, 579–581
- Symbolic and quantitative reasoning, 147–185
 - application domains, 150
 - biochemical pathways, 169, 173–183
 - active set update, 178

- alanine synthesis, 181–182
 - algorithm, 176–179
 - computation efficiency, 179–180
 - constraint formulation, 175–176
 - initialization and reaction processing, 177
 - intermediate metabolite elimination, 178
 - lysine synthesis, 182–183
 - number of combinations for intermediates, 177
 - pathway processing, 179
 - synthesis problem features, 173–175
 - catalytic reaction systems, 151–169
 - active set update, 159
 - algorithm features, 159–160
 - algorithm structure, 155–159
 - ammonia synthesis, 161–166
 - direct mechanisms, 153–154
 - initialization, 156
 - intermediate and terminal species, 151–152
 - intermediate elimination and selection, 158–159
 - methanol synthesis, 163–173
 - number of combinations for intermediates, 157–158
 - overall mechanisms, 152–153
 - previous work on mechanism construction, 154–155
 - reaction directionality importance, 166–167, 174
 - interpretation of pathway design, 150–151
 - synthesis algorithm extensions, 183–185
- T**
- Taguchi loss functions, as continuous quality cost models, 401–403
 - Temporal patterns, recognition in process trends, 492–493, 535–545
 - generating generalized descriptions, 538–540
 - inductive learning through decision trees, 541–543
 - learning input–output mappings, 537
 - pattern matching of multiscale descriptions, 540
 - pattern recognition with single input variable, 543–545
 - qualitatively equivalent patterns, 538
 - Thermal conductivity, polymer packaging materials, 287
 - Thermodynamical entropy, 529
 - Thermodynamic states, reaction generation, 205–209
 - Time
 - dyadic discretization, 513–514
 - uniform discretization, 514–515
 - Top–down induction of decision trees, 393
 - Transformational model, 107–117
 - general separation structure, 113–116
 - initialize project definition, 108–109
 - input–output structure design, 110–111
 - liquid separation subsystem, 116–117
 - plant complex structure specification, 109–110
 - recycle structure design, 112–113
 - Truth criterion
 - of complete plans, 336
 - quantitative constraints, 344–345
 - TWEAK, 368
- U**
- Unification algorithm, 598
- V**
- Variable-influence diagrams, construction, 227–232
 - Variable-influence pathways, characterization, 232–235
- W**
- Watson relation, 274
 - Wavelet
 - dyadic transform, 512
 - first-order, 519
 - mother, selection, 531–532
 - orthonormal data compression through, 527–529
 - properties, 464–465
 - Wavelet decomposition, 507–526
 - extraction of multiscale temporal trends, 516–526
 - algorithm for extraction of trends, 521–523
 - generating multiscale descriptions, 523–525
 - inflection point detection, 518–519

Wavelet decomposition (*Continued*)

- process trend generalization, 525–526
- translationally invariant representation of variables, 517–518
- wavelet interval–tree of scale, 519–521
- of pressure signal, 532–533
- reconstruction of compressed signal from, 532, 534
- theory, 508–516
 - decomposition and reconstruction of functions, 511
 - discretization of scale, 511–513

- dyadic discretization of time, 513–514
- practical considerations, 515–516
- resolution in time and frequency, 508, 510–511
- uniform discretization of time, 514–515
- Wavelet interval–tree of scale, 519–521
- Wave-Net* solution; *see* Neural networks

Z

- Zero crossings, second-order, 505–506