

INDEX

A

- Acetate, production, 20, 23
- Acetone
 - acetone/chloroform/benzene separation, 108–121
 - pentane/acetone/methanol/water separation, 122–131
- Adaptive initial design synthesizer (AIDES), 17–19, 173
- Adjoint network synthesis, 249
- ADVENT, 175
- Aggregated models, 184, 187, 217–218
- AIDES process synthesis hierarchy, 17–19, 173
- Alcohols
 - distillation-based separation
 - n*-butanol/water mixture, 91–93
 - ethanol dehydration, 41–50
 - five alcohols, 80–81, 83, 84–89
 - isopropanol/water mixture, 157–161
 - ethanol mixtures, finding azeotropes, 136–137
- Algorithmic process synthesis
 - history, 172–178, 237–238
 - mathematical programming, 171–174, 178–180, 237
 - MINLP algorithms, 197–213
 - MINLP modeling, 175, 177, 187–197, 224–236
 - MINLP synthesis problems, 172, 178
 - algebraic form, 197
 - large size, 215–219
 - nonconvexities, 174, 219–224
 - zero flows, 213–215
 - optimization, 180–187
- Algorithmic systematic generation approaches, 58, 59
- Algorithms
 - AP/OA/ER algorithm, 226
 - distillation, 176
 - finding azeotropes, 134–135
 - global optimization algorithms, 222–223
 - infeasibility algorithm, 305
 - local optimization algorithms, 297
 - MINLP algorithms, 197–213, 343
 - OA/ER algorithm, 227
 - outer-approximation (OA) algorithm, 209–211, 307–308
 - worst-case algorithm, 307–308, 310, 315–321, 396–401
- Ammonia, production, process synthesis, 186
- Analysis-driven synthesis, 94–97
- AP/OA/ER algorithm, 226
- Artificial intelligence, AIDES hierarchy, 18
- Attainable regions, 250–253, 295, 297
- Augmented penalty/equality relaxation (APER), 205–206
- Azeotropes
 - binary azeotropes, 41, 69–71
 - finding, 132–137
 - homogeneous, 41–42
 - hydrogen bonding, 71–72
 - infinite-dilution *K*-values, 69–71, 75, 98
 - residue curve maps, 39–41, 99–100
 - diethoxymethane production, 55
 - ethanol dehydration, 42, 51–52, 53
 - S-shaped curves, 149–150
 - ternary systems, 101–105
 - separation systems, 39–41, 177
 - acetone/chloroform/benzene mixture, 108–121
 - ethanol dehydration, 41–50
 - isopropanol/water mixtures, 157–161
 - pentane/acetone/methanol/water mixture, 122–131
 - water/*n*-butanol, 91–93

Azeotropes (*Continued*)

ternary azeotropes, 42, 44, 101–105, 135–137

Azeotropic entrainer, 44–45

B

BALTAZAR, 17, 173

Benzene, acetone/chloroform/benzene separation, 108–121

Binary azeotropes, 41, 69–71

Binary saddle, 103

Bottoms products, 82, 154–155

Bounding, 343–344

Branch-and-bound method (BB), 198, 199–200, 202, 223–224

n-Butanol/water mixture, separating, 91–93

C

Calcium hydroxide, 355–357

CFRs, *see* Cross-flow reactors

Chen approximation, 196

Chloroform, acetone/chloroform/benzene separation, 108–121

Column reflux ratio, 163–165

Combined reaction–separation model, 284–290

Complex columns, 36–39, 176

Composite curves, 29

Computer software, *see* Software

Conceptual process design, 10, 13–23

Connector, 252

Continuous stirred tank reactors (CSTRs), 249, 250

attainable regions, 252–253

effluent plant, 387–388

energy integration, 279

in series, 332–333

waste water neutralization, 361, 367, 370, 387–388

Cross-flow reactors (CFRs), 266, 296

discretized representation, 269, 276

D

Dangerous species heuristic, 82

Decant aqueous layers, 45–46, 48

Delay-lag model, 358

Delays, 325–333, 366

Design, *see* Process design

DICOPT++, 174, 206, 213, 225, 235–236

Difference point, 157–162

Differential sidestream reactors (DSRs), attainable regions, 252–253

Dioxymethane, production, 54–58

Direct sequence heuristic, 87, 89

Discrete design decisions, 342–344

Distillation-based separation systems, 64–68, 176

algorithms, 176

analysis-driven synthesis, 94–97

azeotropic behavior, 69–72

case studies

acetone/chloroform/benzene separation, 108–121

n-butanol/water mixture, 91–93

ethanol dehydration, 41–50

five alcohol mixture, 80–81, 83, 84–89

heat-integrated distillation synthesis, 28–39

isopropanol/water separation, 157–161

pentane/acetone/methanol/water

separation, 122–131

extractive distillation, 29, 64, 157–166

heuristics, 89–90

liquid/liquid behavior, 73–75

multiple-effect, 36–39

nearly ideal systems, 75–90

nonideal mixtures, 90–93, 107–131

post-analysis methods, 166

pre-analysis methods, 98

distillation columns, 105–107, 140–157

equilibrium-phase behavior, 98–105

extractive distillation, 64, 157–166

species behavior, 131–140

Distillation boundaries, 40, 54, 103

crossing, 151–154

ethanol dehydration, 42–45

Distillation columns, 36–39, 176

for binary separations, 36–39

design calculations, 166

limiting behavior, 105–107, 140–157

side stripper, 67–68, 176

total reflux column, 100

types, 66–68

Distillation curves, 99, 100–101

infinite reflux constraint, 141

reachable regions, 141, 145–146

S-shaped curves, 149–150

Distillation regions, 40, 103
 Disturbance, *see* Uncertainty
 Disturbance attenuation, 348
 Disturbance fraction, 331–332, 375, 376
 DSRs, *see* Differential sidestream reactors
 Dynamic optimization, 333–342, 392

E

Effluent plant, design, 371–391
 Energy integration, 247–248
 heat integration, 28–29
 distillation, 33, 35, 65, 176–177
 optimization, 232–233
 reacting segment, 276
 software, 30
 superstructure, 232
 transshipment model, 187
 reactor networks, 274–283
 Entrainers, 42–45
 Equalities, MILP master problem, 204–205
 Equilibrium-phase behavior, *see* Phase equilibrium
 Error tolerance, 336–338
 Ethanol, dehydration, 41–50
 Ethanol/water mixture, azeotropes in, 136
 Ethanol/water/toluene mixture, azeotropes in, 136–137
 Evolutionary modification, 13, 23–26, 176
 Extended cutting-plane (ECP) method, 198, 202
 Extractive distillation, 29, 64, 157–166

F

Feasibility tests, 329–331
 Final product heuristic, 82
 Finite reflux, 143–148
 Flexibility index, 311–312, 313
 Flowsheets, 4, 10, 172–175
 means–ends analysis, 13–15, 17
 Fractional tubularity model, 358

G

GAMS, 174, 206
 GAMS/MINOS, 235
 Generalized benders decomposition (GBD), 198, 201–202, 210–212

Generate-and-test design strategy, 8
 Generate-evolve-optimize-critique synthesis strategy, 50
 Gibbs free energy, liquid mixture, 73–74, 138, 139
 Global optimization, 221–222, 297, 314, 321
 Global optimization algorithms, 222–223
 GLOBESEP, 234, 235
 GLOPEQ, 140
 Grand composite curves, 29

H

HDA process, 225–226, 229–231
 Heat balance, heat exchanger network, 193–194
 Heat cascade, 184, 185
 Heat-exchanger network synthesis (HENS)
 distillation, 28–39, 175–176
 energy integration, 274
 MINLP model, 192–197, 221–222, 225, 232
 software, 175
 superstructure, 183, 184
 Heat integration, 28–29
 distillation, 33, 35, 65, 176–177
 case study, 28–39
 optimization, 232–233
 reacting segment, 276
 software, 30
 superstructure, 232
 transshipment model, 187
 Heuristics, 131, 173, 186, 237
 dangerous species heuristic, 82
 direct sequence heuristic, 87, 89
 distillation heuristics, 89–90
 fifty-fifty split heuristic, 90
 final product heuristic, 82
 major species heuristic, 90
 sequencing heuristics, 176
 Hierarchical decomposition, 173
 Hierarchical process synthesis systems, 16–19, 26–28
 High-boiling node, 41
 Homogeneous azeotropes, 41–42
 Hydrogen bonding, azeotropes, 71–72

I

Infeasibility algorithm, 305
 Infinite-dilution activity coefficients, 73–75

Infinite-dilution K -values, 69–71, 75, 98
 Infinite reflux, 105, 141–143
 Infinite reflux constraint, 141
 Innovation process, 2, 3–10
 Integrator error tolerances, 338–339
 Isopropanol/water mixture, separation, 157–161
 Isothermal systems
 α -pinene, 264–265
 reactor network synthesis, 254–265
 optimization, 258–262
 segregated-flow approximation, 254–258
 Trambouze reaction, 263–264
 van de Vusse reaction, 263, 265, 292–294
 Isovolatility curves, 134

L

Linear programming, AIDES hierarchy, 18
 Liquid/liquid behavior, infinite-dilution activity coefficients, 73–75
 Liquid/liquid extraction, 123, 125, 130
 Liquid/liquid/(liquid) behavior, 137–140
 Local approximation, dynamic optimization, 340–341
 Local optimization algorithms, 297
 Logic-based methods, 207–209
 Low-boiling node, 40

M

MAGNETS, 175, 215
 Majorization, 314
 Major species heuristic, 90
 M-APER, 205–206
 Marginal cost separation design, 81–84
 Marginal vapor flow, 83–84
 Margules equation, 74
 Mass-exchanger networks, 177
 Material balance constraints, 141–142
 Mathematical programming, 171–174, 178–180, 237
 McCabe–Thiele diagram, 166
 Means-ends analysis, 13–15, 17
 Methanol, pentane/acetone/methanol/water separation, 122–131
 Methyl acetate, process design, 20–28
 M-GBD, 205
 MILP, 174, 213, 313
 MILP master problem, 199, 200–201, 203

Minimum delay, 327–329
 Minimum reflux, 105
 Minimum vapor flow, 85
 MINLP algorithms, 197–213, 343
 MINLP modeling, 175, 177, 187–197, 224–236
 MIQP, 203
 Mixed-integer linear program (MILP), 174
 Mixed-integer nonlinear programming (MINLP), 171, 172, 174
 discrete design decisions, 343
 math programming, 171–174, 178–180
 MINLP algorithms, 197–213, 343
 MINLP modeling, 187–197, 224–236
 simultaneous, 175, 177
 MINLP synthesis problems, 172, 178
 algebraic form, 197
 large size, 217–219
 nonconvexities, 174, 219–224
 zero flows, 213–215
 nonconvexities, 174
 optimization, 180–187
 reactor network synthesis, 249–250, 290–292
 Mixing, delay-lag model, 358–360
 Mixtures, *see also* Azeotropes
 azeotropic behavior, 69–72
 finding azeotropes, 132–137
 liquid/liquid behavior, 73–75
 liquid/liquid/(liquid) behavior, 137–140
 M-MIP, 199, 200–201, 203
 M-MIQP, 203, 205
 Modeling/decomposition (M/D) strategy, 175, 213–215, 226
 Modeling systems
 energy integration, 274–279
 GAMS, 174
 MINLP modeling, 175, 177, 187–197, 224–236
 operability and control, 304
 waste water neutralization, 353–360
 Mole-fraction-averaged relative volatility, 76
 Multiobjective programming, AIDES hierarchy, 18

N

Nearly ideal systems
 separating, 75
 pinch, 76–77
 process system synthesis, 80–90
 Underwood's method, 77–80

- NLP, 174, 175
 energy integration, 278
 reactor network synthesis, 249, 296
 worst-case design, 313
 NLP subproblems, 198–202, 205–206, 221, 313
 Nodes, 53, 102, 103
 Noise control, dynamic optimization, 335, 365
 Nonconvexities
 MILP master problem, 205–206
 MINLP, 174, 219–224
 Nonideal mixtures
 separating, 41, 90–91
 process synthesis, 107–131
 water/*n*-butanol, 91–93
 Nonisothermal systems, reactor network synthesis, 265–275, 296
 Nonlinear programming, *see* NLP
- O**
- OA algorithm, 209–211, 307–308
 OA/ER algorithm, 227
 Operability and control, 301–306, 391–393
 controllability, 322, 331–332
 dynamic optimization, 333–342, 392
 screening tools for disturbance, 321–333
 uncertainty, 303, 304, 306–321
 wastewater neutralization, 342
 design examples, 360–391
 modeling, 353–360
 worst-case design
 algorithm, 315–321, 396–401
 Grossman, 307–308
 majorization, 314
 outer-approximation algorithm, 307–308, 310
 Polak, 313, 314
 Optimization, 58–60
 aggregated models, 184, 187, 217–218
 dynamic optimization, 333–342, 392
 energy integration, 281
 global optimization, 221–222, 297, 314, 321
 heat integration, 232–233
 heuristics, 82, 87–90, 131, 176, 186, 237
 local approximation, 297
 logic-based methods, 207–209
 mathematical programming, 171–174, 178–180, 237
 mixed-integer optimization techniques (MINLP), 180–187
- P**
- modeling/decomposition (M/D) strategy, 175
 NLP, 174, 175
 process integration, 290–292
 reactor network synthesis, 248, 249–250
 isothermal systems, 258–262
 superstructure optimization, 13, 59
 algorithmic methods, 173
 complex columns, 176
 distillation processes, 130–131, 176
 reactor network synthesis, 249–250
 representation of alternatives, 180–184
 time delays, 330–331
 Outer-approximation (OA) algorithm, 209–211, 307–308
 Outer-approximation (OA) method, 198, 200–201, 210–212, 315
 Overall disturbance attenuation, 348
- Path constraint representation, 339–340
 Pentane, pentane/acetone/methanol/water separation, 122–131
 PFRs, *see* Plug flow reactors
 Phase equilibrium, 98–99
 distillation curves, 100
 residue curve maps, 39–41, 99–100
 Pinch, 76–78
 Pinch point, 75, 77, 78, 145, 153, 177
 Pinch point curves, 64, 146
 Pinch technology, 17, 29, 175, 290–292
 α -Pinene, 264–265
 PIP, 17, 173
 Plug flow reactors (PFRs), 249, 250
 attainable regions, 252–253
 segregated flow networks, 256–258
 Ponchon–Savarit diagram, 166
 Post-analysis separation, 166
 Predictor-based bounding, 343–344
 Pre-synthesis analysis, 94
 Probe lag, 370
 Process design, 5, 7, 8, 367
 controllability, 322, 331–332
 discrete design decisions, 342–344
 dynamic optimization, 333–342, 392
 generate-and-test design strategy, 8
 generate-evolve-optimize-critique synthesis strategy, 50
 innovation, 2, 3–10
 operability and control, 301–401

Process design (*Continued*)

- propose-critique-modify design strategy, 8
- screening tools for disturbance, 321–333
- uncertainty, 303, 304, 306–321
- wastewater neutralization, 342
 - design examples, 360–391
 - modeling, 353–360
- worst-case design
 - algorithm, 315–321, 396–401
 - Grossman, 307–308, 310
 - majorization, 314
 - outer-approximation algorithm, 307–308, 310
 - Polak, 313, 314

- Process integration, 175, 283–294, 296, 298
- operability and control, 302–304

Process synthesis, 1–3

- adjoint network synthesis, 249
- algorithmic process synthesis, 171–239
- analysis-driven synthesis, 94–97
- case studies
 - acetone/chloroform/benzene separation, 108–121
 - n*-butanol/water separation, 91–93
 - dioxymethane production, 54–58
 - ethanol dehydration, 41–50
 - heat-integrated distillation synthesis, 28–39
 - methyl acetate production, 20–28
 - pentane/acetone/methanol/water separation, 122–131
 - wastewater neutralization, 342, 353–391
- conceptual process engineering, 10, 13–19, 20–23
- controllability, 322, 331–332
- definition, 10
- distillation-based separation systems, 64–68, 176–177
 - ethanol dehydration, 41–50
- dynamic optimization, 333–342, 392
- flowsheets, 4, 10, 172–175
 - means-ends analysis, 13–15, 17
- four or more species, 97
- heat-exchanger network synthesis
 - distillation, 28–29, 175–176
 - energy integration, 274
 - MINLP model, 192–197, 221–222, 225, 232
 - software, 175
 - superstructure, 183, 184
- heterogeneous models, 186–187
- hierarchical approaches, 16–19, 26–28

- hierarchical decomposition, 173
- homogeneous models, 181–184
- industrial applications, 1–61
- innovation process, 2, 3–10
- mass-exchanger networks, 177
- mathematical programming, 171–174, 178–180, 237
- means-ends analysis, 13–15, 17
- nearly ideal systems, 75–90
- nonideal mixtures, 90–93, 107–131
- operability and control, 301–401
- reactor network synthesis, 177–178, 247–298
- residue curve maps, 39–41, 99–100
 - diethoxymethane production, 55
 - ethanol dehydration, 42, 51–52, 53
 - S-shaped curves, 149–150
 - ternary systems, 101–105
- screening tools for disturbance, 321–333
- separations systems synthesis, 41–54
- uncertainty, 303, 304, 306–321
- worst-case design
 - algorithm, 315–321, 396–401
 - Grossman, 307–308, 310
 - majorization, 314
 - outer-approximation algorithm, 307–308, 310
 - Polak, 313, 314
- Property-changing operators, 14–15
- Property hierarchy, 16, 19
- Propose-critique-modify design strategy, 8
- PROSYN, 175, 215, 227

R

- Ramp disturbances, 333
- Raoult's law, 72, 76
- Reachable regions, 105–107, 140–157
- Reactor network synthesis, 177–178, 248–250, 295–298
 - attainable regions, 250–253, 295, 297
 - definition, 248
 - energy integration, 274–283
 - isothermal systems, 254–265
 - nonisothermal systems, 265–275
 - simultaneous reaction, separation, and energy system synthesis, 175, 283–294
- Recursive strategy, 15
- Recycle reactors (RRs), 270–271
 - segregated flow networks, 256–258

Recycles, 17
 Reflux
 column reflux ratio, 163–165
 finite reflux, 143–148
 infinite reflux, 105, 141–143
 infinite reflux constraint, 141
 minimum reflux, 105
 total reflux, 105–107
 Reflux ratio, 162–164
 Relative volatility, 76
 Residence time distribution (RTD), 286–290, 358–359
 Residue curve maps (RCMs), 39–41, 99–100
 diethoxymethane production, 55
 ethanol dehydration, 42, 51–52, 53
 S-shaped curves, 149–150
 ternary systems, 101–105
 RTD function, 286–290, 358–359

S

Saddles, 41, 52–53, 102, 103
 Sargent–Gaminbandara superstructure, 184, 185
 Screening tools, for disturbance and uncertainty, 321–333
 Segregated-flow model, 254–258, 296
 Separability factors, 123–124
 Separation systems, distillation-based, *see* Distillation-based separation systems
 Separation systems synthesis method, 41–54
 Separatrices, 40
 Side stripper, 67–68, 176
 Simultaneous reaction–separation model, 284–290
 Single-species node, 103
 Software
 ADVENT, 175
 AIDES process design procedure, 18–19, 173
 BALTAZAR, 17, 173
 DICOPT++, 174, 206, 213, 225, 235–236
 GAMS, 174, 206
 GAMS/MINOS, 235
 GLOBESEP, 234, 235
 GLOPEQ, 140
 heat integration, 30
 HYCON, 65
 MAGNETS, 175, 215
 MAYFLOWER, 54

MILP, 174
 MINLP, 171, 172, 174
 NLP, 174, 175
 PIP, 17, 173
 PROSYN, 175, 215, 227
 SPLIT, 54, 177
 SUPERTARGET, 175
 SYNHEAT, 175, 225, 228
 Solvent ratio, 162–166
 Species, 94–97, 131–140
 four or more species, 94, 155–157
 major species heuristic, 90
 SPLIT, 54, 177
 Sulfur dioxide, catalytic oxidation, 272–274
 Superstructure optimization, 13, 59
 algorithmic methods, 173
 complex columns, 176
 distillation processes, 130–131
 reactor network synthesis, 249–250
 representation of alternatives, 180–184
 Superstructures, 237–238
 ammonia process, 186
 HDA process, 225, 229
 heat integration, 232
 heterogeneous systems, 186–187
 homogeneous systems, 181–184
 SUPERTARGET, 175
 SYNHEAT, 175, 225, 228
 Systematic generation, 13–17, 61

T

Targeting, 5, 176, 178
 combined reaction-separation, 284, 287
 energy integration, 175, 279
 isothermal systems, 254–265
 nonisothermal systems, 265–275
 reactor network synthesis, 248, 249–250, 297
 segregated flow, 255
 Targeting algorithm, AIDES hierarchy, 18
 Targets, 237
 Task identification, 17, 19
 heat-integrated distillation, 30, 32, 35
 methyl acetate production, 28
 Task integration, 17, 19, 28
 heat-integrated distillation, 33, 35
 Ternary azeotropes, 42, 44
 finding, 135–137
 residue curve maps, 101–105

Thermodynamics

- distillation sequencing, 176
- residue curve maps, 39–41

Time delays, 325–333, 366

Titration curves, process design, 354–355

Total reflux, 105–107

Trambouze reaction, 263–264

Transshipment model, 184–186, 187

Two-species node, 103

Two-species saddle, 103

U

Uncertainty

- process design, 303, 304, 306–321
- titration curves, 355

Underwood's method, 78–80, 84

V

van de Vusse reaction, 263, 265, 292–294

W

Waste water neutralization, 342

- process design examples, 360–391
- modeling, 353–360

Worst-case design

- algorithm, 307–308, 310, 315–321, 396–401

Grossman, 307–308, 310

majorization, 314

outer-approximation algorithm, 307–308, 310

Polak, 313, 314