

INDEX

A

Acid–base chemistry, very fast chemical reactions, 264
 Activity coefficient, 19
 ADI methods, *see* Alternating direction implicit methods
 AFI methods, *see* Approximate factorization implicit methods
 AHP, *see* Analytical hierarchy process
 Airborne emissions, petroleum refinery, 341–342
 Air pollution, petroleum refinery sources, 332, 348–349, 352–353
 Algebraic stress model (ASM), 239, 258
 Alternating direction implicit (ADI) methods, 247
 Aluminides, combustion synthesis, 92, 101–102, 183, 189, 190–191, 195
 Aluminum nitride
 applications, 110, 111
 powders, properties, 109–110
 production costs, 118
 Amoco Corp.
 pollution prevention, 330–398
 follow-up, 397–398
 identifying options, 332–335, 351–360
 implementing solutions, 382–396
 inventory of refinery releases, 331–332, 337–351
 modeling options, 363–369
 ranking options, 333–334, 360–384
 regulatory requirements, 378–382
 Yorktown refinery, 335–337, 354–355, 384–385, 388–390
 barge loading emission reduction, 389, 390–391
 blowdown stacks upgraded, 389, 393–394
 LDAR program, 389, 395–396
 schematic diagram, 336

soil intrusion into drainage system, 389, 394–395
 storage tank secondary seals, 389, 391–393
 Analytical hierarchy process (AHP), 333, 376–378
 Approximate factorization implicit (AFI) methods, 247
 ASM, *see* Algebraic stress model
 ASTEC (software), 253
 Axial centrifuge, 95
 Azeotropic composition, linear algebra, 20

B

Bimolecular reactions, kinetics, 42–44
 Bismuth compounds, ferroelectric laminated, 114–115
 Blowdown stacks
 airborne emissions, 332, 348
 pollution prevention by upgrading, 393–394
 Borides
 combustion synthesis, 89, 92, 99–100, 197
 thermodynamics, 153
 powders, properties, 97
 Boron nitride, 110, 111
 Bubble columns
 computational fluid dynamics (CFD), 267–270, 271, 298, 300
 discrete bubble model, 300–301
 volume of fluid (VOF) model, 301–311
 Bubble point pressure, 19

C

Carbides
 combustion synthesis, 89, 96–99, 115, 186–187
 thermodynamics, 153
 powders, properties, 97

- CARPT, *see* Computer-aided radioactive particle tracking
- Casting, self-propagating high-temperature synthesis with, 93–95
- Cellular models, combustion wave, 130–134
- Cemented carbides, gasless combustion synthesis, 97, 98
- Centrifugal SHS casting, 94–95, 115
- Ceramics
- combustion synthesis, 91, 95, 98, 99, 100
 - nitride based, 89, 107–112
 - Ti–C–B system, 100
- Cermet alloys
- combustion synthesis, 91, 95, 115
 - properties, 98
- CFDLIB code, 268
- Chalcogenides, gasless combustion synthesis, 89, 106
- Chemical equilibria
- behavior in neighborhood of, 26–28
 - heterogeneous, 28–30
 - homogeneous, 22–28
- Chemical furnace, 92
- Chemically reactive flows, computational fluid dynamics (CFD), 260–265
- Chemical reactions; *see also* Reaction networks
- extent of reaction, 4
 - heterogeneous chemical equilibria, 28–30
 - homogeneous chemical equilibria, 22–28
 - independence of, 4
 - rate of reaction, 23
 - reaction label, 10–11
 - residence time distribution (RTD) experiments, 230–231
 - very fast, 264
 - very slow, 263–264
- Chromium carbide, combustion synthesis, 115
- Circulating fluidized bed (CVB) reactor
- KTGF study, 296–298
 - riser, 276–277
- Clean Air Act, petroleum refinery, 387–388
- Cocurrent infiltration, 146
- Combustion synthesis (CS), 80, 81, 83, 84
- commercial aspects, 117–120
 - green mixture preparation, 87–88, 105, 162–169
 - infiltration combustion synthesis, 82
 - materials synthesized, 96
 - aluminides, 92, 101–102, 183, 189, 190–191, 195
 - borides, 89, 92, 97, 99–100, 153, 197
 - carbides, 89, 96–99, 115, 153, 186–187
 - chalcogenides, 89, 106
 - diamond composites, 103
 - ferroelectric materials, 114–115
 - functionally graded materials, 104–106
 - high-temperature semiconductors, 91, 113–114
 - hydrides, 112
 - intermetallic compounds, 89, 91, 102, 103, 106, 107, 153, 170, 171–172, 174
 - nitrides, 89, 107–112, 153
 - oxides, 112–115
 - semiconductors, 91, 113–114
 - silicides, 89, 92, 97, 101, 153
 - Ti–C–B system, 100
- mechanism for structure formation, 180–182, 203–206
- by time-resolved X-ray diffraction, 195–197
- microstructure of combustion wave, 197–203
- quenching, 183–189
- using model systems, 190–194
- process parameters, 151, 181–183
- combustion wave properties, 86–87
 - dilution, 158–162
 - gravity and, 177–180
 - green mixture density, 163–169
 - ignition conditions, 173–174
 - initial temperature, 174–176
 - particle size, 169–173
 - sample dimensions, 176
 - thermodynamics, 152–158
- reactor, 88–89
- spin properties, 87
- techniques
- gasless combustion synthesis, *see* Gasless combustion synthesis
 - gas–solid combustion synthesis, 82, 107–115
 - laboratory techniques, 84–87
 - oscillating combustion synthesis, 86–87
 - powder production and sintering, 88–89
 - reduction combustion synthesis, 82
 - self-propagating high-temperature synthesis (SHS), *see* Self-propagating high-temperature synthesis

- shock-induced synthesis, 92
 - solid-gas systems, 107–115
 - steady SHS process, 86
 - theory, 120
 - cellular models, 130–134
 - combustion wave propagation theory, 86–87, 120–127
 - filtration combustion, 138–151
 - gasless combustion, 120–127, 135–138, 151
 - microstructural models, 127–130
 - thermal explosion mode, 82
 - volume combustion synthesis, *see* Volume combustion synthesis
 - Combustion wave
 - propagation
 - cellular models, 130–134
 - microstructural models, 127–130
 - stability, 135–138
 - properties, 86–87
 - microstructure of, 197–203
 - quenching, 183–189
 - steady propagation, 86
 - temperature profile for preheating zone, 126
 - velocity, 120–126
 - Component label, linear algebra of stoichiometry, 9–10
 - Computational fluid dynamics (CFD), 227–228, 234
 - chemical engineering and, 229, 231–234, 253–254, 314–315
 - chemically reactive flows, 260–265
 - complex rheology, 259–260
 - fluid–solid systems, 273–279
 - gas–liquid–solid systems, 279–281
 - gas–liquid systems, 267–274
 - laminar flows, 254–257
 - liquid–liquid systems, 273
 - multiphase systems, 265–281
 - single-phase systems, 254–265
 - turbulent flows, 257–259
 - viscoelastic flow, 260
 - circulating fluidized beds, 296–298
 - bubble columns, 298–311
 - laminar entrained flow reactor, modeling, 311–313
 - defined, 229, 236
 - experimental validation, 282–287
 - history, 234–236
 - liquid–liquid systems, 273
 - numerical techniques, 244–247
 - multiphase systems, 249–251
 - single-phase systems, 247–249
 - software, 251–253
 - theory, 236
 - multiphase systems, 242–244
 - single-phase systems, 237–241
 - at Twente University (Netherlands), 287
 - discrete particle simulation of gas fluidized beds, 291–296
 - two-fluid simulation of gas fluidized beds, 287–291
 - Computer-aided radioactive particle tracking (CARPT), computational fluid dynamics (CFD), 285, 288
 - Conservation equations, laminar flow, 242
 - Conservation of mass problem, 21
 - Continuous description, linear algebra of stoichiometry, 7–13
 - Convexity, linear algebra of, 15–17
 - Cooperative uniform kinetics, CSTR, 51–52
 - Copper block, for combustion synthesis quenching, 184–185
 - Countercurrent infiltration, 144–147
 - Cracking
 - kinetics, 44–46
 - modeling, 263
 - Cross-media transport, petroleum refinery pollution, 344
 - CS, *see* Combustion synthesis
 - CSTR, kinetics, 50–51, 55–57
 - CVB riser, *see* Circulating fluidized bed riser
- ## D
- Damköhler number, 262
 - Densification, self-propagating high-temperature synthesis with, 89–92
 - Diamond composites, gasless combustion synthesis, 103
 - Diffusion, interference with, 57–59
 - Digital particle image velocimetry (DPIV), 258, 283–284
 - Dilution, combustion synthesis and, 158–162
 - Direct numerical simulation (DNS), 241, 258, 261
 - Discrete bubble model, 300–301
 - Discrete description, linear algebra of stoichiometry, 3–7

Discrete particle simulation, gas fluidized beds, 291–296
 DNS, *see* Direct numerical simulation
 DPIV, *see* Digital particle image velocimetry

E

Eddy–viscosity model, 239, 240
 Effectiveness factor, porous catalysts, 58–60
 Effluent discharge, inventory of refining releases, 332
 Electrothermography, combustion synthesis studies, 190
 ESTET–ASTRID (software), 253
 Eulerian–Lagrangian methods, 243
 bubble columns, 267, 268, 269
 multiphase flows, 250–251, 272
 Eulerian methods
 bubble columns, 267, 268
 multiphase flows, 249–250
 Exact lumping, 32–34
 Extent of reaction, linear algebra, 4
 Extrusion, self-propagating high-temperature synthesis, 92

F

FC, *see* Filtration combustion
 FCC, *see* Fluidized catalytic cracking
 FDM, *see* Finite difference methods
 Feinberg approach, network topology, 64–66
 FEM, *see* Finite element method
 Ferroelectric materials, combustion synthesis, 114
 Ferrovandium, 107
 FGMS, *see* Functionally graded materials
 Fick's law, 238
 FIDAP (software), 253
 Filtration combustion (FC), 82, 138–149
 Finite difference methods (FDM), 246
 Finite element method (FEM), 249, 260
 Finite volume methods (FVM), 247, 260
 First-order intrinsic kinetics, CSTR, 51
 First-order kinetics, irreversible, 35–36
 FLOW3D (software), 253
 Flow patterns, 229–230
 Flow reaction, with axial diffusion, 60
 FLUENT (software), 253, 264

FLUFIX (software), 253
 Fluid dynamics
 computational, *see* Computational fluid dynamics
 history, 234–235

Fluid flow, multiphase systems
 computational fluid dynamics, 242–244
 fluid–solid systems, 274–279
 gas–liquid–solid systems, 279–281
 gas–liquid system, 267–273
 liquid–liquid systems, 273
 numerical techniques, 249–251
 patterns, 229–230
 single-phase systems
 chemically reactive flows, 260–265
 complex rheology, 259–260
 computational fluid dynamics (CFD), 237–241
 laminar flow, 254–257
 numerical techniques, 247–249
 turbulent flow, 257–259

Fluidized bed reactors, computational fluid dynamics (CFD), 275–279

Fluidized catalytic cracking (FCC), riser-type reactors, 277

Fluid–solid systems, 273
 computational fluid dynamics (CFD)
 fluidized bed reactors, 275–279
 packed-bed reactors, 273, 275

Forced gas permeation, 149–150

Frank–Kamenetskii approximation, 124

Functionally graded materials (FGMs), 104–106

FVM, *see* Finite volume methods

G

Gamma distribution, 10, 54

Gamma-ray densitometry, computational fluid dynamics (CFD), 286

Gas fluidized beds

 discrete particle simulation, 291–296
 two-fluid simulation, 287–291

Gasless combustion synthesis, 82, 96–107
 combustion wave propagation, 120–126
 green mixture for, 162–165
 materials synthesized by, 96
 aluminides, 101–102
 borides, 89, 99–100
 carbides, 89, 96–99

chalcogenides, 89, 106
 diamond composites, 103
 functionally graded materials, 104–106
 intermetallic compounds, 89, 102, 103, 107
 silicides, 89, 101
 Ti–C–B system, 100
 thermodynamics, 154
 Gas–liquid solid systems, 279
 slurry reactors, 280
 trickle-bed reactors, 279
 Gas–liquid stirred tank reactors, computational
 fluid dynamics (CFD), 270, 272
 Gas–liquid systems, 267
 computational fluid dynamics (CFD),
 267–273
 bubble columns, 267–270, 271
 gas–liquid stirred tank reactors, 270, 272
 Gas pressure combustion sintering, 92
 Gas–solid combustion, 82
 green mixture for, 165–169
 hydrides by, 112
 initial temperature, 174
 nitrides by, 107–112, 189
 oxides by, 112–115
 quenching, 185
 sample diameter, 176
 thermodynamics, 156–158
 General micromixing model (GMM), 261
 Gibbs–Duhem equation, 62
 Gibbs free energy, 23–24, 28–29
 Global convexity, 16
 Global system models, 232–233
 GMM, *see* General micromixing model
 Gravity, combustion synthesis and, 177–180
 Green mixture
 for gasless systems, 162–165
 for gas–solid systems, 165–169
 preparation, 87–88, 105
 Grid generation, 245
 Groundwater contamination, petroleum refinery,
 332, 344, 354
 Group IV metal carbides, gasless combustion
 synthesis, 89, 96–99
 Group Va carbides, combustion synthesis, 99

H

Hafnium carbide, combustion synthesis, 91, 96
 Hafnium nitride, properties, 108

“Hard sphere” model, 277
 Hazardous waste, petroleum refinery, 339, 341
 Heterogeneous chemical equilibria, 28–30
 High-temperature superconductors, combustion
 synthesis, 91, 113
 Homogeneous chemical equilibria, 22–28
 Hot isostatic pressing (HIP), self-propagating
 high-temperature synthesis, 92
 Hydrides, combustion synthesis, 112
 Hydrocarbides, synthesis, 112
 Hydrocyclones, 272
 Hydronitrides, synthesis, 112

I

Infiltration combustion synthesis, 82, 138
 Interaction by exchange with the mean model
 (IEM), 261
 Intermetallic compounds
 combustion synthesis, 91, 102, 106, 171–172,
 174
 thermodynamics, 153
 hydrides, 112
 “solid” flame systems, 170
 Inventory, of refinery releases, 331–332,
 337–351

K

k – ϵ model, 258, 259
 Kinetics
 of combustion synthesis
 combustion wave propagation models,
 126–135
 combustion wave velocity, 120–126
 filtration combustion, 138–149
 forced gas permeation, 149–150
 stability of gasless combustion, 135–138
 of multicomponent mixtures, 2
 bimolecular reactions, 42–44
 cooperative uniform kinetics, 51–52
 cracking, 44–46
 first-order intrinsic kinetics, 51
 irreversible first-order kinetics, 35–36
 irreversible nonlinear kinetics, 37–40
 lumping, 2, 13–14, 30–34
 number density function, 48–49
 parallel reactions, 41–42

Kinetics (*Continued*)

- polymerization, 46–47
- reaction networks, 40–47
- reversibility, 40
- sequential reactions, 41–42

Kinetic theory of granular flow (KTGF), 276, 296

KIVA I and II (software), 253

L

Laminar entrained flow reactor (LEFR), modeling, 311–313

Laminar flow

- computational fluid dynamics (CFD), 254–257
 - around bluff bodies, 256
 - in ducts, 254–256
 - in stirred vessels, 256
- conservation equations, 242

Laminated metallic foils, combustion synthesis studies, 190–191

Large eddy simulation (LES), 241, 258, 262

Laser Doppler anemometry (LDA), computational fluid dynamics (CFD), 283, 288

Laser-induced fluorescence, computational fluid dynamics (CFD), 284, 288

Lattice-gas automata (LGA), 278

Layer-by-layer combustion, 165, 166

LEFR, *see* Laminar entrained flow reactor

Liquid–liquid systems, computational fluid dynamics (CFD), 273

Local convexity, 16

Loop reactors, 272

Lumping

- defined, 10, 13–14, 30–32
- exact lumping, 32–34
- notation, 14
- reaction network, 47

M

Marker and cell (MAC) method, 248, 251

Maximum mixedness reactors, kinetics, 52–54

Maximum segregation reactors, kinetics, 52

MELODIF (software), 253

Merization system, 6

Metallic nitrides, combustion synthesis, 107–108

Metastable set, 17

Method of moments, 20–22

Mg–Ni intermetallic compound, 106–107

Microbalance models, 232–233

Microgravity, combustion synthesis and, 179–179

Microheterogeneous cell model, combustion wave, 133

Micromixing models, 262–263

Microstructural models, combustion wave, 127–130

Mixed Eulerian–Lagrangian method, 273

Modeling, 232–233

combustion synthesis

- cellular models, 130–134
- microcellular models, 127–130
- microheterogeneous cell models, 133
- reactant interaction, 190–194

cracking, 263

experimental work and, 233–234

global systems models, 232–233

laminar entrained flow reactor (LEFR), 311–313

microbalance modeling, 232–233

pollution prevention options, 363–369

Reynolds stresses, 238, 239

turbulent flow, 239–241

Molecular dynamics, 278

Molybdenum carbide, combustion synthesis, 115

Molybdenum silicide

- combustion synthesis, 92, 101, 119
- properties, 97

Molybdenum–silicon system, “solid” flame systems, 172

Moment methods, 262

Monomolecular system, 30

Multicomponent mixtures, 1–3

Feinberg approach, 64–66

kinetics, 2

- bimolecular reactions, 42–44
- cooperative uniform kinetics, 51–52
- cracking, 44–46
- first-order intrinsic kinetics, 51
- irreversible first-order kinetics, 35–36
- irreversible nonlinear kinetics, 37–40
- lumping, 2, 13–14, 30–34
- number density function, 48–49
- parallel reactions, 41–42
- polymerization, 46–47
- reaction networks, 40–47

- reversibility, 40
- sequential reactions, 41–42
- linear algebra of stoichiometry, 2
 - continuous description, 7–13
 - discrete description, 3–7
- mathematical concepts, 66–69
- network topology, 64–66
- orthogonal complement, 7, 25–26, 61
- reactors, 49–50, 60–61
 - CSTR, 50–51, 55–57
 - interference with diffusion, 57–60
 - maximum mixedness reactors, 52–54
 - maximum segregation reactors, 52
 - multiplicity of steady states, 55–57
 - nonisothermal reactors, 54–55
 - plug flow reactors, 57
- thermodynamics, 2
 - heterogeneous chemical equilibria, 28–30
 - homogeneous chemical equilibria, 22–28
 - phase equilibria, 14–22
- Multiphase systems, computational fluid dynamics (CFD), 242–244
 - fluid–solid systems, 273–279
 - gas–liquid–solid systems, 279–281
 - gas–liquid systems, 267–273
 - liquid–liquid systems, 273
 - numerical techniques, 249–251
- Multiple steady states, 55–57

N

- Natural permeation combustion, 138, 139
- NEKTON (software), 253
- Net present value (NPV), pollution prevention options, 361–363
- Network topology, Feinberg approach, 64–66
- Nickel aluminides, combustion synthesis, 92, 101–102, 183, 189, 190–191, 195
- Niobium–boron mixtures, “solid” flame systems, 170
- Niobium carbides
 - gasless combustion synthesis, 99
 - properties, 97
- Niobium nitride, 107
 - properties, 108
- Niobium silicide, combustion synthesis, 92
- Nitride-based ceramics, combustion synthesis, 107–112

Nitrides

- combustion synthesis, 89, 107–112
- thermodynamics, 153
- properties, 108
- Nonideal liquid solutions, multicomponent mixtures, 19–20
- Nonisothermal reactors, kinetics, 54–55
- Nonlinear kinetics, irreversible, 37–40
- Nonmetal carbides, combustion synthesis, 99
- Nonmetallic nitrides, combustion synthesis, 108–112
- NPV, *see* Net present value
- Nuclear magnetic resonance imaging, computational fluid dynamics (CFD), 284
- Nucleation, 16
- Number density function, 48–49
- Numerical grid generation, 245

O

- Orthogonal complement, 7, 25–26, 61
- Oscillating combustion synthesis, 86–87
- Oxides, combustion synthesis, 112–115

P

- Packed-bed reactors, computational fluid dynamics (CFD), 273, 275
- Parallel reactions, kinetics, 41–42
- Particle–foil experiments, combustion synthesis studies, 191–194
- Particle image velocimetry (PIV), 283–284, 288
- Particle tracking, computational fluid dynamics (CFD), 285
- Partition coefficient, 20
- PDF, *see* Probability density function
- Petroleum refinery
 - Amoco Corp. Yorktown refinery, 335–336, 354–355, 384–385, 388–390
 - barge loading emissions reduced, 389, 390–391
 - blowdown stacks, upgraded, 389, 393–394
 - LDAR program instituted, 389, 395–396
 - soil intrusion into drainage system, 389, 394–395
 - storage tank secondary seals installed, 389, 391–393

Petroleum refinery (*Continued*)

- follow-up, 397–398
- inventory of refinery releases, 331–332, 337–351
- pollution prevention options
 - identifying, 332–335, 351–360
 - implementation, 382–396
 - modeling, 363–369
 - ranking, 333–334, 360–384
 - regulatory requirements, 378–382
- Phase equilibria, 14–15
 - approximate methods, 20–22
 - convexity, 15–17
 - nonideal liquid solutions, 19–20
 - Raoult's law, 17–19
- PHOENICS (software), 252
- Phosphides, gasless combustion synthesis, 106
- PIV, *see* Particle image velocimetry
- Plug flow reactor (PFR), 57
- Pollution prevention, 330–331
 - Amoco Corp. Yorktown refinery, 335–337, 354–357, 384–385, 388–390
 - barge loading emissions reduced, 389, 390–391
 - blowdown stacks upgraded, 389, 393–394
 - LDAR program instituted, 389, 395–396
 - soil intrusion into drainage system, 389, 394–395
 - storage tank secondary seals installed, 389, 391–393
 - follow-up, 397–398
 - inventory of refinery releases, 331–332, 337–351
 - options
 - identifying, 332–335, 351–360
 - implementation, 382–396
 - modeling, 363–369
 - ranking, 333–334, 360–384
 - regulatory requirements, 378–382
- POLYFLOW (software), 253, 259
- Polymerization reactions, kinetics, 46–47
- Porous catalysts, effectiveness factor, 58–60
- Prandtl–Kolmogorov model, 240
- Prandtl's mixing length model, 239, 240
- Probability density function (PDF), 263
- Pseudomonomolecular systems, 38

Q

- Quadrature method, 20–22
- Quantitative financial analysis, pollution prevention options, 361–363
- Quenching, in combustion synthesis, 183–189

R

- Radial centrifuges, 94–95
- Radioactive particle tracking (RPT), computational fluid dynamics (CFD), 285, 288
- RAMPANT (software), 253
- Ranking options, refinery pollution prevention, 333–334, 360–384
- RANS equations, *see* Reynolds averaged Navier–Stokes equations
- Raoult's law, 17–19
- Rate of reaction, 23
- Reaction coalescence, 189
- Reaction label, 10–11
- Reaction networks, 40–41, 74
 - bimolecular reactions, 42–44
 - cracking reactions, 44–46
 - irreversible kinetics, 35–40
 - parallel and sequential reactions, 41–42
 - polymerization, 46–47
- Reduction combustion synthesis, 82
- Reference components, 7
- Refinery release inventory, 331–332, 337–351
- Residence time distribution (RTD) experiments, chemical reactions, 230–231
- Resource Conservation and Recovery Act, 388
- Reversibility, kinetics, 40
- Reynolds averaged Navier–Stokes (RANS) equations, 262
- Reynolds number, defined, 241
- Reynolds stresses, modeling, 238, 239
- Reynolds stress model (RSM), 239, 258
- RPT, *see* Radioactive particle tracking

S

- Selenides, gasless combustion synthesis, 106
- Self-propagating high-temperature synthesis (SHS), 81–84
 - with casting, 93–95
 - centrifugal SHS casting, 94–95, 115

- commercial applications, 118–119
 - with densification, 89–93
 - with extrusion, 92
 - history, 83
 - with hot isostatic pressing (HIP), 892
 - initiation of, 173
 - materials synthesized by
 - cermet alloys by, 98, 99
 - diamond composites, 103
 - ferroelectrics, 114–115
 - magnesium nitride, 106–107
 - niobium nitride, 107
 - silicides, 101
 - superconductors, 113
 - powders, properties, 96–97, 108–111
 - reactor, 88–89
 - steady SHS process, 86
 - thermite-type SHS, 115–116
 - TRXRD studies, 195
 - Semiconductors, combustion synthesis, 91, 113–114
 - SEPRAN (software), 270
 - Sequential reactions, kinetics, 41–42
 - SGS models, *see* Subgrid scale models
 - Shock-induced synthesis, 92
 - Shock waves, for combustion synthesis quenching, 185
 - SHS, *see* Self-propagating high-temperature synthesis
 - Silicides
 - combustion synthesis, 89, 92, 101
 - thermodynamics, 153
 - powders, properties, 97
 - Silicon carbide
 - combustion synthesis, 92, 99, 119
 - properties, 97
 - Silicon nitride
 - applications, 110
 - combustion synthesis, 108, 109, 118, 119
 - Silicon nitride ceramics, properties, 11
 - SIMPLE algorithm, 247
 - Simplified marker and cell (SMAC) method, 248, 251
 - Single-phase systems, computational fluid dynamics (CFD), 237–241
 - chemically reactive flows, 260–265
 - complex rheology, 259–260
 - laminar flows, 254–257
 - numerical techniques, 247–249
 - turbulent flows, 257–259
 - viscoelastic flow, 260
 - Slurry reactors, computational fluid dynamics (CFD), 280
 - “Soft sphere” model, 277
 - “Solid” flame systems, 170
 - Solid–gas systems, combustion synthesis (CS)
 - in
 - hydrides by, 112
 - nitrides by, 89, 107–112
 - oxides by, 112–115
 - green mixture for, 165–169
 - initial temperature, 174
 - quenching, 185
 - sample diameter, 176
 - thermodynamics, 156–158
 - Solid waste, petroleum refinery, 339, 341, 344, 350–351
 - Steady propagation, combustion synthesis wave, 86
 - Steady SHS process, 86
 - Steady states, multiplicity of, 55–57
 - Stirred tank reactors, gas–liquid, computational fluid dynamics (CFD), 270, 272
 - Stoichiometry, 2
 - linear algebra, multicomponent mixtures, 3–14
 - Subgrid scale (SGS) models, 262
 - Subsurface contamination, petroleum refinery discharge, 344, 349–350
 - Sulfides, gasless combustion synthesis, 106
 - Superadiabatic condition, combustion synthesis, 149–150
 - Superconductors, combustion synthesis, 91, 113
 - Surface combustion, combustion synthesis, 165–166
 - Surface water, petroleum refinery pollution, 342–344, 349, 353–354
- T**
- Tantalum–boron mixtures, “solid” flame systems, 170
 - Tantalum–carbon mixtures, “solid” flame systems, 170
 - Tantalum nitride
 - combustion synthesis, 107
 - properties, 108

- Tantalum–nitrogen system, “solid” flame systems, 170
- Thermal explosion mode, combustion synthesis (CS), 82
- Thermodynamics
- combustion synthesis, 152–158
 - gasless systems, 154
 - gas–solid systems, 156
 - reduction-type systems, 154–156
 - multicomponent mixtures
 - heterogeneous chemical equilibria, 28–30
 - homogeneous chemical equilibria, 22–28
 - phase equilibria, 14–22
- Three-phase fluidized beds, computational fluid dynamics (CFD), 280
- Ti–C–B system, gasless combustion synthesis, 100
- Ti–C–Ni system, quenching, 187–188
- Ti–CO system, gasless combustion synthesis, 102
- Ti–Fe system, gasless combustion synthesis, 102
- Time-resolved X-ray diffraction (TRXRD), combustion synthesis studies, 195–197
- Ti–Ni powders, combustion synthesis, 102
- Titanium aluminides, VCS synthesis, 102
- Titanium boride
- combustion synthesis, 91, 92, 99–100, 119–120
 - functionally graded materials with, 105, 106
 - properties, 97
- Titanium carbide
- combustion synthesis, 91, 92, 93, 96–99, 115, 163, 186–187, 197
 - commercial production, 119
 - powder properties, 97
- Titanium nitride
- combustion synthesis, 107
 - properties, 108
- Titanium–nitrogen system, “solid” flame systems, 172
- Titanium silicide
- combustion synthesis, 92, 101, 197
 - properties, 97
- Tomography, computational fluid dynamics (CFD), 285–286
- Toxic Release Inventory (TRI), petroleum refinery, 331–332, 345–347
- Transition metal carbides, gasless combustion synthesis, 99
- Transition metal nitrides, properties, 108
- Transmission electron microscope (TEM), combustion synthesis studies, 191–192
- Transport phenomena, 229
- Trickle-bed reactions, computational fluid dynamics (CFD), 279
- TRXRD, *see* Time-resolved X-ray diffraction
- Tungsten carbide, combustion synthesis, 115
- Turbulent flow
- computational fluid dynamics (CFD), 257–259
 - modeling, 239–241
- Two-fluid simulation, gas fluidized beds, 287–291
- Two-phase flow, flow regime classification, 266
- U**
- Unconditional convexity, 16
- UPWIND (software), 267
- V**
- Vanadium nitride, combustion synthesis, 107
- Viscoelastic flows, computational fluid dynamics (CFD), 260
- Volume combustion synthesis (VCS), 81, 84
- materials synthesized by, 88, 101
- Volume of fluid (VOF) model, 251, 268, 270, 282, 301–311
- W**
- Wastewater, petroleum refinery, 339
- Water pollution, inventory of refining releases, 332
- Weissenberg number, 260
- Y**
- Yttrium powders, properties, 113–114
- Z**
- Zirconium carbide, gasless combustion synthesis, 97
- Zirconium nitride
- combustion synthesis, 107, 183
 - properties, 108