

INDEX

A

Agglomeration, 198
 Aggregation, 274, 275, 277–282, 287–289
 Algebraic stress model, 163
 Anisotropy, 184–185

B

Batchelor length scale, 167, 213
 Batchelor scale, 241, 242
 Beeman–Verlet algorithm, 98
 Blending, 151, 153, 190, 219
 Blending, suspending, 183
 Boundary methods, 180, 181, 191, 219
 Boussinesq, 160, 163, 196
 Breakage, 252, 275, 278–281, 287–289
 Break-up, 170, 199, 203–206, 209
 Bubble column, 2, 8, 11, 16, 18, 21, 24, 58
 Bubble dynamics, 2
 Bubble number density, 204

C

Carnahan–Starling Equation, 108
 Catalyst particles, 308, 310–312, 315, 330, 352, 356, 363–364, 367, 372, 374, 376–378, 380–381, 384
 Chemical reaction engineering (CRE), 231–233, 236, 244, 245, 253, 298, 310
 Chemical reactions, 156–157, 166, 183, 190, 209–210, 217–219, 310, 315, 319, 355
 Coalescence, 157, 170, 203–206, 209, 218–219
 Coarse-grid simulation, 136
 Coefficient of normal restitution, 95
 Cohesive force, 96, 110
 Collision, 157, 168, 174–175, 177, 193–194, 198, 202–203, 218

Collision operator, 77
 Compartmentalization, 199
 Composition vector, 267–272, 274, 276, 277, 285, 287
 Computational fluid dynamics, 307, 310, 385
 Computational fluid dynamics (CFD)
 code, 232, 233, 235, 237, 238, 244, 247–253, 259, 266, 267, 269, 274, 288, 291, 298, 300
 model, 232–238, 244–246, 248–250, 252, 253, 257, 261–263, 267–269, 271, 273–275, 277, 279, 281, 282, 286–288, 292–301
 simulation, 238, 239, 243, 24, 252, 24, 255, 272, 279, 282, 283, 300, 301
 Computer-generated packing, 325–326
 Contact force, 90
 Continuum, 169–170, 175, 189
 Cross-correlation terms, 166, 167, 210
 Crystallization, 151, 193, 197, 219
 Crystallizer, 173, 193, 198, 199, 202–203

D

Damköhler number, 209, 213–214
 Direct numerical simulation (DNS), 3, 151–152, 160, 193, 217, 235, 237, 238, 239, 244, 245, 253, 287, 295
 Direct quadrature method of moments (DQMOM), 249, 268–272, 277, 282–284, 286–289, 301
 Discrete bubble model, 141
 Discrete particle model, 72, 86
 Dispersed, 167–170, 189, 204, 219
 Dispersed two-phase, 167, 169
 Dispersion, 310, 314, 334, 343, 352–355, 381–383
 Dissipated, 180

Dissipation, 154, 162–164, 170, 183, 190,
193, 203–204, 206, 214
Dissolution, 196–197, 200, 219
DNS, 3–4, 24, 156–157, 159–160, 193–194,
202, 209, 216–219
Drag, 157, 168, 195–196
Drag, virtual mass, 169
Droplet deformation, 59
Droplet evaporation, 28, 40
Droplet–particle collision, 3, 27–28, 49, 55
D3Q19 model, 79

E

Eddy viscosity, 162–165, 184
Energy spectrum
 scalar, 241, 242
 turbulent, 240, 247
Enskog theory, 117
Ergun equation, 84
Euler–Euler, 167, 169, 170, 195, 204
Euler–Lagrangian, 167, 196
Eulerian, 152, 165–167, 169–170, 189–190,
205, 213
Excess compressibility, 107, 109

F

Favre average, 294, 295, 298,
FHP model, 75
Film boiling, 28–29, 31, 38–39, 58
Film-boiling evaporation, 2, 27
Filtered drag coefficient, 138
Filtered particle-phase pressure, 138, 139
Finite element, 308, 312, 315, 355–356, 386
Finite volume, 151, 159, 171, 174, 176, 308,
315–316, 324, 341, 355, 386
Fixed bed reactor, 308–310
Flow transitions, 312
Fluidized bed, 2, 11, 13, 24, 58
Front-capturing method, 4
Front-tracking method, 4
FV, 159, 171, 174–178, 181, 191, 216, 219

G

Gas liquid solid flow, 3, 5, 7, 9, 11, 13, 15,
17, 19, 21, 23, 25, 27, 29, 31, 33, 35,
37, 39, 41, 43, 45, 47, 49, 51, 53, 55,
57, 59, 61, 63

Gas–liquid, 151, 203
Gas–liquid flow, 11
Gas–liquid–solid flow, 1, 3, 13
Gas–liquid–solid fluidization, 2, 14, 24
Gas–solid drag force, 83
Gas-fluidized beds, 66
Geldart A particles, 127
Granular temperature, 115
Growth, 252, 274–277, 279, 281, 282, 284,
287–289

H

Hamaker constant, 96, 110
Hard-sphere model, 86
Heat transfer, 28, 33–34, 39–40, 58–59,
308–310, 312–315, 318–319, 321, 323,
330, 332–334, 337–340, 342, 344–345,
356–365, 367, 371–372, 376, 378,
382–384
History, 168
Hold-up, 204–208
Hydrodynamics, 2, 4, 28, 34, 58

I

Immersed boundary method, 1, 3, 9
Impeller swept, 179–180, 182–183,
191, 204
Interaction force, 169–170, 194, 195–196,
219
Interstitial flow, 307, 311–312, 315, 348,
351, 381
Isotropic, 155, 161, 184
Isotropy, 160, 170, 183–184, 218

J

Jacobi matrix, 125

K

k – ε model, 164, 171, 183–184, 212
 k – ε turbulence model, 195, 207, 216
 k – ω model, 164
Kinetic theory of granular flow, 69,
119
Knudsen number, 40, 42,
59, 67
Kolmogorov, 154, 159, 167, 195, 202, 205,
210–213

Kolmogorov
length scale, 238, 239, 241, 273, 274, 281
time scale, 238, 253, 281

L

Lagrangian, 152, 165–170, 189, 194, 203, 211–212, 214
Large eddy simulations (LES), 151–152, 157, 160–161, 186, 194, 217, 235, 238, 240, 244, 295
Lattice, 151, 175–176, 197
Lattice Boltzmann (LB), 151, 159, 174–175, 314, 328, 343, 351, 354–355, 386
Lattice Boltzmann Model, 72, 74
Lattice-gas models, 74
LB, 159, 174–175, 181–182, 184, 186, 190–191, 197, 199–200, 209, 214, 216–217, 219
LB LES, 194
LES, 157, 159–162, 194–197, 214, 216–219
Level-set method, 2–3, 5–6, 8, 12–13, 29–30, 39, 50–51, 58
Liquid–liquid, 151, 203, 209
Local grid refinement, 176, 182, 219

M

Macroinstabilities, 154, 158, 165, 188, 189
Magnus, 168, 194
Magnus, history, 169
Mass transfer, 193, 197, 204–206
Mesh generation, 324, 332, 336
MFR, 179, 191
Micromixing, 152, 166–167, 210–211, 214, 219, 245, 246, 248–250, 262, 265, 268, 269, 273, 275–277, 282, 284–288, 299–301
Microscopic
balance equation, 233–235, 240, 301
model, 233, 234, 240, 275
transport equation, 250, 254, 259, 267, 268, 275–277, 279, 283, 284
Mixing time, 190–192, 209
Mixture fraction
mean, 250, 257, 266, 299
transport equation, 257
variance, 245, 248, 250, 257, 266, 299

Moments, 199, 208
Momentum exchange coefficient, 84, 102
Multi-environment model, 248, 250, 261, 278, 284, 285
Multifluid model, 234, 288, 292, 293, 295, 296, 299
Multiphase flow
model, 234, 237, 244, 287, 291, 294–296, 299
reacting, 233, 234, 244, 288, 297, 301
Multiple frames of reference (MFR), 179

N

Navier–Stokes, 159
Navier–Stokes equations, 100
Neighbor listsm, 98
Nucleation, 193, 198–199, 202–203, 274–278, 280–282, 284, 287
Number density function (NDF)
bivariate, 282, 286, 301
univariate, 274, 279, 283
Numerical diffusion, 172
Nusselt number, 298

O

Obukhov–Corrsin constant, 241, 243
One-way coupling, 165, 167, 203

P

Packed bed, 309–310, 313, 325, 328, 334, 342, 344, 351, 354, 357
Packed tube, 307–308, 315–317, 321, 324–328, 330, 332, 335–337, 340, 342, 344–345, 348, 352, 354, 356, 364–365, 381–383
Parallel, 159, 171, 174, 197, 200, 210, 212, 214, 219
Parallellization, 216
Particle-image velocimetry (PIV), 246
Particle size distribution (PSD), 252, 274, 277, 279, 281, 282, 287, 288
PDF, 167, 199, 210, 213, 214, 219
Periodic box, 157, 161, 193–194, 202, 209, 211, 216, 218
Planar laser-induced fluorescence (PLIF), 241, 246

Poincaré, 190

Point particles, 167–168, 194

Population balance, 206, 208–209, 219

Population balance equation (PBE), 274,
275, 279, 282, 289, 301

Prandtl number, 250

Precipitation, 151, 197, 219

Pressure drop, 309, 313–315, 321, 335,
337–338, 340, 342–344, 348–352, 357,
364, 367, 383

Probability density function (PDF)

method, 248, 257, 268, 284

model, 281, 299

presumed, 248, 257, 261, 299

transported, 261, 268, 272, 273, 280

Product-difference (PD) algorithm,
276–278, 282

Q

Quadrature method of moments
(QMOM), 276, 281, 282

R

Random, 168–169, 202, 211

RANS, 160, 163, 195–197, 215–217

Reaction engineering, 336

Reaction-progress variable, 257–259, 262,
266

Reaction rate, 213

Reaction thermal effects, 372, 378

Reactor, 199, 209

Relaxation, 169, 172, 204–206

Residence time distribution, 209

Reynolds average, 245, 246, 278, 294,
297–299

Reynolds averaged Navier–Stokes
(RANS), 151, 159, 163, 195

Reynolds-averaged Navier–Stokes
(RANS) models, 235, 238, 240, 241,
244–246, 253

Reynolds number

particle, 237, 291, 296, 298

turbulent, 238–240, 244, 266, 281

Reynolds stress model (RSM), 163,
206

RSM, 171, 212

RSM turbulence model, 164

S

Saffman force, 194

Saffman lift, 169

Saffman lift force, 168

Saturated droplet impact, 29

Scalar dissipation, 241, 242, 250

Schmidt number, 240–244, 247, 250, 266,
300

Selectivity, 153, 209, 214, 217

SGS, 160–162, 168–169, 176, 184–186,
188–190, 200, 202, 213–214, 216, 218

SGS eddy viscosity, 162, 165

SGS stresses, 161–162

Sherwood number, 298

SIMPLE algorithm, 120

Single-phase flows

model, 244, 21, 287, 291, 295

nonreacting, 233, 244, 253

reacting, 233, 234, 253, 299

Sliding, 179

Slip, 176, 180, 204

SM, 179, 191

Smagorinsky, 162, 184–185, 188

Smagorinsky SGS, 162, 183

Snapshot, 180, 207

Soft-sphere model, 87

Solids suspension, 155, 170, 193, 209

Species transport, 166, 172, 176, 191, 213

Spring–dashpot soft-sphere model, 90

Steam reforming, 308–309, 333, 358,

363–364, 367, 370, 372, 374–376, 378

Stick-boundary rules, 81

Stokes number, 273–275, 288, 295

Stresses, 162–164, 167–168, 170, 184, 191

Subgrid, 160, 171–172, 213

Subgrid-scale

model, 233, 234, 243–245, 250, 251, 23,
272, 280, 298–301

phenomena, 234, 236, 238

Subgrid stresses, 162

Suspending, 151, 153, 192, 219

T

The Lattice Bhatnagar–Gross–Krook
model, 78

Tracking, 166–168, 170, 175, 189–190,
194–195, 211–212, 217

Turbulence, 203, 314–315, 317, 319–324,
334–336, 341–342, 350–351, 368, 382,
385
Turbulence model, 165, 171, 183,
218
Turbulence spectrum, 169, 209, 217
Turbulent kinetic energy, 154, 162–164,
183–184, 186–190
Turbulent kinetic energy dissipation, 199
Two-fluid, 169–170, 196, 207
Two-fluid model, 71, 111
Two-Phase, 151, 161, 167, 170–171, 173,
196, 202, 208, 217
Two-phase DNS, 203
Two-phase turbulence model, 170
Two-way coupling, 168–169, 194,
202–203

U

Unresolved, 166, 168, 191, 193,
218–219
Unresolved SGS, 166

V

Variance
mixture-fraction, 245, 248, 250, 299
scalar, 241
Virtual mass force, 142
Voke, 162, 184–185
Volume-of-fluid, 212
Vorticity, 164–165, 211

W

Wall effects, 309–310, 327, 343–344,
350, 354–355, 381
Wall function, 321–324, 337–338, 342, 348,
368, 372, 382
Wall segment, 330, 378, 386
Wen and Yu eq., 84

Y

Yield, 153, 209–215, 217

Z

Zwietering, 153, 193